



U.S. Department
of Transportation

National Highway
Traffic Safety
Administration

DOT-HS-807-312
DOT-TSC-NHTSA-88-2
Final Report

September 1988

Waveform Generator Signal Processing Software

MGA Research Corporation
12790 Main Road
P.O. Box 71
Akron, NY 14001-0071

Prepared for

Research and Development
Office of Crashworthiness Research
Washington, DC 20590

This document is available to the public from the National Technical Information Service, Springfield, Virginia 22161.

REPRODUCED BY
U.S. DEPARTMENT OF COMMERCE
NATIONAL TECHNICAL INFORMATION SERVICE
SPRINGFIELD, VA. 22161

NOTICE

This document is disseminated under the sponsorship
of the Department of Transportation in the interest
of information exchange. The United States Government
assumes no liability for its contents or use thereof.

NOTICE

The United States Government does not endorse
products or manufacturers. Trade or manufacturers'
names appear herein solely because they are considered
essential to the object of this report.

Technical Report Documentation Page

1. Report No. DOT-HS-807-312	2. Government Accession No. PB89 192660/AS	3. Recipient's Catalog No.	
4. Title and Subtitle WAVEFORM GENERATOR SIGNAL PROCESSING SOFTWARE		5. Report Date September 1988	
7. Author(s)		6. Performing Organization Code DTS-74	
9. Performing Organization Name and Address MGA Research Corporation* 12790 P.O. Box 71 Akron, NY 14001-0071		8. Performing Organization Report No. DOT-TSC-NHTSA-88-2	
12. Sponsoring Agency Name and Address U.S. Department of Transportation National Highway Traffic Safety Administration Research and Development Washington, DC 20590		10. Work Unit No. (TRAIS) HS876/S8013	
		11. Contract or Grant No. DTRS-57-84-C-00003	
		13. Type of Report and Period Covered Final Report Jan 85 - Feb 88	
		14. Sponsoring Agency Code NRD-11	
15. Supplementary Notes U.S. Department of Transportation *Under contract to: Research and Special Programs Administration Transportation Systems Center Cambridge, MA 02142			
16. Abstract This report describes the software that was developed to process test waveforms that were recorded by crash test data acquisition systems. The test waveforms are generated by an electronic waveform generator developed by MGA Research Corporation under contract to the National Highway Traffic Safety Administration. This waveform generator provides precise, repeatable signals designed to test the performance characteristics (amplitude and timing accuracy, and frequency response) of a data acquisition system. The waveform characteristics, processing algorithms, and instructions for use of the software are described in this report. Complete source listings are provided.			
17. Key Words Signal Waveform Generator Data Acquisition Testing Test Signals Crash Testing Data Processing Analysis Software		18. Distribution Statement DOCUMENT IS AVAILABLE TO THE PUBLIC THROUGH THE NATIONAL TECHNICAL INFORMATION SERVICE, SPRINGFIELD VIRGINIA 22161	
19. Security Classif. (of this report) UNCLASSIFIED	20. Security Classif. (of this page) UNCLASSIFIED	21. No. of Pages 17	22. Price

2028

PREFACE

A waveform generator has been developed for the National Highway Traffic Safety Administration (NHTSA) by MGA Research Corporation. The waveform generator provides standard signals for testing the performance characteristics of data acquisition channels at the facilities of NHTSA crash test contractors. Initial development of the waveform generator was carried out under the Test-Site Instrumentation Study (Contract No. DOT-HS-8-01936, Task Order No. 3). Modifications were subsequently made under Phase II (Contract No. DTNH22-82-C-07041) and Phase III (Contract No. DTRS-57-84-C-00003, Task Order Nos. 3, 3A, 8, 8A, and Purchase Order No. DTRS-57-86-P-81655) of the study. This report describes the software that was developed to process signal waveforms from the waveform generator that are recorded by crash test data acquisition systems. The waveform characteristics, processing algorithms, and instructions for use of the software are described. Complete source listings are provided.

The following contributions to the software package, described herein, are acknowledged:

Stuart Mentzer, of Automated Sciences Group, Inc., developed the HIC3 algorithm and its software implementation.

John Nickles, of the Transportation Systems Center of the United States Department of Transportation, developed the frequency response measurement algorithm and its software implementation (subroutines FRSP3 and SGAUSS). Also, Mr. Nickles was technical manager of the Phase III contract of the Test Site Instrumentation Study and editor of this report.

G. D. Bergland and M. T. Dolan, of Bell Laboratories, developed the FAST fast Fourier transform algorithm and its software implementation (subroutines FAST, FR2TR, FR4TR, FORD1, and FORD2). These programs were published by the IEEE Press, New York, in Programs for Digital Signal Processing, © 1979 IEEE, and are available from the IEEE Press on magnetic tape.

METRIC / ENGLISH CONVERSION FACTORS

ENGLISH TO METRIC

LENGTH (APPROXIMATE)

1 inch (in) = 2.5 centimeters (cm)
 1 foot (ft) = 30 centimeters (cm)
 1 yard (yd) = 0.9 meter (m)
 1 mile (mi) = 1.6 kilometers (km)

AREA (APPROXIMATE)

1 square inch (sq in, in²) = 6.5 square centimeters (cm²)
 1 square foot (sq ft, ft²) = 0.09 square meter (m²)
 1 square yard (sq yd, yd²) = 0.8 square meter (m²)
 1 square mile (sq mi, mi²) = 2.6 square kilometers (km²)
 1 acre = 0.4 hectares (ha) = 4,000 square meters (m²)

MASS - WEIGHT (APPROXIMATE)

1 ounce (oz) = 28 grams (gr)
 1 pound (lb) = .45 kilogram (kg)
 1 short ton = 2,000 pounds (lb) = 0.9 tonne (t)

VOLUME (APPROXIMATE)

1 teaspoon (tsp) = 5 milliliters (ml)
 1 tablespoon (tbsp) = 15 milliliters (ml)
 1 fluid ounce (fl oz) = 30 milliliters (ml)
 1 cup (c) = 0.24 liter (l)
 1 pint (pt) = 0.47 liter (l)
 1 quart (qt) = 0.96 liter (l)
 1 gallon (gal) = 3.8 liters (l)
 1 cubic foot (cu ft, ft³) = 0.03 cubic meter (m³)
 1 cubic yard (cu yd, yd³) = 0.76 cubic meter (m³)

TEMPERATURE (EXACT)

$$[(x - 32)(5/9)]^{\circ}\text{F} = y^{\circ}\text{C}$$

METRIC TO ENGLISH

LENGTH (APPROXIMATE)

1 millimeter (mm) = 0.04 inch (in)
 1 centimeter (cm) = 0.4 inch (in)
 1 meter (m) = 3.3 feet (ft)
 1 meter (m) = 1.1 yards (yd)
 1 kilometer (km) = 0.6 mile (mi)

AREA (APPROXIMATE)

1 square centimeter (cm²) = 0.16 square inch (sq in, in²)
 1 square meter (m²) = 1.2 square yards (sq yd, yd²)
 1 square kilometer (km²) = 0.4 square mile (sq mi, mi²)
 1 hectare (ha) = 10,000 square meters (m²) = 2.5 acres

MASS - WEIGHT (APPROXIMATE)

1 gram (gr) = 0.036 ounce (oz)
 1 kilogram (kg) = 2.2 pounds (lb)
 1 tonne (t) = 1,000 kilograms (kg) = 1.1 short tons


VOLUME (APPROXIMATE)

1 milliliter (ml) = 0.03 fluid ounce (fl oz)
 1 liter (l) = 2.1 pints (pt)
 1 liter (l) = 1.06 quarts (qt)
 1 liter (l) = 0.26 gallon (gal)
 1 cubic meter (m³) = 36 cubic feet (cu ft, ft³)
 1 cubic meter (m³) = 1.3 cubic yards (cu yd, yd³)


TEMPERATURE (EXACT)

$$[(9/5)y + 32]^{\circ}\text{F} = x^{\circ}\text{C}$$

QUICK INCH-CENTIMETER LENGTH CONVERSION



QUICK FAHRENHEIT-CELCIUS TEMPERATURE CONVERSION



For more exact and/or other conversion factors, see NBS Miscellaneous Publication 286, Units of Weights and Measures. Price \$2.50. SD Catalog No. C13 10 286.

TABLE OF CONTENTS

SECTION	PAGE
1. INTRODUCTION.....	1
2. WAVEFORM CHARACTERISTICS.....	2
2.1 Rectangle Waveform Characteristics.....	2
2.2 Rectangle Waveform Processing Results.....	2
2.3 Stair Waveform Characteristics.....	7
2.4 Stair Waveform Processing Results.....	7
2.5 Half-Sine Waveform Characteristics.....	12
2.6 Half-Sine Waveform Processing Results.....	12
2.7 Crash Waveform Characteristics.....	14
2.8 Crash Waveform Processing Waveform Results.....	16
2.9 Sum-of-Sines Waveform Characteristics.....	16
2.10 Sum-of-Sines Waveform Processing.....	16
3. USER'S MANUAL.....	19
3.1 Program Execution.....	19
3.2 Summary Reports and Statistical Data Files.....	26
4. SOFTWARE MODULE DESCRIPTIONS.....	41
4.1 Program "WGPROC".....	41
4.2 Subroutine "LED".....	41
4.3 Subroutines "VWGEN1" and "VWGEN2".....	41
4.4 Subroutines "CHA1" and "CHA2".....	50
4.5 Subroutines "OPNFILE" and "OPNFILE1".....	50
4.6 Subroutine "CDNUM".....	50
4.7 Subroutine "RESULT".....	58
4.8 Subroutine "HIC3".....	58
4.9 Subroutine "PART".....	58
4.10 Subroutine "EXTRACT".....	58
4.11 Subroutine "HSINE".....	63
4.12 Subroutine "ERR2".....	63
4.13 Subroutine "CRASH".....	63
4.14 Subroutine "FRSP3".....	67
4.15 Subroutine "SGAUSS".....	69
4.16 Subroutine "FAST".....	69
4.17 Subroutine "FR2TR".....	69
4.18 Subroutine "FR4TR".....	69
4.19 Subroutine "FORD1".....	69
4.20 Subroutine "FORD2".....	69
4.21 Subroutine "RECTAN".....	69
4.22 Subroutine "ZERO2".....	71
4.23 Subroutine "COMPRE".....	71
4.24 Subroutine "STAIR".....	74
4.25 Subroutine "ZERO3".....	74
4.26 Subroutine "COMSTR".....	74

TABLE OF CONTENTS continued


4.27	Subroutine "COMPR2".....	76
4.28	Subroutine "UDSIO".....	76
4.29	Subroutine "GETWAVE".....	80
4.30	Subroutine "GETIND".....	80
4.31	Subroutine "THCALC".....	80
5.	PROGRAM LISTINGS.....	84
6.	EPROM CHECK-OUT SOFTWARE.....	160

LIST OF ILLUSTRATIONS

FIGURE		PAGE
2-1	Rectangle Waveform.....	3
2-2	Stair Waveform.....	8
2-3	Half-Sine Waveform.....	13
2-4	Crash Waveform.....	15
2-5	Sum-of-Sines Waveform.....	18
3-3	Rectangle Waveform, Sample Summary Report and Statistical Data Files.....	28
3-4	Stair Waveform, Sample Summary Report and Statistical Data Files.....	32
3-5	Half-Sine Waveform, Sample Summary Report and Statistical Data Files.....	35
3-6	Crash Waveform, Sample Summary Report and Statistical Data Files.....	36
3-7	Sum-of-Sines Waveform, Sample Summary Report and Statistical Data Files.....	37
3-8	Resultant Summary Report.....	40
4-1	Flow Diagram of "WGPROC".....	42
4-2	Flow Diagram of "LED".....	47
4-3	Flow Diagram of "VWGEN1".....	48
4-4	Flow Diagram of "VWGEN2".....	49
4-5	Flow Diagram of "CHAI".....	51
4-6	Flow Diagram of "CHA2".....	53
4-7	Flow Diagram of "OPNFILE".....	55
4-8	Flow Diagram of "OPNFILE1".....	56
4-9	Flow Diagram of "CDNUM".....	57
4-10	Flow Diagram of "RESULT".....	59
4-11	Flow Diagram of "HIC3".....	60
4-12	Flow Diagram of "PART".....	61
4-13	Flow Diagram of "EXTRACT".....	62
4-14	Flow Diagram of "HSINE".....	64
4-15	Flow Diagram of "ERR2".....	65
4-16	Flow Diagram of "CRASH".....	66
4-17	Flow Diagram of "FRESP3".....	68
4-18	Flow Diagram of "RECTAN".....	70

LIST OF ILLUSTRATIONS continued

4-19	Flow Diagram of "ZERO2".....	72
4-20	Flow Diagram of "COMPRE".....	73
4-21	Flow Diagram of "STAIR".....	75
4-22	Flow Diagram of "COMSTR".....	77
4-23	Flow Diagram of "COMPR2".....	78
4-24	Flow Diagram of "UDSIO".....	79
4-25	Flow Diagram of "GETWAVE".....	81
4-26	Flow Diagram of "GETIND".....	82
4-27	Flow Diagram of "THCALC".....	83
6-1	Flow Diagram of EEPROM Check-out Program.....	161



1. INTRODUCTION

A waveform generator has been developed for the National Highway Traffic Safety Administration (NHTSA) that will provide standard signals for testing the performance characteristics of data acquisition channels at the facilities of NHTSA crash test contractors. Initial development of the waveform generator was carried out under the Test-Site Instrumentation Study (Contract No. DOT-HS-8-01936, Task Order No. 3). Modifications were subsequently made under Phase II (Contract No. DTNH22-82-C-07041) and Phase III (Contract No. DTRS-57-84-C-00003, Task Order Nos. 3, 3A, 8, 8A, and Purchase Order No. DTRS-57-86-P-81655) of the study. This report presents a description and operating manual for the processing software package that was initially developed under Phase II and modified under Phase III of this study. Under Phase III, the software package was modified to account for the changes that have been made to the format of the waveforms generated by the waveform generator instrument. The software package was also integrated into a "user friendly" package. The software is implemented on the VAX 11/780 minicomputer at NHTSA.

This report consists of five sections. The first section discusses the characteristics of the waveforms and the results that are generated by the software analysis. The second section is a user's manual for the software package. The third section contains a narrative description and flow diagrams of the software. The fourth section consists of a listing of the software. The fifth section describes the procedure for programming the test waveforms into EPROMs (Erasable Programmable Read Only Memory). Also included in this section is a narrative description, a flow diagram, and a source listing of the software which was developed to compare the actual content of the EPROMs to idealized test waveforms is presented. For further information on the waveform generator instrument, the reader is directed to the Operator's Manual for Waveform Generator Model RPG-6236-A.

2. WAVEFORM CHARACTERISTICS

This section describes the characteristic of each waveform that is generated by the waveform generator instrument. A discussion of the results produced by the processing software for each waveform follows the discussion of each waveform characteristic.

2.1 RECTANGLE WAVEFORM CHARACTERISTICS

The characteristics of the rectangle waveform include positive and negative full-scale amplitudes of 200 g's in magnitude. The period of one rectangle cycle is 10 msec. There are 10 cycles present in the rectangle waveform with each cycle starting at a level of +200 g's and continuing for 6 msec then dropping to a level of -200 g's and continuing for 4 msec and finally returning to the starting position level of +200 g's. (It should be noted that the 10th cycle returns only to a level of 0 g's.) The duration of the rectangle waveform is 100 msec.

Figure 2-1 shows a typical rectangle waveform sequence.

2.2 RECTANGLE WAVEFORM PROCESSING RESULTS

The rectangle waveform is used to check the following characteristics of a data channel:

- a. Time deviation from theoretical time
- b. Time linearity
- c. Time offset
- d. Steady-state amplitude response
- e. Amplitude overshoot in response to a step input
- f. Channel-to-channel time deviation





Figure 2-1 Rectangle Waveform

2.2.1 Time Deviation from Theoretical Time



The actual time of the zero crossing of the recorded rectangle waveform is measured to determine the magnitude of variations in the data time base. The theoretical time of zero crossing is established by the time reference waveform. That is, the first sample of the time reference waveform that exceeds 50% of its maximum value determines the value of time for which time = 0. Each subsequent zero crossing of the rectangle waveform is supposed to occur at 6, 10, 16, 20, 26, 30, etc. milliseconds after T0 (time = 0). The time deviation is the difference between the measured and the theoretical zero crossing times. In the present rectangle processing software, the time of the initial rise (at T0) is not measured. It is extrapolated to occur 10 milliseconds before the first measured zero crossing of the first positive going edge of the waveform.

2.2.2 Time Linearity

The rectangle waveform is examined using the method of least squares. By fitting a straight line to a number of X-Y coordinates, the slope and the Y-intercept of that line give an indication of the quality of the data.

The X coordinate used in this analysis is the theoretical time the waveform begins a complete period as defined by a 0 g's amplitude level. The theoretical time value begins at zero milliseconds and increments by 10 msec for each cycle. The Y coordinate used in this analysis, called the time

deviation from theoretical, is the difference between the actual time at which the waveform crosses the 0 g's amplitude level and theoretical time of the 0 g's amplitude level crossing. This value can range from zero in the best case to infinity for the worst case.


The slope of the least squares straight line fit is an indication of the time linearity of the data. A deviation from zero of + 0.01 is allowed while acceptability is maintained. This tolerance translates to + 1% variation in the data acquisition sample rate when the sample rate conforms to the minimum requirements for SAE class 1000 data (8000 samples per second). The ideal case would be a slope of zero which would indicate perfect linearity.

2.2.3 Time Offset

The Y-axis intercept of the least squares straight line fit is an indication of the time offset. A deviation of + 1.0 msec is allowed while still maintaining acceptability. The ideal value for the Y-axis intercept would be zero which would indicate perfect timing synchronization.

2.2.4 Steady-State Amplitude Deviation from Theoretical Amplitude


The steady-state amplitude deviation from theoretical amplitude is determined by comparing the steady state average to the theoretical value of ± 200 g's (depending upon the sense of the data) for each of the 20 occurrences of the extremes throughout the entire rectangle waveform. The steady-state amplitude is calculated by averaging the data values over the closed interval from A to B shown below.



Point A is the center of the constant amplitude level duration and point B is one millisecond before the next zero crossing. The duration of the averaging is no less than 2 msec for the positive data levels and 1 msec for the negative data levels. Deviation from the theoretical steady-state amplitude is expressed as a percentage of the theoretical level and is determined by dividing the difference between the actual and theoretical amplitudes by the value of 200 (the absolute value of the theoretical amplitude).

2.2.5 Amplitude Overshoot Relative to the Calculated Steady-State Amplitude

The relative overshoot is determined by obtaining the data value extreme which occurs over the closed interval from C to D for the positive intervals and from E to F for the negative intervals.



The value of relative overshoot is expressed as a percentage of the change in steady-state amplitude by dividing the calculated overshoot by the change in steady-state amplitude. (Theoretically, all amplitude changes are 400 g's with the exception of the start of the first cycle which rises from 0 to 200 g's and the end of the last cycle which only returns to 0 g's from the -200 g's amplitude level.)

2.2.6 Channel-to-Channel Time Difference for the Rectangle Waveform

The channel-to-channel time deviation is a determination of how each individual channel is performing relative to a common standard. The value which is used to make this determination is the actual time of occurrence of each rectangle cycle beginning at zero amplitude. The common standard which is used is the actual times of occurrence of each rectangle cycle for the first channel processed. The channel-to-channel performance is measured by the difference between the time of occurrence of corresponding rectangle cycles for the first channel and the channel being examined.

2.3 STAIR WAVEFORM CHARACTERISTICS

The characteristics of the stair waveform include amplitude levels ranging from 0 to +200 g's and from -200 to 0 g's with a 0 g's level between the +200 and -200 g's extremes. The time duration of each level is 10 msec and there are a total of 13 amplitude levels (40 g increments) in the waveform, of which three are the zero level. The duration of the waveform is 120 msec; a 5 msec zero level is added to the end of the waveform to extend it to 125 msec.

Figure 2-2 shows a typical stair waveform.

2.4 STAIR WAVEFORM PROCESSING RESULTS

The stair waveform is used to check the following characteristics of the data channel:

- a. Time deviation from theoretical
- b. Time linearity
- c. Time offset
- d. Amplitude linearity
- e. Amplitude offset
- f. Steady-state amplitude deviation from theoretical levels
- g. Amplitude overshoot for different amplitude levels
- h. Channel-to-channel time deviation





Figure 2-2 Stair Waveform

2.4.1. Time Deviation from Theoretical

Shown below is an example of the calculation of time deviation from theoretical.



The time deviation from theoretical is determined by subtracting the theoretical time the waveform should reach an amplitude which is 50% of the change in amplitude for the interval being considered from the actual time the waveform reaches that amplitude. In this example, the theoretical time of reaching the amplitude of 20 g's (50% of the amplitude change from 0 g's to 40 g's) is 10 msec. In the STAIR summary report, the "TIME DEVIATION FROM THEORETICAL TIME" reported for each interval corresponds to the measured time of occurrence of each numbered rise shown in Figure 2-2.

2.4.2 Time Linearity

The stair waveform is examined for time linearity and offset using the method of least squares. When a straight line is fitted through a number of X-Y coordinate pairs, the slope and Y-intercept of the line give an indication of the quality of the data. The X-coordinates used are the theoretical times at which the waveform changes amplitude levels. The values for the X-coordinate range from 10 to 120 msec in increments of 10 msec. The Y-coordinates used in the analysis are the time deviation from theoretical values determined for the waveform as described above. The values can range from zero for the best case to infinity for the worst case.

The slope of the least squares fit straight line is an indication of the time linearity of the data. The value for the slope is allowed a tolerance of

± 0.01 . This corresponds to an allowable deviation of $\pm 1\%$. The ideal case would have a slope of zero, indicating perfect linearity.

2.4.3 Time Offset


The Y-intercept of the least squares fit straight line is an indication of the time offset. The tolerance for this value is ± 1.0 msec. The ideal time offset would be zero msec indicating perfect timing.

2.4.4 Amplitude Linearity


The amplitude linearity is determined using the same approach that is used for the time linearity calculation described in Section 2.4.2. The tolerance for amplitude linearity is $\pm 2.5\%$.

2.4.5 Amplitude Offset

The amplitude offset is determined using a similar approach to that used for the time offset calculation described in Section 2.4.3. The tolerance for amplitude offset is $\pm 2.5\%$.




2.4.6 Steady-State Amplitude Deviation from Theoretical Amplitude



The data used to determine the steady-state amplitude occurs in the closed interval from L to M shown above. L corresponds to the center of the constant amplitude levels and M is a point which occurs one millisecond before the next rise in amplitude. The steady-state amplitude is calculated by taking the average of the amplitude values in this interval. Once the actual steady-state value is determined, it is then compared to the theoretical steady-state value. The difference between the theoretical and actual values is divided by the full-scale amplitude (200 g's) in order to express the deviation from theoretical amplitude as a percentage of the full-scale amplitude. The tolerance for this portion of the analysis is $\pm 2.5\%$. In the STAIR summary report, the "STEADY STATE AMPLITUDE DEVIATION FROM THEORETICAL AMPLITUDE" reported for each interval corresponds to the percentage difference, described above, for each numbered level shown in Figure 2-2.

2.4.7 Amplitude Overshoot Relative to Calculated Steady-State Value

The maximum data point in the closed interval from P to Q shown below is used to determine the relative amplitude overshoot by comparing the value of the point to the calculated (average) steady-state amplitude. The difference between the maximum and steady-state values is divided by the difference between the steady-state levels occurring before and after the step and expressed as a percentage of the step height. Overshoot of $\pm 13\%$ is considered acceptable. In the STAIR summary report, the "AMPLITUDE OVERSHOOT RELATIVE TO CALCULATED STEADY STATE AMPLITUDE" reported for each interval corresponds to the overshoot calculated for each numbered rise shown in Figure 2-2.



2.4.8 Channel-to-Channel Time Difference for the Stair Waveform

The channel-to-channel time deviation is an indication of how each individual channel is performing relative to a common standard. The value

which is examined is the actual time of occurrence of each amplitude change during the stair waveform. Each value is compared to the actual time of occurrence of the corresponding amplitude change of the waveform that is contained in the first channel processed thus making the first channel which is processed the standard. The tolerance for this part of the analysis is ± 0.25 msec.

2.5 HALF-SINE WAVEFORM CHARACTERISTICS

The half-sine waveform is broken into two components - an X-axis and a Z-axis. The two components are produced on separate channels of the waveform generator instrument. (This forces the requirement of processing the data in multiples of two channels per execution of the processing software.) Both components consist of half-sine pulses which have a time duration of 2.985 msec. The X-axis component has a peak amplitude of -200 g's and the Z-axis component has a peak amplitude of +200 g's. Together, these two components form a resultant waveform which, when analyzed in terms of HIC (Head Injury Criterion), give a HIC value of 1665.6 with a HIC calculation time duration of 2.0 msec. It should be noted that the components are synchronized in time. The half-sine waveform was designed to simulate a short duration impact which is often found in actual crash test data. The half-sine waveform components are used to provide a means of checking the HIC computation accuracy and the channel to channel time difference between the two channels containing the waveform components. Figure 2-3 shows the two components of the half-sine waveform.

2.6 HALF-SINE WAVEFORM PROCESSING RESULTS

2.6.1 Channel-to-Channel Time Difference

The actual times for the peak amplitude of the X and Z components are utilized to determine the channel-to-channel time difference. The times of the peak amplitudes are determined by calculating the time at which each waveform crosses an amplitude level which is 20% of full scale. It is then assumed that the peak amplitude occurs at the time which is exactly halfway between the two 20% level crossings. The difference between the X-axis and Z-axis time-of-peak amplitude values is the channel-to-channel time difference. The tolerance allowed for this difference is ± 0.1 msec.





Figure 2-3 Half-Sine Waveform

2.6.2 Waveform Component Time Deviation

To determine the time deviation for the two components of the waveform, the times of peak amplitude occurrence calculated for the channel-to-channel time difference (described above) are compared against theoretical times at which the peaks should occur. The allowable deviation for each component is ± 1.0 msec.

2.6.3 HIC Deviation

The HIC deviation is determined by comparing the HIC value determined from the resultant of the recorded X and Z components against the theoretical value. The theoretical value in this case may not be the value 1665.6 mentioned above since the theoretical is determined from curves which are generated so that they have the same amplitude and time duration as the recorded waveform components. To accomplish this, true half-sine curves ($a = A * \sin(wt)$) are fitted to the peak amplitude and time values calculated during the channel-to-channel time difference determination (Section 2.6.1). This method is used in order to separate the errors in time and amplitude deviation from the HIC calculation. (If the waveform components do not match the time duration and/or the amplitude of the theoretical waveform components, then the chances that the HIC calculation will fall within the $\pm 6\%$ limit set for the HIC calculation tolerance are greatly reduced.)

2.7 CRASH WAVEFORM CHARACTERISTICS

As with the half-sine waveform, the crash waveform is composed of two components: X-axis and Z-axis. The waveform was obtained from the head accelerations which occurred in a crash test which was assigned test number 206 by NHTSA. The resultant of the X and Z components yield a computed HIC value of 930. The crash waveform is used as a means of checking the accuracy of the data channels with respect to actual crash test data. Figure 2-4 shows the X and Z components of the crash waveform.

X X COMPONENT
Δ Z COMPONENT




Figure 2-4 Crash Waveform

2.8 CRASH WAVEFORM PROCESSING WAVEFORM RESULTS

2.8.1 HIC Deviation

HIC value deviation is determined by comparing the HIC value obtained by processing the resultant of the recorded X and Z components against the theoretical HIC value of 930. As with the half-sine HIC deviation analysis, the allowable difference is $\pm 6\%$.

2.9 SUM-OF-SINES WAVEFORM CHARACTERISTICS

The sum-of-sines waveform is a test signal which is used to determine the amplitude frequency response of a data acquisition channel.

The sum-of-sines waveform consists of the sum of equal amplitude sine waves whose frequencies are successive integer harmonics of the fundamental (lowest) frequency of the composite signal. For the Phase III waveform generator instrument, the sum-of-sines composite waveform consists of the sum of the first 14 harmonics of 273.4375 Hz. The peak level of the composite output is scaled to be the full-scale input of the data acquisition channel being tested. The sum-of-sines composite produced by the Phase III waveform generator instrument is shown in Figure 2-5.

2.10 SUM-OF-SINES WAVEFORM PROCESSING

The recorded data acquisition channel response to the sum-of-sines waveform is processed to determine the amplitude frequency response of the channel at the test signal frequencies.

This data processing produces three types of output files: plot files; a statistical data file; and a summary file. The plot file consists of fourteen ordered data pairs for plotting signal frequency vs. amplitude ratio in dB. The statistical data file consists of sequences of fourteen values of amplitude ratio (one value at each signal frequency), (one sequence for each data channel analyzed). For each signal frequency, the summary file

provides the signal frequency, the DFT line number, the DFT output frequency, the input DFT value, the output DFT value, the scaled DFT ratio, and the amplitude ratio in dB. One table, of this description, is provided for each data channel tested.

It is appropriate to discuss the information provided in the summary file. The discrete Fourier transform (DFT) plays a central role in the determination of amplitude frequency response. The DFT output consists of a sequence of numbers. As the DFT is used here, each number in the DFT output can be considered the energy level in the signal analyzed, at a particular frequency. The frequency, to which each DFT output value corresponds, starts at zero for the first DFT output value and increases monotonically, with a constant increment, for each subsequent member of the DFT output sequence. The "DFT line number" is the number of frequency increments contained in the "DFT output frequency" closest to the "signal frequency" listed. The input DFT value is the magnitude of the output value of the DFT (of the input waveform) whose corresponding frequency is closest to a signal frequency. The output DFT value is the magnitude of the output value of the DFT (of the channel output signal) whose corresponding frequency is closest to a signal frequency. The DFT ratio is the ratio of the output DFT value to the input DFT value at the same signal frequency. This ratio is multiplied by a scale factor, which is 0.993 multiplied by the ratio of the input DFT value to the output DFT value at the lowest signal frequency. The scaled DFT ratio is the numeric amplitude ratio.




Figure 2-5 Sum-of-Sines Waveform

3. USER'S MANUAL

This manual presents the procedure for processing the recorded waveform generator instrument output data. This software package performs two general functions. The first function is to prepare the channel output data files so that individual waveforms can be processed. The second function is to process the data. This software package is capable of processing from 2 to 18 channels in a single execution pass. (Note: If half-sine and crash waveforms are to be processed, the sequence of data files to be processed must alternate between X (group 1 waveforms) and Z (group 2 waveforms) axis data, starting with an X-axis data file.)

Actual data recorded from the output of a waveform generator instrument will be used for examples throughout this manual. The data was recorded at Calspan Corporation, Buffalo, NY. The data files which will be utilized are:

UDS\$WORK:[S000]S0002DA00.015 Time synchronization

UDS\$WORK:[S000]S0002AA00.012 Channel 12 (X-axis)

UDS\$WORK:[S000]S0002AA00.014 Channel 14 (Z-axis)

The examples to follow will be for data processed on the NHTSA VAX 11/780.

The remainder of this user's manual will assume that the reader has a working knowledge of the use of the NHTSA VAX 11/780 computer and the Digital Command Language (DCL). Program prompts will be shown as bold characters in this manual and user responses shown will be underlined.

3.1 PROGRAM EXECUTION

To begin the processing procedure the user must type:

RUN WGPROC

The program will then respond with:

*** WAVEFORM GENERATOR PROCESSING SOFTWARE ***

10-MAR-88

11:27:51

DO YOU WANT ANALYSIS OF HALF-SINE AND CRASH PULSES IN THE PROCESSING? (Y or N)

>>Y

OPTION 1 : FINDING DATA POINT INDEX NUMBERS CORRESPONDING TO EDGES

OPTION 2 : ENTER CORRECT DATA POINT INDEX NUMBERS

ENTER DESIRED OPTION NUMBER (1/2)

>>>

Figure 4-1 (see Section 4) presents a flow diagram of the processing package. Not shown in Figure 4-1 is the first option provided to the user, the selection of full or partial processing. The option of eliminating the half-sine and crash pulse processing is provided so that when the appropriate group 1 and group 2 signals are not used as inputs to the data acquisition system under test, only the meaningful processing (RECTANGLE, STAIR, AND SUM-OF-SINES) will be performed.

Option 1 takes the time synchronization file and detects the rising or falling edge data point index numbers. If there are more than four edges for the time zero and inverted time zero data file types or more than two edges for the delayed time zero and inverted delayed time zero data file types, the program will warn the user of the occurrence of the extra edges and end program execution. The occurrence of extra edges stems primarily from two sources.

These sources are:

- 1) The waveform generator instrument produces a pre-trigger pulse prior to the output of the actual test waveforms sequence. If the time synchronization channel on the data acquisition system records the pre-trigger pulse, an extra edge will result.

2) Noise on the time synchronization channel on the data acquisition system can be of sufficient magnitude such that it is mistaken for extra edges.

In case of an occurrence of extra edges, the user should obtain a plot of the time synchronization file in order to ascertain the indices of the correct edges. (This can be done by using the "VTEKPLT" program which resides in the [ASGPROG] account.) Upon determining which of the indices represent the correct edges, the user can then re-execute the program and make use of Option 2. An example of the occurrence of extra edges is given by the data chosen for use in the following sample processing run.

Starting from the initial execution of the processing program (assuming the occurrence of extra edges is not known), the user enters:

RUN WGPROC

*** WAVEFORM GENERATOR PROCESSING SOFTWARE ***

10-MAR-88 11:27:51

DO YOU WANT ANALYSIS OF HALF-SINE AND CRASH PULSES IN THE PROCESSING? (Y or N)
>>Y

OPTION 1 : FINDING DATA POINT INDEX NUMBERS CORRESPONDING TO EDGES

OPTION 2 : ENTER CORRECT DATA POINT INDEX NUMBERS

ENTER DESIRED OPTION NUMBER (1/2)

>>> 1

ENTER TIME SYNCHRONIZATION FILE NAME

>>UDS\$WORK:[S000]S0002DA00.015

****NOTE : TIME ZERO HAS BEEN RECORDED****

LEADING EDGE AT -400 th DATA POINT

LEADING EDGE AT 3 rd DATA POINT

LEADING EDGE AT 1676 th DATA POINT

LEADING EDGE AT 3350 th DATA POINT

LEADING EDGE AT 5024 th DATA POINT

WARNING!

ADDITIONAL EDGES IN TIME ZERO FILE HAVE BEEN DETECTED

OBTAIN A PLOT OF TIME ZERO FILE

AND USE OPTION 2 TO ENTER THE CORRECT DATA POINT NUMBERS

END OF PROCESSING RUN

Upon running the program "VTEKPLT" in the [ASGPROG] account and obtaining a plot of the time synchronization file, it becomes clear that the first edge is not an indicator for the leading edge of recorded data (see Figure 2-2). Knowing this, the user should then proceed as shown below:

RUN WGPROC

The program will then respond with:

***** WAVEFORM GENERATOR PROCESSING SOFTWARE *****

10-MAR-88

11:29:22

DO YOU WANT ANALYSIS OF HALF-SINE AND CRASH PULSES IN THE PROCESSING? (Y or N)

>>Y

OPTION 1 : FINDING DATA POINT INDEX NUMBERS CORRESPONDING TO EDGES

OPTION 2 : ENTER CORRECT DATA POINT INDEX NUMBERS

ENTER DESIRED OPTION NUMBER (1/2)

>>> 2

ENTER 1 IF TIMING FILE IS A STANDARD TIME ZERO FILE

2 IF TIMING FILE IS A DELAYED TIME ZERO FILE

3 IF TIMING FILE IS AN INVERTED TIME ZERO FILE

4 IF TIMING FILE IS A DELAYED & INVERTED TIME ZERO FILE

1

ENTER DATA POINT INDEX NUMBER 1

>>> 3

ENTER DATA POINT INDEX NUMBER 2

>>> 1676

ENTER DATA POINT INDEX NUMBER 3

>>> 3350

ENTER DATA POINT INDEX NUMBER 4

>>> 5024

** BEGINNING OF INDIVIDUAL WAVEFORM SEPARATION **

NOTE: THE TOTAL NUMBER OF FILE NAMES YOU ENTER
MUST BE A MULTIPLE OF TWO. THE FIRST, THIRD,
FIFTH, etc., FILE MUST BE AN X-COMPONENT FILE
AND THE SECOND, FOURTH, SIXTH, etc., FILE
MUST BE A Z-COMPONENT FILE.

ENTER DATA FILE NAME (XXXXXXXX.XXX)

IF NO MORE FILES, TYPE "CNTR Z"

>>UDS\$WORK:[S000]S0002AA00.012

DEL= 7.4686315E-05

ENTER DATA FILE NAME (XXXXXXXX.XXX)

IF NO MORE FILES, TYPE "CNTR Z"

>>UDS\$WORK:[S000]S0002AA00.014

DEL= 7.4686315E-05

ENTER DATA FILE NAME (XXXXXXXX.XXX)

IF NO MORE FILES, TYPE "CNTR Z"

>> Exit (system response to a "CNTR Z")

*** END OF PHASE 1 ***

TEST (1) - 0002

TEST (2) - 0002

PROCESSING SEQUENCE:

RECTANGLE WAVEFORM

STAIR WAVEFORM

HALF-SINE WAVEFORM

CRASH WAVEFORM

SUM-OF-SINE WAVEFORM

** RECTANGLE WAVEFORM PROCESSOR **

PROCESSING COMPLETED FOR FILE S0002AA00.F12

PROCESSING COMPLETED FOR FILE S0002AA00.F14

** STAIR WAVEFORM PROCESSOR **

PROCESSING COMPLETED FOR FILE S0002AA00.E12

PROCESSING COMPLETED FOR FILE S0002AA00.E14

STEADY-STATE AMPLITUDE DEVIATIONS FROM BEST FIT STRAIGHT LINE (% FULL SCALE)

DEV(2)- -0.184 DEV(3)- 0.008 DEV(4)- 0.057 DEV(5)- 0.144

DEV(6)- 0.014 DEV(7)- 0.095 DEV(8)- 0.193 DEV(9)- 0.140

DEV(10)- -0.155 DEV(11)- -0.095 DEV(12)- -0.217 DEV(

STEADY-STATE AMPLITUDE DEVIATIONS FROM BEST FIT STRAIGHT LINE (% FULL SCALE)

DEV(2)- -0.076 DEV(3)- -0.004 DEV(4)- 0.210 DEV(5)- 0.034

DEV(6)- -0.063 DEV(7)- 0.148 DEV(8)- 0.159 DEV(9)- 0.116

DEV(10)- -0.098 DEV(11)- -0.168 DEV(12)- -0.258 DEV(

** HALF-SINE WAVEFORM PROCESSOR **

RESULT FILE FOR SET NUMBER 1

CALCULATING *HIC* FOR SET NUMBER 1

PROCESSING SET NUMBER 1

** CRASH WAVEFORM PROCESSOR **

RESULT FILE FOR SET NUMBER 1

CALCULATING *HIC* FOR SET NUMBER 1

PROCESSING SET NUMBER 1

** SUM-OF-SINE WAVEFORM PROCESSOR **

PROCESSING COMPLETED FOR FILE S0002AA00.V12

PROCESSING COMPLETED FOR FILE S0002AA00.V14

END OF PROCESSING RUN

As indicated above, once the user specifies all of the files to be processed, there is no further interaction with the user. One point should be noted. For the processing of the rectangular, staircase and sum-of-sines waveforms, the program indicates that processing is completed for files which the user did not specify. The file names which are indicated are hold-overs from a previous version of the processing software. In the previous version, each waveform of each channel was separated from the others of the channel

and placed into a separate file. This feature was removed from the software in order to reduce the number of calls to the system storage devices and the processing time. The file names no longer have any physical meaning outside of the program. The use of the file names has been retained in order to allow the user to track the progress of the program. These "files" can now be thought of as "pseudo-files."

3.2 SUMMARY REPORTS AND STATISTICAL DATA FILES

During the execution of the program, a number of files are generated. The files which are generated can be divided into two groups. The first group is the summary files. The summary files are files which report on the quality of the data in terms of the "properties" investigated in a clear formatted manner. The second group are the statistical data files which contain information which can later be utilized in other ways such as in statistical programs. (The other statistical programs are not part of the signal processing software package.) These statistical data files are generally not in a format which offers clearly meaningful data just by visual inspection. Unless the user intends to conduct a statistical analysis on a number of program runs, all questions relating to the quality of the recorded data can be answered from the summary files.

In Table 3-1, the names of the summary and statistical data files generated during program execution are presented. Also presented in this table is a brief description of the contents of each of the files. Examples of these files are presented following the table. It should be noted that in order to obtain easily readable summary reports, the user must have access to a device (terminal or printer) which can operate in 132-column mode.

Table 3-1 Files Generated During the Execution of WGPROC

<u>Waveform</u>	<u>File name</u>	<u>Description</u>
Rectangle	REC####.SUM	Summary report
	REC####.001	Data file containing time deviation from theoretical time
	REC####.002	Data file containing time linearity slope and time offset intercept
	REC####.003	Data file containing steady-state amplitude deviation from theoretical amplitude
	REC####.004	Data file containing amplitude overshoot relative to calculated steady-state amplitude
Staircase	STAIR####.SUM	Summary report
	STAIR####.001	Data file containing time deviation from theoretical time
	STAIR####.002	Data file containing time linearity slope and time offset intercept
	STAIR####.003	Data file containing amplitude linearity slope and amplitude offset intercept
	STAIR####.004	Data file containing steady-state amplitude deviation from theoretical amplitude
	STAIR####.005	Data file containing amplitude overshoot relative to calculated steady-state amplitude
Half-sine	HSNE####.SUM	Summary report
	HSNE####.001	Data file containing HIC deviation
	HSNE####.002	Data file containing time deviation of X and Z components from theoretical
Crash	CRASH####.SUM	Summary report
	CRASH####.001	Data file containing HIC deviation
Sum-of-sines	SUMSN####.SUM	Summary report
	SUMSN####.001	Data file containing frequency of actual signal and amplitude ratio
	FR####.Vnn	Frequency response plot data files
Half-sine and Crash	RESULT.SUM	File listing waveform component combinations used in the calculation of the X-Z resultants

Note: #### is the test number assigned to the data by NHTSA. This corresponds to the four-digit sequences displayed after the "END OF PHASE 1" message given during the execution of WGPROC. nn is the channel number of the data. This corresponds to the last two digits in the extension of the input data file names.

***** REC002.SUM *****

** RECTANGLE WAVEFORM PROCESSOR DATA SUMMARY **

A VALUE OF +/- 10000 INDICATES THAT THE QUANTITY COULD NOT BE DETERMINED
THE * SYMBOL INDICATES THAT THE ALLOWABLE LIMIT HAS BEEN EXCEEDED.

TIME QUANTITIES EXPRESSED IN MILLISECONDS
AMPLITUDE QUANTITIES EXPRESSED AS PERCENT OF FULL SCALE

10-MAR-88 11:31:33

RESULTS FOR FILE : S0002AA00.F12

CHANNEL NO. 12

FACILITY : CALSPAN

1. TIME DEVIATION FROM THEORETICAL TIME (ALLOWABLE LIMIT = +/- 1.0 MSEC)

INTERVAL NUMBER

1	2	3	4	5	6	7	8	9	10
0.000	-0.025	0.005	-0.017	0.016	-0.009	0.024	-0.001	0.032	0.007

INTERVAL NUMBER

11	12	13	14	15	16	17	18	19	20
0.040	0.015	0.048	0.023	0.058	0.031	0.084	0.039	-0.003	-0.028

2. TIME LINEARITY (ALLOWABLE LIMIT = +/- 1 %)

SLOPE = 0.03

3. TIME OFFSET (ALLOWABLE LIMIT = +/- 1.0 MSEC)

INTERCEPT = 0.00

4. STEADY-STATE AMPLITUDE DEVIATION FROM THEORETICAL AMPLITUDE (ALLOWABLE LIMIT = 2.5 %)

INTERVAL NUMBER

1	2	3	4	5	6	7	8	9	10
-0.455	-0.096	-0.642	-0.027	-0.605	-0.131	-0.680	-0.061	-0.493	-0.096

INTERVAL NUMBER

11	12	13	14	15	16	17	18	19	20
-0.567	-0.061	-0.642	0.043	-0.399	-0.165	-0.474	-0.051	-0.549	-0.089

Figure 3-3 continued

5. AMPLITUDE OVERTHROW RELATIVE TO CALCULATED STEADY-STATE AMPLITUDE (ALLOWABLE LIMIT +/- 13 %)

INTERVAL NUMBER										
1 9.147	2 8.331	3 8.595	4 8.823	5 8.572	6 8.356	7 8.356	8 8.321	9 8.036	10 8.333	
INTERVAL NUMBER										
11 8.555	12 8.317	13 8.857	14 8.524	15 8.457	16 8.627	17 8.507	18 8.308	19 8.806	20 9.116	

RESULTS FOR FILE : S0002AA00.F14

CHANNEL NO. 14

FACILITY : CALSPAN

1. TIME DEVIATION FROM THEORETICAL TIME (ALLOWABLE LIMIT = +/- 1.0 MSEC)

INTERVAL NUMBER										
1 0.000	2 -0.025	3 0.008	4 -0.017	5 0.016	6 -0.009	7 0.024	8 -0.001	9 0.032	10 0.007	
INTERVAL NUMBER										
11 0.040	12 0.015	13 0.048	14 0.023	15 0.058	16 0.031	17 0.064	18 0.039	19 0.072	20 -0.028	

2. TIME LINEARITY (ALLOWABLE LIMIT = +/- 1 %)

SLOPE = 0.05

3. TIME OFFSET (ALLOWABLE LIMIT = +/- 1.0 MSEC)

INTERCEPT = -0.01

4. STEADY-STATE AMPLITUDE DEVIATION FROM THEORETICAL AMPLITUDE (ALLOWABLE LIMIT = 2.5 %)

INTERVAL NUMBER										
1 -0.443	2 0.110	3 -0.667	4 0.250	5 -0.611	6 0.145	7 -0.705	8 0.215	9 -0.331	10 0.180	
INTERVAL NUMBER										
11 -0.536	12 0.285	13 -0.780	14 0.390	15 -0.574	16 0.250	17 -0.461	18 0.285	19 -0.583	20 0.285	

5. AMPLITUDE OVERSHOOT RELATIVE TO CALCULATED STEADY-STATE AMPLITUDE (ALLOWABLE LIMIT +/- 13 %)

INTERVAL NUMBER									
1 9.048	2 8.477	3 8.304	4 8.873	5 8.531	6 8.465	7 8.323	8 8.431	9 8.640	10 8.434

INTERVAL NUMBER									
11 8.230	12 8.386	13 8.358	14 8.602	15 8.505	16 8.406	17 8.187	18 8.382	19 8.251	20 8.913

6. CHANNEL-TO-CHANNEL TIME DIFFERENCE - ALL CHANNELS ARE COMPARED TO THE FIRST CHANNEL PROCESSED (ALLOWABLE LIMIT = +/- 0.25 msec)

RESULTS FOR FILE : S0002AA00.F12

CHANNEL NO. 12

INTERVAL NUMBER									
1 0.000	2 0.000	3 0.000	4 0.000	5 0.000	6 0.000	7 0.000	8 0.000	9 0.000	10 0.000

INTERVAL NUMBER									
11 0.000	12 0.000	13 0.000	14 0.000	15 0.000	16 0.000	17 0.000	18 0.000	19 0.000	20 0.000

RESULTS FOR FILE : S0002AA00.F14

CHANNEL NO. 14

INTERVAL NUMBER									
1 0.000	2 0.000	3 0.000	4 0.000	5 0.000	6 0.000	7 0.000	8 0.000	9 0.000	10 0.000

INTERVAL NUMBER									
11 0.000	12 0.000	13 0.000	14 0.000	15 0.000	16 0.000	17 0.000	18 0.000	19 0.075	20 0.000

FILE NAME
S0002AA00.F12
S0002AA00.F14

CHANNEL NO.
12
14

STATUS
PASS
PASS

Figure 3-3 continued

31

TOTAL NO. OF CHANNELS PROCESSED = 2
NUMBER OF ACCEPTABLE CHANNELS = 2
NUMBER OF UNACCEPTABLE CHANNELS = 0

***** REC0002.001 *****

0.000	-0.025	0.008	-0.017	0.016	-0.009	0.024	-0.001	0.032	0.007
0.040	0.015	0.048	0.023	0.056	0.031	0.064	0.039	-0.003	-0.028
0.000	-0.025	0.008	-0.017	0.016	-0.009	0.024	-0.001	0.032	0.007
0.040	0.015	0.048	0.023	0.056	0.031	0.064	0.039	0.072	-0.028

***** REC0002.002 *****

0.03	0.00
0.05	-0.01

***** REC0002.003 *****

-0.455	-0.096	-0.642	-0.027	-0.605	-0.131	-0.680	-0.061	-0.493	-0.096
-0.567	-0.061	-0.642	0.043	-0.399	-0.165	-0.474	-0.051	-0.549	-0.089
-0.443	0.110	-0.667	0.250	-0.611	0.145	-0.705	0.215	-0.331	0.180
-0.536	0.285	-0.780	0.390	-0.574	0.250	-0.461	0.285	-0.583	0.285

***** REC0002.004 *****

9.147	8.331	8.595	8.823	8.572	8.356	8.356	8.321	9.036	8.333
8.555	8.317	8.857	8.524	8.457	8.627	8.507	8.308	8.806	9.116
9.048	8.477	8.304	8.673	8.531	8.465	8.323	8.431	8.640	8.434
8.230	8.386	8.358	8.602	8.505	8.406	8.187	8.382	8.251	8.913

***** STAIR0002.SUM *****

** STAIR WAVEFORM PROCESSOR DATA SUMMARY **

A VALUE OF +/- 10000 INDICATES THAT THE QUANTITY COULD NOT BE DETERMINED
THE * SYMBOL INDICATES THAT THE ALLOWABLE LIMIT HAS BEEN EXCEEDED.

TIME QUANTITIES EXPRESSED IN MILLISECONDS
AMPLITUDE QUANTITIES EXPRESSED AS PERCENT OF FULL SCALE

16-MAR-88 11:31:41

RESULTS FOR FILE : S0002AA00.E12

CHANNEL NO. 12

FACILITY : CALSPAN

1. TIME DEVIATION FROM THEORETICAL TIME (ALLOWABLE LIMIT +/- 1.0 MSEC)

INTERVAL NUMBER

1	2	3	4	5	6	7	8	9	10	11	12
0.008	0.018	0.024	0.032	0.040	0.048	-0.018	-0.011	-0.003	0.005	0.013	0.02

2. TIME LINEARITY (ALLOWABLE LIMIT = +/- 1 %)

SLOPE = -0.61

3. TIME OFFSET (ALLOWABLE LIMIT = +/- 1.0 MSEC)

INTERCEPT = 0.62

4. AMPLITUDE LINEARITY (ALLOWABLE LIMIT = +/- 2.5 %)

SLOPE = -0.27

5. AMPLITUDE OFFSET (ALLOWABLE LIMIT = +/- 2.5 %)

INTERCEPT = -0.29

6. STEADY-STATE AMPLITUDE DEVIATION FROM THEORETICAL AMPLITUDE (ALLOWABLE LIMIT = +/- 2.5 %)

INTERVAL NUMBER

1	2	3	4	5	6	7	8	9	10	11	12
-0.291	-0.534	-0.397	-0.402	-0.369	-0.555	-0.199	-0.172	-0.064	0.286	0.281	0.45

7. AMPLITUDE OVERSHOOT RELATIVE TO CALCULATED STEADY-STATE AMPLITUDE (ALLOWABLE LIMIT +/- 13 %)

INTERVAL NUMBER

1	2	3	4	5	6	7	8	9	10	11	12
7.162	8.209	10.160	9.258	9.536	9.777	8.885	7.822	8.936	8.023	10.878	9.66

RESULTS FOR FILE : S0002AA00.E14

CHANNEL NO. 14

FACILITY : CALSPAN

1. TIME DEVIATION FROM THEORETICAL TIME (ALLOWABLE LIMIT +/- 1.0 SEC)

INTERVAL NUMBER												
1	2	3	4	5	6	7	8	9	10	11	12	
0.008	0.016	0.024	0.032	0.040	0.048	-0.019	-0.011	-0.003	0.005	0.013	0.02	

2. TIME LINEARITY (ALLOWABLE LIMIT = +/- 1 %)

SLOPE = -0.01

3. TIME OFFSET (ALLOWABLE LIMIT = +/- 1.0 MSEC)

INTERCEPT = -0.02

4. AMPLITUDE LINEARITY (ALLOWABLE LIMIT = +/- 2.5 %)

SLOPE = -0.05

5. AMPLITUDE OFFSET (ALLOWABLE LIMIT = +/- 2.5 %)

INTERCEPT = -0.39

6. STEADY-STATE AMPLITUDE DEVIATION FROM THEORETICAL AMPLITUDE (ALLOWABLE LIMIT = +/- 2.5 %)

INTERVAL NUMBER												
1	2	3	4	5	6	7	8	9	10	11	12	
-0.185	-0.475	-0.413	-0.210	-0.395	-0.502	-0.241	0.180	0.233	0.457	0.537	0.63	

7. AMPLITUDE OVERRUN RELATIVE TO CALCULATED STEADY-STATE AMPLITUDE (ALLOWABLE LIMIT $\pm 13\%$)

INTERVAL NUMBER

1	2	3	4	5	6	7	8	9	10	11	12
8.258	7.259	8.239	8.808	8.758	9.514	9.010	9.689	7.698	10.127	10.092	7.46

8. CHANNEL-TO-CHANNEL TIME DIFFERENCE ALL CHANNELS ARE COMPARED TO THE FIRST CHANNEL PROCESSED (ALLOWABLE LIMIT = +/- 0.25 MSEC)

RESULTS FOR FILE : S0002AA00.E12

CHANNEL NO. 12

INTERVAL NUMBER

1 0.000	2 0.000	3 0.000	4 0.000	5 0.000	6 0.000	7 0.000	8 0.000	9 0.000	10 0.000	11 0.000	12 0.000
------------	------------	------------	------------	------------	------------	------------	------------	------------	-------------	-------------	-------------

RESULTS FOR FILE : S0002AA00.E14

CHANNEL NO. 14

INTERVAL NUMBER

1 0.000	2 0.000	3 0.000	4 0.000	5 0.000	6 0.000	7 0.000	8 0.000	9 0.000	10 0.000	11 0.000	12 0.00
------------	------------	------------	------------	------------	------------	------------	------------	------------	-------------	-------------	------------

FILE NAME	CHANNEL NO.	STATUS
S0002AA00.E12	12	PASS
S0002AA00.E14	14	PASS

TOTAL NO. OF CHANNELS PROCESSED = 2

NUMBER OF ACCEPTABLE CHANNELS = 2

NUMBER OF UNACCEPTABLE CHANNELS = 0

***** STAIR0002.001 *****												
0.008	0.016	0.024	0.032	0.040	0.048	-0.019	-0.011	-0.003	0.005	0.013	0.02	
0.008	0.016	0.024	0.032	0.040	0.048	-0.019	-0.011	-0.003	0.005	0.013	0.02	
***** STAIR0002.002 *****												
-0.01	0.02											
-0.01	0.02											
***** STAIR0002.003 *****												
-0.27	-0.29											
-0.05	-0.39											
***** STAIR0002.004 *****												
-0.291	-0.534	-0.397	-0.402	-0.369	-0.555	-0.199	-0.172	-0.064	0.286	0.281	0.45	
-0.185	-0.475	-0.413	-0.210	-0.395	-0.502	-0.241	0.180	0.233	0.457	0.537	0.63	
***** STAIR0002.005 *****												
7.162	8.209	10.160	9.256	9.536	9.777	8.885	7.822	8.936	8.023	10.878	9.66	
8.258	7.259	8.239	8.808	8.758	9.514	9.010	9.689	7.698	10.127	10.092	7.46	

Figure 3-4 continued

***** HSNE0002.SUM *****

** HALFSINE WAVEFORM PROCESSOR DATA SUMMARY **

THE * SYMBOL INDICATES THAT THE ALLOWABLE LIMIT HAS BEEN EXCEEDED.

TIME QUANTITIES ARE EXPRESSED IN MILLISECONDS

10-MAR-88 11:32:11

RESULTS FOR "X" COMPONENT FILE : S0002AA00.C12 CHANNEL NO. 12
AND "Z" COMPONENT FILE : S0002AA00.C14 CHANNEL NO. 14

FACILITY : CALSPAN

1. CHANNEL-TO-CHANNEL TIME DIFFERENCE = -0.002 (ALLOWABLE LIMIT = +/- 0.1 MSEC)
2. "X" COMPONENT TIME DEVIATION = 0.031 (ALLOWABLE = +/- 1.0 MSEC)
3. "Z" COMPONENT TIME DEVIATION = 0.034 (ALLOWABLE LIMIT = +/- 1.0 MSEC)
4. HIC DEVIATION = 0.16 (ALLOWABLE LIMIT = +/- 6%)

THE CALCULATED HIC NO. = 1641.0 FOR T1 = 111.502 AND T2 = 113.518 WITH T2-T1 = 2.017

THE THEORETICAL HIC NO. = 1638.3 AND THE THEORETICAL VALUE OF T2-T1 = 1.942

FILE NAME	CHANNEL NO.	STATUS
S0002AA00.C12	12	PASS
S0002AA00.C14	14	PASS

TOTAL NO. OF CHANNELS PROCESSED = 2
NUMBER OF ACCEPTABLE CHANNELS = 2
NUMBER OF UNACCEPTABLE CHANNELS = 0

***** HSNE0002.001 *****

0.031 0.034

***** HSNE0002.002 *****

0.16

***** CRASH0002.SUM *****

** CRASH WAVEFORM PROCESSOR DATA SUMMARY **

THE * SYMBOL INDICATES THAT THE ALLOWABLE LIMIT HAS BEEN EXCEEDED.

TIME QUANTITIES ARE EXPRESSED IN MILLISECONDS

10-MAR-88

11:32:22

RESULTS FOR "X" COMPONENT FILE : S0002AA00.D12
AND "Z" COMPONENT FILE : S0002AA00.D14

CHANNEL NO. 12
CHANNEL NO. 14

FACILITY : CALSPAN

1. HIC DEVIATION = -0.43 (ALLOWABLE LIMIT = +/- 5%)

THE CALCULATED HIC NO. = 928.0 FOR T1 = 459.246 AND T2 = 471.047 WITH T2-T1 = 11.800

THE THEORETICAL HIC NO. = 930.0

FILE NAME	CHANNEL NO.	STATUS
S0002AA00.D12	12	PASS
S0002AA00.D14	14	PASS

TOTAL NO. OF CHANNELS PROCESSED = 2
NUMBER OF ACCEPTABLE CHANNELS = 2
NUMBER OF UNACCEPTABLE CHANNELS = 0

***** CRASH0002.001 *****

-0.43

***** SUMSN0002.SUM *****

10-MAR-88 11:32:28

RESULT FOR FILE S0002AA00.V12
FREQUENCY RESPONSE FILE FR0002.V12

SIGNAL FREQUENCY (HZ)	DFT LINE NO.	DFT OUTPUT FREQUENCY	INPUT DFT VALUE	OUTPUT DFT VALUE	SCALED DFT RATIO	AMPLITUDE RATIO (DB)
273.4375	42	274.5859	116.4118	2239.0781	0.99300	-0.06
546.8750	84	549.1719	115.9737	2152.7881	0.95834	-0.37
820.3125	125	817.2201	115.5020	2176.7891	0.97298	-0.24
1093.7500	167	1091.8060	116.1409	2108.5037	0.93727	-0.56
1367.1875	209	1366.3920	116.4876	1987.4216	0.88082	-1.10
1640.6250	251	1640.9779	116.5444	1672.7551	0.74100	-2.60
1914.0625	293	1915.5638	116.3090	1230.7350	0.54630	-5.25
2187.5000	335	2190.1499	115.7811	810.4747	0.36139	-8.84
2460.9375	376	2458.1980	115.7289	506.3800	0.22590	-12.92
2734.3750	418	2732.7839	116.2774	330.1055	0.14657	-16.68
3007.8125	460	3007.3699	116.5355	232.7119	0.10309	-19.74
3281.2500	502	3281.9558	116.5022	150.9221	0.06688	-23.49
3554.6875	544	3558.5417	116.1769	99.2410	0.04410	-27.11
3828.1250	586	3831.1277	115.5613	80.4261	0.03593	-28.89

Figure 3-7 SUM-OF-SINES WAVEFORM
Sample Summary Report and Statistical Data Files

RESULT FOR FILE S0002AA00.V14
 FREQUENCY RESPONSE FILE FR0002.V14

SIGNAL FREQUENCY (HZ)	DFT LINE NO.	DFT OUTPUT FREQUENCY	INPUT DFT VALUE	OUTPUT DFT VALUE	SCALED DFT RATIO	AMPLITUDE (DB)
273.4375	42	274.5859	116.4118	2229.0823	0.99300	-0.06
546.8750	84	549.1719	115.9737	2168.9026	0.96984	-0.27
820.3125	125	817.2201	115.5020	2170.0696	0.97433	-0.23
1093.7500	187	1091.8060	116.1409	2107.5266	0.94104	-0.53
1367.1875	209	1366.3920	116.4876	1985.8407	0.87518	-1.16
1640.6250	251	1640.9779	116.5444	1637.4161	0.72860	-2.75
1914.0625	293	1915.5638	116.3090	1181.5800	0.53129	-5.49
2187.5000	335	2190.1499	115.7811	770.1146	0.34494	-9.25
2460.9375	376	2458.1980	115.7289	502.5081	0.22518	-12.95
2734.3750	418	2732.7839	116.2774	334.4904	0.14918	-16.53
3007.8125	460	3007.3699	116.5355	221.5809	0.09860	-20.12
3281.2500	502	3281.9558	116.5022	154.1666	0.06862	-23.27
3554.6875	544	3556.5417	116.1769	104.2890	0.04655	-26.64
3828.1250	586	3831.1277	115.5613	81.4986	0.03657	-28.74

***** SUMSN0002.001 *****
 -0.0610 -0.3696 -0.2379 -0.5627 -1.1023 -2.6036 -5.2514 -8.8404 -12.9218 -16.6793 -19.7353 -23.4941 -27.1110 -28.8908
 -0.0610 -0.2660 -0.2259 -0.5278 -1.1582 -2.7502 -5.4934 -9.2452 -12.9498 -16.5258 -20.1221 -23.2705 -26.6412 -28.7368

***** FR0002.V12 *****

0.27344E+03 -0.61015E-01
 0.54688E+03 -0.36962E+00
 0.82031E+03 -0.23793E+00
 0.10938E+04 -0.56268E+00
 0.13872E+04 -0.11023E+01
 0.16406E+04 -0.26036E+01
 0.19141E+04 -0.52514E+01
 0.21875E+04 -0.88404E+01
 0.24609E+04 -0.12922E+02
 0.27344E+04 -0.16679E+02
 0.30078E+04 -0.19735E+02
 0.32813E+04 -0.23494E+02
 0.35547E+04 -0.27111E+02
 0.38281E+04 -0.28891E+02

Figure 3-7 continued

Figure 3-7 continued

***** FR0002.V14 *****

0.27344E+03 -0.61016E-01
0.54688E+03 -0.26598E+00
0.82031E+03 -0.22592E+00
0.10938E+04 -0.52784E+00
0.13672E+04 -0.11582E+01
0.16406E+04 -0.27502E+01
0.19141E+04 -0.54934E+01
0.21875E+04 -0.92452E+01
0.24609E+04 -0.12950E+02
0.27344E+04 -0.16526E+02
0.30078E+04 -0.20122E+02
0.32813E+04 -0.23270E+02
0.35547E+04 -0.26641E+02
0.38281E+04 -0.28737E+02

***** RESULT.SUM *****

•• RESULTANT SUMMARY REPORT ••

SET NO : 1
INPUT FILES(X AND Z COMPONENT) : S0002AA00.C12 S0002AA00.C14
RESULTANT FILE : S0002AA00.RES

•• RESULTANT SUMMARY REPORT ••

SET NO : 1
INPUT FILES(X AND Z COMPONENT) : S0002AA00.D12 S0002AA00.D14
RESULTANT FILE : S0002AA00.RES

Figure 3-8 Resultant Summary Report

4. SOFTWARE MODULE DESCRIPTIONS

This section presents a narrative description and flow diagram for each program module incorporated in the waveform signal processing software package.

4.1 PROGRAM "WGPROC"

"WGPROC" is the main program module for the signal processing software package. Its main purpose is to interact with the user and, based upon the response of the user, control the overall flow of the processing procedure. The flow diagram of this module is shown in Figure 4-1. Not shown in Figure 4-1 is the option to select full or partial processing.

4.2 SUBROUTINE "LED"

Subroutine "LED" contains the routine which is used to detect the type of time synchronization file. If the time synchronization file is either a standard time zero file or a delayed time zero file, subroutine "VWGEN1" is called. If the time synchronization file is inverted (either a full or delayed time zero file), subroutine "VWGEN2" is called. The flow diagram of this module is shown in Figure 4-2.

4.3 SUBROUTINES "VWGEN1" AND "VWGEN2"

Subroutines "VWGEN1" and "VWGEN2" are used to detect the data point index number corresponding to the edges in the time synchronization file. ("VWGEN1" is used to detect the leading edges and "VWGEN2" is used to detect the trailing edges.) As indicated in Section 4.2, "VWGEN1" is used for the standard and delayed time zero files and "VWGEN2" is used for the inverted standard and inverted delayed time zero files. The flow diagrams for "VWGEN1" and "VWGEN2" are shown in Figures 4-3 and 4-4 respectively.




Figure 4-1 Flow Diagram of "WGPROC"




Figure 4-1 continued




Figure 4-1 continued




Figure 4-1 continued




Figure 4-1 continued




Figure 4-2 Flow Diagram of "LED"




Figure 4-3 Flow Diagram of "VWGEN1"




Figure 4-4 Flow Diagram of "VWGEN2"

4.4 SUBROUTINES "CHA1" AND "CHA2"

Subroutines "CHA1" and "CHA2" are used to obtain the file names for the data to be processed and to mark the starting points of the individual waveforms. In previous versions of the processing software, the individual waveforms were physically separated into individual files. In this version of the software, the data is stored in large arrays in memory with the index numbers of the starting points marking the "separations." "CHA1" is used for the standard and inverted time zero files and "CHA2" is used for the delayed standard and inverted delayed time zero files. The flow diagrams for "CHA1" and "CHA2" are shown in Figures 4-5 and 4-6 respectively. The E1(I) used in CHA1 and CHA2 are the array indices of the data points in the time reference waveform that first exceed one-half the distance between the minimum and maximum values of that waveform for a positive (negative) going edge in a standard (inverted) time reference waveform.

4.5 SUBROUTINES "OPNFIL" AND "OPNFILL"

Subroutines "OPNFIL" and "OPNFILL" are used to create the names for the "pseudo-files" which are displayed in order to allow the user to monitor the progress of the processing procedure. The names for the "pseudo-files" are created by changing the first character of the extension of the data channel file name (entered by the user in either "CHA1" or "CHA2") to a character which represents the waveform being processed. (The characters used are "F" for the rectangle waveform; "C" for the half-sine waveform; "E" for the staircase waveform; "V" for the sum-of-sines waveform; and "D" for the crash waveform.) Flow diagrams for "OPNFIL" and "OPNFILL" are shown in Figures 4-7 and 4-8 respectively.

4.6 SUBROUTINE "CDNUM"

Subroutine "CDNUM" is used to extract the test number from the data channel file name and to ensure that all of the files to be processed are from the same test. If data files are specified from more than one test, a message is given and a flag is set which causes the program to cease execution. The flow diagram of this module is shown in Figure 4-9. In this




Figure 4-5 Flow Diagram of "CHAL"




Figure 4-5 continued




Figure 4-6 Flow Diagram of "CHA2"




Figure 4-6 continued




Figure 4-7 Flow Diagram of "OPNFILE".




Figure 4-8 Flow Diagram of "OPNFILE"




Figure 4-9 Flow Diagram of "CDNUM"

subroutine, CHANUMB is an integer that is incremented by one each time an input data file is read into a storage array in CHA1 or CHA2.

4.7 SUBROUTINE "RESULT"

Subroutine "RESULT" generates a data array which is the resultant of X and Z component input data files. This module also creates an output file called "RESULT.SUM" which contains a listing of the pairings of data files which were used to create the resultant data arrays. As with the files "created" in the separation of the individual waveforms, the output resultant files do not physically exist but, are "pseudo-files." The flow diagram of this module is shown in Figure 4-10.

4.8 SUBROUTINE "HIC3"

Subroutine "HIC3" calculates the HIC value of a resultant data array. This module is a modified version of the HIC3 routine written for NHTSA by S. Mentzer of Automated Sciences Group. The modifications made remove the read/write calls to the system storage device and the creation of a report file which stated the value of the HIC calculated for the data file. The flow diagram of this module is shown in Figure 4-11.

4.9 SUBROUTINE "PART"

Subroutine "PART" performs partitioning of possible optimal regions found during the execution of the HIC3 subroutine. The flow diagram of this module is shown in Figure 4-12.

4.10 SUBROUTINE "EXTRACT"

Subroutine "EXTRACT" extracts the file name out of the data file specification. (The data file specification can include any or all of the following: communications node, logical unit device name, account name, file name, extension, and version number.) The flow diagram of this module is shown in Figure 4-13.




Figure 4-10 Flow Diagram of "RESULT"




Figure 4-11 Flow Diagram of "HIC3"




Figure 4-12 Flow Diagram of "PART"




Figure 4-13 Flow Diagram of "EXTRACT"

4.11 SUBROUTINE "HSINE"

Subroutine "HSINE" performs four calculations/comparisons on the half-sine waveform. These calculations are:

1. Channel-to-channel time deviation. This comparison is carried out between the two data channels which contain the X-axis and Z-axis half-sine waveform components.
2. X-axis component time deviation from theoretical.
3. Z-axis component time deviation from theoretical.
4. HIC deviation. This comparison is carried out against a calculated theoretical HIC value which is calculated in subroutine "THCALC."

The results of the comparisons made in this module are written to a summary file (see Table 3-1 for the file naming convention). The flow diagram of this module is shown in Figure 4-14.

4.12 SUBROUTINE "ERR2"

Subroutine "ERR2" is used to interact with the user if an error occurs while a data file is being read. The flow diagram of this module is shown in Figure 4-15.

4.13 SUBROUTINE "CRASH"

Subroutine "CRASH" performs a comparison between the HIC value obtained from the resultant of the recorded X-axis and Z-axis crash data and a value of 930 which was calculated from the original crash test data using HIC3. The results of this comparison are then written to a summary file and a statistical data file. (See Table 3-1 for the file naming convention and the content of the statistical data file.) The flow diagram of this module is shown in Figure 4-16.




Figure 4-14 Flow Diagram of "HSINE"




Figure 4-15. Flow Diagram of "ERR2"




Figure 4-16 Flow Diagram of "CRASH"

4.14 SUBROUTINE "FRSP3"

Subroutine "FRSP3" computes the amplitude frequency response of a data acquisition channel in the following sequence:

1. The data file of the recorded data acquisition channel response to the sum-of-sines waveform is read into an array.
2. The index of the response array is displaced by 1 from "0 to N+1" to "1 to N+2" for compatibility with the fast Fourier transform (FFT) processing.
3. The input waveform data is recreated, sampled at the same frequency as was the response data.
4. Subroutine "SGAUSS" is called to generate an N point Gaussian data window.
5. The waveform and response arrays are multiplied by the Gaussian window weighting function.
6. The discrete Fourier transforms (DFT) of the weighted waveform and response arrays are computed using the FAST* fast Fourier transform subroutine.
7. The index of each DFT output array element whose corresponding frequency is closest to each signal frequency is determined.
8. The magnitude of each DFT output array element that corresponds to a signal frequency is determined.
9. The scaling factor is computed.

*The FAST FFT algorithm and implementing software were developed by G.D. Bergland and M.T. Dolan of Bell Laboratories, Murray Hill, N.J. and published in Programs for Digital Signal Processing by the IEEE Press, New York, © 1979 IEEE.

10. The scaled ratio of the DFT of the response to the DFT of the waveform at each signal frequency is computed. This is the numeric amplitude ratio at each signal frequency.

11. The amplitude ratio (in dB) is computed at each signal frequency.

12. The frequency response data files are written.

The flow diagram of this module is shown in Figure 4-17.




Figure 4-17 Flow Diagram of "FRSP3"

4.15 SUBROUTINE "SGAUSS"

Subroutine "SGAUSS" generates an N point Gaussian data window.

4.16 SUBROUTINE "FAST"

Subroutine "FAST" is the fast Fourier transform routine called by "FRSP3."

4.17 SUBROUTINE "FR2TR"

Subroutine "FR2TR" is a radix 2 iteration subroutine.

4.18 SUBROUTINE "FR4TR"

Subroutine "FR4TR" is a radix 4 iteration subroutine.

4.19 SUBROUTINE "FORD1"

Subroutine "FORD1" is the first of two in-place reordering subroutines called by "FAST."

4.20 SUBROUTINE "FORD2"

Subroutine "FORD2" is the second of two in-place reordering subroutines called by "FAST."

4.21 SUBROUTINE "RECTAN"

Subroutine "RECTAN" is used to process the rectangular waveform. "RECTAN" separates the rectangular waveform into ten cycles. Each of the cycles is then inspected with respect to the steady-state amplitude and amplitude overshoot on both the positive and negative sections of the cycle as well as for time shift within the channel. The flow diagram of this module is shown in Figure 4-18.




Figure 4-18 Flow Diagram of "RECTAN"

4.22 SUBROUTINE "ZERO2"

Subroutine "ZERO2" calculates the maximum overshoot and the steady-state amplitude values for any given cycle of the rectangular waveform. The flow diagram of this module is shown in Figure 4-19.

4.23 SUBROUTINE "COMPRE"

Subroutine "COMPRE" performs comparisons between the results of the steady-state amplitude and overshoot and time shift calculations and pre-defined tolerances. There are four time comparisons and two amplitude comparisons. The time comparisons are:

1. Deviation between actual times and corresponding theoretical times and between the deviations and the tolerance.
2. Time linearity. (The slope of a least squares fit straight line through data pairs consisting of theoretical time as the X coordinate and calculated time shift as the Y coordinate.)
3. Time offset. (The Y-axis intercept of a least squares fit straight line through data pairs consisting of theoretical time as the X coordinate and calculated time shift as the Y coordinate.)
4. Channel-to-channel time deviation.

The amplitude comparisons are:

1. Steady-state amplitude deviation from theoretical amplitude.
2. Amplitude overshoot relative to the calculated steady-state amplitude.

The flow diagram of this module is shown in Figure 4-20.




Figure 4-19 Flow Diagram of "ZERO2"




Figure 4-20 Flow Diagram of "COMPRE"

4.24 SUBROUTINE "STAIR"

Subroutine "STAIR" separates the staircase waveform into 12 periods (sections) by detecting the 12 leading edges of the waveform. Each of the 12 periods is then inspected with regards to the steady-state amplitude and overshoot and the time shift within the channel. The flow diagram of this module is shown in Figure 4-21.

4.25 SUBROUTINE "ZERO3"

Subroutine "ZERO3" performs the same functions for the staircase waveform processing as subroutine "ZERO2" does for the rectangular waveform processing. For this reason, no discussion or flow diagram will be presented for subroutine "ZERO3".

4.26 SUBROUTINE "COMSTR"

Subroutine "COMSTR" performs comparisons between the results of the steady-state amplitude and overshoot and time shift calculations and pre-defined tolerances. There are three time comparisons and four amplitude comparisons. The time comparisons are:

1. Deviation between the recorded waveform and the theoretical time.
2. Time linearity. (The slope of a least squares fit straight line through data pairs consisting of theoretical time as the X coordinate and calculated time shift as the Y coordinate.)
3. Time offset. (The Y-axis intercept of a least squares fit straight line through data pairs consisting of theoretical time as the X coordinate and calculated time shift as the Y coordinate.)




Figure 4-21 Flow Diagram of "STAIR"

The amplitude comparisons are:

1. Amplitude linearity. (The slope of a least squares fit straight line through data pairs consisting of theoretical amplitude as the X coordinate and measured steady-state amplitude deviation as the Y coordinate.)
2. Amplitude offset. (The Y-axis intercept of a least squares fit straight line through data pairs consisting of theoretical amplitude as the X coordinate and measured steady-state amplitude deviation as the Y coordinate.)
3. Steady-state amplitude deviation from theoretical amplitude.
4. Amplitude overshoot relative to the calculated steady-state amplitude.

In addition to the comparisons, this subroutine also generates a summary file and five statistical data files which contain the results of the comparisons. (See Table 2-1 for the file naming convention for these files.) The flow diagram of this module is shown in Figure 4-22.

4.27 SUBROUTINE "COMPR2"

Subroutine "COMPR2" performs a comparison of channel-to-channel time deviation for each period of the staircase waveform. The results of this comparison is added to the summary file originally created in subroutine "COMSTR". The flow diagram of this module is shown in Figure 4-23.

4.28 SUBROUTINE "UDS10"

Subroutine "UDS10" is a modification of the UDS (User Data Set) read/write utility routine developed for NHTSA. The modifications made relate to the error handling routines found within the subroutine. The flow diagram of this module is shown in Figure 4-24.




Figure 4-22 Flow Diagram of "COMSTR"




Figure 4-23 Flow Diagram of "COMPR2"




Figure 4-24 Flow Diagram of "UDSIO"

4.29 SUBROUTINE "GETWAVE"

Subroutine "GETWAVE" is a routine which allows the reduction of system input/output. Instead of writing to and reading from the system storage device, the data is placed into large arrays thus forming a crude "virtual disk." All necessary functions pertinent to the replacement of the read/write process are handled within this subroutine. The flow diagram of this module is shown in Figure 4-25.

4.30 SUBROUTINE "GETIND"

Subroutine "GETIND" determines the index of the point in the data array which is closest to the calculated time of occurrence of the maximum data value in the half-sine waveform components. The approach taken is to average the times the data passes through a certain amplitude level which is expressed as a percentage of the theoretical maximum (+200 g's depending upon the component being considered). Interpolation is used to improve the time calculation. The flow diagram of this module is shown in Figure 4-26.

4.31 SUBROUTINE "THCALC"

Subroutine "THCALC" obtains, through multiple steps, the value of the theoretical HIC if the curve were to be made up of two components (X and Z) which have the same amplitudes and duration as the actual (recorded) data. The steps taken to obtain the theoretical HIC value are:

1. Determine the equations of the two half-sine curves which pass through the points determined in subroutine "GETIND".
2. Generate arrays of data which are the equivalent of the equations by sampling the equations at the same sample rate as was used to record the waveform data.
3. Obtain the resultant of the two arrays.




Figure 4-25 Flow Diagram of "GETWAVE"




Figure 4-26 Flow Diagram of "GETIND"

4. Calculate HIC and the upper and lower time boundaries (T1 and T2) using a modified version of the HIC3 subroutine.

The flow diagram of this module is shown in Figure 4-27.




Figure 4-27 Flow Diagram of "THCALC"

5. PROGRAM LISTINGS

This section presents the source code listings for the waveform generator signal processing software package. The package is divided into five segments with each segment containing one or more program modules. The program listings will be presented in the order as they appear in the segments. For those readers interested in locating the source code on the NHTSA VAX 11/780, the segments are located in user area [JOHNN.WGPROG] and have the following file names: WGPROC.FOR, FILMGT.FOR, WGSUBS.FOR, REC.FOR, and STR.FOR.

The first segment, "WGPROC", contains only the main program module. The source code listing is:

```

C ****
C ** MAIN PROGRAM **
C ****
C      PROGRAM WGPROC
C
C      VARIABLE DECLARATION
C
C      DIMENSION Y(-1000:10000)
C      INCLUDE 'DISK$OVR:[ASGPROG]COMVAR.LIS'
C      CHARACTER ITIMEZ *30,DUM7 *1
C      DIMENSION IEDGE(10)
C      INTEGER OPTION,CHANUMB,CNTFL,EFLAG(9,18),DFLAG,DELFLAG
C      REAL T(18, 23)
C      CHARACTER *4 TSTCDNUM
C      CHARACTER *30 CHAFIL(108),RESFIL(72)
C      CHARACTER *9 DAY,HOUR
C      Character*1 ANSWER
C
C      COMMON BLOCKS
C
C      COMMON /CBFIL/ CHAFIL
C      *          /CBCH/ CHANUMB
C      *          /CBRES/ RESFIL
C      *          /CBCDNUM/ TSTCDNUM
C
C      Initialization
C
C      DO 1 I=1,108
C          CHAFIL(I)=' '
C 1  CONTINUE
C      DO 2 I=1,72
C          RESFIL(I)=' '
C 2  CONTINUE
C
C      WRITE(6,10)
C 10 FORMAT(//1X,' *** WAVEFORM GENERATOR PROCESSING SOFTWARE ***'//)
C          CALL DATE(DAY)
C          CALL TIME(HOUR)
C          WRITE(6,12)DAY,HOUR
C 12  FORMAT(10X,A9,10X,A9)
C          WRITE (6,101)
C 101 FORMAT (//3x, 'DO YOU WANT ANALYSIS OF HALF-SINE AND CRASH PULSES
C          * IN THE PROCESSING? (Y or N)', /1x,'>>',\$)
C          READ (5,102) ANSWER
C 102 FORMAT (A)
C
C 1000 WRITE(6,100)
C 100 FORMAT(//1X,'OPTION 1 : FINDING DATA POINT INDEX NUMBERS ',
C          & 'CORRESPONDING TO EDGES',/1X,'OPTION 2 : ENTER CORRECT DATA ',
C          & 'POINT INDEX NUMBERS',/1X,'ENTER DESIRED OPTION NUMBER (1/2)',
C          & /1X,'>>> ',\$)
C          READ(5,200)  OPTION
C 200 FORMAT(I1)

```

```

      IF (OPTION.NE.1.AND.OPTION.NE.2) THEN
        WRITE(6,3)
3       FORMAT(/1X,' *** ERROR - INCORRECT OPTION NUMBER *** ',
&           /1X,' *** TRY AGAIN ***')
        GOTO 1000
      END IF
      IF (OPTION.EQ.1) THEN
C
C   OPTION 1
C
        CALL LED(IFLAG2,IEDGE,ITFL)
        IF (IFLAG2 .EQ. 0 ) GOTO 2000
        IF (IFLAG2 .EQ. 10) GOTO 9999
C
C   plot of time zero is necessary
C
        WRITE(6,4)
4       FORMAT(/1X,' WARNING!',
&           /1X,' ADDITIONAL EDGES IN TIME ZERO FILE HAVE BEEN',
&           ' DETECTED',/1X,' OBTAIN A PLOT OF TIME ZERO FILE '
&           '/1X,' AND USE OPTION 2 TO ENTER THE CORRECT',
&           ' DATA POINT NUMBERS')
        GOTO 9999
C
C   correct number of edges detected
C
2000  IF (ITFL.EQ.1.OR.ITFL.EQ.3) GOTO 2010
C
C   delayed TIMEZ / inverted delayed TIMEZ
C
        CALL CLOSE(1)
        CALL CHA2(IEDGE,IFLAG2)
        IF (IFLAG2 .EQ. 10 ) GOTO 9999
        CALL CNUM(IFLAG2)
        IF (IFLAG2 .EQ. 10) GOTO 9999
        DELFLAG =1
        GOTO 4000
C
C   TIMEZ / inverted TIMEZ
C
2010  CALL CLOSE(1)
        CALL CHA1(IEDGE,IFLAG2)
        IF (IFLAG2 .EQ. 10) GOTO 9999
        CALL CNUM(IFLAG2)
        IF (IFLAG2 .EQ. 10) GOTO 9999
        DELFLAG = 0
        GOTO 4000
      END IF
C
C   OPTION 2
C
      IF (OPTION.EQ.2) THEN
5000  WRITE(5,9000)
9000  FORMAT(/1X,'ENTER 1 IF TIMING FILE IS A STANDARD TIME ZERO',

```

```

& ' FILE',/1X,'      2 IF TIMING FILE IS A DELAYED TIME ZERO',
& ' FILE',/1X,'      3 IF TIMING FILE IS AN INVERTED TIME ZERO',
& ' FILE',/1X,'      4 IF TIMING FILE IS A DELAYED & INVERTED',
& ' TIME ZERO FILE')
READ(5,9001) ID1
9001 FORMAT(I2)
IF (ID1.EQ.2.OR.ID1.EQ.4) ICOUNT = 2
IF (ID1.EQ.1.OR.ID1.EQ.3) ICOUNT = 4
DO 5010 I = 1,ICOUNT
    WRITE(6,130) I
130  FORMAT(/1X,'ENTER DATA POINT INDEX NUMBER ',I2,
    &           '/1X,'>>> ',\$)
    READ(5,210) IEDGE(I)
210  FORMAT(I4)
5010 CONTINUE
IF (ID1.EQ.1.OR.ID1.EQ.3) GOTO 5050
C
C     delayed / inverted delayed TIMEZ
C
        CALL CLOSE(1)
        CALL CHA2(IEDGE,IFLAG2)
        IF (IFLAG2 .EQ. 10) GOTO 9999
        CALL CNUM(IFLAG2)
        IF (IFLAG2 .EQ. 10) GOTO 9999
        DELFLAG = 1
        GOTO 4000
C
C     TIMEZ -/ inverted TIMEZ
C
5050  CALL CLOSE(1)
        CALL CHA1(IEDGE,IFLAG2)
        IF (IFLAG2 .EQ. 10) GOTO 9999
        CALL CNUM(IFLAG2)
        IF (IFLAG2 .EQ. 10) GOTO 9999
        DELFLAG = 0
        END IF
4000  WRITE(6,135)
135  FORMAT(/1X,'PROCESSING SEQUENCE:',
    & /10X,'RECTANGLE WAVEFORM',/10X,'STAIR WAVEFORM',
    & /10X,'HALF-SINE WAVEFORM',/10X,'CRASH WAVEFORM',
    & /10X,'SUM-OF-SINE WAVEFORM')
        CNTFL = 1
C
C     AUTOMATIC PROCESSING
C
4010  DFLAG = 0
        IF (DELFLAG.EQ.1) GOTO 4500
C
C     RECTANGLE PROCESSOR
C
        CALL RECTAN(ICHAN,DFLAG,CNTFL)
        IF (DFLAG .EQ. 1) GOTO 9990
        CALL COMPRE(ICHAN,DFLAG)
        IF (DFLAG .EQ. 1) GOTO 9990

```

```

C
C      STAIR PROCESSOR
C
        DFLAG = 0
        CALL STAIR(ICHAN,DFLAG,CNTFL)
        IF (DFLAG .EQ. 1) GOTO 9990
        CALL COMSTR(T,ICHAN,EFLAG,DFLAG)
        IF (DFLAG .EQ. 1) GOTO 9990
        CALL COMPR2(T,ICHAN,EFLAG)
        IF (DFLAG .EQ. 1) GOTO 9990
        IF (ANSWER .EQ. 'Y') GO TO 4601
        IF (ANSWER .EQ. 'y') GO TO 4601
        GO TO 4600
4601    CONTINUE
C      HALF-SINE PROCESSOR
C
        DFLAG = 0
        WRITE(6,6)
6       FORMAT(/1X,' ** HALF-SINE WAVEFORM PROCESSOR ** ')
        IKJNUM = -3
        IWF=2
        ISLT=1
        CALL RESULT(DFLAG,IKJNUM,CNTFL,IWF,DELFLAG)
        IF (DFLAG .EQ. 1) GOTO 9990
        CALL HIC3(DFLAG,CNTFL,ISLT)
        IF (DFLAG .EQ. 1) GOTO 9990
        CALL HSINE(DFLAG,CNTFL)
        IF (DFLAG .EQ. 1) GOTO 9990
C
C      CRASH WAVEFORM PROCESSOR
C
4500    DFLAG = 0
        WRITE(6,7)
7       FORMAT(/1X,' ** CRASH WAVEFORM PROCESSOR ** ')
        IKJNUM = 0
        IWF=5
        ISLT=2
        CALL RESULT(DFLAG,IKJNUM,CNTFL,IWF,DELFLAG)
        IF (DFLAG .EQ. 1) GOTO 9990
        CALL HIC3(DFLAG,CNTFL,ISLT)
        IF (DFLAG .EQ. 1) GOTO 9990
        CALL CRASH(DFLAG,CNTFL)
        IF (DFLAG .EQ. 1) GOTO 9990
C
C      SUM-OF-SINE WAVEFORM PROCESSOR
C
4600    WRITE(6,8)
8       FORMAT(/1X,' ** SUM-OF-SINE WAVEFORM PROCESSOR ** ')
        DFLAG = 0
        CALL FRSP3(DFLAG,CNTFL)
        IF (DFLAG .EQ. 1) GOTO 9990
        GOTO 9999
C
C      ERROR

```

C

```
9990  WRITE(6,9)
      9  FORMAT(//1X,'***** CRITICAL ERROR *****')
9999  CONTINUE
      WRITE(6,11)
     11  FORMAT(/1X/)
STOP 'END OF PROCESSING RUN'
END
```

The second segment, "FILMGT" contains the following modules:

LED
VWGEN1
VWGEN2
CHA1
OPNFIL
CHA2
OPNFILL
CDNUM
UDSIO
GETWAVE

The source code listing for these modules is:

```

C ****
C * SUBROUTINE LED *
C ****
      SUBROUTINE LED(IFLAG2,IED1,ITFL)
      CHARACTER IFLNM1*60,DUM *1
      DIMENSION IED1(10)
      INTEGER BLNK,IUNITS(2)
      INCLUDE 'DISK$OVR:[ASGPROG]COMVAR.LIS'
      REAL Y(-1000:10000),YMA,YMI
C
C
      DATA BLNK/'  !/,NO/'NO'/
10    IFLAG2 = 0
      WRITE(6,20)
20    FORMAT(/3X,'ENTER TIME SYNCHRONIZATION FILE NAME',/1X,'>>',\$)
      READ(5,25)IFLNMM1
25    FORMAT(A60)
      WRITE(6,*)' '
      CALL UDSIO('R','F',IFLNMM1,1,Y,IERR)
      IF (IERR .EQ. 0) GOTO 30
C
C   ERROR
C
27    WRITE(6,*) ' ERROR!!!!'
      WRITE(6,*) ' *** FILE CANNOT BE ACCESSED *** '
      GOTO 1000
30    NOPTS = (NLP - NFP) + 1
C
C   FINDING MINIMUM AND MAXIMUM
C
      YMA = -1.E10
      YMI = 1.E10
      DO 3000 I = NFP,NLP
          YMA = AMAX1(YMA,Y(I))
          YMI = AMIN1(YMI,Y(I))
3000  CONTINUE
      ID1 = 1
      ITFL = ID1
      IF (ID1 .EQ. 1) GOTO 100
      IF (ID1 .EQ. 2) GOTO 150
      IF (ID1 .EQ. 3) GOTO 200
      IF (ID1 .EQ. 4) GOTO 250
C
C   ERROR IN HEADING INFORMATION FOR TIME ZERO CHANNEL OPTION USED
C
      WRITE(6,*) ' ERROR!!!!'
      WRITE(6,*) ' *** HEADING INFORMATION DOES NOT HAVE CORRECT',
      * ' TIME ZERO OPTION IDENTIFIER '
      GOTO 1000
C
C
C
100   WRITE(6,*) ' **NOTE : TIME ZERO HAS BEEN RECORDED**'
      GOTO 300

```

```

150      WRITE(6,*) ' **NOTE : DELAYED TIME ZERO HAS BEEN RECORDED**'
         GOTO 300
200      WRITE(6,*) ' **NOTE : INVERTED TIME ZERO HAS BEEN RECORDED**'
         GOTO 400
250      WRITE(6,*) ' **NOTE : INVERTED DELAYED TIME ZERO HAS BEEN ',
         * 'RECORDED**'
         GOTO 400
C
C      TIME ZERO AND DELAYED TIME ZERO
C
300      CLOSE(1)
         CALL UDSIO('R','F',IFLNM1,1,Y,IERR)
         IF (IERR .NE. 0) GOTO 27
         CALL VWGEN1(NOPTS,Y,IFLAG1,IED1,YMA,YMI,NFP,NLP)
         IF (IFLAG1 .GT. 4) IFLAG2 = 1
         IF (IFLAG1 .GT. 2 .AND. ID1 .EQ. 2) IFLAG2 = 1
         GOTO 1100
C
C      INVERTED TIME ZERO AND INVERTED DELAYED TIME ZERO
C
400      CLOSE(1)
         CALL UDSIO('R','F',IFLNM1,1,Y,IERR)
         IF (IERR .NE. 0) GOTO 27
         CALL VWGEN2(NOPTS,Y,IFLAG1,IED1,YMA,YMI,NFP,NLP)
         IF (IFLAG1 .GT. 4) IFLAG2 = 1
         IF (IFLAG1 .GT. 2 .AND. ID1 .EQ. 4 ) IFLAG2 = 1
         GOTO 1100
C
C
C
1000     CLOSE(1)
1002     WRITE(6,1005)
1005     FORMAT(3X,'ENTER: [Y] TO TRY AGAIN',/10X,
         * '[N] TO TERMINATE THE PROCESSES',/1X,'>>',\$)
         READ(5,1007) DUM
1007     FORMAT(A1)
         IF (DUM .EQ. 'Y') GOTO 10
         IF (DUM .EQ. 'N') GOTO 1105
         GOTO 1002
1105     IFLAG2 = 10
1100     CONTINUE
         RETURN
         END
C
C *****SUBROUTINE VWGEN1*****
C * SUBROUTINE VWGEN1
C ****
SUBROUTINE VWGEN1(NOPTS,X,IFLAG1,IED2,YMAX,YMIN,NFP,NLP)
CHARACTER*3 C3
DIMENSION X(-1000:10000)
DIMENSION IED2(10)
REAL YMAX,YMIN
C
XCHK = 0.5 *(YMAX-YMIN)+YMIN

```

```

IFLAG1 = 0
J = 1
ISW=0
DO 100 I = NFP,NLP
    XCHK2 = X(I)
    IF (ISW .EQ. 1 .AND. XCHK2 .LT. XCHK) ISW = 0
    IF (ISW .EQ. 1 .AND. XCHK2 .GT. XCHK) GO TO 100
    IF (ISW .EQ. 0 .AND. XCHK2 .LT. XCHK) GO TO 100
    ISW = 1
    K3 = I
    IED2(J) = K3
    J = J + 1
    RK3=ABS(FLOAT(K3)/10.0)
    RK3=RK3-ABS(FLOAT(INT(RK3)))
    KKK3=JNINT(RK3*10.0)
    C3=' th'
    IF(KKK3.EQ.1) C3=' st'
    IF(KKK3.EQ.2) C3=' nd'
    IF(KKK3.EQ.3) C3=' rd'
    WRITE(6,1) K3,C3
1      FORMAT(3X,'LEADING EDGE AT',I6,A3,' DATA POINT')
    IFLAG1 = IFLAG1 + 1
100   CONTINUE
    CLOSE(1)
    RETURN
    END
C
C ****
C *      SUBROUTINE VWGEN2
C *
C ****
SUBROUTINE VWGEN2(NOPTS,X,IFLAG1,IED2,YMAX,YMIN,NFP,NLP)
CHARACTER*3 C3
DIMENSION X(-1000:10000)
DIMENSION IED2(10)
REAL YMIN,YMAX
C
XCHK = 0.5*(YMAX - YMIN) + YMIN
ISW = 0
IFLAG1 = 0
J = 1
DO 100 I = NFP,NLP
    XCHK2 = X(I)
    IF (ISW .EQ. 1 .AND. XCHK2 .GT. XCHK) ISW = 0
    IF (ISW .EQ. 1 .AND. XCHK2 .LT. XCHK) GOTO 100
    IF (ISW .EQ. 0 .AND. XCHK2 .GT. XCHK) GOTO 100
    ISW = 1
    K3 = I
    IED2(J) = K3
    J = J+ 1
    RK3=ABS(FLOAT(K3)/10.0)
    RK3=RK3-ABS(FLOAT(INT(RK3)))
    KKK3=JNINT(RK3*10.0)
    C3=' th'
    IF(KKK3.EQ.1) C3=' st'

```

```

      IF(KKK3.EQ.2) C3=' nd'
      IF(KKK3.EQ.3) C3=' rd'
      WRITE(6,1) K3,C3
1      FORMAT(3X,'TRAILING EDGE AT',I6,A3,' DATA POINT')
      IFLAG1 = IFLAG1 + 1
100    CONTINUE
      CLOSE(1)
      RETURN
      END

C
C
C ****
C *
C *      SUBROUTINE CHANNEL1
C *      TIMEZ, INVERTED TIMEZ
C ****
C
      SUBROUTINE CHA1(E1,IFLAG2)
      DIMENSION Y(-1000:10000)
      INTEGER NPT(5), BOUND(6), E1(10), CHANUMB
      INCLUDE 'DISK$OVR:[ASGPROG]COMVAR.LIS'
      CHARACTER IFL*60, DUMMY*1
      CHARACTER *30 CHAFIL(108)
      CHARACTER JNFFIL*30, BLANK, IDUM
      COMMON /CBY/      Y
      *          /CBE/     E,NPT,BOUND
      *          /CBNPT/   NPTS
      *          /CBFIL/   CHAFIL
      *          /CBCH/   CHANUMB

C
      IFLAG2 = 0
      CHANUMB = 0
      KCH = 0
      INDX=0
      BLANK=' '
      CLOSE(1)
      WRITE(6,700)
700    FORMAT(/1X,'** BEGINNING OF INDIVIDUAL WAVEFORM SEPARATION **')
      WRITE(6,701)
701    FORMAT("//1X,'NOTE: THE TOTAL NUMBER OF FILE NAMES YOU ENTER',
      &           /1X,'      MUST BE A MULTIPLE OF TWO. THE FIRST, THIRD,',
      &           /1X,'      FIFTH, etc. FILE MUST BE AN X-COMPONENT FILE',
      &           /1X,'      AND THE SECOND, FOURTH, SIXTH, etc., FILE',
      &           /1X,'      MUST BE A Z-COMPONENT FILE.'//)
      10 WRITE(6,710)
710    FORMAT("//1X,'ENTER DATA FILE NAME (XXXXXXXX.XXX)',
      *           /1X,'IF NO MORE FILES, TYPE "CNTR Z"',/1X,'>>',\$)
      READ(5,520,END = 4000) IFL
520    FORMAT(A60)

C
C      READING HEADING FROM THE FILE CONTAINING 5 WAVEFORMS
C
      CALL UDSIO('R','F',IFL,1,Y,IERR)
      IF (IERR .NE. 0 ) THEN

```

```

C
C   ERROR IN INPUT FILE
C
20      WRITE(6,*)  ' ERROR!!!'
      WRITE(6,*)  ' *** FILE CANNOT BE ACCESSED ***'
      GOTO 8000
      END IF
      CALL EXTRACT(IFL)
C
C   CORRECT UDSIO FILE
C   BOUND GENERATION
C
30      INDX=INDX+1
      CALL GETWAVE(INDX,0,0,NFP,NLP,DEL,'I',Y)
      CHANUMB = CHANUMB + 1
      KCH = KCH + 1
      CHAFIL(KCH) = IFL(1:30)
      BOUND(1)=E1(1)
      IF(E1(1).LT.1) BOUND(1)=1
      BOUND(3)=E1(2)
      BOUND(4)=E1(3)
      BOUND(5)=E1(4)
      NOPTS = (NLP - NFP) + 1
      BOUND(6)=NLP
      NPTS=E1(2)-E1(1)
      BOUND(2)=100.0/125.0*NPTS+E1(1) + 1
      DEL=0.375/(E1(4)-E1(1))
      WRITE(6,*)' DEL=',DEL
      DO 40 I =1,5
         NPT(I)= BOUND(I+1) - BOUND(I)
40 CONTINUE
      CLOSE(1)
      DO 1000 I = 1,5
         IK = I
         CALL OPNFIL(IK,IFL,JNFILE)
         NFP = 1
         NLP = (NFP + NPT(I)) - 1
C
C   STORING NECESSARY VALUES FOR INDIVIDUAL WAVEFORM
C
        CALL GETWAVE(INDX,BOUND(I),I,NFP,NLP,DEL,'A',Y)
400      KCH = KCH + 1
        CHAFIL(KCH) = JNFILE
1000 CONTINUE
      GOTO 10
4000 CONTINUE
      WRITE(6,*)  ' '
      WRITE(6,*)  '*** END OF PHASE 1 ***'
      WRITE(6,*)  ' '
      GOTO 8010
8000 CALL CLOSE(1)
8002 WRITE(6,8005)
8005 FORMAT(3X,'ENTER: [Y] TO TRY AGAIN',/10X,
*' [N] TO TERMINATE THE PROCESSES',/1X,'>>',\$)

```

```

      READ(5,8007) DUMMY
8007 FORMAT(A1)
      IF (DUMMY .EQ. 'Y') GOTO 10
      IF (DUMMY .EQ. 'N') GOTO 8008
      GOTO 8002
8008 IFLAG2 = 10
8010 CONTINUE
      RETURN
      END
C
C ****
C *
C *      SUBROUTINE OPNFIL
C *
C ****
C
C      SUBROUTINE OPNFIL(IK,IFL,JNFIL)
DATA CODES  /'F','C','E','V','D'/
CHARACTER CODES(5),IFL*60
CHARACTER JNFIL*30,BLANK*1
C
      JNFIL=IFL(1:30)
      IDOT=INDEX(JNFIL,'.')
      JNFIL(IDOT+1:IDOT+1)=CODES(IK)
      RETURN
      END
C
C ****
C *
C *      SUBROUTINE CHANNEL2
C *      DELAYED TIMEZ, INVERTED TIMEZ
C *
C ****
C
C      SUBROUTINE CHA2(E1,IFLAG2)
DIMENSION Y(-1000:10000)
INTEGER NPT(3),BOUND(4),E1(10),CHANUMB
INCLUDE 'DISK$OVR:[ASGPROG]COMVAR.LIS'
CHARACTER IFL*60,DUMMY *1
CHARACTER JNFIL*30,BLANK,IDUM
CHARACTER *30 CHAFIL(108)
COMMON /CBY/   Y
*          /CBE/   E,NPT,BOUND
*          /CBNPT/ NPTS
*          /CBFIL/ CHAFIL
*          /CBCH/  CHANUMB
C
      IFLAG2 = 0
      CHANUMB = 0
      KCH = 0
      INDX=0
      BLANK=' '
      CLOSE(1)
      WRITE(6,700)
700 FORMAT(/1X,'** BEGINNING OF INDIVIDUAL WAVEFORM SEPARATION **')
      WRITE(6,701)

```

```

701 FORMAT(//1X,'NOTE: THE TOTAL NUMBER OF FILE NAMES YOU ENTER',
      &           '/1X,'          MUST BE A MULTIPLE OF TWO. THE FIRST, THIRD, ',
      &           '/1X,'          FIFTH, etc. FILE MUST BE AN X-COMPONENT FILE',
      &           '/1X,'          AND THE SECOND, FOURTH, SIXTH, etc., FILE',
      &           '/1X,'          MUST BE A Z-COMPONENT FILE.'//)
10 WRITE(6,710)
710 FORMAT(//1X,'ENTER DATA FILE NAME (XXXXXXXXXX.XXX)',*
           *           '/1X,'IF NO MORE FILES, TYPE "CNTR Z" ',/1X,'>>',$)
           READ(5,520 ,END = 4000) IFL
520 FORMAT(A60)
C
C   READING HEADING FROM THE FILE CONTAINING 5 WAVEFORMS
C
C   CALL UDSIO('R','F',IFL,1,Y,IERR)
C   IF (IERR .EQ. 0 ) THEN
C
C   ERROR IN INPUT FILE
C
20   WRITE(6,*)  ' ERROR!!!!'
C   WRITE(6,*)  ' *** FILE CANNOT BE ACCESSED ***'
C   GOTO 8000
C   END IF
C   CALL EXTRACT(IFL)
C
C   CORRECT UDSIO FILE
C   BOUND GENERATION
C
30   INDX=INDX+1
C   CALL GETWAVE(INDX,0,0,NFP,NLP,DEL,'I',Y)
C   CHANUMB = CHANUMB + 1
C   KCH = KCH + 1
C   CHAFIL(KCH) = IFL(1:30)
C   KCH=KCH+3
C   BOUND(1)=E1(1)
C   IF(E1(1).LT.1) BOUND(1)=1
C   BOUND(2)=E1(2)
C   NOPTS = (NLP - NFP) + 1
C   BOUND(3)=NLP
C   DEL=0.125/(E1(2)-E1(1))
C   WRITE(6,*)' DEL=',DEL
C   DO 40 I =1,2
C       NPT(I)= BOUND(I+1) - BOUND(I)
40 CONTINUE
C   CLOSE(1)
C   DO 1000 I = 1,2
C       IK = I
C       CALL OPNFIL1(IK,IFL,JNFILE)
C       NFP = 1
C       NLP = (NFP + NPT(I)) - 1
C
C   STORING NECESSARY VALUES FOR INDIVIDUAL WAVEFORM
C
C   CALL GETWAVE(INDX,BOUND(I),I,NFP,NLP,DEL,'A',Y)
400   KCH = KCH + 1

```

```

        CHAFIL(KCH) - JNFI
1000 CONTINUE
      GOTO 10
4000 CONTINUE
      WRITE(6,*) '*** END OF PHASE 1 ***'
      GOTO 8010
8000 CLOSE(1)
8002 WRITE(6,8005)
8005 FORMAT(3X,'ENTER: [Y] TO TRY AGAIN',/10X,
*' [N] TO TERMINATE THE PROCESSES',/1X,'>>',\$)
      READ(5,8007) DUMMY
8007 FORMAT(A1)
      IF (DUMMY .EQ. 'Y') GOTO 10
      IF (DUMMY .EQ. 'N') GOTO 8008
      GOTO 8002
8008 IFLAG2 = 10
8010 CONTINUE
      RETURN
      END

C ****
C *          *
C *      SUBROUTINE OPNFILL      *
C *          *
C ****
C
      SUBROUTINE OPNFILL(IK,IFL,JNFI)
      DATA CODES  /'V','D'/
      CHARACTER CODES(2),IFL*60
      CHARACTER JNFI*30,BLANK*1
C
      JNFI=IFL(1:30)
      IDOT=INDEX(JNFI,'.')
      JNFI(IDOT+1:IDOT+1)=CODES(IK)
      RETURN
      END

C ****
C *          *
C *      SUBROUTINE CNDUM      *
C *          *
C ****
C
      SUBROUTINE CNDUM(IFLAG2)
      CHARACTER *4 TSTCDNUM
      CHARACTER *30 CHAFIL(108),XFIL
      CHARACTER *4 TST(18)
      CHARACTER BLANK
      INTEGER CHANUMB

C COMMON BLOCKS
C
      COMMON /CBCH/CHANUMB
      *      /CBFIL/ CHAFIL

```

```

*          /CBCDNUM/ TSTCDNUM
C
      IFLAG2 = 0
      KX = 1
      KXCH = 1
      BLANK =
      KNUMX = CHANUMB
  5   XFIL = CHAFIL(KXCH)
      DO 10 J = 1,30
         IF (XFIL(J:J) .NE. BLANK) GOTO 20
 10  CONTINUE
 20  TSTCDNUM(1:4) = XFIL(J+1 :J+4)
      TST(KX) = TSTCDNUM
      KX = KX + 1
      KNUMX = KNUMX - 1
      IF (KNUMX .EQ. 0) GOTO 100
      KXCH = KXCH + 6
      GOTO 5
C
C   COMPARING ALL THE TEST CODE NUMBERS
C
 100 KNUMX = CHANUMB
      TSTCDNUM = TST(1)
      DO 200 I = 1,KNUMX
         WRITE(6,101)I,TST(I)
 101  FORMAT(1X,'TEST (',I3,',') = ',A4)
         IF (TSTCDNUM .NE. TST(I)) GOTO 220
 200 CONTINUE
C
C   NO ERROR
C
      GOTO 300
C
C   ERROR
C
 220 WRITE(6,*) 'ERROR!!!!'
      WRITE(6,*) '*** DATA FILE NAMES ARE FROM MORE THAN ONE TEST ***'
      WRITE(6,*) '** PROGRAM TERMINATED ***'
      IFLAG2 = 10
 300 RETURN
      END

```

SUBROUTINE UDSIO(ROW,SOF,FILNAM,LUN,Y,IOS)

```

C-----.
C       UDSIO - UDS File Read / Write Utility Routine
C
C       Principal Variables:
C           ROW      -Read or Write flag
C           SOF      -Specs only or Full flag
C           FILNAM   -UDS File Name
C           LUN      -Logical Unit for UDS I/O
C           Y        -Measurement data array

```

```

C           IOS      -Status and message suppression flag
C-----



INTEGER SYS$GETMSG
DIMENSION Y(-1000:*)
CHARACTER ROW*1,SOF*1,FILNAM*(*),M*256

INCLUDE 'DISK$OVR:[ASGPROG]COMVAR.LIS'

IMSG=IOS
IOS=0

IF (ROW.EQ.'R') THEN
  C   Read a UDS file
  *   IF (FILNAM.NE.' ') OPEN(LUN,FILE=FILNAM,STATUS='OLD',
  *   FORM='UNFORMATTED',READONLY,IOSTAT=IOS,ERR=104)

  *   READ(LUN,ERR=105)TSTSRC,TSTNUM,TSTPRF,TSTREF,TSTCFN,CLSSPD,
  *   VEHNO,MAKE,MODEL,YEAR,BODY,ENGINE,VEHTWT,
  *   OCCTYP,OCCAGE,OCCSEX,OCCWT,DUMSIZ,RESTR1,RESTR2,
  *   HIC,T1,T2,CLIP3M,CSI,AIS,
  *   CURNUM,DATYP,UNITS,AXIS,SENLOC,SENATT,STATUS,FORM,DESC,
  *   NFP,NLP,DEL,INIVEL,PREF,FCUT,FCOR,FSTP,Y0,YD,YCAL,
  *   ID1,ID2,ID3,ID4,IDS,RD1,RD2,RD3,RD4,RD5,CD1,CD2

  IF (SOF.NE.'S') THEN
  C   Read Measurement Data Also
  *   IF ((NFP.LT.-1000).OR.(NLP.LT.NFP)) THEN
  *       IF (IMSG.NE.-99) WRITE(6,993)
  *       IOS=-3
  *       RETURN
  END IF

  IF ((NSIZE.GT.0).AND.(NSIZE.LT.NLP)) THEN
    NLP=NSIZE
  END IF

  IF (NLP.GT.10000) THEN
    NLP=10000
  END IF

  C   Read Measurement Data from Input File
  DO 101 IR=1,(NLP-NFP)/1000+1
    IS=NFP+1000*(IR-1)
    READ(LUN,ERR=106)(Y(I),I=IS,MIN0(IS+999,NLP))
  CONTINUE

  IF (NFP.GT.0) THEN
    DO 102 I=0,NFP-1
      Y(I)=0.0
  102   CONTINUE
  NFP=0
  ELSE IF (NLP.LT.0) THEN
    DO 103 I=NLP+1,0

```

```

          Y(I)=0.0
103      CONTINUE
          NLP=0
      END IF

      IF ((FORM.EQ.'DFT').AND.(NFP.LT.0)) THEN
          NFP=0
      END IF
  END IF
RETURN

104      IF (IMSG.NE.-99) THEN
          WRITE(6,991)
          CALL ERRSNS(,IRMS,,)
          IF (IRMS.NE.0) THEN
              IST-SYS$GETMSG(%VAL(IRMS),LEN,M,,)
              IF (LEN.GT.0) WRITE(6,*)M(:LEN)
          END IF
      END IF
RETURN

105      IF (IMSG.NE.-99) WRITE(6,992)
IOS--2
RETURN

106      IF (IMSG.NE.-99) WRITE(6,995)
IOS--4
RETURN
C      ELSE IF (ROW.EQ.'W') THEN
        Write a UDS File
        IF (FILNAM.NE.' ') THEN
            IF (SOF.NE.'S') THEN
                OPEN(LUN,FILE=FILNAM,STATUS='NEW',FORM='UNFORMATTED',
*                      IOSTAT=IOS,ERR=110)
            ELSE
                OPEN(LUN,FILE=FILNAM,STATUS='UNKNOWN',FORM='UNFORMATTED',
*                      IOSTAT=IOS,ERR=110)
            END IF
        END IF

        IF (SOF.NE.'S') THEN
            IF (NFP.LT.-1000) THEN
                NFP=-1000
            END IF

            IF (NLP.LT.NFP) THEN
                NLP=NFP
            END IF

            IF ((NSIZE.GT.0).AND.(NSIZE.LT.NLP)) THEN
                NLP=NSIZE
            END IF

            IF (NLP.GT.10000) THEN

```

```

        NLP=10000
      END IF

      IF (NFP.GT.0) THEN
        DO 107 I=0,NFP-1
          Y(I)=0.0
107      CONTINUE
          NFP=0
      ELSE IF (NLP.LT.0) THEN
        DO 108 I=NLP+1,0
          Y(I)=0.0
108      CONTINUE
          NLP=0
      END IF

      IF ((FORM.EQ.'DFT').AND.(NFP.LT.0)) THEN
        NFP=0
      END IF
      END IF

      WRITE(LUN)TSTSRC,TSTNUM,TSTPRF,TSTREF,TSTCFN,CLSSPD,
* VEHNO,MAKE,MODEL,YEAR,BODY,ENGINE,VEHTWT,
* OCCCTYP,OCCAGE,OCCSEX,OCCWT,DUMSIZ,RESTR1,RESTR2,
* HIC,T1,T2,CLIP3M,CSI,AIS,
* CURNUM,DATTYP,UNITS,AXIS,SENLOC,SENATT,STATUS,FORM,DESC,
* NFP,NLP,DEL,INIVEL,PREF,FCUT,FCOR,FSTP,Y0,YD,YCAL,
* ID1,ID2,ID3,ID4,ID5,RD1,RD2,RD3,RD4,RD5,CD1,CD2

      IF (SOF.NE.'S') THEN
        DO 109 IR=1,(NLP-NFP)/1000+1
          IS=NFP+1000*(IR-1)
          WRITE(LUN)(Y(I),I=IS,MIN0(IS+999,NLP))
109      CONTINUE
      END IF
      RETURN

110      IF (IMSG.NE.-99) THEN
        WRITE(6,991)
        CALL ERRSNS(,IRMS,,)
        IF (IRMS.NE.0) THEN
          IST=SYSS$GETMSG(*VAL(IRMS),LEN,M,,)
          IF (LEN.GT.0) WRITE(6,*)(M(:LEN))
        END IF
      END IF
      RETURN

      ELSE
        IF (IMSG.NE.-99) WRITE(6,996)
        IOS=-5
        RETURN
      END IF

991      FORMAT(/1X,'*** UDSIO ERROR - File open failure')
992      FORMAT(/1X,'*** UDSIO ERROR - Specification data read error')
993      FORMAT(/1X,'*** UDSIO ERROR - Illegal NFP and/or NLP value')

```

```

995  FORMAT(/1X,'*** UDSIO ERROR - Measurement data read error'/)
996  FORMAT(/1X,'*** UDSIO ERROR - Bad Read or Write flag value'/

      END

C
C Subroutine GETWAVE is a routine which stores the full (unseparated)
C set of waveforms and then directs the portion of interest into
C the array Y when called to do so
      SUBROUTINE GETWAVE(INDX,BOUND,IWF,NFP,NLP,DEL,OT,Y)
      DIMENSION IPT(18,5),INFP(18,5),INLP(18,5),TDEL(18,5)
      DIMENSION YFULL(18,-1000:10000)
      DIMENSION Y(-1000:10000)
      INTEGER BOUND
      CHARACTER*1 OT
      IF (OT.EQ.'I'.OR.OT.EQ.'i') THEN
        DO 20 I=NFP,NLP
          YFULL(INDX,I)=Y(I)
20    CONTINUE
        GOTO 99
      END IF
      IF (OT.EQ.'A'.OR.OT.EQ.'a') THEN
        IPT(INDX,IWF)=BOUND
        INFP(INDX,IWF)=NFP
        INLP(INDX,IWF)=NLP
        TDEL(INDX,IWF)=DEL
        GOTO 99
      END IF
      IF (OT.EQ.'O'.OR.OT.EQ.'o') THEN
        J=IPT(INDX,IWF)-1
        NFP=INFP(INDX,IWF)
        NLP=INLP(INDX,IWF)
        DEL=TDEL(INDX,IWF)
        DO 30 I=NFP,NLP
          Y(I)=YFULL(INDX,J+I)
30    CONTINUE
      END IF
99  RETURN
      END

```

The third segment, "WGSUBS", contains the following modules:

RESULT
HIC3
PART
EXTRACT
HSINE
ERR2
CRASH
FRSP3
SGAUSS
FAST
FR2TR
FR4TR
FORD1
FORD2
GETIND
THCALC

The source code listing for these modules is:

```

SUBROUTINE RESULT(DFLAG,IKJNUM,CNTFL,IWF,DELFLAG)
C
C ****
C *      SUBROUTINE RESULT          *
C *      OBJECTIVE : TAKE THE SQRT (SUM OF SQURES OF X *
C *                  AND Z COMPONENT OF HALF-SINE AND   *
C *                  CRASH DATA FILE) TO PRODUCE THE    *
C *                  RESULTANT FILE.                   *
C * PRINCIPAL VARIABLES:           *
C *      NOPTS - NO. OF POINTS FOR THE DATA SET       *
C *      RES   - RESULTANT VECTOR                     *
C *      FILNAM - INPUT FILE NAMES (X,Y,Z)           *
C *      OUTFIL - OUTPUT FILE NAME (RESULTANT)        *
C ****
C
C DECLARATION OF VARIABLES
C
INCLUDE '[ASGPROG]COMVAR.LIS'
REAL RES(-1000:4500),Y(-1000 :10000),Y1(-1000:10000)
CHARACTER *30 FILNAM(3)
CHARACTER BLANK*1,OUTFIL *30,DUMFILE *30,DUMMY *1
CHARACTER DUMFILL*30
CHARACTER AXIS3(2)
INTEGER NOPTS,SENUM,CHANUMB,CNTFL,DELFLAG
REAL XMIN,XMAX,YMIN,YMAX
CHARACTER *30 CHAFIL(108),RESFIL(72)
CHARACTER DUMFILE1 *30,RESF*30
DATA AXIS3/'X','Z'/
C
C COMMON BLOCKS
C
COMMON /CBFIL/ CHAFIL
*          /CBRES /RESFIL
*          /CBCH/CHANUMB
COMMON/RSLTNTS/RESPF(2,9,-1000:10000),NFPRES(2,9),NLPRES(2,9)
C
C START OF PROGRAM
C
DFLAG = 0
KJ = 0
KNUM = CHANUMB
SENUM = 0
BLANK = ''
KKJNUM=0
ISLT=1
IF (IWF.EQ.5) ISLT=2
C
C SUMMARY REPORT FILE
C
IF ((DELFLAG.EQ.1).OR.((DELFLAG.EQ.0).AND.(IWF.EQ.2)))
&      OPEN(4,FILE='RESULT.SUM',STATUS='NEW',ERR=1000)
      WRITE (4,400)
400  FORMAT(/34X,'** RESULTANT SUMMARY REPORT **')

```

```

C
C      WRITE PROGRAM OUTPUT HEADER
C
20      CONTINUE
        IF (KNUM .EQ. 0 .AND. CNTFL .EQ. 1) GOTO 300
        SETNUM = SETNUM +1
        WRITE(6,21)SETNUM
21      FORMAT(1X,'RESULT FILE FOR SET NUMBER ',I4)
C
C      BEGIN PROCESSING
C
        DO 30 I=-1000,10000
            IF (I.LT.4501) RES(I) = 0.0
            RESPF(ISLT,SETNUM,I)=0.0
30      CONTINUE
C
C      INPUT FILE NAMES
C
        DO 50 L=1,2
            IKJNUM = IKJNUM + 6
            FILNAM(L) = CHAFIL(IKJNUM)
            KJ = KJ + 1
            RESFIL(KJ) = FILNAM(L)
            DUMFILL = FILNAM(L)
522      DO 523  I = -1000,10000
            Y(I) = 0.0
523      CONTINUE
C
C      READ DATA FROM ARRAY (X-AXIS ON THE FIRST PASS,
C                           Z-AXIS ON THE SECOND PASS)
C
        KKJNUM=KKJNUM+1
        CALL GETWAVE(KKJNUM,K,IWF,NFP,NLP,DEL,'O',Y)
525      NOPTS = (NLP - NFP) + 1
        KNUM = KNUM - 1
        IF(NLP .GT. 4500) NLP=4500
        DO 70 I=NFP,NLP
            RES(I) = RES(I)+(Y(I)*Y(I))
70      CONTINUE
        CALL CLOSE(1)
50      CONTINUE
C
C      PERFORM CALCULATION
C
        DO 100 I=NFP,NLP
            RES(I) = SQRT(RES(I))
            RESPF(ISLT,SETNUM,I) = RES(I)
100      CONTINUE
        NLPRES(ISLT,SETNUM)=NLP
        NFPRES(ISLT,SETNUM)=NFP
C
C      OUTPUT RESULTANT FILE
C
540      K = 0

```

```

DO 545 J=1,26
  IF(DUMFILL(J:J) .EQ. ' ') GOTO 545
  K = K + 1
  RESF(K:K) = DUMFILL(J:J)
545 CONTINUE
  DO 550 J =1,26
    IF (RESF(J:J) .EQ. '.') GOTO 555
550 CONTINUE
555 RESF(J+1 : J+1) = 'R'
  RESF(J+2 : J+2) = 'E'
  RESF(J+3 : J+3) = 'S'
  OUTFIL = RESF
  KJ = KJ + 1
  RESFIL(KJ) = OUTFIL
C
C   ADD ENTRIES TO REPORT
C
      WRITE(4,1100) SETNUM
1100  FORMAT(/2X,'SET NO : ',2X,I3)
      WRITE(4,1200) FILNAM(1),FILNAM(2)
1200  FORMAT(2X,'INPUT FILES(X AND Z COMPONENT) : ',5X,
     1 A30,10X,A30)
      WRITE(4,1300) OUTFIL
1300  FORMAT(2X,'RESULTANT FILE : ',5X,A30)
      GO TO 20
300   CONTINUE
      IF (IWF.EQ.5) CALL CLOSE(4)
      GOTO 2000
1000  WRITE(6,*) 'ERROR !!!!'
      WRITE(6,*) ' ** "RESULT.SUM" CANNOT BE CREATED **'
      WRITE(6,*) 'PLEASE TRY AGAIN'
      DFLAG = 1
2000  CONTINUE
      RETURN
      END
C
C   SUBROUTINE HIC3(DFLAG,CNTFL,ISLT)
C-----
C   Objective:
C           To find the maximum Head Injury Criterion value
C           and the corresponding time interval using an
C           efficient global branch and bound algorithm.
C
C   Programmer:
C           ASGI - S. Mentzer          7/83
C           Latest update              3/84
C           UDSIO calls removed       11/86
C
C   Major variables:
C           R(I)      - Resultant acceleration array, I=0,1,...,NLP
C           S(I)      - Summed resultant array (integral)
C           JL(I)     - Lower J boundary index array
C           KL(I)     - Lower K boundary index array
C           FMAX     - Incumbent/max value of HIC subfunction F

```

```

C           JMAX      - J index of FMAX value
C           KMAX      - K index of FMAX value
C-----
C           DIMENSION R(-1000:10000),S(0:10000),JL(15000),KL(15000)
C           DOUBLE PRECISION RC,RM,SC,SM
C           CHARACTER INFIL*30,CURDAT*9,DUMMY*1
C           INTEGER CNTFL,DFLAG,KNUM,CHANUMB,SETNUM
C           INCLUDE '[ASGPROG]COMVAR.LIS'
C           CHARACTER *30 RESFIL(72)
C           COMMON /CBRES/RESFIL
*           /CBCH/CHANUMB
C           COMMON/RSLTNTS/RESPF(2,9,-1000:10000),NFPRES(2,9),NLPRES(2,9)
C           COMMON/RHICS/RHIC(2,9),RT1(2,9),RT2(2,9)
C           DATA NAR/15000/
C
C           DFLAG = 0
C           IKJ = 0
C           KNUM = CHANUMB
C           SETNUM = 0
C           CALL DATE(CURDAT)
C           OPEN(3,FILE='HIC3.REP',STATUS='NEW',ERR = 1000)
C           WRITE(3,931)CURDAT
C 931   FORMAT(//1X,55X,'HIC3 REPORT',30X,A/1X,54X,13(1H-)///
C           * 1X,2X,'TSTREF',5X,'VEHICLE',22X,'OCCUPANT',3X,'HIC',
C           * 4X,'T1 (msec)',1X,'T2 (msec)',2X,'T2 - T1',3X,'FILE'/
C           * 1X,10(1H-),2X,29(1H-),1X,8(1H-),1X,8(1H-),1X,9(1H-),1X,
C           * 9(1H-),1X,9(1H-),2X,40(1H-))
10      CONTINUE
           IF (KNUM .EQ. 0 .AND. CNTFL .EQ. 1) GOTO 400
           SETNUM = SETNUM + 1
           WRITE(6,*) 'CALCULATING *HIC* FOR SET NUMBER',SETNUM
509     IKJ = IKJ + 3
           INFIL = RESFIL(IKJ)
           DO 516 I = -1000,10000
               R(I) = RESPF(ISLT,SETNUM,I)
516     CONTINUE
512     KNUM = KNUM - 2
           NFP=NFPRES(ISLT,SETNUM)
           NLP=NLPRES(ISLT,SETNUM)
C Compute sum (integral) array using trapezoid rule
           S(0)=0.0
           SM=0.D0
           RM=ABS(R(0))
           DO 102 I=1,NLP
               RC=ABS(R(I))
               SC=SM+.5*(RC+RM)
               S(I)=SC
               SM=SC
               RM=RC
102     CONTINUE
C Initialize variables
           FMAX=0.0
           JMAX=0
           KMAX=0

```

```

JL(1)=0
KL(1)--1
NWU=NLP
IBR=1
IER=1
INC--1
IBL=NAR
C Begin a round of region evaluations
103 IL=IBL-INC
DO 104 IR=IBR,IER,INC
    JLI=JL(IR)
    IF (JLI.GT.0) THEN
        NJ=NWU
    ELSE
        JLI=ABS(JLI)
        NJ=MAX0(NWU-1,0)
    END IF
    KLI=KL(IR)
    IF (KLI.GT.0) THEN
        NK=NWU
    ELSE
        KLI=ABS(KLI)
        NK=MAX0(NWU-1,0)
    END IF
    KUI=KLI+NK
    IF ((NJ.EQ.0).AND.(NK.EQ.0)) THEN
C This is a single point region - Evaluate
        F=(S(KUI)-S(JLI))*(KUI-JLI)**(-.6)
        IF (F.GT.FMAX) THEN
            FMAX=F
            JMAX=JLI
            KMAX=KUI
        END IF
    ELSE
C This is a finite region with feasible points - Bound
        JUI=JLI+NJ
        FS=S(KUI)-S(JLI)
        IF (FS*MAX0(KLI-JUI,1)**(-.6).GT.FMAX) THEN
C Region is possibly optimal - Evaluate and partition
            F=FS*(KUI-JLI)**(-.6)
            IF (F.GT.FMAX) THEN
                FMAX=F
                JMAX=JLI
                KMAX=KUI
            END IF
            IF ((IL+4*INC)*INC.GT.IR*INC) THEN
                WRITE(6,993)
                FORMAT(1X,'*** ERROR - HIC3 array size exceeded')
                CALL CLOSE(3)
                DFLAG =1
                GOTO 670
            END IF
            CALL PART(JLI,JUI,NJ,NWU-NJ,KLI,KUI,NK,NWU-NK,IL,INC,
                      JL,KL)
        *
    END IF
END DO
993

```

```

        END IF
    END IF
104    CONTINUE
    IF (ABS(IBL-IL-INC).GT.0) THEN
C Some regions remain - Set up boundary index arrays
        ITMP=IBL
        IBL=IER
        IER=ITMP
        IBL=IL
        INC=1*INC
        NWU=NWU/2
        GO TO 103
    ELSE
C Done - No regions remain - Report results
        HIC=DEL*FMAX**2.5
        T1=1000*JMAX*DEL
        T2=1000*KMAX*DEL
        RHIC(ISLT,SETPNUM)=HIC
        RT1(ISLT,SETPNUM)=T1
        RT2(ISLT,SETPNUM)=T2
C Reporting of HIC (normally done here) has been removed
        CALL EXTRACT(INFIL)
        CLOSE(2)
        GOTO 10
    END IF
400    CONTINUE
        CALL CLOSE(3)
        GOTO 670
1000   WRITE(6,*) 'ERROR !!!!'
        WRITE(6,*) '*** "HIC.REP" CANNOT BE OPENED ***'
        DFLAG = 1
670    CONTINUE
        RETURN
    END

C
C      SUBROUTINE PART(JLI,JUI,NJ,NJD,KLI,KUI,NK,NKD,IL,INC,JL,KL)
C
C      Performs partitioning of possibly optimal regions
C
C      DIMENSION JL(*),KL(*)

        J2M=2*MOD(NJ,2)
        NJ2=NJD*J2M
        JMU=(JUI-NJ/2)*(1-NJ2)
        K2M=2*MOD(NK,2)
        NK2=NKD*K2M
        KMU=(KUI-NK/2)*(1-NK2)
C First region
        IL=IL+INC
        JL(IL)=JMU
        KL(IL)=KMU
C Second region if finite width along J axis
        IF (NJ.NE.0) THEN

```

```

JLI=JLI*(J2M-NJ2-1)
IL=IL+INC
JL(IL)=JLI
KL(IL)=KMU
END IF
IF (NK.NE.0) THEN
  KLI=KLI*(K2M-NK2-1)
C Third region if finite width along J and K axes
  IF (NJ.NE.0) THEN
    IL=IL+INC
    JL(IL)=JLI
    KL(IL)=KLI
  END IF
C Fourth region if feasible and finite width along K axis
  IF (ABS(KMU)-1.GT.ABS(JMU)) THEN
    IL=IL+INC
    JL(IL)=JMU
    KL(IL)=KLI
  END IF
  END IF
  RETURN
END

C
C
SUBROUTINE EXTRACT(FILNAM)
CHARACTER*(*) FILNAM
C
LOC=INDEX(FILNAM,':'')+1
FILNAM=FILNAM(LOC:)
LOC=INDEX(FILNAM,']')+1
FILNAM=FILNAM(LOC:)
LOC=INDEX(FILNAM,';')
IF (LOC.GT.0) FILNAM=FILNAM(:LOC-1)
RETURN
END

C
*****
C * HALF-SINE PROCESSING *
C *****
C
SUBROUTINE HSINE(DFLAG,CNTFL)
C
C DECLARATION OF VARIABLES
C
INTEGER CNTFL,CHANUMB,DFALG,SETPM
INTEGER EFLAG(18,4),IND(4),NOPTS
CHARACTER *4 TSTCDNUM
CHARACTER *30 HSNE1,HSNE2,HSNE3
CHARACTER *30 IFLNM2(18)
CHARACTER * 2 G(18)
CHARACTER DAY*9,HOUR*9
CHARACTER *30 RESFIL(72)
CHARACTER IFLNM1*30,CHANUM*2,DUMMY *1

```

```

REAL Y(-1000 :10000),NPMS,YMN,YMX
C
C COMMON BLOCKS
C
INCLUDE '[ASGPROG]COMVAR.LIS'
COMMON /CBRES/ RESFIL
*      /CBCH/CHANUMB
*      /CBCDNUM/TSTCDNUM
COMMON /HSTMX/TOMX,YMXX,TOMZ,YMNZ,TCLEV1,TCLEV2,PCT,TDACLX,TDACLZ
COMMON/RSLTNTS/RESPF(2,9,-1000:10000),NFPRES(2,9),NLPRES(2,9)
COMMON/RHICS/RHIC(2,9),RT1(2,9),RT2(2,9)
COMMON/HSSTAT2/HSDEVX(18),HSDEVZ(18)
COMMON/HSSTAT3/HSHDEV(18)

C
C HALF-SINE WAVEFORM PROCESSOR
C
DFLAG = 0
SETPNUM = 0
KNUM = CHANUMB
N=0
IKJ = 0
KKJ=0
DO 30 I=1,18
DO 30 J=1,4
EFLAG(I,J)=0
30 CONTINUE
C
C REPORT FILE
C
HSNE1 ='HSNE'//TSTCDNUM(1:4)//'.SUM'
HSNE2 ='HSNE'//TSTCDNUM(1:4)//'.001'
HSNE3 ='HSNE'//TSTCDNUM(1:4)//'.002'
OPEN(3,FILE=HSNE1,STATUS='NEW',ERR=3000)
OPEN(7,FILE=HSNE2,STATUS='NEW',ERR=3000)
OPEN(8,FILE=HSNE3,STATUS='NEW',ERR=3000)
WRITE(3,210)
210 FORMAT(43X,'** HALF-SINE WAVEFORM PROCESSOR DATA SUMMARY **'//
1      '1X,'THE * SYMBOL INDICATES THAT THE ALLOWABLE LIMIT HAS
2      ',BEEN EXCEEDED.'//1X,'TIME QUANTITIES ARE EXPRESSED IN '
3      ',MILLISECONDS')
CALL DATE(DAY)
CALL TIME(HOUR)
WRITE(3,9995) DAY,HOUR
9995 FORMAT(//,50X,A9,10X,A9)
700 CONTINUE
IF (KNUM .EQ. 0 .AND. CNTFL .EQ. 1) GOTO 800
SETPNUM = SETNUM + 1
WRITE(6,*) 'PROCESSING SET NUMBER ',SETNUM
DO 35 I=1,4
35 IND(I)=' '
C
C PROCESS HALF-SINE "X" COMPONENT
C
701 IKJ = IKJ + 1

```

```

        KKJ=KKJ+1
        IFLNM1 = RESFIL(IKJ)
705    DO 706  I=-1000,10000
              Y(I) = 0.0
706    CONTINUE
C
C   READING "X" COMPONENT INPUT FILE(DATA,HEAD)
C
        CALL GETWAVE(KKJ,0,2,NFP,NLP,DEL,'O',Y)
6      N=N+2
        KNUM = KNUM - 1
        IFLNM2(N-1)=IFLNM1
C
C   GETTING THE CHANNEL NUMBER
C
        DO 900 I = 1,30
        IF (IFLNM1(I:I) .EQ. '.') GOTO 910
900    CONTINUE
910    CHANUM(1:1) = IFLNM1(I+2 : I+2)
        CHANUM(2:2) = IFLNM1(I+3 : I+3)
        C(N-1) = CHANUM
        NPMS=1.0/DEL/1000.
C
C   DETERMINE ARRAY NO. WHICH CORRESPONDS TO THE MINIMUM VALUE IN DATA
C
        NOPTS = (NLP - NFP) + 1
        PCT=20.0
        CALL GETIND(NFP,NLP,PCT,Y,DEL,NX,TOMX,DX,YMXX,TDACLX)
C
C   PROCESS HALF-SINE "Z" COMPONENT
C
        CALL CLOSE(1)
801    IKJ = IKJ + 1
        KKJ=KKJ+1
        IFLNM1 = RESFIL(IKJ)
805    DO 807 I --1000,10000
              Y(I) = 0.0
807    CONTINUE
C
C   READING "Z" COMPONENT INPUT FILE(DATA,HEAD)
C
        CALL GETWAVE(KKJ,0,2,NFP,NLP,DEL,'O',Y)
18     IFLNM2(N)=IFLNM1
        KNUM = KNUM - 1
C
C   GETTING THE CHANNEL NUMBER
C
        I=INDEX(IFLNM1,'.')
960    CHANUM(1:1) = IFLNM1(I+2 : I+2)
        CHANUM(2:2) = IFLNM1(I+3 : I+3)
        C(N) =CHANUM
C
C   DETERMINE ARRAY NO. WHICH CORRESPONDS TO THE MAXIMUM VALUE IN DATA
C

```

```

NOPTS = (NLP - NFP) +1
PCT=20.0
CALL GETIND(NFP,NLP,PCT,Y,DEL,NZ,TOMZ,DNZ,YNMZ,TDACLZ)
C
C COMPUTE TIME DEVIATION FROM THEORETICAL AND CHANNEL-TO-CHANNEL TIME DIFFERENCE
C
    CALL CLOSE(1)
    DIF=TOMX-TOMZ
    CCTD=DIF/1000.
    IF(ABS(DIF).LE.0.1) GOTO 200
    EFLAG(N-1,1)=1
    EFLAG(N,1)=1
    IND(1)=' *'
200  DEVX=TOMX-12.5
    DEVZ=TOMZ-12.5
    IF(ABS(DEVX).GT.1.0) EFLAG(N-1,2)=1
    IF(ABS(DEVZ).GT.1.0) EFLAG(N,3)=1
    IF(ABS(DEVX).GT.1.0) IND(2)=' *'
    IF(ABS(DEVZ).GT.1.0) IND(3)=' *'
    WRITE(3,11) IFLNM2(N-1),C(N-1),IFLNM2(N),C(N)
11   FORMAT(/1X,'RESULTS FOR "X" COMPONENT FILE : ',A30,5X,
      1      'CHANNEL NO. ',A2,/9X,'AND "Z" COMPONENT FILE : ',
      2      A30,5X,'CHANNEL NO. ',A2)
    WRITE(3,13) TSTPRF
13   FORMAT(/1X,'FACILITY : ',A25)
    WRITE(3,1000) DIF,IND(1)
1000 FORMAT(/1X,'1. CHANNEL-TO-CHANNEL TIME DIFFERENCE = ',F7.3,1A2,
      1      1X,'(ALLOWABLE LIMIT = +/- 0.1 MSEC)')
    WRITE(3,1010) DEVX,IND(2)
1010 FORMAT(/1X,'2. "X" COMPONENT TIME DEVIATION = ',F7.3,1A2,
      1      1X,'(ALLOWABLE = +/- 1.0 MSEC)')
    WRITE(3,1020) DEVZ,IND(3)
1020 FORMAT(/1X,'3. "Z" COMPONENT TIME DEVIATION = ',F7.3,1A2,
      1      1X,'(ALLOWABLE LIMIT = +/- 1.0 MSEC)')
    HSDEVX(SETNUM)=DEVX
    HSDEVZ(SETNUM)=DEVZ
    WRITE(7,1001)DEVX,DEVZ
1001 FORMAT(2X,F7.3,5X,F7.3)
810  IKJ = IKJ +1
    IFLNM1 = RESFIL(IKJ)
820  DO 825 I=1000,10000
    Y(I) = RESPF(1,SETNUM,I)
825  CONTINUE
    HIC=RHIC(1,SETNUM)
    T1=RT1(1,SETNUM)+100
    T2=RT2(1,SETNUM)+100
    T2T1=T2-T1
    HICEXP=0.0
    TT1=0.0
    TT2=0.0
    CALL THCALC(CCTD,HICEXP,TT1,TT2)
    T21EXP=TT2-TT1
    HICDEV=(HIC/HICEXP-1)*100.0
    IF(ABS(HICDEV).LE.6.0) GOTO 51

```

```

EFLAG(N-1,4)=1
EFLAG(N,4)=1
IND(4)='*'
51 WRITE(3,31) HICDEV,IND(4)
31 FORMAT(/1X,'4. HIC DEVIATION = ',F6.2,1A2,
1      '(ALLOWABLE LIMIT = +/- 6%)')
HSHDEV(SETNUM)=HICDEV
WRITE(8,1002)HICDEV
1002 FORMAT(2X,F6.2)
    WRITE(3,110) HIC,T1,T2,T2T1
110 FORMAT(/1X,'THE CALCULATED HIC NO. = ',F6.1,' FOR T1 = ',F7.3,
1      ' AND T2 = ',F7.3,' WITH T2-T1 = ',F7.3)
    WRITE(3,20) HICEXP,T21EXP
20 FORMAT(/1X,'THE THEORETICAL HIC NO. = ',F6.1,' AND THE ',
1      'THEORETICAL VALUE OF T2-T1 = ',F7.3)
    GOTO 700
800 WRITE(3,1060)
1060 FORMAT(//5X,'FILE NAME',19X,'CHANNEL NO.',20X,'STATUS')
NA=0
NU=0
DO 160 I=1,N
KND=0
DO 170 J=1,4
IF(EFLAG(I,J).EQ.0) GOTO 170
KND=1
170 CONTINUE
IF(KND.EQ.0) NA=NA+1
IF(KND.EQ.1) NU=NU+1
IF(KND.EQ.0) WRITE(3,1070) IFLNM2(I),C(I)
IF(KND.EQ.1) WRITE(3,1080) IFLNM2(I),C(I)
1070 FORMAT(1X,A30,10X,A2,25X,'PASS')
1080 FORMAT(1X,A30,10X,A2,25X,'FAIL')
160 CONTINUE
    WRITE(3,1050) N,NA,NU
1050 FORMAT(//1X,'TOTAL NO. OF CHANNELS PROCESSED = ',I2
1      '/1X,'NUMBER OF ACCEPTABLE CHANNELS = ',I2
2      '/1X,'NUMBER OF UNACCEPTABLE CHANNELS = ',I2)
    CALL CLOSE(3)
    GOTO 9999
3000 WRITE(6,*) 'ERROR !!!'
    WRITE(6,*) ' ** "HSINE.SUM" CANNOT BE CREATED **'
9999 CONTINUE
    CALL CLOSE(7)
    CALL CLOSE(8)
    RETURN
    END
C
SUBROUTINE ERR2(DUMMY)
C
CHARACTER DUMMY*1
C
CALL CLOSE(1)
8002 WRITE(6,8005)
8005 FORMAT(3X,'ENTER: [Y] TO TRY AGAIN',/10X,

```

```

*  '[N] TO TERMINATE THE PROCESSES',/1X,'>>',$)
READ(5,8007) DUMMY
8007 FORMAT(A1)
IF (DUMMY .EQ. 'Y' .OR. DUMMY .EQ. 'N') GOTO 8010
GOTO 8002
8010 RETURN
END
C
C **** SUBROUTINE CRASH ****
C ****
C
SUBROUTINE CRASH(DFLAG,CNTFL)
C
C VARIABLE DECLARATION
C
INTEGER EFLAG(18),IND,NOPTS,DFLAG,CNTFL
INTEGER SETNUM,CHANUMB
CHARACTER *30 CRASHFI1,CRASHFI2
CHARACTER *4 TSTCDNUM
CHARACTER *30 IFLNM2(18)
CHARACTER *2 C(18)
CHARACTER IFLNM1 *30,CHANUM *2,DUMMY *1
REAL Y(-1000 :10000),NPMS,YMN,YMX
CHARACTER *30 RESFIL(72)
CHARACTER DAY*9,HOUR*9
C
INCLUDE '[ASGPROG]COMVAR.LIS'
COMMON /CBRES/RESFIL
*      /CBCH/CHANUMB
*      /CBCDNUM/TSTCDNUM
COMMON/RSLNTS/RESPF(2,9,-1000:10000),NFPRES(2,9),NLPRES(2,9)
COMMON/RHICS/RHIC(2,9),RT1(2,9),RT2(2,9)
COMMON/CSTAT2/CHDEV(18)
C
C CRASH WAVEFORM PROCESSOR
C
DFLAG = 0
SETNUM = 0
KNUM = CHANUMB
IKJ = 0
KKJ=0
N=0
DO 30 I=1,18
EFLAG(I)=0
30 CONTINUE
C
C REPORT FILE
C
CRASHFI1 ='CRASH'//TSTCDNUM(1:4)//'.SUM'
CRASHFI2 ='CRASH'//TSTCDNUM(1:4)//'.001'
OPEN(3,FILE=CRASHFI1,STATUS='NEW',ERR= 3000)
OPEN(7,FILE=CRASHFI2,STATUS='NEW',ERR= 3000)
WRITE(3,210)

```

```

210 FORMAT(43X,'** CRASH WAVEFORM PROCESSOR DATA SUMMARY **'//)
1      1X,'THE * SYMBOL INDICATES THAT THE ALLOWABLE LIMIT HAS '
2      , 'BEEN EXCEEDED.'//1X,'TIME QUANTITIES ARE EXPRESSED IN '
3      , 'MILLISECONDS')
CALL DATE(DAY)
CALL TIME(HOUR)
WRITE(3,9995) DAY,HOUR
9995 FORMAT(//,50X,A9,10X,A9)
700 CONTINUE
IF (KNUM .EQ. 0 .AND. CNTFL .EQ. 1) GOTO 800
SETPUM = SETPUM + 1
WRITE(6,*) 'PROCESSING SET NUMBER ',SETPUM
35 IND=' '
C
C READ CRASH "X" COMPONENT DATA
C
701 IKJ = IKJ + 1
KKJ=KKJ+1
IFLNMI = RESFIL(IKJ)
705 DO 706 I --1000,10000
Y(I) = 0.0
706 CONTINUE
C
C     READ X-AXIS DATA FROM ARRAY
C
CALL GETWAVE(KKJ,0,5,NFP,NLP,DEL,'O',Y)
6 N=N+2
KNUM = KNUM -1
IFLNM2(N-1)=IFLNM1
C
C     GETTING THE CHANNEL NUMBER FROM INPUT FILE
C
I=INDEX(IFLNM1,'.')
910 CHANUM(1:1) = IFLNM1(I+2 : I+ 2)
CHANUM(2:2) = IFLNM1(I+3 : I+ 3)
C(N-1) = CHANUM
CALL CLOSE(1)
NPMS=1.0/DEL/1000.
C
C READ CRASH "Z" COMPONENT DATA
C
921 IKJ = IKJ + 1
KKJ=KKJ+1
IFLNMI = RESFIL(IKJ)
925 DO 926 I--1000,10000
Y(I) = 0.0
926 CONTINUE
C
C     READ Z-AXIS DATA FROM ARRAY
C
CALL GETWAVE(KKJ,0,5,NFP,NLP,DEL,'O',Y)
60 IFLNM2(N)=IFLNM1
KNUM = KNUM -1

```

```

C   GETTING THE CHANNEL NUMBER
C
I=INDEX(IFLNM1,'.')
9600 CHANUM(1:1) = IFLNM1(I+2 : I+2)
CHANUM(2:2) = IFLNM1(I+3 : I+3)
C(N) = CHANUM
980 CONTINUE
CALL CLOSE(1)
WRITE(3,11) IFLNM2(N-1),C(N-1),IFLNM2(N),C(N)
11 FORMAT(//1X,'RESULTS FOR "X" COMPONENT FILE : ',A30,5X,
1      'CHANNEL NO. ',A2/9X,'AND "Z" COMPONENT FILE : ',
2      A30,5X,'CHANNEL NO. ',A2)
WRITE(3,13) TSTPRF
13 FORMAT(/1X,'FACILITY : ',A25)
950 IKJ = IKJ + 1
IFLNM1= RESFIL(IKJ)
960 DO 961 I =-1000,1000
Y(I) = RESPF(2,SETNUM,I)
961 CONTINUE
HIC=RHIC(2,SETNUM)
T1=RT1(2,SETNUM)+375
T2=RT2(2,SETNUM)+375
T2T1=T2-T1
HICEXP=930
HICDEV=(HIC/HICEXP-1)*100.0
IF(ABS(HICDEV).LE.6.0) GOTO 51
EFLAG(N-1)=1
EFLAG(N)=1
IND=' *'
51 WRITE(3,31) HICDEV,IND
31 FORMAT(/1X,'1. HIC DEVIATION = ',F10.2,1A2,
1      ' (ALLOWABLE LIMIT = +/- 6%)')
CHDEV(SETNUM)=HICDEV
WRITE(7,1061)HICDEV
1061 FORMAT(2X,F10.2)
WRITE(3,110) HIC,T1,T2,T2T1
110 FORMAT(/1X,'THE CALCULATED HIC NO. = ',F6.1,' FOR T1 = ',F7.3,
1      ' AND T2 = ',F7.3,' WITH T2-T1 = ',F7.3)
WRITE(3,20) HICEXP
20 FORMAT(/1X,'THE THEORETICAL HIC NO. = ',F6.1)
GOTO 700
800 WRITE(3,1060)
1060 FORMAT(//5X,'FILE NAME',19X,'CHANNEL NO.',20X,'STATUS')
NA=0
NU=0
DO 160 I=1,N
KND=0
IF(EFLAG(I).EQ.0) GOTO 170
KND=1
170 IF(KND.EQ.0) NA=NA+1
IF(KND.EQ.1) NU=NU+1
IF(KND.EQ.0) WRITE(3,1070) IFLNM2(I),C(I)
IF(KND.EQ.1) WRITE(3,1080) IFLNM2(I),C(I)
1070 FORMAT(1X,A30,10X,A2,25X,'PASS')

```

```

1080 FORMAT(1X,A30,10X,A2,25X,'FAIL')
160 CONTINUE
    WRITE(3,1050) N,NA,NU
1050 FORMAT(//1X,'TOTAL NO. OF CHANNELS PROCESSED = ',I2
1      /1X,'NUMBER OF ACCEPTABLE CHANNELS = ',I2
2      /1X,'NUMBER OF UNACCEPTABLE CHANNELS = ',I2)
    CALL CLOSE(3)
    CALL CLOSE(7)
    GOTO 9999
3000 WRITE(6,*) 'ERROR !!!!'
    WRITE(6,*) ' *** "CRASH.SUM" CANNOT BE CREATED ***'
9999 CONTINUE
    RETURN
    END

C
    SUBROUTINE FRSP3(DFLAG,CNTFL)
C-----.
C      PROGRAM FRSP3:                      John E. Nickles
C                                         Transportation Systems Center
C                                         23-October-1984
C
C      Last Revision Date: 3-October-1985
C
C      Abstract:
C
C          This program calculates the frequency response of a system
C          when the input to the system is a sum-of-sines waveform. The
C          frequency response is determined by calculating the ratio of two
C          DFT outputs at the signal frequencies. The two DFTs are the DFT
C          of the recorded system output and the DFT of the reconstructed
C          system input. The input to the program is a raw, time series data
C          set of the recorded system output signal. The system input data can
C          be recreated if the waveform specifications and the sampling fre-
C          quency, with which the system output data set was made, are known.
C          The data is windowed before the DFTs are calculated. The program
C          uses the FAST FFT algorithm to compute the DFTs.
C
C      Subroutines Called:
C
C          FAST           FFT
C          SGAUSS        Gaussian window
C
C      Revision History:
C
C          11-September-1985 Added scale factor, CSC
C          3-October-1985   Integrated FRSP3 with waveform generator signal
C                           processing software from MGA Research Corp.
C-----.
C
*      REAL A(-1000:10000),B(2050),C(2050),AR(20),F(20),Y(20),Z(20),
*          FDFT(20),ARDB(20),U(0:1024),V(0:1024),W(2048)
*          INTEGER LN(20)
*          CHARACTER*30 OUTFIL,FRFIL,SUMFIL,STTFIL,CHAFIL(108)

```

```

CHARACTER*9 DAY,HOUR,DUMMY*1
INTEGER CNTFL,DFLAG,CHANUMB,SETPNUM

C
COMMON /CBFIL/CHAFIL
*      /CBCH/CHANUMB
COMMON/SSSTAT2/SSF(18,14),SSARDB(18,14)
C
INCLUDE '[ASGPROG]COMVAR.LIS'
C
IKJ = -1
KNUM = CHANUMB
SETPNUM = 0
NN = 2048
C
IF(KNUM.EQ.0.AND.CNTFL.EQ.1)GOTO 999
610 IKJ=IKJ+6
SUMFIL='SUMSN'//CHAFIL(IKJ)(2:5)//'.SUM'
STTFIL='SUMSN'//CHAFIL(IKJ)(2:5)//'.001'
IKJ=IKJ-6
C
650 OPEN(3,STATUS='NEW',FILE=SUMFIL)
OPEN(7,STATUS='NEW',FILE=STTFIL)
C
CALL DATE(DAY)
CALL TIME(HOUR)
WRITE(3,1)DAY,HOUR
1 FORMAT(1X,A9,2X,A9,/)

C
700 CONTINUE
IF (KNUM .EQ. 0 .AND. CNTFL .EQ. 1) GOTO 800
701 IKJ = IKJ + 6
OUTFIL = CHAFIL(IKJ)
J=INDEX(OUTFIL,'.')
712 FRFIL ='FR'//CHAFIL(IKJ)(2:5)//'.'//OUTFIL(J+1:J+3)
750 OPEN(21,STATUS='NEW',FILE=FRFIL)
C
C     Read output signal data set.
C
INDX=1+INT(FLOAT(IKJ)/6.0)
CALL GETWAVE(INDX,0,4,NFP,NLP,DEL,'O',A)
760 KNUM = KNUM -1
N =(NLP - NFP) + 1
DT = DEL
IF (N .GT. NN)  N=NN
L = 14
FSG = 273.4375
ALPHA = 9
PI=4.*ATAN(1.)

C
C     Index translation
C
DO 5 I=0,NN+1
5     B(I+1)=A(I)
C

```

```

C      Recreate input waveform data file.
C
C      OMEGA=2.*PI*FSG
DO 4 I=1,N
    T=DT*FLOAT(I-1)
    C(I)=0.
    DO 2 J=1,L
        X=SIN(J*OMEGA*T)
2     C(I)=C(I)+X
4     CONTINUE
C
C      Zero fill
C
C      IF(N.LT.NN)GO TO 8
C      GO TO 12
8     DO 10 I=N+1,NN+2
        B(I)=0.
10    C(I)=0.
C
C      Window the data
C
12    CALL SGAUSS(W,N,ALPHA)
DO 14 I=1,N
    B(I)=W(I)*B(I)
14    C(I)=W(I)*C(I)
C
C      Compute DFTs
C
CALL FAST(B,NN)
CALL FAST(C,NN)
DO 20 I=0,NN/2
    U(I)=SQRT(C(2*I+1)*C(2*I+1)+C(2*I+2)*C(2*I+2))
    V(I)=SQRT(B(2*I+1)*B(2*I+1)+B(2*I+2)*B(2*I+2))
C
C      Compute frequency response
C
DF=1./(NN*DT)           ! DF=frequency increment of analyzing DFT output
DO 30 J=1,L             ! J-th harmonic is analyzed during J-th pass.
    FS=J*FSG              ! FS = frequency of J-th harmonic
    RN=FS/DF
    K=INT(RN)              ! K = DFT output line no. corresponding to FS
    R=RN-K                 ! R = remainder fraction after truncation
    IF(R.GT.0.5)K=K+1
    LN(J)=K
    Y(J)=U(K)
    Z(J)=V(K)
    F(J)=FS
    FDFT(J)=K*DF
30    CONTINUE
    CSC=(0.993)*Y(1)/Z(1)
    DO 40 J=1,L
        AR(J)=CSC*Z(J)/Y(J)
        ! AR = ratio of output DFT to input DFT at J-th harmonic.
40    ARDB(J)=20.* ALOG10(AR(J))      ! frequency response in dB at FS

```

```

        WRITE(21,150)(F(J),ARDB(J),J=1,L)
C
C      Write summary file.
C
        WRITE(3,500) OUTFIL,FRFIL
500    FORMAT(///10X,'RESULT FOR FILE ',5X,A30,/10X,
* 'FREQUENCY RESPONSE FILE ',5X,A30,///)
        WRITE(3,220)
        WRITE(3,221)
        WRITE(3,222)
        WRITE(3,230)(F(I),LN(I),FDFT(I),Y(I),Z(I),AR(I),ARDB(I),I=1,L)
C
C      Store statistical data file.
C
        WRITE(7,509)(ARDB(I),I=1,L)
509    FORMAT(1X,<L>F9.4)
        DO 510 I=1,L
          SSF(INDX,I)=F(I)
          SSARDB(INDX,I)=ARDB(I)
510    CONTINUE
C
        WRITE(6,601) OUTFIL
601    FORMAT(1X,'PROCESSING COMPLETED FOR FILE ',5X,A30)
        CLOSE(21)
        GOTO 700
C
C      End of loop
C
        CLOSE(3)
        CLOSE(7)
999    RETURN
120    FORMAT(A)
150    FORMAT(2E13.5)
220    FORMAT(/,3X,'SIGNAL',4X,'DFT',6X,'DFT',7X,'INPUT',6X,'OUTPUT',
* 4X,'SCALED',2X,'AMPLITUDE')
221    FORMAT(' FREQUENCY',2X,'LINE',4X,'OUTPUT',7X,'DFT',9X,'DFT',
* 7X,'DFT',5X,'RATIO')
222    FORMAT(4X,'(HZ)',5X,'NO:',2X,'FREQUENCY',5X,'VALUE',7X,'VALUE',
* 5X,'RATIO',5X,'(DB'),/)
230    FORMAT(20(1X,F9.4,2X,I4,2X,F9.4,2X,2(F10.4,2X),F7.5,3X,F7.2,:/))
        END
C
C-----.
C

```

```

C      Subroutine SGAUSS           John E. Nickles
C                                         Transportation Systems Center
C                                         14-August-1984
C

```

```

C      Subroutine to generate a Gaussian data window
C
C-----.
C

```

```

SUBROUTINE SGAUSS(W,L,ALPHA)
DIMENSION W(L)

```

```

DO 5 I=1,L
      D=(2.*(I-1)/L)-1.
5      W(I)=EXP(-(ALPHA*D*ALPHA*D)/2)
      RETURN
      END
C
C-----
C SUBROUTINE:  FAST
C REPLACES THE REAL VECTOR B(K), FOR K=1,2,...,N,
C WITH ITS FINITE DISCRETE FOURIER TRANSFORM
C-----
C
C      SUBROUTINE FAST(B, N)
C
C THE DC TERM IS RETURNED IN LOCATION B(1) WITH B(2) SET TO 0.
C THEREAFTER THE JTH HARMONIC IS RETURNED AS A COMPLEX
C NUMBER STORED AS B(2*j+1) + I B(2*j+2).
C THE N/2 HARMONIC IS RETURNED IN B(N+1) WITH B(N+2) SET TO 0.
C HENCE, B MUST BE DIMENSIONED TO SIZE N+2.
C THE SUBROUTINE IS CALLED AS FAST(B,N) WHERE N=2**M AND
C B IS THE REAL ARRAY DESCRIBED ABOVE.
C
C      DIMENSION B(N+2)
C      COMMON /CONS/ PII, P7, P7TWO, C22, S22, PI2
C
C IW IS A MACHINE DEPENDENT WRITE DEVICE NUMBER
C
C      IW = 6
C
C      PII = 4.*ATAN(1.)
C      PI8 = PII/8.
C      P7 = 1./SQRT(2.)
C      P7TWO = 2.*P7
C      C22 = COS(PI8)
C      S22 = SIN(PI8)
C      PI2 = 2.*PII
C      DO 10 I=1,15
C          M = I
C          NT = 2**I
C          IF (N.EQ.NT) GO TO 20
10     CONTINUE
      WRITE (IW,9999)
9999     FORMAT (33H N IS NOT A POWER OF TWO FOR FAST)
      STOP
      20   N4POW = M/2
C
C DO A RADIX 2 ITERATION FIRST IF ONE IS REQUIRED.
C
      IF (M-N4POW*2) 40, 40, 30
30     NN = 2
      INT = N/NN
      CALL FR2TR(INT, B(1), B(INT+1))
      GO TO 50
40     NN = 1

```

Reprinted with permission of the IEEE Press
 from Programs for Digital Signal Processing

© 1979 IEEE

```

C
C PERFORM RADIX 4 ITERATIONS.
C
50 IF (N4POW.EQ.0) GO TO 70
DO 60 IT=1,N4POW
    NN = NN*4
    INT = N/NN
    CALL FR4TR(INT, NN, B(1), B(INT+1), B(2*INT+1), B(3*INT+1),
*          B(1), B(INT+1), B(2*INT+1), B(3*INT+1))
60 CONTINUE
C
C PERFORM IN-PLACE REORDERING.
C
70 CALL FORD1(M, B)
CALL FORD2(M, B)
T = B(2)
B(2) = 0.
B(N+1) = T
B(N+2) = 0.
DO 80 IT=4,N,2
    B(IT) = -B(IT)
80 CONTINUE
RETURN
END

```

```

C
C-----
C SUBROUTINE: FR2TR
C RADIX 2 ITERATION SUBROUTINE
C-----
C
SUBROUTINE FR2TR(INT, B0, B1)
DIMENSION B0(INT+1), B1(INT+1)
DO 10 K=1,INT
    T = B0(K) + B1(K)
    B1(K) = B0(K) - B1(K)
    B0(K) = T
10 CONTINUE
RETURN
END

```

Reprinted with permission of the IEEE Press
 from Programs for Digital Signal Processing
 © 1979 IEEE

```

C
C-----
C SUBROUTINE: FR4TR
C RADIX 4 ITERATION SUBROUTINE
C-----
C
SUBROUTINE FR4TR(INT, NN, B0, B1, B2, B3, B4, B5, B6, B7)
DIMENSION L(15), B0(NN*INT+2), B1(NN*INT+2), B2(NN*INT+2),
*B3(NN*INT+2), B4(NN*INT+2), B5(NN*INT+2), B6(NN*INT+2),
*B7(NN*INT+2)
COMMON /CONS/ PII, P7, P7TWO, C22, S22, PI2
EQUIVALENCE (L15,L(1)), (L14,L(2)), (L13,L(3)), (L12,L(4)),
*      (L11,L(5)), (L10,L(6)), (L9,L(7)), (L8,L(8)), (L7,L(9)),
*      (L6,L(10)), (L5,L(11)), (L4,L(12)), (L3,L(13)), (L2,L(14)),
*      (L1,L(15))

```

C
C JTHET IS A REVERSED BINARY COUNTER, JR STEPS TWO AT A TIME TO
C LOCATE THE REAL PARTS OF INTERMEDIATE RESULTS, AND JI LOCATES
C THE IMAGINARY PART CORRESPONDING TO JR.

C
L(1) = NN/4
DO 40 K=2,15
 IF (L(K-1)-2) 10, 20, 30
10 L(K-1) = 2
20 L(K) = 2
 GO TO 40
30 L(K) = L(K-1)/2
40 CONTINUE
PIOVN = PII/FLOAT(NN)
JI = 3
JL = 2
JR = 2
DO 120 J1=2,L1,2
DO 120 J2=J1,L2,L1
DO 120 J3=J2,L3,L2
DO 120 J4=J3,L4,L3
DO 120 J5=J4,L5,L4
DO 120 J6=J5,L6,L5
DO 120 J7=J6,L7,L6
DO 120 J8=J7,L8,L7
DO 120 J9=J8,L9,L8
DO 120 J10=J9,L10,L9
DO 120 J11=J10,L11,L10
DO 120 J12=J11,L12,L11
DO 120 J13=J12,L13,L12
DO 120 J14=J13,L14,L13
DO 120 JTHET=J14,L15,L14
 TH2 = JTHET - 2
 IF (TH2) 50, 50, 90
50 DO 60 K=1,INT
 T0 = B0(K) + B2(K)
 T1 = B1(K) + B3(K)
 B2(K) = B0(K) - B2(K)
 B3(K) = B1(K) - B3(K)
 B0(K) = T0 + T1
 B1(K) = T0 - T1
60 CONTINUE
 IF (NN-4) 120, 120, 70
70 KO = INT*4 + 1
 KL = KO + INT - 1
 DO 80 K=KO,KL
 PR = P7*(B1(K)-B3(K))
 PI = P7*(B1(K)+B3(K))
 B3(K) = B2(K) + PI
 B1(K) = PI - B2(K)
 B2(K) = B0(K) - PR
 B0(K) = B0(K) + PR
80 CONTINUE
 GO TO 120

Reprinted with permission of the IEEE Press
from Programs for Digital Signal Processing

© 1979 IEEE

```

90   ARG = TH2*PIOVN
      C1 = COS(ARG)
      S1 = SIN(ARG)
      C2 = C1**2 - S1**2
      S2 = C1*S1 + C1*S1
      C3 = C1*C2 - S1*S2
      S3 = C2*S1 + S2*C1
      INT4 = INT*4
      J0 = JR*INT4 + 1
      K0 = JI*INT4 + 1
      JLAST = J0 + INT - 1
      DO 100 J=J0,JLAST
         K = K0 + J - J0
         R1 = B1(J)*C1 - B5(K)*S1
         R5 = B1(J)*S1 + B5(K)*C1
         T2 = B2(J)*C2 - B6(K)*S2
         T6 = B2(J)*S2 + B6(K)*C2
         T3 = B3(J)*C3 - B7(K)*S3
         T7 = B3(J)*S3 + B7(K)*C3
         T0 = B0(J) + T2
         T4 = B4(K) + T6
         T2 = B0(J) - T2
         T6 = B4(K) - T6
         T1 = R1 + T3
         T5 = R5 + T7
         T3 = R1 - T3
         T7 = R5 - T7
         B0(J) = T0 + T1
         B7(K) = T4 + T5
         B6(K) = T0 - T1
         B1(J) = T5 - T4
         B2(J) = T2 - T7
         B5(K) = T6 + T3
         B4(K) = T2 + T7
         B3(J) = T3 - T6
100   CONTINUE
      JR = JR + 2
      JI = JI - 2
      IF (JI-JL) 110, 110, 120
110   JI = 2*JR - 1
      JL = JR
120   CONTINUE
      RETURN
      END
C
C-----
C SUBROUTINE: FORD1
C IN-PLACE REORDERING SUBROUTINE
C-----
C
      SUBROUTINE FORD1(M, B)
      DIMENSION B(2**M+2)
C
      K = 4

```

Reprinted with permission of the IEEE Press
from Programs for Digital Signal Processing

© 1979 IEEE

```

KL = 2
N = 2**M
DO 40 J=4,N,2
    IF (K-J) 20, 20, 10
10   T = B(J)
    B(J) = B(K)
    B(K) = T
20   K = K - 2
    IF (K-KL) 30, 30, 40
30   K = 2*K
    KL = J
40   CONTINUE
    RETURN
    END

C
C-----
C SUBROUTINE: FORD2
C IN-PLACE REORDERING SUBROUTINE
C-----
C
SUBROUTINE FORD2(M, B)
DIMENSION L(15), B(2**M+2)
EQUIVALENCE (L15,L(1)), (L14,L(2)), (L13,L(3)), (L12,L(4)),
*      (L11,L(5)), (L10,L(6)), (L9,L(7)), (L8,L(8)), (L7,L(9)),
*      (L6,L(10)), (L5,L(11)), (L4,L(12)), (L3,L(13)), (L2,L(14)),
*      (L1,L(15))
N = 2**M
L(1) = N
DO 10 K=2,M
    L(K) = L(K-1)/2
10   CONTINUE
DO 20 K=M,14
    L(K+1) = 2
20   CONTINUE
IJ = 2
DO 40 J1=2,L1,2
DO 40 J2=J1,L2,L1
DO 40 J3=J2,L3,L2
DO 40 J4=J3,L4,L3
DO 40 J5=J4,L5,L4
DO 40 J6=J5,L6,L5
DO 40 J7=J6,L7,L6
DO 40 J8=J7,L8,L7
DO 40 J9=J8,L9,L8
DO 40 J10=J9,L10,L9
DO 40 J11=J10,L11,L10
DO 40 J12=J11,L12,L11
DO 40 J13=J12,L13,L12
DO 40 J14=J13,L14,L13
DO 40 JI=J14,L15,L14
    IF (IJ-JI) 30, 40, 40
30   T = B(IJ-1)
    B(IJ-1) = B(JI-1)
    B(JI-1) = T

```

Reprinted with permission of the IEEE Press
from Programs for Digital Signal Processing

© 1979 IEEE

```

        T = B(IJ)
        B(IJ) = B(JI)
        B(JI) = T
40    IJ = IJ + 2
        RETURN
        END

C Subroutine GETIND determines the index of the data array which is
C closest to the calculated time of occurrence of the maximum data
C value. The approach taken is to average the times the data passes
C through a certain level which is expressed as a percentage of the
C theoretical maximum (200 g's). Interpolation is used to improve
C the time calculation. It is assumed that noise riding on the data
C will not affect this calculation. (This should be true as long as
C the percentage chosen places the level in an area of the curve
C which has a steep slope.)
C
        SUBROUTINE GETIND(NFP,NLP,PCT,Y,DEL,IOMAX,TOMAX,DIOMAX,VMAX,TDACL)
        REAL Y(-1000 :10000)
C
        chklev=200.0*pct/100.0
        tclev1=0.0
        tclev2=0.0
        do 100 I=nfp,nlp-1
          til=(I+1)*del*1000.
          ti=I*del*1000.
          if (abs(y(I)).le.chklev.and.abs(y(I+1)).ge.chklev) then
            tclev1=ti+((chklev-abs(y(I)))/(abs(y(I+1))-abs(y(I))))
            &           *(til-ti))
          end if
          if (abs(y(I+1)).le.chklev.and.abs(y(I)).ge.chklev) then
            tclev2=ti+((abs(y(I))-chklev)/(abs(y(I))-abs(y(I+1))))
            &           *(til-ti))
          end if
100  continue
        tomax=(tclev1+tclev2)/2.0
        tdacl=tclev2-tclev1
        do 200 J=nfp,nlp-1
          tj1=(J+1)*del*1000.
          tj=J*del*1000.
          if (tj.le.tomax.and.tj1.ge.tomax) then
            dtj=tomax-tj
            dtj1=tj1-tomax
C If the calculated time of maximum falls exactly between two samples,
C the index of maximum is arbitrarily assigned to the earlier sample.
            if (dtj.le.dtj1) then
              iomax=J
              diomax=dtj
            end if
            if (dtj1.lt.dtj) then
              iomax=J+1
              diomax=-dtj1
            end if
            vmax=y(j)+((dtj/(tj1-tj))*(y(j+1)-y(j)))
          end if
200  continue

```

```

200 continue
    return
end

C
C Subroutine THCALC obtains, through multiple steps, the value of the
C theoretical HIC if the curve were to be made up of two components
C (x and z) which have the same amplitude and duration of the actual
C data. (The parameters necessary for determining the duration and
C amplitude are obtained in subroutine GETIND.) The steps taken to
C obtain the theoretical HIC value are:
C     1) determine the equations of the two half-sine curves which pass
C        through the points determined via GETIND
C     2) generate arrays of data which are the equivalent of the
C        equations should they be sampled at the interval of DEL
C     3) obtain the resultant of the two arrays
C     4) calculate HIC, T1, and T2 using a modified version of the HIC3
C        subroutine
C
SUBROUTINE THCALC(CCTD,THIC,TT1,TT2)
COMMON /HSTMX/TOMX,YMXX,TOMZ,YMNZ,TCLEV1,TCLEV2,PCT,TDACLX,TDACLZ
DIMENSION YX(-1000:10000),YZ(-1000:10000),R(-1000:10000)
DIMENSION S(0:10000),JL(15000),KL(15000)
DOUBLE PRECISION RC,RM,SC,SM
INCLUDE '[ASGPROG]COMVAR.LIS'
DATA NAR/15000/
C
pi=3.1415927
do 10 I=-1000,10000
    yx(I)=0.0
    yz(I)=0.0
    r(I)=0.0
10 continue
ix01=INT(.01/del)
tx01=del*ix01
tz01=tx01+cctd
C From A = X * Sin(w * t) and knowing the times and values of the
C points at which a certain level is crossed,
C w = (2 * arc-cosine(pct/100))/dt
    wx=(2.0*ACOS(pct/100.0))/(tdaclx/1000.)
    wz=(2.0*ACOS(pct/100.0))/(tdaclz/1000.)
    icflagx=0
    icflagz=0
    do 20 I=0,nlp
        t=FLOAT(I)*del
        yx(I)=0.0
        yz(I)=0.0
        if (t.ge.tx01.and.icflagx.eq.0) then
            yx(I)=ymxx*sin(wx*(t-tx01))
            if (yx(I).gt.0.0) then
                yx(I)=0.0
                icflagx=1
            end if
        end if
        if (t.ge.tz01.and.icflagz.eq.0) then

```

```

yz(I)=ymnz*sin(wz*(t-tz01))
if (yz(I).lt.0.0) then
    yz(I)=0.0
    icflagz=1
end if
end if
r(I)=SQRT((yx(I)**2)+(yz(I)**2))
20 continue
C The following routine is taken from the subroutine HIC3
C The code is repeated here to eliminate the need to write UDS files
C
C Compute sum (integral) array using trapezoid rule
S(0)=0.0
SM=0.D0
RM=ABS(R(0))
DO 102 I=1,NLP
    RC=ABS(R(I))
    SC=SM+.5*(RC+RM)
    S(I)=SC
    SM=SC
    RM=RC
102   CONTINUE
C Initialize variables
FMAX=0.0
JMAX=0
KMAX=0
JL(1)=0
KL(1)=-1
NWU=NLP
IBR=1
IER=1
INC=-1
IBL=NAR
C Begin a round of region evaluations
103   IL=IBL-INC
      DO 104 IR=IBR,IER,INC
          JLI=JL(IR)
          IF (JLI.GT.0) THEN
              NJ=NWU
          ELSE
              JLI=ABS(JLI)
              NJ=MAX0(NWU-1,0)
          END IF
          KLI=KL(IR)
          IF (KLI.GT.0) THEN
              NK=NWU
          ELSE
              KLI=ABS(KLI)
              NK=MAX0(NWU-1,0)
          END IF
          KUI=KLI+NK
          IF ((NJ.EQ.0).AND.(NK.EQ.0)) THEN
C This is a single point region - Evaluate
            F=(S(KUI)-S(JLI))*(KUI-JLI)**(-.6)

```

```

        IF (F.GT.FMAX) THEN
            FMAX=F
            JMAX=JLI
            KMAX=KUI
        END IF
    ELSE
        C This is a finite region with feasible points - Bound
        JUI=JLI+NJ
        FS=S(KUI)-S(JLI)
        IF (FS*MAX0(KLI-JUI,1)**(-.6).GT.FMAX) THEN
            C Region is possibly optimal - Evaluate and partition
            F=FS*(KUI-JLI)**(-.6)
            IF (F.GT.FMAX) THEN
                FMAX=F
                JMAX=JLI
                KMAX=KUI
            END IF
            IF ((IL+4*INC)*INC.GT.IR*INC) THEN
                WRITE(6,993)
                993 FORMAT(/1X,'*** ERROR - HIC3 array size exceeded')
                CALL CLOSE(3)
                DFLAG =1
                GOTO 670
            END IF
            CALL PART(JLI,JUI,NJ,NWU-NJ,KLI,KUI,NK,NWU-NK,IL,INC,
                      JL,KL)
            *
            END IF
        END IF
    104 CONTINUE
    IF (ABS(IBL-IL-INC).GT.0) THEN
        C Some regions remain - Set up boundary index arrays
        ITMP=IBL
        IBL=IER
        IER=ITMP
        IBR=IL
        INC=-1*INC
        NWU=NWU/2
        GO TO 103
    ELSE
        C Done - No regions remain - Report results
        THIC=DEL*FMAX**2.5
        TT1=1000*JMAX*DEL
        TT2=1000*KMAX*DEL
    END IF
    670 CONTINUE
    RETURN
END

```

The fourth segment, "REC", contains the following modules:

RECTAN

ZERO2

COMPRE

The source code listing for these modules is:

```

C ****
C *
C *      SUBROUTINE FOR RECTANGLE WAVEFORM
C *
C ****
C
C Subroutine rectan performs signal processing calculations
C upon the rectangular waveform that has been recorded. This
C program performs four time checks and two amplitude checks on
C the rectangle waveform output. All rectangle waveforms are
C processed simultaneously.
C
C Rectan then outputs both upper and lower overshoot, attenuation,
C and timeshift. Overshoots and steady-state values are determined
C by subroutine zer02.
C
C SUBROUTINE RECTAN(ICHAN,DFLAG,CNTFL)
C
C define data types
C
CHARACTER IFLNM1 *30,CHANUM *2,DUMMY *1
INTEGER N1(13),N2(13),N3(13),N4(13),NOPTS,DFLAG
INTEGER NCHAN,ZIC,ZDC,ZERINC(100),ZERDEC(100),ZFLAG,
*      OLFLAG,LB(14),TZIC,UBND,LBND,START,FINISH,
*      INGOV(13),IPSOV(13),TB,TR,CHANUMB,CNTFL
REAL XMIN,XMAX,YMIN,YMAX,TO
REAL Y(-1000 :10000),DAN(10000)
REAL NPMS,POSOV(13),NEGOV(13),YMN,YMX,PAVGOV,NAVGOV,
*      SSPAV(13),SSNAV(13),AVG,TL(13),TU(13)
CHARACTER *30 CHAFIL(108)

INCLUDE 'DISK$OVR:[ASGPROG]COMVAR.LIS'
C
C define common block symbolic names
C
COMMON /CBXY/    XMIN,XMAX,YMIN,YMAX
*      /CBTO/    TO
*      /CBNPTS/ NOPTS
*      /CBY/     Y
COMMON /OVER/    POSOV,NEGOV,IPSOV,INGOV,SSPAV,SSNAV
*      /RANGE/   FINISH
*      /SHFT/    TL,TU
*      /STPT/    N1,N2,N3,N4
*      /PTN/     START,LB
*      /COUNT/   ZIC,ZDC,ZERINC,ZERDEC,ZFLAG
*      /FLAG/    EFLAG
*      /CBFIL/   CHAFIL
*      /CBCH/    CHANUMB
COMMON/RSTAT1/RPOS(18,10),RNOS(18,10),RSSPAV(18,10),
&      RSSNAV(18,10),RTU(18,10),RTL(18,10),RFLNM1(18),
&      RSATT(18),RCNUM(18),RTPERF(18)
CHARACTER*30 RFLNM1
CHARACTER*25 RSATT,RTPERF
CHARACTER*2 RCNUM

```

```

DIMENSION SSNMP(13),SSNMN(13)
C
C Rectangle waveform processor.
C prepare to input data and begin processing.
C
IKJ = -4
KNUM =CHANUMB
DFLAG = 0
WRITE(6,1)
1 FORMAT(/1X,'** RECTANGLE WAVEFORM PROCESSOR **')
ICHAN = 0
C
C START OF THE LOOP FOR PROCESSING
C
700 CONTINUE
IF (KNUM .EQ. 0 .AND. CNTFL .EQ. 1) GOTO 800
IKJ = IKJ + 6
YMAX = 200.0
YMIN = -200.0
DO 8700 I=-1000,10000
Y(I) = 0.0
8700 CONTINUE
5000 IFLNM1 = CHAFIL(IKJ)
C
C READING FROM DATA FILE CONTAINING WAVEFORM
C
5001 INDX=1+INT(FLOAT(IKJ)/6.0)
CALL GETWAVE(INDX,0,1,NFP,NLP,DEL,'O',Y)
J=1
DO 8705 I=NFP,NLP
DAN(J)=Y(I)
J=J+1
8705 CONTINUE
DO 8710 I=1,NLP+1
Y(I)=DAN(I)
8710 CONTINUE
KNUM = KNUM - 1
ICHAN = ICHAN + 1
NPMS=1.0/DEL/1000.

C
C The first processing performed determines the zero crossing
C of the waveform. When the waveform crosses zero from negative to
C positive the point number is stored in the zerinc(I) array.
C When the waveform crosses zero from positive to negative the point
C number is stored in the zerdec(I) array. The point numbers are only
C assigned to the two arrays above if there is a definite sign change.
C It is not assigned for a positive to zero to positive change
C in the waveform. All crossings are stored sequentially
C in their respective arrays.
C
ZIC=0
ZDC=0
NOPTS=(NLP-NFP)+1
DO 55 I=1,100

```

```

ZERINC(I)=0
55 ZERDEC(I)=0

DO 11 I=1,NOPTS
    IF(Y(I)) 20,30,40
20  ZFLAG=-1
    GO TO 50
30  ZFLAG=0
    GO TO 50
40  ZFLAG=1
50  IF (I.EQ.1) GOTO 100
60  IF(ZFLAG.EQ.OLFLAG) GOTO 100
    IF(OLFLAG.EQ.0) GOTO 100
    IF(OLFLAG.EQ.-1) GOTO 90
    ZDC=ZDC+1
    ZERDEC(ZDC)=I
    GOTO 100
90  ZIC=ZIC+1
    ZERINC(ZIC)=I
100 OFLAG=ZFLAG
11 CONTINUE
    IF (Y(NOPTS) .LT. 0.0 .AND. Y(NOPTS) .GT. -250.0) GOTO 8715
    GOTO 8720
8715 ZIC = ZIC + 1
    ZERINC(ZIC)=NOPTS
8720 CONTINUE
    IF (ZIC .GT. 10) ZIC = 10

C
C      The second processing performed is the division of the waveform
C      into 10 separate sections.  The point numbers are assigned to the
C      LB(I) array.  LB(1) is assumed to occur EXACTLY 10 msec before LB(2).
C      LB(2) and each successive LB(I) corresponds to the end of a complete
C      period of a rectangle waveform.
C
DO 15 I=1,13
    LB(I)=0
15 CONTINUE
    IMAX=NOPTS
    TZIC=ZIC
    IMIN=ZERINC(TZIC)
    YTST=.5*YMAX
31 DO 12 I=IMIN,IMAX
    IF(Y(I).GT.YTST) GOTO 21
12 CONTINUE
    IMAX=ZERINC(TZIC)-1
    TZIC=TZIC-1
    IMIN=ZERINC(TZIC)
    GOTO 31
21 UBND=TZIC
    TZIC=1
    IMIN=1
    IMAX=ZERINC(TZIC)
    YTST=.5*YMIN
61 DO 41 I=IMAX,IMIN,-1

```

```

        IF(Y(I).LT.YTST) GOTO 51
41 CONTINUE
IMIN=ZERINC(TZIC)+1
TZIC=TZIC+1
IMAX=ZERINC(TZIC)
GOTO 61
51 LBND=TZIC
J=LBND-1
C     START=10-(UBND-LBND)
C     FINISH=10
START=2
FINISH=ZIC
DO 70 I=START,FINISH+1
J=J+1
LB(I)=ZERINC(J)
70 CONTINUE
LB(12)=NOPTS
C
C     The third processing performed on the rectangle waveform determines
C     the steady-state averages and overshoots for each of the 20
C     sections of the rectangle waveform. The positive steady-state values
C     are stored in the SSPAV(I) array. The negative steady-state values
C     are stored in the SSNAV(I) array. The positive overshoot values are
C     stored in the POSOV(I) array. The negative overshoot values are
C     stored in the NEGOM(I) array. The average positive and negative
C     values for overshoot are calculated and stored as PAVGOV and
C     NAVGOV respectively.
C
C     Initialize outputs as default values
C
DO 105 I=1,13
SSPAV(I)=1.0E+4
SSNAV(I)=-1.0E+4
POSOV(I)=1.0E+4
NEGOM(I)=-1.0E+4
105 CONTINUE
LB(1)=LB(2)-(10.0*NPM)
DO 6 I=1,ZDC
IF(ZERDEC(I).GT.LB(START)) GOTO 6
KK=I
6 CONTINUE
K=KK
DO 110 I=1,FINISH+1
LL=LB(I)
LU=ZERDEC(K)
IF(LU.EQ.0) LU=NOPTS
K=K+1
NPT=LU-LL+1
CALL ZERO2(Y(LL),NPT,SSPAV(I),POSOV(I),0,NPM)
110 CONTINUE
K=KK
JK=FINISH
DO 120 I=1,JK
LL=ZERDEC(K)

```

```

K=K+1
LU=LB(I+1)
NPT=LU-LL+1
CALL ZER02(Y(LL),NPT,SSNAV(I),NEGOV(I),1,NPMS)
120 CONTINUE
PAVGOM=0.0
NAVGOM=0.0
DO 130 I=START-1,FINISH
PAVGOM=PAVGOM+POSOV(I)
IF(I.EQ.FINISH) GOTO 130
NAVGOM=NAVGOM+NEGOV(I)
130 CONTINUE
PAVGOM=PAVGOM/(FINISH-START+2)
NAVGOM=NAVGOM/(FINISH-START+2)
150 NEGOV(13)--1.0E+4
C
C The fourth processing performed determines the time shifts in the
C waveforms leading edges. All edges are compared to the first
C leading edge which is the first rectangle waveform of the 10 rectangle
C waveforms expected for each channel recorded. Time shifts are not
C compared between channel-to-channel variations.
C
C The timeshifts of the positive section are stored in the TU(I) array.
C Timeshifts for the negative sections are stored in the TL(I) array.
C
DO 7 I=1,10
TL(I)--1.0E+4
TU(I)=1.0E+4
7 CONTINUE
YTST1=0.9*YMIN
YTST2=0.9*YMAX
TL(1)=((LB(1)-1)/NPMS
LSTART=START-1
TU(LSTART)=((ZERDEC(LSTART)-1)/NPMS-(6+(LSTART-1)*10)
DO 300 I=START,FINISH
IF(POSOV(I).EQ.1.0E+4) GOTO 310
TL(I)=((LB(I)-1)/NPMS)-(10*(I-1))
310 IF(NEGOV(I).EQ.-1.0E+4) GOTO 300
K1=KK+I-1
TU(I)=((ZERDEC(K1)-1)/NPMS)-(6+(I-1)*10)
300 CONTINUE
C
C The fifth processing performed determines the normalized steady-state
C and overshoot values for each of the 20 sections. These values are
C stored over the values in the already existing NEGOV, POSOV,
C SSNAV and SSPAV arrays.
C
C SSNM is a "normalization factor" which takes into account the
C fact that the starting point for most changes in the waveform
C is not at zero but rather at the last steady-state level.
SSNMP(1)=0.0
SSNMM(1)=SSPAV(1)
DO 409 I=2,FINISH

```

```

        SSNMP(I)=SSNAV(I-1)
        SSNMN(I)=SSPAV(I)
409 CONTINUE
        DO 420 I=1,FINISH
          IF (POSOV(I).EQ.1.0E+4) GOTO 410
          IF (SSNMP(I).EQ.-1.0E+4) SSNMP(I)=0.0
          POSOV(I)=(POSOV(I)-SSPAV(I))/(SSPAV(I)-SSNMP(I))*100.0
          SSPAV(I)=(SSPAV(I)-200.0)/2.0
410      IF (NEGOM(I).EQ.-1.0E+4) GOTO 420
          SSNMN=SSPAV(I)
          IF (SSNMN(I).EQ.1.0E+4) SSNMN(I)=0.0
          NEGOM(I)=(NEGOM(I)-SSNAV(I))/(SSNAV(I)-SSNMN(I))*100.0
          SSNAV(I)=(SSNAV(I)+200.0)/-2.0
420 CONTINUE
C
C      The data is now stored until it is needed for comparisons
C      with allowable limits. The data are the upper and lower
C      overshoots, the upper and lower attenuations, and the upper
C      and lower timeshifts.
C
        RFLNM1(INDX)=IFLNM1
        RSATT(INDX)=SENATT
        I=INDEX(IFLNM1,'.')
910    CHANUM=IFLNM1(I+2:I+3)
        RCNUM(INDX)=CHANUM
        RTPERF(INDX)=TSTPRF
        DO 520 K=1,10
          RPOS(INDX,K)=POSOV(K)
          RNOS(INDX,K)=NEGOM(K)
          RSSPAV(INDX,K)=SSPAV(K)
          RSSNAV(INDX,K)=SSNAV(K)
          RTU(INDX,K)=TU(K)
          RTL(INDX,K)=TL(K)
520    CONTINUE
        CALL CLOSE(1)
        WRITE(6,*) 'PROCESSING COMPLETED FOR FILE ',IFLNM1
        GOTO 700
800    CONTINUE
        RETURN
        END
C
C      SUBROUTINE ZER02(X,NPTS,Z,AVG,IFL,XNPM)
C
        DIMENSION X(2000),Y(2000)
        K=NPTS-XNPM
        IF(IFL.EQ.1) GOTO 520
        AVG=-1.E+4
        DO 500 I=1,K
500    AVG=AMAX1(X(I),AVG)
        GOTO 510
520    AVG=1.E+4
        DO 530 I=1,K
530    AVG=AMIN1(X(I),AVG)
510    GTST=ABS(X(1))

```

```

      IGTST=NPTS
      Y(1)=X(1)
      DO 30 I=2,IGTST
      DO 40 INNER=1,I-1
      IF(X(I).GT.Y(INNER)) GOTO 50
 40 CONTINUE
      Y(I)=X(I)
      GOTO 70
 50 CONTINUE
      DO 60 K=I,INNER+1,-1
      Y(K)=Y(K-1)
 60 CONTINUE
      Y(INNER)=X(I)
 70 CONTINUE
 30 CONTINUE
      TEST=1.E10
      IW=IGTST/2
      NEND=IGTST-IW
      DO 10 I=1,NEND
      D=ABS(Y(I)-Y(I+IW))
      IF(D.GT.TEST) GOTO 10
      TEST=D
      INDEX=I
 10 CONTINUE
      Z=Y(INDEX+(IW+1)/2)
      K=NPTS-KNPM
      LEA=NPTS/2
      SUM=0.
      DO 707 I=LEA,K
      SUM=SUM+X(I)

 707 CONTINUE
      Z=SUM/(K-LEA+1)
      RETURN
      END
C
C ****
C *          *
C *      SUBROUTINE FOR COMPARING RECTANGLE WAVEFORM RESULTS  *
C *          *
C ****
C
C Subroutine Compre receives as input the overshoots, attenuations, and
C timeshifts from the rectangle waveform that was processed. These values
C were output from the rectan subroutine. These values are compared
C to their allowable limits and the results determine if a particular
C channel is acceptable for recording. All channels are processed
C sequentially.
C
C The first comparison performed compares the deviation of actual time
C from theoretical time and allowable limits.
C The result is stored as EFLAG(1,I) where I=channel number. There
C are a total of five more comparisons for each channel. A table is
C provided for clarity.

```

```

C
C ****
C ****
C **          *          *
C ** comparison * result of status *   description of comparison   **
C **      number *      is stored as *                               **
C **          *          *
C ****
C ****
C *          *          *
C *      1      *      EFLAG (1,I)    * deviation of actual time from *
C *          *          * theoretical time and allowable*
C *          *          * limit
C ****
C *          *          *
C *      2      *      EFLAG (2,I)    * deviation of slope from ideal *
C *          *          * slope of zero
C ****
C *          *          *
C *      3      *      EFLAG (3,I)    * deviation of intercept from   *
C *          *          * ideal of zero
C ****
C *          *          *
C *      4      *      EFLAG (4,I)    * attenuation deviation
C *          *          *
C ****
C *          *          *
C *      5      *      EFLAG (5,I)    * overshoot deviation
C *          *          *
C ****
C *          *          *
C *      6      *      EFLAG (6,I)    * channel-to-channel time lag
C *          *          *
C ****
C
C SUBROUTINE COMPRE(ICHAN,DFLAG)
C
C identify data types
C
C
C INTEGER EFLAG(6,18),IND(25),DFLAG
C REAL O(18,26),A(18,26),T(18,26),SLOPE,INTCP,DEV(26)
C CHARACTER *30 RECFI1,RECFI2,RECFI3,RECFI4,RECFI5
C CHARACTER *4 TSTCDNUM
C CHARACTER *2 C(18)
C CHARACTER *9 DAY,HOUR
C
C DEFINE COMMON BLOCKS
C
C
C COMMON /CBCDNUM/TSTCDNUM
C COMMON/RSTAT1/RPOS(18,10),RNOS(18,10),RSSPAV(18,10),
C &           RSSNAV(18,10),RTU(18,10),RTL(18,10),RFLNM1(18),
C &           RSATT(18),RCNUM(18),RTPERF(18)
C COMMON/RSTAT2/RT(18,20)
C COMMON/RSTAT3/RSLPT(18),RINTCT(18)
C COMMON/RSTAT4/RA(18,20)

```

```

COMMON/RSTAT5/ROS(18,20)
CHARACTER*30 RFLNM1
CHARACTER*25 RSATT,RTPERF
CHARACTER*2 RCNUM
C
C
C INCLUDE '[ASGPROG]COMVAR.LIS'
C
C Begin output to data file with title of results
C
DFLAG = 0
RECFI1='REC'//TSTCDNUM(1:4)//'.SUM'
RECFI2='REC'//TSTCDNUM(1:4)//'.001'
RECFI3='REC'//TSTCDNUM(1:4)//'.002'
RECFI4='REC'//TSTCDNUM(1:4)//'.003'
RECFI5='REC'//TSTCDNUM(1:4)//'.004'
OPEN(3,FILE=RECFI1,STATUS='NEW',ERR=3200)
OPEN(7,FILE=RECFI2,STATUS='NEW',ERR=3200)
OPEN(8,FILE=RECFI3,STATUS='NEW',ERR=3200)
OPEN(9,FILE=RECFI4,STATUS='NEW',ERR=3200)
OPEN(10,FILE=RECFI5,STATUS='NEW',ERR=3200)
WRITE(3,10)
10 FORMAT(43X,'** RECTANGLE WAVEFORM PROCESSOR DATA SUMMARY **'//
1      1X,'A VALUE OF +/- 10000 INDICATES THAT THE QUANTITY ',
2      'COULD NOT BE DETERMINED'/1X,'THE * SYMBOL INDICATES THAT',
3      ', THE ALLOWABLE LIMIT HAS BEEN EXCEEDED.'//1X,'TIME ',
4      'QUANTITIES EXPRESSED IN MILLISECONDS'/1X,'AMPLITUDE ',
5      'QUANTITIES EXPRESSED AS PERCENT OF FULL SCALE')
CALL DATE(DAY)
CALL TIME(HOUR)
WRITE(3,12) DAY,HOUR
12 FORMAT(//,50X,A9,12X,A9)
DO 20 I=1,ICHAN
DO 200 J=1,26
DEV(J)=1.0E+4
200 CONTINUE
DO 300 J=1,6
EFLAG(J,I)=0
300 CONTINUE
WRITE(3,11) RFLNM1(I),RCNUM(I)
11 FORMAT(//1X,'RESULTS FOR FILE : ',A30,5X,'CHANNEL NO. ',A2)
WRITE(3,13) RTPERF(I)
13 FORMAT(/1X,'FACILITY : ',A25)
DO 30 K =1,10
L=(K-1)*2+1
M=(K-1)*2+2
O(I,L)=RPOS(I,K)
O(I,M)=RNOS(I,K)
A(I,L)=RSSPAV(I,K)
A(I,M)=RSSNAV(I,K)
T(I,M)=RTU(I,K)
T(I,L)=RTL(I,K)
30 CONTINUE
C

```

```

C      Perform least squares fit on timeshift data for each channel processed
C
C      N=0
C      SUMXSQ=0
C      SUMXY=0
C      SUMY=0
C      SUMX=0
C      DO 40 J=1,20,2
C      IF(ABS(T(I,J)).EQ.(1.0E+4)) GOTO 40
C      X=(J-1)/2*10
C      55 SUMX=SUMX+X
C          SUMY=SUMY+T(I,J)
C          SUMXY=SUMXY+X*T(I,J)
C          SUMXSQ=SUMXSQ+X**2
C          N=N+1
C      40 CONTINUE
C      DO 41 J=2,20,2
C      IF(ABS(T(I,J)).EQ.(1.0E+4)) GOTO 41
C      X=(J/2-1)*10+6
C      SUMX=SUMX+X
C      SUMY=SUMY+T(I,J)
C      SUMXY=SUMXY+X*T(I,J)
C      SUMXSQ=SUMXSQ+X**2
C      N=N+1
C      41 CONTINUE
C
C      calculate slope and intercept for least squares fit
C
C      SLOPE=(SUMX*SUMY-N*SUMXY)/(SUMX**2-N*SUMXSQ)
C      INTCP=(SUMY-SLOPE*SUMX)/N
C      WRITE(3,1000)
1000 FORMAT(/1X,'1. TIME DEVIATION FROM THEORETICAL TIME
*    (ALLOWABLE LIMIT = +/- 1.0 MSEC)')
      DO 49 J=1,20
49 IND(J)=' '
      DO 50 J=1,20,2
      IF(ABS(T(I,J)).EQ.(1.0E+4)) GOTO 50
      X=(J-1)/2*10
75 DEV(J)=T(I,J)-SLOPE*X-INTCP
      IF(ABS(DEV(J)).GT.(1.0)) EFLAG(1,I)=1
      IF(ABS(DEV(J)).GT.(1.0)) IND(J)=' *'
50 CONTINUE
      DO 51 J=2,20,2
      IF(ABS(T(I,J)).EQ.(1.0E+4)) GOTO 51
      X=(J/2-1)*10+6
      DEV(J)=T(I,J)-SLOPE*X-INTCP
      IF(ABS(T(I,J)).GT.(1.0)) EFLAG(1,I)=1
      IF(ABS(T(I,J)).GT.(1.0)) IND(J)=' *'
51 CONTINUE
      WRITE(3,1021)
      WRITE(3,1002)
1002 FORMAT(7X,'1',9X,'2',9X,'3',9X,'4',9X,'5',9X,'6',9X,'7',9X,
     1           '8',9X,'9',8X,'10')
1003 FORMAT(6X,'11',8X,'12',8X,'13',8X,'14',8X,'15',8X,'16',8X,'17',

```

```

1      8X,'18',8X,'19',8X,'20')
      WRITE(3,1004)(T(I,J),J=1,10)
      WRITE(7,1004)(T(I,J),J=1,10)
1004 FORMAT(2X,13(F10.3))
      WRITE(3,1005)(IND(J),J=1,10)
1005 FORMAT(2X,13(4X,1A2,4X))
      WRITE(3,1021)
      WRITE(3,1003)
      WRITE(3,1004)(T(I,J),J=11,20)
      WRITE(7,1004)(T(I,J),J=11,20)
      DO 2004 J=1,20
         RT(I,J)=T(I,J)
2004 CONTINUE
      WRITE(3,1005)(IND(J),J=11,20)
      DO 52 J=1,20
52 IND(J)=' '
      WRITE(3,1010)
1010 FORMAT(/1X,'2. TIME LINEARITY (ALLOWABLE LIMIT = +/- 1 %)',
1          20X,'3. TIME OFFSET (ALLOWABLE LIMIT = +/- 1.0 MSEC)')
C
C      time deviation/slope intercept comparison to allowable limits
C
      IF(ABS(SLOPE).GT.(0.01)) EFLAG(2,I)=1
      IF(ABS(SLOPE).GT.(0.01)) IND(1)=' *'
      IF(ABS(INTCP).GT.(1.0)) EFLAG(3,I)=1
      IF(ABS(INTCP).GT.(1.0)) IND(2)=' *'
      SLOPE=SLOPE*100
      WRITE(3,1011) SLOPE,IND(1),INTCP,IND(2)
      WRITE(8,1012) SLOPE,INTCP
      RSLPT(I)=SLOPE
      RINTCT(I)=INTCP
1012 FORMAT(2X,F6.2,5X,F6.2)
1011 FORMAT(/10X,'SLOPE = ',F6.2,1A2,48X,'INTERCEPT = ',F6.2,1A2)
      IND(1)=' '
      IND(2)=' '
      WRITE(3,1020)
1020 FORMAT(/1X,'4. STEADY-STATE AMPLITUDE DEVIATION
1 FROM THEORETICAL AMPLITUDE
1 (ALLOWABLE LIMIT = 2.5 %)')
      DO 95 J=1,20
C
C      attenuation comparison to allowable limits
C
      IF(ABS(A(I,J)).EQ.(1.0E+4)) GOTO 95
      IF(ABS(A(I,J)).GT.(2.5)) EFLAG(4,I)=1
      IF(ABS(A(I,J)).GT.(2.5)) IND(J)=' *'
95 CONTINUE
      WRITE(3,1021)
1021 FORMAT(/59X,'INTERVAL NUMBER')
      WRITE(3,1002)
      WRITE(3,1004) (A(I,J),J=1,10)
      WRITE(9,1004) (A(I,J),J=1,10)
      WRITE(3,1005)(IND(J),J=1,10)
      WRITE(3,1021)

```

```

      WRITE(3,1003)
      WRITE(3,1004) (A(I,J),J=1,20)
      WRITE(9,1004) (A(I,J),J=1,20)
      DO 3004 J=1,20
         RA(I,J)=A(I,J)
3004 CONTINUE
      WRITE(3,1005) (IND(J),J=1,20)
      DO 96 J=1,25
96 IND(J)=' '
      WRITE(3,1030)
1030 FORMAT(/1X,'5. AMPLITUDE OVERTSHOOT RELATIVE TO CALCULATED
           1 STEADY-STATE AMPLITUDE (ALLOWABLE LIMIT +/- 13 %)')
C
C   overshoot comparison to allowable limits
C
      DO 85 J=1,20
      IF(ABS(O(I,J)).EQ.1.0E+4) GOTO 85
      IF(ABS(O(I,J)).GT.13.0) EFLAG(5,I)=1
      IF(ABS(O(I,J)).GT.13.0) IND(J)=' *'
85 CONTINUE
      WRITE(3,1021)
      WRITE(3,1002)
      WRITE(3,1004) (O(I,J),J=1,10)
      WRITE(10,1004) (O(I,J),J=1,10)
      WRITE(3,1005) (IND(J),J=1,10)
      WRITE(3,1021)
      WRITE(3,1003)
      WRITE(3,1004) (O(I,J),J=11,20)
      WRITE(10,1004) (O(I,J),J=11,20)
      DO 5004 J=1,20
         ROS(I,J)=O(I,J)
5004 CONTINUE
      WRITE(3,1005) (IND(J),J=11,20)
20 CONTINUE
      WRITE(3,1040)
1040 FORMAT(/1X,'6. CHANNEL-TO-CHANNEL TIME DIFFERENCE - ',
           1 'ALL CHANNELS ARE COMPARED TO THE FIRST CHANNEL PROCESSED'
           1 ' (ALLOWABLE LIMIT = +/- 0.25 MSEC)')
           K1=1
C
C   channel-to-channel time variation to allowable limits
C
      DO 110 I=1,ICHAN
      DO 101 J=1,20
      DEV(J)=1.0E+4
101 IND(J)=' '
      WRITE(3,11) RFLNM1(I),RCNUM(I)
      DO 100 J=1,20
      IF(ABS(T(I,J)).EQ.1.0E+4) GOTO 100
      DEV(J)=T(I,J)-T(K1,J)
      IF(ABS(DEV(J)).GT.0.25) EFLAG(6,I)=1
      IF(ABS(DEV(J)).GT.0.25) IND(J)=' *'
100 CONTINUE
      WRITE(3,1021)

```

```

        WRITE(3,1002)
        WRITE(3,1004) (DEV(J),J=1,10)
        WRITE(3,1005) (IND(J),J=1,10)
        WRITE(3,1021)
        WRITE(3,1003)
        WRITE(3,1004) (DEV(J),J=11,20)
        WRITE(3,1005) (IND(J),J=11,20)
110 CONTINUE
        WRITE(3,1060)
1060 FORMAT(//5X,'FILE NAME',19X,'CHANNEL NO.',20X,'STATUS')
        NA=0
        NU=0
        DO 60 I=1,ICHAN
        KND=0
        DO 70 J=1,6
        IF(EFLAG(J,I).EQ.0) GOTO 70
        KND=1
70 CONTINUE
        IF(KND.EQ.0) NA=NA+1
        IF(KND.EQ.1) NU=NU+1
        IF(KND.EQ.0) WRITE(3,1070) RFLNM1(I),RCNUM(I)
        IF(KND.EQ.1) WRITE(3,1080) RFLNM1(I),RCNUM(I)
1070 FORMAT(1X,A30,10X,A2,25X,'PASS')
1080 FORMAT(1X,A30,10X,A2,25X,'FAIL')
60 CONTINUE
        WRITE(3,1050) ICHAN,NA,NU
1050 FORMAT(//1X,'TOTAL NO. OF CHANNELS PROCESSED = ',I2
1           /1X,'NUMBER OF ACCEPTABLE CHANNELS = ',I2
2           /1X,'NUMBER OF UNACCEPTABLE CHANNELS = ',I2)
        CLOSE(3)
        CLOSE(7)
        CLOSE(8)
        CLOSE(9)
        CLOSE(10)
        GOTO 3400
3200 WRITE(6,*) 'ERROR!!!  **RECTAN.SUM" CANNOT BE ACCESSED*'
        DFLAG = 1
3400 CONTINUE
        RETURN
        END

```

The fifth segment, "STR", contains the following modules:

STAIR
ZERO3
COMSTR
COMPR2

The source code listing for these modules is:

```

C           ccccccccccccccccccccccc
C           c           c
C           c   SUBROUTINE STAIR   c
C           c           c
C           ccccccccccccccccccccccc

C
C Subroutine stair receives staircase waveform data as input and determines
C the leading edges for each level. The point number of each leading edge
C is stored in the zerinc(I) array. There are 12 values of zerinc, one
C for each new level of amplitude encountered. Zerinc(1) is the edge
C with a theoretical time of occurrence of 10 msec. Zerinc(12) is the
C is the edge with a theoretical time of occurrence of 120 millisec after
C the start of the staircase waveform.
C
C Subroutine stair calls subroutine zer03 to determine the steady-state
C and maximum overshoot values for each level of amplitude. Subroutine
C stair sends an address in the Y array (Y(LL)), the number of points
C between two consecutive leading edges (NPT), and the number of points
C per millisec (NPMS) as input to subroutine zer03. Subroutine zer03
C sends as output the steady-state value for each level (SSPAV(I)) and
C the maximum overshoot for each level (POSOV(I)).
C
C Subroutine stair upon receiving the steady state (SSPAV) and overshoot
C (POSOV) computes a timeshift (TL(I)) which equals the actual time
C recorded minus the theoretical time for each respective amplitude
C leading edge within the channel.
C
C Subroutine stair then computes the normalized steady-state and normalized
C overshoot values and stores these values in place of their respective
C actual values in the SSPAV and POSOV arrays. The normalized steady-
C state values are the STEADY STATE ERROR divided by the full-scale
C theoretical amplitude multiplied by 100 to give a percentage of full
C scale. The normalized overshoot values are the OVERSHOOT beyond the
C calculated steady-state value divided by the change in calculated
C amplitude multiplied by 100 to give a percentage of actual change in
C amplitude recorded.
C
C Subroutine stair then writes the results to a file. Outputting normalized
C overshoot (POSOV(I)), normalized steady state (SSPAV(I)) and timeshift
C (TL(I)) for each level.
C
C Principal variables:
C   TL(I) - timeshift or time error for leading edges within a channel
C   POSOV(I) - overshoot for each level of amplitude encountered
C   SSPAV(I) - steady-state amplitude
C   NPMS - number of points per msec
C   G - full-scale output
C   NOPTS - number of points per data curve
C   ZERINC(I) - point number corresponding to a leading edge
C   LEVEL - amplitude of a particular portion of waveform
C   NPT - number of points between leading edges
C   Y(LL) - the address in the Y array that is passed to subroutine zer03
C           that defines the first element in the x array in subroutine

```

```

C      zer03. The first element is the first point on any individual
C      level.
C
C      SUBROUTINE STAIR(ICHAN,DFLAG,CNTFL)
C
C      Define data variables and arrays
C
        INTEGER NOPTS,LL,LU,NPT,TB,TR,DFLAG,CNTFL
        INTEGER N1(13),N2(13),N3(13),N4(13)
        INTEGER ZIC,ZERINC(22),
*          LB(14),TZIC,UBND,LBND,START,FINISH,
*          INGOV(13),IPSOV(13)
        REAL XMIN,XMAX,YMIN,YMAX,TO,G,LEVEL,N9
        REAL Y(-1000 :10000)
        REAL NPMS,POSOV(23),YMN,YMX,PAVGOM,NAVGOV,
*          SSPAV(23),TL(23),TU(13)
        INCLUDE 'DISK$OVR:[ASGPROG]COMVAR.LIS'
        CHARACTER IFLNM1*30,CHANUM *2,DUMMY *1
        CHARACTER *30 CHAFIL(108)
        INTEGER CHANUMB
C
C      Define common block symbolic names
C
        COMMON /FILE/    IFLNM1
        *      /CBNPTS/   NOPTS
        *      /OVER/     POSOV,NEGOV,IPSOV,INGOV,SSPAV,SSNAV
        *      /RANGE/    FINISH
        *      /SHFT/     TL,TU
        *      /STPT/     N1,N2,N3,N4
        *      /PTN/      START,LB
        *      /COUNT/    ZIC,ZERINC
        *      /FLAG/     EFLAG
        *      /CBFIL/    CHAFIL
        *      /CBCH /    CHANUMB
        COMMON/SSTAT1/SPOS(18,13),SSSPAV(18,13),STL(18,13),SFLNM1(18),
&           SSATT(18),SCNUM(18),STPERF(18)
        CHARACTER*30 SFLNM1
        CHARACTER*25 SSATT,STPERF
        CHARACTER*2 SCNUM
        DIMENSION AVE(23)
C
C      stair waveform processor
C
        DFALG = 0
        WRITE(6,1)
1      FORMAT(/1X,'**  STAIR WAVEFORM PROCESSOR  **')
        ICHAN = 0
        KNUM = CHANUMB
        IKJ = -2
26    CONTINUE
        DO 8700 I=-1000,10000
          Y(I) = 0.0
8700  CONTINUE

```

```

IF (KNUM .EQ. 0 .AND. CNTFL .EQ. 1) GOTO 300
IKJ = IKJ +6
YMAX = 200.
YMIN = -200.
C
C Initialize variables
C
DO 22 I=1,13
TL(I)=1.0E+4
POSOV(I)=1.0E+4
22 SSPAV(I)=1.0E+4
C
C Input waveform data
C
5000 IFLNML = CHAFIL(IKJ)
C
C      READING FROM DATA FILE ARRAY
C
8 INDX=1+INT(FLOAT(IKJ)/6.0)
CALL GETWAVE(INDX,0,3,NFP,NLP,DEL,'O',Y)
6 ICHAN = ICHAN + 1
KNUM = KNUM - 1
NPMS=1.0/DEL/1000.
C
C store edge locations in zerinc array
C
C when waveform reaches 1/2 the expected amplitude for each respective
C level, it is that point that determines the leading edge.
C
ZIC=0
G=200
LEVEL=G/10
NOPTS = (NLP - NFP) + 1
DO 10 J=NFP,NOPTS
IF(ZIC.GE.5) GOTO 20
IF(Y(J).LT.LEVEL) GOTO 10
ZIC=ZIC+1
ZERINC(ZIC)=J
LEVEL=LEVEL+G/5
GOTO 10
20 IF(ZIC.GT.5) GOTO 30
LEVEL=G/2
IF(Y(J).GT.LEVEL) GOTO 10
ZIC=ZIC+1
ZERINC(ZIC)=J
GOTO 10
30 IF(ZIC.GT.6) GOTO 40
LEVEL=-G/2
IF(Y(J).GT.LEVEL) GOTO 10
ZIC=ZIC+1
ZERINC(ZIC)=J
LEVEL=-.90*G
GOTO 10
40 K=J-1

```

```

        IF(Y(J).LT.LEVEL.OR.Y(J).LT.Y(K)) GOTO 10
        ZIC=ZIC+1
        ZERINC(ZIC)=J
        LEVEL=LEVEL+G/5
10    CONTINUE
C
C   call subroutine to calculate steady-state and
C   overshoot values for each level
C
C   initial zero level
C
        LL=1
        LU=ZERINC(1)
        NPT=LU-LL+1
        CALL ZERO3(Y(LL),NPT,SSPAV(1),POSOV(1),0,NPMS)
C
C   positive levels
C
        DO 90 I=2,6
        J=I-1
        LL=ZERINC(J)
        LU=ZERINC(I)
        NPT=LU-LL+1
        CALL ZERO3(Y(LL),NPT,SSPAV(I),POSOV(I),0,NPMS)
90    CONTINUE
C
C   intermediate levels
C
        DO 11 I=7,8
        J=I-1
        LL=ZERINC(J)
        LU=ZERINC(I)
        NPT=LU-LL+1
        CALL ZERO3(Y(LL),NPT,SSPAV(I),POSOV(I),1,NPMS)
11    CONTINUE
C
C   negative levels
C
        DO 15 I=9,12
        J=I-1
        LL=ZERINC(J)
        LU=ZERINC(I)
        NPT=LU-LL+1
        CALL ZERO3(Y(LL),NPT,SSPAV(I),POSOV(I),0,NPMS)
15    CONTINUE
C
C   final zero level
C
        I=13
        LL=ZERINC(12)
        LU=NOPTS
        NPT=LU-LL+1
        CALL ZERO3(Y(LL),NPT,SSPAV(I),POSOV(I),0,NPMS)
C

```

```

C   compute timeshift using points on the leading edges
C
      DO 110 I=1,12
         DAN=ZERINC(I)-1
         TL(I)=((DAN)/NPMS-10*I)
110 CONTINUE
C
C   normalize overshoot and steady-state error values
C
C   AVE is the value against which the overshoot is normalized.
C   Since there is no amplitude change before the initial zero
C   level (theoretically) the value used for normalization
C   has been set to full-scale, steady-state value (SSPAV(6)).
      DO 199 I=1,13
         IF (I.EQ.1) THEN
            AVE(I)=SSPAV(6)
         ELSE
            AVE(I)=ABS(SSPAV(I)-SSPAV(I-1))
         END IF
199 CONTINUE
      DO 200 I=1,13
C
C   sspav is redefined as deviation in percent of full scale
C
         POSOV(I)=ABS(POSOV(I)-SSPAV(I))/AVE(I)*100.0
205 LEVEL=(I-1)*40
         IF(I.EQ.7) LEVEL=LEVEL-240
         IF(I.GE.8) LEVEL=LEVEL-480
         SSPAV(I)=((SSPAV(I)-LEVEL)/200.0)*100.0
         IF(I.GT.7.AND.I.LT.13) SSPAV(I)--SSPAV(I)
200 CONTINUE
C
C   store results
C
         I=INDEX(IFLNM1,'.')
910 CHANUM(1:1) = IFLNM1(I+2:I+2)
         CHANUM(2:2) = IFLNM1(I+3:I+3)
         SFLNM1(INDX)=IFLNM1
         SSATT(INDX)=SENATT
         SCNUM(INDX)=CHANUM
         STPERF(INDX)=TSTPRF
         DO 210 K=1,13
            SPOS(INDX,K)=POSOV(K)
            SSSPAV(INDX,K)=SSPAV(K)
            STL(INDX,K)=TL(K)
210 CONTINUE
         CLOSE(1)
         WRITE(6,*)"PROCESSING COMPLETED FOR FILE ",IFLNM1
         GOTO 26
300 CONTINUE
         RETURN
         END
C
         SUBROUTINE ZERO3(X,NPTS,AVG,PK,IFL,XNPM)

```

```

C
      DIMENSION X(1000),Y(1000)
      K=NPTS-XNPM
      IF(IFL.EQ.1) GOTO 520
      PK=-1.E+4
      DO 500 I=1,K
 500 PK=AMAX1(X(I),PK)
      GOTO 510
 520 PK=1.E+4
      DO 530 I=1,K
 530 PK=AMIN1(X(I),PK)
 510 K=NPTS-XNPM
      LEA=NPTS/2
      SUM=0.
      DO 747 LP=LEA,K
      SUM=SUM+X(LP)
 747 CONTINUE
      AVG=SUM/(K-LEA+1)
      RETURN
      END

C
C          ccccccccccccccccccccccccccc
C          c
C          c    SUBROUTINE COMSTAIR   c
C          c                      c
C          ccccccccccccccccccccccccccc

C
C Subroutine Comstair performs a comparison between processed stair
C waveform data and the corresponding theoretical values desired.
C
C Output of +/- 10000 indicates quantity could not be determined
C
C The symbol * indicates the allowable limit has been exceeded
C
C Time quantities are expressed in millisec
C
C Amplitude quantities are expressed as percent of full scale
C
C Subroutine Comstair receives data from program MGAPROC
C
C NCHAN = number of channels
C C(I,J) = channel number
C T(I) = timeshift
C EFLAG = channel status
C
      SUBROUTINE COMSTR(T,NCHAN,EFLAG,DFLAG)
C
C define data types
C
      CHARACTER IFLNM1 *14
      CHARACTER DAY*9,HOUR *9
      CHARACTER *30 STARFI1,STARFI2,STARFI3,STARFI4,STARFI5,STARFI6
      CHARACTER *4 TSTCDNUM
      INTEGER EFLAG(9,18),IND(23),DFALG

```

```

REAL O(18,23),A(18,23),T(18,23),SLOPE,INTCP,DEV(23),SLOPEA,INTCPA
INCLUDE 'DISK$OVR:[ASGPROG]COMVAR.LIS'

C
C COMMON BLOCKS
C
COMMON /CBCDNUM/TSTCDNUM
COMMON/SSTAT1/SPOS(18,13),SSSPAV(18,13),STL(18,13),SFLNM1(18),
& SSATT(18),SCNUM(18),STPERF(18)
COMMON/SSTAT2/ST(18,13)
COMMON/SSTAT3/SSLPT(18),SINTCT(18)
COMMON/SSTAT4/SSLPA(18),SINTCA(18)
COMMON/SSTAT5/SA(18,13)
COMMON/SSTAT6/SOS(18,13)
CHARACTER*30 SFLNM1
CHARACTER*25 SSATT,STPERF
CHARACTER*2 SCNUM

C
C compare results of stair waveform processing with allowable limits
C
DFLAG = 0
STARFI1='STAIR'//TSTCDNUM//'.SUM'
STARFI2='STAIR'//TSTCDNUM//'.001'
STARFI3='STAIR'//TSTCDNUM//'.002'
STARFI4='STAIR'//TSTCDNUM//'.003'
STARFI5='STAIR'//TSTCDNUM//'.004'
STARFI6='STAIR'//TSTCDNUM//'.005'
OPEN(3,FILE=STARFI1,STATUS='NEW',SHARED,ERR=3200)
OPEN(7,FILE=STARFI2,STATUS='NEW',SHARED,ERR=3200)
OPEN(8,FILE=STARFI3,STATUS='NEW',SHARED,ERR=3200)
OPEN(9,FILE=STARFI4,STATUS='NEW',SHARED,ERR=3200)
OPEN(10,FILE=STARFI5,STATUS='NEW',SHARED,ERR=3200)
OPEN(11,FILE=STARFI6,STATUS='NEW',SHARED,ERR=3200)
WRITE(3,10)
10 FORMAT(43X,'** STAIR WAVEFORM PROCESSOR DATA SUMMARY **'//,
1      1X,'A VALUE OF +/- 10000 INDICATES THAT THE QUANTITY ',
2      'COULD NOT BE DETERMINED'/1X,'THE * SYMBOL INDICATES THAT',
3      ', THE ALLOWABLE LIMIT HAS BEEN EXCEEDED.'//1X,'TIME ',
4      'QUANTITIES EXPRESSED IN MILLISECONDS'/1X,'AMPLITUDE ',
5      'QUANTITIES EXPRESSED AS PERCENT OF FULL SCALE')
CALL DATE(DAY)
CALL TIME(HOUR)
WRITE(3,12) DAY,HOUR
12 FORMAT(//,50X,A9,10X,A9)

C
C input data
C
C O(I,J) - overshoot
C A(I,J) - steady-state error
C T(I,J) - timeshift
C
IFLNM1 = 'STAIR.DAT'
DO 20 I=1,NCHAN
DO 200 J=1,13
DEV(J)=1.0E+4

```

```

200 CONTINUE
    DO 300 J=1,9
    EFLAG(J,I)=0
300 CONTINUE
    WRITE(3,11)  SFLNM1(I),SCNUM(I)
11 FORMAT(//1X,'RESULTS FOR FILE : ',A30,5X,'CHANNEL NO. ',A2)
    WRITE(3,13)  STPERF(I)
13 FORMAT(/1X,'FACILITY : ',A25)
    DO 30 K =1,13
        O(I,K)=SPOS(I,K)
        A(I,K)=SSSPAV(I,K)
        T(I,K)=STL(I,K)
30 CONTINUE
C
C perform least squares using timeshift data on y-axis and theoretical
C time on x-axis
C
C if data correlation is perfect slope = 0.0 and y intercept = 0.0
C
        N=0
        SUMXSQ=0
        SUMXY=0
        SUMY=0
        SUMX=0
        DO 40 J=1,12
        IF(ABS(T(I,J)).EQ.(1.0E+4)) GOTO 40
        X=J*10
55     SUMX=SUMX+X
        SUMY=SUMY+T(I,J)
        SUMXY=SUMXY+X*T(I,J)
        SUMXSQ=SUMXSQ+X**2
        N=N+1
40     CONTINUE
        SLOPE=(SUMX*SUMY-N*SUMXY)/(SUMX**2-N*SUMXSQ)
        INTCP=(SUMY-SLOPE*SUMX)/N
        WRITE(3,1000)
1000   FORMAT(/1X,'1. TIME DEVIATION FROM THEORETICAL TIME
* (ALLOWABLE LIMIT +/- 1.0 MSEC)')
        DO 49 J=1,13
49     IND(J)=' '
        DO 50 J=1,12
        IF(ABS(T(I,J)).EQ.(1.0E+4)) GOTO 50
        X=J*10
C
C DEV(I) - deviation from least squares fit
C IND(I) - indicated channel status
C
75     DEV(J)=T(I,J)-SLOPE*X-INTCP
C
C EFLAG(L,I) - status indicator for a particular comparison
C L - test being compared
C I - channel number
C there are eight test comparisons for each channel
C

```

```

C EFLAG(1,J) = time deviation from least squares fit
C   '' (2,J) = time slope deviation from least squares fit
C   '' (3,J) = time intercept deviation from least squares fit
C   '' (4,J) = amplitude deviation from least squares fit
C   '' (5,J) = amplitude slope deviation from least squares fit
C   '' (6,J) = amplitude intercept deviation from least squares fit
C   '' (7,J) = amplitude deviation from theoretical
C   '' (8,J) = amplitude overshoot
C
C      IF(ABS(T(I,J)).GT.(1.0)) EFLAG(1,I)=1
C      IF(ABS(T(I,J)).GT.1.0) IND(J)=' *'
50 CONTINUE
      WRITE(3,1021)
      WRITE(3,1002)
1002 FORMAT(7X,'1',9X,'2',9X,'3',9X,'4',9X,'5',9X,'6',9X,'7',9X,
1           '8',9X,'9',8X,'10',8X,'11',8X,'12')
      WRITE(3,1004)(T(I,J),J=1,12)
      WRITE(7,1004)(T(I,J),J=1,12)
1004 FORMAT(2X,12(F10.3))
      DO 2004 J=1,12
      ST(I,J)=T(I,J)
2004 CONTINUE
      WRITE(3,1005)(IND(J),J=1,12)
1005 FORMAT(2X,13(4X,1A2,4X))
      DO 52 J=1,13
      DEV(J)=1.0E+4
52 IND(J)=' '
      WRITE(3,1010)
1010 FORMAT(/1X,'2. TIME LINEARITY (ALLOWABLE LIMIT = +/- 1 %)',1
      20X,'3. TIME OFFSET (ALLOWABLE LIMIT = +/- 1.0 MSEC)')
      IF(ABS(SLOPE).GT.(0.01)) EFLAG(2,I)=1
      IF(ABS(SLOPE).GT.(0.01)) IND(1)=' *'
      IF(ABS(INTCP).GT.(1.0)) EFLAG(3,I)=1
      IF(ABS(INTCP).GT.(1.0)) IND(2)=' *'
      SLOPE=SLOPE*100
      WRITE(3,1011) SLOPE,IND(1),INTCP,IND(2)
      WRITE(8,1009) SLOPE,INTCP
      SSLPT(I)=SLOPE
      SINTCT(I)=INTCP
1009 FORMAT(1X,F6.2,2X,F6.2)
1011 FORMAT(/10X,'SLOPE = ',F6.2,1A2,48X,'INTERCEPT = ',F6.2,1A2)
      IND(1)=' '
      IND(2)=' '
C
C perform amplitude least squares fit
C
C adjust theoretical values to be all positive
C perform least squares fit on adjusted data
C correct y - intercept value
C
      N=0
      SUMXSQ=0
      SUMXY=0
      SUMY=0

```

```

SUMX=0
DO 41 J=2,12
IF(ABS(A(I,J)).EQ.1.0E+4) GOTO 41
X=(J-1)*20+100
IF(J.EQ.7) X=X-120
IF(J.GE.8) X=X-240
A1=A(I,J)
IF(J.GE.8) A1=-A(I,J)
SUMX=SUMX+X
SUMY=SUMY+A1
SUMXY=SUMXY+X*A1
SUMXSQ=SUMXSQ+X**2
N=N+1
41 CONTINUE
SLOPEA=(SUMX*SUMY-N*SUMXY)/(SUMX**2-N*SUMXSQ)
INTCPA=(SUMY-SLOPEA*SUMX)/N+SLOPEA*100
DO 51 J=2,12
IF(ABS(A(I,J)).EQ.1.0E+4) GOTO 51
A1=A(I,J)
IF(J.GE.8) A1=-A(I,J)
X=(J-1)*20
IF(J.EQ.7) X=X-120
IF(J.GE.8) X=X-240
C
C amplitude deviation from least squares
C
DEV(J)=A1-SLOPEA*X-INTCPA
IF(ABS(DEV(J)).GT.2.5) EFLAG(8,I)=1
IF(ABS(DEV(J)).GT.2.5) IND(J)=' *'
51 CONTINUE
C
      WRITE(6,1252)
1252  FORMAT(' STEADY-STATE AMPLITUDE DEVIATIONS FROM BEST FIT
* STRAIGHT LINE (% FULL SCALE)')
      WRITE(6,1253)(J,DEV(J),J=2,12)
1253  FORMAT(4(' DEV(' ,I2,')-',F8.3))
C
1021 FORMAT(/59X,'INTERVAL NUMBER')
C
      WRITE(3,1002)
C
C output amplitude deviations and indicators
C
      DO 96 J=1,13
      DEV(J)=1.0E+4
96  IND(J)=' '
      WRITE(3,1110)
1110 FORMAT(/1X,'4. AMPLITUDE LINEARITY (ALLOWABLE LIMIT = +/- 2.5 %)'
1      ,15X,'5. AMPLITUDE OFFSET (ALLOWABLE LIMIT = +/- 2.5 %)')
      IF(ABS(SLOPEA).GT.0.025) EFLAG(5,I)=1
      IF(ABS(SLOPEA).GT.0.025) IND(1)=' *'
      IF(ABS(INTCPA).GT.2.5) EFLAG(6,I)=1
      IF(ABS(INTCPA).GT.2.5) IND(2)=' *'
      SLOPEA=SLOPEA*100
      WRITE(3,1011) SLOPEA,IND(1),INTCPA,IND(2)

```

```

        WRITE(9,1009) SLOPEA,INTCPA
        SSLPA(I)=SLOPEA
        SINTCA(I)=INTCPA
        IND(1)=' '
        IND(2)=' '
        WRITE(3,1120)
1120 FORMAT(/1X,'6. STEADY-STATE AMPLITUDE DEVIATION FROM ',
1           ' THEORETICAL AMPLITUDE'
1           ' (ALLOWABLE LIMIT = +/- 2.5 %)')
        DO 95 J=1,13
        IF(ABS(A(I,J)).EQ.1.0E+4) GOTO 95
        IF(ABS(A(I,J)).GT.2.5) EFLAG(7,I)=1
        IF(ABS(A(I,J)).GT.2.5) IND(J)=' *'
95 CONTINUE
        WRITE(3,1021)

C
C output steady-state results
C
        WRITE(3,1002)
        WRITE(3,1004)(A(I,J),J=1,12)
        WRITE(10,1004)(A(I,J),J=1,12)
        DO 3004 J=1,12
          SA(I,J)=A(I,J)
3004 CONTINUE
        WRITE(3,1005)(IND(J),J=1,12)
        DO 97 J=1,13
          DEV(J)=1.0E+4
97 IND(J)=' '
        WRITE(3,1030)
1030 FORMAT(/1X,'7. AMPLITUDE OVERSHOOT RELATIVE TO CALCULATED
1 STEADY-STATE AMPLITUDE (ALLOWABLE LIMIT +/- 13 %)')
        DO 85 J=2,13
        IF(ABS(O(I,J)).EQ.1.0E+4) GOTO 85
        IF(ABS(O(I,J)).GT.13.0) EFLAG(8,I)=1
        IF(ABS(O(I,J)).GT.13.0) IND(J)=' *'
85 CONTINUE
        WRITE(3,1021)
        WRITE(3,1002)

C
C output overshoot results
C
        WRITE(3,1004) (O(I,J),J=2,13)
        WRITE(11,1004) (O(I,J),J=2,13)
        DO 4004 J=2,13
          SOS(I,J)=O(I,J)
4004 CONTINUE
        WRITE(3,1005) (IND(J),J=2,13)
20 CONTINUE
        GOTO 320
3200 CLOSE(3)
        WRITE(6,*) 'ERROR !!!'
        WRITE(6,*) ' *** "STAIR.SUM" CANNOT BE OPENED ***'
        DFLAG = 1
320 CLOSE(7)

```

```

CLOSE(8)
CLOSE(9)
CLOSE(10)
CLOSE(11)
RETURN
END

C
C          ccccccccccccccccccccccccccccccc
C          c           c
C          c      SUBROUTINE COMPR2      c
C          c           c
C          ccccccccccccccccccccccccccccccc
C

C Subroutine Compr2 checks the channel-to-channel time error.
C All channels are compared to the first channel processed.
C
C Input to subroutine Compr2 will be the number of channels
C and the timeshift of each level of each channel processed.
C Output will be the channel status of all channels processed.
C

SUBROUTINE COMPR2(T,NCHAN,EFLAG)

C define data types
C

COMMON/SSTAT1/SPOS(18,13),SSSPAV(18,13),STL(18,13),SFLNM1(18),
&           SSATT(18),SCNUM(18),STPERF(18)
CHARACTER*30 SFLNM1
CHARACTER*25 SSATT,STPERF
CHARACTER*2 SCNUM,IND(23)
REAL T(18,23),DEV(23)
INTEGER EFLAG(9,18)
WRITE(3,1040)

1040 FORMAT(/1X,'8. CHANNEL-TO-CHANNEL TIME DIFFERENCE,
1          ' ALL CHANNELS ARE COMPARED TO THE FIRST'
1          ' CHANNEL PROCESSED'
1          ' (ALLOWABLE LIMIT = +/- 0.25 MSEC)')

K1=1
DO 110 I=1,NCHAN
DO 101 J=1,13
  DEV(J)=1.0E+4
101 IND(J)=' '
C
  WRITE(3,11) SFLNM1(I),SCNUM(I)
  DO 100 J=1,12
    IF(ABS(T(I,J)).EQ.1.0E+4) GOTO 100
C
C calculate channel-to-channel time deviation
C comparing to the first channel processed
C
  DEV(J)=T(I,J)-T(K1,J)
  IF(ABS(DEV(J)).GT.0.25) EFLAG(9,I)=1
  IF(ABS(DEV(J)).GT.0.25) IND(J)=' *'
100 CONTINUE
C

```

```

C output deviations
C
    WRITE(3,1021)
    WRITE(3,1002)
    WRITE(3,1004) (DEV(J),J=1,12)
    WRITE(3,1005) (IND(J),J=1,12)
110 CONTINUE
    WRITE(3,1060)
1060 FORMAT(//5X,'FILE NAME',19X,'CHANNEL NO.',20X,'STATUS')
    NA=0
    NU=0
    DO 60 I=1,NCHAN
    KND=0
    DO 70 J=1,9
        IF(EFLAG(J,I).EQ.0) GOTO 70
        KND=1
    70 CONTINUE
C
C determine channel status
C
    IF(KND.EQ.0) NA=NA+1
    IF(KND.EQ.1) NU=NU+1
    IF(KND.EQ.0) WRITE(3,1070) SFLNM1(I),SCNUM(I)
    IF(KND.EQ.1) WRITE(3,1080) SFLNM1(I),SCNUM(I)
1070 FORMAT(1X,A30,10X,A2,25X,'PASS')
1080 FORMAT(1X,A30,10X,A2,25X,'FAIL')
    60 CONTINUE
C
C output channel status
C
    WRITE(3,1050) NCHAN,NA,NU
1050 FORMAT(//1X,'TOTAL NO. OF CHANNELS PROCESSED = ',I2
    1      /1X,'NUMBER OF ACCEPTABLE CHANNELS = ',I2
    2      /1X,'NUMBER OF UNACCEPTABLE CHANNELS = ',I2)
    CLOSE(3)
    11 FORMAT(//1X,'RESULTS FOR FILE : ',A30,5X,'CHANNEL NO. ',A2)
1021 FORMAT(/59X,'INTERVAL NUMBER')
1002 FORMAT(7X,'1',9X,'2',9X,'3',9X,'4',9X,'5',9X,'6',9X,'7',9X,
    1      '8',9X,'9',8X,'10',8X,'11',8X,'12')
1004 FORMAT(2X,13(F10.3))
1005 FORMAT(2X,13(4X,1A2,4X))
    RETURN
END

```

6. EPROM CHECK-OUT SOFTWARE

This section presents a narrative description, flow diagram, and program listing of the software which has been developed at MGA Research Corporation (MGA) to compare the content of an EPROM with the ideal test waveforms.

The ideal test waveform data was generated and stored in files on the VAX 11/780 at NHTSA. The data files were then transmitted to an IBM PC at MGA and converted to a binary format suitable to be burned into EPROMs. Due to the size of the waveform data files, the waveform was divided into segments such that each segment would be only as large as the capacity of one of the EPROMs in the waveform generator instrument. In total, there are eight EPROMs contained within the waveform generator instrument which contain two sequences of test waveforms. The EPROMs were burned using an IBM PC and a PROLOG EPROM programmer. Once they were burned, the contents of each EPROM was read back and stored in a data file. The data file was then compared against the ideal test waveform data using the EPROM check-out program.

The EPROM check-out program was written in the BASIC language on an IBM PC. The program first establishes the required arrays for the data and then prompts the user for the name of the data file which contains the EPROM data (the data file which was read back from the EPROMs). Once the user has responded, the program checks the data read back from the EPROMs against the data files which contain the ideal waveform data. If there are any discrepancies between the two data sources, the user is given a "FAIL" message otherwise a "PASS" message is given. Shown in Figures 6-1 and 6-2 are the flow diagram and program listing respectively, for this program.




Figure 6-1 Flow Diagram of EPROM Check-out Program

```

10 CLS
15 WIDTH 80
20 DIM C$(8),X3$(16)
30 C$(1)="001"
35 C$(2)="002"
40 C$(3)="003"
50 C$(4)="004"
55 C$(5)="005"
60 C$(6)="006"
65 C$(7)="007"
70 C$(8)="008"
100 INPUT "PLEASE ENTER THE EPROM LEVEL (LOW/HIGH) tt",C9$
110 C10$="B:"+C9$+".DAT"
120 OPEN "I",#1,C10$
121 FOR K=1 TO 8
130   C11$=C9$+C$(K)
140   OPEN "I",#2,C11$
150   FOR N=1 TO 63
160     INPUT #1,X1$
167     REM PRINT X1$
170     X2$=INPUT$(50,#2)
175     NN=1
180     FOR J=1 TO 16
190       X3$(J)=MID$(X2$,NN,2)
200       NN=NN+3
210     NEXT J
220     FOR J=1 TO 16
230       X4$=X4$+X3$(J)
240     NEXT J
245     REM PRINT X1$
250     IF (X4$=X1$)=0 THEN 300
252     X4$=""
255   NEXT N
256   GOTO 260
260   PRINT "PASS",K
261   CLOSE #2
262 NEXT K
263 CLOSE #1
264 END
300 PRINT "FAIL"
310 END

```

Figure 6-2 EPROM Check-Out Program Listing