Tracking the Deployment of the Integrated Metropolitan ITS Infrastructure in Las Vegas

FY99 Results

For additional information, please contact:

Joseph I. Peters, Ph.D. ITS Program Assessment Coordinator ITS Joint Program Office, Room 3416 400 Seventh St., S.W. Washington, D.C. 20590 (202) 366-2202 FAX: (202) 493-2027 E-mail: joe.peters@fhwa.dot.gov

Table of Contents

Part 1 - Background and Purpose	1
Part 2 - Summary 1999 Survey Results	3
Part 3 - Detailed 1999 Survey Results	7
Freeway Management Component Indicators	9
Freeway Management Integration Indicators	11
Incident Management Component Indicators	13
Incident Management Integration Indicators	15
Arterial Management Component Indicators	17
Arterial Management Integration Indicators	19
Electronic Toll Collection Component Indicators	21
Electronic Toll Collection Integration Indicators	22
Transit Management Component Indicators	
Transit Management Integration Indicators	24
Electronic Fare Payment Component Indicators	26
Electronic Fare Payment Integration Indicators	
Highway-Rail Intersection Component Indicators	28
Highway-Rail Intersection Integration Indicators	
Emergency Management Component Indicators	
Emergency Management Integration Indicators	
Regional Multimodal Traveler Information Component Indicators	
Regional Multimodal Traveler Information Integration Indicators	33
Appendix A. Survey Coverage Area	
Appendix B. Surveyed Agencies	
Appendix C. Freeway Management Components	
Appendix D. Freeway Management Integration	
Appendix E. Freeway Management Information Collection and Dissemination	
Appendix F. Arterial Management Components	
Appendix G. Arterial Management Integration	
Appendix H. Arterial Management Information Collection and Dissemination	
Appendix I. Transit Management Components	
Appendix J. Transit Management Integration	
Appendix K. Transit Management Information Collection and Dissemination	
Appendix L. Emergency Management	L.1

Part 1 - Background and Purpose

In January 1996, Secretary Peña set a goal of deploying the integrated metropolitan Intelligent Transportation System (ITS) infrastructure in 75^1 of the nation's largest metropolitan areas by 2006:

"I'm setting a national goal: to build an intelligent transportation infrastructure across the United States to save time and lives, and improve the quality of life for Americans. I believe that what we do, we must measure . . . Let us set a very tangible target that will focus our attention . . . I want 75 of our largest metropolitan areas outfitted with a complete intelligent transportation infrastructure in 10 years."²

-- Secretary Peña, 1996

In 1997, the U.S. Department of Transportation initiated an effort to track progress toward fulfillment of this goal by conducting a survey of deployment in the nation's largest metropolitan areas. Traditionally, the product of a transportation infrastructure investment consists of a fixed asset such as a highway, bridge, or public transportation vehicle developed, constructed, or purchased by a single agency. Tracking the level of deployment for such traditional fixed assets can be accomplished by simply counting the number of such assets deployed. Measuring the deployment of the metropolitan ITS infrastructure is more complex because it consists of a set of systems, often deployed by multiple agencies, and integrated through a combination of complex institutional and technical arrangements. In brief, it is often difficult to simply count the number of systems deployed without first devising a measurement approach that captures the essential features of such systems in a consistent fashion across many deployment environments.

In order to track progress toward fulfillment of the Secretary's goal for deployment, the U.S. Department of Transportation ITS Joint Program Office developed the metropolitan ITS deployment tracking methodology. This methodology tracks deployment of the nine components that make up the Metropolitan ITS infrastructure: Freeway Management; Incident Management; Arterial Management; Emergency Management; Transit Management; Electronic Toll Collection; Electronic Fare Payment; Highway-Rail Intersections; and Regional Multimodal Traveler Information. Through a set of indicators tied to the major functions of each component, the level of deployment is tracked for the nation's largest metropolitan areas. In addition, the integration links between agencies operating the infrastructure are also tracked. The details of

¹ Since Secretary Peña's speech, the number of metropolitan areas that DOT will measure has been increased from 75 to 78. However, to maintain reporting consistency across the 10-year goal period, this report considers only the original 75 metropolitan areas.

² Excerpt of a speech delivered by Secretary of Transportation Peña at the Transportation Research Board in Washington, DC on January 10, 1996.

the methodology are explained elsewhere.³

During the summer and fall of 1999, the U.S. DOT undertook a new data collection effort for the purpose of examining ITS deployment progress in the nation's largest metropolitan areas. The Las Vegas metropolitan area was among the areas surveyed in 1997 and again in 1999. This report presents the results of the 1999 survey efforts and compares the results of the 1997 survey against those observed in 1999. The overall response rate for the surveys administered in the Las Vegas region was 100% in 1997 and 100% in 1999.

Part 2 contains a summary of the 1999 survey results, and Part 3 provides a comparison of 1999 survey results and the 1997 survey results.

The report also contains a set of appendices containing a map of the survey area, the list of local contacts surveyed along with a status of their response to the survey and a summary of the data collected from the surveys.

Agencies are encouraged to review the data presented in this report for completeness and accuracy and to direct any comments or corrections to the data provided to the contacts listed below:

Steve Gordon Oak Ridge National Laboratory P.O. Box 2008, 4500N, MS-6207 Oak Ridge, TN 37831-6207 (865) 576-8416 (voice) (865) 574-3895 (fax) gordonsr@ornl.gov

Jeff Trombly Science Applications International Corporation 301 Laboratory Road Oak Ridge, TN 37831-2501 (865) 481-8563 (voice) (865) 481-2941 (fax) jeffrey.w.trombly@saic.com

³ Additional Resources: "Measuring ITS Deployment and Integration" (Electronic Document Number: 4372). U.S. Department of Transportation, Joint Program Office for Intelligent Transportation Systems, 400 Seventh St., SW (HVH-1), Washington, DC 20590, Phone: 202-366-9536, Fax: 202-366-3302, Web: http://www.its.dot.gov.

Part 2 - Summary 1999 Survey Results

Deployment indicators have been developed for two broad areas of interest: (1) the individual components, including their basic functions and characteristics and (2) integration of components, including how these components work together to provide coordinated regional service. As mentioned earlier, these indicators are expressed as percentages of the possible deployment opportunity and not necessarily what should be deployed based on local needs. Requirements for deployment and integration between each component will vary based on local conditions and cannot be assigned without extensive coordination with individual metropolitan areas.

The following two figures portray the surrogate indicators for each of the nine components in Las Vegas and the same indicators at the national level. These are judged to be the single best representative of a component and are being used as summary indicator for component. The summary indicators are expressed as a percentage; however, because deployment goals have yet to be established, these indicators should not be read as a comparison of what is deployed versus eventual deployment goals. Instead, they only reflect what is deployed compared to full market saturation (i.e., opportunity for deployment).

Each component indicator was selected to reflect a critical function of the individual components. For example, in the case of Freeway Management, three basic functions were defined: surveillance, traffic control, and information display. The three indicators developed to reflect these functions are: percentage of freeway centerline miles under electronic surveillance (surveillance function), percentage of freeway entrance ramps managed by ramp meters (traffic control function), and percentage of freeway centerline miles covered by permanent VMS, HAR, or in-vehicle signing (information display function). The indicators are surrogates that do not necessarily reflect the full breadth of metropolitan ITS deployment activity.

A critical aspect of ITS that provides much of its capability is the integration of individual components to form a unified regional traffic control system. Individual ITS components routinely collect information that is used for purposes internal to that component. For example, the Arterial Management component monitors arterial conditions to revise signal timing and to convey these conditions to travelers through such technologies as variable message signs and highway advisory radio. Other ITS components can make use of this information in formulating their control strategies. For example, Transit Management may alter routes and schedules based on real-time information on arterial traffic conditions, and Freeway Management may alter ramp metering or diversion recommendations based on the same information.


As with the component indicators, definitions for inter- and intra-component integration were developed for each component, and indicators, derived from these definitions, were produced for each component. A total of 34 individual integration indicators was specified and is portrayed in the third figure which follows. Each integration indicator has been assigned a number and an origin/destination path from one ITS infrastructure component to another. For example, the

Las Vegas


integration of information from the Freeway Management component to the Regional Multimodal Traveler Information component is identified by the number "10."

	Data as of 5/1/00 Las Vegas Summary Indicators*
Freeway miles with real-time traffic data collection technologies	0% 21%
Freeway miles covered by on-call service patrols	0% 20% 26%
Arterial miles covered by on-call service patrols	0% No Response No Response
Signalized intersections under centralized or closed loop control	No Response 81%
Toll collection lanes with ETC capability	No Response No Response No Response
Fixed-route transit vehicles equipped with AVL	0% No Response 100%
Fixed-route buses accepting electronic fare payment	0% No Response No Response
Highway-rail intersections under electronic surveillance	No Response No Response No Response
Emergency management vehicles under CAD	0% 56% 92%
Freeway conditions disseminated to the public	0% 0% 21%
□ 1997 ■ 1999 □ 2005	No. 10% 20% 30% 40% 50% 60% 70% 80% 90% 100%

* Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity. ** Deployment opportunity reflects potential totals that do not necessarily reflect actual need.



* Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity ** Deployment opportunity reflects potential totals that do not necessarily reflect actual need



Las Vegas Integration Links

Note: Shading indicates the value of the link. For example a circle half shaded equals 50%

Link	Description	Link	Description
1	Arterial Management to Regional	2	Arterial Management to Freeway
	Multimodal Traveler Information		Management
3	Arterial Management to Transit	4	Arterial Management to Incident
	Management		Management
5	Incident Management to Arterial	6	Incident Management to Regional
	Management		Multimodal Traveler Information
7	Incident Management to Emergency	8	Incident Management to Freeway
	Management.		Management
9	Incident Management to Transit	10	Freeway Management to Regional
	Management		Multimodal Traveler Information
11	Freeway Management to Arterial	12	Freeway Management to Transit
	Management		Management

Link	Description	Link	Description
13	Freeway Management to Incident	14a	Transit Management to Regional
	Management		Multimodal Traveler Information
			(static route information)
		14b	Transit Management to Regional
			Multimodal Traveler Information
			(schedule adherence information)
15a	Transit Management to Freeway	16a	Transit Management to Arterial
	Management		Management
15b	Transit Management to Freeway	16b	Transit Management to Arterial
	Management (transit vehicle probes)		Management (transit vehicle probes)
17	Electronic Toll Collection to	18	Electronic Toll Collection to Arterial
	Freeway Management (ETC		Management (ETC equipped probes)
	equipped probes)		
19	Electronic Fare Payment and	20	Electronic Fare Payment to Transit
	Electronic Toll Collection		Management
21a	Emergency Management to Incident	22	Emergency Management to Arterial
	Management (incident notification)		Management
21b	Emergency Management to Incident		
	Management (incident clearance)		
23	Highway-rail intersections to	24	Highway-rail intersections to Arterial
	Incident Management (crossing		Management (crossing status)
	status)		
25	Incident Management intra	26	Arterial Management intra component
	component		
27	Electronic Fare Payment intra	28	Electronic Toll Collection intra
	component.		component
29	Transit Management to Incident	30	Freeway Management intra
	Management (incident reporting)		component

Part 3 - Detailed 1999 Survey Results

The following figures and tables summarize the complete set of component and integration indicators developed for the Las Vegas metropolitan area. The figures summarizing the component indicators consist of a bar chart portraying the deployment levels for 1997, 1999, and 2005 accompanied by detailed tables of the data used to calculate each component indicator value (*Num* stands for numerator and *Den* stands for denominator; blank space indicates that no response was received.)

Example: Calculating Component Indicators for Freeway Management

Consider a metropolitan area with 100 miles of freeway and 25 freeway entrance ramps. The area has no ramp meters, 10 freeway miles for which traffic data are collected electronically, and 5 freeway miles, which are covered by highway advisory radio.

The component indicator for electronic surveillance is calculated as (10/100) or 10%.

The component indicator for ramp meter control is calculated as (0/25) or 0%.

The component indicator for HAR coverage is calculated as (5/100) or 5%.

The summary indicator for the metropolitan area is calculated as (10%+0%+5%)/3 = 5%.


The figures summarizing the integration indicators consist of a diagram for each of the nine metropolitan ITS components portraying the integration level for 1999 (*italic*) and 2005 (**bold**), accompanied by tables providing an explanation of the data and calculations performed to develop each integration indicator value for 1999 and 2005. Each diagram portrays the proportion of agencies providing information to a component (e.g., the flow of incident information from Incident Management to Freeway Management) and the proportion of agencies providing information to other components (e.g., the flow of freeway travel condition information from Freeway Management to Arterial Management).

Example: Calculating Integration between Arterial Management and Regional Multimodal Traveler Information

Consider a metropolitan area with three arterial management agencies. One out of three provides information to the public using a Regional Multimodal Traveler Information Media (e.g., internet, kiosk, pager, etc...). The integration indicator is 1/3 or 33%.

Freeway Management Component Indicators

Data as of 5/1/00



Las Vegas


* Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity. ** Deployment opportunity reflects potential totals that do not necessarily reflect actual need.

1997 1999 2005 Description Num Den % Num Den % Num Den % Freeway centerline miles 67 151 44% 0 151 0% 32 151 21% are under electronic surveillance for monitoring traffic flow Freeway entrance ramps 151 0% 0 are controlled by ramp meters or miles under lane control

	1997		1999			2005			
Description	Num	Den	%	Num	Den	%	Num	Den	%
Freeway entrance ramps					128		22	128	17%
are controlled by ramp									
meters									
Freeway centerline miles					151			151	
will be controlled by lane									
control									
Freeway miles are	0	151	0%						
covered by VMS, HAR,									
or IVS									
Freeway miles are					151		50	151	33%
covered by VMS									
Freeway miles are					151		20	151	13%
covered by HAR									
Freeway miles are					151			151	
covered by IVS									

Freeway Management Integration Indicators

Las Vegas Freeway Management Integration*



* Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity


Link Description	1999	2005
2. Arterial Management agencies sending information to Freeway	(0/2)	(0/2)
Management	0%	0%
8. Incident Management agencies sending information to Freeway	(0/1)	(1/1)
Management	0%	100%
15a. Transit management agencies with vehicles equipped with	(0/1)	(0/1)
ramp meter priority	0%	0%
15b. Transit Management agencies with vehicles equipped as	(0/1)	(0/1)
probes	0%	0%
17. Freeway Management agencies receiving freeway conditions	(0/1)	(0/1)
from vehicle probes	0%	0%
30. Freeway Management agencies sending information to another	(0/1)	(1/1)
Freeway Management agency	0%	100%
11. Freeway Management agencies sending information to Arterial	(0/1)	(0/1)
Management	0%	0%

Las Vegas

Link Description	1999	2005
10. Freeway Management agencies disseminating freeway	(0/1)	(1/1)
conditions to the public	0%	100%
12. Freeway Management agencies sending freeway conditions to	(0/1)	(1/1)
Transit Management	0%	100%
13. Freeway Management agencies sending freeway conditions to	(0/1)	(0/1)
Incident Management	0%	0%

Incident Management Component Indicators

Data as of 5/1/00



Las Vegas


* Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity. ** Deployment opportunity reflects potential totals that do not necessarily reflect actual need.

	1997			1999			2005		
Description	Num	Den	%	Num	Den	%	Num	Den	%
Freeway miles are	0	151	0%		151		32	151	21%
covered by incident									
detection algorithms									
Freeway miles are	151	151	100%		151			151	
covered by free cellular									
phone calls to a									
dedicated number									
Freeway miles are	0	151	0%		151		32	151	21%
covered by surveillance									
cameras.									

	1997		1999			2005			
Description	Num	Den	%	Num	Den	%	Num	Den	%
Freeway miles are	0	151	0%	30	151	20%	40	151	26%
covered by on-call									
publicly-sponsored									
service patrol or towing									
services.									
Arterial miles are	0	426	0%		426			426	
covered by incident									
detection algorithms									
Arterial miles are	426	426	100%		426			426	
covered by free cellular									
phone calls to a									
dedicated number									
Arterial miles are	0	426	0%	40	426	9%	80	426	19%
covered by surveillance									
cameras									
Arterial miles are	0	426	0%		426			426	
covered by on-call									
publicly-sponsored									
service patrol or towing									
services									

Incident Management Integration Indicators

Las Vegas Incident Management Integration*




* Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity

Link Description	1999	2005
21a. Incident management agencies receiving incident severity from	(1/1)	(1/1)
Emergency Management	100%	100%
21b. Incident management agencies receiving incident clearance	(1/1)	(1/1)
activities from Emergency Management	100%	100%
13. Freeway Management agencies sending freeway conditions to	(0/1)	(0/1)
Incident Management	0%	0%
4. Arterial Management agencies sending arterial conditions to Incident	(0/2)	(0/2)
Management	0%	0%
23. Arterial Management agencies receive information on highway-rail	(0/2)	(0/2)
intersection crossing blockages for the purpose of managing incident	0%	0%
response		
29. Transit Management agencies report traffic incidents as part of an	(0/1)	(0/1)
organized regional incident management program	0%	0%

Link Description	1999	2005
7. Incident management agencies transfer information describing	(0/1)	(1/1)
incident severity, location, and type to Emergency Management agencies	0%	100%
9. Incident Management agencies transfer information describing	(0/1)	(1/1)
incident severity, location, and type to Transit Management agencies	0%	100%
6. Incident Management agencies disseminate information describing	(0/1)	(1/1)
incident severity, location, and type to the public	0%	100%
5. Incident Management agencies transfer information describing	(0/1)	(0/1)
incident severity, location, and type to Arterial Management agencies	0%	0%
8. Incident Management agencies transfer information describing	(0/1)	(1/1)
incident severity, location, and type to Freeway Management agencies	0%	100%
25. Police, fire, and EMS agencies participating in a formal incident	(2/3)	(2/3)
management plan/team	67%	67%

Arterial Management Component Indicators

Data as of 5/1/00




* Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity.

** Deployment opportunity reflects potential totals that do not necessarily reflect actual need.

	1997			1999			2005		
Description	Num	Den	%	Num	Den	%	Num	Den	%
Arterial miles covered	0	426	0%						
by electronic									
surveillance									
Signalized intersections				20			70		
are covered by									
electronic surveillance									
for monitoring traffic									
flow									
Signalized intersections	560	695	81%	560			700		
are under centralized or									
closed loop control									

	1997				1999			2005		
Description	Num	Den	%	Num	Den	%	Num	Den	%	
Arterial miles are	0	426	0%							
covered by VMS, HAR,										
or IVS										
Arterial miles are					426		10	426	2%	
covered by VMS										
Arterial miles are					426			426		
covered by HAR										
Arterial miles are					426			426		
covered by IVS										

Arterial Management Integration Indicators



* Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity


Link Description	1999	2005
16a. Transit management agencies with vehicles equipped with traffic	(0/1)	(0/1)
signal priority	0%	0%
16b. Transit Management agencies have vehicles equipped as probes on	(0/1)	(0/1)
arterials	0%	0%
22. Emergency Management agencies have vehicles equipped with	(1/3)	(1/3)
traffic signal preemption capability	33%	33%
24. Arterial Management agencies have traffic signals within 200 feet of	(1/2)	(1/2)
a highway rail intersection with the capability of having their signal	50%	50%
timing adjusted in response to a train crossing		
18. Number of Arterial Management agencies receiving information	(0/2)	(0/2)
from vehicle probes	0%	0%
5. Incident Management agencies transfer information describing	(0/1)	(0/1)
incident severity, location, and type to Arterial Management	0%	0%

Link Description	1999	2005
11. Freeway Management agencies transfer freeway travel times,	(0/1)	(0/1)
speeds, and conditions to Arterial Management agencies	0%	0%
3. Arterial Management agencies transfer arterial travel times, speeds,	(0/2)	(0/2)
and conditions to Transit Management	0%	0%
1. Arterial Management agencies disseminate arterial travel times,	(0/2)	(1/2)
speeds, and conditions to the public	0%	50%
2. Arterial Management agencies send traffic condition information to	(0/2)	(0/2)
Freeway Management	0%	0%
4. Arterial Management agencies transfer arterial travel times, speeds,	(0/2)	(0/2)
and conditions to Incident Management	0%	0%
26. Arterial Management agencies under cooperative agreement to share	(0/2)	(1/2)
traffic signal timing for coordinated response	0%	50%

Electronic Toll Collection Component Indicators

Data as of 5/1/00

Las Vegas Electronic Toll Collection*



* Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity. ** Deployment opportunity reflects potential totals that do not necessarily reflect actual need.

	1997			1999			2005		
Description	Num	Den	%	Num	Den	%	Num	Den	%
Toll collection plazas									
with ETC capability									
Toll collection lanes									
with ETC capability									

Electronic Toll Collection Integration Indicators Las Vegas Electronic Toll Collection Integration* Inputs Outputs **Probe Vehicle** Times 0% Affect Timing 0% (18) (19 ► Share 0% -0% Common (17) Fare Media 0% 0% 28 N/R N/R Probe Vehicle Times **Toll Operators** Affect Control with Common Strategy Tags Legend

* Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity

1999, **2005**

Link Description	1999	2005
18. Number of Arterial Management agencies receiving information	(0/2)	(0/2)
from vehicle probes	0%	0%
19. Transit agencies that accept electronic payment through the use of	(0/1)	(0/1)
electronic toll collection media	0%	0%
17. Freeway Management agencies receiving information from vehicle	(0/1)	(0/1)
probes	0%	0%
28. Toll operators using common toll tag technology	(0/)	(0/)

Transit Management Component Indicators

Las Vegas Transit Management* 0% Fixed-route transit vehicles No Response equipped with AVL 100% 14% Fixed-route transit vehicles with electronic monitoring of vehicle components 100% Paratransit vehicles that operate 0% No Response under CAD 100% Major transfer points with No Response electronic display of information Not Collected in 1999 Not Collected in 2005 (1997 only) Bus stops with electronic display of Not Collected in 1997 No Response No Response information (1999 and 2005) 1997 20% 30% 40% 50% 60% 70% 80% 90% 100% 0% 10% 1999 2005 Percent Deployment Opportunity**

* Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity.

** Deployment opportunity reflects potential totals that do not necessarily reflect actual need.


		1997			1999			2005	
Description	Num	Den	%	Num	Den	%	Num	Den	%
Fixed-route transit vehicles are equipped with AVL	0	410	0%		297		296	296	100%
Fixed-route transit vehicles are equipped with electronic monitoring of vehicle component	58	410	14%		297		296	296	100%
Paratransit vehicles operate under computer-aided dispatch	0	234	0%		120		124	124	100%
Percent fixed-route transfer locations with electronic display of information	0	0							
Bus stops display information to the public									

Las Vegas

Data as of 5/1/00

Transit Management Integration Indicators

Las Vegas Transit Management Integration*



* Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity


Link Description	1999	2005
3. Arterial Management agencies transfer arterial travel times, speeds,	(0/2)	(0/2)
and conditions to Transit Management	0%	0%
9. Incident management agencies transfer information describing	(0/1)	(1/1)
incident severity, location, and type to Transit Management	0%	100%
12. Freeway Management agencies transfer freeway travel times,	(0/1)	(1/1)
speeds, and conditions to Transit Management	0%	100%
20. Transit Management agencies using Electronic Fare Payment data in	(0/1)	(0/1)
transit service planning	0%	0%
16a. Transit Management agencies have vehicles equipped with traffic	(0/1)	(0/1)
signal priority capability	0%	0%
16b. Transit Management agencies have vehicles equipped as probes on	(0/1)	(0/1)
arterials	0%	0%
14a. Transit Management agencies disseminate information describing	(0/1)	(0/1)
transit routes, schedules, and fares to travelers	0%	0%
14b. Transit Management agencies disseminate information describing	(0/1)	(0/1)
schedule/route adherence to travelers	0%	0%

Link Description	1999	2005
15a. Transit Management agencies have vehicles equipped with ramp	(0/1)	(0/1)
meter priority capability	0%	0%
15b. Transit Management agencies have vehicles equipped as probes on	(0/1)	(0/1)
freeways	0%	0%
29. Transit Management agencies that report traffic incidents as part of	(0/1)	(0/1)
an organized regional Incident Management program	0%	0%

Electronic Fare Payment Component Indicators

Data as of 5/1/00

Las Vegas Electronic Fare Payment*



* Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity.

** Deployment opportunity reflects potential totals that do not necessarily reflect actual need.

	1997			1999			2005		
Description	Num	Den	%	Num	Den	%	Num	Den	%
Fixed-route transit vehicles that accept electronic payment	0	410	0%		297			296	
Rail transit stations that accept electronic payment	0	0							

Electronic Fare Payment Integration Indicators Las Vegas Electronic Fare Payment Integration* Inputs Outputs Share Transit 0% 0% Common **์**19 Service (20) Fare 0% 0% Planning Media 27 0% **Transit Operators** 0% with Common Fare Media Legend 1999 2005


* Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity

Link Description	1999	2005
19. Transit agencies that accept electronic payment through the use of	(0/1)	(0/1)
electronic toll collection media	0%	0%
20. Transit Management agencies use Electronic Fare Payment data in	(0/1)	(0/1)
transit service planning	0%	0%
27. Transit Management agencies that use the same electronic payment	(0/1)	(0/1)
system	0%	0%

Highway Rail Intersection Component Indicators

Data as of 5/1/00

Las Vegas Highway-Rail Intersections*




* Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity.

** Deployment opportunity reflects potential totals that do not necessarily reflect actual need.

	1997			1999			2005		
Description	Num	Den	%	Num	Den	%	Num	Den	%
Highway-rail intersections	0	0			9			9	
are under electronic									
surveillance									

Highway Rail Intersection Integration Indicators Las Vegas Highway Rail Intersections Integration* Inputs Outputs




* Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity

Link Description	1999	2005
24. Arterial Management agencies with traffic signals within 200 feet of	(1/2)	(1/2)
a highway rail intersection with the capability of having their signal	50%	50%
timing adjusted in response to a train crossing		
23. Arterial Management agencies receive information on highway-rail	(0/2)	(0/2)
intersection crossing blockages for the purpose of managing incident	0%	0%
response		

Emergency Management Component Indicators

Data as of 5/1/00




* Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity.

** Deployment opportunity reflects potential totals that do not necessarily reflect actual need.

	1997			1999			2005		
Description	Num	Den	%	Num	Den	%	Num	Den	%
Public sector emergency vehicles that operate under computer-aided dispatch	0	469	0%	531	942	56%	454	533	85%
Public sector emergency vehicles that have in- vehicle route guidance capability	0	469	0%	0	942	0%	0	533	0%

Emergency Management Integration Indicators

Las Vegas Emergency Management Integration*




* Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity

Link Description	1999	2005
7. Freeway Management agencies transfer information describing	(0/1)	(1/1)
incident severity, location, and type to Emergency Management agencies	0%	100%
22. Emergency Management agencies have vehicles equipped with	(1/3)	(1/3)
traffic signal preemption capability	33%	33%
21a. Freeway Management agencies receive incident severity, location,	(1/1)	(1/1)
and type data from Emergency Management agencies	100%	100%
21b. Freeway Management agencies receive incident clearance	(1/1)	(1/1)
activities information from Emergency Management agencies	100%	100%

Regional Multimodal Traveler Information Component Indicators

Data as of 5/1/00




* Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity. ** Deployment opportunity reflects potential totals that do not necessarily reflect actual need.

	1997			1999			2005		
Description	Num	Den	%	Num	Den	%	Num	Den	%
Freeway conditions	0	151	0%	0	151	0%	32	151	21%
disseminated to									
travelers									
Possible RMTI media				0	8	0%	3	8	38%
types are used to									
display information to									
travelers									
Possible RMTI media				0	8	0%	2	8	25%
are used to display									
information on two or									
<i>more modes</i> to									
travelers									

Regional Multimodal Traveler Information Integration Indicators

Las Vegas Regional Multimodal Traveler Information Integration*




* Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity

Link Description	1999	2005
14a. Transit Management agencies that disseminate information	(0/1)	(0/1)
describing transit routes, schedules, and fares to travelers	0%	0%
14b. Transit Management agencies that disseminate information	(0/1)	(0/1)
describing schedule/route adherence to travelers	0%	0%
1. Arterial Management agencies that disseminate arterial travel times,	(0/2)	(1/2)
speeds, and conditions to the public	0%	50%
10. Freeway Management agencies that disseminate freeway travel	(0/1)	(1/1)
times, speeds, and conditions to travelers	0%	100%
6. Incident Management agencies that disseminate information	(0/1)	(1/1)
describing incident severity, location, and type to the public	0%	100%

Appendix A Survey Coverage Area

CLARK COUNTY REGIONAL TRANSPORTATION COMMISSION, NV



Appendix B Surveyed Agencies

Surveyed Agencies

Agency Name	Phone	Fax	1999		Fax 1999		199	97
			Out	In	Out	In		
	LAS							
Arterial Management								
Las Vegas Computer Traffic System	(702) 229-6611	702-229-6613	8/5/1999	9/23/1999	7/9/1997	10/31/1997		
Nevada Department of Transportation	(775) 888-7446	(775) 888-7203	7/29/1999	10/12/1999				
Emergency Management								
Las Vegas City Fire & Rescue Department	702-383-2888	702-229-0444	9/21/1999	9/27/1999				
Las Vegas Metropolitan Police Department	(702) 229-3282	(702) 229-3191	6/28/1999	7/14/1999	7/9/1997	8/18/1997		
Nevada Highway Patrol	(702) 486-4101	(702) 486-4038	6/28/1999	6/28/1999	7/9/1997	8/4/1997		
Freeway Management								
Nevada Department of Transportation	(775) 888-7446	(775) 888-7203	7/29/1999	10/12/1999	7/9/1997	9/2/1997		
МРО			·					
Clark County Regional Transportation	(702) 455-4481	(702) 455-5959	7/15/1999	8/2/1999				
Transit Management								
Citizens Area Transit	702-455-4481	702-455-5959			8/13/1997	10/23/1997		
ATC/VanCom	702-262-1000	702-636-0532			7/21/1997	7/28/1997		
Regional Transportation Commission/Citizens	(702) 676-1725	(702) 676-1518	8/9/1999	8/30/1999				

Appendix C Freeway Management Components

	Nevada Departmen	t of Transportation
	1999	2005
Agency Returned Survey?	Yes	
FREEWAY MANAGEMENT SECTION		
Number of freeway centerline miles that agency owns or maintains	76	
Number of freeway centerline miles that is used for planning	76	
Number of freeway entrance ramps that agency owns, operates or maintains	92	
Number of freeway entrance ramps that is used for planning	60	
Type of facilities used to conduct freeway/incident management activities		
Activities housed in a free-standing dedicated building?	No	
Activities housed in a building shared with other activities?	No	
Activities conducted in a dedicated control room?	No	
Control room contains operator console(s)?	No	
Control room contains electronic wall map?	No	
Control room contains CCTV display(s)?	No	
Activities conducted in a room containing workstations or PCs that manage traffic?	No	
Facilities are electronically linked to other transportation mgt facilities?	No	
Staffing and hours of operation of freeway/incident management activities		
Number of full-time agency staff members	NR	
Number of full time contractor staff members	NR	
Number of part-time agency staff members	NR	
Number of part-time contractor staff members	NR	
Staffed 24 hours day by agency staff or by others	NR	
Staffed during peak hours only by agency staff or by others	NR	
Staffed by others during off-peak hours	No	
Agency staff perform transportation management as an ancillary duty	No	
Agency staff dedicated to transportation management duty	No	
Types of operations conducted for freeway/incident management		
Incident detection and management?	No	
This metropolitan area?	No	
Other metropolitan area?	No	
Statewide?	No	
Monitoring and troubleshooting status of system components?	No	
Manual override of ramp metering rates at freeway on-ramps?	No	
Operating transportation management roadside devices?	No	
Radio communications with other agencies?	No	
Exchange of electronic data with other agencies such as computer aided dispatch?	No	
Real-Time Traffic Data Collection Technologies		
Total number of miles under surveillance with real-time data collection tech.	0	32

	Nevada Departme	nt of Transportation
	1999	2005
Number of Stations with data collection technologies		
Loop detectors	NR	NR
Video imaging detectors	NR	NR
Probe readers (elec. toll tags, transit vehicles, other technology)	0	0
Microwave radar	0	0
Other (e.g., acoustic detectors)	0	0
Number of Miles covered with data collection technologies	ů – ř	ů – – – – – – – – – – – – – – – – – – –
Loop detectors	NR	32
Video imaging detectors	NR	32
Probe readers (elec. toll tags, transit vehicles, other technology)	0	0
Microwave radar	0	0
Other (e.g., acoustic detectors)	0	0
Variable Message Signs (VMS) on Freeways		
Candidate locations for deployment of VMS where VMS has been deployed	NR	20
Candidate locations for deployment of VMS	NR	NR
Roadside Technologies used to Distribute Traveler Information		
Total number of miles where information is distributed	0	30
Number deployed		
Highway advisory radio	NR	2
In-vehicle signing	0	0
Portable variable message signs	6	NR
Other	0	0
<u>Miles covered</u>		
Highway advisory radio	NR	20
In-vehicle signing	0	0
Portable variable message signs	NR	NR
Other	0	0
Ramp Meters on Freeways		
Number of entrance ramp meters operated under isolated control	NR	NR
Number of entrance ramp meters operated under central control	NR	22
Number of entrance ramp meters that provide preemption for emergency vehicles	NR	NR
Number of entrance ramp meters that provide priority for transit vehicles	NR	NR
Total number of metered ramps	NR	22
Freeway centerline miles under lane control	NR	NR
Communication Links		
Freeway centerline miles covered by the following type of communication		
Twisted pair cable	0	0
Coaxial cable	0	0
Fiber-optic cable	0	32
Microwave radio	0	0
Other ITS Standards Used Related to Freeway Management	0	0

	Nevada Departme	ent of Transportation
	1999	2005
ATMS Data Dictionary Sections 1 and 2 (ITE TM 1.01)	No	
ATMS Data Dictionary Sections 3 and 4 (ITE TM 1.02)	No	
Message Set for External TMC Communication (ITE-9604-1)	No	
NTCIP Class B Profile (AASHTO TS 3.3)	No	
NTCIP Data Collection and Monitoring Devices (AASHTO TS 3.DCM)	No	
NTCIP Object Definitions for Environmental Sensor Stations (AASHTO TS 3.7)	No	
NTICP Object Definitions for Dynamic Message Signs (AASHTO TS 3.6)	No	
NTICP Object Definitions for Highway Advisory Radio (AASHTO TS 3.HAR)	No	
NTICP Object Definitions for Ramp Meter Control (AASHTO TS 3.RMC)	No	
NTICP Object Definitions for Transportation Sensor Systems (AASHTO TS 3.TSS)	No	
NTICP Object Definitions for Video Camera Control (AASHTO TS 3.VCC)	No	
Would agency be willing to participate in testing of ITS Standards?	NR	
Have agreements in place with other agencies to use similar hardware		
and software to aid maintenance and interoperability?	No	
INCIDENT MANAGEMENT SECTION		
Use of Service Patrols to Assist in Detection and Response to Incidents		
Publicly operated service patrol vehicles	No	
Privately operated service patrol vehicles operated under public contract	Yes	
Total number of freeway miles patrolled by these services	30	40
Miles Covered by Methods to Detect and Verify Incidents		
Free cellular phone call to a dedicated phone number other than 911	NR	NR
Police patrols	76	77
Computer algorithms linked to traffic surveillance equipment	NR	32
CCTV	NR	32
Private sector sources (e.g., Shadow Traffic, SmartRoutes)	90 ND	132
Other (e.g., free cell phone call to an area radio system, etc.) Procedures in place for Freeway Incident Response?	NR	NR
	No	
Working agreement(s)/arrangement(s) with other agencies	Yes	
Inter-agency incident management admin. team that meets regularly		
Major incident response team that responds to major incidents	No	
Set of goals/objectives for incident mgt that has been adopted by agencies in region	No	
Central focal point for facilitating the two-way flow of information		
among agencies responding to an incident?		
The central focal point is a Freeway or Traffic Management Center	No	
The central focal point is a Police, Fire or joint dispatch center	No	
The central focal point is another center	No	
Methods of Communication Used On-Site at an Incident		
Police		
Two-way radio	Yes	

	Nevada Departme	nt of Transportation
	1999	2005
800 MHz trunked radio	No	
Cellular telephone	No	
Hand-held (i.e., walkie-talkie)	No	
Automated data systems (i.e., CAD)	No	
Fire		
Two-way radio	Yes	
800 MHz trunked radio	No	
Cellular telephone	No	
Hand-held (i.e., walkie-talkie)	No	
Automated data systems (i.e., CAD)	No	
Two-way radio	Yes	
800 MHz trunked radio	Yes	
Cellular telephone	No	
Hand-held (i.e., walkie-talkie)	No	
Automated data systems (i.e., CAD)	No	
Towing		
Two-way radio	Yes	
800 MHz trunked radio	No	
Cellular telephone	No	
Hand-held (i.e., walkie-talkie)	No	
Automated data systems (i.e., CAD)	No	
Which police agencies typically respond to incidents on freeways?		
State Police	Yes	
County Police or Sheriff	No	
City Police	No	
Who provides on-site emergency medical response?		
Fire	No	
Emergency Management Service Agency	Yes	
Private hospital	No	
Has a multi-agency contact list been developed in area containing the		
names, phone numbers, etc. for the appropriate response personnel?	Yes	
Is the Incident Command System used to manage incident scenes?	DK	
Is there a legal specification by state law or formal agreement as to who		
is "in charge" at the incident scene?		
Specified by state law?	No	
Formal agreement?	No	
Not specified or don't know?	Yes	
On-scene command post used to manage activities of responding agencies?	DK	

	Nevada Departme	nt of Transportation
	1999	2005
Are there communication linkages to a communications traffic/freeway mgt center?	No	
Plan developed and adopted by responding agencies for staging and parking		
response vehicles and equip. at incident site that minimizes lane blockage		
and facilitates the re-opening of lanes?	No	
Respondents protected through law or court opinion for liability claims		
for damages to vehicles or cargoes during clearance activities?	No	
Are overturned tank trucks, which are intact and not leaking, uprighted		
without first off-loading?	NR	
Does your state or local jurisdiction have a law that requires drivers		
involved in property-damage-only accidents to move the vehicles		
from travel lanes to a safe location to exchange info and wait for police?	Yes	
Have laws or policies regarding the removal of stalled/abandoned vehicles		
from freeway shoulders?	Yes	
Hours abandoned vehicles are allowed to remain on a freeway shoulder?	0-24	
Have policies or procedures for quick removal of vehicles?	Yes	
Is Total Station equipment used to investigate major incidents?	DK	
Handling of Towing Responses to Incidents		
Formal contract based on qualifications?	Yes	
Rotation with companies under contract?	No	
Separate lists kept for light and heavy response and for specialty recovery?	Yes	
Rotation list with minimal qualifications?	No	
In towing qualifications, do you require towers to be certified under the		
Towing and Recovery Ass. of America's National Drivers Cert. Program?	DK	
DK: Don't know		
NR: No Response		
Leg: Legislation or action being planned		

Appendix D Freeway Management Integration

	Nevada Depa	rtment of Transportation		
Agency Name	1999	2005		
Agency Returned Survey?	Yes			
Freeway Management Section				
Agencies your agency provides freeway travel times, speeds, and				
conditions information, share infrastructure or coordinates operation				
Freeway Management Agencies				
Provide Information		Nevada Department of		
		Transportation, Nevada Highway Patrol, Clark		
	None listed	County		
Share Infrastructure		Nevada Department of		
		Transportation, Clark		
	None listed	County		
Coordinate Operation		Nevada Department of		
		Transportation, Nevada		
Insident Management Associat	None listed	Highway Patrol		
Incident Management Agencies				
Provide Information	None listed	Nevada Highway Patrol		
Share Infrastructure	None listed	None listed		
Coordinate Operation	None listed	Nevada Highway Patrol		
Arterial Management Agencies				
Provide Information	None listed	LVACTS		
Share Infrastructure	None listed	LVACTS		
Coordinate Operation	None listed	LVACTS		
Public Transit Operators				
Provide Information	None listed	Citizens Area Transit		
Share Infrastructure	None listed	None listed		
Coordinate Operation	None listed	None listed		
Receiving real-time information via electronic means from others				
Incident Management agencies from which your agency receives				
incident severity, location, and type information	None listed	None listed		
Arterial Management agencies from which your agency receives				
arterial travel times, speeds, and conditions	None listed	LVACTS		
Public Transit operators from which your agency receives				
freeway travel times derived from vehicle probes	None listed	None listed		
Toll Collection agencies from which your agency receives freeway travel				
times derived from vehicles probes	None listed	None listed		
Freeway Incident Management Section				
Agencies your agency provides incident severity, location, and type info.				

	Nevada Depar	Nevada Department of Transportation			
Agency Name	1999	2005			
and/or shares infrastructure and/or coordinates operation					
Arterial Management Agencies					
Provide Information	None listed	LVACTS			
Share Infrastructure	None listed	LVACTS			
Coordinate Operation	None listed	LVACTS			
Emergency Management Agencies					
Provide Information	None listed	Las Vegas Metropolitan Police Department, Nevada Highway Patrol			
Share Infrastructure	None listed	Nevada Highway Patrol			
Coordinate Operation	None listed	Las Vegas Metropolitan Police Department, Nevada Highway Patrol			
Freeway Management Agencies					
Provide Information	None listed	Nevada Department of Transportation			
Share Infrastructure	None listed	Nevada Department of Transportation			
Coordinate Operation	None listed	Nevada Department of Transportation			
Public Transit Operators					
Provide Information	None listed	Citizens Area Transit			
Share Infrastructure	None listed	None listed			
Coordinate Operation	None listed	None listed			
Receiving real-time information via electronic means from others					
Emergency Management agencies from which your agency receives					
incident clearance and/or incident severity and type					
Receive Arterial Incident Clearance Information	Las Vegas Metropolita Police Department, Nevada Highway Patro	None listed			
Receive Arterial Incident Severity Information	Las Vegas Metropolitar Police Department, Nevada Highway Patro				
Arterial Management agencies from which your agency receives					
arterial travel times, speeds, and conditions	None listed	LVACTS			
Freeway Management agencies from which your agency receives					
freeway travel times, speeds, and conditions	None listed	None listed			

*short survey: Agency responded using a short survey. The survey did not include names of individual agencies, but only identified whether integration exists.

Appendix E Freeway Management Information Collection and Dissemination

Data Collection and Dissemination: Freeway Management Agencies for Metropolitan Area: Las Vegas

	Nevada Department of Transportation				
Agency Name	1999	2005			
Agency Returned Survey?	Yes				
Freeway Management Section					
Data collected, archived, and/or transferred to another agency					
Collected by your agency	NR	Traffic volumes, Traffic speeds, Lane occupancy, Vehicle classification, Ramp queues, Ramp meter preemption's, Incidents, Current work zones, Scheduled work zones, Emergency/evacuation routes and procedures, Highway operations coordination information			
Archived by your agency	NR	Traffic volumes, Traffic speeds, Lane occupancy, Vehicle classification, Incidents, Current work zones, Scheduled work zones, Emergency/evacuation routes and procedures, Highway operations coordination information			
Transferred to another agency by your agency	NR	Traffic volumes, Traffic speeds, Lane occupancy, Vehicle classification, Emergency/evacuation routes and procedures			
Importance of making information available to the public					
Ranked High	Traffic volumes, Traffic speeds, Lane occupancy, Emergency/evacuation routes and procedures	Incidents, Current work zones, Scheduled work zones,			
Ranked Medium	Vehicle classification, Highway operations coordin	nation information			
Ranked Low	NR				
Groups that make requests for the data	NR				
What is the data used for?	NR				
Methods used to disseminate freeway information to the public					
Technologies your agency uses to disseminate:	NR	Dedicated cable TV, Telephone system, Internet Web sites, Facsimile			
Technologies your agency (through another agency or org.) uses to disseminate:	NR	NR			
Internet web site reporting freeway conditions	NR				
Telephone system for reporting freeway information to the public	NR				
Organizations your agency sends information for dissemination to the public	NR				
Freeway Incident Management Section					
Methods used to distribute incident location and severity information					
to the public					
Technologies your agency uses to disseminate:	NR	Telephone system, Internet Web sites, Facsimile			
Technologies your agency (through another agency or org.) uses to disseminate:	NR	NR			
Internet web site reporting incident information	NR	·			
Telephone system for reporting incident information to the public	NR				
Organizations your agency sends information for dissemination to the public	NR				

Appendix F Arterial Management Components

	Las Vegas Computer Traffic System		Nevada Department of Transportation		Tot	als
	1999	2005	1999	2005	1999	2005
Agency Returned Survey?	Yes		Yes		2	
ARTERIAL MANAGEMENT SECTION						
Number of arterial miles that agency owns or maintains	NR		278		278	
Number of arterial miles that is used for planning	NR		17		17	
Number of highway-rail intersections that agency maintains	3		6		9	
Number of highway-rail intersections that is used for planning	0		2		2	
Type of facilities used to conduct arterial management activities						
Activities housed in a free-standing dedicated building?	Yes		No		1	
Activities housed in a building shared with other activities?	No		No		0	
Activities conducted in a dedicated control room?	Yes		No		1	
Control room contains operator console(s)?	No		No		0	
Control room contains electronic wall map?	No		No		0	
Control room contains CCTV display(s)?	No		No		0	
Activities conducted in a room containing workstations or PCs that manage traffic?	Yes		No		1	
Facilities are electronically linked to other transportation mgt facilities?	Yes		No		1	
Staffing and hours of operation of arterial management activities						
Number of full-time agency staff members	10		NR		0	
Number of full time contractor staff members	NR		NR		0	
Number of part-time agency staff members	NR		NR		0	
Number of part-time contractor staff members	NR		NR		0	
Staffed 24 hours day by agency staff or by others	NR		NR		0	
Staffed during peak hours only by agency staff or by others	NR		NR		0	
Staffed by others during off-peak hours	No		No		0	
Agency staff perform transportation management as an ancillary duty	No		No		0	
Agency staff dedicated to transportation management duty	No		No		0	
Types of operations conducted for arterial management						
Incident detection and management?	Yes		No		1	
This metropolitan area?	Yes		No		1	
Other metropolitan area?	No		No		0	
Monitoring and troubleshooting status of system components?	Yes		No		1	
Radio communications with other agencies?	Yes		No		1	
Exchange of electronic data with other agencies such as computer aided dispatch?	No		No		0	
Manual override of traffic signal timing plans	Yes		No		1	
Operating transportation mgt roadside devices (e.g., VMS, CCTV, etc.)	No		No		0	

	-	s Computer System		epartment of portation	To	tals
	1999	2005	1999	2005	1999	2005
Describe agency's role in traffic signal control	jurisdiction a	gnals multi- irea with com. signal	Do not	operate		
Traffic Signals Operated by Agency						
Number of signalized intersections operated and owned by agency	NR	NR	NR	NR	0	0
Number of signalized intersections operated by agency but owned by another	NR	NR	NR	NR	0	0
Total number of signalized intersections operated by agency	NR	NR	NR	NR	0	0
Characteristics of signalized intersections that agency operates					-	-
Under closed loop or central system control	560	700	NR	NR	560	700
Under real-time traffic adaptive control using advanced software	0	0	NR	NR	0	0
	No		No		0	-
Using SCATS	No		No		0	
Name of software	NR		NR		0	L
Allow signal preemption for emergency vehicles	650	700	NR	NR	650	700
Allow signal priority for transit vehicles	0	0	NR	NR	0	0
Within 200 feet of a highway-rail intersection	3	0	NR	NR	3	0
Within 200 feet of a highway-rail intersection that adjust signal timing	3	0	NR	NR	3	0
Software used to control the signals agency operates						
Date of last upgrade to traffic signal control system software?	UTC	CS 95	1	NR		
How often do you update signal timing?	D	aily	1	NR		
Software used and number of signalized intersections under control (1999, 2005)	200	XT PHASE, , 700 JTCS, 500, 0	NR			
Controllers used to control signals						
NEMA	NR	NR	0	0	0	0
170/179	0	0	0	0	0	0
2070 controller	0	0	0	0	0	0
Other	200	750	0	0	200	750
Technologies Associated with Highway-Rail Intersections					-	
Total number of highway-rail intersections under electronic surveillance	NR	NR	NR	NR	0	0
<u>Highway-Rail intersection capapbilities</u>		0	0		0	
Video surveillance Electronic surveillance other than video	0	0	0	0	0	0
Ability to predict train arrival electronically	0	0	0	0	0	0
Equipped with electronic traffic violator devices	0	0	0	0	0	0
Other	0	0	0	0	0	0
Real-Time Electronic Traffic Data Collection Technologies		<u> </u>	0	<u> </u>	5	0
Total number of signalized intersections covered by electronic surveillance	20	70	NR	NR	20	70
Number of signalized intersections with data collection technologies						

	-	s Computer System		epartment of ortation	То	tals
	1999	2005	1999	2005	1999	2005
Loop detectors	40	80	0	0	40	80
Video detection cameras	200	700	0	0	200	700
Probe readers reading toll tags	0	0	0	0	0	0
Probe readers reading license plates	0	0	0	0	0	0
Other	0	0	0	0	0	0
Roadside Technologies used to Distribute Traveler Information						
Number deployed						
Highway Advisory Radio	NR	NR	NR	NR	0	0
In-Vehicle Signing (IVS)	NR	NR	NR	NR	0	0
VMS controlling parking access	NR	NR	NR	NR	0	0
<u>Miles covered</u>					-	
Highway Advisory Radio	NR	NR	NR	NR	0	0
In-Vehicle Signing (IVS)	NR	NR	NR	NR	0	0
Variable Message Signs (VMS) on Arterials					-	
Candidate locations for deployment of VMS where VMS has been deployed	NR	NR	NR	4	0	4
Candidate locations for deployment of VMS	NR	NR	NR	4	0	4
Communication Technologies						
Signalized intersections communicated with by each type of communication						
Twisted pair cable	500	500	0	0	500	500
Coaxial cable	0	0	0	0	0	0
Fiber-optic cable	0	0	0	0	0	0
Other (e.g., wireless, dial-up modems, leased lines, etc.)	30	700	0	0	30	700
Does agency convey information on highway-rail intersection crossing						
status to travelers via roadside media such as VMS or HAR?	No		No		0	
ITS Standards Used Related to Traffic Signal Control						
Advanced Transportation Controller (ATC) Software Application Interface (ITE 9603-1)	Yes		No		1	
ATC Physical Cabinet Functional Design (ITE-9603-2)	No		No		0	
ATC Functionality and Interface Definitions (ITE-9603-3)	No		No		0	
Natl. Trans. Communications for ITS Protocol (NTCIP) Class B Profile (AASHTO TS 3.3)	Yes		No		1	
NTCIP Data Collection and Monitoring Devices (AASHTO TS 3.DCM)	No		No		0	
NTCIP Object Definitions for Video Camera Control (AASHTO TS 3.VCC)	No		No		0	
NTCIP Object Definitions for Actuated Traffic Signal Controller Units (AASHTO TS 3.5)	No		No		0	
Would agency be willing to participate in testing of ITS Standards?	NR		NR		0	
Have agreements in place with other agencies to use similar hardware						
and software to aid maintenance and interoperability?	Yes		NR		1	
INCIDENT MANAGEMENT ON ARTERIAL STREETS	1					
Receive information on highway-rail intersection crossing blockages for						
the purpose of managing incident response?	No		No		0	
Use of Service Patrols to Assist in Detection and Response to Incidents						
Publicly operated service patrol vehicles	No		No		0	
Privately operated service patrol vehicles operated under public contract	No		No		0	

	-	s Computer System		epartment of portation	Tot	tals
	1999	2005	1999	2005	1999	2005
Total number of arterial miles patrolled by these services	NR	NR	NR	NR	0	0
Miles Covered by Methods to Detect and Verify Incidents						
Free cellular phone call to a dedicated phone number other than 911	0	0	0	0	0	0
Free cellular phone call to an area radio station	0	0	0	0	0	0
Police patrols	0	0	0	0	0	0
Computer algorithms linked to traffic surveillance equipment	0	0	0	0	0	0
	40	80	0	0	40	80
Private sector sources (e.g., Shadow Traffic, Smart Routes)	0	0	0	0	0	0
Other Procedures in place for Arterial Incident Response?	0	0	0	0	0	0
	Na		Vaa		1	
Working agreement(s)/arrangement(s) with other agencies	No		Yes			
Inter-agency incident management admin. team that meets regularly	No		Yes		1	
Major incident response team that responds to major incidents	No		No		0	
Set of goals/objectives for incident mgt that has been adopted by agencies in region	No	1	No		0	
Methods of Communication Used On-Site at an Incident						
<u>Police</u>						
Two-way radio	No		Yes		1	
800 MHz trunked radio	No		No		0	
Cellular telephone	No		No		0	
Hand-held (i.e., walkie-talkie)	No		No		0	
Automated data systems (i.e., CAD)	No		No		0	
Other	No		No		0	
Fire						
Two-way radio	No		Yes		1	
800 MHz trunked radio	No		No		0	
Cellular telephone	No		No		0	
Hand-held (i.e., walkie-talkie)	No		No		0	
Automated data systems (i.e., CAD)	No		No		0	
Other	No		No		0	
DOT			110			
Two-way radio	No		Yes		1	
800 MHz trunked radio	No		Yes		1	
Cellular telephone	No		No		0	
Hand-held (i.e., walkie-talkie)	No		No		0	
					0	
Automated data systems (i.e., CAD)	No		No		-	
Other	No		No		0	
Towing	-					
Two-way radio	No		Yes		1	
800 MHz trunked radio	No		No		0	

	-	s Computer System		epartment of oortation	То	tals
	1999	2005	1999	2005	1999	2005
Cellular telephone	No		No		0	
Hand-held (i.e., walkie-talkie)	No		No		0	
Automated data systems (i.e., CAD)	No		No		0	
Other	No		No		0	
Which police agencies typically respond to incidents on arterials?						
State Police	No		No		0	
County Police or Sheriff	No		Yes		1	
City Police	No		Yes		1	
Who provides on-site emergency medical response?						
Fire	No		No		0	
Emergency Management Service Agency	No		Yes		1	
Private hospital	No		No		0	
Has a multi-agency contact list been developed in area containing the						
names, phone numbers, etc. for the appropriate response personnel?	NR		DK		0	
Is the Incident Command System used to manage incident scenes?	NR		Yes		1	
Is there a legal specification by state law or formal agreement as to who						
is "in charge" at the incident scene?						
Specified by state law?	No		No		0	
Formal agreement?	No		No		0	
Not specified or don't know?	No		Yes		1	
On-scene command post used to manage activities of responding agencies?	NR		DK		0	
Are there communication linkages to a communications traffic/freeway mgt center?	NR		NR		0	
Plan developed and adopted by responding agencies for staging and parking						
response vehicles and equip. at incident site that minimizes lane blockage						
and facilitates the re-opening of lanes?	NR		DK		0	
Respondents protected through law or court opinion for liability claims						
for damages to vehicles or cargoes during clearance activities?	NR		DK		0	
Are overturned tank trucks, which are intact and not leaking, uprighted						
without first off-loading?	NR		NR		0	
Does your state or local jurisdiction have a law that requires drivers						
involved in property-damage-only accidents to move the vehicles						
from travel lanes to a safe location to exchange info and wait for police?	NR		Yes		1	
Have laws or policies regarding the removal of stalled/abandoned vehicles						
from freeway shoulders?	NR		Yes		1	
Hours abandoned vehicles are allowed to remain on a freeway shoulder?	NR		0-24		0	
Have policies or procedures for quick removal of vehicles?	NR		Yes		1	
Is Total Station equipment used to investigate major incidents?	NR		DK		0	
Handling of Towing Responses to Incidents						
Formal contract based on qualifications?	No		Yes		1	

	Ŭ	Las Vegas Computer Traffic System		epartment of ortation	Tot	als
	1999	2005	1999	2005	1999	2005
Rotation with companies under contract?	No		Yes		1	
Separate lists kept for light and heavy response and for specialty recovery?	NR		Yes		1	
Rotation list with minimal qualifications?	No		No		0	
In towing qualifications, do you require towers to be certified under the						
Towing and Recovery Ass. of America's National Drivers Cert. Program?	NR		DK		0	
DK: Don't know						
NR: No Response						
Leg: Legislation or action being planned						

Appendix G Arterial Management Integration

	Las Vegas Com	puter Traffic System	Nevada Depa	rtment of Transportation
Agency Name	1999	2005	1999	2005
Agency Returned Survey?	Yes		Yes	
Arterial Management Section				
Arterial Mgt. agencies in metropolitan area with which you share info.				
Share Timing Plans Information	None listed	None listed	None listed	Las Vegas Computer Traffic System
Coordinate Changes to Timing Plans	None listed	None listed	None listed	Las Vegas Computer Traffic System
Turn over Control of Signals	None listed	None listed	None listed	Las Vegas Computer Traffic System
Agencies your agency provides arterial travel times, speeds, and				
conditions information, share infrastructure or coordinates operation				
Freeway Management Agencies				
Provide Information	None listed	None listed	None listed	None listed
Share Infrastructure	None listed	None listed	None listed	None listed
Coordinate Operation	None listed	None listed	None listed	None listed
Incident Management Agencies				
Provide Information	None listed	None listed	None listed	Nevada Highway Patrol, Metro Police
Share Infrastructure	None listed	None listed	None listed	Nevada Highway Patrol, Metro Police
Coordinate Operation	None listed	None listed	None listed	Nevada Highway Patrol, Metro Police
Public Transit Operators Agencies				
Provide Information	None listed	None listed	None listed	Citizens Area Transit
Share Infrastructure	None listed	None listed	None listed	None listed
Coordinate Operation	None listed	None listed	None listed	Citizens Area Transit
Arterial Management Agencies				
Provide Information	Las Vegas Computer Traffic System, Clark County, Las Vegas City	None listed	None listed	Las Vegas Computer Traffic System
Share Infrastructure	Las Vegas Computer Traffic System, Clark County, Las Vegas City	None listed	None listed	Las Vegas Computer Traffic System
Coordinate Operation	Las Vegas Computer Traffic System, Clark County, Las Vegas City	None listed	None listed	Las Vegas Computer Traffic System
Receiving real-time information via electronic means from others				
Freeway Management agencies from which your agency receives				
freeway travel times, speeds, and conditions	None listed	None listed	None listed	None listed

	Las Vegas C	Computer Traffic System	Nevada Department of Transportation		
Agency Name	1999	2005	1999	2005	
Public Transit operators from which your agency receives					
arterial travel times derived from vehicle probes	None listed	None listed	None listed	None listed	
Incident Management agencies from which your agency receives					
incident clearance and/or incident severity, location, and type information					
	New a lister d	Nama Katad	News Robert	Nevada Highway Patrol, Metro Police	
Receive information on Incident Clearance	None listed	None listed	None listed	Metro Police	
Receive information on Incident Severity, Location, and Type	None listed	None listed	None listed	Nevada Highway Patrol, Metro Police	
Toll Collection agencies from which your agency receives arterial travel					
times derived from vehicles probes	None listed	None listed	None listed	None listed	
Arterial Incident Management Section					
Agencies your agency provides incident severity, location, and type info.					
and/or shares infrastructure and/or coordinates operation					
Emergency Management Agencies					
Provide Information					
1 Ovide information		Las Vegas City Fire & Rescue Department, Las			
		Vegas Metropolitan Police			
		Department, Nevada			
	None listed	Highway Patrol	None listed	None listed	
Share Infrastructure		Las Vegas City Fire &			
	None listed	Rescue Department	None listed	None listed	
Coordinate Operation		Las Vegas City Fire &			
	None listed	Rescue Department	None listed	None listed	
Freeway Management Agencies					
Provide Information		Nevada Department of			
	None listed	Transportation	None listed	None listed	
Share Infrastructure		Nevada Department of			
	None listed	Transportation	None listed	None listed	
Coordinate Operation		Nevada Department of			
	None listed	Transportation	None listed	None listed	
Public Transit Operators					
Provide Information	None listed	None listed	None listed	None listed	
Share Infrastructure	None listed	None listed	None listed	None listed	
Coordinate Operation	None listed	None listed	None listed	None listed	
Receiving real-time information via electronic means from others					
Emergency Management agencies from which your agency receives					
arterial incident clearance and/or arterial incident severity					
Receive Arterial Incident Clearance Information	None listed	None listed	None listed	None listed	
Receive Arterial Incident Severity Information	None listed	None listed	None listed	None listed	
Arterial Management agencies from which your agency receives					
arterial travel times, speeds, and conditions	None listed	None listed	None listed	None listed	
Freeway Management agencies from which your agency receives					

	Las Vegas Compu	uter Traffic System	Nevada Department of Transportation		
Agency Name	1999	2005	1999	2005	
freeway travel times, speeds, and conditions	None listed	None listed	None listed	None listed	

*short survey: Agency responded using a short survey. The survey did not include names of individual agencies, but only identified whether integration exists.

Appendix H Arterial Management Information Collection and Dissemination

Data Collection and Dissemination: Arterial Management Agencies for Metropolitan Area: Las Vegas

	Las Vegas C	omputer Traffic System	Nevada Department of Transportation		
Agency Name	1999	2005	1999	2005	
concurrent Suprova					
gency Returned Survey?	Yes		Yes		
rterial Management Section					
Pata collected, archived, and/or transferred to another agency					
Collected by your agency	NR	NR	Traffic volumes, Traffic speeds, Vehicle classification, Turning movements, Road conditions, Incidents, Current work zones, Scheduled work zones	NR	
Archived by your agency	NR	NR	Traffic volumes, Traffic speeds, Vehicle classification, Turning movements, Incidents	NR	
Transferred to another agency by your agency					
		Traffic volumes, Traffic speeds, Lane occupancy, Vehicle classification, Probe vehicles, Turning movements, Queues, Phasing/cycle lengths, Road conditions, Emergency vehicle signal preemption, Transit vehicle signal priority, Route designations (snow emergency, etc.), Weather conditions, Incidents, Current work zones, Scheduled work zones, Intermodal (air, rail, water) connections, Emergency/evacuation routes and procedures, Highway operations	Traffic volumes, Traffic speeds, Vehicle classification, Turning movements, Road conditions, Incidents, Current work zones,		
	NR	coordination information	Scheduled work zones	NR	

H - 1

Data Collection and Dissemination: Arterial Management Agencies for Metropolitan Area: Las Vegas

	Las Vegas C	Las Vegas Computer Traffic System		Nevada Department of Transportation		
Agency Name	1999		2005	1999	2005	
Ranked High						
					c speeds, Vehicle classification	
	Emergency/evacuatio				Road conditions, Incidents,	
Ranked Medium	Highway operations of	coordination i	nformation	Current work zones, S	cheduled work zones	
	Queues, Scheduled v	work zones, li	ntermodal (air, rail,			
Ranked Low	water) connections			NR		
Ranked Low	Traffic volumes, Traff					
	Vehicle classification					
	conditions, Emergene					
	Transit vehicle signal (snow emergency, et	• •	-			
	work zones		contantionis, current	NR		
Groups that make requests for the data						
				Universities, State DOT personnel, Federal DOT		
				personnel, Media (I.e., TV stations, radio stations		
	Consultants			MPOs, Consultants		
What is the data used for?						
	Traffic analysis, Cons	struction impa	ct determination,	Traffic analysis, Construction impact determination		
	Planning			Planning, Dissemination to the public		
Methods used to disseminate arterial information to the public						
Technologies your agency uses to disseminate:					Telephone system,	
	NR	NR		NR	Internet Web sites, Facsimile	
Technologies your agency (through another agency or org.) uses to disseminate:		INIX			Telephone system,	
rechnologies your agency (unough another agency of org.) uses to disseminate.					Internet Web sites,	
	NR	NR		NR	Facsimile	
nternet web site reporting arterial conditions						
	NR			NR		
Felephone system for reporting arterial information to the public			NR			
Drganizations your agency sends information for dissemination to the public	NR			NR		
Arterial Incident Management Section						
Methods used to distribute incident location and severity information						
to the public						
Technologies your agency uses to disseminate:					Telephone system,	
	NR	NR		NR	Facsimile	

Data Collection and Dissemination: Arterial Management Agencies for Metropolitan Area: Las Vegas

	Las Vegas Computer Traffic System		Nevada Department of Transportation	
Agency Name	1999	2005	1999	2005
Technologies your agency (through another agency or org.) uses to disseminate:	NR	NR	NR	Telephone system, Facsimile
Internet web site reporting incident information				
	NR		NR	
Telephone system for reporting incident information to the public	NR		NR	
Organizations your agency sends information for dissemination to the public	NR		NR	

Appendix I Transit Management Components

	Regional Transportation Commission/Citizens Area Tran		
	1999	2005	
Agency Returned Survey?	Yes		
Number of vehicles used in revenue service			
Fixed Route Bus	297	296	
Heavy or Rapid Rail	NR	NR	
Light Rail	NR	NR	
Demand Responsive	120	124	
Commuter Rail	NR	NR	
Ferry Boat	NR	NR	
Have of plan to have an Automated Vehicle Location System?	Yes		
Primary and Secondary Location Technologies Used			
Primary Technologies			
GPS	No	No	
Sign/Odometer	No	No	
Dead-Reckoning	No	No	
LORAN C	No	No	
Other	No	Yes	
Backup Technologies			
GPS	No	No	
Sign/Odometer	No	No	
Dead-Reckoning	No	Yes	
LORAN C	No	No	
Other	No	No	
Number of Vehicles Equipped with AVL			
Fixed Route Bus	NR	296	
Heavy or Rapid Rail	NR	NR	
Light Rail	NR	NR	
Demand Responsive	NR	124	
Commuter Rail	NR	NR	
Ferry Boat	NR	NR	
Motor Buses Operated as Vehicle Probes			
Number of Motor Buses equipped as probes on freeways?	NR		
Number of Motor Buses equipped as probes on arterials?	NR		
Have Organized Regional Incident Management Program?	No		
Have Automated Traveler Information System?	No		
Services Automated Traveler Info. System Applies:			

	Regional Transportation Com	mission/Citizens Area Transit
	1999	2005
Fixed Route	No	
Heavy Rail	No	
Light Rail	No	
Demand Responsive	No	
Commuter Rail	No	
Ferry	No	
Locations where traveler information is displayed to public	INO	
Number of bus stops on fixed transit routes	NR	NR
Bus stops on fixed transit routes that display traveler info to the public	NR	NR
Number of rail stations	NR	NR
Number of rail stations that display traveler information	NR	NR
Number of other locations that display traveler information to public	NR	NR
Number of vehicles the traveler information system has available	ND	ND
Fixed Route Bus	NR	NR
Heavy or Rapid Rail	NR	NR
Light Rail	NR	NR
Demand Responsive	NR	NR
Commuter Rail	NR	NR
Ferry Boat	NR	NR
Deployment of Communications Technology		
Attributes of Radio System:		
Digital?	Yes	
Analog?	Yes	
Trunked?	Yes	
Regular?	No	
Services that use a Digital or Trunked Radio System		
Digital Only		
Fixed Route Bus	No	Yes
Heavy or Rapid Rail	No	No
Light Rail	No	No
Demand Responsive	No	Yes
Commuter Rail	No	No
Ferry Boat	No	No
Trunked Only		
Fixed Route Bus	No	Yes
Heavy or Rapid Rail	No	No
Light Rail	No	No
Demand Responsive	No	Yes
Commuter Rail	No	No

	Regional Transportation Corr	nmission/Citizens Area Transit
	1999	2005
Ferry Boat	No	No
Have of plan to have Automatic Passenger Counters (APCs)?	Yes	
Methods used to count passengers		
Treadle Mats	No	
Infrared Beams	Yes	
Primary and Secondary Location Technologies Used		
Primary Technologies		
GPS	No	No
Differential GPS	No	Yes
Signpost/Odometer	No	No
Dead_Reckoning	No	No
LORAN C	No	No
Other	No	No
Backup Technologies		
GPS	No	No
Differential GPS	No	No
Signpost/Odometer	No	No
Dead_Reckoning	No	Yes
LORAN C	No	No
Other	No	No
Number of Vehicles with APCs		
Fixed Route Bus	NR	296
Heavy or Rapid Rail	NR	NR
Light Rail	NR	NR
Demand Responsive	NR	124
Commuter Rail	NR	NR
Ferry Boat	NR	NR
Remote Real-Time Monitoring and Computer Assisted Dispatching		
Remote Real-Time Monitoring		
Fixed Route Bus	NR	296
Heavy or Rapid Rail	NR	NR
Light Rail	NR	NR
Demand Responsive	NR	124
Commuter Rail	NR	NR
Ferry Boat	NR	NR
Automated Dispatching or Control Software		
Fixed Route Bus	NR	296
Heavy or Rapid Rail	NR	NR

	Regional Transportation Com	mission/Citizens Area Transit		
	1999	2005		
Light Rail	NR	NR		
Demand Responsive	NR	124		
Commuter Rail	NR	NR		
Ferry Boat	NR	NR		
Coordinate or plan to coordinate travel request and vehicle				
dispatching for multiple agencies?	No			
Is there or will there be a Transportation Management Center				
(TMC) in the region that controls transit and highway modes?	Yes			
Modes that TMC currently controls:	100			
Highways	No	Yes		
Fixed Route Bus	No	No		
		-		
Heavy or Rapid Rail	No	No		
Light Rail	No	No		
Demand Responsive	No	No		
Commuter Rail	No	No		
Ferry Boat	No	No		
Other	No	No		
Priority at Traffic Signals and Ramp Meter Priority				
Priority at Traffic Signals				
Fixed Route Bus	NR	NR		
Light Rail	NR	NR		
Demand Responsive	NR	NR		
Ramp Meter Priority				
Fixed Route Bus	NR	NR		
Demand Responsive	NR	NR		
Number of Vehicles Equipped with Navigation Aids				
Fixed Route Bus	NR	NR		
Heavy or Rapid Rail	NR	NR		
Light Rail	NR	NR		
Demand Responsive	NR	NR		
Commuter Rail	NR	NR		
Ferry Boat	NR	NR		
ITS Standards Used Related to Transit Management				
TCIP On Boad Objects (TCIP-OB)	No			
TCIP Traffic Management Objects (TCIP-TM)	No			
TCIP Common Public Transportation Objects (TCIP-CPT)	No			
TCIP Passenger Information Objects (TCIP-PI)	No			

	Regional Transportation Comm	ion/Citizens Area Transit			
	1999	2005			
TCIP Incident Management Objects (TCIP-IM)	No				
TCIP Fare Collection Objects (TCIP-FC)	No				
TCIP Spatial Representation Objects (TCIP-SP)	No				
TCIP Control Center Objects (TCIP-CC)	No				
TCIP Scheduling/Runcutting Objects (TCIP-SCH)	No				
Send data communication between micro computer and heavy duty					
vehicle applications (SAE J1708)	No				
Would agency be willing to participate in testing of ITS Standards?	NR				
Have agreements in place with other agencies to use similar hardware					
and software to aid maintenance and interoperability?	No				
Electronic Fare Payment					
Have full operational Electronic Fare Payment System?	No				
Methods of Fare Payment					
Stored value card with fare deducted for each trip					
Magnetic Stripe	No				
Smart Card	No				
Debit Card	No				
Billed by the month for trips taken					
Magnetic Stripe	No				
Smart Card	No				
Credit Card	No				
Monthly Pass					
Magnetic Stripe	No				
Smart Card	No				
Vehicles/Stations Equipped with Automated Payment Mechanism					
Magnetic Stripe Readers					
Fixed Route Bus Vehicles	NR	NR			
Heavy or Rapid Rail Stations	NR	NR			
Light Rail Stations	NR	NR			
Demand Responsive Vehicles	NR	NR			
Commuter Rail Stations	NR	NR			
Ferry Boat Landings	NR	NR			
Smart Card Readers					
Fixed Route Bus Vehicles	NR	NR			
Heavy or Rapid Rail Stations	NR	NR			
Light Rail Stations	NR	NR			
Demand Responsive Vehicles	NR	NR			
Commuter Rail Stations	NR	NR			
Ferry Boat Landings	NR	NR			

	Regional Transportation Con	nmission/Citizens Area Transit		
	1999	2005		
Credit Card				
Fixed Route Bus Vehicles	NR	NR		
Heavy or Rapid Rail Stations	NR	NR		
Light Rail Stations	NR	NR		
Demand Responsive Vehicles	NR	NR		
Commuter Rail Stations	NR	NR		
Ferry Boat Landings	NR	NR		
Debit Card				
Fixed Route Bus Vehicles	NR	NR		
Heavy or Rapid Rail Stations	NR	NR		
Light Rail Stations	NR	NR		
Demand Responsive Vehicles	NR	NR		
Commuter Rail Stations	NR	NR		
Ferry Boat Landings	NR	NR		
NR: No Response				

Appendix J Transit Management Integration

	Regional Transportation Commission/Citizens Area Transit						
Agency Name	1999	2005					
Agency Returned Survey?	Yes						
Transit operators in the region that use the same electronic payment system	None listed						
Toll operators from whom you accept electronic payment of transit							
fare through the use of ETC media	None listed	-					
Receiving real-time information via electronic means from others							
Freeway Management agencies from which your agency receives							
freeway travel times, speeds, and conditions							
Receive Information	None listed	Nevada Department of Transportation					
Share Infrastructure	None listed	None listed					
Arterial Management agencies from which your agency receives arterial travel times, speeds, and conditions							
Receive Information	None listed	Las Vegas Computer Traffic System					
Share Infrastructure	None listed	None listed					
Incident Management agencies from which your agency receives							
incident severity, location, and type							
Receive Information	None listed	Nevada Department of Transportation					
Share Infrastructure	None listed	None listed					

Appendix K Transit Management Information Collection and Dissemination

Data Collection and Dissemination: Transit Management Agencies for Metropolitan Area: Las Vegas

	Regional Transportation Commission/Citizens Area Transit					
Agency Name	1999	2005				
Agency Returned Survey?	Yes					
Methods used to disseminate transit information to the public						
Technologies your agency uses to disseminate:						
Transit routes, schedules and fares	NR	NR				
Real-time transit schedule adherence or arrival and departure times	NR	NR				
Technologies employed by other organization receiving your data						
Transit routes, schedules and fares	NR	NR				
Real-time transit schedule adherence or arrival and departure times	NR	NR				
Internet web site reporting transit routes, schedules and fare, etc.	NR					
Telephone system for reporting transit information to the public	NR					
Organizations your agency sends information for dissemination to the public	NR					
Data collected, archived, and/or transferred to another agency						
Collected by your agency	NR	Transit operations coordination information, Current roadway work zones for transit, Scheduled roadway work zones for transit, Road conditions, Vehicle monitoring status, Passenger information (e.g., surveys, O/D), Trip itinerary planning records, Passenger count, Vehicle time and location				
Archived by your agency	NR	Transit operations coordination information, Current roadway work zones for transit, Scheduled roadway work zones for transit, Road conditions, Vehicle monitoring status, Passenger information (e.g., surveys, O/D), Trip itinerary planning records, Passenger count, Vehicle time and location				
Transferred to another agency by your agency	NR	Transit operations coordination information, Current roadway work zones for transit, Scheduled roadway work zones for transit, Road conditions, Trip itinerary planning records, Passenger count, Vehicle time and location				
Importance of making information available to the public						
Ranked High	Road conditions					
Ranked Medium						
Ranked Low	Trip itinerary planning records, Vehicle time and location Transit operations coordination information, Current roadway work zones for transit, Scheduled roadway work zones for transit, Passenger count					
Groups that make requests for the data	Consultants, MPOs, State DOT personnel					
What is the data used for?	Dissemination to the public, Roadway impact analysis, Planning, Construction impact determination, Traffic analysis					

K - 1

Appendix L Emergency Management

	Total V	ehicles/		Navigation Capabilities A		AVL		CAD		CAD Equipped with Mobile Data Terminal		Vehicles Equipped with Preemption		Info to other	
Agency Name	1999	2005	1999	2005	1999	2005	1999	2005	1999	2005	1999	2005	Participate in Formal Incident Mgt Program	Send Incident Info t agencies	List of agencies receiving data
	33	43	-	0		43	33	43	33	43				Yes	Clark County Fire Department, North Las Vegas Fire Department, Las Vegas Metro Police Department
Las Vegas Metropolitan Police Department	498	NR	0	NR	0	NR	498	NR	392	NR	0	NR	No	No	None listed
Nevada Highway Patrol	411	490	0	0	0	0	0	411	15	200	0	0	Yes	Yes	Clark County Nevada Emergency Management, Nevada Department of Emergency Management