



MID-AMERICA TRANSPORTATION CENTER

Report # MATC-KSU: 253

Final Report



Improving Safety of the Surface Transportation System by Addressing the Issues of Vulnerable Road Users: Case of the Motorcyclists

Sunanda Dissanayake

Associate Professor
Department of Civil Engineering
Kansas State University

Mohammad Saad B. Shaheed

Graduate Research Assistant
Department of Civil Engineering
Kansas State University



2012

A Cooperative Research Project sponsored by the
U.S. Department of Transportation Research and
Innovative Technology Administration

The contents of this report reflect the views of the authors, who are responsible for the facts and the accuracy of the information presented herein. This document is disseminated under the sponsorship of the Department of Transportation University Transportation Centers Program, in the interest of information exchange.
The U.S. Government assumes no liability for the contents or use thereof.

MATC

**Improving Safety of the Surface Transportation System by Addressing the Issues
of Vulnerable Road Users: Case of the Motorcyclists**

Sunanda Dissanayake, Ph.D., P.E.
Associate Professor
Department of Civil Engineering
Kansas State University

Mohammad Saad B. Shaheed
Graduate Research Assistant
Department of Civil Engineering
Kansas State University

A Report on Research Sponsored by

Mid-America Transportation Center

University of Nebraska-Lincoln

July 2012

Technical Report Documentation Page

1. Report No. 25-1121-0001-253	2. Government Accession No.	3. Recipient's Catalog No.	
4. Title and Subtitle Improving Safety of the Surface Transportation System by Addressing the Issues of Vulnerable Road Users: Case of the Motorcyclists		5. Report Date July 2012	
		6. Performing Organization Code	
7. Author(s) Sunanda Dissanayake, Mohammad Saad B. Shaheed		8. Performing Organization Report No. 25-1121-0001-253	
9. Performing Organization Name and Address Mid-America Transportation Center 2200 Vine St. PO Box 830851 Lincoln, NE 68583-0851		10. Work Unit No. (TRAIS)	
		11. Contract or Grant No.	
12. Sponsoring Agency Name and Address Research and Innovative Technology Administration 1200 New Jersey Ave., SE Washington, D.C. 20590		13. Type of Report and Period Covered Final Report January 2010-June 2011	
		14. Sponsoring Agency Code MATC TRB RiP No. 18459	
15. Supplementary Notes			
16. Abstract Over the past few years, motorcycle fatalities have increased at an alarming rate in the United States. Motorcycle safety issues in Kansas are no different from the national scenario. Accordingly, this study examines motorcycle crashes in Kansas in order to identify and evaluate critical crash-related factors and subsequent impacts on motorcycle crash injury outcomes. State-level motorcycle rider fatality rates were investigated while considering various factors including helmet laws, using generalized least-squares regression modeling. A detailed characteristic analysis was carried out for motorcycle crashes, using Kansas crash data. Comparisons were made between several aspects of motorcycle crashes and other vehicle crashes. Logistic regression analyses were performed on Kansas motorcycle crash data to identify factors affecting fatal motorcycle crashes. In addition, a survey was administered to motorcyclists in order to gather information on rider behaviors and helmet usage patterns, as well as their perceptions regarding helmet laws in Kansas, potential problems associated with the law, crash-related factors, and the level of difficulty in executing various motorcycle maneuvers. Ordered probit modeling was used to identify factors contributing to the increased severity of injuries sustained by motorcycle riders involved in crashes. Results from state-based modeling showed statistically significant relations between motorcycle fatality rates in a given state and crash-related factors such as weather-related conditions, helmet laws, per capita income, highway mileage of rural roads, population density, education, demographic distributions, and motorcycle registrations in the state. States with mandatory helmet laws had 5.6% fewer motorcycle fatalities per 10,000 motorcycle registrations and 7.85% fewer motorcycle fatalities for every 100,000 in a given population. Characteristic analysis of motorcycle crashes in Kansas revealed that motorcycle maneuvers such as overtaking, motorcyclists being older than 40 years, not using motorcycle helmets, daytime riding, crashes occurring on roadside shoulders, and influence of alcohol among the riders during crashes increased the risk of crash fatalities. Survey results showed that 71% of motorcyclist respondents perceived drivers of other vehicles as the single biggest threat to their own safety. Moreover, 64% opposed legislation that would require motorcycle riders and passengers in Kansas to wear helmets. The ordered probit model results indicate that overturned and fixed-object motorcycle crashes, not wearing a helmet, being younger in age, speeding, good weather, as well as being under the influence of alcohol significantly contributed to increased severity of motorcyclist crash-related injuries in Kansas.			
17. Key Words Motorcycle crashes, helmet law, motorcycle safety, motorcycle crash severity		18. Distribution Statement	
19. Security Classif. (of this report) Unclassified	20. Security Classif. (of this page) Unclassified	21. No. of Pages 157	22. Price

Table of Contents

Acknowledgments.....	x
Abstract.....	xi
Chapter 1 Introduction	1
1.1 Background.....	1
1.2 Problem Statement.....	5
1.3 Objectives	6
1.4 Outline of the Report	7
Chapter 2 Literature Review	8
2.1 Helmet Use, Helmet-Use Laws and Their Effectiveness	8
2.2 Other Factors Related to Motorcycle Fatalities	14
2.3 Motorcycle Crash Types and Trends	16
2.4 Statistical Methodologies.....	17
Chapter 3 Methodology	19
3.1 State-Level Modeling of Motorcycle Fatalities Considering All States.....	19
3.1.1 Generalized Least-squares Regression.....	19
3.1.2 Data for State-Level Generalized Least-squares Regression Modeling	22
3.2 Characteristic Analysis of Motorcycle Crashes in Kansas	23
3.2.1 Contingency Table Analysis	24
3.3 Motorcycle Safety Survey	30
3.4 Factors Contributing to Motorcycle-Rider Injury Severity	32
3.4.1 Ordered Probit Modeling	32
3.4.1.1 Goodness-of-Fit Measure.....	35
3.4.2 Crash Data for Ordered Probit Modeling.....	36
Chapter 4 Results and Discussions	37
4.1 State-Level Modeling of Motorcycle Fatality Rates.....	37
4.1.1 Predictor Variables Selection for Statistical Modeling of Motorcycle Fatalities	37
4.1.2 Generalized Least-squares Regression for Motorcyclist Fatalities per 10,000 Motorcycle Registrations	40
4.1.2.1 Helmet Law.....	42
4.1.2.2 Weather Conditions	43
4.1.2.3 Per Capita Income.....	43
4.1.2.4 Demographic Distribution	43
4.1.2.5 Highway Mileage of Rural Roads.....	44
4.1.3 Generalized Least-squares Regression for Motorcyclist Fatalities per 100,000 Population	44
4.1.3.1 Helmet Law.....	46
4.1.3.2 Population Density.....	47
4.1.3.3 Motorcycle Registrations	47
4.1.3.4 Weather Conditions	47
4.1.3.5 Education	48
4.1.3.6 Demographic Distribution	48
4.1.3.7 Highway Mileage of Rural Roads.....	48
4.1.4 Checking for Homoscedastic Disturbances	49
4.2 Characteristics of Motorcycle Crashes in Kansas.....	50
4.2.1 General Characteristics of Motorcycle Crashes in Kansas	51

4.2.2 Contingency Table Analysis	54
4.2.3 Comparison of Characteristics between Motorcycle Crashes and Other Vehicle Crashes	59
4.2.4 Univariate Logistic Regression	75
4.2.4.1 Motorcycle Maneuvers	75
4.2.4.2 Gender	78
4.2.4.3 Age Group	78
4.2.4.4 Types of Safety Equipment Used	79
4.2.4.5 Light Conditions	79
4.2.4.6 Time of Crashes	80
4.2.4.7 On-Road Surface Characteristics	80
4.2.4.8 Weather Conditions	81
4.2.4.9 Crash Locations	81
4.2.4.10 Crash Classes	81
4.2.4.11 Day of the Week for Crashes	81
4.2.4.12 Contributing Circumstances	82
4.2.4.13 Substance Abuse	82
4.3 Motorcycle Safety Survey	82
4.3.1 Survey Responses	82
4.3.2 Differences Based on Age of Respondents	96
4.3.3 Crashes and Contributing Factors	103
4.4 Analysis Using Ordered Probit Modeling	107
4.4.1 Motorcycle Rider-Related Factors	111
4.4.2 Motorcycle-Crash Related Factors	112
4.4.3 Roadway-Related Factors	113
4.4.4 Environment-Related Factors	1144
4.5 Kansas Motorcycle Crash Reports in Newspapers	114
Chapter 5 Summary, Conclusions, and Recommendations	116
5.1 Summary and Conclusions	116
5.2 Recommendations	122
5.2.1 Possible Countermeasures	122
References	126
Appendix A Motorcycle Fatalities and Injuries in U.S., 1997-2008	132
Appendix B Percentage Comparison between Motorcycle and Other Vehicle Crashes in Kansas, 1999-2008	135
Appendix C Survey Form	144
Appendix D Newspaper Clips of Motorcycle Crashes in Kansas	147

List of Figures

Figure 1.1 Trend in Motorcycle Fatalities in the U.S., 1997-2007	2
Figure 1.2 Trend in Other Vehicle Fatalities in the U.S., 1997-2007	2
Figure 1.3 Trend of Motorcycle Fatal and Injury Crashes in Kansas, 1997-2008.....	3
Figure 1.4 Kansas Motorcycle Rider Fatalities (Helmeted and Unhelmeted), 1997-2008.....	4
Figure 1.5 Kansas Motorcycle Rider Injuries (Helmeted and Unhelmeted), 1997-2008	5
Figure 4.1 Standardized Residual Plots for the Model with MC Fatalities per 10,000 MC Registrations	50
Figure 4.2 Average Percentage Comparison between MC and Other Vehicle Crashes for Vehicle Maneuvers.....	60
Figure 4.3 Trend of Crashes Involving Motorcycles and Other Vehicles Based on Vehicle Maneuvers.....	61
Figure 4.4 Average Percentage Comparison between Motorcycle and Other Vehicle Crashes for Driver Age	62
Figure 4.5 Trend of Crashes Involving Motorcycles and Other Vehicles Based on Age of the Drivers.....	63
Figure 4.6 Average Percentage Comparison between Motorcycle and Other Vehicle Crashes for Light Conditions	64
Figure 4.7 Trends of Crashes Involving Motorcycles and Other Vehicles Based on Light Conditions.....	65
Figure 4.8 Average Percentage Comparison between Motorcycle and Other Vehicle Crashes for Crash Classes	66
Figure 4.9 Trend of Crashes Involving Motorcycles and Other Vehicles Based on Crash Classes	67
Figure 4.10 Average Percentage Comparison between Motorcycle and Other Vehicle Crashes by Day of the Crashes	68
Figure 4.11 Trend of Crashes Involving Motorcycles and Other Vehicles Based on Day of the Crashes.....	68
Figure 4.12 Average Percentage Comparison between Motorcycle and Other Vehicle Crashes in Kansas for Time of the Crashes, 1999-2008.....	69
Figure 4.13 Crashes Involving Motorcycles and Other Vehicles Based on Time of the Crashes	69
Figure 4.14 Average Percentage Comparison between Motorcycle and Other Vehicle Crashes for Contributing Factors	70
Figure 4.15 Trends of Crashes Involving Motorcycles and Other Vehicles Based on Contributing Factors.....	71
Figure 4.16 Average Percentage Comparison between Motorcycle and Other Vehicle Crashes for Driver Contributory Factors.....	72
Figure 4.17 Average Percentage Comparison between Motorcycle and Other Vehicle Crashes for On-Road Surface Characteristics.....	73
Figure 4.18 Trend of Crashes Involving Motorcycles and Other Vehicles Based on On-Road Surface Characteristics.....	73
Figure 4.19 Average Percentage Comparison between Motorcycle and Other Vehicle Crashes for Crash Location	74
Figure 4.20 Crashes Involving Motorcycles and Other Vehicles Based on Crash Location.....	74
Figure 4.21 Responses by Motorcycle Riders Based on Different Age Groups for Motorcycle Characteristics (Motorcycle Engine Size)	97

Figure 4.22 Responses by Motorcycle Riders Based on Different Age Groups for Motorcycle Characteristics (Motorcycle Types).....	98
Figure 4.23 Responses by Motorcycle Riders Based on Different Age Groups for Motorcycle Riding Exposure (Types of Roadways)	99
Figure 4.24 Responses by Motorcycle Riders Based on Different Age Groups for Motorcycle Riding Experience.....	99
Figure 4.25 Responses by Motorcycle Riders Based on Different Age Groups for Helmet Use	100
Figure 4.26 Responses by Motorcycle Riders Based on Different Age Groups for Helmet Law Opinion	101
Figure 4.27 Responses by Motorcycle Riders Based on Different Age Groups for Most Difficult Maneuver to Execute	102
Figure 4.28 Responses by Motorcycle Riders Based on Different Age Groups for Crash Experience.....	103
Figure D.1 Manhattan Mercury News Clip for Motorcycle Crash Caused by Collision with Minivan.....	147
Figure D.2 Wichita Eagle News Clip for Motorcycle Crash Caused by Collision with Guard Rail	147
Figure D.3 Wichita Eagle News Clip for Motorcycle Crash Caused by Collision with a Car ...	148
Figure D.4 Wichita Eagle News Clip for Motorcycle Crash Caused by Collision with Motorcycle	148
Figure D.5 Wichita Eagle News Clip for Motorcycle Crash Caused by Collision with a Deer .	149
Figure D.6 LJWorld.com News Clip for Motorcycle Crash Caused by Hitting the Median Curb	149
Figure D.7 Wichita Eagle News Clip for Motorcycle Clip Caused by Losing Control on a Curve	150
Figure D.8 KMBC.com News Clip for Motorcycle Fatal Crash Victim Identification	151
Figure D.9 Wichita Eagle News Clip for Motorcycle Crash Caused by Collision in Intersection	152
Figure D.10 Wichita Eagle News Clip for Motorcycle Crash Caused by Rear Collision with a Minivan.....	153
Figure D.11 Wichita Eagle News Clip for Motorcycle Crash Caused by Collision with a Truck	153
Figure D.12 Topeka Capital-Journal News Clip for Motorcycle Fatality Trend.....	154
Figure D.13 KMBC.com News Clip for Motorcycle Crash	155
Figure D.14 Wichita Eagle News Clip for Motorcycle Death.....	155
Figure D.15 Fwix.com News Clip for Motorcycle Fatal Crash Caused by Failure to Yield.....	156
Figure D.16 KearneyHub.com News Clip for Motorcycle Fatal Crash by Overturning.....	156
Figure D.17 Hometowndailynews.com News Clip for Motorcycle Fatal Crash by Overturning	157
Figure D.18 Fox Kansas News Clip for Motorcycle Fatal Crash Caused by Crashing into a Truck	157

List of Tables

Table 1.1 Motorcycle Crash Scenario in Kansas, 2000-2008.....	3
Table 3.1 Cross Classification Table for Crash Class and Motorcycle Crash Severity.....	24
Table 3.2 Cross-Classification of Data on Light Conditions and Motorcycle Crash Severity in Kansas, 2004-2008.....	28
Table 3.3 Specifications of Design Variables for Light Conditions Using Daylight as the Reference Group.....	29
Table 4.1 Predictor Variables Selected for Motorcycle Fatality Rate Modeling.....	40
Table 4.2 Results of Generalized Least-squares Regression for Log of Motorcycle Fatalities per 10,000 Motorcycle Registrations.....	41
Table 4.3 Results of Generalized Least-squares Regression for Log of Motorcycle Fatalities per 100,000 Population.....	45
Table 4.4 Percentages of Different Crash Severities for Different Factors for Motorcycles in Kansas, 2004-2008.....	52
Table 4.5 Contingency Table Analysis for Motorcycle Crash Severity and Various Factors in Kansas, 2004-2008.....	56
Table 4.6 Results of Univariate Logistic Regression of Motorcycle Fatal Crashes in Kansas	77
Table 4.7 Frequencies and Percentage of Responses to General Survey Questions by Motorcycle Riders.....	84
Table 4.8 Frequencies and Percentage of Responses to General Survey Questions by Motorcycle Riders.....	85
Table 4.9 Frequencies and Percentage of Responses to Demographic, Socio-Economic, and Economic Background-Related Questions by Motorcycle Riders.....	87
Table 4.10 Frequencies and Percentage of Responses to Helmet and Helmet Law-Related Questions by Motorcycle Riders.....	88
Table 4.11 Frequencies and Percentage of Responses to Helmet and Helmet Law-Related Questions by Motorcycle Riders in Kansas (Continued).....	89
Table 4.12 Responses to Safety Gears Crash Experience-Related Questions by Motorcycle Riders.....	91
Table 4.13 Responses by Motorcycle Riders for Crash Contributing Factors.....	94
Table 4.14 Responses by Motorcycle Riders for Crash Contributing Factors (continued).....	95
Table 4.15 Responses by Motorcycle Riders for Crash Contributing Factors (Continued).....	96
Table 4.16 Crude Odds Ratio and 95% Confidence Intervals for Crash Involvement.....	105
Table 4.17 Crude Odds Ratio and 95% Confidence Intervals for Crash Involvement Based on Difficulty Levels of Motorcycle Maneuvers.....	107
Table 4.18 Description of Variables Considered for Ordered Probit Modeling.....	109
Table 4.19 Results of Ordered Probit Modeling for Motorcycle Rider Injury Severity.....	110
Table A.1 Motorcycle Fatalities in the United States, 1997-2007.....	132
Table A.2 Other Vehicle Fatalities (Except Motorcycle) in the United States, 1997-2007.....	132
Table A.3 Motorcycle Fatal and Injury Crashes in Kansas, 1997-2008.....	133
Table A.4 Kansas Motorcycle Rider Fatalities (Helmeted and Unhelmeted), 1997-2008.....	133
Table A.5 Kansas Motorcycle Rider Injuries (Helmeted and Unhelmeted), 1997-2008.....	134
Table B.1 Vehicle Maneuver: Percentage Comparison between MC and Other Vehicle Crashes, 1999-2008.....	135
Table B.2 Age Distribution: Percentage Comparison between MC and Other Vehicle Crashes, 1999-2008.....	136

Table B.3 Light Conditions: Percentage Comparison between MC and Other Vehicle Crashes, 1999-2008	137
Table B.4 Crash Classes: Percent Comparison between MC and Other Vehicle Crashes, 1999-2008.....	138
Table B.5 Day of Crashes: Percent Comparison between MC and Other Vehicle Crashes, 1999-2008.....	139
Table B.6 Time of Crashes: Percent Comparison between MC and Other Vehicle Crashes, 1999-2008.....	140
Table B.7 Contributing Factors: Percent Comparison between MC and Other Vehicle Crashes, 1999-2008	141
Table B.8 On-Road Surface Characteristics: Percent Comparison between MC and Other Vehicle Crashes, 1999-2008.....	142
Table B.9 Crash Locations: Percent Comparison between MC and Other Vehicle Crashes, 1999-2008.....	143

List of Abbreviations

National Highway Traffic Safety Administration (NHTSA)
Fatality Analysis Reporting System (FARS)
Federal Highway Administration (FHWA)
National Institute of Health (NIH)
National Climatic Data center (NCDC)
Blood Alcohol Concentration (BAC)

Acknowledgments

The authors would like to thank Mid-America Transportation Center for funding this project and providing all the help necessary by remaining true to their theme of “improving safety and minimizing risk associated with increasing multi-modal freight movement on the U.S. surface transportation system.” Authors would also like to thank the Kansas Department of Transportation (KDOT) for providing matching funds to complete all tasks that were originally intended in this project. Many thanks to the National Highway Traffic Safety Administration (NHTSA) for providing the Fatality Analysis Reporting System (FARS) data, and KDOT for providing the Kansas Accidents Records System (KARS) data which has been crucial to conducting this study. Special thanks also go to Mr. Peter Bodyk (KDOT) who served as the Project Monitor.

Abstract

Over the past few years, motorcycle fatalities have increased at an alarming rate in the United States. Motorcycle safety issues in Kansas are no different from the national scenario. Accordingly, this study examines motorcycle crashes in Kansas in order to identify and evaluate critical crash-related factors and subsequent impacts on motorcycle crash injury outcomes.

State-level motorcycle rider fatality rates were investigated while considering various factors including helmet laws, using generalized least-squares regression modeling. A detailed characteristic analysis was carried out for motorcycle crashes, using Kansas crash data. Comparisons were made between several aspects of motorcycle crashes and other vehicle crashes. Logistic regression analyses were performed on Kansas motorcycle crash data to identify factors affecting fatal motorcycle crashes. In addition, a survey was administered to motorcyclists in order to gather information on rider behaviors and helmet usage patterns, as well as their perceptions regarding helmet laws in Kansas, potential problems associated with the law, crash-related factors, and the level of difficulty in executing various motorcycle maneuvers. Ordered probit modeling was used to identify factors contributing to the increased severity of injuries sustained by motorcycle riders involved in crashes.


Results from state-based modeling showed statistically significant relations between motorcycle fatality rates in a given state and crash-related factors such as weather-related conditions, helmet laws, per capita income, highway mileage of rural roads, population density, education, demographic distributions, and motorcycle registrations in the state. States with mandatory helmet laws had 5.6% fewer motorcycle fatalities per 10,000 motorcycle registrations and 7.85% fewer motorcycle fatalities for every 100,000 in a given population. Characteristic analysis of motorcycle crashes in Kansas revealed that motorcycle maneuvers such as overtaking, motorcyclists being older than 40 years, not using motorcycle helmets, daytime

riding, crashes occurring on roadside shoulders, and influence of alcohol among the riders during crashes increased the risk of crash fatalities. Survey results showed that 71% of motorcyclist respondents perceived drivers of other vehicles as the single biggest threat to their own safety. Moreover, 64% opposed legislation that would require motorcycle riders and passengers in Kansas to wear helmets. The ordered probit model results indicate that overturned and fixed-object motorcycle crashes, not wearing a helmet, being younger in age, speeding, good weather, as well as being under the influence of alcohol significantly contributed to increased severity of motorcyclist crash-related injuries in Kansas.

Chapter 1 Introduction


1.1 Background

Since the enactment of the Highway and National Traffic and Motor Vehicle Safety Act of 1966, an estimated 148,000 motorcyclists have died in traffic crashes, according to the National Highway Traffic Safety Administration (1). The aim of this act was to reduce traffic crashes as well as the number of fatalities and injuries to persons involved in traffic crashes by empowering the federal government to set and administer safety standards. In 2008, motorcycles made up of nearly 3 % of all registered vehicles in the United States and accounted for only 0.4 % of all vehicles miles traveled (1). However, motorcycle fatalities in 2008 accounted for 14% of total traffic fatalities in the United States compared to 5.92% in 1997, indicating the higher levels of severity associated with motorcycle crashes. The number of motorcycle fatalities in the U. S. increased 150% from 2,116 in 1997 to 5,290 in 2008 (1). During the same period, passenger car and light truck fatality rates decreased by only 26.74% and 13.54% respectively showing the unique nature of safety issues faced by the motorcyclists. Considering per vehicle miles traveled in 2008, motorcyclists were 37 % more likely than drivers of passenger cars to die in a motor vehicle crash and nine times more likely to be injured (1). Figures 1.1 and 1.2 show the trend in motorcycle and non-motorcycle fatalities in the United States for the 10-year period from 1997 to 2007.



(Source: Traffic Safety Facts: 2008, NHTSA)

Figure 1.1 Trend in Motorcycle Fatalities in the U.S., 1997-2007



(Source: Traffic Safety Facts: 2008, NHTSA)

Figure 1.2 Trend in Other Vehicle Fatalities in the U.S., 1997-2007

Similar to national trends, the number and percentage of motorcycle fatalities in Kansas have significantly increased despite highway safety improvements achieved in some categories. For example, in 2008, the number of motorcycle crashes as a percentage of total crashes was only about 1.7% but motorcycle crashes accounted for 12.6% of all fatal crashes, indicating motorcycle riders are more vulnerable than other road users. Table 1.1 depicts the trend of motorcycle crashes in Kansas from 2000 to 2008.

Table 1.1 Motorcycle Crash Scenario in Kansas, 2000-2008

Year	All Crashes	All fatal Crashes	All Motorcycle Crashes		Fatal Motorcycle Crashes	
	Number	Number	Number	% of all crashes	Number	% of all fatal crashes
2000	78,241	656	700	0.9	21	3.2
2001	78,856	643	762	1	27	4.2
2002	78,314	690	819	1	29	4.2
2003	75,009	604	857	1.1	32	5.3
2004	74,117	392	988	1.3	31	7.9
2005	68,740	384	1,041	1.5	33	8.6
2006	65,460	468	1,103	1.7	58	12.4
2007	70,589	379	1,110	1.6	47	12.4
2008	65,788	349	1,138	1.7	44	12.6

(Source: Kansas Traffic Crash Facts)

Figure 1.3 depicts the trend of motorcycle fatal crashes and injury crashes in Kansas from 1997 to 2008. Fatal motorcycle crashes peaked in 2006 before slightly decreasing in 2007. However, motorcycle injury crashes increased almost consistently during the time period.




Figure 1.3 Trend of Motorcycle Fatal and Injury Crashes in Kansas, 1997-2008

One area of immediate attention in terms of motorcycle safety is the use of helmets. Motorcycle helmet laws significantly vary across the United States. By the end of 2008, there were 20 states with mandatory helmet laws, 27 states with partial helmet laws and 3 states with no helmet laws at all (2). The helmet law in Kansas only stipulates that riders under 18 years to wear a helmet that complies with minimum federal safety standards. For example, in 2008, only 39% of Kansas motorcycle riders involved in crashes were wearing helmets, whereas only 26% of all fatally injured motorcyclists wore helmets (2). Figures 1.4 and 1.5 depict the Kansas motorcycle riders' fatalities and injuries based on helmet use during motorcycle crashes from 1997 to 2008.




Figure 1.4 Kansas Motorcycle Rider Fatalities (Helmeted and Unhelmeted), 1997-2008




Figure 1.5 Kansas Motorcycle Rider Injuries (Helmeted and Unhelmeted), 1997-2008

As seen in Figures 1.4 and 1.5, unhelmeted motorcycle riders had more fatalities compared to helmeted riders (see related data in Appendix A). However, opponents of mandatory helmet laws have suggested that, despite demonstrated effectiveness in reducing injuries, helmets may increase a rider's risk of crashing by interfering with the ability to see and hear surrounding traffic.

1.2 Problem Statement

In 1997, 3.85 million registrations increased by 75% to 6.7 million in 2006 (3). Sales of new street-legal motorcycles also went up by 243% from 260,000 in 1997 to 892,000 in 2006), slightly declining in 2007 to 885,000. Consequently, the number of motorcycle riders has increased as well. As the roadways increasingly become safer for motorists operating other vehicles, more attention should be focused on ensuring the safety of motorcyclists, one of the more vulnerable groups of vehicle operators on the road. This is also true for Kansas, where the number of fatal motorcycle crashes as a percentage of all fatal crashes remains high. It is

important to combat preventable motorcycle fatalities and injuries in Kansas by identifying causes of motorcycle crashes and providing motorcycle awareness information to both motorcyclists and other motorists on state roadways.

In order for Kansas to continue reducing the total of fatalities and achieving the goals of the Kansas Highway Safety Plan, it is crucial to examine motorcycle crashes and to identify the characteristics of problem areas so that motorcycle safety can be improved. Accordingly, this study investigated characteristics of motorcycle crashes in Kansas, with the intention of identifying critical areas and issues. In addition, other critical matters, such as causes of motorcycle crashes and comments and experiences of Kansas motorcycle riders, were sought. The relationship between motorcycle injury outcome and helmet usage was also be examined in this study using Kansas crash data.

1.3 Objectives

The main objectives of this study were to investigate characteristics of motorcycle crashes in Kansas in order to identify critical factors and evaluate the impact of helmet use and other factors on motorcycle crash injury outcomes. Statistical models were developed to predict state-level motorcycle safety parameters and to account for other factors. Analyses of all motorcycle crash data in Kansas were performed over a reasonable period of time (five years). Results yielded significant relations between the outcome of Kansas motorcycle crashes and many other contributory factors over recent years. A survey among Kansas motorcycle riders was conducted to determine personal and other related factors associated with the decision to wear a helmet. This project evaluates the overall safety of motorcyclists in Kansas by identifying factors that contribute to increased severity of crashes as well as motorcyclist concerns about wearing helmets.

1.4 Outline of the Report

This report is divided into five chapters. The first chapter covers a brief introduction about the motorcycle safety situation and motorcycle crashes, problem statement, study objective, and outline of the report. Chapter 2 reviews literature on helmet use and effectiveness, trends and factors related to motorcycle fatality and crashes, and statistical methodologies. Chapter 3 describes the analysis methodologies as well as the data used for the current study. Chapter 4 presents results and discussions of analyses. Finally, chapter 5 presents the conclusions and recommendations based on the present study.

Chapter 2 Literature Review

Previous studies on motorcycle safety have used various databases to explore factors, issues, and outcomes related to helmet use. Examples include cross-state helmet law use, effects of helmets on crash outcomes, as well as factors related to injuries and fatalities. Past researchers have used various statistical modeling techniques to predict or explain the nature of motorcycle crashes or injuries. Furthermore, different types of motorcycle crashes have been examined by these studies, narrowing them down to identify more specific factors related to selected states. In this chapter, an extensive discussion of past findings is presented under the following subsections: helmet use, helmet-use laws and their effectiveness, factors related to motorcycle crashes, and statistical methodologies.

2.1 Helmet Use, Helmet-Use Laws and Their Effectiveness

Branas and Knudson investigated motorcycle rider fatality rates between states with and without mandatory motorcycle helmet laws (4). Bivariate and multivariate analyses explored the impact of population density, weather conditions, alcohol consumption, maximum speed limit, urban versus rural roads, motorcycle engine size, and motorcycle rider age on the fatality rates of motorcyclists. Bivariate analyses suggested that states with motorcycle helmet laws have significantly higher fatality rates per 10,000 registered motorcycles, compared to states without helmet laws. After simultaneously adjusting for other factors using multivariate regression models, fatality rates in states with mandatory motorcycle helmet laws were shown to be lower than those of states without helmet laws.

Peek-Asa et al. examined the prevalence of non-standard helmet use among motorcycle riders following introduction of a mandatory helmet law and the prevalence of head injuries among a sample of non-standard helmet users involved in motorcycle crashes (5). Among the injured riders examined in 1992, exactly one-third, whose crash reports indicated non-standard

helmet use, had 15.5% fatalities of non-helmeted riders compared to 13.6 % of helmeted riders. Among the riders wearing non-standard helmets, 75% sustained head injuries of any severity which was significantly greater than riders not wearing a helmet, where the corresponding percentage was only 51.9% Average head injury severity for non-standard helmet-wearing riders was 2.65, which was significantly higher than 1.56 for no-helmet riders and 0.96 for riders wearing standard helmets.

Results of surveys conducted by Williams et al. in 1979 indicated when helmet use is legally required of all motorcyclists, nearly 100% wear helmets (6). Helmet-use rates were substantially lower when use is not required of any motorcyclists, or when helmet-use laws amended to require only those under age of 18 years to wear helmets. Amending helmet-use laws so that only young motorcyclists are required to wear helmets appears to have little impact on user rates. The overall helmet-use rate (48%) in New Orleans, Phoenix, and within the state of Texas was similar to the use rate (46%) in Los Angeles, California, where motorcyclists are not required to use helmets.

An analysis by Mayrose showed that, from 1995-2003, total fatalities in mandatory helmet law states increased by 22.3%, alongside a 3% increase in helmet use among fatally injured riders (7). Partial-law states had a 32.9% increase in total motorcycle fatalities with a 1.2% increase in helmet use. Conversely, the three other states with no helmets law at all had a 21.78% increase in total motorcycle fatalities with only a 2% increase in helmet use. The increase in fatalities can be attributed to a greater number of motorcyclists on the road. It was found that motorcyclists are more likely to wear helmets in states with mandatory helmet laws than partial-helmet or no-helmet.

Rutledge et al. studied the impact of helmet use on motorcycle crash outcomes, controlling for severity of the crash as measured by a modified injury severity score that excluded head injury (8). Risk of head injuries was found to be nearly twice as high in unhelmeted riders. This study illustrated the increased likelihood of head injury when a helmet is not worn, but also showed helmet use is not a significant factor determining morbidity rates, hospital charges, and length of stay. There were, however, some unanticipated findings in the study. There were no significant differences in overall mortality, mean trauma scores, mean hospital stays, mean hospital charges, or percentage of cases discharged to rehabilitation facilities between helmeted and unhelmeted patients.

Wilson found that, although effectiveness of helmet use depends on many factors (e.g. driver age, speed, crash direction), and the matched-pairs technique has limitations in assessing effectiveness, motorcycle helmets are estimated to be 29% effective in preventing motorcycle rider fatalities (9). Further, although motorcycle helmets saved an estimated 670 lives in 1987, an additional 693 lives could have been saved if those motorcycle riders all had worn helmets. In examining the data, it was evident there is a consistency in helmet usage patterns between the rider and the passenger, such that when the rider is helmeted so tends to be the passenger. This is also true when the rider is unhelmeted.

Houston examined the impact of helmet use on fatalities in a national sample of motorcyclists aged 15 to 19 years from 1975-2004 (10). After controlling for state policy and demographic variables, two-way, fixed-effects models were estimated using negative binomial regression. Results suggest that mandatory helmet laws significantly reduce young motorcyclist fatalities – in this sample, fatality rates were reduced by 31%. In contrast, partial-coverage helmet laws are not statistically related to changes in fatalities and even partial-coverage laws that

require all motorcyclists 15-20 years of age to wear a helmet provide no apparent safety benefits to this target population. Such findings suggest that not only are partial-coverage helmet laws difficult to enforce but also reduce rider motivation to obey the law.

McKnight and McKnight studied the effects of motorcycle helmets on seeing and hearing. Results indicated that wearing helmets did not restrict the ability to hear horn signals nor did it have an appreciable effect upon likelihood of visually detecting a vehicle in an adjacent lane prior to initiating a lane change (11). Because helmets were worn, there was an increase in head rotation, which was not linked to increased time during which cyclist gaze was diverted from facing straight ahead. Differences in hearing thresholds across helmet conditions were both non-significant and nonexistent. However, significant increases in the hearing threshold with increased vehicle speed strongly suggest that the experimental procedure can detect true effects given the rider's ability to hear. While helmets did not appear to degrade hearing, neither did they enhance it. The extent of head rotation seemed to be greatest among riders with the least experience, those who thought helmets restricted vision, and those who believed the helmet was a good thing.

Evans and Frick found that three factors (wearing a helmet, being a passenger, and being male) were significantly associated with lower motorcyclist fatality risk. In all three cases, fatality risk was reduced by 30% (12). These results depended on the assumption that helmet effectiveness for drivers, accompanied by passengers, is sufficiently similar to helmet effectiveness for drivers traveling alone. The study's main finding reveals that helmet use for motorcycle drivers and passengers reduced fatality risk by 28%, margin of error (± 8). For passengers, gender differences were also significant. Female passengers were 5.5% less likely to

be killed than male drivers, but were 33.3% more likely to be killed than similarly aged male passengers.

Gilbert et al. conducted multiple logistic regression analyses to explore helmet use and injury levels pre- and post-law changes (13). Two separate models were produced to show the effect of helmet use and injury levels on the outcome of pre- and post-law status. These analyses included the ability to account for, and mathematically remove, effects of other potentially confounding variables. No significant effects for gender or race emerged in either model. The logistic regression showed a strong positive effect of helmet use post-law reinstatement. Odds of wearing a helmet in a crash post-law reinstatement were 11.7 times greater in comparison to wearing a helmet during the pre-law time period ($p < 0.001$).

Using cross-sectional data for the 50 states and Washington, D.C., covering the period 1975-2004, Houston and Richardson estimated fixed-effects regression models examining the effects of mandatory and partial helmet laws on three different motorcyclist fatality rates (14). These fatality rates were fatalities per 10,000 registered motorcycles, fatalities per 100,000 population, and fatalities per 10 billion VMT. Regardless of what fatality rate measure was used, mandatory helmet laws were correlated with a substantial reduction in motorcycle fatalities. Partial-helmet laws also correlated with lower fatality rates, although these reductions were modest in comparison to those associated with mandatory coverage. Again, other factors were found to be correlated with the MC fatality rates. Fatality rates rose as the number of motorcycles per capita, income per capita, and alcohol consumed per capita in a state rose. In contrast, higher levels of advanced education and population density were significantly associated with lower fatality rates. Motorcyclist fatality rates were higher in states with longer riding seasons.

A study conducted by Morris evaluated the association of mandatory helmet laws with U.S. motorcyclist fatality rates from 1993 to 2002, using climatic measures as statistical controls for motorcycling activity via quasi-maximum likelihood generalized linear regression analyses (15). Results revealed that motorcyclist fatalities and injuries were strongly associated with normalized heating-degree days and precipitation inches. When these climate measures and their interaction are statistically controlled, mandatory helmet laws were associated with lower motorcycle fatality rates. However, an association of state helmet laws with reduced state fatality rates was harder to detect statistically for several reasons.

Mandatory helmet laws have been effective in increasing helmet use in the United States (16). For example, California's helmet usage rate increased from 50% to 99% after implementing the mandatory helmet law (17). In recent years, helmet use in states with mandatory helmet law was found to be 73%, which was greater than the 50% usage of helmet in states without mandatory coverage (18).

Conversely, other studies did not find any significant relations between mandatory helmet laws and motorcycle fatality rates. Sosin and Sacks concluded that, while mandatory helmet laws were associated with reductions in frequency of crash-related head injury, no difference in total motorcycle fatality rates (based on helmet law status) existed (19). However, this study was significantly limited because Sosin and Sacks other potentially influential factors. Similarly, Stolzenberg and D'Alessio found that, after the repeal of mandatory coverage, no significant change in Florida's fatality rate emerged (20). However, the study controlled for the fatality rate of young motorcyclists still covered by the law, assuming that behavior of the young motorcyclists would not change after the repeal.

2.2 Other Factors Related to Motorcycle Fatalities

Numerous studies have demonstrated that a myriad of factors can contribute to motorcycle fatalities. For example, based on studies related to seat belts, population density has been hypothesized to specifically affect motorcycle rider fatalities, as well as highway mortality rates (21, 22, 23, and 24). Higher population density is typically characterized by frequent stops, whereas drivers in lower-population density areas can drive without much interruption. However, in the case of motorcycle crashes, it was found that population density is positively related to motorcycle fatalities (4). Motorcycle operators have the highest incidence of alcohol use among all motor vehicle drivers (25). In addition, fatal motorcycle crashes are more likely to involve alcohol than fatal automobile crashes (5, 25, and 26).

Meteorological factors have also been shown to be significantly related to motorcycle fatalities. Previous studies found that temperature was positively correlated to motorcycle fatalities, but annual precipitation was negatively correlated to motorcycle fatalities (4, 14). However, Morris demonstrated that annual precipitation was positively correlated with motorcycle fatalities but negatively correlated with the square of annual precipitation (15). Normalized heating-degree days were also found to be positively correlated with motorcycle fatalities. The study revealed a quadratic association of fatality rates with annual precipitation. During the study period of 2001-2002 considered by Morris, the largest percentage of motorcycle fatalities (13.5%) and injuries (13.1%) occurred during the month of August, which was associated with the second smallest percentage of normalized heating-degree days (0.3%) and the third largest percentage of precipitation inches (8.8%) (15).

Demographic factors, such as higher levels of education and income/socioeconomic status of the drivers, have been considered as factors that promote healthy behavior (27). Healthy

behavior can include complying with existing motor vehicle safety laws and obeying traffic rules and regulations. Studies have shown that higher education levels increase usage of seat belts. A higher level of education is linked to increased seat belt use as well as lower motor vehicle fatality rates (22, 28, and 29). Income is also related to lower traffic fatalities, e.g., higher SES groups are generally more aware of rules and regulations, place a higher value on safety, and possess the means to enhance it (30). In contrast, for motorcyclists, income had a different impact on fatality rates. Houston and Richardson found that income per capita positively correlated with motorcycle fatalities (14). According to Houston and Richardson (14), motorcycles, being expensive and luxurious, are more often used as recreational vehicles rather than a primary mode of transportation.

Paulozzi took the approach of calculating motorcycle mortality rates per 10,000 motorcycles sold (30). The study found that higher mortality rates had been consistently associated with newer motorcycles. As newer motorcycles with higher mortality rates became a larger share of the motorcycles on the road after 1997, overall motorcycle mortality rates rose. Brisk sales of new motorcycles appeared to be driving the increase in motorcycle fatalities. According to the study, two factors may explain for the inverse relation between motorcycle age and mortality risk. First, motorcycles may be ridden less each year after their purchase. A second possible explanation was driver inexperience. The recent increased popularity of motorcycling may have caused some new drivers to purchase used motorcycles or caused drivers who had not ridden for some time to resume riding previously purchased motorcycles. This might explain the observed increase in fatality rates for motorcycles 4-6 and 7-11 years old after 1997.

2.3 Motorcycle Crash Types and Trends

Preusser carried out a study dealing with crash-type analysis of motorcycle crashes using fatal crash data (31). Numerically coded information contained in the FARS database was used to prepare a “crash report” for each crash event. That is, the process by which the narrative information in police crash reports was converted to standardize numerical codes for data processing was reversed. The distribution of motorcycle crash types by single-vehicle and multiple-vehicle crashes were as follows: ran off road-41%, ran traffic control-18.1%, oncoming-10.8%, left turn oncoming-8.5%, motorcycle down-7.3%, rundown-3.3%, stopped/stopping-3.2%, road obstacle-2.5%, lane change-1.4%, cutoff-1.2%, and others/unknown-2.4%.

Kraus et al. carried out a study in which the crash data substantiated the high risk associated with young operators of motorcycles (32). Older drivers represented survivors from the younger ages that were at high risk, as driver age may be a factor in the amount of experience acquired operating motor vehicles. Age-limited discriminant analysis identified prior motorcycle crash injuries, prior motorcycle violations, and automobile driving experience as risk factors in motorcycle crashes. Identification of motor vehicle violations and prior collisions as important factors suggested some drivers were less mindful of customary courtesies and precautions in motor vehicle operations, irrespective of whether they were driving automobiles or motorcycles.

Mannering and Grodsky found that most of motorcyclists were generally aware of factors that contribute to crash risk (33). The survey on this study revealed that more than 70% of riders reported driving the motorcycles above 100 mph, while more than 57% saying that they have ridden within one hour of drinking alcohol.

Hurt et al. performed a study on factors causing motorcycle crashes and identification of countermeasures (34). A high crash involvement was found in unlicensed and young riders. Approximately half of those killed were legally drunk at the time of fatality.

2.4 Statistical Methodologies

Disaggregated analysis techniques, such as logistic regression, ordered logit and probit models, and multinomial logit models, have been used in numerous studies to examine risk factors that increase the probability of injury severity in crashes. However, not many studies have focused on the totality of factors, which collectively affect the likelihood of a fatal motorcycle crash. However, there have been some studies relating various factors to motorcycle crash severity.

Shanker and Mannering performed a multinomial logit analysis of single-vehicle motorcycle crash severity, demonstrating that the multinomial logit formulation is a promising approach to evaluate the determinant of motorcycle crash severity (35). They found that no-helmet use, being a fixed object crash, and alcohol-impaired riding increased the likelihood of a disabling injury or fatality. In addition, alcohol use, speeding, and the presence of other motorcyclists were associated with a higher likelihood of severe injury. Quddus et al. used the ordered probit model, which models categorical dependent variables, to study how various factors (e.g., specific characteristics of the roadway and riders) can lead to different levels of injury severity and damage severity to the motorcycle (36). Factors related to greater probability of severe injuries include increased engine capacity, headlights not turned on during daytime, collision with pedestrians and stationary objects, driving during early morning hours, having a pillion passenger, and when the motorcyclist is determined to be at fault for the crash. Using multinomial logit and multinomial probit distribution models to analyze motorcycle crash injury

severities, Deo Chimba et al. found seven factors that significantly predicted probable severe injury: increased number of lanes, substance use, higher posted speed limits, curved roadway sections, turning movements, ramps, and driving with no adequate daylight (37).

Bedard also used multivariate logistic regression to determine the independent contributions of several drivers, crash, and vehicle characteristics affecting the fatality risk of drivers involved in crashes (38). Kockelman and Kweon used ordered probit models to examine the risk of different injury levels across all crash types, two-vehicle crashes, and single vehicle crashes (39). The researchers said they used the ordered probit model rather than multinomial logit and probit models, which neglect the data's ordinality, require estimation of more parameters, and are associated with undesirable properties such as the independence of irrelevant alternatives.

Yamamoto and Shankar conducted a bivariate ordered-response probit model of drivers' and most severely injured passengers' severity in collisions with fixed objects (40). A bivariate ordered-response probit model is an extension of a univariate ordered-response probit model. Elasticity and pseudo-elasticity of both continuous and dichotomous variables were also calculated.

Three types of crashes were investigated by Riffat and Chin using an ordered response probit model (41). In the proposed ordered probit model, the dependent variable used was crash severity, which might take on one of three values based on the recorded degree of injury involved. They also estimated the probability of injury severity for combined factors related to two-vehicle, single-vehicle and pedestrian crashes.

Chapter 3 Methodology

This chapter describes the methodologies and data used for performing the analyses in this study. State-level modeling of motorcycle fatality rates was performed using the generalized least-squares regression method. Statistical tests of independence were conducted to investigate the relation between crash severity and other factors in Kansas. Logistic regression was performed to identify characteristics affecting fatal motorcycle crashes in Kansas. Finally, ordered probit modeling of motorcycle rider injury severity was performed to examine the factors linked to increased injury severity of motorcycle riders.

3.1 State-Level Modeling of Motorcycle Fatalities Considering All States

Generalized least-squares regression modeling was used to predict state-level motorcycle safety parameters by establishing the relation between helmet laws and motorcycle fatality rates, using crash data collected over a three-year period. Regression analyses controlled for other factors that might be significantly related to motorcycle fatalities, such as demographic characteristics, weather, highway mileage of rural roads, and motorcycle registration. Such additional factors included weather-related factors, highway mileage of rural roads, motorcycle registration, and demographic characteristics, such as education level, age, income etc.

3.1.1 Generalized Least-squares Regression

Linear regression is one of the most widely studied and applied statistical and econometric techniques. Linear regression is used to model a linear relationship between a continuous dependent variable and one or more independent variables. Most applications of regression seek to identify a set of independent variables that are thought to covary with the dependent variable. It is generally assumed that the response is continuous: in other words, it can take any value within a specified range. The form of the regression model requires that the relationship between variables be inherently linear. The simple linear regression is given by

$$Y = \beta_0 + \beta_1 x_i + \varepsilon_i \quad (3.1)$$

where,

Y = the dependent variable;

β_0 = a constant term (the point where the line crosses the Y axis);

β_1 = a constant term;

x_i = independent variable x for observation i ;

ε = disturbance term; and

i = the subscript corresponds to the individual or observation, where $i = 1, 2, 3 \dots n$.

In most applications, response variable Y is a function of many independent variables. In these cases, it is more efficient to express the linear regression model in the matrix notation

$$Y_{n \times 1} = X_{n \times p} \beta_{p \times 1} + \varepsilon_{n \times 1} \quad (3.2)$$

where,

X = an $n \times p$ matrix of the observations;

n = the number of observations; and

p = the number of variables measured on each observation.

The equation 3.2 is the regression model in the matrix terms, where the subscripts depict the size of the matrices.

The objective of linear regression is to model the relationship between a dependent variable Y with one or more independent variable X . The ability to say something about the way X affects Y is through the parameters in the regression model, the betas. Regression seeks to provide

information and properties about the parameters in the population model by inspecting properties of the sample-estimated betas, how they behave, and what they can tell us about the sample and thus the population (42).

Least-squares estimation is a commonly employed estimation method for regression applications. Often referred to as “ordinary least square” or OLS, it represents a method for estimating regression model parameters using the sample data. In a simple regression case, the expression $Y = X\beta$ consists of the following matrices:

$$\begin{matrix}
 \mathbf{Y} & = & \mathbf{X} & \mathbf{\beta} \\
 \begin{bmatrix} y_1 \\ \cdot \\ \cdot \\ \cdot \\ \cdot \\ y_n \end{bmatrix} & & \begin{bmatrix} \mathbf{1} & \mathbf{x}_1 \\ \cdot & \\ \cdot & \\ \cdot & \\ \cdot & \\ \mathbf{1} & \mathbf{x}_n \end{bmatrix} & & \begin{bmatrix} \beta_1 \\ \beta_0 \end{bmatrix}
 \end{matrix} \tag{3.3}$$

The generalized least-squares model is a flexible generalization of ordinary least-squares regression. It generalizes linear regression by allowing the linear model to be related to the response variable via a link function and by allowing the magnitude of the variance of each measurement to be a function of its predicted value. The link function provides the relationship between the linear predictor and the mean of the distribution function. There are many commonly used link functions, and their choice can be somewhat arbitrary. The link function used for generalized linear modeling in this study is

$$X\beta = \log(Y) \tag{3.4}$$

where,

X = predictor variables;

β = parameter estimates; and

Y = response variable.

As such, a generalized least-squares regression procedure was utilized, using statistical analysis software SAS version 9.1, to identify different factors affecting response variables, which were the logarithm of total number of motorcyclists killed per 10,000 motorcycle registrations and motorcycle fatalities per 100,000 populations in this study (43).

3.1.2 Data for State-Level Generalized Least-squares Regression Modeling

The number of motorcycle rider fatalities for all 50 states and the District of Columbia from 2005-2007 was obtained from the National Highway Traffic Safety Administration's (NHTSA) Fatality Analysis Reporting System (FARS) and were used in this analysis. Various other factors that could be independent variables were chosen to perform the regression analysis. Data for these variables were extracted from different sources. The Statistical Abstract of U.S. Census Bureau website was used to obtain data for several factors such as population per square mile, percentage of bachelor's degree holders, property crime rate, total unemployment percentage, per capita income, and national demographic distribution for all the states from 2005 to 2007 (44). The number of registered motorcycles, fuel tax, and highway mileage of rural roads for each state were obtained from the Federal Highway Administration's (FHWA) annual highway statistics series website (45). The percentage of valid license holders for fatally injured motorcyclists and helmet law information, as well as the number of fatally injured older motorcycle riders for all states were obtained from the National Highway Traffic Safety Administration (NHSTA) state data program website (46). Meteorological data were obtained

from the National Climatic Data Center (NCDC) website (47). The National Institute of Health (NIH) website was used to obtain data for per capita alcohol consumption (gallons/year) for all states (48).

3.2 Characteristic Analysis of Motorcycle Crashes in Kansas

When motorcycle safety is analyzed, it is also important to compare factors related to motorcycle crashes and other vehicle crashes, because there might be common problems pertaining to other vehicle crashes that may not be specific to motorcycle crashes. In that regard, a comparison between motorcycle crashes and other vehicle crashes would be appropriate in identifying problems and issues limited to motorcycle crashes, which was accomplished using Kansas Accident Records System (KARS) data from 1999 to 2008. Trends of motorcycle crashes and other vehicle crashes for the five-year period from 2004 to 2008 were also derived for several factors as presented in Chapter 4.

In order to identify whether there is a significant relation between crash severity and occupant, crash, and vehicle variables/factors, contingency table analyses was carried out, using five years of data from 2004 to 2008.

It is also necessary to examine motorcycle crashes to identify fatality-related factors such as crash characteristics, motorcycle occupants, vehicles, and contributing circumstances. Using five years of KARS data from 2004 to 2008, logistic regression analyses were conducted, where motorcycle crash fatality was a dichotomous dependent variable with fatality-related factors as independent variables.

3.2.1 Contingency Table Analysis

Contingency table analysis is a method to test whether a relationship exists between two independent variables which are discrete in nature. The contingency table analysis was performed to examine any relationships exist between various factors and motorcycle crash severity in Kansas (see Table 3.1). As the test of independence uses the contingency table format, it is sometimes referred to as a contingency table test. An example can be illustrated showing the contingency table analysis between two categorical variables denoted as x and y with x having i number of levels and y having j number of levels. The ij possible combinations of outcomes can be displayed in a rectangular table having i rows for the categories of x and j columns for categories of y . In Table 3.1, the categorical variable x denotes crash classes of sample of crash data, and y denotes crash severities.

Table 3.1 Cross Classification Table for Crash Class and Motorcycle Crash Severity

Variables (x)	Crash Severity (y)			Total
Crash Classes	Fatal	Injury	No Injury	Total
Collision w/ fixed object	48	699	76	823
Overtaken	37	1,097	130	1,264
Collision w/ other MV	98	1,671	467	2,236
Collision w/ animal	17	229	65	311
Other non-collision	12	402	64	478
Total	212	4,098	802	5,112

The cells of the table represent ij possible outcomes. Since $i = 5$ and $j = 3$ in this case, there are fifteen possible outcomes.

The test of independence addresses the question of whether the crash class is independent of crash severity. The hypotheses for this test of independence are as follows:

H₀: Crash class is independent from crash severity; and

H₁: Crash class is not independent from crash severity

where,

H₀ is the null hypothesis and H_a is the alternative hypothesis.

Expected frequencies for cells of the contingency table are calculated, assuming that the null hypothesis is true. Let e_{ij} denotes the expected frequency for the contingency table category in row i and column j .

Expected frequencies are calculated as

$$e_{ij} = \frac{(\text{row } i \text{ total}) \times (\text{column } j \text{ total})}{\text{Sample Size}} \quad (3.5)$$

The expected number of observations for each cell can be calculated according to the null hypothesis. For example, the expected number of observations for other non-collision fatal crashes are $(478 \times 212) / 5112 = 19.82$. Similarly, expected observations for other cells can be calculated in the same way. The test procedure for comparing observed frequencies and expected frequencies uses the following formula and a chi-square value is calculated.

$$\chi^2_{\text{estimated}} = \sum_i \sum_j \frac{(n_{ij} - e_{ij})^2}{e_{ij}} \quad (3.6)$$

where,

$\chi^2_{\text{estimated}}$ = estimated Chi-Square value;

n_{ij} = real number of observations for i^{th} row and j^{th} column; and

e_{ij} = expected number of observations for i^{th} row and j^{th} column.

In this table, degree(s) of freedom is calculated by $(r-1)*(c-1)$, where r = number of rows and c = number of columns in the table, which is $(5-1)*(3-1) = 8$ in this case. The chi-square value and tabular values can be compared at user-defined confidence levels.

For the example in Table 3.1, the value of the test statistic is $\chi^2 = 125.8$. At a 95% confidence level, the value shown in the table for eight degrees of freedom is 15.51. Since the calculated $\chi^2 >$ the table value, the null hypothesis is rejected and it can be concluded that crash class is not independent of crash severity.

Using this method, the contingency table analysis was performed for various crash-related factors and motorcycle crash severity in Kansas using data collected from 2004 to 2008. In section 4.2.2, results of calculated chi-square values for different categories, along with their respective degrees of freedom, are presented.

3.2.2 Logistic Regression

The goal of a logistic regression analysis is to find the best fitting and most parsimonious model to describe the relationship between an outcome and a set of independent variables. The factor that distinguishes logistic regression from linear regression is that the outcome variable in the logistic regression is categorical, and most likely takes the form of a binary or dichotomous variable, whereas in linear regression it is continuous.

In any regression problem, the key quantity is the mean value of the outcome variable, given the value of the independent variable. This quantity is called the conditional mean and is expressed as $E(Y/x)$, where Y denotes the outcome variable and x denotes a value of the independent variable (49). In linear regression, it is assumed this mean may be expressed as an equation linear in x , such as,

$$E(Y/x) = \beta_0 + \beta_1 x \quad (3.7)$$

where,

β_0 = intercept; and

β_1 = parameter estimate of the variable x .

To simplify the notation, let $\Pi(x) = E(Y/x)$ represent the conditional mean of Y , given x .

The logistic regression model can be expressed as

$$\pi(x) = \frac{\exp(\beta_0 + \beta_1 x)}{1 + \exp(\beta_0 + \beta_1 x)} \quad (3.8)$$

The logit transformation defined in terms of $\Pi(x)$ is as follows:

$$g(x) = \ln \left[\frac{\pi(x)}{1 - \pi(x)} \right] = \beta_0 + \beta_1 x \quad (3.9)$$

In the case of logistic regression, the error term has a distribution with mean zero and variance equal to $\Pi(x) [1 - \Pi(x)]$. That is, the conditional distribution of the outcome variable follows a binomial distribution with probability given by the conditional mean, $\Pi(x)$ (50).

Univariate logistic regressions were conducted to examine the independent contributions of motorcycle maneuvers, gender, age group, safety equipment used, light conditions, time of crashes, on-road surface characteristics, crash locations, weather conditions, crash classes, and other contributing circumstances to fatal motorcycle crashes in the state of Kansas. The

dependent variable for the logistic regression was a dichotomous variable indicating whether the motorcycle crash was a fatal one or not. Motorcycle crashes considered from the KARS database include both single-vehicle and multi- vehicle motorcycle crashes. To determine whether different characteristics were associated with fatal motorcycle crashes, the odds ratio (OR) along with a 95% confidence interval of a fatal motorcycle crash were calculated for each variable. The reference group in each variable had the value of odds ratio equal to unity.

All independent variables considered for logistic regression were discrete variables and had at least two categories. Some independent variables were polytomous, meaning that they have. For example, there were variables that denoted different types of motorcycle maneuvers under “motorcycle maneuver”, different age groups under “age”, as well as different types of crashes under variable name crash classes, An example can illuminate the process of specifying design variables for different subcategories of a variable: the variable “light condition” was coded at four levels and the cross classification of light condition by crash severity in the state of Kansas yielded the data presented in Table 3.2.

Table 3.2 Cross-Classification of Data on Light Conditions and Motorcycle Crash Severity in Kansas, 2004-2008

Light Conditions	Fatal	Injury	No injury	Total
Daylight	197	4,934	1,033	6,164
Dawn and dusk	15	363	86	464
Dark-street light on	67	1,214	230	1,511
Dark-no street lights	64	598	124	786
Total	343	7,109	1,473	8,925

Estimates of the odds ratio were obtained from a logistic regression program with an appropriate choice of design variables. The method for specifying design variables involves

setting all of them equal to zero for the reference group and then setting a single design variable equal to one for each of the other groups (see Table 3.3).

Table 3.3 Specifications of Design Variables for Light Conditions Using Daylight as the Reference Group

Variables	Design Variables		
	D1	D2	D3
Daylight	0	0	0
Dawn and dusk	1	0	0
Dark-street light on	0	1	0
Dark-no street lights	0	0	1

The dependent variable has two possible outcomes, where a fatal crash outcome was coded as 1 and a non-fatal crash outcome was coded as 0. Odds in favor of an event occurring is defined as the probability the event will occur divided by the probability the event will not occur. In logistic regression, the event of interest is always $y = 1$ given a particular set of values for the independent variables, the odds in favor of $y = 1$ can be calculated as follows:

$$odds = \frac{P(y = 1 | x_1, x_2, \dots, x_p)}{P(y = 0 | x_1, x_2, \dots, x_p)} \quad (3.10)$$

where,

$$P(y = 1 | x_1, x_2, \dots, x_n) = \text{probability of event occurring; and}$$

$$P(y = 0 | x_1, x_2, \dots, x_n) = \text{probability of event not occurring.}$$

The odds ratio measures the impact on the odds of a one-unit increase in only one of the independent variables. It also looks at the odds that $y = 1$ given that one of the independent

variables is increased by one unit (odds_1) divided by the odds that $y = 1$, given no change in the value of the independent variables (odds_0)

$$\text{odds ratio} = \frac{\text{odds}_1}{\text{odds}_0} \quad (3.11)$$

Using SAS version 9.1, logistic regression analyses were conducted for different factors considered as variables and crash severity to identify significant bivariate/multivariate relations (43).

3.2.3 Crash Data for Characteristics Analysis of Motorcycle Crashes

Crash data obtained from the Kansas Accident Records System (KARS) were used for characteristic analysis of motorcycle crashes and modeling injury severity of motorcycle riders in Kansas. The KARS data set, maintained by the Kansas Department of Transportation, comprises all police-reported crashes in the state of Kansas. However, not every crash meets police-report requirements. Only crashes causing damages of \$500 or more are reported by the police in Kansas. Crash, driver, occupant, and vehicle-related data related to crashes in Kansas are available in the KARS database. For the analysis in this study, crash data from years 1999 to 2008 were considered.

This part of the analysis focused mainly on identifying characteristics more common among motorcycle crashes in Kansas, using crash data to explore occupant, crash, vehicle, and environmental factors. All data for motorcycle crashes from 1999 to 2008 were used for comparing motorcycle crashes and other vehicle crashes. There were total of 8,750 motorcycle crashes in Kansas for this 10 year period, where 331 crashes were fatal, 6,960 were injury crashes, and 1,359 were property damage only (PDO) crashes.

In the contingency table analysis and logistic regression, KARS data for the five-year period from 2004 to 2008 were used.

3.3 Motorcycle Safety Survey

3.3.1 Survey Data

Analysis of motorcycle safety situations based solely on crash data may not be enough to arrive at conclusions about motorcycle riders, since those characteristics are linked only with a special segment of motorcyclists who have had a crash experience. In other words, there are many motorcycle riders who have not met with crashes during the last few years, and their representation is unobserved in such analysis. The characteristics of non-crash riders should be considered together with those who have experienced crashes, to make fair conclusions about motorcycle rider characteristics. In order to understand all motorcyclist behaviors and their perceptions of Kansas helmet law, a self-report questionnaire was administered. Questions mainly included items on demographics, helmet laws, crash-related factors, and difficult motorcycle maneuvers.

Designing a survey on motorcycle safety poses multiple challenges. Because motorcycle riders who are a special population group, their expected attitude regarding participating in a motorcycle safety survey was quite uncertain. Ideally, a good study of this nature requires a reasonable number of responses distributed throughout the state to account for bias, confounds, and misrepresentations. After locating different motorcycle events or rallies in Kansas during the motorcycle riding season, participants were requested to complete the questionnaire by verbally talking to them. During conversations with motorcyclists about their perceptions of Kansas helmet laws, many expressed skepticism about the law as well as anxiety about participating. The current law in Kansas is a partial-helmet law, and many were fearful that their involvement in the

study would negatively affect it. Other recruitment spots included motorcycle parking spots at Kansas State University and Wichita State University, and businesses that sell motorcycles, such as Harley-Davidson, Free-State Cycles, and Indian Motorcycles.

Because participants were asked to return their completed survey forms using a provided mail-back envelope, the initial response rate was low. In order to increase the number of completed surveys, more participants were recruited at other motorcycle events or rallies, located in fourteen cities across the state of Kansas: Manhattan, Lawrence, Wichita, Kansas City, Cassidy, Winfield, Herrington, Topeka, Salina, Council Grove, Perry Lake, Lenexa, Junction City, and Wamego.

3.4 Factors Contributing to Motorcycle-Rider Injury Severity

Ordered probit modeling was performed to investigate the effect of various factors on the severity of personal injuries sustained by motorcycle riders in Kansas. Using ordered probit modeling, the objective was to incorporate all variables into a single formula to explore multiple or combined effects of such variables on injury severity of motorcycle riders.

3.4.1 Ordered Probit Modeling

Several econometric models have been used in the literature to isolate factors that affect injury severities sustained by various road users. Long suggested that unordered multinomial or nested logit or probit models, while accounting for the categorical nature of the dependent variable, disregard the ordinal nature of injury severity levels and are associated with undesirable properties, such as the independence of irrelevant alternatives (IIA) (50, 51). Several researchers have proposed ordered-discrete choice models (e.g., the ordered probit/logit models: OP/OL) for modeling injury severities, suggesting that an ordered-discrete choice model can account for

unequal between-category differences in the dependent variable, and can relax IIA restriction (36, 53).

The ordered probit model is usually in a latent (i.e. unobserved) variables framework and the general specification is

$$y_i^* = \beta' x_i + \varepsilon_i \quad (3.12)$$

where,

y_i^* = the latent and continuous measure of injury severity faced by a crash victim i in a crash;

β' = the vector of estimated parameters;

x_i = the (K x 1) vector of observed non-stochastic explanatory variable; and

ε_i = normally distributed error term with zero mean and unit variance for the ordered probit model, but logistically distributed for the ordered logit model.

Here, the error terms for different crash victims are assumed to be uncorrelated (i.e., disturbance term is assumed to be heteroskedastic, representing the variance of the disturbance term can vary from one victim to another). Standard regression techniques cannot be applied to calculate equation 3.12 because the dependent variable y_i^* is unobserved. Instead, the data used in this study include observed data y_i , a coded discrete variable measuring the injury level sustained by a crash victim i : $y_i=1$ no injury; $y_i= 2$ for possible injury; $y_i= 3$ for injury (non-incapacitating); $y_i= 4$ for injury (incapacitating); and $y_i= 5$ for fatal injury Thus the observed and coded discrete injury severity, y_i , can be determined from the following formulae:

$$y_i = \begin{cases} 1 & \text{if } -\infty < y_i^* \leq \mu_1 \text{ (no injury)} \\ 2 & \text{if } \mu_1 < y_i^* \leq \mu_2 \text{ (possible injury)} \\ 3 & \text{if } \mu_2 < y_i^* \leq \mu_3 \text{ (injury-non incapacitating)} \\ 4 & \text{if } \mu_3 < y_i^* \leq \mu_4 \text{ (injury- incapacitating)} \\ 5 & \text{if } \mu_4 < y_i^* < +\infty \text{ (fatal injury)} \end{cases} \quad (3.13)$$

where the threshold values $\mu_1, \mu_2, \mu_3,$ and μ_4 are unknown parameters to be estimated.

The predicted probabilities of the five coded injury severity levels by a victim i , for given x_i are

$$P(y_i = 1 | \text{no injury crash}) = \Phi(\mu_1 - \beta' x_i); \quad (3.14)$$

$$P(y_i = 2 | \text{possible injury crash}) = \Phi(\mu_2 - \beta' x_i) - \Phi(\mu_1 - \beta' x_i) ; \quad (3.15)$$

$$P(y_i = 3 | \text{injury-non incapacitating injury crash}) = \Phi(\mu_3 - \beta' x_i) - \Phi(\mu_2 - \beta' x_i) ; \quad (3.16)$$

$$P(y_i = 4 | \text{injury-incapacitating injury crash}) = \Phi(\mu_4 - \beta' x_i) - \Phi(\mu_3 - \beta' x_i) ; \text{ and} \quad (3.17)$$

$$P(y_i = 5 | \text{fatal crash}) = 1 - \Phi(\mu_4 - \beta' x_i) \quad (3.18)$$

where,

$\Phi(u)$ = the cumulative density function of the random error term ε_i evaluated at u .

The method of maximum likelihood is used for estimating parameters of the ordered probit model. For the ordered probit model, ε_i is normally distributed with mean 0 and variance 1 and the cumulative density function is

$$\Phi(\varepsilon) = \frac{1}{\sqrt{2\pi}} \int_{-\infty}^{\varepsilon} \exp\left(-\frac{t^2}{2}\right) dt \quad (3.19)$$

3.4.1.1 Goodness-of-Fit Measure

In linear regression models, goodness of fit is usually measured by the R^2 value, whereas there is no such straightforward measure to evaluate model fitness of ordered probit models. McFadden suggested using a likelihood ratio index analogous to the R^2 in the linear regression model (54).

$$\rho^2 = 1 - \left[\ln(L_b) / \ln(L_0) \right] \quad (3.20)$$

where,

$\ln(L_b)$ = the maximized likelihood function; and

$\ln(L_0)$ = the likelihood assuming all model slope coefficients are equal to 0.

This measure is bounded by 0 and 1 and as it approaches 1, model fit improves. Similarly, a few other values are given in the SAS output such as Estrella, Adjusted Estrella, Veal Zimmermann, and Mckelvey-Zavoina, which can also be considered in evaluating a model's goodness-of-fit.

In regression modeling, significance of individual parameters toward the model is important, and overall goodness-of-fit also plays a vital role in that aspect. SAS output for an ordered probit model gives the number of goodness-of-fit measurements because, unlike other regression modeling, no single value exists that can consistently determine the model fitness. Consequently, various values given in terms of probabilities were considered when selecting models, leading to the consideration of McFadden's LRI. Similarly, the Estrella value is also desirable in discrete modeling. Zimmermann values and Mckelvey-Zavoina values are also reported for the ordered probit model in the results section.

3.4.2 Crash Data for Ordered Probit Modeling

For the ordered probit analysis, Kansas Accident Records System (KARS) was used utilizing a five-year period of data from 2004 to 2008. A line of data for a variable was deleted when data for that particular variable were missing. Among the data, 5,087 motorcycle-related crashes on Kansas roadways remained for analysis.

Chapter 4 Results and Discussion

This chapter presents results and discussions of the analyses done in this study. This includes state-level modeling of motorcycle fatality rates, comparisons of motorcycle crashes with other vehicle crashes, contingency table analysis, univariate logistic regression, survey responses, and ordered probit modeling of motorcycle rider injury severity.

4.1 State-Level Modeling of Motorcycle Fatality Rates

The main objective of this portion of the study was to evaluate the effect of helmet laws and other factors on motorcycle fatality rates at the state level. Numbers of motorcycle rider fatalities for all the 50 states and the District of Columbia were obtained for the years 2005, 2006, and 2007, as mentioned in Chapter 3. A regression analysis was performed by considering factors potentially related to motorcycle fatalities in a given state. Variables were chosen for regression modeling after testing the inter-correlation. Dependent variables used for the modeling were the motorcycle riders' fatalities per 10,000 motorcycle registrations in a given state and motorcycle riders' fatalities per 100,000 populations in a given state for the three years of the study period (2005 - 2007) in the present models.

Two models were developed in this study to compare motorcyclist fatality rates (log of motorcyclist fatalities per 10,000 motorcycle registration and log of motorcyclist fatalities per 100,000 populations in all states) by treating helmet laws as a binary variable. The following section discusses the potential effect of statistically significant factors on motorcycle fatality rates in each model.

4.1.1 Predictor Variables Selection for Statistical Modeling of Motorcycle Fatalities

Once the candidate variables were selected for the state-level model, as mentioned in Chapter 3, the first step in the model-building process was to develop and check the linear

correlation matrix. Correlation indicates an existing association between the predictor variables, whereas the correlation coefficient describes the magnitude of this association. A high correlation coefficient between the response variable and the predictor variable typically results in a better prediction of the response variable (55). Conversely, high correlation between the predictor variables implies there is some overlapping information, making it difficult to disentangle the effects of one predictor variable from another. Moreover, the parameter estimates may highly depend on which variables are used in the model. Should two independent variables produce a correlation coefficient close to 1.0, it is impossible to separate their effects. For multiple regressions, it is important that predictor variables are independent of each other so that the analysis is not distorted. Hence, it is necessary to include only those predictor variables, which do not have a high correlation among them. Spearman's correlation coefficient was used to find variables that were independent of each other. Using SAS software version 9.1, a correlation matrix was developed for the variables selected. Independent variables with a correlation coefficient higher than 0.5 (or 50% correlation) were considered for elimination from the variable set considered for modeling with motorcycle fatalities per 10,000 motorcycle registrations. This was executed by keeping one of the variables, which resulted in a better model, and removing the variables linked to the weaker model. This prompted to ruling out demographic variables like violent crime rate per 100,000 populations, female and male young drivers, middle-aged and elderly drivers, population per square mile, and the percentage of bachelor's degree holders. A correlation coefficient of 0.65 was used for modeling motorcycle fatalities per 100,000 population, as motorcycle fatalities per motorcycle registrations is a more direct way to measure risk exposure compared to fatalities per 100,000 populations. In order to accurately identify and effectively address the growing problem of motorcycle fatalities, the United States Department of

Transportation re-based its motorcycle fatality rate measure for FY 2008 to reflect a change of focus from fatalities per 100 million vehicle miles traveled (VMT) to fatalities per 100,000 registrations in a given state. To date, most states do not report motorcycle VMT as it is a difficult exposure to measure. The accuracy of motorcycle VMT reported by a small number of states is also quite speculative (3), which might justify the decision of setting a stricter threshold of correlation coefficient for the model with motorcycle fatalities per 10,000 motorcycle registrations in a given state. As such, variables with smaller correlation values will be included in the model.

Variables were also checked for multicollinearity, which occurs when one predictor correlates with more than one other predictor variable, explaining the same variability already explained by other predictors. Consequently, some predictors may not provide any additional information. Multicollinearity also results in significant changes in slope coefficients. As the magnitude of correlation between predictors increases, standard error of regression coefficients also increases (55). Multicollinearity can be measured by the variance inflation factor (VIF), which measures the increase in variability of a coefficient due to collinearity. Here, variance is referenced as the square of the standard error. The critical value used for the variation inflation factor is generally 10, and variables having VIF above 10 are considered to be highly correlated with other predictors. All variables with VIF above 10 were removed from the model.

After ruling out inappropriate predictor variables, an analysis was performed for the competing influences of the following variables on the fatality rate of motorcyclists. Table 4.1 describes all variables along with their simple statistics and Variance Inflation Factor (VIFs) that were taken into account for the two models after performing the collinearity tests. From the table

it is evident that none of the variables selected for modeling purposes had VIFs greater than 10, satisfying the criteria of multicollinearity.

Table 4.4 Predictor Variables Selected for Motorcycle Fatality Rate Modeling

Variable	Max	Min	Avg	VIF
Population per square mile	9,581.30	1.2	374.7	3.61
Motorcycles registered per 1000 population	89.7	2.0	26.5	3.01
Per capita alcohol consumption (gallons/year)	4.2	1.3	2.4	1.98
Annual daily mean temperature (^o Fahrenheit)	75.7	32.0	53.7	4.83
Annual precipitation (inches)	69.8	8.0	36.3	2.64
Helmet law (mandatory or not)	1	0	-	1.6
Percentage of bachelor degree holders or more	47.5	16.5	26.9	4.2
Property crime rate per 100,000 population	4,889.80	1,619.60	3,307.20	2.3
Unemployment percentage	7.8	2.5	4.6	2.09
Per capita income (in \$ 1,000)	6,514.40	3,293.80	4,722.70	4.21
Percentage of African Americans	57.3	0.5	11.5	5.25
Percentage of Hispanics	44.4	0.9	9.3	3.84
Percentage of Whites	96.7	24.7	78.7	3.16
Fuel tax (in cents per gallon)	34	7.5	21.2	1.24
Percentage holding valid license for fatally injured motorcyclists	100.0	25.0	75.3	1.61
Number of older motorcycle riders killed	330	0	62.28	2.16
Highway mileage of rural roads (in 1000 miles)	221.7	0	58.3	1.69

4.1.2 Generalized Least-squares Regression for Motorcyclist Fatalities per 10,000 Motorcycle Registrations

While the number of motorcycle registrations for individual states is available, the number of motorcycle miles travelled is not. The number of fatalities per vehicle miles traveled (VMT) provides a direct means of normalizing for the amount of travel by all motor vehicles. Data for motorcycles alone do not exist for any state. Numbers of motorcyclist fatalities per 10,000 motorcycle registrations and per 100,000 populations for all states were considered in the present

models as response variables representing motorcycle fatality rates from 2005 to 2007. The logarithm of the motorcyclist fatalities per 10,000 registered motorcycles and per 100,000 populations for all the states was taken. Log of fatality rates were used to reduce concern about the assumption of ordinary-least square regression. Using logged dependent variables has the added benefit of resulting in coefficients, which can be interpreted as the approximate proportion change in the dependent variable for a one-unit increase in a predictor variable (14). Table 4.2 summarizes results of the regression analysis of the model with motorcycle fatalities per 10,000 motorcycle registrations.

Table 4.5 Results of Generalized Least-squares Regression for Log of Motorcycle Fatalities per 10,000 Motorcycle Registrations

Variables	Variable Label	Parameter Estimate	Pr>t
Intercept	Intercept	0.19955	0.3624
Per Capita Alcohol Consumption	ALCO	-0.01937	0.5036
Annual Daily Mean Temperature (⁰ F)	ADMT	0.01468	< 0.001 *
Annual Precipitation (inches)	AP	-0.00127	0.2378
Helmet Law	HL	-0.05492	0.0722 *
Total Unemployed Percent	UNEMPL	0.01975	0.1804
Per Capita Income (10,000)	PCI	-0.0674	0.0136 *
Percentage of African Americans	AFAM	0.0095	< 0.001 *
Fuel Tax (in cents per gallon)	FT	0.0021	0.3787
Older Motorcyclists Killed	OD	-0.000085	0.7418
Highway Mileage of Rural Roads (1000mile)	HMRR	-0.00074	0.0677 *
Value of R ²	0.61		
Adjusted R ²	0.58		

* (Statistically Significant at 90% Confidence Level)

In the mathematical form, the model could be written as follows:

$$Y = 0.19955 + 0.01468ALCO - 0.0722HL - 0.0674PCI + 0.0095AFAM - 0.0677HMRR \quad (4.21)$$

where,

$$Y = \text{Log of motorcycle fatalities per 10,000 motorcycle registrations.}$$

The significant factors identified through modeling are discussed in the following sections.

Goodness-of-fit measures in both models were considered as R^2 and R^2_{adjusted} , where the values were 0.61 and 0.58, respectively. Considering the values of R^2 and R^2_{adjusted} from similar regression models in other studies, values in the present models are considered to be reasonable (56).

4.1.2.1 Helmet Law

In the model, mandatory helmet laws were associated with lower fatality rates. One thing to note is that no-helmet law states were included in the analyses along with the partial-helmet law states, because there were only three no-law states. The helmet law parameter estimate was 0.0722, $p < 0.10$. The exact change in the response variable for a 1-unit increase in the predictor variable is computed, using the following equation:

$$Y = 100[\exp(\beta) - 1] \quad (14) \tag{4.22}$$

where,

Y = exact change in the response variable for a unit increase in the predictor variable; and

β = parameter estimate of the predictor variable.

The exact decrease that could be expected in motorcycle fatalities per 10,000 motorcycle registrations by changing the helmet law was calculated by putting the value of $\beta = 0.05492$ for helmet laws in the model. This resulted in a 5.6 percent decrease in motorcycle fatalities when a mandatory helmet law was introduced in a state. Compared to states with partial-coverage or no-

helmet laws, states with mandatory helmet laws had 5.6% fewer motorcycle fatalities per 10,000 motorcycle registrations, based on the present model.

4.1.2.2 Weather Conditions

One of the weather considerations taken into account in this study was annual daily mean temperature in °F. The model showed a statistically significant positive correlation between annual daily mean temperature and motorcyclist fatalities per 10,000 motorcycle registrations. The p -value for the annual daily mean temperature is found to be <0.001 , an expected finding. Motorcycle activities increase during warm days, increasing the likelihood of more motorcycle crashes and fatalities. However, the other weather condition, annual precipitation did not show any statistically significant relation with the motorcycle fatality rate.

4.1.2.3 Per Capita Income

Each state's average per capita income was negatively correlated with motorcyclist fatalities per 10,000 motorcycle registrations, $p = 0.0136$. As discussed in section 2.2 of the literature review, income has been found to be negatively correlated with traffic fatalities as people with higher incomes tend to be more aware, place a higher value on safety, and possess the means to enhance it. Similarly, results from this model shows that the higher per capita income in a given state, the lower the motorcycle fatalities.

4.1.2.4 Demographic Distribution

Demographic distributions of African American, Hispanic, and White population percentages were included in the model to test the effect of these groups of people on the motorcycle fatality rate. Because the collinearity matrix yielded a high correlation between per capita income and being younger in age for Hispanic and only the African American population was included in the model, as the collinearity matrix showed a high correlation among the other

two population groups and other factors such as young drivers, and per capita income. The p -value for the African American population percentage was found to be <0.0001 . The percentage of African Americans was found to be positively correlated with motorcyclist fatalities per 10,000 motorcycle registrations. According to the model results, if the percentage of African American population is high in a given state, motorcycle fatalities per 10,000 motorcycle registrations is also high.

4.1.2.5 Highway Mileage of Rural Roads

Highway mileage of rural roads in each state was considered as a predictor variable, which was found to be negatively correlated with motorcyclist fatalities per 10,000 motorcycle registrations with a p -value of 0.0677. This finding was not consistent with previous research findings, which revealed that the percentage of urban roads per state is negatively correlated with the motorcyclist fatality rate (4). Normally, motorcycles tend to be abundant in urban areas, whereas few numbers of motorcycles are likely to be found in rural areas. So, motorcycle crashes are likely to increase if there are more urban roads. However, the severities of crashes in rural areas are typically more severe. Similarly, the model's results showed that, as highway mileage of rural roads increases, motorcycle fatalities per 10,000 motorcycle registrations increase as well.

4.1.3 Generalized Least-squares Regression for Motorcyclist Fatalities per 100,000 Population

Table 4.3 shows the other model in which motorcycle fatalities per population of 100,000 was used as a response variable.

Table 4.6 Results of Generalized Least-squares Regression for Log of Motorcycle Fatalities per 100,000 Population

Variables	Variable Label	Parameter Estimate	Pr>t
Intercept	Intercept	-0.13264	0.6567
Population per 1000 square mile	POPSQ	-0.0378	0.0099*
Motorcycle registered per 1000 population	MCR	0.005935	<.0001*
Per capita alcohol consumption(ethanol gallons)	ALCO	0.03978	0.1438
Annual daily mean temperature(⁰ F)	ADMT	0.00814	0.0018*
Annual precipitation (inches)	AP	0.000022	0.9847
Helmet laws	HL	-0.07561	0.0043*
Percentage of bachelor's degree holder or more	BGRAD	-0.0073	0.0610*
Property crime rate per 100,000	PRCRM	1.984	0.2975
Total unemployed percent	UNEMPL	-0.01539	0.2733
Per capita income (\$1000)	PCI	-0.0055	0.1022
Percentage of African Americans	AFAM	0.00366	0.0757*
Percentage of Hispanics	HIS	0.0003	0.8868
Percentage of Whites	WHT	0.00197	0.1102
Fuel tax (in cents per gallon)	FT	-0.0004	0.8461
Percentage of valid licenses for fatally injured MC drivers	MCDF	-0.00083	0.4069
Older motorcyclists killed	OD	-0.0003	0.1884
Highway mileage of rural roads (per 1000 miles)	HMRR	-0.00088	0.0073*
Value of R ²	0.62		
Adjusted R ²	0.57		

* (Statistically Significant at 90% Confidence Level)

In mathematical form, the model could be written as follows:

$$Y = -0.13264 - 0.0378POPSQ + 0.005935MCR + 0.00814ADMT - 0.07561HL - 0.0073BGRAD + 0.00366AFAM - 0.00088HMRR \quad (4.23)$$

where,

$Y = \log$ of motorcycle fatalities per 100,000 population.

Statistically significant factors affecting motorcyclist fatalities per 100,000 population are discussed in this section. The goodness-of-fit values for R^2 and R^2_{adjusted} are 0.62 and 0.57, respectively, in the current model.

4.1.3.1 Helmet Law

This model also showed that the mandatory helmet laws were associated with lower fatality rates. The p -value for the helmet law parameter estimate is 0.0043. Helmet laws negatively correlated with motorcycle fatalities per 100,000 population in the model. The exact change in the response variable for a 1-unit increase in the predictor variable is computed using the following equation:

$$Y = 100[\exp(\beta) - 1] \quad (14) \tag{4.24}$$

where,

Y = exact change in the response variable for a unit increase in the predictor variable; and

β = parameter estimate of the predictor variable.

The exact decrease in motorcycle fatalities per 100,000 population was calculated by putting the value of $\beta = 0.07561$ for helmet laws in the model. The value of percent decrease was 7.85. Compared to states with either partial-coverage or no-helmet laws, states with mandatory helmet laws had 7.85 percent fewer motorcycle fatalities per 100,000 population. Using the per capita measure demonstrates the increased effectiveness of mandatory helmet laws. However, motorcycle fatalities per 100,000 population is not a very good variable with which to measure the exposure of motorcycle riding.

4.1.3.2 Population Density

Population per 1,000 square miles negatively correlated with motorcyclist fatalities per 100,000 population, $p = 0.0099$, at a 90% confidence level. As the population density increases, it becomes more difficult for motorcycle riders to drive uninterruptedly at high speeds, lowering the risk of getting involved in a fatal crash. Previous research has shown mixed results on this variable. Branas and Knudson (4) previously found that population density (residents per 10 square mile) was positively related to percentage change in fatalities per 10,000 registered motorcycles (natural log transformation). In another study, a statistically significant negative relationship between population per square mile and motorcycle fatality rates was found (14).

4.1.3.3 Motorcycle Registrations

Motorcycle registrations per 1000 population were found to be positively correlated with motorcyclist fatalities per 100,000 population. The relation between motorcycle registrations and motorcycle fatalities per 100,000 population was significant, $p < 0.0001$. Increases in motorcycle registration indicate subsequent increases in the number of motorcycles traveling on roads. In turn, the number of crashes would rise, resulting in more motorcycle fatalities. Results from the model also showed that, in a given state, higher numbers of motorcycle registrations are related to higher per capita motorcycle fatalities.

Results from a previous study demonstrated that, from 1997 to 2003, the increase in number of fatalities associated with motorcycles less than four years old accounted for 78.1% of the total increase in motorcyclist fatalities (57).

4.1.3.4 Weather Conditions

The present model showed a statistically significant positive correlation between annual daily mean temperatures and motorcyclist fatalities per 100,000 population, $p = .0018$. This is the

same finding as the previous model. The model implies that states with longer, warm and dry seasons have more motorcycle fatalities per 100,000 population. This result can be explained by the high dependency of motorcycle riding on weather conditions. Annual precipitation, the other weather condition considered was not significantly related to per capita motorcycle fatalities.

4.1.3.5 Education

Percentage of bachelor's degree holders for each state was considered as a predictor variable, which was found to be negatively related to motorcycle fatalities, $p = 0.0610$. The model proposes that a larger number of four-year college graduates is linked to fewer motorcycle fatalities. Additional benefits include a higher likelihood for increased awareness about personal safety and a sense of responsibility, as well as greater compliance with existing laws.

4.1.3.6 Demographic Distribution

The demographic distribution for African Americans positively correlated with per capita motorcycle fatalities, p -value = 0.07575. This finding is the same as the previous modeling. Results from the model results reveal that an increased percentage of African Americans is associated with a greater number of motorcycle fatalities per 100,000 population.

4.1.3.7 Highway Mileage of Rural Roads

Consistent with the previous model, results from this model yielded a significant negatively correlation between highway mileage of rural roads and motorcyclist fatalities per 100,000 population, p -value = 0.0073. When the highway mileage of rural roads increases in a state, motorcycle fatalities per 100,000 population decrease. Typically, motorcycles are more common in urban areas and roads, increasing the likelihood of motorcycle crashes on urban roads.

4.1.4 Checking for Homoscedastic Disturbances

Constancy of disturbances is called homoscedasticity. When disturbances are not homoscedastic, they are said to be heteroskedastic. This requirement is derived from the variance term in the regression model, which is assumed to be constant over the entire regression. A multiple linear regression model assumes that the error variance remains constant. Scatter plots are used to assess homoscedasticity. A plot of model-fitted values versus residuals is typically inspected first. If residuals are evenly distributed along the horizontal line (residual = 0), variance can be assumed to be constant. The motorcycle fatality model with fatalities per 10,000 motorcycle registrations provided a reasonably good fit with an R^2 value of 0.61. It was necessary to check the homoscedasticity of the model by verifying the assumptions of constant variance of disturbance. The assumption of constant variance was verified, using the standardized residual plot in Figure 4.1, which did not show any pattern suggesting the presence of a non-constant variance or non-linearity. In turn, the assumption of a constant error variance term is validated from Figure 4.1 for the model. The motorcycle fatality model with fatalities per 10,000 registrations is homoscedastic.




Figure 4.1 Standardized Residual Plots for the Model with MC Fatalities per 10,000 MC Registrations

4.2 Characteristics of Motorcycle Crashes in Kansas

One of the objectives in this study was to identify characteristics of motorcycle crashes in Kansas from 2004 to 2008. Percentages of motorcycle crashes for different severity levels and different factors in Kansas from 2004 to 2008 were calculated by extracting data from Kansas Accident Records System Database (KARS). Comparisons between motorcycle crashes and other vehicle crashes identified factors affecting motorcycle crashes. Relations between different crash categories and several factors were also identified using the test of independence as explained in the methodology section. The calculated chi-square, degree of freedom, and probability values are presented in this section. Finally, an analysis was performed using univariate logistic regression

to identify fatal crash-related factors such as crash characteristics, motorcycle occupants, vehicles, and contributing circumstances affecting fatal motorcycle crashes in Kansas.

4.2.1 General Characteristics of Motorcycle Crashes in Kansas

Table 4.4 shows the percentages of motorcycle crashes for different types of injury severity and different crash-related factors in Kansas from 2004 to 2008. Among all motorcycle maneuvers, fatal motorcycle crashes with overtaking had the highest percentage while fatal motorcycle crashes with slowing or stopping had the lowest percentage. Motorcycle crashes involving aggressive maneuvers had the highest share of injury crashes compared to other maneuvers. Slowing or stopping maneuvers had the highest share of property-damage-only crashes. Crashes involving right turns had the lowest percentage of fatal crashes. There were no significant gender effects for motorcycle fatalities – crash percentages were almost the same for both male and female motorcyclists. Conversely, significant effects were found for type and frequency of safety equipment. When compared to other types of safety equipment, the highest percentage of fatal crashes was linked to not using helmets. This was also true for property damage-only crashes. However, crashes with helmet-wearing riders had a higher share of injury crashes compared to crashes with riders using other safety equipment. No adverse weather conditions had a higher percentage of fatal motorcycle crashes than rain, mist, drizzles, and wind conditions. Among light conditions, motorcycle crashes with dark-no streetlights had the highest percentage of fatal motorcycle crashes, and daylight crashes had the lowest percentage of fatal motorcycle crashes. It was vice versa for injury crashes during the same time period. Among crash classes, collision with fixed objects had the highest percentage of fatal motorcycle crashes.

Table 4.7 Percentages of Different Crash Severities for Different Factors for Motorcycles in Kansas, 2004-2008

Motorcycle Crash Severity	Fatal	Injury	PDO	Total
MC Maneuvers				
Straight following road	5.01	79.71	15.28	100
Left turn	4.31	79.28	16.41	100
Right turn	2.95	77.05	20.00	100
Overtaking	8.53	73.64	17.83	100
Chasing lanes	2.25	81.46	16.29	100
Aggressive maneuver	3.44	83.05	13.51	100
Slowing or stopping	2.09	75.46	22.45	100
Gender				
Male	4.53	78.34	17.13	100
Female	4.86	76.73	18.40	100
Safety Equipment Used				
MC helmet and eye protection	3.07	80.46	16.47	100
MC helmet	2.87	81.32	15.81	100
No use of MC helmet	4.60	76.72	18.68	100
Weather Conditions				
No adverse conditions	4.16	80.14	15.70	100
Rain, mist, drizzle and winds	3.07	79.82	17.11	100
Light Conditions				
Daylight	3.20	80.05	16.76	100
Dawn and dusk	3.23	78.23	18.53	100
Dark-street light on	4.43	80.34	15.22	100
Dark-no street lights	8.14	76.08	15.78	100
Crash Class				
Other non-collision	2.51	84.10	13.39	100
Overtaken	2.93	86.79	10.28	100
Collision w/ other MV	4.38	74.73	20.89	100
Collision w/ animal	5.47	73.63	20.90	100
Collision w/ fixed object	5.83	84.93	9.23	100
Day of the Week				
Weekdays	3.80	79.77	16.43	100
Weekends	4.71	80.71	14.59	100
Substance Abuse				
Alcohol contributing to crash	6.32	88.16	5.53	100
Riders under the influence of alcohol	11.40	85.11	3.55	100

Table 4.4 Percentages of Different Crash Severities for Different Factors for Motorcycles in Kansas, 2004-2008. (Continued)

Motorcycle Crash Severity	Fatal	Injury	PDO	Total
Contributing Circumstances				
Driver	5.45	81.62	12.93	100
Environment	4.95	78.07	16.98	100
Crash Location				
Non-intersection-on roadway	3.98	81.77	14.25	100
Intersection-on roadway	4.23	80.45	15.33	100
Intersection-related-on roadway	3.04	75.64	21.31	100
Parking lot-driveway access-on roadway	3.07	78.26	18.67	100
Interchange area-on roadway	3.31	76.16	20.53	100
Roadside-including shoulder-off roadway	8.01	80.62	11.37	100
Surface Characteristics				
Straight and Level	2.84	79.89	17.27	100
Straight and grade	6.17	78.33	15.50	100
Straight at hillcrest	9.78	73.91	16.30	100
Curve and level	5.55	84.08	10.38	100
Curve and grade	5.58	83.26	11.16	100

Overtaken crashes had the highest share of injury crashes. Motorcycle crashes occurring during weekends had higher likelihood of fatalities than those during weekdays. When motorcyclists were under the influence of alcohol, the crashes are more likely to end-up as fatal crashes as compared to PDO crashes. Motorcycle riders contributed more to fatal motorcycle crashes than the environment. A similar finding was found for crashes where motorcyclists sustained injury and survived. However, the contribution of environment to property damage crashes was higher than that of riders. For example, roadside areas and shoulder-off roadways had the highest percentage of crash fatalities. When surface characteristics were considered, the highest percentage of fatal motorcycle crashes occurred on straight surfaces at hillcrests.

4.2.2 Contingency Table Analysis

Chi-Square test or contingency table analysis was performed to assess significant relations between different factors and motorcycle crash severity. From results presented in Table 4.5, it was evident that most of the factors were related to motorcycle crash severity. Only weather conditions, day of the crashes, and on-road surface types did not have any effect on motorcycle crash severity in Kansas. Gender and severity of the crash were significantly related only at the $p < 0.1$ level but all other factors and motorcycle crash severities were related at the $p < 0.01$ or 99% confidence level.

When motorcycle maneuvers were considered for fatal crashes, a majority of the motorcycles were following the road straight and 13.29 % were making left turns at the time of the crash. The χ^2 value indicates a higher level of interdependency between crash severity and motorcycle maneuvers.

The gender distribution showed that male riders were more likely to be involved across all types of crashes than female riders. Riders in their twenties comprised 22.47% of motorcycle fatalities, followed by riders in their forties (19.28%). A majority of motorcycle riders involved in fatal crashes belonged to the 20-29 years age category with 22.47 %. Age groups of motorcycle riders are also related to the motorcycle crash severity with high Chi-Square value.

Among the riders using safety equipment, only 9.23 % of motorcycle riders involved in fatal motorcycle crashes were wearing helmets only at the time of the crashes, whereas the usage percentages were higher for injury and no-injury crashes. When helmet usage was considered, only 16.53% of the motorcycle riders involved in fatal crashes were wearing helmets. Higher levels of interdependency were evident between different types of safety equipment used and

crash severity. The chi-square value also indicated interdependence between helmet usage and motorcycle crash severity.

Table 4.8 Contingency Table Analysis for Motorcycle Crash Severity and Various Factors in Kansas, 2004-2008

Description	Fatal		Injury		Property Damage Only		Total
	Number	%	Number	%	Number	%	
Motorcycle maneuver							
Straight following road	232	73.42	3,688	68.07	707	64.74	4,627
Left turn	42	13.29	773	14.27	160	14.65	975
Right turn	9	2.85	235	4.34	61	5.59	305
Overtaking	11	3.48	95	1.75	23	2.11	129
Aggressive maneuver	14	4.43	338	6.24	55	5.04	407
Slowing or stopping	8	2.53	289	5.33	86	7.88	383
Total	316	100.00	5,418	100.00	1092	100.00	6,826
Chi-Square value = 33.08 DF = 10 P = 0.0003							
Gender							
Male	328	72.4	5,420	73.5	1131	71.67	6,879
Female	125	27.59	1,954	26.49	447	28.32	2,526
Total	453	100.00	7,374	100.00	1578	100.00	9,405
Chi-Square value = 4.71 DF = 2 P = 0.095							
Age (years)							
16 to 19 years	115	15.29	1,742	14.27	396	14.92	2,253
20 to 29 years	169	22.47	3,223	26.41	736	27.73	4,128
30 to 39 years	119	15.82	2,236	18.32	476	17.94	2,831
40 to 49 years	145	19.28	2,401	19.67	494	18.61	3,040
50 to 59 years	109	14.49	1,618	13.26	354	13.34	2,081
60 to 69 years	63	8.38	577	4.73	114	4.3	754
70 and above years	32	4.26	407	3.33	84	3.17	523
Total	752	100.00	12,204	100.00	2654	100.00	15,610
Chi-Square value = 35.33 DF = 12 P = 0.0004							
Type of Safety Equipment Used							
MC helmet and eye protection	39	15	1,021	20.47	209	18.3	1,269
MC eye protection	88	33.85	1,347	27	229	20.05	1,664
MC helmet	24	9.23	679	13.61	132	11.56	835
Shoulder lap	109	41.92	1,942	38.93	572	50.09	2,623
Total	260	100.00	4,989	100.00	1142	100.00	6,391
Chi-Square value = 63.29 DF = 6 P < 0.0001							
Helmet Usage							
Helmet used	39	16.53	1021	23.69	209	20.69	1,269
No use of helmet	197	83.47	3289	76.31	801	79.31	4,287
Total	236	100.00	4310	100.00	1010	100.00	5,556
Chi-Square value = 9.75 DF = 2 P = 0.004							

Table 4.5 (Continued)

Description	Fatal		Injury		Property Damage Only		Total
	Number	%	Number	%	Number	%	
Weather Conditions							
No adverse conditions	207	96.73	3,991	95.64	782	95.25	4,980
Rain, mist, or drizzle	3	1.40	106	2.54	28	3.41	137
Strong winds	4	1.87	76	1.82	11	1.34	91
Total	214	100.00	4,173	100.00	821	100.00	5,208
Chi-Square value = 4.22 DF = 4 P = 0.6373							
Light Conditions							
Daylight	197	57.43	4,934	69.40	1033	70.13	6,164
Dawn n dusk	15	4.37	363	5.11	86	5.84	464
Dark-street light on	67	19.53	1,214	17.08	230	15.61	1,511
Dark-no street lights	64	18.66	598	8.41	124	8.42	786
Total	343	100.00	7,109	100.00	1473	100.00	8,925
Chi-Square value = 51.09 DF = 6 P<0.0001							
Crash Class							
Other non-collision	12	5.66	402	9.81	64	7.98	478
Overtuned	37	17.45	1,097	26.77	130	16.21	1,264
Collision w/ other MV	98	46.23	1,671	40.78	467	58.23	2,236
Collision w/ animal	17	8.02	229	5.59	65	8.10	311
Collision w/ fixed object	48	22.64	699	17.06	76	9.48	823
Total	212	100.00	4,098	100.00	802	100.00	5,112
Chi-Square value = 261.57 DF = 8 P<0.0001							
Day of the week							
FR	26	11.98	663	15.77	141	17.07	830
SA	53	24.42	850	20.22	159	19.25	1,062
SU	39	17.97	727	17.3	126	15.25	892
MO	21	9.68	452	10.75	82	9.93	555
TU	22	10.14	470	11.18	97	11.74	589
WE	30	13.82	532	12.66	121	14.65	683
TH	26	11.98	509	12.11	100	12.11	635
Total	217	100.00	4,203	100.00	826	100.00	5,246
Chi-Square value = 10.21 DF = 12 P=0.5978							
Times of Crashes (hours)							
0000 to 0259	21	9.68	251	5.98	42	5.08	314
0300 to 0559	6	2.76	83	1.98	17	2.06	106
0600 to 0859	9	4.15	302	7.19	66	7.99	377
0900 to 1159	19	8.76	403	9.60	77	9.32	499
1200 to 1459	30	13.82	769	18.31	138	16.71	937
1500 to 1759	57	26.27	1,108	26.38	231	27.97	1,396
1800 to 2059	32	14.75	814	19.38	162	19.61	1,008
2100 to 2400	43	19.82	470	11.19	93	11.26	606
Total	217	100.00	4,200	100.00	826	100.00	5,246
Chi-Square value = 29.89 DF = 14 P=0.0079							

Table 4.5 (Continued)

Description	Fatal		Injury		Property Damage Only		Total
	Number	%	Number	%	Number	%	
Contributing Circumstances							
Driver	312	93.69	4,671	93.38	740	91.13	5,723
Environment	21	6.31	331	6.62	72	8.87	424
Total	333	100.00	5,002	100.00	812	100.00	6,147
Chi-Square value = 5.69 DF = 2 P=0.0579							
On-Road Surface Characteristics							
Straight and level	94	45.63	2,641	63.59	571	70.41	3,306
Straight and grade	45	21.84	571	13.75	113	13.93	729
Straight at hillcrest	9	4.37	68	1.64	15	1.85	92
Curve and level	31	15.05	470	11.32	58	7.15	559
Curve and grade	27	13.11	403	9.70	54	6.66	484
Total	206	100.00	4,153	100.00	811	100.00	5,170
Chi-Square value = 57.96 DF = 8 P<0.0001							
On-Road Surface Types							
Concrete	51	23.83	1,070	26.28	222	28.28	1,343
Blacktop	163	76.17	3,001	73.72	563	71.72	3,727
Total	214	100.00	4,071	100.00	785	100.00	5,070
Chi-Square value = 2.16 DF = 2 P= 0.34							
Crash Location							
Non-intersection-on roadway	91	42.52	1,870	44.94	326	39.61	5,141
Intersection-on roadway	51	23.83	971	23.34	185	22.48	1,365
Intersection-related-on roadway	19	8.88	472	11.34	133	16.16	2,539
Parking lot-driveway access-on roadway	12	5.61	306	7.35	73	8.87	175
Interchange area-on roadway	10	4.67	230	5.53	62	7.53	115
Roadside-including shoulder-off roadway	31	14.49	312	7.50	44	5.35	206
Total	214	100.00	4,161	100.00	823	100.00	9,541
Chi-Square value = 47.47 DF = 10 P<0.0001							

When it came to the weather conditions, almost all fatal, injury, and no-injury, motorcycle crashes occurred during non-adverse weather conditions. No interdependence was found from the chi-square value between weather conditions and motorcycle crash severity. A majority of fatal motorcycle crashes occurred in daylight. Light conditions during crashes were significantly

related to motorcycle crash severity. 46.23% of fatal motorcycle crashes involved in collisions with other motor vehicles. A higher chi-Square value indicated strong interdependence between crash classes and crash severity. Although Saturday was the day with the highest percentage of fatal motorcycle crashes (24.42 %), no relation was found between day of the crashes and crash severity. But high chi-Square value indicated strong dependence between times of crashes and motorcycle crash severities. Drivers or motorcycle riders contributed to a majority of the fatal motorcycle crashes (93.69 %), and contributory circumstances was found to be related to motorcycle crash severity from the Chi-Square value. 46.53% of fatal motorcycle crashes occurred on straight and level roads. On-road surface characteristics were strongly interdependent with motorcycle crash severities. However, no interdependence was found between on-road surface types and motorcycle crash severity. The highest percentage of fatal motorcycle crashes occurred on non-intersection roadways (42.52%). Crashes with different locations had a high chi-Square value, indicating a higher level of interdependency between crash locations and motorcycle crash severities.

4.2.3 Comparison of Characteristics between Motorcycle Crashes and Other Vehicle Crashes

To better understand characteristics of motorcycle crashes in Kansas, several comparisons were produced between motorcycle crashes and other vehicle crashes in Kansas from 1999 to 2008. The average percentage of motorcycle crashes and other vehicle crashes for several factors were compared with the intention of identifying factors which were more common among motorcycle crashes than other vehicle crashes. Trend comparisons were also made between motorcycle crashes and other vehicle crashes from 2004 to 2008 (see Appendix B).

When considering vehicle maneuvers for the 10 year period from 1999 to 2008, a similar distribution for different maneuvers was observed from Figure 4.2. Straight-following roads

involved the highest percentage of crashes for both motorcycles and other vehicles. Other maneuvers also followed pretty much the same pattern for both motorcycle crashes and other vehicle crashes.




Figure 4.2 Average Percentage Comparison between MC and Other Vehicle Crashes for Vehicle Maneuvers

Figure 4.3 presents the trends for different types of maneuvers across motorcycle crashes and those involving other vehicles crashes for the five-year period (2004-2008). The percentage of crashes involving motorcycles was higher than that of other vehicles. In addition, slowing or stopping maneuvers had an increasing trend for motorcycles. However, no trend was consistent for any other maneuvers.




Figure 4.3 Trend of Crashes Involving Motorcycles and Other Vehicles Based on Vehicle Maneuvers

Age for both motorcycle and non-motorcycle drivers involved in crashes were examined as an important factor. There were six categories for age (spanning driver ages from 16 to 70 years or older), which were synthesized into three larger groups: young (29 years old or younger), middle-aged (30 to 59 years old), and older (at least 60 years old). The percentage of involvement in non-motorcycle crashes was higher for younger and older drivers than for those involved in motorcycle crashes (see Figure 4.4). However, middle-aged drivers had higher percentages of involvement for motorcycle crashes.




Figure 4.4 Average Percentage Comparison between Motorcycle and Other Vehicle Crashes by Driver Age

Figure 4.5 shows the trend for young, middle-aged, and older driver crashes for motorcycles and other vehicles. The percentage of crash involvement for middle-aged motorcycle riders was higher than other motor vehicle operators. Over the five-year period, crashes that involve young and middle-aged motorcycle riders did not show any exact trend. However, crashes involving older motorcycle riders yielded an increasing trend, compared to the fairly constant trend of crashes involving older drivers operating other types of vehicles. This may be explained by the significant change in demographic characteristics for motorcycle operators and owners over the last ten years, shifting median age of motorcycle riders from 25 to 41 years old (59). Other vehicle crashes involving young and middle aged-drivers showed a constant trend, compared to the unpredictable trend of motorcycle riders involving those age groups.




Figure 4.5 Trend of Crashes Involving Motorcycles and Other Vehicles Based on Age of the Drivers

Figure 4.6 shows the average percentage comparison between motorcycle crashes and other vehicles crashes for different light conditions. The percentages of motorcycle crashes in dark conditions with streetlights on were higher than those of other vehicle crashes. However, daylight and dark conditions with no streetlights had lower percentages of motorcycle crashes.

Figure 4.7 shows the trend of motorcycle crashes and other vehicle crashes based on different light conditions, which shows an increasing trend of motorcycle crashes in daylight conditions. Conversely, the trend for other vehicle crashes was the opposite. Motorcycle crashes with dark conditions (streetlights on) had a decreasing trend and for other vehicles it was an increasing trend. Because motorcycle riding is a seasonal activity, motorcyclists typically prefer

to ride during sunny and warm weather. Accordingly, the percentage of motorcycle crashes with daylight conditions was the highest.




Figure 4.6 Average Percentage Comparison between Motorcycle and Other Vehicle Crashes Under Different Light Conditions




Figure 4.7 Trends of Crashes Involving Motorcycles and Other Vehicles Based on Light Conditions

Figure 4.8 shows the distribution of different crash classes for motorcycle and other vehicle crashes in Kansas for data from 2004 to 2008. The percentage of overturned motorcycle crashes was considerably higher than those of other vehicles. More crashes involving collisions with fixed objects occurred for motorcyclists than for drivers operating other motor vehicles. However, crashes resulting from motorcycle collisions with other motor vehicles had a lower percentage than for vehicles colliding with other vehicles on the road. This finding can be explained by the increased likelihood of motorcycles to be involved in fatal collisions with fixed objects, compared to other vehicles (25). Trends of motorcycle crashes and other vehicle crashes for these crash classes are represented in Figure 4.9. Trends of overturned motorcycle crashes and

collisions with other motor vehicles remained more or less constant over the time period.

However, an increasing trend can be noticed for motorcycle crashes involved in collisions with fixed objects. This increasing trend was also true for other vehicle crashes involving fixed objects.




Figure 4.8 Average Percentage Comparison between Motorcycle and Other Vehicle Crashes for Crash Classes




Figure 4.9 Trend of Crashes Involving Motorcycles and Other Vehicles Based on Crash Classes

Figure 4.10 shows the distribution of motorcycle and other vehicle crashes occurring on different days of the week. A higher percentage of motorcycle crashes occurred during weekends than other vehicle crashes. The contingency table analysis did not find any significant dependence between motorcycle crash severity and day of the crash. Trends in Figure 4.11 do not display any exact patterns for motorcycle crashes occurring during weekdays or weekends from 2004 to 2008. The percentage of motorcycle crashes remained steady for crashes occurring on weekdays. While the percentage of weekend motorcycle crashes decreased intermediately, it was more or less the same in 2004 and 2008.




Figure 4.10 Average Percentage Comparison between Motorcycle and Other Vehicle Crashes by Day of the Crashes

Figure 4.12 shows the distribution of motorcycle crashes and other vehicle crashes by the time the crashes occurred, which was measured in 3-hour intervals. Motorcycle crashes occurring from 6:00 p.m. to 9:00 p.m., from 9:00 p.m. to 12:00 a.m., and from 12:00 a.m. to 3:00 a.m. had higher incidence percentages compared to other vehicle crash percentages.




Figure 4.11 Trend of Crashes Involving Motorcycles and Other Vehicles Based on Day of the Crashes

The trend for the time period from 9:00 p.m. to 12:00 a.m. showed a decreasing pattern over time, compared to the steady pattern for other vehicle crashes (Figure 4.13). However, the time period from 6:00 pm to 9:00 pm did not yield a consistent pattern.




Figure 4.12 Average Percentage Comparison between Motorcycle and Other Vehicle Crashes in Kansas for Time of the Crashes, 1999-2008




Figure 4.13 Crashes Involving Motorcycles and Other Vehicles Based on Time of the Crashes

Figure 4.14 shows that the percentage of motorcycle crashes influenced by driver-related factors was higher than other vehicle crashes. However, it is important to note that driver-related factors predominantly contributed reason to both types of crashes. Environmental factors contributed to a lower percentage of motorcycle crashes than other vehicle crashes. The percentage of motorcycle crashes contributed by the environment did not show any trend (Figure 4.15). However, motorcyclist driver contributions to crashes displayed a decreasing trend from 2004 to 2008, potentially due to motorcycle riders becoming more careful and using various types of safety gear.




Figure 4.14 Average Percentage Comparison between Motorcycle and Other Vehicle Crashes for Contributing Factors




Figure 4.15 Trends of Crashes Involving Motorcycles and Other Vehicles Based on Contributing Factors

Figure 4.16 shows all driver contributory factors where the percentage of motorcycle crashes was higher than that of other vehicle crashes. Driver-related factors linked to this higher percentage for motorcycle crashes included riding under the influence of alcohol, exceeding speed limits, driving too fast for existing conditions, and using evasive actions.




Figure 4.16 Average Percentage Comparison between Motorcycle and Other Vehicle Crashes for Driver Contributory Factors

Figure 4.17 shows the percentage of motorcycle and other vehicle crashes based on road surface characteristics. The percentage of motorcycle crashes occurring on straight and level roads was lower than for other vehicle crashes. Conversely, motorcycle crashes accounted for higher percentages of crashes when roads were either curved and level or graded and curved. Trends for motorcycle crashes occurring on curved and level or curved on grade roads did not follow any pattern over the time period from 2004 to 2008 (Figure 4.18). The Chi-Square test showed a higher level of interdependency between on-road surface characteristics and motorcycle crash severity (Table 4.5).

Figure 4.19 shows that the percentage of non-intersection motorcycle crashes was higher than other vehicle crashes. However, the percentage of motorcycle crashes at intersections was lower, than those of other vehicle crashes, which may be due to the tendency of many motorcyclists to ride at higher speeds on non-intersection roadways. A similar trend was shown

for both types of crashes over the five-year period in Figure 4.20. Also, the Chi-Square test showed a higher level of interdependency between crash location and motorcycle crash severity.




Figure 4.17 Average Percentage Comparison between Motorcycle and Other Vehicle Crashes for On-Road Surface Characteristics




Figure 4.18 Trend of Crashes Involving Motorcycles and Other Vehicles Based on On-Road Surface Characteristics




Figure 4.19 Average Percentage Comparison between Motorcycle and Other Vehicle Crashes for Crash Location




Figure 4.20 Crashes Involving Motorcycles and Other Vehicles Based on Crash Location

The influence of factors, such as time, vehicle maneuvers, and driver characteristics on the outcomes of crashes involving motorcycles can significantly vary from that of crashes involving

other types of vehicles. For example, the percentage of motorcycle crashes was higher during the weekends compared to other vehicles crashes. Similarly, certain vehicle maneuvers (straight following road, U turn, or overtaking) and most driver characteristics are also linked to a greater percentage of motorcycle crashes.

4.2.4 Univariate Logistic Regression

Univariate logistic regressions were conducted to identify important characteristics affecting fatal motorcycle crashes in Kansas. One subcategory for every factor was treated as a reference group. Subcategory odds ratios were compared to the reference group odds ratios to understand the relative effect of those factors on fatal motorcycle crashes in Kansas, $p < .01$ (see Table 4.6). Odds ratio for a subcategory resulting in greater than unity, compared to the reference group, indicates higher likelihood of that subcategory affecting motorcycle fatal crashes.

4.2.4.1 Motorcycle Maneuvers

The KARS database also includes information about different types of motorcycle maneuvers, such as straight following road, left or right turn, overtaking, changing lanes, aggressive maneuver, slowing, and stopping. All maneuver types were recorded by police officers at the scene of the crashes from information gathered post-crash. Straight following road was considered as the reference group in this case, and the odds ratio was 1. Results from the study revealed that overhauling maneuvers significantly increased the risk of a fatal crash, with an odds ratio of 1.766. Conversely, that risk significantly lessened for slowing or stopping maneuvers: odds ratios were .404, respectively. When compared to the reference group, the odds of a fatal motorcycle crash increased by approximately 77% for overtaking, whereas it decreased by almost 60% for slowing or stopping maneuvers. These results are realistic as the overtaking is

likely to increase the chance of getting involved in a more severe crash. On the other hand, slowing or stopping might potentially reduce the risk of motorcycle fatal crashes.

Table 4.9 Results of Univariate Logistic Regression of Motorcycle Fatal Crashes in Kansas

Factors and their sub-categories	Odds Ratio	Pr>Chisq	95% CI	
MC MANEUVER (Reference group = Straight following road)				
Left turn	0.853	0.3532	0.609	1.194
Right turn	0.576	0.1098	0.293	1.133
Overtaking	1.766	0.0776*	0.939	3.322
Chasing lanes	0.436	0.1033	0.16	1.184
Aggressive maneuver	0.675	0.1605	0.39	1.169
Slowing or stopping	0.404	0.0127*	0.198	0.824
GENDER (Reference group = male)				
Female	1.04	0.715	0.842	1.285
AGE GROUP (Reference group = 30 to 39 years)				
16 to 19 years	0.882	0.5383	0.591	1.1316
20 to 29 years	1.169	0.3403	0.848	1.612
40 to 49 years	1.362	0.0676*	0.978	1.896
50 to 59 years	1.318	0.1245	0.927	1.875
60 to 69 years	2.317	<0.0001*	1.551	3.461
70 years and above	1.592	0.0857*	0.937	2.704
TYPES OF SAFETY EQUIPMENTS USE (Reference group = No use of motorcycle helmet)				
MC Helmet	0.614	0.0265*	0.4	0.945
MC Helmet and eye protection	0.658	0.019*	0.464	0.934
LIGHT CONDITIONS (Reference group = daylight)				
Dawn and dusk	1.012	0.9654	0.593	1.725
Dark-street light on	1.405	0.0185*	1.059	1.865
Dark-no street lights	2.685	<0.0001*	2.004	3.597
TIME OF THE CRASHES (Reference group = 0300 to 0600 hours)				
0000 to 0300 hours	1.195	0.7095	0.469	3.044
0600 to 0900 hours	0.408	0.0959*	0.142	1.172
0900 to 1200 hours	0.66	0.3872	0.257	1.694
1200 to 1500 hours	0.551	0.1949	0.224	1.357
1500 to 1800 hours	0.709	0.437	0.299	1.686
1800 to 2100 hours	0.546	0.1861	0.223	1.339
2100 to 2400 hours	1.273	0.5909	0.528	3.07
OR SURFACE CHARACTERISTICS (Reference group =straight and level)				
Straight on grade	2.248	<0.0001*	1.561	3.238
Straight at hillcrest	3.705	0.0003*	1.808	7.595
Curved and level	2.006	0.001*	1.323	3.042
Curved on grade	2.019	0.0017*	1.301	3.132
CRASH LOCATION (Reference group = interchange are on roadway)				
Non-intersection-on roadway	1.21	0.5738	0.623	2.351
Intersection-on roadway	1.288	0.4718	0.646	2.568
Intersection-related-on roadway	0.917	0.8273	0.421	1.997
Parking lot-driveway access-on roadway	0.925	0.8569	0.394	2.17
Roadside-including shoulder-off roadway	2.544	0.0121*	1.227	5.275
WEATHER CONDITIONS (Reference group = no adverse conditions)				
Rain, mist, drizzle, and winds	0.731	0.4218	0.34	1.571

Table 4.6 (Continued)

Factors and their sub-categories	Odds Ratio	Pr>Chisq	95% CI	
CRASH CLASS (Reference group= other non-collision)				
Overtuned	1.171	0.6391	0.605	2.265
Collision w/ other MV	1.78	0.063*	0.969	3.269
Collision w/ animal	2.245	0.0353*	1.057	4.769
Collision w/ fixed object	2.405	0.0075*	1.265	4.575
DAY OF THE WEEK FOR CRASHES (Reference group =Monday)				
FR	0.822	0.5125	0.458	1.477
SA	1.336	0.2717	0.797	2.238
SU	1.163	0.5854	0.677	1.998
TH	1.086	0.7837	0.604	1.952
TU	0.987	0.9655	0.536	1.815
WE	1.168	0.5924	0.661	2.064
CONTRIBUTORY FACTORS (Reference group = driver)				
Environment	0.904	0.6616	0.574	1.422
SUBSTANCE ABUSE (Reference group = alcohol present among the riders)				
Alcohol contributing to motorcycle crash	0.527	0.0586*	0.271	1.024

CI = Confidence Interval

* (statistically significant at 90% confidence level)

4.2.4.2 Gender

This study found that the odds ratio of female motorcycle occupants, including riders and passengers was slightly higher than male motorcycle occupants in Kansas. Previous studies have shown that women have a higher probability of more severe injuries, compared to men (38). However, this study found that, when compared to male occupants, the odds of a fatal motorcycle crash for women occupants increased only by 4%, which was not statistically significant.

4.2.4.3 Age Group

Age for motorcyclists was divided into several sub-groups. Previously, Mannering and Grodsky found that being 26 to 39 years old were positively associated with medium-risk categories of injury (33). In light of this, the reference age group for this study was those between 30 to 39 years. Results showed that motorcyclists aged 40-49 years, 60-69 years as well as those over 70 years old had considerably higher odds of being in a fatal crash. When compared to the

reference group, those aged 60-69 years were over 200 % more likely to be involved in a fatal crash, $p < 0.1$. Similarly, others also found that older motorcyclists had an increased likelihood of fatalities and disabling injuries (36). Although older motorcyclists are less likely to crash or to speed, they tend to sustain more severe injuries, should a crash occur. Demographics for motorcycle buyers and operators may also account for the increased number of severe crashes in older age groups. According to, motorcycles are more likely to be purchased by those over 35 years old. Moreover, the rate of fatalities for riders 40 years old and older has risen from 14% in 1990 to 45% in 2003 (59).

4.2.4.4 Types of Safety Equipment Used

This factor was subcategorized into motorcycle helmet and eye protection, motorcycle helmet only, and no use of motorcycle helmet, which were the safety equipment typically used by motorcyclists in Kansas. The reference group was chosen as the “no use of motorcycle helmet” to examine the effect of helmet use and non-use. The requirements for the no-helmet condition included simultaneous shoulder and lap belt use and only using the lap belt, as well as only using eye protection or deployed airbags. Results showed that helmet use, either alone or with eye protection, significantly lowered the risk of motorcycle fatal crashes. When compared to the no-helmet condition, the odds ratio for helmet use (0.614) indicated that wearing a helmet significantly decreased the risk of fatal crashes by almost 40%, $p < 0.10$. Similarly, the odds ratio for simultaneous helmet and eye protection use (0.658), showed a significant decrease in risk of almost 35%, $p < 0.10$.

4.2.4.5 Light Conditions

Light conditions during the time of the crashes were also considered to conduct logistic regression relating to crash fatalities. Light conditions were divided into four subcategories as

daylight, dawn and dusk, dark-streetlight on, and dark-no streetlights. The daylight condition was used as the reference group to examine the effects of other light conditions. It was found all other light conditions had a higher risk of fatal motorcycle crashes, $p < 0.10$. The odds ratios for dark-streetlight on and dark-no streetlights were 1.405 and 2.685, respectively. When compared to daylight conditions, odds of a fatal motorcycle crash increased more than 200% for dark conditions with no streetlights.

4.2.4.6 Time of Crashes

The time at which the crash occurred was measured with dummy variables representing 3-hour time intervals, using late night (3-6 a.m.) as the reference time period. When compared to the reference time period, most time periods showed odds ratios less than 1, except for 9 p.m.-12:00 a.m. and 12:00 -3:00 a.m. One daytime period, 6:00-9:00 a.m., showed decreased odds by approximately 60% of a fatal crash, compared to the reference group, $p < 0.10$. In sum, more fatal crashes occurred from nighttime to early morning periods than during the day, a result similar to findings from a previous study (37).

4.2.4.7 On-Road Surface Characteristics

Results indicate that on-road surface characteristics played an important role when it came to the risk of motorcycle fatal crashes. Compared to straight and level roads, which was the reference group, all other types of road characteristics significantly increased the risk of involvement in motorcycle fatal crashes. Road surfaces that were straight at hillcrests had an odds ratio of 3.705, reflecting a huge increase in the risk of fatal crashes. All odds ratio results for straight on-grade (2.248), curved and level (2.006), and curved on-grade (2.019) roadways were significant, $p < 0.10$. While operating a motorcycle is easier on straight and level roads, skill and

experience are required to maneuver roads at hillcrests or curved on-grades, which are characteristics associated with increased risk of fatal motorcycle crashes.

4.2.4.8 Weather Conditions

This analysis accounted for two types of weather conditions: no adverse conditions (reference group) and adverse conditions (e.g., rain, mist, drizzle and winds). The odds ratio for adverse weather conditions was less than 1, which was not statistically significant. This result reflects the tendency of riders to operate motorcycles when the weather is good, clear, and sunny.

4.2.4.9 Crash Locations

The reference group considered in the crash locations factor was “interchange present on roadway” when the crash took place. The odds of a motorcycle fatal crash increased more than 250% for “roadsides including shoulder” compared to the reference group. This result was statistically significant at a level of $p < 0.1$.

4.2.4.10 Crash Classes

Crash class was important to understand the characteristics of motorcycle crashes in Kansas. The reference group in this case was non-collision motorcycle crashes. Results demonstrate that, compared to non-collision crashes, all other crash classes had higher risks of motorcycle fatal crashes. Collisions with animals ($p = 0.0353$) and fixed objects ($p = .0075$) had odds ratios of more than 200% for a motorcycle fatal crash. The odds ratio for collisions with other motor vehicles was 1.78, $p = 0.063$.

4.2.4.11 Day of the Week for Crashes

All days in a week were considered for motorcycle fatal crashes occurring in Kansas, where Monday was the reference day. No significant effect of days of the week on fatal

motorcycle crashes in Kansas. Though results showed the odds ratio was higher for Wednesday, Thursday, Saturday, and Sunday, but there was no statistical significance.

4.2.4.12 Contributing Circumstances

Only two categories were considered for contributing causes as driver and environment, even though there were other categories like pedestrians, vehicles, at-road conditions, on-road conditions, etc. When compared to driver characteristics, the odds ratio for the environment was lower at 0.904, but not statistically significant.

4.2.4.13 Substance Abuse

The KARS database contains six categories which cover the contributions of alcohol, illegal drugs, and medications to motorcycle crashes. Frequencies for illegal drugs and medications were too low to consider for logistic regression. Consequently, the only two categories considered in this case were the alcohol contributing to the crashes and alcohol present in the blood of riders at the time of crashes. Alcohol present during the crashes was considered as the reference group to examine the effect of alcohol contributing to fatal motorcycle crashes. Alcohol's presence during the crashes refers to those crashes where motorcycle riders were under the influence of alcohol. Results revealed the odds ratio for alcohol contributing to motorcycle fatal crashes was lower than the presence of alcohol during the crash, $p < 0.10$.

4.3 Motorcycle Safety Survey

4.3.1 Survey Responses

Analysis and results based on the motorcycle riders' survey are discussed in this section whereas the survey form is provided in Appendix C. As the first step, simple percentages were calculated for the survey questions to understand the overall situation. 98% of the respondents were registered motorcycle owners in Kansas (see Tables 4.7 and 4.8). The majority of the

respondents owned Harley-Davidsons (42%), followed by Honda owners (42%) and Kawasaki owners (12%). Seventy-one percent of the respondents owned a motorcycle with model year between 2000 -2010. Thirty-five percent of the respondents owned a motorcycle with a 1001-1500cc sized engine, whereas 30% of respondents owned motorcycles with an engine size greater than 1500cc. Among respondents who were Kansas motorcycle riders, both touring and cruiser type of motorcycle riding was dominant with 32% each. Data from the motorcycle riding experience questions revealed that 46% of the respondents had been riding motorcycles for over 20 years, followed by those with five years or less (27%) and between five to 10 years (17%). When it came to motorcycle riding exposure, 24% of the motorcycle riders were riding between 5,000 to 7,999 miles per year, the highest percentage. Respondents riding between 3,000 to 4,999 miles per year closely followed with 21%. Thirty-two percent of the respondents commonly travel on two-lane, out-of- town roadways, whereas 30% of the respondents commonly travel on city/town roads. When it came to the primary reason for riding motorcycles, a majority of the respondents (55%) were riding for recreational purposes.

Table 4.10 Frequencies and Percentage of Responses to General Survey Questions by Motorcycle Riders

Question	Frequency	Percentage
<i>Are you a registered motorcycle owner?</i>		
Yes	267	98%
No	5	2%
<i>What is the brand of your current motorcycle?</i>		
Honda	47	17%
Yamaha	28	10%
Harley Davidson	115	42%
Suzuki	25	9%
Kawasaki	32	12%
BMW	6	3%
Others	19	7%
<i>What is your motorcycle model year?</i>		
Before 1980	10	4%
1980-1984	8	3%
1985-1989	11	4%
1990-1994	13	5%
1995-1999	37	13%
2000-2010	191	71%
<i>What is the engine size of your motorcycle?</i>		
500cc or less	18	7%
501-1000cc	71	27%
1001-1500cc	92	35%
More than 1500c	83	31%
<i>Which of the following types of motorcycles do you ride most frequently?</i>		
Touring	87	32%
Sport	50	19%
Standard	27	10%
Cruisers	86	32%
Dual	8	3%
Others	10	4%
<i>How long have you been riding motorcycles?</i>		
0-5 years	65	27%
5-10 years	42	17%
10-15 years	10	4%
15-20 years	16	6%
more than 20 years	112	46%

Table 4.11 Frequencies and Percentage of Responses to General Survey Questions by Motorcycle Riders

Question	Frequency	Percentage
<i>Approximately How many miles did you ride in the past year?</i>		
1,000 or less	36	15%
1,000-2,999	46	19%
3,000-4,999	52	21%
5,000-7,999	59	24%
8,000-10,000	26	11%
above 10,000	27	10%
<i>What type of roadway do you commonly travel by motorcycle?</i>		
City/Town Roads	190	30%
Two-Lane Out of Town	202	32%
Interstate/Divided Highway	162	24%
Rural Road	87	14%
<i>What is the primary reason for riding a motorcycle?</i>		
To make task related trips	40	11%
Recreational purposes	193	55%
To get good mileage	68	19%
As it is fast and maneuverable	25	7%
For its easiness of parking	28	8%
<i>How frequently do you ride motorcycles?</i>		
Everyday	46	18%
During weekend only	24	10%
1-3 days a week	97	39%
4-6 days a week	81	33%
<i>What type of weather do you most prefer while riding motorcycle?</i>		
Hot and Sunny	100	35%
Rainy	3	1%
Cold	7	2%
Humid	7	2%
Mild	174	60%

Most motorcyclists reported riding at least 2-3 days a week, whereas only 18% rode every day. Also of note, the percentage of weekend-only riders was significantly lower (10%) than the percentage of motorcycle crashes occurring over the weekend (33%) in Kansas during 2004-

2008. Sixty percent of the respondents rode motorcycles in mild weather with only 35% riding in hot and sunny weather. When considering motorcycle crashes under different weather conditions in Kansas, it also showed a similar trend where almost 96% of crashes occurred during no adverse weather conditions.

Table 4.9 shows the frequencies and relevant percentages pertaining to demographic, social-economic, and educational background-related questions. Of motorcyclist respondents, 91% were male. The age distribution for this sample shows that at least two-thirds of respondents were at least 43 years old or older. Of respondents, 12% were between the ages of 34 and 42 years, 8% between the ages of 25 and 33 years, and 16% between the ages of 16 and 25 years. The age distribution across motorcyclist crashes in Kansas (2004-2008) reveals that 40% of victims were over 40 years old. In addition, although only around 22 % of respondents were 40 years old or younger, this group accounted for approximately 60% of crash fatalities.

The survey also asked questions about respondents' educational, marital, and occupational experiences. All respondents had at least been to high school and there were no respondents without any formal schooling. Forty-four percent of the respondents reported some college education while 20% had graduate college experience. As for the marital status of the respondents, 62% were married, with 20% single and 15% separated or divorced or widowed. Seventy percent of the respondents work full time while 15% were students. Most of the motorcycle riders' annual household income was greater than \$19,999 (86%), and a majority of the respondents (58%) had a household income of \$60,000 or greater.

Table 4.12 Frequencies and Percentage of Responses to Demographic, Socio-Economic, and Economic Background-Related Questions by Motorcycle Riders

Question	Frequency	Percentage
<i>Your gender?</i>		
Male	224	91%
Female	23	9%
<i>Your age (in years)?</i>		
16-24	38	16%
25-33	20	8%
34-42	29	12%
43-51	64	26%
52 and above	94	38%
<i>Marital status?</i>		
Single (never married)	54	23%
Married/living with partner	148	62%
Separated/divorced/widowed	36	15%
<i>Your educational qualifications?</i>		
No formal schooling	0	0%
High school	35	15%
Some college	105	44%
Four year college	50	21%
Graduate college	48	20%
<i>Present job situation?</i>		
Full-time work	169	70%
Part-time work	18	7%
Student	37	15%
Home maker	2	1%
Pension or unemployed	13	5%
Other (please specify)	3	1%
<i>How much is your household income?</i>		
\$0 to 19,999	32	14%
\$20,000 to 39,999	30	13%
\$40,000 to 59,999	32	14%
\$60,000 or above	132	58%

Table 4.13 Frequencies and Percentage of Responses to Helmet and Helmet Law-Related Questions by Motorcycle Riders

Question	Frequency	Percentage
<i>Did you wear a helmet riding a motorcycle on public roadway last time?</i>		
Yes	105	68%
No	50	32%
<i>How often do you wear a helmet while riding a motorcycle?</i>		
Always	118	48%
Sometimes	72	29%
Seldom	30	12%
Never	27	11%
<i>If you don't always wear a helmet, what are the reasons?</i>		
I'm not worried about having a crash	17	6%
Freedom of choice	108	36%
I don't believe a helmet makes me safer	21	7%
It is too hot	47	16%
It creates problem with my hearing	35	12%
It creates problem with my vision	36	12%
Weather conditions making riding more hazardous	6	2%
Laziness/Forgetfulness	18	6%
Other, specify	14	5%
<i>Do you know what type of helmet law Kansas currently has?</i>		
Mandatory helmet law	4	2%
No law	96	39%
Partial helmet law	134	54%
Don't know	12	5%
<i>What is the main reason you oppose the mandatory helmet law for?</i>		
Helmets are uncomfortable	17	7%
Helmets are not effective in preventing motorcycle crashes	31	12%
Helmets are not safe	5	2%
Waste of government time and resources	34	14%
Personal freedom	146	58%
It creates hearing problem	18	7%

Table 4.14 Frequencies and Percentage of Responses to Helmet and Helmet Law-Related Questions by Motorcycle Riders in Kansas (Continued)

<i>What kind of impact would a mandatory helmet law have on your riding?</i>	Frequency	Percentage
Significantly decrease	24	10%
Somewhat decrease	36	15%
Will have no effect	181	74%
Somewhat increase	3	1%
Significantly Increase	0	0%
<i>Would you support or oppose a law requiring MC riders and passengers to wear helmets?</i>		
Support	88	36%
Oppose	156	64%

Table 4.10 shows helmet and helmet law-related questions and their response frequencies and percentages by the respondents. Sixty-eight percent of respondents said they wore a helmet the last time they were riding before responding to the survey question. 48% said they always wear helmets. However, Kansas crash data from 2004-2008 show that only 32% of motorcyclists involved in crashes were wearing helmets at the time of the crash. Twenty-nine percent reported sometimes wearing helmets, followed by those who seldom wear helmets (12%) and never-wearing helmets (11%).

Respondents were also asked to share the reasons they do not always wear a helmet while riding motorcycles. Of respondents, 36% reported that freedom of choice was the primary reason for not always wearing. Other respondents cited concerns about individual comfort levels – 16% felt too hot to wear a helmet, 12% wanted to avoid potential hearing issues, and 12% believed that wearing a helmet would cause conspicuity problems. When asked about the status of current helmet laws in Kansas, 54% responded correctly, saying Kansas had a partial helmet law in effect. However, 39% of respondents said Kansas did not have any laws about wearing a helmet,

and only 2% thought Kansas had a mandatory helmet law. Respondents also reported their opinions about potential measures to enforce a mandatory helmet law for motorcyclists. 58% of respondents cited personal freedom as the reason for their opposition to a mandatory helmet law in Kansas. Others indicated that such enforcement would waste government time and resources (14%) and that wearing a helmet was not effective in preventing a crash (12%). However, 74% of the respondents believed that enforcing a mandatory helmet law would not affect the amount of their motorcycle riding.

The survey included questions regarding the conspicuity of other drivers on roadways, safety gears motorcyclists used, and crash experience (see Table 4.12). Twenty percent of the respondents said they would make sure all lights were working properly to ensure other motorists' visibility. Nineteen percent of respondents said they would use blinkers, and an additional 19% said that they would stay out of motorists' blind spots. Eleven percent used their horns to ensure other motorists' visibility. Non-helmet safety gear questions revealed that gloves were primarily preferred (33%), followed by special shoes (24%), goggles (16%), and bright-colored or reflective jackets (13%). Only 37% reported having a previous crash experience while riding a motorcycle, whereas 63% said that they had not experienced any motorcycle-related crashes. A similar trend was found for the severity of crash-related injuries – 22% indicated a crash-related fatality, and 46% said no one had been injured.

Table 4.15 Responses to Safety Gears and Crash Experience-Related Questions by Motorcycle Riders

Question	Frequency	Percentage
<i>What special effort do you make while riding to ensure other motorists can see you?</i>		
Make sure all lights are working	230	20%
Use blinkers	221	19%
Wear bright-colored or reflective clothing	104	9%
Stay out of motorists' blind spots	220	19%
Use horn	122	11%
Increase engine noise	94	8%
Hand signal	96	8%
Other (specify)....	50	4%
<i>What other safety gear do you use than a helmet while riding motorcycles?</i>		
Bright-colored or reflective jackets	76	13%
Gloves	196	33%
Goggles	94	16%
Flashing lights	16	3%
Special shoes	143	24%
Others	46	8%
None	15	3%
<i>Have you ever had a crash while riding on a public roadway?</i>		
Yes	90	37%
No	155	63%
<i>What was the worst level of injury sustained by you or someone else involved in a MC crash?</i>		
Someone was killed	39	22%
Treated at scene	31	17%
Someone else was treated at scene	28	16%
No one else was injured	82	46%
<i>What do you feel is the single biggest threat to your own safety while riding a motorcycle?</i>		
Drivers of other vehicles	230	71%
Not wearing a helmet while riding	6	2%
Weather	11	3%
Lack of personal experience	19	6%
Road surface conditions	34	10%
Lack of adequate training	13	4%
Other (specify)....	13	4%

The survey also asked about the perceived safety threats of motorcyclists. Seventy one percent of the respondents thought drivers of other vehicles were the biggest threat to their own safety while riding a motorcycle on a public roadway. Road surface conditions were considered a potential threat to 10% of the respondents.

Respondents were also asked to rate the likelihood of various factors to contribute to crashes. Unlike quantitative type questions, qualitative questions are more difficult to compare. Thus, a common methodology which has been extensively used in the past was used here to evaluate the answers. This method assigns different weights to each factor with selected weights ranging from 0 to 100. Next, an average weighted value was calculated for each factor, which will represent the standpoint of the respondents in a quantitative manner. This number also describes the likelihood of occurrence as a probability. In the last columns of Tables 4.13-15, each question's calculated value for each question is headed as "likelihood of occurrence," indicating the chance of a randomly selected person being in compliance with a particular event. The assigned weights are as below:

- Least - 0
- Not significant - 25
- Average - 50
- Significant - 75
- Most - 100

Accordingly, 30% of the respondents said they considered tipping over as a contributing factor in a motorcycle crash. If randomly selected, a motorcycle rider has a 30 % chance of indicating that tip over contributes to motorcycle crashes. Conflicts with cars were rated the

highest likelihood of occurrence, whereas tip over was the least likely to contribute. The speed at which motorcyclists drive was also considered to be a significant contributor to crashes. Speeding (69%) and going too fast on a curve (72%) was considered to be significant contributors to crashes. Conflict with cars was a contributory factor for 88% of respondents. Weather was also a contributing factor to crashes – 65% of the respondents reported that they thought bad weather could cause a crash. In addition, 51% of the respondents said not being able to see far enough could cause a motorcycle crash on roadways.

Alcohol or drugs was considered as a significant contributing factor by 74% of respondents. Road surface features like pavement markings were considered as a contributory factor to cause motorcycle crashes by 47% of the respondents. Fifty-eight percent of respondents considered both the maintenance issue and misjudged speed of other vehicles as contributory factors to cause a motorcycle crash. Fatigue was considered as a significant contributor to crashes by 55% of respondents. Sixty-three percent of respondents considered distraction as a contributory factor to a motorcycle crash. One important point was that only 32% of respondents thought that not using a helmet would significantly cause motorcycle crashes to occur. 69% considered lack of training as a significant motorcycle crash factor, with, 48% of respondents indicating that overtaking could be the reason for motorcycle crashes. Finally, 63% of respondents considered traffic hazards as a potential factor to cause motorcycle crashes.

Table 4.16 Responses by Motorcycle Riders for Crash Contributing Factors

Contributory Factors	Frequency	Percentage	Likelihood of Occurrence
Tip over			
Most	10	4%	30
Significant	26	11%	
Average	45	19%	
Not significant	70	30%	
Least	81	35%	
Too fast in curve			
Most	58	24%	72
Significant	118	50%	
Average	46	19%	
Not significant	12	5%	
Least	4	2%	
Conflicts with cars			
Most	154	64%	88
Significant	57	24%	
Average	27	11%	
Not significant	3	1%	
Least	0	0%	
Poor road surfaces			
Most	56	23%	72
Significant	112	47%	
Average	64	27%	
Not significant	3	1%	
Least	5	2%	
Bad weather			
Most	42	18%	65
Significant	94	39%	
Average	73	31%	
Not significant	24	10%	
Least	4	2%	
Speed			
Most	68	28%	69
Significant	79	33%	
Average	69	29%	
Not significant	20	8%	
Least	5	2%	
Couldn't see far enough			
Most	10	4%	51
Significant	67	29%	
Average	96	41%	
Not significant	46	20%	
Least	14	6%	

Table 4.17 Responses by Motorcycle Riders for Crash Contributing Factors (continued)

Contributory Factors	Frequency	Percentage	Likelihood of Occurrence
Alcohol or drugs			
Most Significant	101	42%	74
Average	70	29%	
Not significant	42	17%	
Least	16	7%	
	13	5%	
Road surface features			
Most Significant	11	5%	47
Average	50	21%	
Not significant	102	43%	
Least	53	22%	
	23	10%	
Worn tires or maintenance issue			
Most Significant	25	11%	58
Average	82	34%	
Not significant	89	37%	
Least	26	11%	
	16	7%	
Misjudged speed of other vehicles			
Most Significant	19	8%	58
Average	92	38%	
Not significant	88	37%	
Least	28	12%	
	12	5%	
Fatigue			
Most Significant	26	11%	55
Average	70	29%	
Not significant	91	38%	
Least	36	15%	
	17	7%	
Distraction			
Most Significant	42	18%	63
Average	83	35%	
Not significant	83	35%	
Least	22	9%	
	9	4%	

Table 4.18 Responses by Motorcycle Riders for Crash Contributing Factors (Continued)

Contributory Factors	Frequency	Percentage	Likelihood of Occurrence
Not using a helmet			
Most Significant	23	10%	32
Average	25	11%	
Not significant	42	18%	
Least	56	24%	
	92	39%	
Lack of adequate training			
Most Significant	55	23%	69
Average	102	43%	
Not significant	61	26%	
Least	12	5%	
	9	4%	
Overtaking			
Most Significant	14	6%	48
Average	43	18%	
Not significant	108	46%	
Least	50	21%	
	21	9%	
Traffic hazard			
Most Significant	33	14%	63
Average	82	34%	
Not significant	102	43%	
Least	15	6%	
	6	3%	

4.3.2 Differences Based on Age of Respondents

From the survey responses, several factors associated with age of respondents were looked into. When looking at the motorcycle engine size based on age group of the respondents from Figure 4.21, a tendency among younger riders (16-24 years) and older riders (52 years and above) to own high-powered bikes with engine size ranging from 1001cc to 1500cc (cubic centimeters of

displacement) was observed. Riders aged 25 to 33 years owned more bikes with engine size greater than 1500cc (50%) than any other engine size. Younger riders owned lower-powered bikes (10%) more than the riders aging between 25 to 33 years (5%) and 34 to 42 years (6.3%). However, there was no correlation between age of motorcycle riders and motorcycle engine size, ($\chi^2 = 0.36, p = 0.17$).




Figure 4.21 Responses by Motorcycle Riders Based on Different Age Groups for Motorcycle Characteristics (Motorcycle Engine Size)

Results from the survey revealed variation across all age groups for the type of motorcycle operated (see Figure 4.22). Compared to older respondents, those aged 16 to 24 years were more likely to own sport bikes (63.2%) and less likely to own touring and cruiser bikes. However, only 10% of touring bikes were owned by riders between 25 to 33 years, compared to the other older groups. Motorcyclists in their 40s were more likely to own cruisers (40%) and touring bikes (23.3%) than sports bikes (20%). A similar distribution was also found for those in their 50s and 60s. In addition, a high co-relation existed between motorcycle types and rider age ($\chi^2 = 68.91, p$

<0.001). Increased age was positively related to greater utility of touring and cruiser types of bikes. This is understandable, as young riders are more inclined towards sports bikes and older riders choose to ride on touring and cruiser types of motorcycles (3).




Figure 4.22 Responses by Motorcycle Riders Based on Different Age Groups for Motorcycle Characteristics (Motorcycle Types)

A similar tendency was observed among rider groups between 34 to 42 years, 43 to 51 years, and 52 years and above, when it came to riding exposure (Figure 4.23). The younger rider groups from 16 to 33 years preferred to ride on city or town roads. Riders who traveled on two-lane, out-of-town roads most frequently were those aged 34 to 42 years (30.4%), 43 to 51 years (31.8%), and 52 years and older (32.1). However, there was no correlation between type of roadways travelled and motorcyclist age ($\chi^2 = 7.91, p = 0.39$). When it came to riding experience based on age, it was clear that older riders would have more riding experience than younger riders, as indicated by Figure 4.24. For example, older riders (42 to 51 years and 52 years and

above) had riding experience of more than 20 years with percentages of 68.9% and 66.7%, respectively. Further, there was a high correlation between riding experience and age of the motorcycle riders ($\chi^2 = 49.63, p < 0.001$).




Figure 4.23 Responses by Motorcycle Riders Based on Different Age Groups for Motorcycle Riding Exposure (Types of Roadways)




Figure 4.24 Responses by Motorcycle Riders Based on Different Age Groups for Motorcycle Riding Experience

Figure 4.25 presents the percentage likelihood of motorcyclists wearing helmets based on respondent age. The oldest group of riders had the highest percentage of always wearing a helmet (57.9%), whereas those ranging in age from 34 to 42 years old had the highest percentage of not wearing a helmet (17.2%). Across all age groups, 47.8% of respondents reported constant helmet use, whereas only 11% indicated that they never wore a helmet. No significant co-relations were found between helmet usage and the age of the motorcycle riders ($\chi^2 = 6.55, p = 0.34$).




Figure 4.25 Responses by Motorcycle Riders Based on Different Age Groups for Helmet Use

Figure 4.26 shows all age groups had a higher percentage of opposing the mandatory helmet law when compared with supporting the mandatory helmet law. The highest percentage of anti-helmet law riders was comprised of those aged between 34 and 42 years old. Overall, 64.1% of all respondents opposed mandatory helmet legislation in Kansas, compared to 35.9% in support. The rider age group from 34 to 42 years had the highest percentage (78.6%) opposing the mandatory helmet law in Kansas. One point to note is that the percentage (37.8%) supporting the

mandatory helmet law among the youngest rider group, from 16 years to 24 years was higher than riders between 25 to 33 years (20%) and 34 to 42 years (21.4%). There was also no co-relationships between perception of helmet law and age of motorcycle riders ($\chi^2 = 7.28, p = 0.47$). A similar pattern is shown in Figure 4.27 for difficulty executing motorcycle maneuvers across all age groups. 35% of all respondents reported that operating a motorcycle during a thunderstorm was the most difficult maneuver, whereas only 9.2% indicated that low-speed parking maneuvers were most difficult.




Figure 4.26 Responses by Motorcycle Riders Based on Different Age Groups for Helmet Law Opinion




Figure 4.27 Responses by Motorcycle Riders Based on Different Age Groups for Most Difficult Maneuver to Execute

Figure 4.28 represents crash experience based on rider age group for the respondents. Crash experience was measured in two ways: experiencing a crash at any period versus experiencing a crash in the last twelve month period. Overall, 36.33% of the respondents indicated that they had ever crashed or fallen off while the motorcycle was moving. The youngest rider group had a relatively higher percentage (33.3%) of crash experience compared to all other age groups in the past twelve months. In addition, 5.74 % of all respondents reported being involved in a crash within the previous 12-month period.




Figure 4.28 Responses by Motorcycle Riders Based on Different Age Groups for Crash Experience

4.3.3 Crashes and Contributing Factors

Crude odds ratios were calculated and presented in Table 4.16 for some selected variables from the survey questionnaire. The methodology is explained in detail in section 3.2.3. Questions were selected from sections containing items measuring demographic information, general details, exposure, crash-related factors, as well as difficulty to execute maneuvers. Even though answers for the crash-related factors questions were in ordinal format, it can be considered that either the factors had no/least contribution to the crashes or had contributions in some degree to the crashes and therefore were reclassified as a binary (“yes” or “no”) variable. In the marital status situation, it was considered as married vs. single (including divorce, separated, and widowed). For questions with ordinal responses, the first option was selected as the reference group and odds were calculated for others relative to the first.

Odds ratio values are based on respondents who had met with crashes at least once while riding motorcycles on a public roadway and the “respondents” will refer to the same definition hereafter in this discussion. Several crash-related factors had odds ratios greater than 1. The

contribution of poor road surfaces such as potholes or loose gravel to crashes was 2.31 times higher among respondents who thought of it as a contributory factor compared to the others. Speeding was also 2.3 times higher among respondents, compared to those who didn't consider it as a crash contributory factor. Conspicuity problem (couldn't see far enough) as a crash contributory factor was 1.025 times higher among respondents who did consider it as a crash contributory factor compared to the others. Road surface features (e.g., pavement markings) as a crash contributory factor were only 7.3% higher among respondents compared to others who did not judge it as a contributory factor. Odds of worn tires or maintenance issues as contributory factors among the respondents thinking of them as contributory factors were 2.6 times those of respondents not considering these as contributory factors. Distraction and lack of adequate training contributed more than 1.4 times higher among respondents who considered those as crash contributory factors compared to those who did not. When it came to non-use of a helmet while riding as a crash contributory factor, numbers were only 10% higher among the respondents believing it as a contributory factor compared to others who did not think so. Some odds ratios were calculated based on a few demographic questions in order to see how they were related to crash involvement of motorcycle riders in Kansas. When considering motorcycle rider groups based on age, the 16 to 24 years age group was considered the reference group, and odds ratios have revealed that other riders older than the 16 to 24 years group were overly involved in crashes, compared to the reference group.

Table 4.19 Crude Odds Ratio and 95% Confidence Intervals for Crash Involvement

Variable		Odds Ratio	95% Confidence Interval	
Tip over		0.87	0.50	1.53
Poor road surfaces		2.31	0.25	20.98
Speed		2.31	0.25	20.99
Couldn't see far enough		1.02	0.33	3.16
Alcohol or drugs		0.91	0.29	2.86
Road surface features		1.07	0.44	2.64
Worn tires or maintenance issue		2.6	0.72	9.39
Misjudged speed of other vehicles		0.79	0.24	2.56
Fatigue		0.8	0.29	2.18
Distraction		1.14	0.28	4.69
Not using a helmet		1.10	0.64	1.91
Lack of adequate training		1.14	0.28	4.69
Overtaking		0.92	0.36	2.31
Traffic		0.37	0.06	2.26
Married		1.39	0.80	2.42
Age	16-24 years	Reference		
	25-33 years	1.84	0.61	5.60
	34-42 years	1.18	0.43	3.28
	43-51 years	1.35	0.58	3.15
	52 years and above	1.42	0.64	3.16
Income	\$0-19,999	Reference		
	\$20,000-\$39,999	1.91	0.69	5.25
	\$40,000-\$59,999	1.47	0.54	3.99
	\$60,000 and above	0.75	0.32	1.68
Education	High school			
	Some college	0.35	0.16	0.76
	Four year college	0.29	0.12	0.73
	Graduate college	0.34	0.14	0.85
Frequency	Everyday	Reference		
	Weekends only	0.71	0.23	2.16
	1-3 days a week	1.23	0.59	2.59
	4-6 days a week	1.48	0.68	3.10
Exposure	1000 miles or less	Reference		
	1,000 to 2,999 miles	0.75	0.304	1.83
	3,000 to 4,999 miles	0.95	0.40	2.25
	5,000 to 7,999 miles	0.67	0.28	1.57
	8,000 to 10,000 miles	1.2	0.43	3.32
	above 10,000 miles	0.82	0.30	2.29

Furthermore, it is important to highlight that riders aged 25 to 33 years old were 1.84 times higher involvement rate compared to the reference group. A similar pattern can be observed with respect to income levels except those earning \$60,000 or above yearly, who were less likely to be involved in a crash. This might be because higher income people tend to value safety more and take the precautions necessary to avoid crashes by equipping themselves and their bikes with safety gear. Respondents with higher levels of education were less likely to be involved in crashes. Compared to daily riders, weekend-only motorcyclists are also less likely to be in a crash. However, those who rode one to three days per week as well as those who rode three to six days per week had higher involvement rates than daily riders. As the number of miles increased, the likelihood of being involved in a crash lowered, except for those with annual mileages ranging from 8,000 to 10,000 miles. Typically, the lower odds ratio compared to the reference group of 1,000 miles or less was due to the increased number of miles per year increasing their experience.

Respondents were also asked to choose which maneuver was most difficult to execute while operating a motorcycle (see question 31, Appendix C) Table 4.17 shows odds ratios for different motorcycle maneuver difficulties to be executed by the respondents.

Table 4.20 Crude Odds Ratio and 95% Confidence Intervals for Crash Involvement Based on Difficulty Levels of Motorcycle Maneuvers

Variable	Odds Ratio	95% Confidence Interval	
		Lower	Upper
Left turn	1.61	0.80	3.23
Change a lane	0.41	0.05	3.70
Make an exit on freeway	0.27	0.03	2.26
Merge from an exit	0.53	0.17	1.70
Fast swerve	0.93	0.54	1.62
Low-speed parking maneuver	1.34	0.67	2.68
Emergency stopping	1.06	0.63	1.83
Negotiate a curve	0.74	0.25	2.20
Slow down suddenly	1.40	0.64	3.06
Avoid others in way	0.71	0.38	1.33
Riding in thunderstorm	1.01	0.60	1.71

Table 4.17 shows the variations across difficulty levels for motorcycle maneuvers. The odds of rider-perceived difficulties in turning left in front of on-coming traffic were 1.61 times higher compared to those who did not report any difficulty. Similarly, the odds of difficulties associated with low-speed parking maneuvers were 1.34 times higher. Suddenly slowing down was associated with a 40% increased odds ratio for respondents who reported difficulty. Calculated odds ratios for emergency stopping and riding in thunderstorm were 1.06 and 1.01, respectively. Even though the margins were less than five percent for emergency stopping and riding in thunderstorms, it may not be advisable to disregard these completely.

4.4 Analysis Using Ordered Probit Modeling

The ordered probit modeling technique was used to identify factors related to motorcycle rider injury severity. The model was developed to assess motorcycle rider injury severity in Kansas by considering approximately 35 explanatory variables using statistical modeling

software, SAS version 9.2. Table 4.18 shows names, descriptions, and corresponding mean values and standard deviations for all variables.

A 95% confidence level was used for most of the variables to be included in the model in which the probability should be less than 0.05. A 10% confidence level was also used rarely in which the probability level should be less than 0.1. Co-linearity of variables was also checked before considering variables to the model. If a relationship existed, the mean value criterion was used to discard one of the two correlated variables was discarded.

Model results are given in Table 4.19 for motorcycle crashes from 2004 to 2008. Coefficients were estimated using the maximum likelihood method as explained in section 3.2.4. Likelihood Ratio Indexes (LRI) are presented, along with Estrella values, Veal-Zimmermann values, and Mckelvey-Zavoina values. The likelihood ratio index value for the injury severity model is 0.0347. Past studies based on ordered probit modeling involving crash data demonstrate that the goodness-of-fit value, which indicates the degree to which the model explains (or fits) the data, is typically low. For example, the goodness-of-fit value for Quddus and colleagues' motorcycle injury severity model (36) was approximately 0.05, whereas the vehicle crash models developed by Kockelman and Kweon (39) yielded the highest LRI value at approximately 0.08. Therefore, the reliability of the overall model in this study may be considered to be empirically acceptable.

Table 4.21 Description of Variables Considered for Ordered Probit Modeling

Explanatory Variable	Categories of Each Variable	Description	Mean	Standard Deviation
Crash class	1. Overturned	if yes=1, otherwise=0	0.24	0.43
	2. Collision w/ other vehicles	if yes=1, otherwise=0	0.44	0.50
	3. Collision w/ fixed object	if yes=1, otherwise=0	0.15	0.36
	4. other non-collision	Reference case		
Crash location	1. Intersection or related on roadway	if yes=1, otherwise=0	0.35	0.48
	2. No intersection on roadway	if yes=1, otherwise=0	0.43	0.50
	3. Parking lot access	if yes=1, otherwise=0	0.07	0.26
	4. Others	Reference case		
Age of rider (years)	1. Up to 19 years	if yes=1, otherwise=0	0.07	0.26
	2. 20 to 29 years	Reference case		
	3. 30 to 39 years	if yes=1, otherwise=0	0.18	0.39
	4. 40 to 49 years	if yes=1, otherwise=0	0.22	0.41
	5. 50 to 59 years	if yes=1, otherwise=0	0.18	0.39
	6. 60 years and above	if yes=1, otherwise=0	0.10	0.31
Alcohol flag	1. Alcohol flag	if yes=1, otherwise=0	0.09	0.28
Day of the crashes	1. Weekday (Monday to Friday)	if yes=1, otherwise=0	0.37	0.48
Safety equipment used	1. Helmet used	if yes=1, otherwise=0	0.20	0.40
Light conditions	1. Dark during the crash	if yes=1, otherwise=0	0.21	0.41
MC maneuvers	1. Straight-following road	if yes=1, otherwise=0	0.75	0.43
Crashes	1. Multi-vehicle Crashes	if yes=1, otherwise=0	0.43	0.50
On road surface characteristics	1. Straight	if yes=1, otherwise=0	0.80	0.40
	2. Curved	Reference case		
On road surface condition	1. Concrete	if yes=1, otherwise=0	0.26	0.44
Speed	Speed	Continuous	42.89	13.61
Crash time (hours)	1. 0000-0359 hours	if yes=1, otherwise=0	0.07	0.25
	2. 0400-0759 hours	if yes=1, otherwise=0	0.06	0.24
	3. 0800-1159 hours	Reference case		
	4. 1200-1559 hours	if yes=1, otherwise=0	0.27	0.44
	5. 1600-1959 hours	if yes=1, otherwise=0	0.32	0.47
	6. 2000-2359 hours	if yes=1, otherwise=0	0.17	0.38
Weather conditions	1. No adverse conditions	if yes=1, otherwise=0	0.95	0.21
Gender	1. Male	if yes=1, otherwise=0	0.94	0.22

Table 4.22 Results of Ordered Probit Modeling for Motorcycle Rider Injury Severity

Categories of Each Variable	Variable name	Estimate	t value	Approx Pr>t
Overtuned	OT	0.1378	2.82	0.0048
Collision w/ other vehicles	CWV	-0.0362	-0.44	0.6596
Collision w/ fixed object	CWF	0.2897	5.18	<0.0001
Intersection or related on roadway	IORR	0.0194	0.36	0.7188
No intersection on roadway	NOR	0.0339	0.69	0.4929
Parking lot access	PLA	0.0332	0.45	0.6531
Up to 19 years	AGE1	0.3327	5.26	<0.0001
30 to 39 years	AGE2	-0.0133	-0.28	0.7762
40 to 49 years	AGE3	0.0483	1.08	0.2787
50 to 59 years	AGE4	-0.1179	-2.52	0.0117
60 and above years	AGE5	-0.2311	-4.05	<0.0001
Alcohol flag	ALCO	0.5949	10.58	<0.0001
Weekday (Monday to Friday)	WEEKDAY	0.0388	1.22	0.2226
Helmet used	HU	-0.0697	-0.57	0.0364
Dark during the crash	DARK	-0.0383	-0.9	0.3675
Straight following road	STRMAN	-0.1598	-4.49	<0.0001
Multi-vehicle crash	MULTIVEH	-0.0559	-0.72	0.4702
Straight	STRAIGHT	-0.0899	-2.18	0.0295
Concrete	CONCRETE	-0.0177	-0.51	0.6106
Speed	SPEED	0.01148	10.3	<0.0001
0000-0359 hours	TIME1	-0.0848	-1.12	0.2648
0400-0759 hours	TIME2	-0.0718	-0.96	0.3389
1200-1559 hours	TIME3	-0.0573	-1.09	0.277
1600-1959 hours	TIME4	-0.0884	-1.72	0.0863
2000-2359 hours	TIME5	0.0579	0.95	0.342
No adverse conditions	NACWEA	0.2290	3.2	0.0014
Male	MALE	-0.0008	-0.01	0.9899
	_limit2	0.5238	29.73	<0.0001
	_limit3	1.8901	70.08	<0.0001
	_limit3	2.8963	74.93	<0.0001
Estrella			0.0918	
Adjusted Estrella			0.0803	
McFadden's LRI			0.035	
Veall-Zimmermann			0.1181	
Mckelvey-Zavoina			0.1024	

(Bold numbers indicate statistical significance)

Because the variables analyzed in the study represent motorcyclist-, crash-, roadway-, or environment-related characteristics, the model will also be discussed within those four sections for better understanding.

4.4.1 Motorcycle Rider-Related Factors

Motorcyclist-related factors in this model include age and gender, riding under the influence of alcohol during the crashes, and motorcyclist helmet use. Model estimates for age varied – those 19 years old or younger had a significantly positive estimate, whereas riders in both the 40-49 year old and 60 years and older groups had negative estimates, $p < .05$. Differences for crash likelihood and injury severity across age groups were also found. Concurrent with other findings, the youngest group of riders aging up to 19 years has a positive estimate and motorcycle rider groups from 40 to 49 years and 60 years and above have negative estimates with statistical significance at a 95% confidence level. Younger motorcycle riders up to 19 years are found to be more prone to be severely injured compared to motorcycle riders from 50 to 59 years and 60 years and above. Younger riders usually have an increased probability of being involved in crashes, which is also the case in the current model (36). Those aged 50 years or older tend to be more experienced motorcyclists and have better skills in motorcycle riding compared to younger riders. Also, older riders may tend to ride at more reasonable speeds and are less likely to be involved in crashes. These might be the reasons for them to be less likely to be severely injured in motorcycle crashes. However, the model did not yield a significant estimate for gender, indicating that motorcyclist gender does not impact on injury severity.

The model also yielded a significantly positive estimate for the alcohol flag variable, such that motorcyclists under the influence of alcohol had higher levels of injury severity when involved in motorcycle crashes. This finding is consistent with a previous study's results, which

showed a significantly strong association between alcohol consumption and increased traumatic injuries sustained from motorcycle crashes (35).

This model yields a significant negative estimate for helmet use, such that riders who do not wear helmets are at greater risk of severe injury. Not only do helmets lower the likelihood of sustaining a head injury in a motorcycle crash, they also lessen the severity of a head injury. It is also widely believed that helmets are most effective in reducing fatalities when head injuries are the primary cause of death.

4.4.2 Motorcycle-Crash Related Factors

In this model, crash-related variables included crash classes, motorcycle maneuvers during crashes, multi-vehicle crashes, and time at which the crash occurred. Regarding crash class, the model yielded significant positive estimates for crashes characterized by an overturned vehicle as well as a collision with a fixed object, implying that motorcyclists involved in these types of crashes tend to have higher injury severity. Injury severity is greatest for motorcyclists when colliding with a fixed object. This finding is consistent with a previous study (35).

Motorcyclists in Kansas also have increased injury severity when they are involved in overturned crashes. In 2008, 47% of all motorcycles involved in fatal crashes collided with other vehicles, and motorcycles were more likely to be involved in fatal collisions with a fixed object than other types of vehicles (58).

The model did not yield a significant estimate for time at which the crash occurred. In this study, time was defined as the time during the week at which the crash occurred, e.g., days during the week versus during the weekend. It is normally expected that days the crashes occurred is not supposed to have any effect on injury severity of the motorcyclists involved in crashes.

Multivehicle crashes also do not have any effect on injury severity of motorcyclists in Kansas.

The model also yielded a significant negative estimate for motorcycle maneuvers, specifically straight following road maneuvers, implying that. From this finding, we can conclude that a simple motorcycle maneuver, such as a straight following maneuver, may be linked to reduced injury severity, when compared to other, more complex maneuvers.

Time of day effects in the model are measured with dummy variables for 4-h time intervals, with the reference group as 8.00 a.m. to noon. Only time of crashes between 4.00 p.m. to 8.00 p.m. shows statistical significance at the 90% confidence level with a negative estimate. This implies less severe injuries among motorcyclists during this later part of the day compared to the reference group.

4.4.3 Roadway-Related Factors

The four roadway-related variables considered in this modeling are crash locations (e.g., intersections or parking-lot accesses), on-road surface characteristics, on-road surface conditions, and posted speed limits on the roads where crashes occurred. The model did not yield a significant positive estimate for crash locations. A significant negative estimate for straight roadways was found, when compared to curved roadways, $p < .05$. This may be partially due to the lower degree of injury severity sustained by motorcyclists involved in straight-roadway crashes than those involved in curved-roadway crashes, which may result in motorcyclists leaving travel lanes and overturning, or striking an off-road object. This finding is also consistent with a previous study (60). However, the model did not yield a significant estimate for concrete roadways.

This model also yielded a significant positive estimate for the posted speed limit variable. When speed limits increase, the level of injury severity also increases. This may be explained by

the fact that an increased speed limit may cause the rider to increase speed, resulting in a more severe collision. This finding is also consistent with a previous study (35).

4.4.4 Environment-Related Factors

The current model suggests that operating a motorcycle in good weather may result in more severe injuries for riders. Because bad weather conditions can motivate riders to institute safer driving practices, motorcyclists riding in good weather may not be diligent, increasing the likelihood of sustaining a severe injury. However, this explanation requires further investigation.

4.5 Kansas Motorcycle Crash Reports in Newspapers

Data was also collected from motorcycle crash reports in daily newspapers circulating across Kansas for the last two years from 2009 to 2010 (see Appendix D for clips). The clips are arranged in chronological order. In 2009, Kansas had 41 motorcycle fatalities and 20 in 2010 at the time of this report. In order to show a reasonable representation of fatal motorcycle crashes, this study included a sample of 18 newspaper clips, which accounts for approximately 31% of all fatal crashes occurring in Kansas over the last two years.. Of note, age and different types of collisions influenced the likelihood of a crash-related fatality. A majority of motorcyclists injured or killed were over 40 years old, often colliding with cars or minivans. Collisions with deer and fixed objects were also reported. In the first news clip, the motorcycle rider collided with a minivan while turning left in Manhattan, Kansas. Another incident reported the fatal injury of a 54-year-old motorcyclist who collided with a guardrail in south Wichita. The *Wichita Eagle* reported two more crashes caused by collisions with other motorcycles and vehicles, one of which resulted in a fatality. A Wichita man was reported to have been fatally injured after swerving to avoid a collision with a deer on the road. After hitting a median curb in Lawrence, a 20-year old man was fatally injured. Losing control on a curved road in Emporia resulted in a college

student's death. A 56-year-old man was reportedly dead and another injured in a crash where the riders were not wearing helmets. A collision with a car turning left at a Seneca intersection killed a motorcyclist, who was also not wearing a helmet. Lack of visibility on the part of the motorcyclist was cited as a potential reason for this crash. Motorcyclist judgment was also reported in the *Wichita Eagle* as a significant contributor to the fatality resulting from a motorcycle's collision with the rear end of a minivan. Misjudged speed of the minivan by the motorcyclist was the main reason of the collision. Failure to strap on his helmet correctly resulted in a fatal injury for a 23-year-old motorcyclist when his helmet came off after being struck by a truck.

Trends for the 154 crash fatalities that occurred in Kansas from 2006 to 2008 were discussed in a clip from the Topeka Capital Journal (see Appendix D). 111 were not wearing helmets during the crashes. Fatal crash reports included that of a 63 year old motorcyclist from Cassidy, who lost control on a curve and dying instantly. His passenger sustained a disabling injury. One man from Wichita also died on the spot, after being thrown off of his motorcycle when he hit a guard rail due to a wobbly front wheel. An unhelmeted 62 year old man died from fatal injuries after crashing into a curb at low speed. A car that failed to yield fatally struck a 60 year old motorcycle. A 53-years-old rider was fatally injured after his motorcycle overturned and left the roadway.

Chapter 5 Summary, Conclusions, and Recommendations

5.1 Summary and Conclusions

The contributions of helmet laws and other crash-related factors to state-level motorcyclist fatality rates were explored, using generalized least-squares regression modeling to analyze national data, covering the period 2005-2007. The goal was to develop statistical models to predict state-level motorcycle safety parameters while taking various factors into account. Crash data from the Kansas Department of Transportation from 2004 to 2008 were analyzed with the intention of identifying characteristics and contributory factors related to motorcycle crashes in Kansas. Detailed characteristic and statistical analyses were carried out for motorcycle crashes in Kansas under a number of categories. Comparisons were made between motorcycle crashes and other vehicle crashes in Kansas to identify circumstances or situations more common among motorcycle crashes.

GLS modeling revealed a statistically significant relation between helmet laws and motorcyclist fatalities per 10,000 registered motorcycles and per 100,000 populations in a state. Motorcycle fatalities also rose with an increase in annual daily mean temperature, as well as decreased with an increased highway mileage of rural roads in a state. In addition, demographic factors associated with motorcycle fatalities were also significant. Higher per capita income was linked to reduced motorcycle fatalities, whereas higher number of African Americans in a state was associated with increased number of motorcycle fatalities. Motorcycle fatalities per 100,000 populations decreased with an increase in population density. They also rose with an increase in motorcycle registrations per capita.

Results presented in contingency tables followed by the chi-square tests revealed significant relationships between motorcycle crash severity and several factors. Weather conditions, day of the crashes, on-road surface types were not significantly related. Though on-

road surface characteristics were related to motorcycle crash severity, on-road surface types were not related to motorcycle crashes. Motorcycle maneuvers were significantly related to motorcycle crash severity, with a majority of crashes occurring when riders followed straight roads or turned left.

The number of male motorcyclists in crashes was much higher than the number of female motorcyclists. Gender was only significantly related to motorcycle crash severity at a 90% confidence level. In addition, motorcyclist age was significantly related to motorcycle crash severity, with the majority of crashes involving riders aged between 20 to 29 years old as well as 40 to 49 years.

Despite only 9.23% of fatal crash victims wearing helmets, the type of safety equipment used by motorcycle riders was also related to motorcycle crash severity. Helmet usage was also significantly related to motorcycle crash severity. Light conditions during the crashes affected motorcycle crash severity – most crashes occurred during daylight hours.

A majority of motorcycle crashes were involved in collisions with other vehicles, and a significant portion resulted from collisions with fixed objects or overturning. Moreover, these types of crash classes were related to crash severity, which was also influenced by time, on-road surface characteristics, and location. Time of the crashes also affected motorcycle crash severity, with more than 60% of motorcycle crashes occurring at or after 3.00 p.m. A majority of the crashes occurred on straight and level roads, followed by straight-on-grade, curve-and-level, and curve-on-grade roadways. Crash location also affected motorcycle crash severity with a higher number of crashes occurring on non-intersection locations followed by intersections and intersection- related locations.

A comparison of several factors to better understand characteristics of motorcycle crashes in Kansas was generated between motorcycle crashes and other vehicle crashes for a 10-year period from 1999 to 2008. Vehicle maneuvers showed a similar distribution for both motorcycle crashes and other vehicle crashes, with most motorcycles and other vehicles following straight roads during crashes. When it came to age distribution of motorcycle riders and drivers of other vehicles, middle-age motorcycle riders from 30 to 59 years had a higher percentage of crash involvement compared to drivers of other vehicles. But the case was reversed for teenage motorcycle riders and older motorcycle riders.

Different types of light conditions did not show much difference between the distribution of motorcycle crashes and other vehicle crashes. However, the percentage of motorcycle crashes in dark conditions was slightly higher, compared to that of other vehicles. Motorcycle crashes caused by collisions with other vehicles had a lower percentage compared to other vehicle crashes. The percentage of motorcycles was also higher than other vehicles involved in crashes caused by fixed-object collisions or overturning.

Across numerous crash-related factors, the percentage of crashes involving motorcycles was consistently higher than other vehicles. This study explored crash characteristics related to time, location, driver demographics and behaviors, driving maneuvers, and weather. Time was explored by day of the week and time of day – motorcycle crashes were more likely to occur on Saturday and Sunday, as well as from 6 pm – 3 am. The percentage of driver-contributed motorcycle crashes was higher compared to other vehicle crashes. However, crashes linked to environmental factors or road conditions were associated with a lower percentage of motorcycle crashes. In addition, motorcycle crashes occurring on straight and level roads had a lower percentage compared to crashes of other vehicles, but motorcycle crashes occurring on curve-and-

level and curve-on-grade roadways had a higher percent of crashes. However, motorcycle crashes occurring on non-intersected roadways had a slightly higher percentage, when compared to other vehicle crashes at the same crash location.

The univariate logistic regression was used to identify characteristics of the crashes, motorcyclists, other vehicles involved, and other contributing factors to fatal motorcycle crashes in Kansas. Results revealed that motorcycle maneuvers, such as overtaking, increased the likelihood of a fatal crash, whereas slowing or stopping lowered that risk. Age for motorcyclists was also significant – those older than 40 years were more likely to end up in a fatal crash. Using a helmet alone or with eye protection lessened the risk of crash fatalities. There was more risk of a fatality in a motorcycle crash when the crash occurred in dark conditions. Daytime riding was safer than nighttime, considering the risk of motorcycle fatal crashes. Except for straight and level roads, all other types of roads (on-grade, curved, at hillcrest) had significant amounts of risk to be involved in motorcycle fatal crashes. Roadside areas including shoulders, was a significant crash location for motorcycle fatal crashes in Kansas. Weather conditions had no effect on motorcycle fatal crashes. Collisions with other motor vehicles, animals, and fixed objects had higher amounts of risk to be involved in motorcycle fatal crashes when compared to non-collision motorcycle crashes. Alcohol present during the crash also contributed to an increased risk of fatalities in motorcycle crashes.

A survey was conducted to identify and analyze significant factors associated with motorcyclist decisions to use helmets. In addition, the survey explored respondent opinions regarding crash-related causes and issues. From the initial percentage calculations, it can be concluded that most motorcycle riders ride touring and cruiser types of motorcycles. About half of the respondents had riding experience of at least 20 years. A majority of the motorcycle riders

rode motorcycles one to three days a week, and most of them rode motorcycles in sunny weather. Most motorcycle riders were male. Helmet usage was reported to be high among motorcyclists, with almost half of respondents saying they always wear helmets while riding. Riders reported that freedom of choice was the main reason for not wearing a helmet, followed by hearing and conspicuity problems. On questions targeting motorcyclists' familiarity with the current helmet laws in Kansas, approximately half responded correctly. Many opposed the enforcement of a mandatory helmet law. Most of the motorcycle riders had not been involved in a crash while riding motorcycles on public roadways. About half of the motorcycle riders involved in crashes had not sustained any injury. A high percentage of the motorcycle riders thought drivers of other vehicles were the biggest threat to their own safety while riding a motorcycle.

Respondents also completed questions on what they considered to be significant contributors to motorcycle crashes. Significant factors included conflict with other vehicles, going too fast into a curve, poor road surfaces, alcohol or drug impairment, inadequate training, and distractions. However, not wearing a helmet was not considered to be a very significant contributor to crashes.

Age differences were also observed across all respondents for motorcycle ownership and operation. There was a tendency to own high-powered bikes among younger and older motorcycle riders. Sport motorcycles were particularly popular among young motorcyclists aged 16 to 24. Respondent age was significantly associated with the type of motorcycle and the amount of riding experience. As expected motorcycle riders above 40 years had high usage of helmets while riding motorcycles.

Based on respondents who had met with at least "a crash anytime while riding a motorcycle on a public roadway", some interesting facts were found. Poor road surfaces (e.g.,

potholes, loose gravel), speeding, conspicuity problems, and road surface features (like pavement markings) were highly crash-contributory factors among riders who considered those as crash-contributory factors. Other crash contributory factors among the respondents involved in motorcycle crashes were distractions, non-use of helmets, and lack of adequate training. Further, statistics showed motorcycle riders older than 24 years were highly involved in crashes and those with elevated income levels had higher involvement in crashes. Motorcycle riders with higher levels of education had lower involvement in crashes; however, when number of miles ridden increased, chances of being involved in crashes decreased. Respondents also reported higher levels of difficulties, especially in association with making left turns in front of oncoming traffic, slowing down suddenly, low-speed parking maneuvers, emergency stopping, and riding in a thunderstorm.

Ordered probit modeling was used to determine the combined effect of variables contributing to higher injury severity. Variables under driver-related, crash-related, roadway-related, and environment-related were considered. Younger motorcycle riders up to 19 years were at a higher risk of more severe crashes compared to older age categories. Motorcycle riders under the influence of alcohol during crashes had a higher risk of severe injury. Helmeted motorcycle riders were at a lower risk to be severely injured. Motorcycle riders using helmets were less likely to be involved in severe crashes. Motorcycle crashes involving collisions with fixed objects had a higher risk of severe injury among motorcycle riders. Motorcycle riders involved in overturned-type crashes also had a higher risk of severe injury. Motorcycle riders going straight following the road during the crashes were less likely to be involved in more severe crashes. Motorcycle crashes occurring from 4:00 p.m. to 8:00 p.m. had lower risk for motorcycle riders to be involved in more severe crashes. Motorcycle riders having crashes on straight roadways had lower injury

severity compared to riders on curved roads. Also, motorcycle riders having crashes on higher-posted-speed-limit roads had higher injury severity. Motorcycle riders riding under good weather conditions showed a higher risk of more severe injury.

5.2 Recommendations

Future research can be directed to analyze different types of motorcycle crashes (e.g., single-vehicle crashes, multi-vehicles crashes, or fixed-object crashes) with the intention of finding significant characteristics affecting these motorcycle crashes. Collection and use of more exposure data related to motorcycle travel would lead to identifying more behavioral factors, which would also help improve the safety of motorcycle riders. However, prior to 2007, state reporting of motorcycle vehicle miles traveled (VMT) to the Federal Highway Administration (FHWA) was optional. Even for those states that reported motorcycle VMT, it was often only measured as a standard proportion of total VMT, rather than being collected directly through surveys of roadside counters. Accurate collection of motorcycle VMT and use of this exposure data would help to initiate further useful research in identifying critical factors affecting motorcycle safety in Kansas.

5.2.1 Possible Countermeasures

Based on the results from this study, a number of countermeasures can be suggested to improve the safety of motorcycle riders in Kansas. Implementing these countermeasures is a lengthy process which will definitely require funding, and each improvement will be associated with a certain amount of cost plus benefits. However, this study does not have the scope to assess all these cost-associated issues. In addition, suggested countermeasures are exclusively based on the approach of improving motorcyclist safety, which may have different implications towards other driver groups, road users, or other related parties. Thus, careful consideration of state and

federal policies, and future plans, at every stage of design and development of the suggested countermeasures is increasingly/extremely necessary for successful implementation.

The study revealed that motorcyclists older than 40 years were more vulnerable to fatal motorcycle crashes in Kansas, and younger motorcycle riders up to 19 years were at a higher risk of more severe crashes. This gives the impression that current rider training programs for younger or older riders do not appear to reduce crash risk. Therefore, it might be necessary to introduce standards for entry-level motorcycle rider training that will set the baseline for novice or young motorcycle rider training programs in Kansas. At the same time, it might be useful to develop and promote motorcycle safety educational materials to encourage older motorcyclists to take novice and experienced rider training and get properly licensed. Learning or education programs would help to improve the safety of older motorcycle riders to a great extent. Currently, Kansas waives the skill test and issues a license to a rider after completing an approved basic motorcycle rider safety course. This course includes classroom instructions as well as driver training in a controlled, off-street environment. Kansas should also be updated with the release of motorcycle operator licensing guidelines from USDOT (Department of Transportation) to maintain state motorcycle licensing systems and integrate rider-training programs with motorcycle-operator licensing.

The study also revealed that using motorcycle helmets (either with or without eye protection) simultaneously reduced the risk of fatal motorcycle crashes. Helmeted motorcycle riders were less likely to be severely injured. Survey results also showed that motorcycle riders do not want a mandatory helmet law to be enforced on them. However, motorcyclists report wearing helmets most of the time while riding. Therefore, conducting and evaluating a statewide

demonstration project to increase helmet use through education and communication programs might be useful.

Similarly, introduction of best practices through various sources will improve the safety of motorcycle riders as well as others. Using helmets compliant with federal standards, reducing the number of left turns and the tendency of overtaking, avoiding riding in other demanding conditions or under the influence of substances, and adhering to speed limits are some of the best practices that can be encouraged. For example, a demonstration program that combines high-visibility enforcement and enhanced media can be developed and implemented to test its effectiveness in reducing alcohol-related motorcycle crashes. A training program can be specifically designed to educate police on motorcycle safety. Moreover, police officers can also be introduced to enforcement efforts that they could employ to reduce motorcycle crashes. Lastly, developing an employer-based motorcycle safety program for employees who ride motorcycles on or off the job in Kansas could be an especially effective preventative measure.

A significant amount of opportunity exists to improve roadways and to increase motorcycle rider safety. Our study demonstrates that, excluding straight and level roads, all other road types host a significant amount of risk of fatal crashes for motorcyclists. As such, reducing major vertical differences and increasing the radius of curvatures are appropriate steps to enhance motorcyclist safety. For example, roadside areas are a significant crash location for fatal motorcycle crashes in Kansas. As a result, motorcyclists are highly likely to sustain severe injuries from overturned crashes and collisions with fixed objects. Not only is the need for more clear zones evident, but these clear zones also need lesser slopes to prevent overturns. Other needed prevention measures include guard rails and rumble strips to prevent run-off-the-road crashes, and the elimination of fixed objects near roads to reduce crash severity. We also posit

that increasing the number of road signs can help mitigate driver-related errors (e.g., failure to yield) that contribute to crashes. This study has also shown that daylight hours are a safer time of day for motorcyclists than during night-time hours. Consequently, better street light facilities will improve nocturnal visibility, and better road or pavement markings will reduce motorcycle maneuver-related conflicts and misjudgments.

References

1. National Highway Traffic Safety Administration's National Center for Statistics and Analysis, Traffic Safety Facts: Motorcycles, 2008. *Publication DOT-HS-811-159*, Washington, DC.
2. National Highway Traffic Safety Administration. Traffic Safety Facts: 2008. <http://www-nrd.nhtsa.dot.gov/pubs/811159.pdf>. Accessed Oct. 10, 2010.
3. Morris, C. C., Motorcycle Trends in the United States. 2009. *Bureau of Transportation Statistics, Special Report, SR-014*. May 2009.
4. Branas, C. C. and M. M. Knudson. 2001. Helmet Laws and Motorcycle Rider Fatality Rates. *Crash Analysis and Prevention*, Vol. 33, No. 5, pp. 641-648.
5. Peek-Asa, C., D. L. McArthur, and J. F. Kraus. 1999. The Prevalence of Non-Standard Helmet Use and Head Injuries among Motorcycle Riders. *Crash Analysis and Prevention*, Vol. 31, No. 3, May 1999, pp. 229-233.
6. Williams, A. F., M. J. Ginsburg, and P. F. Burchman. 1979. Motorcycle Helmet Use in Relation to Legal Requirements. *Crash Analysis and Prevention*, Vol. 11, No. 4, December 1979, pp. 271-273.
7. Mayrose, J. 2008. The Effects of a Mandatory Motorcycle Helmet Law on Helmet Use and Injury Patterns among Motorcyclist Fatalities. *Journal of Safety Research*, Vol. 39, No. 4, 2008, pp. 429-432.
8. Rutledge, R., and J. Stutts. 1993. The Association of Helmet Use with the Outcome of Motorcycle Crash Injury when Controlling for Crash/Injury Severity. *Crash Analysis and Prevention*. Vol. 25, No. 3, pp. 347-343.
9. Wilson, D. C. 1990. The Effectiveness of Motorcycle Helmets in Preventing Fatalities. Mathematical Analysis Division, NRD-31, March 1989. *Journal of Safety Research*, Vol. 21, No. 1, Spring 1990, page 42.
10. Houston, D. J. 2007. Are Helmet Laws Protecting Young Motorcyclists? *Journal of Safety Research*, Vol. 38, No. 3, pp. 329-336.
11. McKnight, A. J., and A. S. McKnight. 1995. The Effects of Motorcycle Helmets upon Seeing and Hearing. *Crash Analysis and Prevention*, Volume 27, No. 4, August 1995, pp. 493-501.
12. Evans, L., and M. C. Frick. 1989. Helmet Effectiveness in Preventing Motorcycle Driver and Passenger Fatalities. *Journal of Safety Research*, Vol. 20, No. 2, pp. 85-86.

13. Chaudhary, G. H., K. Neil, M. G. Solomon, D. F. Preusser, and L. A. Cosgrove. 2008. Evaluation of the Reinstatement of the Helmet Law in Louisiana. National Highway Traffic Safety Administration.
14. Houston, D. J., and L. E. Richardson. 2008. Motorcyclist Fatality Rates and Mandatory Helmet-Use Laws. *Crash Analysis and Prevention*, Vol. 40, No. 1, pp. 200-208.
15. Morris, C. C. 2006. Generalized Linear Regression Analysis of Association of Universal Helmet Laws with Motorcycle Fatality Rates. *Crash Analysis and Prevention*, Vol. 38, No. 1, pp. 142-147.
16. U.S. Department of Transportation. 2008. An Analysis of Motorcycle Helmet Use in Fatal Crashes. *Publication DOT HS 811 011*. NCSA, Washington DC.
17. Kraus, J. F., C. Peek, and A. Williams. 1995. Compliance with the 1992 California Motorcycle Helmet Use Law. *American Journal of Public Health*, Vol. 85, pp. 96-99.
18. U.S. Department of Transportation. 2006. Motorcycle Helmet Use in 2006-Overall Results. *Publication DOT-HS-810 678*, Washington, DC.
19. Sosin, D. M., and J. J. Sacks. 1992. Motorcycle Helmet-Use Laws and Head Injury Prevention. *Journal of American Medical Association*, Vol. 267, pp. 1649-1651.
20. Stolzenberg, L., and S. J. D'Alessio. 2003. Born to be Wild: The Effect of the Repeal of Florida's Mandatory Motorcycle Helmet-Use Law on Serious Injury and Fatality Rates. *Evaluation Review*, Vol. 27, pp. 131-150.
21. Keeler, T. E. 1994. Highway Safety, Economic Behavior, and Driving Environment. *American Economic Review*, Vol. 84, pp. 684-693.
22. Calkins, L.N., and T. J. Zlatoper. 2001. The Effects of Mandatory Seat Belt Laws on Motor Vehicle Fatalities in the United States. *Social Science Quarterly*, Vol. 82, pp. 133-139.
23. Cohen, A., and L. Einav. 2003. The Effects of Mandatory Seat Belt Laws on Driving Behavior and Traffic Fatalities. *The Review of Economics and Statistics*, Vol. 85, pp. 828-843.

24. Farmer, C. M., and A. F. Williams. 2005. Effect on Fatality Risk of Changing from Secondary to Primary Seat Belt Enforcement. *Journal of Safety Research*, Vol. 36, pp. 189-194.
25. National Highway Traffic Safety Administration's National Center for Statistics and Analysis. Traffic Safety Facts: Motorcycles, 2008. *Publication DOT-HS-811-59*, Washington, DC.
26. Soderstorm, C. A., P. S. Dischinger, S. M. Ho, and M. T. Soderstorm. 1993. Alcohol Use, Driving Records, and Crash Culpability among Injured Motorcycle Drivers. *Crash Analysis and Prevention*, Vol. 25, pp. 711-716.
27. Grossman, M. 1975. The Correlation between Health and Schooling. *In: Terleckyz, N.E. (Ed), Household Protection and Consumption*. Columbia University, New York, pp. 147-211.
28. Braver, E. R. R. 2003. Hispanic Origin and Socioeconomic Status in Relation to Motor Vehicle Occupant Fatality Rates and Risk Factors among Adults. *Crash Analysis and Prevention*, Vol. 35, pp. 295-309.
29. Muelleman, R. L., E. J. Mlinek, and P. E. Collicott. 1992. Motorcycle Crash Injuries and Costs: Effect of a Re-enacted Comprehensive Helmet-Use Law. *Annals of Emergency Medicine*, Vol. 21, pp. 266-272.
30. Paulozzi, L. J. 2005. The Role of Sales of New Motorcycles in a Recent Increase in Motorcycle Mortality Rates. *Journal of Safety Research*, Vol. 36, No. 4, pp. 361-364.
31. Preusser, D. F., A. F. Williams and R.G. Ulmer. 1995. Analysis of Fatal Motorcycle Crashes: Crash Typing. *Crash Analysis and Prevention*, Vol. 27, No. 6, pp. 845-851.
32. Kraus, J. F., C. E. Franti, S. L. Johnson, and R. S. Riggins. 1976. Trends in Fatalities due to Motorcycle Crashes and Risk Factors in Injury Collisions. *Crash Analysis & Prevention*, Vol. 8, No. 4, pp. 247-255.
33. Mannering, F. L., and L. L. Grodsky. 1995. Statistical Analysis of Motorcyclists' Perceived Crash Risk. *Crash Analysis and Prevention*, Vol. 27, 1995, pp. 21-31.
34. Hurt, H. H., J. V. Ouellet, and D. R. Thom. 1981. Motorcycle Crash Cause Factors and Identification of Countermeasures. *Final report no. DOT-HS-5-01160*, Vol. 1, University of Southern California, Los Angeles.

35. Shankar, V. N., and F. Mannering. 1996. An Explanatory Multinomial Logit Analysis of Single-Vehicle Motorcycle Crash Severity. *Journal of Safety Research*, Vol. 27, pp. 183-194.
36. Quddus, M. A., R. B. Noland, and H. C. Chin. 2002. An Analysis of Motorcycle Injury and Vehicle Damage Severity Using Ordered Probit Models. *Journal of Safety research*, Vol. 33, pp. 445-462.
37. Chimba, D., C. J. Lan, and J. Li. 2006. Statistical Evaluation of Motorcycle Crash Injury Severities by Using Multinomial Models. CD-ROM. Transportation Research Board of the National Academies, Washington, D.C.
38. Bedard, M., G. H. Guyatt, and M. J. Stones. 2002. The Independent Contribution of Driver, Crash, and Vehicle Characteristics to Driver Fatalities. *Crash Analysis and Prevention*, Vol. 34, No. 6, pp. 717-727.
39. Kockelman, K., and Y. Kweon. 2002. Driver Injury Severity: An Application of Ordered Probit Models. *Crash analysis and Prevention*, Vol. 34, No. 3, pp. 313-321.
40. Yamamoto, T., and N. Shankar. 2004. Bivariate Ordered-Response Probit Model of Driver's and Passenger's Injury Severities in Collisions with Fixed Objects. *Crash Analysis and Prevention*, Vol. 36, pp. 869-876.
41. Rifaat, S. M., and H. C. Chin. 2007. Crash Severity Analysis Using Ordered Probit Model. *Journal of Advanced Transportation*, Vol. 41, No. 3, pp. 91-114.
42. Washington, S., M. G. Karlaftis, and F. L. Mannering. 2003. *Statistical and Econometric Methods for Transportation Data Analysis*. Chapman and Hall/CRC.
43. SAS for Windows, Release 9.1, SAS Institute Inc., Cary, NC. 2003.
44. U.S. Census Bureau, The 2009 Statistical Abstract. [www.census.gov /compendia/statb/](http://www.census.gov/compendia/statb/). Accessed April 5, 2009.
45. U.S. Department of Transportation, Federal Highway Administration, Highway Statistics Series. <http://www.fhwa.dot.gov/policy/ohpi/hss/index.cfm>. Accessed April 5, 2009.
46. National Highway Traffic Safety Administration, www.nhsta.gov/Data/State+Data+Program+and+CODES, Accessed April 6, 2009.

47. National Climatic Data Center, <http://www1.ncdc.noaa.gov/pub/data/ccd-data/>. Accessed May 10, 2009.
48. National Institute of Health, www.niaa.nih.gov/RESOURCES/GRAPHICSGALLERY/Pages/consfigs4text.aspx. Accessed May 10, 2009.
49. Hosmer, D., and S. Lemeshow. 2000. *Applied Logistic Regression*. 2nd Ed. Wiley-Interscience Publication, NY.
50. Long, J. S. 1997. *Regression Models for Categorical and Limited Dependent Variables*. Thousand Oaks, CA: Sage Publications.
51. Ben-Akiva, M., and S. R. Lerman. 1985. *Discrete Choice Analysis*. MIT Press, Cambridge, MA,
52. Greene, W.H. 1999. *Econometric Analysis*. 4th ed. Prentice hall, Engle. Cliffs, NJ.
53. Duncan, C. S., A. J. Khattak, and F. M. Council. 1998. Applying the Ordered Probit Model to Injury Severity in Truck-Passenger Car Rear-End Collisions. *Transportation Research Record*, Vol. 1635, pp. 63-71.
54. McFadden, D. 1973. Conditional Logit Analysis of Qualitative Choice Behavior. In P. Zarembka, *Frontiers in Econometrics*. New York: Academic Press.
55. Longnecker, M., and R. Ott. 2008. *Introduction to Statistical Methods and Data analysis*. 6th ed. Carnage Learning (Thompson), Pittsburgh, PA, 2008.
56. Dissanayake, S., and A. Parikh. 2007. Exploring the Methods to Increase Seat Belt Usage in Kansas. *Report No. K-TRAN: KSU-05-2*, Kansas Department of Transportation, September 2007.
57. Paulozzi, L. J. 2005. The Role of Sales of New Motorcycles in a Recent Increase in Motorcycle Mortality Rates. *Journal of Safety Research*, Vol. 36, No. 4, pp. 361-364.
58. National Highway Traffic Safety Administration's National Center for Statistics and Analysis, Traffic Safety Facts: Motorcycles, 2008. *Publication DOT HS 811 159*, Washington, DC, 2007.
59. Evans, L. 2004. Traffic Safety. *Science Serving Society*, Bloomfield Hills, MI.

60. Pai, C. W., and W. Saleh. 2008. Modeling Motorcyclist Injury Severity under Various Traffic Control Measures at T-junctions in the UK. *Transport Research Institute*, Napier University.

Appendix A Motorcycle Fatalities and Injuries in U.S., 1997-2008

Table A.1 Motorcycle Fatalities in the United States, 1997-2007

Year	Motorcycle fatalities
1997	2,116
1998	2,294
1999	2,483
2000	2,897
2001	3,197
2002	3,270
2003	3,714
2004	4,028
2005	4,576
2006	4,837
2007	5,154

Table A.2 Other Vehicle Fatalities (Except Motorcycle) in the United States, 1997-2007

Year	Other vehicle fatalities
1997	33,609
1998	33,088
1999	33,392
2000	33,451
2001	33,243
2002	34,105
2003	33,627
2004	33,276
2005	33,070
2006	32,119
2007	30,401

Table A.3 Motorcycle Fatal and Injury Crashes in Kansas, 1997-2008

Year	MC fatal crashes	MC injury crashes
1997	17	611
1998	19	568
1999	16	661
2000	24	667
2001	24	672
2002	31	716
2003	31	720
2004	30	844
2005	35	888
2006	64	928
2007	47	1,033
2008	45	1,085

Table A.4 Kansas Motorcycle Rider Fatalities (Helmeted and Unhelmeted), 1997-2008

Year	MC riders fatalities using helmet	Unhelmeted
1997	3	14
1998	6	13
1999	3	12
2000	3	18
2001	6	17
2002	6	25
2003	10	21
2004	8	20
2005	7	28
2006	18	46
2007	14	32
2008	11	33

Table A.5 Kansas Motorcycle Rider Injuries (Helmeted and Unhelmeted), 1997-2008

Year	MC riders injured using helmets	Injured unhelmeted
1997	120	455
1998	117	429
1999	148	473
2000	163	465
2001	155	472
2002	159	515
2003	198	483
2004	249	546
2005	268	579
2006	293	596
2007	368	619
2008	385	642

Appendix B Percentage Comparison between Motorcycle and Other Vehicle Crashes in Kansas, 1999-2008

Table B.1 Vehicle Maneuver: Percentage Comparison between MC and Other Vehicle Crashes, 1999-2008

Year	Vehicle	Straight-following road	Left turn	Right turn	U turn	Overtaking	Aggressive maneuver	Other
1999	MC	58.2	13.7	3.6	0.8	2.3	5.9	21.4
	OV	53.6	10.1	3.1	0.4	1.1	2.7	31.7
2000	MC	57.7	15.1	3.8	0.5	2.7	6.0	20.2
	OV	53.2	10.1	3.3	0.3	1.1	2.7	32
2001	MC	57.7	14.7	3.8	0.6	2.5	4.9	20.7
	OV	53.5	10.2	3.2	0.4	1.1	2.6	31.6
2002	MC	57.2	13.7	5.2	0.8	2.3	5.7	20.8
	OV	53.6	10.0	3.2	0.3	1.1	2.4	31.8
2003	MC	58.9	11.7	4.4	0.6	1.8	6.0	22.6
	OV	54.1	9.8	3.2	0.3	1.0	2.5	31.6
2004	MC	60.2	12.7	3.3	0.6	1.4	5.1	21.8
	OV	54.1	9.4	3.1	0.3	1.0	2.4	32.1
2005	MC	59.3	12.7	4.3	0.5	1.3	5.7	21.9
	OV	54.6	9.6	3.1	0.3	1.0	2.4	31.4
2006	MC	60.1	12.8	3.9	0.2	1.4	4.7	21.6
	OV	54.4	9.5	3.0	0.3	0.8	2.4	32
2007	MC	60.4	13.1	3.7	0.4	1.8	5.0	20.6
	OV	55.4	9.1	3.0	0.3	0.8	2.6	31.4
2008	MC	58.3	11.6	4.4	1.2	2.3	5.7	22.2
	OV	55.2	9.2	3.0	0.4	0.9	2.5	31.3
Average	MC	58.8	13.2	4.0	0.6	2.0	5.5	21.4
	OV	54.2	9.7	3.1	0.3	1.0	2.5	31.7

Table B.2 Age Distribution: Percentage Comparison between MC and Other Vehicle Crashes, 1999-2008

Year	Vehicle	Age Group (years)						
		10 to 19	20 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 and above
1999	MC	16.5	30.4	19.3	18.1	10.1	2.6	3.0
	OV	26.8	22.9	16.6	13.9	8.6	5.2	5.9
2000	MC	16.4	27.9	21.3	18.5	9.2	3.8	2.8
	OV	26.2	23.7	16.4	14.2	8.8	4.9	5.7
2001	MC	15.1	28.9	18.2	20.2	11.2	3.6	2.7
	OV	26.1	23.6	16.0	14.6	9.0	5.0	5.7
2002	MC	14.8	25.2	19.9	20.1	12.4	4.0	3.6
	OV	25.3	24.1	15.6	14.7	9.5	5.1	5.7
2003	MC	14.9	24.7	19.2	20.1	12.5	4.7	3.9
	OV	25.2	23.9	15.4	14.7	9.7	5.3	5.8
2004	MC	15.8	28.3	14.3	20.6	13.4	4.2	3.4
	OV	24.5	24.0	14.9	15.0	10.4	5.4	5.8
2005	MC	13.2	25.1	19.4	18.8	14.4	5.2	4.0
	OV	23.5	24.3	15.1	15.2	10.8	5.6	5.5
2006	MC	13.0	23.1	18.4	20.4	16.7	4.9	3.4
	OV	23.5	24.5	14.8	14.6	11.1	5.8	5.7
2007	MC	14.0	27.9	15.9	17.8	14.8	6.2	3.4
	OV	22.5	24.7	15.0	14.5	11.6	6.2	5.4
2008	MC	11.3	25.7	18.0	19.4	15.2	7.2	3.1
	OV	22.5	24.8	14.9	14.1	11.6	6.5	5.6
Average	MC	14.9	26.8	18.4	19.4	12.8	4.4	3.4
	OV	24.6	24.1	15.5	14.6	10.1	5.5	5.7

Table B.3 Light Conditions: Percentage Comparison between MC and Other Vehicle Crashes, 1999-2008

Year	Vehicle	Daylight	Dawn	Dusk	Dark-streetlight on	Dark-no streetlights
1999	MC	64.4	1.0	4.0	19.4	10.8
	OV	70.8	2.1	2.7	13.3	10.4
2000	MC	67.7	1.5	3.9	18.3	7.9
	OV	70.4	1.9	2.8	13.9	10.2
2001	MC	68.6	1.1	2.8	18.9	8.0
	OV	69.9	2.1	2.8	14.2	10.3
2002	MC	66.6	1.1	3.6	19.3	9.4
	OV	69.9	1.9	2.9	14.4	10.2
2003	MC	68.0	1.2	3.4	18.5	8.6
	OV	70.6	1.9	2.7	14.0	10.2
2004	MC	68.5	0.9	4.6	15.2	10.3
	OV	69.9	2.1	2.8	14.1	10.7
2005	MC	67.7	1.1	4.7	16.8	9.5
	OV	70.2	2.2	2.5	14.3	10.5
2006	MC	69.0	1.4	5.1	16.7	7.7
	OV	69.8	2.3	2.3	14.2	11.0
2007	MC	70.8	1.4	3.7	14.8	8.9
	OV	69.8	2.3	2.4	14.1	10.9
2008	MC	73.5	1.9	2.8	14.1	7.4
	OV	68.1	2.4	2.7	14.9	11.3
Average	MC	68.5	1.3	3.9	17.2	8.8
	OV	69.9	2.1	2.7	14.1	10.6

Table B.4 Crash Classes: Percent Comparison between MC and Other Vehicle Crashes, 1999-2008

Year	Vehicle	No collision	Overturn	Collision with pedestrian	Collision with other motor vehicle	Collision with parked motor vehicle	Collision with rail train	Collision with pedacycle	Collision with animal	Collision with fixed object
1999	MC	6.1	23.8	0.6	43.2	1.8	0.0	0.1	5.8	17.3
	OV	0.9	1.3	0.4	74.0	4.2	0.1	0.3	8.7	9.6
2000	MC	10.9	19.5	0.1	43.5	1.7	0.1	0.0	4.5	17.9
	OV	0.8	1.5	0.4	73.7	4.6	0.1	0.3	8.2	10.0
2001	MC	8.1	21.2	0.7	48.0	1.2	0.0	0.3	4.5	14.6
	OV	0.8	1.4	0.4	72.8	4.8	0.1	0.3	8.7	10.1
2002	MC	8.3	23.3	0.3	44.2	2.1	0.0	0.3	4.9	15.5
	OV	0.9	2.7	0.4	73.0	4.8	0.1	0.3	8.1	9.2
2003	MC	8.9	21.9	0.4	44.4	2.3	0.0	0.2	6.3	14.3
	OV	0.9	2.4	0.4	72.4	4.8	0.1	0.3	8.4	9.7
2004	MC	8.9	23.9	0.3	42.4	1.1	0.0	0.1	7.4	14.8
	OV	0.9	2.3	0.4	72.2	4.7	0.1	0.3	9.0	9.5
2005	MC	11.0	23.5	0.1	42.0	1.0	0.0	0.2	5.7	14.8
	OV	1.0	2.6	0.4	72.0	4.3	0.1	0.3	8.7	10.0
2006	MC	6.5	27.5	0.1	41.4	1.2	0.0	0.2	5.3	16.8
	OV	0.7	2.4	0.4	71.9	4.2	0.1	0.3	9.6	9.9
2007	MC	9.2	22.7	0.2	43.9	1.2	0.0	0.1	6.2	15.7
	OV	0.8	2.1	0.4	70.3	4.4	0.1	0.3	9.2	12.0
2008	MC	9.9	23.1	0.3	43.2	1.0	0.0	0.2	5.2	16.2
	OV	0.9	1.9	0.4	70.1	4.7	0.1	0.3	9.8	11.4
Average	MC	8.8	23.0	0.3	43.6	1.5	0.0	0.2	5.6	15.8
	OV	0.9	2.1	0.4	72.2	4.6	0.1	0.3	8.8	10.1

Table B.5 Day of Crashes: Percent Comparison between MC and Other Vehicle Crashes, 1999-2008

Year	Vehicle	FR	SA	SU	MO	TU	TH	WE
1999	MC	15.8	18.5	17.6	12.9	9.1	13.2	12.9
	OV	18.3	12.9	9.1	15.3	14.6	15	14.8
2000	MC	14.7	19	16.3	9.2	12.8	14.7	13.3
	OV	17.6	12.8	9.6	14.8	14.3	15.3	15.6
2001	MC	17.8	21.8	15.4	9.7	11.6	12.8	10.8
	OV	18.2	13.2	8.9	14	15	15.4	15.3
2002	MC	15.9	17.9	19.1	11.4	10.4	13.4	11.9
	OV	17.8	13.5	8.9	14.9	14.2	15.2	15.4
2003	MC	14.6	19.1	21.6	12.8	9.7	11.6	10.6
	OV	17.3	12.8	9.7	14.5	14.9	15.2	15.5
2004	MC	15.7	19.8	18.5	9.6	11.5	11.5	13.4
	OV	17.5	12.6	9.7	14.5	14.8	15.5	15.4
2005	MC	16	20.8	17	13.6	10.5	12.7	9.4
	OV	17.9	13.2	9	14.4	15.3	15	15.3
2006	MC	15.8	20.2	16.2	9.9	11.6	11.9	14.4
	OV	17.4	12.9	9.5	14.3	15.3	15.6	15.1
2007	MC	16	20.3	16.8	9.6	10.7	12.6	14
	OV	17.9	14.2	9.1	13.8	14.7	15.1	15.4
2008	MC	15.4	20.2	16.8	10.6	11.8	11.7	13.5
	OV	16.9	12.3	8.8	13.6	16.6	15.4	16.3
Average	MC	15.8	19.7	17.5	10.9	11	12.6	12.4
	OV	17.7	13	9.2	14.4	15	15.3	15.4

Table B.6 Time of Crashes: Percent Comparison between MC and Other Vehicle Crashes, 1999-2008

Year	Vehicle	0 to 3	3 to 6	6 to 9	9 to 12	12 to 15	15 to 18	18 to 21	21 to 24
1999	MC	7.2	2.4	5.1	8.2	14.6	28.4	19.1	14.9
	OV	3.9	2.4	13.0	12.7	18.7	27.2	14.1	8.1
2000	MC	6.9	2.0	5.4	9.0	15.5	27.0	21.9	12.4
	OV	4.2	2.4	12.9	12.7	18.2	27.4	14.1	8.1
2001	MC	6.8	2.3	6.9	9.7	17.4	23.0	19.7	14.2
	OV	4.2	2.6	13.0	12.2	18.1	27.3	14.5	8.2
2002	MC	8.4	1.1	5.6	9.9	16.0	26.8	19.3	12.8
	OV	4.2	2.4	12.2	12.4	18.4	27.7	14.6	8.1
2003	MC	6.6	2.2	6.2	8.7	17.8	25.2	20.0	13.2
	OV	4.0	2.4	12.9	12.9	18.7	26.9	14.1	8.1
2004	MC	5.7	1.6	5.1	9.4	15.9	29.6	19.9	12.7
	OV	4.2	2.6	13.2	13.0	18.1	27.1	13.9	7.9
2005	MC	6.8	2.2	8.4	10.2	16.4	24.8	18.6	12.6
	OV	4.1	2.8	13.7	12.5	17.9	27.2	14.0	7.8
2006	MC	6.0	2.7	7.2	9.0	18.1	26.6	18.7	11.6
	OV	4.5	2.8	13.5	12.0	17.8	27.1	14.2	8.1
2007	MC	6.5	1.9	7.8	9.4	19.0	25.5	19.0	10.7
	OV	4.2	2.9	14.1	12.9	17.6	26.7	13.6	7.9
2008	MC	5.0	1.6	7.3	9.6	19.2	26.9	19.8	10.6
	OV	4.4	3.0	14.2	12.5	17.2	26.3	14.3	8.1
Average	MC	6.6	2.0	6.5	9.3	17.0	26.4	19.6	12.6
	OV	4.2	2.6	13.3	12.6	18.1	27.1	14.1	8.0

Table B.7 Contributing Factors: Percent Comparison between MC and Other Vehicle Crashes, 1999-2008

Year	Vehicle	At Road	Driver	Environment	On road	Pedestrian	Vehicle
1999	MC	0.1	88.1	5.7	3.7	0.3	2.1
	OV	0.2	85.5	8.2	3.8	0.4	1.9
2000	MC	0.0	87.9	6.1	2.3	0.4	3.2
	OV	0.3	85.1	7.8	4.6	0.4	1.8
2001	MC	0.0	88.9	5.4	2.8	0.1	2.8
	OV	0.3	85.6	8.0	4.0	0.4	1.7
2002	MC	0.0	89.6	5.9	2.6	0.6	1.3
	OV	0.2	85.8	8.0	3.9	0.3	1.7
2003	MC	0.4	88.0	5.1	3.3	0.4	2.8
	OV	0.6	84.3	8.9	4.2	0.4	1.6
2004	MC	0.3	87.9	7.2	3.2	0.0	1.5
	OV	0.6	84.3	8.9	4.2	0.3	1.6
2005	MC	0.5	89.6	5.5	2.9	0.1	1.5
	OV	0.6	83.1	9.4	5.0	0.3	1.5
2006	MC	0.1	88.1	6.7	3.2	0.0	2.0
	OV	0.4	85.8	8.9	2.9	0.4	1.5
2007	MC	0.1	88.0	6.6	3.1	0.0	2.1
	OV	0.8	80.8	10.4	6.4	0.3	1.4
2008	MC	0.4	86.0	6.7	4.3	0.2	2.4
	OV	0.6	81.9	10.0	5.8	0.3	1.4
Average	MC	0.2	88.2	6.1	3.1	0.2	2.2
	OV	0.5	84.2	8.9	4.5	0.4	1.6

Table B.8 On-Road Surface Characteristics: Percent Comparison between MC and Other Vehicle Crashes, 1999-2008

Year	Vehicle	Straight and level	Straight on grade	Straight at hillcrest	Curved and level	Curved on grade	Curved at hillcrest
1999	MC	61.9	14.1	0.7	11.4	10.2	0.7
	OV	72.3	18.1	1.9	3.5	2.9	0.1
2000	MC	60.8	14.6	1.3	11.9	10.0	0.0
	OV	72.1	18.5	1.8	3.4	2.9	0.2
2001	MC	64.3	14.2	1.8	9.2	9.2	0.4
	OV	73.4	17.6	1.7	3.4	2.8	0.2
2002	MC	62.2	13.6	1.9	11.4	9.9	0.5
	OV	73.6	17.2	1.8	3.4	2.9	0.2
2003	MC	66.1	12.2	1.5	9.6	9.8	0.2
	OV	73.1	17.6	1.8	3.6	3.0	0.1
2004	MC	62.7	14.1	2.2	9.9	10.6	0.1
	OV	73.1	17.9	1.6	3.5	3.0	0.1
2005	MC	61.8	14.2	1.4	12.1	8.7	0.5
	OV	72.4	18.1	1.8	3.6	3.2	0.2
2006	MC	61.0	14.1	2.4	12.7	8.2	1.0
	OV	73.5	17.4	1.6	3.6	3.0	0.2
2007	MC	66.0	12.8	1.2	9.1	9.6	0.7
	OV	72.9	17.5	1.7	3.7	3.3	0.2
2008	MC	63.2	14.5	1.7	10.2	9.1	0.2
	OV	73.6	17.0	1.7	3.6	3.1	0.2
Average	MC	63.0	13.8	1.6	10.7	9.5	0.4
	OV	73.0	17.7	1.7	3.5	3.0	0.2

Table B.9 Crash Locations: Percent Comparison between MC and Other Vehicle Crashes, 1999-2008

Year	Vehicle	Non intersection on roadway	Intersection on roadway	Intersection related on roadway	Parking lot, driveway on roadway	Intersection area on roadway	On crossover on roadway	Roadside including shoulder off roadway	Median off roadway
1999	MC	41.1	25.0	12.3	9.4	4.2	0.0	7.5	0.6
	OV	40.9	28.1	14.9	8.7	4.6	0.1	2.4	0.2
2000	MC	43.2	27.7	10.8	7.1	6.3	0.0	4.4	0.6
	OV	42.2	27.7	15.8	6.9	4.6	0.1	2.4	0.3
2001	MC	42.7	27.4	13.4	7.4	4.9	0.3	3.4	0.4
	OV	41.6	26.5	16.4	7.9	4.4	0.1	2.5	0.4
2002	MC	44.3	23.8	12.4	8.0	6.9	0.0	4.5	0.0
	OV	41.2	26.6	16.1	8.2	4.8	0.1	2.7	0.3
2003	MC	46.1	25.5	10.7	7.7	4.1	0.0	5.4	0.5
	OV	40.7	27.0	15.5	8.1	4.8	0.0	3.2	0.4
2004	MC	42.6	22.9	13.3	7.8	6.5	0.1	6.0	0.8
	OV	40.2	25.6	16.5	8.6	4.9	0.1	3.6	0.5
2005	MC	45.3	19.7	12.8	8.2	6.1	0.0	6.9	0.9
	OV	40.8	25.4	16.4	7.4	5.6	0.0	3.7	0.5
2006	MC	46.3	24.4	11.2	6.1	6.5	0.0	4.8	0.6
	OV	43.0	26.1	15.3	6.8	4.8	0.0	3.5	0.4
2007	MC	45.5	23.9	10.4	7.6	4.8	0.0	6.9	0.7
	OV	43.1	24.6	15.1	6.8	4.7	0.1	4.9	0.6
2008	MC	38.8	23.8	12.0	7.6	5.2	0.2	11.5	0.9
	OV	37.9	24.8	14.5	7.7	5.2	0.0	8.7	1.0
Average	MC	43.6	24.4	11.9	7.7	5.5	0.1	6.1	0.6
	OV	41.1	26.2	15.7	7.7	4.8	0.1	3.8	0.5

Appendix C Survey Form

This survey is being conducted with the intention of improving MC safety. Information collected will be used for research purposes only. The participation in the survey is completely voluntary and you may quit anytime. For any question feel free to contact Dr. Sunanda Dissanayake, 2118 Fiedler Hall, KSU, Manhattan, KS 66506, Tel: 785-532-1440.

Please check the appropriate response (s)

1. Are you a registered motorcycle owner?

- Yes No

2. What is the brand of your current motorcycle?

- Honda Yamaha Harley Davidson
 Suzuki Kawasaki BMW Others

3. What is your MC model year?

- Before 1980 1980-1984 1985-1989
 1990-1994 1995-1999 2000-2010

4. What is the engine size of your motorcycle?

- 500cc or less 501-1000 cc
 1001-1500cc More than 1500cc

5. Which one of the following types of motorcycles do you ride most frequently?

- Touring Sport Standard Cruisers
 Dual Others

6. How long have you been riding motorcycles?

- 0-5 yrs 5-10 yrs
 10-15 yrs 15-20 years more than 20 yrs

7. How many miles did you approximately ride in the past year?

- 1000 or less 1000-2999
 3000-4999 5000-7999
 8000-10,000 above 10,000

8. What type of roadway do you commonly travel by motorcycle? If you use more than one type of road (check all that apply).

- City/Town roads Two-lane out of-town
 Interstate/Divided Highways Rural road

9. What is the primary reason for riding motorcycle?

- To make task related trips
 Recreational purposes
 To get good mileage
 As it is fast and maneuverable
 For its easiness of parking

10. How frequently do you ride motorcycles?

- Everyday during weekend only
 1-3 days a week 4-6 days a week

11. What type of weather you prefer most while riding motorcycle?

- Hot and sunny Rainy
 Cold Humid Mild

12. Thinking back the last time you rode a motorcycle on a public roadway, did you wear a helmet?

- Yes No Don't remember

13. How often do you wear a helmet while riding a motorcycle?

- Always Sometimes
 Seldom Never

14. If you don't always wear a helmet, what are the reasons? (Check all that apply)

- I'm not worried about having accident
 Freedom of choice
 I don't believe a helmet makes me safer
 It is too hot.
 It creates problem with my hearing
 It creates problem with my vision
 Weather conditions making riding more hazardous
 Laziness/Forgetfulness
 Other specify _____

15. Do you know what type of helmet law Kansas currently has?

- Mandatory helmet law No law
 Partial helmet law Don't know

16. If you oppose mandatory helmet law, what is the main reason you would not support it?

- Helmets are uncomfortable
 Helmets are not effective in preventing motorcycle accidents
 Helmets are not safe

- Waste of government time and resources
- Personal freedom ○ It creates hearing problem

17. What kind of impact would a mandatory helmet law have on the amount you ride a motorcycle?

- Significantly decrease
- Somewhat decrease
- Have had no effect
- Somewhat increase
- Significantly increase

18. Would you support or oppose about a law requiring motorcycle riders and their passengers to wear a helmet while riding?

- Support ○ Oppose

19. What special effort do you make while riding to ensure other motorists can see you? Check all that apply

- Make sure all lights are working
- Use blinkers
- Wear bright-colored or reflective clothing
- Stay out of motorist blind spots
- Use your horn ○ Increase engine noise
- Hand signal
- Other specify _____

20. What other safety gears do you use than helmet while riding motorcycles?

- Bright colored or reflective jacket
- Gloves ○ Goggles ○ Flashing lights
- Special shoes ○ Others ○ None

21. Have you ever had an accident while riding your motorcycle on a public roadway?

- Yes ○ No

22. Have you had an accident while riding motorcycle over the last 12 months?

- Yes ○ No

23. What was the worst level of injury sustained by you or someone else involved in a motorcycle accident?

- Someone was killed
- You were treated at scene
- Someone else was treated at scene
- No-one else was injured

24. What do you feel is the single biggest threat to your own safety while riding a motorcycle?

- Drivers of other vehicles

- Not wearing a helmet while riding
- Weather
- Lack of personal experience
- Road surface conditions
- Lack of adequate training
- Other specify _____

25. Your gender?

- Male ○ Female

26. Your age (in years)?

- below 18 ○ 18-24 ○ 25-33
- 34-42 ○ 43-51 ○ 52 and above

27. Marital status?

- Single (never married)
- Married/living with partner
- Separated/divorced/widowed

28. Your educational qualification?

- No formal schooling
- Some High school ○ Some College
- Four Year College ○ Graduate College

29. Present Job Situation?

- Full-Time Work ○ Part-Time Work
- Student ○ Home Maker
- Pension or Unemployed
- Other (please specify) _

30. Which category does your household's total annual income fall into?

- \$ 0 to \$ 19,999 ○ \$20,000-39,999
- \$40,000 -\$59,999 ○ 60,000 or above

31. What do you think is the most difficult maneuver to execute while riding a motorcycle? (Check all that apply)

- To make a left turn in front of oncoming traffic
- To change a lane
- To make an exit on the freeway
- To merge from an exit
- Fast swerve
- Low speed parking maneuver
- Emergency stopping
- Keep straight
- Negotiate a curve
- Slow down suddenly
- Avoid others in way
- Riding in thunderstorm

32. Do you prefer riding motorcycle in groups?

Yes No

33. Rate the following factors according to their contributions to cause an accident from most contributive to the least.

	Most	Significant	Average	Not significant	Least
Tip over	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Too fast in curve	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Conflicts with cars	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Poor road surfaces (potholes, Loose gravel, oil etc.)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Bad weather (rain, wind etc.)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Speed (Exceeding speed limit)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Couldn't see far enough	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Alcohol or drugs	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Road surface features (like Pavement markings)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Worn tires	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Misjudged speed of other vehicles	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Fatigue	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Distraction	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Not using a helmet	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Lack of adequate training	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Over taking	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Traffic hazard	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Appendix D Newspaper Clips of Motorcycle Crashes in Kansas



Figure D.1 Manhattan Mercury News Clip for Motorcycle Crash Caused by Collision with Minivan




Figure D.2 Wichita Eagle News Clip for Motorcycle Crash Caused by Collision with Guard Rail



Posted on Saturday, Aug. 22, 2009

Motorcyclist dies in crash Friday night

WICHITA — Wichita police say a man died Friday night when his motorcycle collided with a vehicle near 22nd and North Kansas, KFDI reported.

KFDI said police reported the motorcyclist was traveling about 11 p.m. Friday at a high rate of speed southbound on Kansas when he crashed into a car turning into a driveway.

He skidded into the vehicle and was thrown from his bike, KFDI said. The driver of the vehicle was not injured.

Figure D.3 Wichita Eagle News Clip for Motorcycle Crash Caused by Collision with a Car



Posted on Tuesday, Sep. 08, 2009

Wichita man injured when two motorcycles collide

By STAN FINGER

A 24-year-old Wichita man was hospitalized Monday night after being involved in a collision involving two motorcycles.

The Kansas Highway Patrol said Seth Creason and 31-year-old Craig Robinson of Wichita were southbound on I-235 at a high rate of speed shortly before 6:45 p.m. Sunday when Robinson slowed his motorcycle down quickly about 100 feet from the 25th Street exit.

Creason was unable to slow down in time and struck Robinson's motorcycle in the rear, forcing Creason to lay the bike down on the pavement and skid into the median, the highway patrol reported.

Figure D.4 Wichita Eagle News Clip for Motorcycle Crash Caused by Collision with Motorcycle

Posted on Monday, Sep. 21, 2009

Wichita man dies after motorcycle crash trying to avoid deer

By DAN VOORHIS

A Wichita man who was critically injured in a motorcycle crash on Thursday has died.

William A. Rosebaugh, 61, was riding his 2003 Harley-Davidson motorcycle south on South Maize Road at 6:19 a.m. when a deer darted across the roadway.

Rosebaugh swerved to avoid the deer and lost control of the motorcycle, causing it to fall onto its side and slide more than 100 feet.

Figure D.5 Wichita Eagle News Clip for Motorcycle Crash Caused by Collision with a Deer

By Jesse Fray

September 14, 2009

ADVERTISEMENT

Ad Choices

The advertisement features a red background with white and gold text. At the top, it says "Thanksgiving Weekend Sale". Below that, it reads "Take an Extra 10% Off STOREWIDE" and "Prices Already Reduced Up To 60% Off". At the bottom, there is the Zales logo with the tagline "THE DIAMOND STORE" and a "SHOP NOW" button. Two diamond rings are shown in the center.

A 20-year-old man was killed after crashing a motorcycle Sunday night, Lawrence police said.

The victim, who was not identified by police Monday, was taken by air ambulance to Kansas University Hospital after the accident, which occurred about 7:55 p.m. Sunday near the intersection of Princeton Boulevard and Peterson Road.

"He struck the median curb, which caused him to become airborne," said Kim Murphree, police spokeswoman. "He landed against a small tree in the median."

Police said the man was not wearing a helmet and died at the hospital.

Figure D.6 LJWorld.com News Clip for Motorcycle Crash Caused by Hitting the Median Curb



Posted on Thursday, Nov. 05, 2009

Emporia State student found dead in accident

An Emporia State University student who had not been seen since Sunday has been found dead after an apparent motorcycle accident.

Emporia police say 24-year-old Samuel Jacob Williams, a junior from the Ivory Coast in Africa, was found dead Wednesday afternoon.

Police say Williams apparently was thrown from his motorcycle after apparently losing control on a curve Sunday. A Lyon County sheriff's deputy found his body Wednesday. Police say there were no signs of foul play.

Figure D.7 Wichita Eagle News Clip for Motorcycle Clip Caused by Losing Control on a Curve

Motorcycle Crash Victims Identified

Troopers: Frank X. Zappa Was Not Wearing Helmet

POSTED: 8:13 pm CST November 7, 2009
UPDATED: 2:14 pm CST November 8, 2009

Email Print

Comments (20)

Recommend

SHARE

SHAWNEE, Ks. -- A man is dead and another is injured following a motorcycle crash.



Officers said the men were in a pack of riders heading north on Kansas Highway 7 near 75th Street.

Police said Frank X. Zappa, 56, of Overland Park, was killed. The Kansas Highway Patrol said he was not wearing a helmet.

The other rider, Tory J. King, 37, was taken to an area hospital. There is no word on his condition.

Figure D.8 KMBC.com News Clip for Motorcycle Fatal Crash Victim Identification

The Wichita Eagle
Kansas.com

66°F
71°/37°
Complete Forecast

Home **News** Business Sports Opinion Life Entertainment Obituaries Jobs Auto

Breaking News Local Crime & Courts Nation & World Databases Weather Politics Education Lottery

Updated: 11:37 a.m. Search Kansas.com Web

Posted on Wed, Jun. 09, 2010

e-mail print RSS reprint
AM Digg It del.icio.us Facebook

Motorcyclist killed in intersection

0 Comments
BY STAN FINGER
The Wichita Eagle

One of the most common fears among motorcycle riders is that they won't be seen by other drivers.

Scott L. Allen wasn't, police said, until it was too late to avoid the collision that claimed his life Monday.

Allen, 42, was riding north on Seneca shortly before 5:30 p.m. when he entered the intersection at MacArthur, where a 19-year-old man was poised to turn left onto eastbound MacArthur, said Lt. Joe Schroeder of the Accident Follow-Up Unit.

Allen's motorcycle slammed into the driver's-side headlight of the Chevy Silverado. Allen was taken to a local hospital and died Monday evening.

"Most people did not notice the bike until it had entered the intersection, and by that time he's trying to stop," Schroeder said. "He got on the brakes right as he entered the intersection."

But it wasn't enough to prevent the collision. Allen wasn't wearing a helmet, but Schroeder said the impact was so violent he might not have survived even if he had been wearing one.

Schroeder said it's possible that Allen did not see the Silverado either. Witnesses say the motorcycle audibly accelerated just before Allen entered the intersection, Schroeder said.

"I can't imagine that he would accelerate through the intersection if he had" seen the truck, Schroeder said.

Allen's motorcycle was a low-profile, chopper style, Schroeder said. A northbound truck was turning left to westbound MacArthur, he said, and that likely obscured the vision of both Allen and the Silverado driver.

The investigation into the collision continues, Schroeder said. All findings will be presented to the Sedgwick County District Attorney's Office, he said.

Allen's death is the first motorcycle fatality in the city this year, police said.

With summer weather here, more and more motorcycles will be on the streets and freeways in the metropolitan area, Schroeder said.

"Look twice," he said, because motorcycles can easily blend in with surroundings and seem invisible.

Drivers aren't used to watching for the lower profile motorcycles, he said, and that sets the stage for accidents.

Figure D.9 Wichita Eagle News Clip for Motorcycle Crash Caused by Collision in Intersection

Posted on Thursday, Jul. 29, 2010

Minor impact leads to motorcyclist's death, police say

By STAN FINGER

WICHITA — He was simply merging onto eastbound Kellogg from Hillside shortly after noon on Wednesday.

But Nicholas Hartness miscalculated the speed of the minivan exiting in front of him and his motorcycle clipped the back left of the van, police said.

The impact threw him from his bike and he went skidding across a freeway crowded with lunchtime traffic.

Figure D.10 Wichita Eagle News Clip for Motorcycle Crash Caused by Rear Collision with a Minivan

Posted on Tue, Aug. 17, 2010

[e-mail](#) [print](#) [RSS](#) [reprint](#)
[A.M.](#) [Digg it](#) [del.icio.us](#) [Facebook](#)

Motorcyclist dies after crash on K-42

0 Comments

BY RON SYLVESTER
The Wichita Eagle

WICHITA - WICHITA — A 23-year-old Wichita man died today from injuries sustained when his motorcycle helmet came off during a crash with a truck Monday afternoon.

Jonah Reed was riding his motorcycle over the Big Ditch on K-42 when he collided with a pickup changing lanes in congested traffic, Wichita police said. Reed was taken to Via Christi on St. Francis, where officials there said this afternoon he had died.

Reed's helmet came off and his head struck the bridge embankment, police said. The accident occurred just before 5 p.m.

"Right now, we have been seeing a lot of people wearing helmets and not strapping them on," said Lt. Joe Schroeder of the accident investigation unit. "If you're not using the chin strap, you might as well not be wearing it."

Schroeder said police are continuing to investigate the crash to decide whether to pursue charges against the 29-year-old man driving the truck.

Figure D.11 Wichita Eagle News Clip for Motorcycle Crash Caused by Collision with a Truck

Cycle deaths add to upward trend

BY [JAMES CARLSON](#)

Created August 3, 2009 at 6:49am
Updated August 4, 2009 at 1:41am

DOCUMENT

View the [2008 Kansas Traffic Accident Facts](#) report.

Two men who died in separate motorcycle accidents Sunday in south-central Kansas are part of a growing number of motorcycle fatalities in the state, a majority of whom go down without a helmet.

In the three years from 2006 to 2008, 154 people died in motorcycle accidents, 111 of them not wearing helmets, according to statistics from the Kansas Department of Transportation. Those are roughly the same numbers for the previous five years when between 2001 and 2005, 148 motorcyclists died, 112 of them who weren't wearing helmets.

Numbers for 2009 weren't available.

Kansas Highway Patrol spokeswoman Edna Butler, a trooper on the patrol's motorcycle safety committee, said she has been lucky not to work a motorcycle fatality crash in her career. But she said she knows the horror of that type of scene.

"It's not illegal, but anything you can do to prevent death or serious injury, we hope people do," she said.

Motorcyclists younger than 18 are required to strap on a helmet before riding in Kansas. Adults aren't required to do so.

On Sunday, two men became the latest fatality victims involved in motorcycle accidents.

At 10:15 a.m., James R. Lacey, 63, of Melvern, was driving his Honda motorcycle south on US-177 highway one mile north of Cassoday when he entered a curve, left the west side of the road and struck a sign post.

Lacey, who wasn't wearing a helmet, was pronounced dead at the scene. A passenger -- Joyce Lacey, 62 -- was taken to Wesley Medical Center in Wichita in a condition described by the highway patrol as "disabled."

Later on Sunday at 3:20 p.m., Ronald James Roeder, of Rose Hill, was riding his Harley-Davidson motorcycle northbound on Interstate 235 just north of Interstate 135 junction in Wichita when the front wheel began to wobble, KHP said.

He lost control, hit the guardrail and was thrown from the bike. Roeder, who also wasn't wearing a helmet, died at the scene.



The upward trend in motorcycle accidents runs counter to total statewide accident reports including automobiles, which have decreased from approximately 79,000 in 2001 to 66,000 in


Figure D.12 Topeka Capital-Journal News Clip for Motorcycle Fatality Trend

2 Hurt In K-7 Motorcycle Crash

Rider Was Hit By Car While Guiding Traffic

POSTED: 9:21 am CDT August 8, 2010

 Email  Print

 Comments (5)

Recommend

 SHARE   ...

BONNER SPRINGS, Kan. -- Police said two people were injured when a car hit a motorcycle on Kansas Highway 7 in Bonner Springs on Saturday.

Investigators said Amanda Huffman was a passenger on the motorcycle. They said she was directing a group of motorcyclists onto a ramp when she was hit.

The driver of the motorcycle, Earl Huffman, was also injured in the crash, investigators said.

Copyright 2010 by KMBC.com. All rights reserved. This material may not be published, broadcast, rewritten or redistributed.

Figure D.13 KMBC.com News Clip for Motorcycle Crash

Posted on Mon, Sep. 27, 2010

 e-mail  print  RSS  reprint
 AM  Digg it  del.icio.us  Facebook

Carrier had heart attack before motorcycle crash

[12 Comments](#)
BY BRENT D. WISTROM
The Wichita Eagle

WICHITA — Preliminary autopsy reports show that Public Works Director Chris Carrier had a heart attack before he crashed his motorcycle into a curb in Riverside at low speed, city spokesman Van Williams said this afternoon.

Chris Carrier's impact on Wichita visible throughout city
City public works director Chris Carrier dies in motorcycle crash

A witness who was driving near Carrier saw him veer into a curb at about 10 to 12 miles per hour Sunday afternoon.

Carrier was wearing a helmet.

The witness lifted the Victory motorcycle off Carrier. He was unconscious at the time, the witness told police.

Carrier, 62, was later pronounced dead.

Figure D.14 Wichita Eagle News Clip for Motorcycle Death

Independence Police Investigate Deadly Motorcycle Accident

News 2 months ago on Foxe | KCAT | Edit Share



One person was killed and two others were hurt in a motorcycle crash early Saturday evening. An 18-year-old woman was turning onto Elsea Smith Rd from 24 Highway when she failed to yield to a motorcycle. A 60-year-old man and his passenger were ejected from the bike.

Figure D.15 Fwix.com News Clip for Motorcycle Fatal Crash Caused by Failure to Yield

DeBord dies in Friday motorcycle accident

0 tweet

Recommend

Be the first of your friends to recommend this.

Posted: Monday, October 4, 2010 12:25 pm | Updated: 12:28 pm, Mon Oct 4, 2010.

BURLINGAME, Kan. (AP) — A Nebraska man has died in a motorcycle accident in eastern Kansas.

The Kansas Highway Patrol reports that 53-year-old Bradley DeBord of Kearney, Neb., died in the accident south of Burlingame Friday night. The patrol said the motorcycle DeBord was driving south on U.S. 56 left the roadway and overturned.




Call Today to
Schedule Your **FREE**
Consultation!

The Topeka Capital-Journal reports that DeBord was pronounced dead at the scene.

Figure D.16 KearneyHub.com News Clip for Motorcycle Fatal Crash by Overturning

Local News



Fatal Motorcycle Accident Near Kissee Mills

By: Staff
Posted: Sunday, November 21, 2010

A man from Wichita, Kansas was killed Saturday in a motorcycle accident in Taney County.

State troopers say 50-year-old Douglas Holt was westbound on U-S 160 two miles east of Kissee Mills around 3 p.m., when his 1994 Honda motorcycle crossed the center line of the roadway and overturned. The motorcycle was then struck by an eastbound Toyota pickup driven by 63-year-old Ronald Anderson of Isabella.

Holt was pronounced deceased at the scene by Taney County Assistant Coroner Lewis Chapman. Anderson was transported to Skaggs in Branson for treatment of minor injuries.

The accident marks the 98th fatality of 2010 for Troop D of the Missouri State Highway Patrol.

Figure D.17 Hometowndailynews.com News Clip for Motorcycle Fatal Crash by Overturning

Deadly Motorcycle Accident

Published: 11/22 9:58 pm
Updated: 11/22 10:08 pm

A motorcycle driver is dead after crashing into a delivery truck Monday afternoon. It happened near first street and meridian, where witnesses say the biker may have been speeding as he headed south. The biker T-Boned the truck after it turned left in front of him. The biker was pronounced dead at the scene. The driver of the truck was not hurt.

Figure D.18 Fox Kansas News Clip for Motorcycle Fatal Crash Caused by Crashing into a Truck