


California Sign Specifications

September 28, 2006



STATE OF CALIFORNIA
BUSINESS, TRANSPORTATION AND HOUSING AGENCY
DEPARTMENT OF TRANSPORTATION

(This page left intentionally blank)



R2-4


ENGLISH UNITS

A	B	C	D	E	F	G	H	J
24	30	.375	.625	3.375	4E	2.625	10E	1.5
36	45	.625	.875	5	6E	4	15E	2.25
48	60	.75	1.25	6.75	8E	5.25	20E	3

METRIC UNITS

A	B	C	D	E	F	G	H	J
610	762	10	16	86	100E	67	250E	38
914	1143	16	22	127	150E	102	375E	57
1219	1524	19	32	171	200E	133	500E	76

COLORS: BORDER & LEGEND - BLACK
BACKGROUND - WHITE (RETROREFLECTIVE)

MUTCD NUMBER NoneCODE R3

* Available in increments of 5, from 15 to 65.

SIGN SIZE	DIMENSIONS (MILLIMETERS)										
	A	B	C	D	E	F	G	H	J	K	L
600 x 750	600	750	9	16	81	100E	50	250E	75E	38	38
900 x 1125	900	1125	16	22	113	150E	75	375E	125E	50	56
1200 x 1500	1200	1500	19	31	163	200E	100	500E	150E	75	75

SIGN SIZE	DIMENSIONS (INCHES)										
	A	B	C	D	E	F	G	H	J	K	L
24 X 30	24	30	5/8	3/8	3-1/4	4E	2	10E	3E	1-1/2	1-1/2
36 X 45	36	45	9/16	15/16	4-1/2	6E	3	15E	5E	2	2-1/4
48 X 60	48	60	3/4	1-1/4	6-1/2	8E	4	20E	6E	3	3

COLORS
BORDER & LEGEND - BLACK (Non-Reflective)
BACKGROUND - WHITE (Reflective)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

(Signed Original)


11/29/71

CHIEF, OFFICE OF SIGNS AND DELINEATION

DATE

REVISION

REVISION

MUTCD NUMBER NoneCODE R4

SIGN SIZE	DIMENSIONS (MILLIMETERS)						
	A	B	C	D	E	F	G
600 x 250	600	250	9	16	38	63	125C
900 x 400	900	400	16	22	56	100	200C
1200 x 500	1200	500	19	31	75	125	250C
1650 x 600	1650	600	22	38	113	150	300C

SIGN SIZE	DIMENSIONS (INCHES)						
	A	B	C	D	E	F	G
24 x 10	24	10	3/8	5/8	1-1/2	2-1/2	5C
36 x 16	36	16	9/16	15/16	2-1/4	4	8C
48 x 20	48	20	3/4	1-1/4	3	5	10C
66 x 24	66	24	7/8	1-1/2	4-1/2	6	12C

COLORS
BORDER & LEGEND - BLACK (Non-Reflective)
BACKGROUND - WHITE (Reflective)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

(Original Signed by C.D. Bartell)


DEPUTY CHIEF, DIVISION OF TRAFFIC OPERATIONS

12/5/89

DATE

REVISION

REVISION

MUTCD NUMBER NoneCODE R6-3 (CA)

UNITS OF MEASURE	SIGN DIMENSIONS										
	A	B	C	D	E	F	G	H	J	K	L
Inches	48	60	3/4	1-1/4	4	6D	2	3	16E	5E	3
Millimeters	1219	1524	19	32	102	150D	51	76	400E	125E	76

COLOR

BORDER & LEGEND - BLACK (Non-Reflective)
BACKGROUND - WHITE (Reflective)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

Gerry Myers
 CHIEF, OFFICE OF SIGNS & DELINEATION

10/10/03
 DATE

REVISION

REVISION



R6-3A (CA)


ENGLISH UNITS

A	B	C	D	E	F	G	H	J	K
54	66	.75	1.25	4	6D	2	3	8D	8C

METRIC UNITS

A	B	C	D	E	F	G	H	J	K
1372	1676	19	32	102	150D	51	76	200D	200C

COLORS: BORDER & LEGEND - BLACK
BACKGROUND - WHITE (RETROREFLECTIVE)

MUTCD NUMBER NoneCODE R6-4 (CA)

UNITS OF MEASURE	SIGN DIMENSIONS										
	A	B	C	D	E	F	G	H	J	K	L
Inches	48	60	3/4	1-1/4	4-1/2	6C	3	6E	16E	5E	3
Millimeters	1219	1524	19	32	114	150C	76	150E	400E	125E	76

COLOR

BORDER & LEGEND - BLACK (Non-Reflective)
BACKGROUND - WHITE (Reflective)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

Gerry Myers
 CHIEF, OFFICE OF SIGNS & DELINEATION

10/10/03
 DATE

REVISION

REVISION



*Reduce letter spacing 30%.

R6-4A (CA)


ENGLISH UNITS

A	B	C	D	E	F	G	H	J	K
54	66	.75	1.25	4	6C	3	6D	8D	8C

METRIC UNITS

A	B	C	D	E	F	G	H	J	K
1372	1676	19	32	102	150C	76	150D	200D	200C

COLORS: BORDER & LEGEND - BLACK
BACKGROUND - WHITE (RETROREFLECTIVE)

MUTCD NUMBER R5-1CODE R11

SIGN	DIMENSIONS (INCHES)							
	A	B	C	D	E	F	G	H
STANDARD	36	2 1/4	7 3/4	5D	6	2 1/4	14 3/4	17
CONVENTIONAL	48	3	10 1/4	7D	8	2 3/4	20	22 5/8
FREEWAY	72	4 1/2	15 1/2	10D	12	4 1/2	29 1/2	34

COLORS

BORDER & LEGEND - WHITE (REFL)

CIRCLE SYMBOL - RED (REFL)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON THE REVERSE SIDE -

51

MR. Lawrence
 CHIEF, DIVISION OF TRAFFIC ENGINEERING

DATE

3/22/91

REVISION

REVISION

STATE OF CALIFORNIA

DEPARTMENT OF TRANSPORTATION



R11A-1



R11A-2

SIGN		DIMENSIONS (INCHES)					
		A	B	C	D	E	F
STANDARD	R11A-1	36	21	3½	5F	4	5/8
FREEWAY	R11A-2	72	21	6½	8D	-	3/4

COLORS

LEGEND - WHITE (REFL)

BACKGROUND - RED (REFL)


THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE.

CHIEF, DIVISION OF TRAFFIC ENGINEERING

DATE

REVISION

REVISION

MUTCD NUMBER NoneCODE R13A

SIGN SIZE	DIMENSIONS (Inches)															
	A	B	C	D	E	F	G	H	J	K	L	M	N	P	R	S
18 x 30	18	30	3/8	1/2	8-5/8	1-1/8	1-7/8	7-7/8	1-1/2	9	15-3/4	12-3/4	1-1/2	4C	5-1/2	1-1/2
24 x 36	24	36	3/8	5/8	11-1/2	1-1/2	2-1/2	10-1/2	2	12	21	17	2	5C	5	1-1/2
30 x 48	30	48	1/2	3/4	14-1/2	1-7/8	3-1/8	13-1/8	2-1/2	15	26-1/4	21-1/4	2-1/2	6C	8	1-7/8

SIGN SIZE	DIMENSIONS (Millimeters)															
	A	B	C	D	E	F	G	H	J	K	L	M	N	P	R	S
457 x 762	457	762	10	13	219	29	48	200	38	229	400	324	38	100C	140	38
610 x 914	610	914	10	16	292	38	64	267	51	305	533	432	51	125C	127	38
762 x 1219	762	1219	13	19	368	48	79	333	64	381	667	540	64	150C	203	48

COLORS**PROHIBITIVE SYMBOL - RED (Reflective)****BACKGROUND - WHITE (Reflective)****ARROW, MESSAGE & BORDER - BLACK (Non-Reflective)**

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -


Gerry Kreis
 CHIEF, OFFICE OF SIGNS AND DELINEATION

8/1/03

DATE

REVISION

REVISION

MUTCD NUMBER NoneCODE R13B

Note:
For arrowhead
dimensions, see
Sign Specification
Appendix Page
2 of 11.

SIGN SIZE	DIMENSIONS (Inches)															
	A	B	C	D	E	F	G	H	J	K	L	M	N	P	R	S
18 x 30	18	30	3/8	1/2	8-5/8	1-1/8	1-7/8	7-7/8	1-1/2	9	15-3/4	12-3/4	1-1/2	4C	5-1/2	1-1/2
24 x 36	24	36	3/8	5/8	11-1/2	1-1/2	2-1/2	10-1/2	2	12	21	17	2	5C	5	1-1/2
30 x 48	30	48	1/2	3/4	14-1/2	1-7/8	3-1/8	13-1/8	2-1/2	15	26-1/4	21-1/4	2-1/2	6C	8	1-7/8

SIGN SIZE	DIMENSIONS (Millimeters)															
	A	B	C	D	E	F	G	H	J	K	L	M	N	P	R	S
457 x 762	457	762	10	13	219	29	48	200	38	229	400	324	38	100C	140	38
610 x 914	610	914	10	16	292	38	64	267	51	305	533	432	51	125C	127	38
762 x 1219	762	1219	13	19	368	48	79	333	64	381	667	540	64	150C	203	48

COLORS**PROHIBITIVE SYMBOL - RED (Reflective)****BACKGROUND - WHITE (Reflective)****ARROW, MESSAGE & BORDER - BLACK (Non-Reflective)**

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

Gerry Meis
CHIEF, OFFICE OF SIGNS AND DELINEATION

8/1/03

DATE

REVISION

REVISION

MUTCD NUMBER NONE

CODE R18A
(Lt. or Rt.)

DEPARTMENT OF TRANSPORTATION

STATE OF CALIFORNIA



Alternate message Line1:

"LEFT LANE"

"RIGHT * LANES" (Use 'C' Series Letters)

"LEFT * LANES" (Use 'C' Series Letters)

*Specify number of lanes.

COLORS
BORDER & LEGEND - BLACK (NON-REFLECTIVE)
BACKGROUND - WHITE (REFLECTIVE)


THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE.

CD Barber
CHIEF, DIVISION OF TRAFFIC ENGINEERING

2/24/86
DATE

2/3/99
REVISION

REVISION

MUTCD NUMBER NONECODE R18B
Rt. or Lt.

SIGN	DIMENSIONS (INCHES)							
	A	B	C	D	E	F	G	H
36 x 36	36	36	5/8	7/8	5 1/2	5	4D	5D

COMPRESS LINE ONE 15%
COMPRESS LINE TWO 20%

Alternate message, line one: LEFT LANE.

COLORS
LEGEND & BORDER - BLACK (NON-REFLECTIVE)
BACKGROUND - WHITE (REFLECTIVE)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

W. H. Hoventon
DEPUTY CHIEF, DIVISION OF TRAFFIC OPERATIONS

7/15/96
DATE

REVISION

REVISION



Variable message, specify when ordering.
For truck symbol details, see Standard Highway Signs book, page 6-4.

R20-1 (CA)


ENGLISH UNITS

A	B	C	D	E	F	G	H	J	K	L	M
102	48	.75	1.25	3.5	8D	3	30	26	21	9	2.5

METRIC UNITS

A	B	C	D	E	F	G	H	J	K	L	M
2591	1219	19	32	89	200D	76	762	660	533	229	64

COLORS: BORDER & LEGEND - BLACK
BACKGROUND - WHITE (RETROREFLECTIVE)
PROHIBITIVE SYMBOL - RED (RETROREFLECTIVE)



Alternate Messages:
"SECOND EXIT"
"NEXT RIGHT"
"SECOND RIGHT"
"NEXT LEFT"

R20-1A (CA)


ENGLISH UNITS

A	B	C	D	E	F	G
102	18	.75	1.25	5	8E	3

METRIC UNITS

A	B	C	D	E	F	G
2591	457	19	32	127	200E	76

COLORS: BORDER & LEGEND - BLACK
BACKGROUND - WHITE (RETROREFLECTIVE)



ALL DIMENSIONS ARE IN INCHES

R20A SUFFIX	SIZE	BORDER WIDTH	MARGIN WIDTH	LETTER SIZE, SERIES & STROKE WIDTH					COR. RAD.
				LINE 1	LINE 2	LINE 3	LINE 4	LINE 5	
-1	30x30	3/4	1/2	4E-.80	4E-.80	4D-.72	4D-.72		1 1/2
-2	36x40	1	5/8	5E-1.00	5E-1.00	5D-.90	5D-.90		2-5/8

R20A SUFFIX	SIZE	DIMENSIONS											
		A	B	C	D	E	F	G	H	I	J	K	L
-1	30x30	3	24	--	--	3 1/2	2 1/4	2 1/2					
-2	36x40	2	--	18	16	5	3 1/4	3 1/2					

White BACKGROUND WITH Black BORDER & LEGEND

REFLECTIVE BACKGROUND

3/8" DIA. HOLES •

APPROVED:

TRAFFIC ENGINEER

2-11-74
DATE


REVISION

MUTCD NUMBER NoneCODE R20D

R20D-1



R20D-2



SIGN SIZE (Inches)	DIMENSIONS (Inches)							
	A	B	C	D	E	F	G	H
24 x 6	24	6	3/8	1/2	2	3C	4D	1-1/2
30 x 9	30	9	1/2	3/4	3	4C	5D	1-7/8
36 x 12	36	12	5/8	7/8	4	5C	6D	2-1/4

COLORS
LEGEND - BLACK (NON-REFLECTIVE)
BACKGROUND - WHITE (REFLECTIVE)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

Gerry Kreis
 CHIEF, OFFICE OF SIGNS AND RELINEATION



7/16/98
 DATE

REVISION

REVISION

MUTCD NUMBER NoneCODE R20D

R20D-3



SIGN SIZE (Inches)	DIMENSIONS (Inches)							
	A	B	C	D	E	F	G	H
24 x 12	24	12	3/8	1/2	2-1/4	3C	1-1/2	1-1/2
30 x 15	30	15	1/2	3/4	2-1/2	4C	2	1-7/8
36 x 18	36	18	5/8	7/8	2-3/4	5C	2-1/2	2-1/4

COLORS
LEGEND - BLACK (NON-REFLECTIVE)
BACKGROUND - WHITE (REFLECTIVE)


- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

Gerry K. Reis
 CHIEF, OFFICE OF SIGNS AND DELINEATION

7/16/98
 DATE

REVISION

REVISION

MUTCD NUMBER NoneCODE R20H

SIGN SIZE (Inches)	DIMENSIONS (Inches)							
	A	B	C	D	E	F	G	H
36 x 36	36	5/8	7/8	5	4E	3	4C	2-1/4
42 x 42	42	5/8	1	5	5E	3-1/2	5C	2-5/8

COLORS
LEGEND - BLACK (NON-REFLECTIVE)
BACKGROUND - WHITE (REFLECTIVE)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

Shirley Meis
 CHIEF, OFFICE OF SIGNS AND DELINEATION

4/16/99
 DATE

REVISION

REVISION



ALL DIMENSIONS ARE IN INCHES

R21 SUFFIX	SIZE	BORDER WIDTH	MARGIN WIDTH	LETTER SIZE, SERIES & STROKE WIDTH					COR RAD
				LINE 1	LINE 2	LINE 3	LINE 4	LINE 5	
-1	36x30	3/4	1/2	5D-.90	2½D-.45	2½B-.35	5D-.90		1½

R21 SUFFIX	SIZE	DIMENSIONS											
		A	B	C	D	E	F	G	H	I	J	K	L
-1	36x30	3	24	16	5	1-3/4	1½	5					

White BACKGROUND WITH Black BORDER & SYMBOL Reflective Background
 3/8" dia. holes •

APPROVED

11/29/71

DATE

DIVISION




ALL DIMENSIONS ARE IN INCHES

R22 SUFFIX	SIZE	BORDER WIDTH	MARGIN WIDTH	LETTER SIZE, SERIES & STROKE WIDTH					COR RAD
				LINE 1	LINE 2	LINE 3	LINE 4	LINE 5	
-1.1	12x18	3/8	3/8	3D-.54	3D-.54	3D-.54	1½C-.24		1½

R22 SUFFIX	SIZE	DIMENSIONS											
		A	B	C	D	E	F	G	H	I	J	K	L
-1 1	12x18	1½	15	1-3/4	1¼	1½	9½						

White BACKGROUND WITH Black BORDER & SYMBOL Reflective Background
 3/8" Dia. holes •

APPROVED: ACR 11/29/71 1/28/72
TRAFFIC ENGINEER DATE REVISION

MUTCD NUMBER NONECODE R23

Alternate Message, Line 1: NO JUMPING.

SIGN	DIMENSIONS (INCHES)														
	A	B	C	D	E	F	G	H	J	K	L	M	N	P	Q
MINIMUM	26	18	3/8	5/8	1 1/2	5 1/4	2	15	1 1/2	3	2 1/2F	2F	3F	2	1 1/2

COLOR

BORDER & LEGEND - BLACK

BACKGROUND - WHITE (REFL)


- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON THE REVERSE SIDE -

MR. L. J. L. J.
 Dep. CHIEF, DIVISION OF TRAFFIC ENGINEERING

3/22/91
 DATE

8/24/98
 REVISION

REVISION



ALL DIMENSIONS ARE IN INCHES

R24 SUFFIX	SIZE	BORDER WIDTH	MARGIN WIDTH	LETTER SIZE, SERIES & STROKE WIDTH					COR RAD.
				LINE 1	LINE 2	LINE 3	LINE 4	LINE 5	
-1.1	12x18	3/8	3/8	4C-.64	2½B-.35				1½

R24 SUFFIX	SIZE	DIMENSIONS											
		A	B	C	D	E	F	G	H	I	J	K	L
-1.1	12x18	1½	15	4½	3	4	9½	9½					

White BACKGROUND WITH Black BORDER & SYMBOL Reflective Background

3/8" Dia. holes ●

APPROVED:

TRAFFIC ENGINEER

11/29/71

DATE

1/28/72

REVISION



ALL DIMENSIONS ARE IN INCHES

R25 SUFFIX	SIZE	BORDER WIDTH	MARGIN WIDTH	LETTER SIZE, SERIES & STROKE WIDTH					COR RAD.
				LINE 1	LINE 2	LINE 3	LINE 4	LINE 5	
-1	24x15	5/8	3/8	3D-.54	3D-.54				1 1/2

R25 SUFFIX	SIZE	DIMENSIONS											
		A	B	C	D	E	F	G	H	I	J	K	L
-1	24x15	1 1/2	12	4	2	3	9-3/4	2	6 5/8	20			

White BACKGROUND WITH Black BORDER & SYMBOL Reflective Background
 3/8" hole dia. •

APPROVED:

TRAFFIC ENGINEER

11/29/71

DATE

REVISION

MUTCD NUMBER R7CODE R26

SIGN	DIMENSIONS (INCHES)													
	A	B	C	D	E	F	G	H	J	K	L	M	N	P
MINIMUM	12	18	1/4	1/4	7/8	3 1/2B	1 1/8	5 1/2	1 1/2	6 3/8	3B	2 1/4B	2 3/8	9 1/2

COLORS

BORDER & LEGEND - RED (REFL)

BACKGROUND - WHITE (REFL)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON THE REVERSE SIDE -

55
MR. Lander
 Rep. CHIEF, DIVISION OF TRAFFIC ENGINEERING

3/22/91
 DATE

REVISION

REVISION

MUTCD NUMBER R7CODE R26(S)

SIGN	DIMENSIONS (INCHES)													
	A	B	C	D	E	F	G	H	J	K	L	M	N	P
MINIMUM	12	18	1/4	1/4	7/8	3 1/2B	1 1/8	5 1/2	1 1/2	6 3/8	3B	2 1/4B	2 3/8	9 1/2

COLORS

BORDER & LEGEND - RED (REFL)

BACKGROUND - WHITE (REFL)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON THE REVERSE SIDE -

Mr. Lamberth
 Vep. CHIEF, DIVISION OF TRAFFIC ENGINEERING

3/22/91
 DATE

REVISION

REVISION

CODE

R26A



ALL DIMENSIONS ARE IN INCHES

R26 A SUFFIX	SIZE	BORDER WIDTH	MARGIN WIDTH	LETTER SIZE, SERIES & STROKE WIDTH					COR RAD
				LINE 1	LINE 2	LINE 3	LINE 4	LINE 5	
-11	24x30	5/8	3/8	5D-.90	5C-.80	3D-.54	3D-.54		1½

R26 A SUFFIX	SIZE	DIMENSIONS											
		A	B	C	D	E	F	G	H	I	J	K	L
-11	24x30	3	24	3-5/8	2½	20							

White BACKGROUND WITH Red BORDER & SYMBOL

3/8" Dia. holes ●

Reflective Background

APPROVED:

TRAFFIC ENGINEER

11/29/71
DATE

1/28/72
REVISION



ALL DIMENSIONS ARE IN INCHES

R26A (S) SUFFIX	SIZE	BORDER WIDTH	MARGIN WIDTH	LETTER SIZE, SERIES & STROKE WIDTH					COR RAD.
				LINE 1	LINE 2	LINE 3	LINE 4	LINE 5	
-1	24x30	5/8	3/8	5D-.90	5C-.80	3D-.54	3D-.54		1½

R26A (S) SUFFIX	SIZE	DIMENSIONS											
		A	B	C	D	E	F	G	H	I	J	K	L
-1	24x30	3	24	3-5/8	2-1/4	20-3/8							

White BACKGROUND WITH Red BORDER & SYMBOL Reflective Background

3/8 Dia. holes •

APPROVED:

ACE
TRAFFIC ENGINEER

1/28/72
DATE

REVISION

MUTCD NUMBER NONECODE R26B

* NOTE: ALSO AVAILABLE WITH MESSAGE, "NO STOPPING HERE TO CORNER"

SIGN	DIMENSIONS (INCHES)													
	A	B	C	D	E	F	G	H	J	K	L	M	N	P
MINIMUM	12	18	1/4	1/4	7/8	3 1/2B	1 1/8	5 1/2	1 1/2	6 3/8	3B	2 1/4B	2 3/8	9 1/2

COLORS

BORDER & LEGEND - RED (REFL)

BACKGROUND - WHITE (REFL)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON THE REVERSE SIDE -

Dep *MM Lander*
 CHIEF, DIVISION OF TRAFFIC ENGINEERING

3/22/91
 DATE

REVISION

REVISION



ALL DIMENSIONS ARE IN INCHES

R26C SUFFIX	SIZE	BORDER WIDTH	MARGIN WIDTH	LETTER SIZE SERIES & STROKE WIDTH					COR RAD.
				LINE 1	LINE 2	LINE 3	LINE 4	LINE 5	
-1	24 x 30	5/8	3/8	5D-.90	5C-.80	3D-.54	3D-.54		1 1/2

R26C SUFFIX	SIZE	DIMENSIONS											
		A	B	C	D	E	F	G	H	I	J	K	L
-1	24 x 30	3	24	3 5/8	2 1/4	20							

white BACKGROUND WITH red BORDER & LEGEND

Reflective Background

3/8" DIA HOLES •

* Also available with message, "NO STOPPING HERE TO CORNER".

APPROVED:

TRAFFIC ENGINEER

11-14-74

DATE

REVISION

DEPARTMENT OF TRANSPORTATION

STATE OF CALIFORNIA



★ CONDENSE SPACING: 27% FOR STANDARD SIGN,
15% FOR SPECIAL SIGN.

SIGN	DIMENSIONS (INCHES)											
	A	B	C	D	E	F	G	H	J	K	L	M
STANDARD	12	18	1/4	5 1/2	1 1/2	3 1/2B	7/8	3B	2 1/4B	1/2C	5/8	5 5/8
SPECIAL	24	30	1/2	11	2 1/2	6B	1 1/2	5B	3 1/2B	3/4C	1 1/4	10

COLORS

LEGEND & BORDER - RED

BACKGROUND - WHITE (REFL.)

THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE.

C.D. Bartles
CHIEF, DIVISION OF TRAFFIC ENGINEERING

7/31/84
DATE

CDB 2/24/86
REVISION

REVISION

MUTCD NUMBER NoneCODE R26J

Sign Size (Inches)	DIMENSIONS (Inches)												
	A	B	C	D	E	F	G	H	J	K	L	M	N
12 x 18	12	18	1/4	1/4	3-1/4	1	3-1/2C	1-1/2	3B	2-1/4B	1-1/2D	3/4	1-1/2
24 x 30	24	30	3/8	5/8	6-1/2	2	5D	2-1/2	5C	3D	3D	1-5/8	1-1/2

Sign Size (mm)	DIMENSIONS (Millimeters)												
	A	B	C	D	E	F	G	H	J	K	L	M	N
305 x 457	305	457	6	6	83	25	88C	38	75B	56B	38D	19	38
610 x 762	610	762	10	16	165	51	125D	64	125C	75D	75D	41	38

COLORS**LEGEND & BORDER - RED (Reflective)****LEGEND & BACKGROUND - WHITE (Reflective)**

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -


 CHIEF, OFFICE OF SIGNS AND DELINEATION

3/21/03

DATE

REVISION

REVISION

MUTCD NUMBER R7CODE R27

SIGN	DIMENSIONS (INCHES)													
	A	B	C	D	E	F	G	H	J	K	L	M	N	P
STANDARD	12	18	1/4	1/4	7/8	3 1/2B	1 1/8	5 1/2	1 1/2	6 3/8	3B	2 1/4B	2 3/8	9 1/2

COLORS

BORDER & LEGEND - RED (REFL)

BACKGROUND - WHITE (REFL)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON THE REVERSE SIDE -

Dep. Chief, Division of Traffic Engineering
 Dep. CHIEF, DIVISION OF TRAFFIC ENGINEERING

3/22/91
 DATE

REVISION

REVISION

CODE

R27A

ALL DIMENSIONS ARE IN INCHES

R27A SUFFIX	SIZE	BORDER WIDTH	MARGIN WIDTH	LETTER SIZE, SERIES & STROKE WIDTH					COR. RAD.
				LINE 1	LINE 2	LINE 3	LINE 4	LINE 5	
-1.1	24x30	5/8	3/8	5D-.90	5C-.80	3D-.54	3D-.54		1½

R27A SUFFIX	SIZE	DIMENSIONS											
		A	B	C	D	E	F	G	H	I	J	K	L
-1.1	24x30	3	24	35/8	2½	20							

White BACKGROUND WITH Red BORDER & SYMBOL

Reflective background

3/8" dia. holes ●

APPROVED:

ACB
TRAFFIC ENGINEER

11/29/71
DATE

1/28/72
REVISION

MUTCD NUMBER R7CODE R28
(Lt or Rt)

Arrow Direction: Left, right or both, specify when ordering.

NOTE: FOR ARROWHEAD DIMENSIONS, SEE APPENDIX PAGE 2 OF 11, STANDARD ARROWHEAD.

SIGN	DIMENSIONS (INCHES)																	
	A	B	C	D	E	F	G	H	J	K	L	M	N	P	Q	R	S	T
MINIMUM	12	18	1/4	1/4	7/8	3 1/2	1 1/8	5 1/2	1 1/2	6 3/8	38	2 1/4	2	3 1/2	3/4	7 3/4	2 1/8	9 1/2

COLOR

BORDER & LEGEND - RED (REFL)

BACKGROUND - WHITE (REFL)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON THE REVERSE SIDE -

MR. Lander
 Dep CHIEF, DIVISION OF TRAFFIC ENGINEERING

3/22/91
 DATE

7/13/93
 REVISION

REVISION

MUTCD NUMBER R7CODE R28(S)
(Lt or Rt)

Arrow Direction: Left, right or both; specify when ordering.

NOTE: FOR ARROWHEAD DIMENSIONS, SEE APPENDIX PAGE 2 OF 11, STANDARD ARROWHEAD.

SIGN	DIMENSIONS (INCHES)																	
	A	B	C	D	E	F	G	H	J	K	L	M	N	P	Q	R	S	T
MINIMUM	12	18	1/4	1/4	7/8	3 1/2B	1 1/8	5 1/2	1 1/2	6 3/8	3B	2 1/4B	2	3 1/2	3/4	7 3/4	2 1/8	9 1/2

COLOR

BORDER & LEGEND - RED (REFL)

BACKGROUND - WHITE (REFL)


- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON THE REVERSE SIDE -

MR. L. L. L.
CHIEF, DIVISION OF TRAFFIC ENGINEERING

3/22/91
DATE

7/13/93
REVISION

REVISION



Arrow Direction: Left, right or both, specify when ordering.

Arrowhead Detail

ALL DIMENSIONS ARE IN INCHES

R28A SUFFIX	SIZE	BORDER WIDTH	MARGIN WIDTH	LETTER SIZE, SERIES & STROKE WIDTH					COR. RAD.
				LINE 1	LINE 2	LINE 3	LINE 4	LINE 5	
-1.2	24x30	5/8	3/8	5D-.90	5C-.80	3D-.54			1-1/2

R28A SUFFIX	SIZE	DIMENSIONS											
		A	B	C	D	E	F	G	H	I	J	K	L
-1.2	24x30	3	1 1/2	1/4	1/4 R.	24	4-7/8	3 1/2	2 1/4	4-1/8	20	8-7/8	2

White BACKGROUND WITH Red BORDER & SYMBOL Reflective Background

M	N
9-1/8	12


3/8" Dia. Holes •

APPROVED:

ACR
TRAFFIC ENGINEER

11/29/71
DATE

1/28/72 8/2/73
REVISION 7/13/93



Arrow Direction: Left, right or both; specify when ordering.

Arrowhead Detail

ALL DIMENSIONS ARE IN INCHES

R28A(S) SUFFIX	SIZE	BORDER WIDTH	MARGIN WIDTH	LETTER SIZE, SERIES & STROKE WIDTH					COR RAD.
				LINE 1	LINE 2	LINE 3	LINE 4	LINE 5	
-1.3	24 x 30	5/8	3/8	5D - .90	5C - .80	3D - .54			1 1/2

R28A(S) SUFFIX	SIZE	DIMENSIONS											
		A	B	C	D	E	F	G	H	I	J	K	L
-1.3	24 x 30	3	1½	¼	¼R.	24	4-7/8	3½	2¼	4-1/8	20-3/8	8-7/8	2

White BACKGROUND WITH Red BORDER & SYMBOL Reflective Background

3/8" Dia. Holes

M	N
9 1/8	12


APPROVED:

CCP
TRAFFIC ENGINEER

11/29/71
DATE

12/22/71
EXPIRATION

8/2/72 7/13/93
12/28/72

MUTCD NUMBER NoneCODE R28B
Lt. or Rt.

ARROWHEAD DETAIL

Note:
Vehicle height and arrow direction may vary,
specify when ordering.

COLOR
BORDER & LEGEND - RED (Reflective)
BACKGROUND - WHITE (Reflective)


- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

[Signature]
CHIEF, OFFICE OF SIGNS AND DELINEATION

8/16/94
DATE

REVISION

REVISION



ALL DIMENSIONS ARE IN INCHES

R29 SUFFIX	SIZE	BORDER WIDTH	MARGIN WIDTH	LETTER SIZE, SERIES & STROKE WIDTH				COR. RAD.
				LINE 1,5	LINE 2,3	LINE 4,7	LINE 6	
-1.1	18x30	3/8	3/8	4-1/2B-.64	3C-.48	3/8F-.08	3B-.42	1-1/2
				3B-.42	(TO)-1D-.18		(TO)-1C-.16	
					2F-.44		2D-.36	

R29 SUFFIX	SIZE	DIMENSIONS										
		A	B	C	D	E	F	G	H	I	J	K
-1.1	18x30	3	12	1-1/4	7/8	3/4	2-3/8	1	1-3/8	6-1/2	10 1/2	10

WHITE BACKGROUND WITH RED BORDER & SYMBOL Not Reflectorized

3/8" DIA. HOLES ●

APPROVED: *[Signature]* 11/29/71 1/28/72
DATE REVISION

MUTCD NUMBER R7

CODE R30



* NOTE: TIMES ARE VARIABLE, SPECIFY WHEN ORDERING.

SIGN	DIMENSIONS (INCHES)																
	A	B	C	D	E	F	G	H	J	K	L	M	N	P	Q	R	T
MINIMUM	12	18	1/4	1/4	7/8	3 1/2B	1 1/8	5 1/2	1 1/2	6 1/8	3B	2 1/2C	1 3/4D	3/4D	3/4	3/8F	9 1/2

COLOR
BORDER & LEGEND - RED (REFL)
BACKGROUND - WHITE (REFL)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON THE REVERSE SIDE -

MP Lawrence
Dep CHIEF, DIVISION OF TRAFFIC ENGINEERING

3/22/91
DATE

REVISION

REVISION

MUTCD NUMBER **R7**CODE **R30A**

Arrow Direction: Left, right or both; specify when ordering.

* NOTE: TIMES ARE VARIABLE, SPECIFY WHEN ORDERING.
FOR ARROWHEAD DIMENSIONS, SEE APPENDIX PAGE 2 OF 11, STANDARD ARROWHEAD.

SIGN	DIMENSIONS (INCHES)																			
	A	B	C	D	E	F	G	H	J	K	L	M	N	P	Q	R	S	T	U	W
MINIMUM	12	18	1/4	1/4	7/8	3 1/2B	1 1/8	5 1/4	1 1/2	6 3/8	3B	2 1/2C	1 3/4C	3/4D	1	1 5/8	3/8F	2 1/8	3/4	7 3/4

COLOR

BORDER & LEGEND - RED (REFL)

BACKGROUND - WHITE (REFL)

THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON THE REVERSE SIDE.

MP Lawless
Dep CHIEF, DIVISION OF TRAFFIC ENGINEERING

3/22/91
DATE

7/13/93
REVISION

REVISION



ALL DIMENSIONS ARE IN INCHES

R31 SUFFIX	SIZE	BORDER WIDTH	MARGIN WIDTH	LETTER SIZE, SERIES & STROKE WIDTH					COR. RAD.
				LINE 1	LINE 2 & 6	LINE 3 & 7	LINE 4	LINE 5	
-1.1	14x20-7/2	3/8	3/8	3-1/2B-49	2-1/4C-.36	3/8F-.08	(2)-3 1/2D-.63	2-1/4B-.32	1-1/2
				2-1/4B-.32	1-1/2C-.24		1-1/2D-.27		

R31 SUFFIX	SIZE	DIMENSIONS											
		A	B	C	D	E	F	G	H	I	J	K	L
-1.1	14x20-7/2	1-1/4	18	1-1/2	3/4	5/8	3/8	1-5/8	1/2	7/8	4-7/8		

White BACKGROUND WITH Red & Green BORDER & SYMBOL Not Reflectorized


3/8" DIA. HOLES •

APPROVED:

ACCT
TRAFFIC ENGINEER

11/29/71
DATE

1/28/72
REVISION



ALL DIMENSIONS ARE IN INCHES

R31(S) SUFFIX	SIZE	BORDER WIDTH	MARGIN WIDTH	LETTER SIZE, SERIES & STROKE WIDTH					COR. RAD.
				LINE 1	LINE 2-3	LINE 4-6	LINE 5-6	LINE 7	
-1.1	18x30	5/8	3/8	4½B-.63	3C-.48	3/8F-.08	4½D-.81	3B-.42	1-1/2
				3B-.42	2F-.44		2D-.36	2D-.36	
					(TO)-1D-.18		2-3/4B-.39	(TO)-1C-.16	
					(15)-1C-.16				

R31 (S) SUFFIX	SIZE	DIMENSIONS											
		A	B	C	D	E	F	G	H	I	J	K	L
-1.1	18x30	3	24	1½	7/8	3/8	1/2	1/4	2-1/8	1	3/4	1-3/8	6½

White BACKGROUND WITH Red & Green BORDER & SYMBOL Not reflectorized


3/8" Dia. holes.

APPROVED:

[Signature]
TRAFFIC ENGINEER

4/29/71
DATE

1/28/72
REVISION

MUTCD NUMBER R7CODE R32

* NOTE: TIMES ARE VARIABLE, SPECIFY WHEN ORDERING.

SIGN	DIMENSIONS (INCHES)																		
	A	B	C	D	E	F	G	H	J	K	L	M	N	P	Q	R	S	T	U
MINIMUM	12	18	1/4	1/4	7/8	3 1/20	1 1/8	4 1/2	1 1/2	2 1/8	2 1/28	3/8	2 1/20	3/8	1 3/4	3/4	2 3/8	1 5/8	1 3/8

COLOR

BORDER & LEGEND - GREEN (REFL)

BACKGROUND - WHITE (REFL)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON THE REVERSE SIDE -

MR. Lander
 Dep CHIEF, DIVISION OF TRAFFIC ENGINEERING

3/22/91
 DATE

REVISION

REVISION

MUTCD NUMBER R7CODE R32A

* NOTE: TIMES ARE VARIABLE, SPECIFY WHEN ORDERING.

SIGN	DIMENSIONS (INCHES)														
	A	B	C	D	E	F	G	H	J	K	L	M	N	P	Q
MINIMUM	12	18	1/4	1/4	1 1/2	1	3/8	9/16	1 5/8	2 1/2 C	1 3/4 C	3/4 D	1 3/8	3/8 F	9 1/2

COLOR

BORDER & LEGEND - GREEN (REFL)

BACKGROUND - WHITE (REFL)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON THE REVERSE SIDE -

MR. L. J. L...
 Dep CHIEF, DIVISION OF TRAFFIC ENGINEERING


3/22/91
 DATE

REVISION

REVISION

DEPARTMENT OF TRANSPORTATION

STATE OF CALIFORNIA



COLORS

BORDER & LEGEND - RED (UPPER), GREEN (LOWER)
BACKGROUND - WHITE

DIMENSIONS IN INCHES

THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE.


C. D. Bartell
CHIEF, DIVISION OF TRAFFIC ENGINEERING

2/4/86
DATE

REVISION

REVISION

STATE OF CALIFORNIA - DEPARTMENT OF TRANSPORTATION



* For arrowhead dimensions, see page 6-2 of the Standard Highway Signs Book.


R33 (CA)

ENGLISH UNITS

A	B	C	D	E	F	G	H	J	K	L	M	N	P
24	36	.375	.625	2	21	3C	1.5D	1	11.5	1.5	2.5	10.5	12.5

COLORS: CIRCLE & DIAGONAL - RED (RETROREFLECTIVE)
SYMBOL, BORDER & LEGEND - BLACK
BACKGROUND - WHITE (RETROREFLECTIVE)

9/26/06




* For arrowhead dimensions, see page 6-2 of the Standard Highway Signs Book.

R33A (CA)

ENGLISH UNITS

A	B	C	D	E	F	G	H	J	K	L	M	N	P	Q
30	48	.5	.75	2.25	26.25	2	4D	3D	1.875	14.5	3.125	13.125	2.5	15.375

COLORS: CIRCLE & DIAGONAL - RED (RETROREFLECTIVE)
SYMBOL, BORDER & LEGEND - BLACK
BACKGROUND - WHITE (RETROREFLECTIVE)




* For arrowhead dimensions, see page 6-2 of the Standard Highway Signs Book.

R33B (CA)

ENGLISH UNITS

A	B	C	D	E	F	G	H	J	K	L	M	N	P	Q	R	S
24	60	.375	.625	3	21	2	3C	3.75	3D	2C	1.5	1.5C	11.5	2.5	10.5	13.5

COLORS: CIRCLE & DIAGONAL - RED (RETROREFLECTIVE)
SYMBOL, BORDER & LEGEND - BLACK
BACKGROUND - WHITE (RETROREFLECTIVE)



* For arrowhead dimensions, see page 6-2 of the Standard Highway Signs Book.

R33C (CA)

ENGLISH UNITS

A	B	C	D	E	F	G	H	J	K	L	M	N	P	Q	R	S
24	60	.375	.625	3	21	2	3D	3.75	3C	2C	1.5	1.5C	11.5	2.5	10.5	13.5

COLORS: CIRCLE & DIAGONAL - RED (RETROREFLECTIVE)
SYMBOL, BORDER & LEGEND - BLACK
BACKGROUND - WHITE (RETROREFLECTIVE)



ALL DIMENSIONS ARE IN INCHES

R36 SUFFIX	SIZE	BORDER WIDTH	MARGIN WIDTH	LETTER SIZE, SERIES & STROKE WIDTH					COR RAD
				LINE 1	LINE 2	LINE 3	LINE 4	LINE 5	
-1.1	24x24	5/8	3/8	3C-.48	3C-.48	3C-.48 5C-.80	3C-.48		1½

R36 SUFFIX	SIZE	DIMENSIONS											
		A	B	C	D	E	F	G	H	I	J	K	L
-1.1	24x24	1½	21	3	2	20							

White BACKGROUND WITH Black BORDER & SYMBOL Reflective background


3/8" dia holes ●
Line 3 message as applicable

APPROVED

ACF
TRAFFIC ENGINEER

11/29/71
DATE

11/12/75
REVISION



ALL DIMENSIONS ARE IN INCHES

R37 SUFFIX	SIZE	BORDER WIDTH	MARGIN WIDTH	LETTER SIZE, SERIES & STROKE WIDTH					COR. RAD.
				LINE 1	LINE 2-8	LINE 3-4	LINE 5-6-7-10	LINE 9	
-1.1	18x31	5/8	3/8	2-1/8D-.38	4B-.56	3C-.48	1/2F-.11	3C-.48	1-1/2
					3B-.42	2E-.40		2D-.36	
						(To)=1D-.18		(To)=1D-.18	

R37 SUFFIX	SIZE	DIMENSIONS											
		A	B	C	D	E	F	G	H	I	J	K	L
-1.1	18x31	3½	24	1¼	5/8	½	7/8	1-7/8	¼	3/4	3/8	5-3/4	

White BACKGROUND WITH Red BORDER & SYMBOL Not Reflectorized


3/8" Dia. Holes

APPROVED:

ACE
TRAFFIC ENGINEER

11/29/71
DATE

1/28/72
REVISION



ALL DIMENSIONS ARE IN INCHES

R38 SUFFIX	SIZE	BORDER WIDTH	MARGIN WIDTH	LETTER SIZE, SERIES & STROKE WIDTH				COR RAD
				LINE 1	LINE 2,7,8	LINE 3,9	LINE 4,5,6,10	
-1.1	14x20½	3/8	3/8	1½D-.27	3½B-.49	2½C-.36	3/8F-.08	1½
					2½B-.32	1½C-.24		
					2-3½D-.63	10-3/4D-.14		

R38 SUFFIX	SIZE	DIMENSIONS											
		A	B	C	D	E	F	G	H	I	J	K	L
-1.1	14x20½	1¼	18	¾	¼	5/8	3/8	1-3/8	½	¾	4-3/4		


White BACKGROUND WITH Red & Green BORDER & SYMBOL Not Reflectorized
 3/8" dia. holes •

APPROVED

TRAFFIC ENGINEER

DATE

REVISION



ALL DIMENSIONS ARE IN INCHES

R38(S) SUFFIX	SIZE	BORDER WIDTH	MARGIN WIDTH	LETTER SIZE, SERIES & STROKE WIDTH					COR. RAD.
				LINE 1	LINE 2-8-7	LINE 3-4	LINE 5-6-7-11	LINE 10	
-1.1	18 x 31	5/8	3/8	2-18D-.38	4B-.56 3B-.42	3C-.48 2E-.40	1/2F-.11 3/8F-.08	3C-.48 2D-.36	1 1/2
					2D-.36	(TO)=1D-.18		(TO)=1D-.18	

R38(S) SUFFIX	SIZE	DIMENSIONS										
		A	B	C	D	E	F	G	H	I	J	K
-1.1	18x31	3 1/2	24	1	3/8	1/2	1/4	1-7/8	3/4	7/8	5/8	5 3/4


White BACKGROUND WITH Red & Green BORDER & SYMBOL Not Reflectorized
3/8" Dia. holes

APPROVED

ACCEPT
TRAFFIC ENGINEER

11/29/71
DATE

1/28/72
REVISION



ALL DIMENSIONS ARE IN INCHES

R40 SUFFIX	SIZE	BORDER WIDTH	MARGIN WIDTH	LETTER SIZE, SERIES & STROKE WIDTH					COR RAD
				LINE 1	LINE 2	LINE 3	LINE 4	LINE 5	
-1.1	24x30	5/8	3/8	5C-.80	5C-.80	5C-.80			1 1/2

R40 SUFFIX	SIZE	DIMENSIONS											
		A	B	C	D	E	F	G	H	I	J	K	L
-1.1	24x30	3	24	4-3/8	3-1/8	9-13/16	1-11/16	9-3/4	10	8-13/16	8-11/16		

White BACKGROUND WITH Black BORDER & SYMBOL Reflective Background


3/8" dia. holes ●

APPROVED

ACF
TRAFFIC ENGINEER

11/29/71
DATE

1/28/72
REVISION

MUTCD NUMBER NONECODE R44A

SIGN	DIMENSIONS (INCHES)													
	A	B	C	D	E	F	G	H	J	K	L	M	N	P
MINIMUM	12	24	1/4	3/8	6	1 1/2	1	3	3 1/2	6 1/2	1 1/2C	2D	1 1/8	7/8

COLOR
 BORDER, LEGEND & SYMBOL - BLACK
 BACKGROUND - WHITE (REFL)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON THE REVERSE SIDE -


MR. Lavelle
 Dep CHIEF, DIVISION OF TRAFFIC ENGINEERING

3/22/91
 DATE

REVISION

REVISION

STATE OF CALIFORNIA DEPARTMENT OF TRANSPORTATION



COLORS
LEGEND, BORDER & ARROW - BLACK
BACKGROUND - WHITE (REFL)

STANDARD ARROW (See Appendix page 2 of 9)

THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE.

[Signature]
 CHIEF, DIVISION OF TRAFFIC ENGINEERING

12/23/82
 DATE

REVISION


REVISION

MUTCD NUMBER NONE

CODE R44C

DEPARTMENT OF TRANSPORTATION


STATE OF CALIFORNIA




COLORS
LEGEND, BORDER & ARROW - BLACK
BACKGROUND - WHITE (REFL)

STANDARD ARROW (See Appendix page 2 of 9)

THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE.


CHIEF, DIVISION OF TRAFFIC ENGINEERING

12/23/82
DATE


REVISION

12-14-87
REVISION

MUTCD NUMBER NONE

CODE R47

DEPARTMENT OF TRANSPORTATION

STATE OF CALIFORNIA



COLORS

BORDER & LEGEND - BLACK
BACKGROUND - WHITE (REFL)

DIMENSION IN INCHES

3/8 Dia. Holes

THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE.

CD Bartell
CHIEF, DIVISION OF TRAFFIC ENGINEERING

7/14/86
DATE

REVISION


REVISION

MUTCD NUMBER NoneCODE R47A

Units of Measure	SIGN DIMENSIONS							
	A	B	C	D	E	F	G	H
Inches	54	36	5/8	7/8	5	6C	4	2-1/4
Millimeters	1372	1219	52	152	229	250E	356	356

COLORS**BORDER & LEGEND - BLACK (NON-REFLECTIVE)****BACKGROUND - WHITE (REFLECTIVE)**

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

MUTCD NUMBER NoneCODE R48

SIGN SIZE (Inches)	DIMENSIONS (Inches)							
	A	B	C	D	E	F	G	H
18 x 24	18	24	3/8	1/2	3-1/2	3C	1-3/4	1-1/2
24 x 30	24	30	3/8	5/8	4	4C	2	1-1/2
36 x 48	36	48	5/8	7/8	7	6C	3-1/2	2-1/4
48 x 60	48	60	3/4	1-1/4	8	8C	4	3

SIGN SIZE (mm)	DIMENSIONS (Millimeters)							
	A	B	C	D	E	F	G	H
457 x 610	457	610	10	13	89	75C	44	38
610 x 762	610	762	10	16	102	100C	51	38
914 x 1219	914	1219	16	22	178	150C	89	57
1219 x 1524	1219	1524	19	32	203	200C	102	76

COLOR**BORDER & LEGEND - BLACK (Non-Reflective)****BACKGROUND - WHITE (Reflective)**


- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

Gerry Kreis
 CHIEF, OFFICE OF SIGNS AND DELINEATION

5/20/2004
 DATE

REVISION

REVISION

MUTCD NUMBER NoneCODE R48-1

SIGN	DIMENSIONS (Inches)							
	A	B	C	D	E	F	G	H
MINIMUM	24	12	3/8	5/8	2-1/4	3C	1-1/2	1-1/2
STANDARD	36	18	5/8	7/8	3	5C	2	2-1/4
SPECIAL	48	24	3/4	1-1/4	4-1/2	6C	3	3

COLOR
 BORDER & LEGEND - BLACK (Non-Reflective)
 BACKGROUND - WHITE (Reflective)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

[Signature]
 CHIEF, OFFICE OF SIGNS AND DELINEATION

DATE

6/14/94

REVISION

REVISION

STATE OF CALIFORNIA - DEPARTMENT OF TRANSPORTATION



*Reduce letter spacing 40%.

*Reduce letter spacing 15%.

R48-2 (CA)


ENGLISH UNITS

A	B	C	D	E	F	G	H
18	24	.375	.5	3	3C	2	1.5
24	30	.375	.625	3.25	4C	2.5	1.5
36	48	.625	.875	6	6C	4	2.25
48	60	.75	1.25	5.75	8C	5.5	3

METRIC UNITS

A	B	C	D	E	F	G	H
457	610	10	13	76	75C	51	38
610	762	10	16	83	100C	64	38
914	1219	16	22	152	150C	102	57
1219	1524	19	32	146	200C	140	76

COLORS: BORDER & LEGEND - BLACK
BACKGROUND - WHITE (RETROREFLECTIVE)

MUTCD NUMBER NoneCODE R49

Notes:

1. Alternate Arrow Direction: Left, Right or Double Arrow.
2. For Arrow Details, See Appendix Page 2 of 11, Standard Arrowhead.

SIGN	DIMENSIONS (INCHES)											
	A	B	C	D	E	F	G	H	J	K	L	M
SINGLE ARROW	42	18	3/8	5/8	1/2	3-1/4	3D	16	6	2	28	1-1/2
DOUBLE ARROW	48	18	3/8	5/8	1/2	3-1/4	3D	16	6	1-1/2	28	1-1/2

SIGN	DIMENSIONS (MILLIMETERS)											
	A	B	C	D	E	F	G	H	J	K	L	M
SINGLE ARROW	1067	457	10	16	13	83	75D	406	152	51	711	38
DOUBLE ARROW	1219	457	10	16	13	83	75D	406	152	38	711	38

COLOR
BORDER & LEGEND - BLACK (Non-Reflective)
BACKGROUND - WHITE (Reflective)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -


Gary Davis
 CHIEF, OFFICE OF SIGNS & DELINEATION

DATE

11/23/99

REVISION

REVISION



ALL DIMENSIONS ARE IN INCHES

R50 SUFFIX	SIZE	BORDER WIDTH	MARGIN WIDTH	LETTER SIZE, SERIES & STROKE WIDTH					COR RAD
				LINE 1	LINE 2	LINE 3	LINE 4	LINE 5	
- 1	30x20	5/8	3/8	4D- .72	4D- .72				1 1/2
- 2.1	54x30	3/4	1/2	6E-1.20	6E-1.20				1 1/2


R50 SUFFIX	SIZE	DIMENSIONS											
		A	B	C	D	E	F	G	H	I	J	K	L
- 1	30x20	2 1/2	15	4	1	25	8	5	12	--			
- 2.1	54x30	3	24	6	1 1/2	45	--	--	--	16			

White BACKGROUND WITH Black BORDER & SYMBOL Reflective Background
 3/8" dia. holes ●

APPROVED

11/29/71
 DATE

3/10/72
 REVISION

MUTCD NUMBER NONECODE R51

SIGN	DIMENSIONS (INCHES)										
	A	B	C	D	E	F	G	H	J	K	L
STANDARD	30	12	2	6	4	24	—	1/2	3/8	4D	1 1/2
SPECIAL	54	18	3	10	6	45	16	5/8	3/8	6E	1 1/4

COLORS
 BORDER & SYMBOL - BLACK
 BACKGROUND - WHITE

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON THE REVERSE SIDE -


CHIEF, DIVISION OF TRAFFIC ENGINEERING

6/12/87

DATE

REVISION

REVISION

MUTCD NUMBER NONECODE R52

SIGN	DIMENSION (INCHES)											
	A	B	C	D	E	F	G	H	J	K	L	M
STANDARD	36	30	2 1/2	—	27	16	2 1/2	3 1/4	3/4	1/2	4D	1 1/2
SPECIAL	48	42	3	18	—	16	5	4	1	5/8	5D	2 5/8

COLORS
 BORDER & SYMBOL - BLACK
 BACKGROUND - WHITE (REFL)

*Use 3 1/2 or height
 exceeds 42"*

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON THE REVERSE SIDE -

CRBate


CHIEF, DIVISION OF TRAFFIC ENGINEERING

6/17/87

DATE

REVISION

REVISION

MUTCD NUMBER NoneCODE R52A

SIGN SIZE (INCHES)	DIMENSIONS (INCHES)								
	A	B	C	D	E	F	G	H	J
36 x 45	36	45	5/8	7/8	2-1/4	4	4D	2-1/2	4-1/2
48 x 60	48	60	3/4	1-1/4	3	6	5D	3-1/2	6-1/2

COLOR
BORDER & LEGEND - BLACK (Non-Reflective)
BACKGROUND - WHITE (Reflective)


- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

W. J. L. [Signature]
 CHIEF, OFFICE OF SIGNS AND DELINEATION

7/15/96
 DATE

REVISION

REVISION



SIGN	DIMENSIONS (INCHES)												
	A	B	C	D	E	F	G	H	J	K	L	M	N
MIN.	24	3/8	5/8	3-3/4	4E	2-1/4	1-1/2	4-1/4	5-1/8	9-13/16	9-11/16	7-9/16	7-11/16
STD.	36	5/8	7/8	5	6E	4	2-1/4	6-3/8	7-11/16	14-3/4	14-1/2	11-5/16	11-1/2
FWY. & EXPWY.	48	3/4	1-1/4	7-1/2	8E	4-1/2	3	8-1/2	10-1/4	19-5/8	19-3/8	15-1/8	15-3/8

COLORS

LEGEND - BLACK (NON-REFL)
BACKGROUND - WHITE (REFL)

THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE.


[Signature]
CHIEF, DIVISION OF TRAFFIC ENGINEERING

4/22/77

DATE

REVISION

REVISION

MUTCD NUMBER NONECODE R53B

SIGN	DIMENSIONS (INCHES)							
	A	B	C	D	E	F	G	H
MINIMUM	24	30	3/8	5/8	1 1/2	3 5/8	4D	2 1/4
STANDARD	36	48	5/8	7/8	2 1/4	6	6D	4
FREEWAY	48	60	3/4	1 1/4	3	7 1/4	8D	4 1/2
EXPRESSWAY	48	60	3/4	1 1/4	3	7 1/4	8D	4 1/2

COLORS

BORDER & LEGEND - BLACK (NON REFL)

BACKGROUND - WHITE (REFL)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON THE REVERSE SIDE -

C D Bartell

CHIEF, DIVISION OF TRAFFIC ENGINEERING

10/3/88


DATE

REVISION

REVISION

DEPARTMENT OF TRANSPORTATION

STATE OF CALIFORNIA



HORIZONTAL BARS ARE 36" x 1 1/2
3/8" DIA. HOLES •

COLORS

LEGEND, BARS & BORDER - BLACK
BACKGROUND - WHITE (REFL)

THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE.

[Signature]
CHIEF, DIVISION OF TRAFFIC ENGINEERING

3/24/79
DATE

1/28/83
REVISION

REVISION

MUTCD NUMBER NONECODE R53E

SIGN	DIMENSIONS (INCHES)							
	A	B	C	D	E	F	G	H
MINIMUM	24	30	3/8	5/8	1 1/2	3 5/8	4D	2 1/4
STANDARD	36	48	5/8	7/8	2 1/4	6	6D	4
FREEWAY	48	60	3/4	1 1/4	3	7 1/4	8D	4 1/2
EXPRESSWAY	48	60	3/4	1 1/4	3	7 1/4	8D	4 1/2

COLORS**BORDER & LEGEND - BLACK (NON REFL)****BACKGROUND - WHITE (REFL)****- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON THE REVERSE SIDE -***C D Bartlett*


CHIEF, DIVISION OF TRAFFIC ENGINEERING

10/3/88

DATE

REVISION

REVISION

MUTCD NUMBER NONECODE R55

SIGN	DIMENSIONS (INCHES)								
	A	B	C	D	E	F	G	H	J
STANDARD	48	54	5	8E	6	6E	7	1-1/4	3/4

COLORS
 LEGEND - BLACK (NON-REFL)
 BACKGROUND - WHITE (REFL)

THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE.


 CHIEF, DIVISION OF TRAFFIC ENGINEERING

DATE

REVISION

REVISION



ALL DIMENSIONS ARE IN INCHES

R57 SUFFIX	SIZE	BORDER WIDTH	MARGIN WIDTH	LETTER SIZE, SERIES & STROKE WIDTH					COR RAD
				LINE 1	LINE 2	LINE 3	LINE 4	LINE 5	
-1	48x26	5/8	3/8	6D-1.08	6D-1.08				1½

R57 SUFFIX	SIZE	DIMENSIONS											
		A	B	C	D	E	F	G	H	I	J	K	L
-1	48x26	2½	21	16	5	4							

White BACKGROUND WITH Black BORDER & SYMBOL Reflective Background

3/8" dia. holes.

APPROVED:

5/5/71

DATE

REVISION



ALL DIMENSIONS ARE IN INCHES

R58 SUFFIX	SIZE	BORDER WIDTH	MARGIN WIDTH	LETTER SIZE, SERIES & STROKE WIDTH					COR RAD
				LINE 1	LINE 2	LINE 3	LINE 4	LINE 5	
-1	48x26	5/8	3/8	6D-1.08	6D-1.08				1½

R58 SUFFIX	SIZE	DIMENSIONS											
		A	B	C	D	E	F	G	H	I	J	K	L
-1	48x26	2½	21	16	5	4							

White BACKGROUND WITH Black BORDER & SYMBOL Reflective Background

3/8" dia. holes ●



APPROVED:

ACE
TRAFFIC ENGINEER

11/29/71
DATE

REVISION

CODE R59
(Lt. or Rt.)



Arrowhead Detail

ALL DIMENSIONS ARE IN INCHES

R59 SUFFIX	SIZE	BORDER WIDTH	MARGIN WIDTH	LETTER SIZE, SERIES & STROKE WIDTH					COR RAD.
				LINE 1	LINE 2	LINE 3	LINE 4	LINE 5	
- 1.2	42x48	1-1/4	3/4	10D-1.80					3

R59 SUFFIX	SIZE	DIMENSIONS											
		A	B	C	D	E	F	G	H	I	J	K	L
- 1.2	42x48	6-1/2	3-3/4	1/2	3/4	3-1/2	4	14	9	1-1/2	4-3/8	33	

White BACKGROUND WITH Black BORDER & LEGEND Reflective Background



APPROVED

A. C. Ester
TRAFFIC ENGINEER

1-3-74

DATE

REVISION

MUTCD NUMBER **R3-6**CODE **R60A**
(Rt. or Lt.)

SIGN	DIMENSIONS (INCHES)																
	A	B	C	D	E	F	G	H	J	K	L	M	N	P	Q	R	S
STANDARD	42	48	6 1/2	3 3/4	1/2	3/4	3 1/2	4	14	25	5	10	3	9 1/2	1 1/4	3/4	3

COLOR
BORDER & LEGEND-BLACK
BACKGROUND - WHITE (REFL)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON THE REVERSE SIDE -

CHIEF, DIVISION OF TRAFFIC ENGINEERING

6/17/87



DATE

REVISION

REVISION

DEPARTMENT OF TRANSPORTATION

STATE OF CALIFORNIA



ALL DIMENSIONS ARE IN INCHES

R60B SUFFIX	SIZE	BORDER WIDTH	MARGIN WIDTH	LETTER SIZE, SERIES & STROKE WIDTH					CORNER RADIUS
				LINE 1	LINE 2	LINE 3	LINE 4	LINE 5	
- 1	54 X 48	1-1/4	3/4						3

R 60 B SUFFIX	SIZE	DIMENSIONS											
		A	B	C	D	E	F	G	H	I	J	K	L
- 1	54 X 48	6-1/2	3-3/4	1/2	3/4 R	3-1/2	9	14	11-1/4	13-3/4	10	11-1/4	9-1/2

WHITE BACKGROUND WITH BLACK BORDER LEGEND & SYMBOL

REFLECTIVE BACKGROUND

3/8" DIA HOLES ●


APPROVED:

CHIEF, OFFICE OF TRAFFIC

10/23/75

DATE

REVISION



ALL DIMENSIONS ARE IN INCHES

R61 SUFFIX	SIZE	BORDER WIDTH	MARGIN WIDTH	CORNER RADIUS	LETTER SIZE SERIES & STROKE	DIMENSIONS						
						A	B	C	D	E	F	G
-1.1	30 X 30	3/4	1/2	1-1/2	4D - .72	3	24	-	3	12-7/8	4-3/4	2-5/8
-2.1	45 X 45	1-1/4	3/4	3	6D - 1.08	3	19-1/2	16	5	18-3/4	7	3-3/4

R61 SUFFIX	DIMENSIONS													
	H	I	J	K	L	M	N	O	P	Q	R	S	T	U
-1.1	3/8	1/2	12-7/8	9-3/4	12-5/8	1-3/4	8	5	2-5/8	4-1/8	2-1/2	5-3/4	7-1/2	14-1/2
-2.1	1/2	3/4	19-1/4	14-5/8	18-3/4	2-3/4	12	7-1/2	4	6-1/8	3-3/4	8-5/8	11-1/4	21-5/8

WHITE REFLECTIVE BACKGROUND WITH **BLACK** BORDER LEGEND & SYMBOL

3.8 DIA HOLES ●


DIMENSIONS				
V	W	X	Y	Z
3/4	1	10-1/4	6-1/2	
1-1/4	1	15-1/2	9-3/4	

APPROVED

[Signature]
CHIEF, OFFICE OF TRAFFIC

10/23/75
DATE

REVISION



ALL DIMENSIONS ARE IN INCHES

R 61 SUFFIX	SIZE	BORDER WIDTH	MARGIN WIDTH	CORNER RADIUS	LETTER SIZE SERIES & STROKE	DIMENSIONS						
						A	B	C	D	E	F	G
- 3 .1	30 X 30	3/4	1/2	1-1/2	4 D - .72	3	24	-	3	12-7/8	4-3/4	2-5/8
- 4 .1	45 X 45	1-1/4	3/4	3	6 D - 1.08	3	19-1/2	16	5	18-3/4	7	3-3/4

R 61 SUFFIX	DIMENSIONS													
	H	I	J	K	L	M	N	O	P	Q	R	S	T	U
- 3 .1	3/8	1/2	12-7/8	9-3/4	12-5/8	1-3/4	8	5	4-1/8	2-3/4	2-1/2	5-3/4	7-1/2	14-1/2
- 4 .1	1/2	3/4	19-1/4	14-5/8	18-3/4	2-3/4	12	7-1/2	6-1/8	4	3-3/4	8-5/8	11-1/4	21-5/8

WHITE REFLECTIVE BACKGROUND WITH BLACK BORDER LEGEND & SYMBOL

3 8 DIA HOLES ●

DIMENSIONS				
V	W	X	Y	Z
3/4	1	10-1/4	6-1/2	
1-1/4	1	15-1/2	9-3/4	

APPROVED


[Signature]
CHIEF, OFFICE OF TRAFFIC

10/23/75
DATE

REVISION

DEPARTMENT OF TRANSPORTATION

STATE OF CALIFORNIA



ALL DIMENSIONS ARE IN INCHES

R 61 SUFFIX	SIZE	BORDER WIDTH	MARGIN WIDTH	CORNER RADIUS	LETTER SIZE SERIES & STROKE	DIMENSIONS						
						A	B	C	D	E	F	G
-5.1	36 X 30	3/4	1/2	1-1/2	4 D - .72	3	24	-	3	12-7/8	4-3/4	2-5/8
-6.1	54 X 45	1-1/4	3/4	3	6 D - 1.08	3	19-1/2	16	5	18-3/4	7	3-3/4

R 61 SUFFIX	DIMENSIONS													
	H	I	J	K	L	M	N	O	P	Q	R	S	T	U
-5.1	3/8	1/2	14-7/8	11-1/2	8	12-5/8	5	7-1/2	10-1/4	14-1/2	2-1/2	4-3/8	2-5/8	5-3/4
-6.1	1/2	3/4	22-1/4	17-3/8	12	18-3/4	7-1/2	11-1/4	15-1/2	21-5/8	3-3/4	5-7/8	4	8-5/8

WHITE REFLECTIVE BACKGROUND WITH BLACK BORDER LEGEND & SYMBOL


3 8 DIA HOLES •

DIMENSIONS				
V	W	X	Y	Z
6-1/2	3/4	1	1	3-3/4
9-3/4	1-1/4	1-3/4	1	5-5/8

APPROVED

CHIEF, OFFICE OF TRAFFIC
19/23/75
DATE

REVISION



ALL DIMENSIONS ARE IN INCHES

R61 SUFFIX	SIZE	BORDER WIDTH	MARGIN WIDTH	CORNER RADIUS	LETTER SIZE SERIES & STROKE	DIMENSIONS						
						A	B	C	D	E	F	G
-7.1	36 X 30	3/4	1/2	1-1/2	4D - .72	3	24		3	12-7/8	4-3/4	2-5/8
-8.1	54 X 45	1-1/4	3/4	3	6D - 1.08	3	19-1/2	16	5	18-3/4	7	3-3/4

R61 SUFFIX	DIMENSIONS													
	H	I	J	K	L	M	N	O	P	Q	R	S	T	U
-7.1	3/8	1/2	11-1/2	14-7/8	5	12-5/8	8	7-1/2	18-7/8	14-1/2	2-1/2	10-1/4	4-3/8	5-3/4
-8.1	1/2	3/4	17-3/8	22-1/4	7-1/2	18-3/4	12	11-1/4	26-1/2	21-5/8	3-3/4	15-1/2	5-7/8	8-5/8

WHITE REFLECTIVE BACKGROUND WITH BLACK BORDER LEGEND & SYMBOL
3.8 DIA HOLES ●


DIMENSIONS				
V	W	X	Y	Z
6-1/2	3/4	1	1	2-5/8
9-3/4	1-1/4	1-3/4	1	4

APPROVED

[Signature]
CHIEF, OFFICE OF TRAFFIC

10/23/75
DATE

REVISION



ALL DIMENSIONS ARE IN INCHES

R 61 SUFFIX	SIZE	BORDER WIDTH	MARGIN WIDTH	CORNER RADIUS	LETTER SIZE, SERIES & STROKE	DIMENSIONS						
						A	B	C	D	E	F	G
- 9	36 X 30	3/4	1/2	1-1/2	4 D - .72	3	24	16	3	12-7/8	4-3/4	2-5/8
- 10.1	54 X 45	1-1/4	3/4	3	6 D - 1.08	3	19-1/2	16	5	18-3/4	7	3-3/4

R 61 SUFFIX	DIMENSIONS													
	H	I	J	K	L	M	N	O	P	Q	R	S	T	U
- 9	3/8	1/2	11-1/8	3-5/8	15-5/8	7-5/8	5	6-1/2	2-5/8	5-3/4	2-1/2	4-1/8	3/4	1-5/8
- 10.1	1/2	3/4	16-3/4	5-1/2	23-1/2	11-1/2	7-1/2	9-3/4	4	8-5/8	3-3/4	6-3/16	1-1/4	2-1/2

WHITE REFLECTIVE BACKGROUND WITH **BLACK** BORDER, LEGEND & SYMBOL
 3/8" DIA HOLES ●


DIMENSIONS				
V	W	X	Y	Z
6	7	1		
9	10-1/2	1		

APPROVED:

[Signature]
 CHIEF, OFFICE OF TRAFFIC

10/23/75
 DATE

3/25/76
 REVISION



ALL DIMENSIONS ARE IN INCHES

R61 SUFFIX	SIZE	BORDER WIDTH	MARGIN WIDTH	CORNER RADIUS	LETTER SIZE, SERIES & STROKE	DIMENSIONS						
						A	B	C	D	E	F	G
-11	36 X 30	3/4	1/2	1-1/2	4D - .72	3	12	16	3	12-7/8	4-3/4	2-5/8
-12.1	54 X 45	1-1/4	3/4	3	6D - 1.08	3	19-1/2	16	5	18-3/4	7	3-3/4

R61 SUFFIX	DIMENSIONS													
	H	I	J	K	L	M	N	O	P	Q	R	S	T	U
-11	3/8	1/2	11-1/8	3-5/8	15-5/8	7-5/8	5	6-1/2	2-5/8	5-3/4	2-1/2	4-1/8	3/4	1-5/8
-12.1	1/2	3/4	16-3/4	5-1/2	23-1/2	11-1/2	7-1/2	9-3/4	4	8-5/8	3-3/4	6-3/16	1-1/4	2-1/2

WHITE REFLECTIVE BACKGROUND WITH BLACK BORDER, LEGEND & SYMBOL

3/8" DIA HOLES ●


DIMENSIONS				
V	W	X	Y	Z
6	7	1		
9	10-1/2	1		

APPROVED:

[Signature]
CHIEF, OFFICE OF TRAFFIC

3/28/76
DATE

CDB 6/17/87
REVISION



ALL DIMENSIONS ARE IN INCHES

R61 SUFFIX	SIZE	BORDER WIDTH	MARGIN WIDTH	CORNER RADIUS	LETTER SIZE SERIES & STROKE	DIMENSIONS						
						A	B	C	D	E	F	G
-13	48 X 30	3/4	1/2	1-1/2	4D - .72	3	24	16	3	12-7/8	4-3/4	2-5/8
-14	72 X 45	1-1/4	3/4	3	6D - 1.08	-	-	-	5	18-3/4	7	3-3/4

R61 SUFFIX	DIMENSIONS													
	H	I	J	K	L	M	N	O	P	Q	R	S	T	U
-13	3/8	1/2	15-1/2	17	9-1/2	5	3-5/8	8-3/4	5-3/4	3/4	2-1/2	I		
-14	1/2	3/4	23-1/4	25-1/2	14-1/4	7-1/2	5-1/2	13-1/8	8-5/8	1-1/4	3-3/4	I		

WHITE REFLECTIVE BACKGROUND WITH BLACK BORDER, LEGEND & SYMBOL

3/8" DIA HOLES ●


DIMENSIONS				
V	W	X	Y	Z

APPROVED:

CHIEF, OFFICE OF TRAFFIC

DATE

REVISION



ALL DIMENSIONS ARE IN INCHES

R61 SUFFIX	SIZE	BORDER WIDTH	MARGIN WIDTH	CORNER RADIUS	LETTER SIZE SERIES & STROKE	DIMENSIONS						
						A	B	C	D	E	F	G
-15	48 X 30	3/4	1/2	1-1/2	4D - .72	3	24	16	3	12-7/8	4-3/4	2-5/8
-16	72 X 45	1-1/4	3/4	3	6D - 1.08	-	-	-	5	18-3/4	7	3-3/4

R61 SUFFIX	DIMENSIONS													
	H	I	J	K	L	M	N	O	P	Q	R	S	T	U
-15	3/8	1/2	11-5/8	9-1/4	2-1/4	5	8	12-5/8	4-1/2	5-3/4	2-1/2	7-1/2	2-5/8	7-1/4
-16	1/2	3/4	17-1/2	14	3-3/8	7-1/2	12	18-3/4	6-3/4	8-5/8	3-3/4	11-1/4	4	10-7/8

WHITE REFLECTIVE BACKGROUND WITH BLACK BORDER, LEGEND & SYMBOL

3/8" DIA HOLES ●

DIMENSIONS				
V	W	X	Y	Z
14-1/2	3/4	1	10-1/4	6-1/2
21-5/8	1-1/4	1	15-1/2	9-3/4

APPROVED

CHIEF, OFFICE OF TRAFFIC


10/23/75

DATE

REVISION

DEPARTMENT OF TRANSPORTATION

STATE OF CALIFORNIA



ALL DIMENSIONS ARE IN INCHES

R61 SUFFIX	SIZE	BORDER WIDTH	MARGIN WIDTH	CORNER RADIUS	LETTER SIZE, SERIES & STROKE	DIMENSIONS						
						A	B	C	D	E	F	G
- 17	48 X 30	3/4	1/2	1-1/2	4 D - .72	3	24	16	3	12-7/8	4-3/4	2-5/8
- 18	72 X 45	1-1/4	3/4	3	6 D - 1.08	-	-	-	5	18-3/4	7	3-3/4

R61 SUFFIX	DIMENSIONS													
	H	I	J	K	L	M	N	O	P	Q	R	S	T	U
- 17	3/8	1/2	14	7-3/4	6-1/2	11-1/2	12-5/8	5	8	7-1/2	2-1/2	24-1/2	10-1/4	14-1/2
- 18	1/2	3/4	21-1/4	11-5/8	9-3/4	17-3/8	18-3/4	7-1/2	12	11-1/4	3-3/4	37	15-1/2	21-5/8

WHITE REFLECTIVE BACKGROUND WITH BLACK BORDER. LEGEND & SYMBOL

3/8" DIA HOLES ●

DIMENSIONS				
V	W	X	Y	Z
4-1/2	2-5/8	5-3/4	3/4	1
6-3/4	4	8-5/8	1-1/4	1


APPROVED: _____

CHIEF, OFFICE OF TRAFFIC

10/23/75

DATE

REVISION



ALL DIMENSIONS ARE IN INCHES

R 61 SUFFIX	SIZE	BORDER WIDTH	MARGIN WIDTH	CORNER RADIUS	LETTER SIZE, SERIES & STROKE	DIMENSIONS						
						A	B	C	D	E	F	G
-19.1	30 X 24	5/8	3/8	1-1/2	4C - .64	—	3	18	3-1/2	12-3/8	8	1/2 R
-20.1	36 X 30	3/4	1/2	1-7/8	4D - .72	12	3	24	3-3/4	15	9-3/4	1/2 R
-21.1	48 X 36	7/8	5/8	2-1/4	6D - 1.08	15	6	24	4	19-3/4	11-3/4	11/16 R

R 61 SUFFIX	DIMENSIONS													
	H	I	J	K	L	M	N	O	P	Q	R	S	T	U
-19.1	3-1/4	5-3/4	6	3/8	3-1/2	3/4	3/8	2-5/8	4-3/4	1-3/8	2-1/2			
-20.1	4	7	7	1/2	6	1	3/8	3	5-1/4	1-1/2	2-5/8			
-21.1	5-1/8	7-3/8	11-1/2	3/4	6	1-1/4	9/16	4	7-1/8	2	3-1/2			

WHITE REFLECTIVE BACKGROUND WITH **BLACK** BORDER, LEGEND & SYMBOL
 3/8" DIA HOLES ●


DIMENSIONS				
V	W	X	Y	Z

APPROVED:

[Signature]
 CHIEF, OFFICE OF TRAFFIC

10/23/75
 DATE

[Signature]
 REVISION



ALL DIMENSIONS ARE IN INCHES

R61 SUFFIX	SIZE	BORDER WIDTH	MARGIN WIDTH	CORNER RADIUS	LETTER SIZE, SERIES & STROKE	DIMENSIONS						
						A	B	C	D	E	F	G
- 22	54 X 30	3/4	1/2	1-1/2	4D - .72	3	24	16	3	12-7/8	4-3/4	2-5/8
- 23	78 X 45	1-1/4	3/4	3	6D - 1.08	-	-	-	5	18-3/4	7	3-3/4

R 61	DIMENSIONS													
SUFFIX	H	I	J	K	L	M	N	O	P	Q	R	S	T	U
- 22	3/8	1/2	11-1/2	13	15	19-1/2	8	12-5/8	7-1/2	14-1/2	2-1/2	10-1/4	6-1/2	3/4
- 23	1/2	3/4	17-3/8	18-1/2	22	28	12	18-3/4	11-1/4	21-5/8	3-3/4	15-1/2	9-3/4	1-1/4

WHITE REFLECTIVE BACKGROUND WITH BLACK BORDER, LEGEND & SYMBOL

3/8" DIA HOLES ●

DIMENSIONS				
V	W	X	Y	Z

APPROVED:


[Signature]
CHIEF, OFFICE OF TRAFFIC

10/23/75

DATE

REVISION

DEPARTMENT OF TRANSPORTATION



ALL DIMENSIONS ARE IN INCHES

R 61 SUFFIX	SIZE	BORDER WIDTH	MARGIN WIDTH	CORNER RADIUS	LETTER SIZE SERIES & STROKE	DIMENSIONS						
						A	B	C	D	E	F	G
- 24	54 X 30	3/4	1/2	1-1/2	4D - .72	3	24	16	3	12-7/8	4-3/4	2-5/8
- 25	78 X 45	1-1/4	3/4	3	6D - 1.08	-	-	-	5	18-3/4	7	3-3/4

R61 SUFFIX	DIMENSIONS													
	H	I	J	K	L	M	N	O	P	Q	R	S	T	U
-24	3/8	1/2	11-1/2	1-5/8	9-3/8	15-1/4	5	8	7-1/2	14-1/2	2-1/2	10-1/4	16-1/2	3/4
-25	1/2	3/4	17-3/8	1-1/8	13-7/8	22	7-1/2	12	11-1/4	21-5/8	3-3/4	15-1/2	24-5/8	1-1/4

WHITE REFLECTIVE BACKGROUND WITH **BLACK** BORDER, LEGEND & SYMBOL

3/8" DIA HOLES ●

DIMENSIONS				
V	W	X	Y	Z
4-1/2	2-5/8	5-3/4	6-1/2	1
5-7/8	4	8-5/8	9-3/4	1


APPROVED

CHIEF, OFFICE OF TRAFFIC
10/23/75
DATE

REVISION

DEPARTMENT OF TRANSPORTATION

STATE OF CALIFORNIA



ALL DIMENSIONS ARE IN INCHES

R61 SUFFIX	SIZE	BORDER WIDTH	MARGIN WIDTH	CORNER RADIUS	LETTER SIZE SERIES & STROKE	DIMENSIONS						
						A	B	C	D	E	F	G
-26	48 X 30	3/4	1/2	1-1/2	4D - .72	3	24	16	3	12-7/8	4-3/4	2-5/8
-27	72 X 45	1-1/4	3/4	3	6D - 1.08	-	-	-	5	18-3/4	7	3-3/4

R 61	DIMENSIONS													
	SUFFIX	H	I	J	K	L	M	N	O	P	Q	R	S	T
- 26	3/8	1/2	21-3/4	11-1/2	16-3/8	5	8	15-1/4	7-1/2	14-1/2	2-1/2	10-1/4	I	3/4
- 27	1/2	3/4	32-3/4	17-3/8	24-1/2	7-1/2	12	23	11-1/4	21-5/8	3-3/4	15-1/2	I	1-1/4

WHITE REFLECTIVE BACKGROUND WITH BLACK BORDER, LEGEND & SYMBOL

3/8" DIA HOLES ●

DIMENSIONS				
V	W	X	Y	Z
4-1/2	2-5/8	5-3/4	6-1/2	
6-7/8	4	8-5/8	9-3/4	


APPROVED

CHIEF, OFFICE OF TRAFFIC
10/23/75
DATE

REVISION

DEPARTMENT OF TRANSPORTATION

STATE OF CALIFORNIA



ALL DIMENSIONS ARE IN INCHES

R61 SUFFIX	SIZE	BORDER WIDTH	MARGIN WIDTH	CORNER RADIUS	LETTER SIZE SERIES & STROKE	DIMENSIONS						
						A	B	C	D	E	F	G
-28	48 X 30	3/4	1/2	1-1/2	4D - .72	3	24	16	3	12-7/8	4-3/4	2-5/8
-29	72 X 45	1-1/4	3/4	3	6D - 1.08	-	-	-	5	18-3/4	7	3-3/4

R 61	DIMENSIONS													
	SUFFIX	H	I	J	K	L	M	N	O	P	Q	R	S	T
- 28	3/8	1/2	21-3/4	11-1/2	16-3/8	5	8	12-5/8	7-1/2	14-1/2	2-1/2	10-1/4	15-1/4	3/4
- 29	1/2	3/4	32-3/4	17-3/8	24-1/2	7-1/2	12	18-3/4	11-1/4	21-5/8	3-3/4	15-1/2	23	1-1/4

WHITE REFLECTIVE BACKGROUND WITH BLACK BORDER, LEGEND & SYMBOL


3.8 DIA HOLES ●

DIMENSIONS				
V	W	X	Y	Z
4-1/2	2-5/8	5-3/4	6-1/2	1
6-7/8	4	8-5/8	9-3/4	1

APPROVED

CHIEF, OFFICE OF TRAFFIC
10/23/75
DATE

REVISION



ALL DIMENSIONS ARE IN INCHES

R61 SUFFIX	SIZE	BORDER WIDTH	MARGIN WIDTH	CORNER RADIUS	LETTER SIZE SERIES & STROKE	DIMENSIONS						
						A	B	C	D	E	F	G
-30	36 X 30	3/4	1/2	1-1/2	4D - .72	3	24	16	3	12-7/8	4-3/4	2-5/8
-31	54 X 45	1-1/4	3/4	3	6D - 1.08	3	19-1/2	16	5	18-3/4	7	3-3/4

R61 SUFFIX	DIMENSIONS													
	H	I	J	K	L	M	N	O	P	Q	R	S	T	U
-30	3/8	1/2	4-1/4	7-1/4	8-3/8	5	8	12-5/8	7-1/2	14-1/2	2-1/2	10-1/4	1-1/4	3/4
-31	1/2	3/4	6-3/8	11	12-5/8	7-1/2	12	18-3/4	11-1/4	21-5/8	3-3/4	15-1/2	1-7/8	1-1/4

WHITE REFLECTIVE BACKGROUND WITH **BLACK** BORDER, LEGEND & SYMBOL

3/8" DIA HOLES ●


DIMENSIONS				
V	W	X	Y	Z
4-1/2	2-5/8	5-3/4	6-1/2	1
6-7/8	4	8-5/8	9-3/4	1

APPROVED

CHIEF, OFFICE OF TRAFFIC

10/23/75
DATE

REVISION



ALL DIMENSIONS ARE IN INCHES

R61 SUFFIX	SIZE	BORDER WIDTH	MARGIN WIDTH	CORNER RADIUS	LETTER SIZE SERIES & STROKE	DIMENSIONS						
						A	B	C	D	E	F	G
-32	36 X 30	3/4	1/2	1-1/2	4 D - .72	3	24	16	3	12-7/8	4-3/4	2-5/8
-33	54 X 45	1-1/4	3/4	3	6 D - 1.08	3	19-1/2	16	5	18-3/4	7	3-3/4

R61 SUFFIX	DIMENSIONS													
	H	I	J	K	L	M	N	O	P	Q	R	S	T	U
-32	3/8	1/2	4-1/4	7-1/4	8-3/8	5	8	12-5/8	7-1/2	14-1/2	2-1/2	10-1/4	1-1/4	3/4
-33	1/2	3/4	6-3/8	11	12-5/8	7-1/2	12	18-3/4	11-1/4	21-5/8	3-3/4	15-1/2	1-7/8	1-1/4

WHITE REFLECTIVE BACKGROUND WITH BLACK BORDER, LEGEND & SYMBOL
 3/8" DIA HOLES ●


DIMENSIONS				
V	W	X	Y	Z
4-1/2	2-5/8	5-3/4	6-1/2	1
6-7/8	4	8-5/8	9-3/4	1

APPROVED

[Signature]
 CHIEF, OFFICE OF TRAFFIC

1973/75
 DATE

REVISION



ALL DIMENSIONS ARE IN INCHES

R 61 SUFFIX	SIZE	BORDER WIDTH	MARGIN WIDTH	CORNER RADIUS	LETTER SIZE, SERIES & STROKE	DIMENSIONS						
						A	B	C	D	E	F	G
- 34	48 X 30	3/4	1/2	1-1/2	4D - .72	3	24	16	3	12-7/8	4-3/4	2-5/8
- 35	72 X 45	1-1/4	3/4	3	6D - 1.08	—	—	—	5	18-3/4	7	3-3/4

R 61 SUFFIX	DIMENSIONS													
	H	I	J	K	L	M	N	O	P	Q	R	S	T	U
- 34	3/8	1/2	15-1/2	17	9-1/2	5	3-5/8	8-3/4	5-3/4	3/4	2-1/2	7-1/8	5	11-1/2
- 35	1/2	3/4	23-1/4	25-1/2	14-1/4	7-1/2	5-1/2	13-1/8	8-5/8	1-1/4	3-3/4	10-5/8	7-1/2	17-3/8

WHITE REFLECTIVE BACKGROUND WITH BLACK BORDER LEGEND & SYMBOL

3 8" DIA HOLES ●

DIMENSIONS				
V	W	X	Y	Z
I				
I				

APPROVED


CHIEF, OFFICE OF TRAFFIC

 1963/75
 DATE

 3/25/76
 REVISION

DEPARTMENT OF TRANSPORTATION

STATE OF CALIFORNIA



ALL DIMENSIONS ARE IN INCHES

R 61 SUFFIX	SIZE	BORDER & BAR WIDTH	MARGIN WIDTH	CORNER RADIUS	LETTER SIZE, SERIES & STROKE	DIMENSIONS						
						A	B	C	D	E	F	G
-36	48 X 30	3/4	1/2	1-1/2	4 D - .72	3	24	16	3	12-7/8	4-3/4	2-5/8
-37	72 X 45	1-1/4	3/4	3	6 D - 1.08	-	-	-	5	18-3/4	7	3-3/4

R 61 SUFFIX	DIMENSIONS													
	H	I	J	K	L	M	N	O	P	Q	R	S	T	U
-36	3/8	1/2 R	9-7/8	5/8	10-7/8	11-1/8	5	8	12-5/8	7-1/2	14-1/2	2-5/8	5-3/4	6-1/2
-37	1/2	3/4 R	14-3/4	1	16-3/8	16-3/4	7-1/2	12	18-3/4	11-1/4	21-5/8	4	8-5/8	9-3/4

WHITE REFLECTIVE BACKGROUND WITH BLACK BORDER, LEGEND & SYMBOL

3/8" DIA HOLES ●


DIMENSIONS				
V	W	X	Y	Z
4-1/2	4-9/16	10-1/4	3/4	1
6-3/4	6-7/8	15-1/2	1-1/4	1

APPROVED:

CHIEF, OFFICE OF TRAFFIC

DATE

REVISION

MUTCD NUMBER NoneCODE R62A

*NOTE: Alternate Arrow Directions; Left, Right or Both.

SIGN	DIMENSIONS (INCHES)								
	A	B	C	D	E	F	G	H	J
STANDARD	5	7-1/2	3/4	3/4C	3/8	1/2	1/4	3/4	3/4
SPECIAL	5	7-3/4	7/8	3/4C	3/8	1/2	1/4	7/8	3/4
SPECIAL	9	12	1-1/4	1-1/8C	5/8	7/8	3/8	1-3/8	1

COLORS
 LEGEND - BLACK
 BACKGROUND - WHITE (Reflective)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

DEPUTY CHIEF, DIVISION OF TRAFFIC OPERATIONS


DATE

11-9-92

REVISION

6-20-94

REVISION

MUTCD NUMBER NoneCODE R62B

*NOTE: Alternate Arrow Directions; Left, Right or Both.

SIGN	DIMENSIONS (INCHES)								
	A	B	C	D	E	F	G	H	J
STANDARD	5	7-1/2	3/4	3/4C	3/8	1/2	1/4	3/4	3/4
SPECIAL	5	7-3/4	7/8	3/4C	3/8	1/2	1/4	7/8	3/4
SPECIAL	9	12	1-1/4	1-1/8C	5/8	7/8	3/8	1-3/8	1

COLORS
 LEGEND - BLACK
 BACKGROUND - WHITE (Reflective)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

DEPUTY CHIEF, DIVISION OF TRAFFIC OPERATIONS


11-9-92

DATE

6-20-94

REVISION

REVISION

MUTCD NUMBER NoneCODE R62C

*NOTE: Alternate Arrow Directions; Left, Right or Both.

SIGN	DIMENSIONS (INCHES)									
	A	B	C	D	E	F	G	H	J	K
STANDARD	5	7-1/2	7/16	2-3/16	3/8	3/4B	1/2	1/4	3/4	3/4
SPECIAL	5	7-3/4	9/16	2-3/16	3/8	3/4B	1/2	1/4	7/8	3/4
SPECIAL	9	12	13/16	3-1/2	9/16	1-1/8B	7/8	3/8	1	1

COLORS
 LEGEND - BLACK
 BACKGROUND - WHITE (Reflective)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

DEPUTY CHIEF, DIVISION OF TRAFFIC OPERATIONS


11-9-92

DATE

6-20-94

REVISION

REVISION



*NOTE: Alternate Arrow Directions; Left, Right or Both.



SIGN	DIMENSIONS (INCHES)										
	A	B	C	D	E	F	G	H	J	K	L
STANDARD	5	7-1/2	9/16	3/4	3/8	7/16	2-1/8	3/8	1/4	3/4	3/4
SPECIAL	5	7-3/4	11/16	3/4	3/8	7/16	2-1/8	3/8	1/4	7/8	3/4
SPECIAL	9	12	1	1-1/8	5/8	3/4	3-3/8	5/8	3/8	1-1/4	1

COLORS
LEGEND - BLACK
BACKGROUND - WHITE (Reflective)


- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

MR. Lawrence J. [Signature]
DEPUTY CHIEF, DIVISION OF TRAFFIC OPERATIONS

11-9-92
DATE

6-20-94
REVISION

REVISION

MUTCD NUMBER NoneCODE R62E

NOTES:

1. For arrowhead dimensions, see Appendix Page 2 of 11.
2. Braille Message "PUSH BUTTON FOR PEDESTRIAN WARNING LIGHTS CROSS WITH CAUTION".

SIGN SIZE (Inches)	DIMENSIONS (Inches)											
	A	B	C	D	E	F	G	H	J	K	L	L
5 x 7-1/2	5	7-1/2	1/2	1/2C	3/8	5/8	1/2B	3/8	2-1/8	1/4	3-1/2	3/4
5 x 7-3/4	5	7-3/4	5/8	1/2C	3/8	5/8	1/2B	3/8	2-1/8	1/4	3-1/2	3/4
9 x 12	9	12	1	3/4C	1/2	1	3/4B	5/8	3-3/8	3/8	6	1

SIGN SIZE (mm)	DIMENSIONS (Millimeters)											
	A	B	C	D	E	F	G	H	J	K	L	L
127 x 191	127	191	13	13C	10	16	13B	10	54	6	89	19
127 x 197	127	197	16	13C	10	16	13B	10	54	6	89	19
229 x 305	229	305	25	19C	13	25	19B	16	86	10	152	25

COLORS

BORDER & LEGEND - BLACK (NON-REFLECTIVE)

BACKGROUND - YELLOW (REFLECTIVE)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

Gerry Myers
CHIEF, OFFICE OF SIGNS AND DELINEATION


3/3/03
DATE

REVISION

REVISION

DEPARTMENT OF TRANSPORTATION

STATE OF CALIFORNIA



ALL DIMENSIONS ARE IN INCHES

R67 SUFFIX	SIZE	BORDER WIDTH	MARGIN WIDTH	LETTER SIZE, SERIES & STROKE WIDTH					CORNER RADIUS
				LINE 1	LINE 2	LINE 3	LINE 4	LINE 5	
-1.1	30X36								3

R67 SUFFIX	SIZE	DIMENSIONS											
		A	B	C	D	E	F	G	H	I	J	K	L
-1.1	30X36	36	30	4.5	12	5	1.5	6					

WHITE BACKGROUND WITH BLACK BORDER, LEGEND & SYMBOL

REFLECTORIZED BACKGROUND

3/8" DIA HOLES •

APPROVED:

CHIEF, OFFICE OF TRAFFIC

DATE

REVISION



ALL DIMENSIONS ARE IN INCHES

R68 SUFFIX	SIZE	BORDER WIDTH	MARGIN WIDTH	LETTER SIZE, SERIES & STROKE WIDTH					COR RAD
				LINE 1	LINE 2	LINE 3	LINE 4	LINE 5	
-1	52x42	1	5/8	6E-1.20	6E-1.20	6E-1.20			2-5/8

R68 SUFFIX	SIZE	DIMENSIONS											
		A	B	C	D	E	F	G	H	I	J	K	L
-1	52x42	3	18	16	6½	6	5½						

White BACKGROUND WITH Black BORDER & SYMBOL Reflective Background
 3/8" dia. holes ●

APPROVED

ACE
 TRAFFIC ENGINEER

11/29/71
 DATE

REVISION



ALL DIMENSIONS ARE IN INCHES

R70 SUFFIX	SIZE	BORDER WIDTH	MARGIN WIDTH	LETTER SIZE, SERIES & STROKE WIDTH					COR. RAD.
				LINE 1	LINE 2	LINE 3	LINE 4	LINE 5	
-1.1	96X70	1-3/4	1	12E-2.40	12E-2.40	24x16 $\frac{1}{2}$ Arrow			3

R70 SUFFIX	SIZE	DIMENSIONS											
		A	B	C	D	E	F	G	H	I	J	K	L
-1.1	96X70	8	6-3/4										

WHITE BACKGROUND WITH BLACK BORDER & SYMBOL

REFLECTIVE BACKGROUND


3/8" DIA HOLES •

APPROVED

acc
TRAFFIC ENGINEER

11/29/71
DATE

1/28/72
REVISION

MUTCD NUMBER NONECODE R73-1

NOTE: FOR ARROWHEAD DIMENSIONS, SEE APPENDIX PAGE 2 OF 11, STANDARD ARROWHEAD.

SIGN	DIMENSIONS (INCHES)								
	A	B	C	D	E	F	G	H	J
MINIMUM	24	20	3/8	5/8	5 3/8	2 5/8	2 1/8	6 5/8	3 3/8
STANDARD	36	30	5/8	1	8	4	3 1/4	10	5
SPECIAL	45	36	1	1 1/4	10	5	4	12 1/2	6 1/4

COLORS

ARROW & BORDER - BLACK

BACKGROUND - WHITE (REFL)


- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON THE REVERSE SIDE -

MR. L. J. L. L.
 CHIEF, DIVISION OF TRAFFIC ENGINEERING

13/22/91
 DATE

REVISION

REVISION

MUTCD NUMBER NONECODE R73-2

NOTE: FOR ARROWHEAD DIMENSIONS, SEE APPENDIX PAGE 2 OF 11, STANDARD ARROWHEAD.

SIGN	DIMENSIONS (INCHES)									
	A	B	C	D	E	F	G	H	J	K
MINIMUM	24	3/8	5/8	7 3/8	5 3/8	2 5/8	2	10 5/8	9	4 3/8
STANDARD	36	5/8	1	11	8	4	3	16	13 1/2	6 1/2
SPECIAL	45	3/4	1 1/4	13 3/4	10	5	3 3/4	20	17	8

COLORS

ARROWS & BORDER - BLACK
 BACKGROUND - WHITE (REFL)


- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON THE REVERSE SIDE -

87
 Dep. *MR. Louchard*
 CHIEF, DIVISION OF TRAFFIC ENGINEERING

3/22/91
 DATE

REVISION

REVISION

MUTCD NUMBER NONECODE R73-3

* REDUCE LETTER SPACING 15%

NOTE: FOR ARROWHEAD DIMENSIONS, SEE APPENDIX PAGE 2 OF 11, STANDARD ARROWHEAD.

SIGN	DIMENSIONS (INCHES)													
	A	B	C	D	E	F	G	H	J	K	L	M	N	P
MINIMUM	24	3/8	5/8	5 3/8	3/4	2 5/8	2 1/8	8 1/4	6 11/16	1 9/16	2	2 1/2D	3	4E
STANDARD	36	5/8	1	8	1 1/8	4	3 1/4	12 3/8	10	2	3	4D	4 5/8	6E
SPECIAL	45	3/4	1 1/4	10	1 1/2	5	4	15 1/2	12 1/2	3	3 3/4	5D	5 1/4	7E

COLORS

LEGEND, ARROWS & BORDER - BLACK

BACKGROUND - WHITE (REFL)


- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON THE REVERSE SIDE -


 CHIEF, DIVISION OF TRAFFIC ENGINEERING

DATE

REVISION

REVISION

MUTCD NUMBER NONECODE R73-4

* REDUCE LETTER SPACING 15%

NOTE: FOR ARROWHEAD DIMENSIONS, SEE APPENDIX PAGE 2 OF 11, STANDARD ARROWHEAD.

SIGN	DIMENSIONS (INCHES)													
	A	B	C	D	E	F	G	H	J	K	L	M	N	P
MINIMUM	36	45	3/4	1 1/4	9 1/2	2 1/4	3	23	6 3/4	3 1/4	4D	6E	9	10

COLOR

LEGEND, ARROW & BORDER - BLACK (NON-REFL)
 BACKGROUND - WHIT (REFL)


- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON THE REVERSE SIDE -

MR. Lawrence
 CHIEF, DIVISION OF TRAFFIC ENGINEERING

13/22/21
 DATE

REVISION

REVISION

MUTCD NUMBER NONECODE R73-5

NOTE: FOR ARROWHEAD DIMENSIONS, SEE APPENDIX PAGE 2 OF 11, STANDARD ARROWHEAD.

SIGN	DIMENSIONS (INCHES)											
	A	B	C	D	E	F	G	H	J	K	L	M
MINIMUM	24	3/8	5/8	10	1/2	2 5/8	2	8 15/16	4 3/4	6 11/16	3 5/8	5 5/16
STANDARD	36	5/8	1	15	3/4	4	3	13 1/4	7	10	5 3/4	8

COLORS

ARROWS & BORDER - BLACK

BACKGROUND - WHITE (REFL)


- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON THE REVERSE SIDE -

MR. L. J. L...
 CHIEF, DIVISION OF TRAFFIC ENGINEERING

13/22/91
 DATE

REVISION

REVISION

MUTCD NUMBER NONECODE R73-6

* REDUCE LETTER SPACING 15%

NOTE: FOR ARROWHEAD DIMENSIONS, SEE APPENDIX PAGE 2 OF 11, STANDARD ARROWHEAD.

SIGN	DIMENSIONS (INCHES)															
	A	B	C	D	E	F	G	H	J	K	L	M	N	P	Q	R
MINIMUM	24	3/8	5/8	4 1/2	3 3/8	2 5/8	2	8 1/4	6 11/16	1 9/16	2	2 1/2D	3	4E	3	3 5/8
STANDARD	36	5/8	1	6 3/4	5	4	3	12 3/8	10	2	3	4D	4 5/8	6E	4 1/2	5 1/2

COLORS

LEGEND, ARROWS & BORDER - BLACK

BACKGROUND - WHITE (REFL)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON THE REVERSE SIDE -

95


MR. Lounsbury
 Dep. CHIEF, DIVISION OF TRAFFIC ENGINEERING

3/22/91

DATE

REVISION

REVISION

MUTCD NUMBER NONECODE R73-7

Alternate Message Line 1: RIGHT TURN.

SIGN	DIMENSION (INCHES)										
	A	B	C	D	E	F	G	H	J	K	L
MINIMUM	24	30	5/8	3/8	3	3C	4D	8	3	2	2
STANDARD	36	45	7/8	5/8	5	4D	5E	12	5	3	4

COLORS

LEGEND & LETTERS - BLACK

BACKGROUND - WHITE (REFL)

CIRCULAR SYMBOL - GREEN

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON THE REVERSE SIDE -

CHIEF, DIVISION OF TRAFFIC ENGINEERING

6/17/87


DATE

7/18/97

REVISION

7/21/98

REVISION

MUTCD NUMBER **None**CODE **R73-8**

For arrowhead dimensions, see Traffic Sign Specification Appendix Page 2 of 11.

Sign Size (Inches)	DIMENSIONS (Inches)																
	A	B	C	D	E	F	G	H	J	K	L	M	N	P	R	S	T
24 x 30	24	30	3/8	5/8	3	2-1/2D	4E	2-1/2	1-1/2	6-1/2	12	3	3-1/2	4-1/2	2-5/8	2	1-1/2
36 x 45	36	45	5/8	7/8	4-1/2	4D	6E	3-1/2	2	10	18	4-1/2	5-1/4	6-3/4	4	3	2-1/4

Sign Size (mm)	DIMENSIONS (Millimeters)																
	A	B	C	D	E	F	G	H	J	K	L	M	N	P	R	S	T
610 x 762	610	762	10	16	76	63D	100E	64	38	165	305	76	89	114	67	51	38
914 x 1143	914	1143	16	22	114	100D	150E	89	51	254	457	114	133	171	102	76	57

COLORS**SYMBOL, MESSAGE & BORDER - BLACK (Non-Reflective)****BACKGROUND - WHITE (Reflective)**

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -


Gerry Kreis
CHIEF, OFFICE OF SIGNS AND DELINEATION

9/25/02

DATE

REVISION

REVISION



R73-9 (CA)

ENGLISH UNITS


A	B	C	D	E	F
24	9	.375	3	3C	1.5

COLORS: BORDER & LEGEND - BLACK
BACKGROUND - WHITE (RETROREFLECTIVE)

9/26/06

DEPARTMENT OF TRANSPORTATION

STATE OF CALIFORNIA



* CONDENSE SPACING 10%

COLORS

LEGEND , BORDER & ARROW - WHITE (REFL)
BACKGROUND - BLACK

STANDARD ARROW (See Appendix page 2 of 9)

THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE.


 CHIEF, DIVISION OF TRAFFIC ENGINEERING

DATE

12/2/82

REVISION

REVISION



ALL DIMENSIONS ARE IN INCHES

R75 SUFFIX	SIZE	BORDER WIDTH	MARGIN WIDTH	LETTER SIZE, SERIES & STROKE WIDTH					COR. RAD.
				LINE 1	LINE 2	LINE 3	LINE 4	LINE 5	
-1	48x42	1	--	6D-1.08	6D-1.08	6D-1.08	6D-1.08		3

R75 SUFFIX	SIZE	DIMENSIONS											
		A	B	C	D	E	F	G	H	I	J	K	L
-1	48x42	3	18	16	4½	40							

Black BACKGROUND WITH White BORDER & SYMBOL Reflective message & border.

3/8" Dia. Holes

APPROVED:


ACCEPT
TRAFFIC ENGINEER

11/12/71
DATE

10/11/72
REVISION

MUTCD NUMBER NONE

CODE R76



* CONDENSE SPACING 17%.

COLORS

BORDER & LEGEND - WHITE (REFL)

BACKGROUND - BLACK

DIMENSIONS IN INCHES

THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE.

CD Barber
CHIEF, DIVISION OF TRAFFIC ENGINEERING

11/10/86
DATE

REVISION


REVISION

MUTCD NUMBER NONE

CODE R76-1

DEPARTMENT OF TRANSPORTATION

STATE OF CALIFORNIA



*CONDENSE SPACING 15%

COLORS
BORDER & LEGEND-WHITE (REFL)
BACKGROUND-BLACK


THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE.

C. D. Bartel
CHIEF, DIVISION OF TRAFFIC ENGINEERING

10/29/85
DATE

REVISION

REVISION

MUTCD NUMBER NONECODE R77

SIGN	DIMENSION (INCHES)							
	A	B	C	D	E	F	G	H
MINIMUM	48	12	5C	1/2	1 1/2	32	1 1/2	9
STANDARD	48	30	5C	1/2	1 1/2	32	1 1/2	27

COLORS

BORDER & LEGEND - WHITE (REFL)

BACKGROUND - BLACK

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON THE REVERSE SIDE -

CHIEF, DIVISION OF TRAFFIC ENGINEERING

12/5/89

DATE

REVISION

REVISION



ALL DIMENSIONS ARE IN INCHES

<u>R73</u> SUFFIX	SIZE	BORDER WIDTH	MARGIN WIDTH	LETTER SIZE, SERIES & STROKE WIDTH					COR. RAD.
				LINE 1	LINE 2	LINE 3	LINE 4	LINE 5	
-1	48x34	3/4	--	6D-1.08	6D-1.08	6D-1.08			3

<u>R73</u> SUFFIX	SIZE	DIMENSIONS											
		A	B	C	D	E	F	G	H	I	J	K	L
-1	48x34	2	15	16	5	3							

Black BACKGROUND WITH White BORDER & SYMBOL

Reflective message & border.


3/8" Dia. Holes

APPROVED:

TRAFFIC ENGINEER

11/12/71
DATE

10/11/72
REVISION



ALL DIMENSIONS ARE IN INCHES

R79 SUFFIX	SIZE	BORDER WIDTH	MARGIN WIDTH	LETTER SIZE, SERIES & STROKE WIDTH					COR. RAD.
				LINE 1	LINE 2	LINE 3	LINE 4	LINE 5	
-1	48x30	1/2	--	4C-.64	4C-.64	1/2 BAR	4D-.72		1 1/2

R79 SUFFIX	SIZE	DIMENSIONS											
		A	B	C	D	E	F	G	H	I	J	K	L
-1	48x30	3	24	16	4 1/4	3 1/4	3						

Black BACKGROUND WITH White BORDER & SYMBOL Reflective message & border
3/8" Dia. Holes

APPROVED:

TRAFFIC ENGINEER

DATE

REVISION

MUTCD NUMBER NONE


SIGN	DIMENSIONS (INCHES)												
	A	B	C	D	E	F	G	H	J	K	L	M	N
STANDARD	48	30	3	24	16	4 1/4	3 1/4	3	1/2	4C	1/2	4D	1 1/2

COLOR

BORDER, LEGEND & SYMBOL - WHITE (REFL. MESSAGE & BORDER)

BACKGROUND - BLACK

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON THE REVERSE SIDE -


 CHIEF, DIVISION OF TRAFFIC ENGINEERING

 12/5/87
 DATE

REVISION

REVISION



ALL DIMENSIONS ARE IN INCHES

<u>R81</u> SUFFIX	SIZE	BORDER WIDTH	MARGIN WIDTH	LETTER SIZE, SERIES & STROKE WIDTH					COR. RAD.
				LINE 1	LINE 2	LINE 3	LINE 4	LINE 5	
-1	12x8	3/8	1/4	1½C-.24					1-1/2
-2	24x18	5/8	3/8	3C-.48					1-1/2

<u>R81</u>	SIZE	DIMENSIONS											
SUFFIX		A	B	C	D	E	F	G	H	I	J	K	L
-1	12x8	1	6	7/8	5-5/8								
-2	24x18	3	12	1½	13½								

White BACKGROUND WITH Black BORDER & LEGEND REFLECTIVE BACKGROUND


3/8" DIA. HOLES •

APPROVED:

W. C. E. Jr.
TRAFFIC ENGINEER

3/11/74
DATE

REVISION



ALL DIMENSIONS ARE IN INCHES

R81A SUFFIX	SIZE	BORDER WIDTH	MARGIN WIDTH	LETTER SIZE, SERIES & STROKE WIDTH					COR. RAD.
				LINE 1	LINE 2	LINE 3	LINE 4	LINE 5	
-1	12x5	1/4	1/4	3C-.48					1½

R81A SUFFIX	SIZE	DIMENSIONS											
		A	B	C	D	E	F	G	H	I	J	K	L
-1	12x5	1	3	1									

White BACKGROUND WITH Black BORDER & LEGEND

REFLECTIVE BACKGROUND

3/8" DIA HOLES •


APPROVED:

TRAFFIC ENGINEER

3/11/74

DATE

REVISION



ALL DIMENSIONS ARE IN INCHES

R81B SUFFIX	SIZE	BORDER WIDTH	MARGIN WIDTH	LETTER SIZE, SERIES & STROKE WIDTH					COR. RAD.
				LINE 1	LINE 2	LINE 3	LINE 4	LINE 5	
-1	8x5	1/4	1/4	3C-.48					1½

R81B SUFFIX	SIZE	DIMENSIONS											
		A	B	C	D	E	F	G	H	I	J	K	L
-1	8x5	1	3	1									

White BACKGROUND WITH Black BORDER & LEGEND REFLECTIVE BACKGROUND


3/8" DIA. HOLES •

APPROVED:

[Signature]
TRAFFIC ENGINEER

3/11/74
DATE

REVISION

MUTCD NUMBER NoneCODE R82-1

SIGN SIZE (Inches)	DIMENSIONS (Inches)												
	A	B	C	D	E	F	G	H	J	K	L	M	N
30 x 60	30	60	1/2	3/4	18	9-1/4	7-1/2	3-3/4	1-1/8	5	5C	3-1/2	1-7/8
36 x 66	36	66	5/8	7/8	18	9-5/16	7-1/2	3-3/4	1-1/8	5	6C	4	2-1/4
48 x 84	48	84	3/4	1-1/4	18	9-3/8	7-1/2	3-3/4	1-1/8	7	8C	6	3

SIGN SIZE (mm)	DIMENSIONS (Millimeters)												
	A	B	C	D	E	F	G	H	J	K	L	M	N
762 x 1524	762	1524	13	19	450	235	191	95	29	127	125C	89	48
914 x 1676	914	1676	16	22	450	237	191	95	29	127	150C	102	57
1219 x 2134	1219	2134	19	31	450	238	191	95	29	178	200C	152	76

COLORS

BORDER, LEGEND & DIAMOND BACKGROUND - BLACK (NON-REFLECTIVE)
DIAMOND & BACKGROUND - WHITE (REFLECTIVE)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

Gerry Kreis
 CHIEF, OFFICE OF SIGNS AND DELINEATION

8/1/02


DATE

REVISION

REVISION

MUTCD NUMBER NONE

CODE R82A



SIGN	DIMENSIONS (INCHES)										
	A	B	C	D	E	F	G	H	J	K	L
MINIMUM	30	12	3/8	1/2	1 1/2	2 3/4	3D	1 1/2	2D	-	1 1/2
STANDARD	36	18	3/8	5/8	1 1/2	4	4D	3	3D	16	1 1/2
SPECIAL	48	24	3/8	5/8	1 1/2	5	6D	4	4D	16	3

COLORS

BORDER & LEGEND - BLACK

BACKGROUND - WHITE (REFL)


THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE.

COB...
CHIEF, DIVISION OF TRAFFIC ENGINEERING

DEC 14 1987
DATE

REVISION

REVISION

MUTCD NUMBER NoneCODE R82B


NOTE: Specify times when ordering.

SIGN SIZE (Inches)	DIMENSIONS (Inches)								
	A	B	C	D	E	F	G	H	J
30 x 24	30	24	1/2	3/4	4	4C	2-1/2	3C	1-7/8
36 x 24	36	24	5/8	7/8	4	4D	2-1/2	3D	2-1/4
48 x 36	48	36	3/4	1-1/4	5	6D	4	4D	3

SIGN SIZE (mm)	DIMENSIONS (Millimeters)								
	A	B	C	D	E	F	G	H	J
762 x 610	762	610	13	19	102	100C	64	75C	48
914 x 610	914	610	16	22	102	100D	64	75D	57
1219 x 914	1219	914	19	31	127	150D	102	100D	76

COLORS**BORDER & LEGEND - BLACK (NON-REFLECTIVE)****BACKGROUND - WHITE (REFLECTIVE)**

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

MUTCD NUMBER NoneCODE R84-1

SIGN SIZE (Inches)	DIMENSIONS (Inches)													
	A	B	C	D	E	F	G	H	J	K	L	M	N	P
30 x 54	30	54	1/2	3/4	18	9-1/4	7-1/2	3-3/4	1-1/8	5	6D	4	5C	1-7/8
36 x 60	36	60	5/8	7/8	18	9-5/16	7-1/2	3-3/4	1-1/8	5	8D	5	6C	2-1/4
48 x 72	48	72	3/4	1-1/4	18	9-3/8	7-1/2	3-3/4	1-1/8	7	10D	6	8C	3

SIGN SIZE (mm)	DIMENSIONS (Millimeters)													
	A	B	C	D	E	F	G	H	J	K	L	M	N	P
762 x 1372	762	1372	13	19	450	235	191	95	29	127	150D	102	125C	48
914 x 1524	914	1524	16	22	450	237	191	95	29	127	200D	127	150C	57
1219 x 1829	1219	1829	19	31	450	238	191	95	29	178	250D	152	200C	76

COLORS

BORDER, LEGEND & DIAMOND BACKGROUND - BLACK (NON-REFLECTIVE)
DIAMOND & BACKGROUND - WHITE (REFLECTIVE)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -


George K. Reis
 CHIEF, OFFICE OF SIGNS AND DELINEATION

8/1/02

DATE

REVISION

REVISION

MUTCD NUMBER NoneCODE R84-2

SIGN SIZE (Inches)	DIMENSIONS (Inches)												
	A	B	C	D	E	F	G	H	J	K	L	M	N
30 x 60	30	60	1/2	3/4	18	9-1/4	7-1/2	3-3/4	1-1/8	5	5C	3-1/2	1-7/8
36 x 66	36	66	5/8	7/8	18	9-5/16	7-1/2	3-3/4	1-1/8	5	6C	4	2-1/4
48 x 84	48	84	3/4	1-1/4	18	9-3/8	7-1/2	3-3/4	1-1/8	7	8C	6	3

SIGN SIZE (mm)	DIMENSIONS (Millimeters)												
	A	B	C	D	E	F	G	H	J	K	L	M	N
762 x 1524	762	1524	13	19	450	235	191	95	29	127	125C	89	48
914 x 1676	914	1676	16	22	450	237	191	95	29	127	150C	102	57
1219 x 2134	1219	2134	19	31	450	238	191	95	29	178	200C	152	76

COLORS

BORDER, LEGEND & DIAMOND BACKGROUND - BLACK (NON-REFLECTIVE)
DIAMOND & BACKGROUND - WHITE (REFLECTIVE)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -


George K. K.
 CHIEF, OFFICE OF SIGNS AND DELINEATION

8/1/02

DATE

REVISION

REVISION

MUTCD NUMBER NoneCODE R86

SIGN SIZE (Inches)	DIMENSIONS (Inches)																
	A	B	C	D	E	F	G	H	J	K	L	M	N	P	R	S	T
30 x 60	30	60	1/2	3/4	18	9-1/4	7-1/2	3-3/4	1-1/8	4	4C	3	5	5B	4C	3C	1-7/8
36 x 60	36	60	5/8	7/8	18	9-5/16	7-1/2	3-3/4	1-1/8	4	4D	3	5	5C	4D	3D	2-1/4
48 x 72	48	72	3/4	1-1/4	18	9-3/8	7-1/2	3-3/4	1-1/8	5	4D	3	7	7C	5D	4D	3

SIGN SIZE (mm)	DIMENSIONS (Millimeters)																
	A	B	C	D	E	F	G	H	J	K	L	M	N	P	R	S	T
762 x 1524	762	1524	13	19	450	235	191	95	29	102	100C	76	127	125B	100C	75C	48
914 x 1524	914	1524	16	22	450	237	191	95	29	102	100D	76	127	125C	100D	75D	57
1219 x 1829	1219	1829	19	31	450	238	191	95	29	127	100D	76	178	175C	125D	100D	76

COLORS
BORDER, LEGEND & DIAMOND BACKGROUND - BLACK (NON-REFLECTIVE)
DIAMOND & BACKGROUND - WHITE (REFLECTIVE)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -


George K. Reis
 CHIEF, OFFICE OF SIGNS AND DELINEATION

8/1/02

DATE

REVISION

REVISION

MUTCD NUMBER NoneCODE R86-2

SIGN SIZE (Inches)	DIMENSIONS (Inches)													
	A	B	C	D	E	F	G	H	J	K	L	M	N	P
30 x 60	30	60	1/2	3/4	18	9-1/4	7-1/2	3-3/4	1-1/8	4	5D	3	4C	1-7/8
36 x 66	36	66	5/8	7/8	18	9-5/16	7-1/2	3-3/4	1-1/8	4	6D	3-1/2	5C	2-1/4
48 x 84	48	84	3/4	1-1/4	18	9-3/8	7-1/2	3-3/4	1-1/8	6	8D	5	6C	3

SIGN SIZE (mm)	DIMENSIONS (Millimeters)													
	A	B	C	D	E	F	G	H	J	K	L	M	N	P
762 x 1524	762	1524	13	19	450	235	191	95	29	102	125C	76	100C	48
914 x 1676	914	1676	16	22	450	237	191	95	29	102	150C	89	125C	57
1219 x 2134	1219	2134	19	31	450	238	191	95	29	152	200C	127	150C	76

COLORS

BORDER, LEGEND & DIAMOND BACKGROUND - BLACK (NON-REFLECTIVE)
DIAMOND & BACKGROUND - WHITE (REFLECTIVE)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -


George K. Reis
 CHIEF, OFFICE OF SIGNS AND DELINEATION

8/1/02

DATE

REVISION

REVISION

MUTCD NUMBER NoneCODE R86-3

NOTE:
Specify times when ordering.

SIGN SIZE (Inches)	DIMENSIONS (Inches)																
	A	B	C	D	E	F	G	H	J	K	L	M	N	P	R	S	T
30 x 66	30	66	1/2	3/4	18	9-1/4	7-1/2	3-3/4	1-1/8	4	4C	3	5	5B	4C	3C	1-7/8
36 x 66	36	66	5/8	7/8	18	9-5/16	7-1/2	3-3/4	1-1/8	4	4D	3	5	5C	4D	3D	2-1/4
48 x 78	48	84	3/4	1-1/4	18	9-3/8	7-1/2	3-3/4	1-1/8	4	4D	3	6	7C	5D	4D	3

SIGN SIZE (mm)	DIMENSIONS (Millimeters)																
	A	B	C	D	E	F	G	H	J	K	L	M	N	P	R	S	T
762 x 1676	762	1676	13	19	450	235	191	95	29	102	100C	76	127	125B	100C	75C	48
914 x 1676	914	1676	16	22	450	237	191	95	29	102	100D	76	127	125C	100D	75D	57
1219 x 2134	1219	2134	19	31	450	238	191	95	29	102	100D	76	152	175C	125D	100D	76

COLORS

BORDER, LEGEND & DIAMOND BACKGROUND - BLACK (NON-REFLECTIVE)
DIAMOND & BACKGROUND - WHITE (REFLECTIVE)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -


George K. Reis
 CHIEF, OFFICE OF SIGNS AND DELINEATION

8/1/02

DATE

REVISION

REVISION

MUTCD NUMBER NoneCODE R87-1

NOTES:

1. Specify number of persons per vehicle when ordering.
2. For arrow dimensions, see Standard Arrows for Directional Signs in Chapter 5, Appendix 1.

SIGN SIZE (Inches)	DIMENSIONS (Inches)																	
	A	B	C	D	E	F	G	H	J	K	L	M	N	P	R	S	T	U
168 x 70	168	70	1	1-3/4	35	24	36	18-1/2	12	3	9-1/2	10D	8	6E	4	16-1/2	8E	9
192 x 100	192	100	1-1/2	2	50	24	36	18-3/4	12	3	16	12D	12	8E	8	16-1/2	10E	12

SIGN SIZE (mm)	DIMENSIONS (Millimeters)																	
	A	B	C	D	E	F	G	H	J	K	L	M	N	P	R	S	T	U
4267 x 1778	4267	1778	25	44	889	610	914	470	305	76	241	250D	203	150E	102	419	200E	229
4877 x 2540	4877	2540	38	51	1270	610	914	476	305	76	406	300D	305	200E	203	419	250E	305

COLORS

BORDER, LEGEND & DIAMOND BACKGROUND - BLACK (NON-REFLECTIVE)
DIAMOND & BACKGROUND - WHITE (REFLECTIVE)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -


Gerry K. Reis
 CHIEF, OFFICE OF SIGNS AND DELINEATION

8/1/02

DATE

REVISION

REVISION

MUTCD NUMBER NoneCODE R87-2

NOTES:

1. Specify number of persons per vehicle when ordering.
2. For Route Shield details, see Sign Specifications G26-1, G27-1 or G28-1, in Chapter 5, Appendix 1.
3. For arrow size and dimensions, see Standard Arrows for Directional Signs in Chapter 5, Appendix 1.

SIGN SIZE (Inches)	DIMENSIONS (Inches)																	
	A	B	C	D	E	F	G	H	J	K	L	M	N	P	R	S	T	U
132 x 70	132	70	1	1-3/4	35	24	36	18-1/2	12	3	12	18	6E	8D	9	5E	4	9
132 x 72	132	72	1	1-3/4	36	24	36	18-1/2	12	3	13	18	6E	8D	9	5E	4	9

SIGN SIZE (mm)	DIMENSIONS (Millimeters)																	
	A	B	C	D	E	F	G	H	J	K	L	M	N	P	R	S	T	U
3353 x 1778	3353	1778	25	44	889	610	914	470	305	76	305	457	150E	200D	229	125E	102	229
3353 x 1829	3353	1829	25	44	914	610	914	470	305	76	330	457	150E	200D	229	125E	102	229

COLORS

BORDER, LEGEND & DIAMOND BACKGROUND - BLACK (NON-REFLECTIVE)
DIAMOND & BACKGROUND - WHITE (REFLECTIVE)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

Gerry Kreis
 CHIEF, OFFICE OF SIGNS AND DELINEATION

8/1/02

DATE

REVISION


REVISION

MUTCD NUMBER NONE

CODE R88

DEPARTMENT OF TRANSPORTATION

STATE OF CALIFORNIA



ALTERNATE MESSAGES: Lines 1 & 2 - CENTER LANE or RIGHT LANE

Lines 3 & 4 - BUSES ONLY

NOTE: Diamond Stroke Width - 3/4

COLORS

DIAMOND & LEGEND - WHITE (REFL) on BLACK background

BORDER & LEGEND - BLACK

BACKGROUND - WHITE (REFL)

DIMENSIONS IN INCHES

THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE.

CSBartley
CHIEF, DIVISION OF TRAFFIC ENGINEERING

DEC 14 1987
DATE

REVISION

REVISION

MUTCD NUMBER NoneCODE R89

Alternate Message: 2 CARS PER GREEN

SIGN SIZE	DIMENSIONS (Inches)						
	A	B	C	D	E	F	G
22 x 6	22	6	3/8	1/2	2	2C	1-1/2
24 x 6	24	6	3/8	1/2	2	2C	1-1/2
36 x 9	36	9	1/2	3/4	3	3C	1-7/8
48 x 12	48	12	5/8	7/8	4	4C	2-1/4

SIGN SIZE	DIMENSIONS (Millimeters)						
	A	B	C	D	E	F	G
559 x 152	559	152	10	13	51	50C	38
610 x 152	610	152	10	13	51	50C	38
914 x 229	914	229	13	19	76	75C	48
1219 x 305	1219	305	16	22	102	100C	57

COLORS

BORDER & LEGEND - BLACK (Non-Reflective)
BACKGROUND - WHITE (Reflective)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

Gerry Kreis
 CHIEF, OFFICE OF SIGNS AND DELINEATION

8/1/03
 DATE

REVISION

REVISION

MUTCD NUMBER NoneCODE R89-1

Alternate Message, Line 1: 2 CARS PER GREEN

SIGN SIZE	DIMENSIONS (Inches)							
	A	B	C	D	E	F	G	H
22 x 10	22	10	3/8	1/2	2C	1-1/2	2-1/4	1-1/2
24 x 10	24	10	3/8	1/2	2C	1-1/2	2-1/4	1-1/2
36 x 16	36	16	1/2	3/4	3C	2	4	1-7/8
48 x 20	48	20	5/8	7/8	4C	3	4-1/2	2-1/4

SIGN SIZE	DIMENSIONS (Millimeters)							
	A	B	C	D	E	F	G	H
559 x 254	559	254	10	13	50C	38	57	38
610 x 254	610	254	10	13	50C	38	57	38
914 x 406	914	406	13	19	75C	51	102	48
1219 x 508	1219	508	16	22	100C	76	114	57

COLORS**BORDER & LEGEND - BLACK (Non-Reflective)****BACKGROUND - WHITE (Reflective)**

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

Gerry Meis
CHIEF, OFFICE OF SIGNS AND DELINEATION

8/1/03
DATE

REVISION

REVISION

MUTCD NUMBER NoneCODE R89-2

Alternate Message, Line 1: 2 CARS PER GREEN

SIGN SIZE	DIMENSIONS (Inches)							
	A	B	C	D	E	F	G	H
22 x 10	22	10	3/8	1/2	2C	1-1/2	2-1/4	1-1/2
24 x 10	24	10	3/8	1/2	2C	1-1/2	2-1/4	1-1/2
36 x 16	36	16	1/2	3/4	3C	2	4	1-7/8
48 x 20	48	20	5/8	7/8	4C	3	4-1/2	2-1/4

SIGN SIZE	DIMENSIONS (Millimeters)							
	A	B	C	D	E	F	G	H
559 x 254	559	254	10	13	50C	38	57	38
610 x 254	610	254	10	13	50C	38	57	38
914 x 406	914	406	13	19	75C	51	102	48
1219 x 508	1219	508	16	22	100C	76	114	57

COLORS

BORDER & LEGEND - BLACK (Non-Reflective)
BACKGROUND - WHITE (Reflective)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -


Gerry Meis
 CHIEF, OFFICE OF SIGNS AND DELINEATION

8/1/03

DATE

REVISION

REVISION

MUTCD NUMBER NoneCODE R89-3

Alternate Message, Line 1: LEFT LANE

SIGN SIZE	DIMENSIONS (Inches)							
	A	B	C	D	E	F	G	H
22 x 10	22	10	3/8	1/2	2D	1-1/2	2-1/4	1-1/2
24 x 10	24	10	3/8	1/2	2D	1-1/2	2-1/4	1-1/2
36 x 16	36	16	1/2	3/4	3D	2	4	1-7/8
48 x 20	48	20	5/8	7/8	4D	3	4-1/2	2-1/4

SIGN SIZE	DIMENSIONS (Millimeters)							
	A	B	C	D	E	F	G	H
559 x 254	559	254	10	13	50D	38	57	38
610 x 254	610	254	10	13	50D	38	57	38
914 x 406	914	406	13	19	75D	51	102	48
1219 x 508	1219	508	16	22	100D	76	114	57

COLORS**BORDER & LEGEND - BLACK (Non-Reflective)****BACKGROUND - WHITE (Reflective)**

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -


Gerry Meis
 CHIEF, OFFICE OF SIGNS AND DELINEATION

8/1/03

DATE

REVISION

REVISION

MUTCD NUMBER NoneCODE R90-1

SIGN SIZE (Inches)	DIMENSIONS (Inches)								
	A	B	C	D	E	F	G	H	J
24 x 30	24	30	3/8	5/8	3	4D	2-1/2	4C	1-1/2

SIGN SIZE (mm)	DIMENSIONS (Millimeters)								
	A	B	C	D	E	F	G	H	J
610 x 762	610	762	10	16	76	100D	64	100C	38

COLORS**BACKGROUND - WHITE (Reflective)****LEGEND & BORDER - BLACK (Non-Reflective)**

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -


Gerry Meis
 CHIEF, OFFICE OF SIGNS AND DELINEATION

5/20/04

DATE

REVISION

REVISION

NUMBER NoneCODE R91

Alternate Messages: Line 1 - RIGHT or CENTER.

Line 4 - Number of persons per vehicle.

Lines 6 & 7 - Various times and days or other 2 line message.

SIGN	DIMENSIONS (INCHES)																			
	A	B	C	D	E	F	G	H	J	K	L	M	N	O	P	R	S	T	U	V
MINIMUM	30	48	1/2	3/4	1-7/8	13-1/2	7	5	34-1/2	2-1/2	3/4	3	3D	2	3	4C	2	6C	3	3D
STANDARD	48	66	5/8	7/8	2-1/4	18	9-1/4	7	48	3-1/2	1	3-1/2	4D	3	4	6C	3	8C	4	4D
SPECIAL	66	96	3/4	1-1/4	3	27	13-7/8	10	69	5	1-1/2	5-1/2	6D	4	6	8C	4	12C	6	6D

COLOR
 BORDER & LEGEND - BLACK
 BACKGROUND - WHITE (REFLECTIVE)
 DIAMOND & LEGEND - WHITE (REFLECTIVE)
 BACKGROUND - BLACK

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -



 DEPUTY CHIEF, DIVISION OF TRAFFIC OPERATIONS

DATE

9-1-93

REVISION

REVISION

MUTCD NUMBER NoneCODE R91-1

ALTERNATE MESSAGES: Line 1 - RIGHT or CENTER.
 Line 4 - Number of persons per vehicle.
 Line 6 - BUSES OK or other 1 line message.

SIGN SIZE	DIMENSIONS (INCHES)																			
	A	B	C	D	E	F	G	H	J	K	L	M	N	P	R	S	T	U	V	W
30 x 54	30	54	1/2	3/4	3-3/4	18	9-1/4	7-1/2	1	3-1/2	4C	3	5	4C	3	4	3C	6	6D	1-7/8
36 x 54	36	54	1/2	3/4	3-3/4	18	9-1/4	7-1/2	1	3-1/2	4C	3	5	4C	3	4	3D	6	6D	2-1/4
48 x 66	48	66	5/8	7/8	3-3/4	18	9-1/4	7-1/2	1	3-1/2	4D	3	5	6C	4	6	4D	7	8D	2-1/4
66 x 96	66	96	3/4	1-1/4	5	27	14	10	1-1/2	5-1/2	6D	4	8	8C	6	8	6D	11	10D	3

SIGN SIZE	DIMENSIONS (MILLIMETERS)																			
	A	B	C	D	E	F	G	H	J	K	L	M	N	P	R	S	T	U	V	W
762 x 1372	762	1372	13	19	95	457	235	191	25	89	100C	76	127	100C	76	102	75C	152	150D	48
914 x 1372	914	1372	13	19	95	457	235	191	25	89	100C	76	127	100C	76	102	75D	152	150D	57
1219 x 1676	1219	1676	16	22	95	457	235	191	25	89	100D	76	127	150C	102	152	100D	178	200D	57
1676 x 2438	1676	2438	19	32	127	686	356	254	38	140	150D	102	203	200C	152	203	150D	279	250D	76

COLORS

BORDER, LEGEND & DIAMOND BACKGROUND - BLACK (NON-REFLECTIVE)
 DIAMOND & BACKGROUND - WHITE (REFLECTIVE)


- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

Gerry Myers
 CHIEF, OFFICE OF SIGNS AND DELINEATION

3/3/00
 DATE

REVISION

REVISION

MUTCD NUMBER NoneCODE R91-2

SIGN SIZE (Inches)	DIMENSIONS (Inches)														
	A	B	C	D	E	F	G	H	J	K	L	M	N	P	R
36 x 66	36	66	5/8	7/8	18	9-5/16	7-1/2	3-3/4	1-1/8	3-1/2	6E	3-1/2	5C	5B	2-1/4
48 x 78	48	78	3/4	1-1/4	18	9-3/8	7-1/2	3-3/4	1-1/8	5	8E	4	6C	6B	3

SIGN SIZE (mm)	DIMENSIONS (Millimeters)														
	A	B	C	D	E	F	G	H	J	K	L	M	N	P	R
914 x 1676	914	1676	16	22	457	237	191	95	29	89	150E	89	125C	125B	57
1219 x 1981	1219	1981	19	32	457	238	191	95	29	127	200E	102	150C	150B	76

COLORS

BORDER, LEGEND & DIAMOND BACKGROUND - BLACK (NON-REFLECTIVE)
DIAMOND & BACKGROUND - WHITE (REFLECTIVE)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -


George K. Reis
 CHIEF, OFFICE OF SIGNS AND DELINEATION

8/1/02

DATE

REVISION

REVISION

MUTCD NUMBER NoneCODE R91-3

Alternate Messages: Line 1 - RIGHT or CENTER.
Line 4 - Number of persons per vehicle.

SIGN	DIMENSIONS (INCHES)																		
	A	B	C	D	E	F	G	H	J	K	L	M	N	O	P	R	S	T	U
MINIMUM	30	42	1/2	3/4	1-7/8	13-1/2	7	5	28-1/2	2-1/2	3/4	3	3D	2	4-1/2	4C	3	6C	6
STANDARD	48	60	5/8	7/8	2-1/4	18	9-1/4	7	42	3-1/2	1	3-1/2	4D	3	7	6C	4	8C	9
SPECIAL	66	84	3/4	1-1/4	3	27	13-7/8	10	57	5	1-1/2	5-1/2	6D	4	9	8C	6	12C	12

COLOR
BORDER & LEGEND - BLACK
BACKGROUND - WHITE (REFLECTIVE)
DIAMOND & LEGEND - WHITE (REFLECTIVE)
BACKGROUND - BLACK


• THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE •

MR. L. L. L.
DEPUTY CHIEF, DIVISION OF TRAFFIC OPERATIONS

9-1-93
DATE

REVISION

REVISION

MUTCD NUMBER NoneCODE R91B

SIGN SIZE (INCHES)	DIMENSIONS (INCHES)							
	A	B	C	D	E	F	G	H
30 x 18	30	18	3/8	1/2	1-1/2	3-1/2	2-1/2C	1-3/4
36 x 18	36	18	3/8	5/8	1-7/8	3-1/2	2-1/2D	1-3/4
42 x 20	42	20	1/2	3/4	2-1/4	3-1/2	3D	2
48 x 24	48	24	5/8	7/8	3	4	4C	2-1/2
54 x 24	54	24	5/8	1	3	4	4D	2-1/2

COLORS
LEGEND - BLACK (NON-REFLECTIVE)
BACKGROUND - WHITE (REFLECTIVE)


- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

CHIEF, OFFICE OF SIGNS AND DELINEATION

DATE

REVISION

REVISION



ALL DIMENSIONS ARE IN INCHES

R92 Rt SUFFIX	SIZE	BORDER WIDTH	MARGIN WIDTH	LETTER SIZE, SERIES & STROKE WIDTH					CORNER RADIUS
				LINE 1	LINE 2	LINE 3	LINE 4	LINE 5	
-1	216X70	1 3/4	1 1/4	10E-2.0	10E-2.0	8E-1.6	8E-1.6	8E-1.6	5

R92 Rt SUFFIX	SIZE	DIMENSIONS											
		A	B	C	D	E	F	G	H	I	J	K	L
-1	216X70	7	5	4	6	48	12	24	2	11			

WHITE BACKGROUND WITH BLACK BORDER LEGEND & SYMBOL REFLECTORIZED BACKGROUND

H = HORIZONTAL BAR & DIAMOND SYMBOL LINE WIDTH.
DOWN VERTICAL ARROW 24X16 1/2.


3 8 DIA HOLES •

APPROVED

[Signature]
CHIEF, OFFICE OF TRAFFIC

3/23/79
DATE

REVISION


MUTCD NUMBER NoneCODE R93-2

SIGN SIZE (Inches)	DIMENSIONS (Inches)												
	A	B	C	D	E	F	G	H	J	K	L	M	N
30 x 72	30	72	1/2	3/4	18	9-1/4	7-1/2	3-3/4	1-1/8	3-1/4	5C	6D	1-7/8
36 x 84	36	84	5/8	7/8	18	9-5/16	7-1/2	3-3/4	1-1/8	4	6C	8D	2-1/4

SIGN SIZE (mm)	DIMENSIONS (Millimeters)												
	A	B	C	D	E	F	G	H	J	K	L	M	N
762 x 1829	762	1829	13	19	457	235	191	95	29	83	125C	150D	48
914 x 2134	914	2134	16	22	457	237	191	95	29	102	150C	200D	57

COLORS**BORDER, LEGEND & DIAMOND BACKGROUND - BLACK (NON-REFLECTIVE)****DIAMOND & BACKGROUND - WHITE (REFLECTIVE)**

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -


 CHIEF, OFFICE OF SIGNS AND DELINEATION

8/1/02

DATE

REVISION

REVISION


MUTCD NUMBER NONECODE R93A

SIGN SIZE (Inches)	DIMENSIONS (Inches)							
	A	B	C	D	E	F	G	H
30 x 12	30	12	3/8	1/2	2-3/4	2-1/2C	1-1/2	1-1/2
36 x 15	36	15	3/8	5/8	3-1/2	3B	2	2-1/4

SIGN SIZE (mm)	DIMENSIONS (Millimeters)							
	A	B	C	D	E	F	G	H
762 x 305	762	305	10	13	70	63C	38	38
914 x 381	914	381	10	16	89	75B	51	57

COLORS
BORDER & LEGEND - BLACK (NON-REFLECTIVE)
BACKGROUND - WHITE (REFLECTIVE)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

MUTCD NUMBER NONECODE R94 Lt.

NOTES:

1. Number of persons per vehicle is variable, specify when ordering.
2. For arrowhead dimensions, see Sign Specification Appendix - Page 2 of 11.

COLORS
SYMBOL & MESSAGE - BLACK (Non-Reflective)
BACKGROUND - WHITE (Reflective)


- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

Henry Hays
 CHIEF, OFFICE OF SIGNS AND DELINEATION

7/18/97
 DATE

REVISION

REVISION



Notes:

1. Arrow dimensions, see Sign Specification Appendix, Page 2 of 11.
2. Arrow direction may vary, Left or Right, specify when ordering.

SIGN	DIMENSIONS (INCHES)									
	A	B	C	D	E	F	G	H	J	K
MINIMUM	18	12	3/8	1/2	1-1/2	3	2B	2	1	4
STANDARD	24	16	3/8	5/8	1-1/2	3-1/2	3B	3	1-1/2	6
SPECIAL	36	24	5/8	7/8	2-1/4	6	4B	4	2	8

COLORS

BORDER & LEGEND - BLACK (NON-REFLECTIVE)
BACKGROUND - WHITE (REFLECTIVE)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

DEPARTMENT OF TRANSPORTATION

STATE OF CALIFORNIA



COLORS

BORDER, LEGEND & SYMBOL - WHITE (REFL)

BACKGROUND - BLUE

DIMENSIONS IN INCHES

THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE.

C D Bartell
CHIEF, DIVISION OF TRAFFIC ENGINEERING

7/31/84
DATE

REVISION

REVISION

DEPARTMENT OF TRANSPORTATION

STATE OF CALIFORNIA



ALL DIMENSIONS ARE IN INCHES

R100-A SUFFIX	SIZE	BORDER WIDTH	MARGIN WIDTH	LETTER SIZE, SERIES & STROKE WIDTH					CORNER RADIUS
				LINE 1	LINE 2	LINE 3	LINE 4	LINE 5	
-1	12 X 8	3/16	1/8	1E - .20	1B - .14	1B - .14	1B - .14		3/4

R100-A SUFFIX	SIZE	DIMENSIONS											
		A	B	C	D	E	F	G	H	I	J	K	L
-1	12 X 8	1/2"	3/4"										

WHITE BACKGROUND WITH RED BORDER LEGEND & SYMBOL NON REFLECTORIZED BACKGROUND


3.8 DIA HOLES •

APPROVED

[Signature]
CHIEF, OFFICE OF TRAFFIC

12/28/78
DATE

[Signature] 3/27/79
REVISION

MUTCD NUMBER NoneCODE R100B

COLORS
BORDER & LEGEND - BLACK (Non-Reflective)
BACKGROUND - WHITE (Reflective)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

Gerry Kreis
 CHIEF, OFFICE OF SIGNS AND DELINEATION


2/25/00
 DATE

REVISION

REVISION

DEPARTMENT OF TRANSPORTATION

STATE OF CALIFORNIA



SIGN	DIMENSIONS (INCHES)								
	A	B	C	D	E	F	G	H	J
MINIMUM	24	18	3/8	5/8	3	2C	1 1/2	2	4
STANDARD	36	24	5/8	7/8	4	3C	2	3	4

COLORS

LEGEND & BORDER - BLACK

BACKGROUND - WHITE (REFL)

* Alternate message: PRIVATE PROPERTY
(Use size B letters)

THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE.

CHIEF, DIVISION OF TRAFFIC ENGINEERING

11/10/86


DATE

REVISION

REVISION

DEPARTMENT OF TRANSPORTATION

STATE OF CALIFORNIA



SIGN	DIMENSIONS (INCHES)									
	A	B	C	D	E	F	G	H	J	K
MINIMUM	18	3/8	1/2	7 1/2	3C	4 1/2	6 7/8	1	7 7/8	3/8
CONVENTIONAL	24	3/8	5/8	10	4C	6	9 1/8	1 3/8	10 1/2	1/2
FREEWAY	30	1/2	3/4	12 1/2	5C	7 1/2	11 5/8	1 5/8	13 1/4	1/2
SPECIAL	48	3/4	1 1/4	20	8C	12	18 3/8	2 5/8	21	5/8

COLORS

CIRCLE & DIAGONAL - RED (REFL)

LEGEND, BORDER & DIAMOND - BLACK

BACKGROUND - WHITE (REFL)


THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE.

COBartles
 CHIEF, DIVISION OF TRAFFIC ENGINEERING

1/31/86
 DATE

REVISION

REVISION



★ Condense spacing 15%

SIGN	DIMENSIONS (INCHES)						
	A	B	C	D	E	F	G
MINIMUM	18	12	3/8	1/2	1 15/16	2C	1 1/16
CONVENTIONAL	24	18	3/8	5/8	2 3/4	3C	1 3/4
FREEWAY	30	20	1/2	3/4	2 5/8	4C	1 3/8
SPECIAL	48	30	3/4	1 1/4	3 3/4	5D	3 3/4

COLORS

BORDER & LEGEND - BLACK

BACKGROUND - WHITE (REFL)

THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE.


 CHIEF, DIVISION OF TRAFFIC ENGINEERING


1/31/86
 DATE

REVISION

REVISION

DEPARTMENT OF TRANSPORTATION

STATE OF CALIFORNIA



SIGN	DIMENSIONS (INCHES)									
	A	B	C	D	E	F	G	H	J	K
MINIMUM	18	3/8	1/2	7 1/2	3C	4 1/2	6 7/8	1	7 7/8	3/8
CONVENTIONAL	24	3/8	5/8	10	4C	6	9 1/8	1 3/8	10 1/2	1/2
FREEWAY	30	1/2	3/4	12 1/2	5C	7 1/2	11 5/8	1 5/8	13 1/4	1/2
SPECIAL	48	3/4	1 1/4	20	8C	12	18 3/8	2 5/8	21	5/8

COLORS

CIRCLE - GREEN (REFL)

LEGEND, BORDER & DIAMOND - BLACK

BACKGROUND - WHITE (REFL)

THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE.


 CHIEF, DIVISION OF TRAFFIC ENGINEERING

DATE

1/31/86

REVISION

REVISION



★ Condense spacing 15%

SIGN	DIMENSIONS (INCHES)						
	A	B	C	D	E	F	G
MINIMUM	18	12	3/8	1/2	1 15/16	2C	1 1/16
CONVENTIONAL	24	18	3/8	5/8	2 3/4	3C	1 3/4
FREEWAY	30	20	1/2	3/4	2 5/8	4C	1 3/8
SPECIAL	48	30	3/4	1 1/4	3 3/4	5D	3 3/4

COLORS

BORDER & LEGEND - BLACK

BACKGROUND - WHITE (REFL)

THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE.

C. D. Bartlett
 CHIEF, DIVISION OF TRAFFIC ENGINEERING


1/31/86
 DATE

REVISION

REVISION

DEPARTMENT OF TRANSPORTATION

STATE OF CALIFORNIA



SIGN	DIMENSIONS (INCHES)									
	A	B	C	D	E	F	G	H	J	K
MINIMUM	18	3/8	1/2	7 1/2	3C	4 1/2	6 7/8	1	7 7/8	3/8
CONVENTIONAL	24	3/8	5/8	10	4C	6	9 1/8	1 3/8	10 1/2	1/2
FREEWAY	30	1/2	3/4	12 1/2	5C	7 1/2	11 5/8	1 5/8	13 1/4	1/2
SPECIAL	48	3/4	1 1/4	20	8C	12	18 3/8	2 5/8	21	5/8

COLORS

CIRCLE & DIAGONAL - RED (REFL)

LEGEND, BORDER & DIAMOND - BLACK

BACKGROUND - WHITE (REFL)

THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE.

CP Bartles
 CHIEF, DIVISION OF TRAFFIC ENGINEERING


1/31/86
 DATE

REVISION

REVISION

DEPARTMENT OF TRANSPORTATION

STATE OF CALIFORNIA



★ Condense spacing 15%

SIGN	DIMENSIONS (INCHES)						
	A	B	C	D	E	F	G
MINIMUM	18	12	3/8	1/2	1 15/16	2C	1 1/16
CONVENTIONAL	24	18	3/8	5/8	2 3/4	3C	1 3/4
FREEWAY	30	20	1/2	3/4	2 5/8	4C	1 3/8
SPECIAL	48	30	3/4	1 1/4	3 3/4	5D	3 3/4

COLORS

BORDER & LEGEND - BLACK

BACKGROUND - WHITE (REFL)

THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE.

CD Butler
CHIEF, DIVISION OF TRAFFIC ENGINEERING


1/31/86
DATE

REVISION

REVISION

DEPARTMENT OF TRANSPORTATION

STATE OF CALIFORNIA



SIGN	DIMENSIONS (INCHES)									
	A	B	C	D	E	F	G	H	J	K
MINIMUM	18	3/8	1/2	7 1/2	3C	4 1/2	6 7/8	1	7 7/8	3/8
CONVENTIONAL	24	3/8	5/8	10	4C	6	9 1/8	1 3/8	10 1/2	1/2
FREEWAY	30	1/2	3/4	12 1/2	5C	7 1/2	11 5/8	1 5/8	13 1/4	1/2
SPECIAL	48	3/4	1 1/4	20	8C	12	18 3/8	2 5/8	21	5/8

COLORS

CIRCLE - GREEN (REFL)

LEGEND, BORDER & DIAMOND - BLACK

BACKGROUND - WHITE (REFL)

THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE.


 CHIEF, DIVISION OF TRAFFIC ENGINEERING

 1/31/86
 DATE

REVISION

REVISION

DEPARTMENT OF TRANSPORTATION

STATE OF CALIFORNIA



★ Condense spacing 15%

SIGN	DIMENSIONS (INCHES)						
	A	B	C	D	E	F	G
MINIMUM	18	12	3/8	1/2	1 15/16	2C	1 1/16
CONVENTIONAL	24	18	3/8	5/8	2 3/4	3C	1 3/4
FREEWAY	30	20	1/2	3/4	2 5/8	4C	1 3/8
SPECIAL	48	30	3/4	1 1/4	3 3/4	5D	3 3/4

COLORS

BORDER & LEGEND - BLACK

BACKGROUND - WHITE (REFL)


THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE.

C. A. Barton
 CHIEF, DIVISION OF TRAFFIC ENGINEERING

1/31/86
 DATE

REVISION

REVISION



*See page 6-2 of Standard Highway Book for arrow symbol design.

R106 (CA)

ENGLISH UNITS

A	B	C	D	E	F	G	H	J	K
36	24	.625	.875	3.25	4E	4.75	2	28	2.25
48	30	.75	1.25	4.25	5E	5.75	2.5	36	3


COLORS: BORDER & LEGEND - BLACK
BACKGROUND - WHITE (RETROREFLECTIVE)

9/26/06

MUTCD NUMBER NONE

CODE SR 2

DEPARTMENT OF TRANSPORTATION
STATE OF CALIFORNIA



DIMENSIONS IN INCHES

COLORS

LEGEND & BORDER - BLACK
BACKGROUND - WHITE (REFL)


THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE.

C. D. B...
CHIEF, DIVISION OF TRAFFIC ENGINEERING

6/17/87
DATE

REVISION

REVISION



SIZE	BORDER WIDTH	MARGIN WIDTH	LETTER SIZE AND SERIES					CORNER RADIUS	REFLECTORS	
			LINE 1	LINE 2	LINE 3	LINE 4	LINE 5		NO.	SIZE
48"x60"	1 1/2"	7/8"	8"E	8"E	6"D	6"D		3-3/4"		


White BACKGROUND WITH Black BORDER AND SYMBOL Reflective Background

REMARKS

3/8" Dia. Holes

APPROVED:

[Signature]
TRAFFIC ENGINEER
8/73
DATE
11/21/74



SIZE	BORDER WIDTH	MARGIN WIDTH	LETTER SIZE AND SERIES					CORNER RADIUS	REFLECTORS	
			LINE 1	LINE 2	LINE 3	LINE 4	LINE 5		NO.	SIZE
44"x36"	7/8"	3/4"	4"E	4"E	4"E	4"E		2 1/2"		

White BACKGROUND WITH Black BORDER AND SYMBOL


Non-Reflective

REMARKS

3/8" Dia. Holes

APPROVED

[Signature]
TRAFFIC ENGINEER
8/22 DATE 11/21/74



Scale
1/2"

SIZE	BORDER WIDTH	MARGIN WIDTH	LETTER SIZE AND SERIES					CORNER RADIUS	REFLECTORS	
			LINE 1	LINE 2	LINE 3	LINE 4	LINE 5		NO.	SIZE
42"x36"	7/8"	3/4"	4"E	4"E	4"E	4"E		2 1/4"		


White BACKGROUND WITH ^{5/8"} Black BORDER AND SYMBOL. Non-Reflective

REMARKS

3/8" Dia. Holes

APPROVED _____

 DATE 11/21/74



Scale
1/16"

SIZE	BORDER WIDTH	MARGIN WIDTH	LETTER SIZE AND SERIES					CORNER RADIUS	REFLECTORS	
			LINE 1	LINE 2	LINE 3	LINE 4	LINE 5		NO.	SIZE
48"x20"	5/8"	3/8"	4"D	4"D				1 1/2"		

White BACKGROUND WITH Black BORDER AND SYMBOL Non-Reflective

REMARKS

3/8" Dia. Holes

APPROVED:

[Signature]
TRAFFIC ENGINEER
8/73
DATE 11/21/74



Scale
1:20

SIZE	BORDER WIDTH	MARGIN WIDTH	LETTER SIZE AND SERIES					CORNER RADIUS	REFLECTORS	
			LINE 1	LINE 2	LINE 3	LINE 4	LINE 5		NO.	SIZE
68"x24"	5/8"	3/8"	8"E					1 1/2"		


White BACKGROUND WITH Black BORDER AND SYMBOL Non-Reflective

REMARKS

3/8" Dia. Holes

APPROVED:

[Signature]
TRAFFIC ENGINEER
8/73 DATE 11/21/74



SIZE	BORDER WIDTH	MARGIN WIDTH	LETTER SIZE AND SERIES					CORNER RADIUS	REFLECTORS	
			LINE 1	LINE 2	LINE 3	LINE 4	LINE 5		NO.	SIZE
62"x24"	5/8"	3/8"	8"E					1 1/2"		

White BACKGROUND WITH Black BORDER AND SYMBOL Non-Reflective

REMARKS

3/8" Dia. Holes

APPROVED

[Signature]
TRAFFIC ENGINEER
5/13 / DATE 11/21/74



SIZE	BORDER WIDTH	MARGIN WIDTH	LETTER SIZE AND SERIES					CORNER RADIUS	REFLECTORS	
			LINE 1	LINE 2	LINE 3	LINE 4	LINE 5		NO.	SIZE
112"x24"	5/8"	3/8"	8"E					1 1/2"		

White BACKGROUND WITH Black BORDER AND SYMBOL


Reflective Background

REMARKS

3/8" Dia. Holes

APPROVED:

[Signature]
TRAFFIC ENGINEER
DATE



SIZE	BORDER WIDTH	MARGIN WIDTH	LETTER SIZE AND SERIES					CORNER RADIUS	REFLECTORS	
			LINE 1	LINE 2	LINE 3	LINE 4	LINE 5		NO.	SIZE
118"x24"	5/8"	3/8"	8"E					1 1/2"		

White BACKGROUND WITH Black BORDER AND SYMBOL. Reflective Background


REMARKS

3/8" Dia. Holes

APPROVED:

[Signature]
TRAFFIC ENGINEER
8/73
DATE

11/24/74



SIZE	BORDER WIDTH	MARGIN WIDTH	LETTER SIZE AND SERIES					CORNER RADIUS	REFLECTORS	
			LINE 1	LINE 2	LINE 3	LINE 4	LINE 5		NO.	SIZE
48"x10"	5/8"	3/8"	1"E	1"E	1"E	1"E		1 1/2"		

White BACKGROUND WITH Black BORDER AND SYMBOL. Non-Reflective


REMARKS

3/8" Dia. Holes

APPROVED:

[Signature]
TRAFFIC ENGINEER
9/73 DATE 11/21/74

STATE OF CALIFORNIA - DEPARTMENT OF TRANSPORTATION



*See page 6-21 of the SHS book for symbol design.

California Code: SR15 (CA)
MUTCD Code: Uncoded, SHS Book Code: R16-1
This sign spec is identical to the SHS R16-1 spec.

COLORS: **BORDER AND LEGEND - BLACK**
 BACKGROUND - WHITE (RETROREFLECTIVE)

5/20/04



SR15A (CA)


ENGLISH UNITS

A	B	C	D	E	F
18	.375	.5	2.625	2.5C	1.5

METRIC UNITS

A	B	C	D	E	F
457	10	13	67	63C	38

COLORS: BORDER & LEGEND - BLACK
BACKGROUND - WHITE (RETROREFLECTIVE)

MUTCD NUMBER NoneCODE SR17

Scale
1:20

SIGN SIZE	DIMENSIONS (INCHES)							
	A	B	C	D	E	F	G	H
120 x 42	120	42	5/8	1	6	7	6D	5
144 x 54	144	54	3/4	1-1/4	6	9	8D	6

COLOR
BORDER & LEGEND - BLACK
BACKGROUND - WHITE (REFLECTIVE)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

W. J. Hovenden

CHIEF, OFFICE OF SIGNS AND DELINEATION

7/15/96

DATE

REVISION

REVISION

DEPARTMENT OF TRANSPORTATION

Scale
1/10

ALL DIMENSIONS ARE IN INCHES

SR 18 SUFFIX	SIZE	BORDER WIDTH	MARGIN WIDTH	LETTER SIZE, SERIES & STROKE WIDTH					CORNER RADIUS
				LINE 1	LINE 2	LINE 3	LINE 4	LINE 5	
1.2	36 X 24	7/8	5/8	5D - .90	3D - .64	1-1/2D - .27	3D - .64		2-1/4
		5/8	3/4						1 1/2

SR 18 SUFFIX	SIZE	DIMENSIONS											
		A	B	C	D	E	F	G	H	I	J	K	L
1.2	36 X 24	3	18	16	2	1-1/2	3-1/2						

WHITE BACKGROUND WITH RED BORDER, LEGEND & SYMBOL

REFLECTIVE BACKGROUND

3/8" DIA HOLES ●

APPROVED:

CHIEF, OFFICE OF TRAFFIC

3/4/76

DATE

REVISION



Scale
1/8" = 1'-0"

SIZE	BORDER WIDTH	MARGIN WIDTH	LETTER SIZE AND SERIES					CORNER RADIUS	REFLECTORS	
			LINE 1	LINE 2	LINE 3	LINE 4	LINE 5		NO.	SIZE
60"x48"	1 1/4"	3/4"	5"C	5"C	7"C	5"C		3"		

White BACKGROUND WITH Red BORDER AND SYMBOL. Reflective Background

REMARKS

APPROVED: *[Signature]*
TRAFFIC ENGINEER

DATE: 5/15 11/21/74



Scale
1" = 10'

SIZE	BORDER WIDTH	MARGIN WIDTH	LETTER SIZE AND SERIES					CORNER RADIUS	REFLECTORS	
			LINE 1	LINE 2	LINE 3	LINE 4	LINE 5		NO.	SIZE
48"x30"	5/8"	5/8"	6"D	6"D	4"D			3"		

White BACKGROUND WITH Black BORDER AND SYMBOL.


Reflective Background

REMARKS

3/8" Dia. Holes

APPROVED:

[Signature]
TRAFFIC ENGINEER
8/73 DATE 11/21/74

MUTCD NUMBER NONECODE SR22-1

SIGN	DIMENSIONS (INCHES)								
	A	B	C	D	E	F	G	H	J
MINIMUM	30	14	3/8	1/2	2 1/2	1 1/2	2 1/2	3D	3

COLORS

BORDER & LEGEND - BLACK

BACKGROUND - WHITE (REFL)


- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON THE REVERSE SIDE -

Rep. [Signature]
 Rep. CHIEF, DIVISION OF TRAFFIC ENGINEERING

3/22/91
 DATE

REVISION

REVISION

MUTCD NUMBER NONE

SIGN	DIMENSIONS (INCHES)									
	A	B	C	D	E	F	G	H	J	K
MINIMUM	26	18	3/8	1/2	1 1/2	1 1/2	2 1/2	3E	3C	2

COLORS

BORDER & LEGEND - BLACK

BACKGROUND - WHITE (REFL)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON THE REVERSE SIDE -


MR. L. J. L. L.
 CHIEF, DIVISION OF TRAFFIC ENGINEERING

3/22/91

DATE

REVISION

REVISION



SIZE	BORDER WIDTH	MARGIN WIDTH	LETTER SIZE AND SERIES					CORNER RADIUS	REFLECTORS	
			LINE 1	LINE 2	LINE 3	LINE 4	LINE 5		NO.	SIZE
24"x24"	5/8"	3/8"	4"C	4"C	3"C	3"C		1 1/2"		

White BACKGROUND WITH Black BORDER AND SYMBOL.

Reflective Background

REMARKS

Stroke Width = .16 per inch
of letter height
3/8" dia holes.

APPROVED:

[Signature]
TRAFFIC ENGINEER
8/72
DATE

STATE OF CALIFORNIA - DEPARTMENT OF TRANSPORTATION



* For arrowhead dimensions, see page 6-2 of the Standard Highway Signs Book.


SR39A (CA)

ENGLISH UNITS

A	B	C	D	E	F	G	H	J	K	L	M	N	P
36	48	.625	.875	2	26.25	1.25	4C	2.25	6.25	2.813	7.5	3.125	2.5

COLORS: CIRCLE & DIAGONAL - RED (RETROREFLECTIVE)
SYMBOL, BORDER & LEGEND - BLACK
BACKGROUND - WHITE (RETROREFLECTIVE)

9/26/06

MUTCD NUMBER NONECODE SR39A(U)

* REDUCE SPACING 18%

SIGN	DIMENSIONS (INCHES)							
	A	B	C	D	E	F	G	H
MINIMUM	42	24	3/8	5/8	2 1/4	3 1/2	4C	2 1/2

COLORS

LEGEND & BORDER - BLACK (NON REFL)

BACKGROUND - WHITE (REFL)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON THE REVERSE SIDE -

C. D. Bortree

CHIEF, DIVISION OF TRAFFIC ENGINEERING

10/3/88

DATE


12/5/89

REVISION

REVISION

MUTCD NUMBER NONE

CODE SR 40



ALSO AVAILABLE WITH LT. ARROW.



SIGN	DIMENSIONS (INCHES)																		
	A	B	C	D	E	F	G	H	J	K	L	M	N	P	Q	R	S	T	U
MINIMUM	6	3-5/8	3/8	5/8"R	3-1/4	48	60	1-1/4	5/8	7-3/4	60	5-5/8	10E	3	16	16-3/4	14-1/2	11-1/4	3"R
STANDARD	8	4-1/2	1/2	3/4"R	4	60	78	1-1/2	7/8	9-3/8	80	7	12E	4	22-5/8	24	18	14	3-1/4"R

COLORS
 LEGEND - BLACK (NON-REFL)
 BACKGROUND - WHITE (REFL)

THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE.

CHIEF, DIVISION OF TRAFFIC ENGINEERING


DATE

REVISION

REVISION

MUTCD NUMBER NONE

CODE SR41



COLORS

LEGEND & BORDER - BLACK
BACKGROUND - WHITE (REFL.)

DIMENSIONS ARE IN INCHES

THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE.

C D Bartola
CHIEF, DIVISION OF TRAFFIC ENGINEERING

7/31/84
DATE

REVISION

REVISION

MUTCD NUMBER NONE

CODE SR42



COLORS

LEGEND, BORDER & ARROW - BLACK
BACKGROUND - WHITE (REFL.)

DIMENSIONS ARE IN INCHES

REFER TO STANDARD ARROW SHEET PAGE 10 OF APPENDIX

THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE.


CD Barteaux
CHIEF, DIVISION OF TRAFFIC ENGINEERING

7/31/84
DATE

REVISION

REVISION

DEPARTMENT OF TRANSPORTATION
STATE OF CALIFORNIA




DIMENSIONS IN INCHES

COLORS

LEGEND & BORDER - BLACK
BACKGROUND - WHITE (REFL)

THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE.

CD Butler 2/24/86 _____
CHIEF, DIVISION OF TRAFFIC ENGINEERING DATE REVISION REVISION

MUTCD NUMBER NoneCODE SR44

COLOR
BORDER & LEGEND - BLACK
BACKGROUND - WHITE (REFLECTIVE)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

MR. Lawrence
DEPUTY CHIEF, DIVISION OF TRAFFIC OPERATIONS

3-17-94
DATE

REVISION

REVISION

MUTCD NUMBER NONECODE SR46

SIGN	DIMENSIONS (INCHES)										
	A	B	C	D	E	F	G	H	J	K	L
STANDARD	24	30	3/8	5/8	1 1/2	3 1/2	3B	2	4	4D	3

COLORS

BORDER & LEGEND - BLACK
BACKGROUND - WHITE (REFL)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON THE REVERSE SIDE -


CHIEF, DIVISION OF TRAFFIC ENGINEERING

12/5/89

DATE

REVISION

REVISION

MUTCD NUMBER NoneCODE SR47**NOTE:**

* Letter and word spacing reduced to 80%

SIGN	DIMENSIONS (INCHES)						
	A	B	C	D	E	F	G
Standard	48	3/4	1-1/4	3	5C	5	6-1/2

COLORS

BORDER & LEGEND - Black
BACKGROUND - White (Reflective)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON THE REVERSE SIDE -


CD Bartel
 CHIEF, DIVISION OF TRAFFIC ENGINEERING

2-1-90

DATE

REVISION

REVISION

MUTCD NUMBER NoneCODE SR48

NOTE:

* Letter and word spacing reduced to 80%.

SIGN	DIMENSIONS (INCHES)							
	A	B	C	D	E	F	G	H
Standard	48	3/4	1-1/4	3	5C	3	5	6C

COLORS

BORDER & LEGEND - Black
 BACKGROUND - White (Reflective)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON THE REVERSE SIDE -

C. D. Barber
 CHIEF, DIVISION OF TRAFFIC ENGINEERING

2-1-90

DATE

REVISION

REVISION

MUTCD NUMBER NoneCODE SR49

SIGN	DIMENSIONS (INCHES)												
	A	B	C	D	E	F	G	H	J	K	L	M	N
MINIMUM	18	24	3/8	1/2	1-1/2	1-1/2	1-1/2E	1	1-1/4	3D	1-1/2C	1D	2
STANDARD	36	45	5/8	7/8	2-1/4	2-1/2	3E	2	2-1/2	5D	3C	2D	3-1/2

COLOR
 BORDER & LEGEND = RED (REFLECTIVE)
 BACKGROUND = WHITE (REFLECTIVE)

• THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE •


MR. Lawrence J. [Signature]
 CHIEF, DIVISION OF TRAFFIC OPERATIONS

9/10/91

DATE

REVISION

REVISION

MUTCD NUMBER NoneCODE SR50-1

NOTE: Specify fine amount when ordering.

SIGN SIZE (Inches)	DIMENSIONS (Inches)															
	A	B	C	D	E	F	G	H	J	K	L	M	N	P	R	S
192 x 70	192	70	1	1-3/4	35	24	36	18-1/2	12	3	10	10D	9	12E	10E	9

SIGN SIZE (mm)	DIMENSIONS (Millimeters)															
	A	B	C	D	E	F	G	H	J	K	L	M	N	P	R	S
4877 x 1778	4877	1778	25	44	889	610	914	470	305	76	254	10D	229	300E	250E	229

COLORS

BORDER, LEGEND & DIAMOND BACKGROUND - BLACK (NON-REFLECTIVE)
DIAMOND & BACKGROUND - WHITE (REFLECTIVE)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -



 CHIEF, OFFICE OF SIGNS AND DELINEATION

8/1/02

DATE

REVISION

REVISION

MUTCD NUMBER NoneCODE SR50-2


NOTE:
Specify fine amount,
when ordering.

SIGN SIZE (Inches)	DIMENSIONS (Inches)													
	A	B	C	D	E	F	G	H	J	K	L	M	N	P
30 x 66	30	66	1/2	3/4	18	9-1/4	7-1/2	3-3/4	1-1/8	5	5C	3	6D	1-7/8
36 x 78	36	78	5/8	7/8	18	9-5/16	7-1/2	3-3/4	1-1/8	6	6C	4	8D	2-1/4
48 x 96	48	96	3/4	1-1/4	18	9-3/8	7-1/2	3-3/4	1-1/8	7	8C	5-1/2	10D	3

SIGN SIZE (mm)	DIMENSIONS (Millimeters)													
	A	B	C	D	E	F	G	H	J	K	L	M	N	P
762 x 1676	762	1676	13	19	450	235	191	95	29	127	125C	76	150D	48
914 x 1981	914	1981	16	22	450	237	191	95	29	152	150C	102	200D	57
1219 x 2438	1219	2438	19	31	450	238	191	95	29	178	200C	140	250D	76

COLORS**BORDER, LEGEND & DIAMOND BACKGROUND - BLACK (NON-REFLECTIVE)****DIAMOND & BACKGROUND - WHITE (REFLECTIVE)**

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -



CHIEF, OFFICE OF SIGNS AND DELINEATION

8/1/02

DATE

REVISION

REVISION

MUTCD NUMBER --None--CODE SR53

SIGN	DIMENSIONS (Inches)									
	A	B	C	D	E	F	G	H	J	K
48 x 48	48	48	1/2	3/4	5	4D	3	4-1/8	4	2-1/4
72 x 72	72	72	5/8	1	8	6D	4	6-3/4	6	3

COLOR
BORDER & LEGEND - BLACK (Non-Reflective)
BACKGROUND - WHITE (Reflective)


THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

CHIEF, OFFICE OF SIGNS AND DELINEATION

DATE

REVISION

REVISION

MUTCD NUMBER -- NoneCODE SR54

SIGN	DIMENSIONS (Inches)							
	A	B	C	D	E	F	G	H
30 x 30	30	30	1/2	3/4	6	4D	3	2-1/4
42 x 42	42	42	5/8	1	8-1/4	6D	4	3

COLOR
 BORDER & LEGEND - BLACK (Non-Reflective)
 BACKGROUND - WHITE (Reflective)


- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

[Signature]
 CHIEF, OFFICE OF SIGNS AND DELINEATION

DATE

REVISION

REVISION

MUTCD NUMBER --NoneCODE SR55

SIGN	DIMENSIONS (Inches)							
	A	B	C	D	E	F	G	H
48 x 30	48	30	1/2	3/4	5	4D	3	2-1/4
72 x 42	72	42	5/8	1	8	6D	4	3

COLOR
BORDER & LEGEND - BLACK (Non-Reflective)
BACKGROUND - WHITE (Reflective)


- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

[Signature]
 CHIEF, OFFICE OF SIGNS AND DELINEATION

11/29/95
 DATE

REVISION


REVISION



SIGN SIZE	DIMENSIONS (Inches)												
	A	B	C	D	E	F	G	H	J	K	L	M	N
30 x 42	30	42	1/2	3/4	1-7/8	4	1-1/4	6	23	8-1/2	3	3D	2
36 x 54	36	54	5/8	7/8	2-1/4	5-1/4	1-1/2	8	30	11	3	4D	2-1/2
48 x 72	48	72	3/4	1-1/4	3	7	2	10	38	14	4	6D	4

COLOR**BORDER, LEGEND & SYMBOL - BLACK (Non-Reflective)****SYMBOL CIRCLES - RED, YELLOW & GREEN (Reflective)**

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

MUTCD NUMBER NoneCODE SR57

SIGN SIZE (Inches)	SIGN DIMENSIONS (Inches)							
	A	B	C	D	E	F	G	H
84 x 18	84	18	3/8	5/8	4	4D	2	1-1/2
120 x 30	120	30	5/8	7/8	7	6D	4	2-1/4
144 x 36	144	36	3/4	1-1/4	7-1/2	8D	5	3

SIGN SIZE (mm)	SIGN DIMENSIONS (Millimeters)							
	A	B	C	D	E	F	G	H
2134 x 457	2134	457	10	16	102	100D	51	38
3048 x 762	3048	762	16	22	178	150D	102	57
3658 x 914	3658	914	19	32	191	200D	127	76

COLORS**BACKGROUND - WHITE (Reflective)****LEGEND & BORDER - BLACK (Non-Reflective)**

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -


Denny Myers
CHIEF, OFFICE OF SIGNS AND DELINEATION

8/1/02

DATE

REVISION

REVISION

MUTCD NUMBER NoneCODE SR58

*NOTE: Variable fine amount, specify when ordering.

SIGN SIZE (Inches)	DIMENSIONS (Inches)										
	A	B	C	D	E	F	G	H	J	K	L
30 x 36	30	36	1/2	3/4	4-1/2	4D	3	3-1/2	6D	3C	1-7/8
36 x 48	36	48	5/8	7/8	6-1/2	5D	3	4-1/2	8D	4C	2-1/4

SIGN SIZE (mm)	DIMENSIONS (Millimeters)										
	A	B	C	D	E	F	G	H	J	K	L
762 x 914	762	914	13	19	118	100D	76	89	150D	75C	48
914 x 1219	914	1219	16	22	169	125D	102	114	200D	100C	57

COLORS

BORDER & LEGEND - BLACK (Non-Reflective)
BACKGROUND - WHITE (Reflective)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -


Gerry Meis
 CHIEF, OFFICE OF SIGNS AND DELINEATION

5/12/03

DATE

REVISION

REVISION

MUTCD NUMBER NoneCODE SR59

SIGN SIZE (Inches)	DIMENSIONS (Inches)						
	A	B	C	D	E	F	G
30 x 30	30	1/2	3/4	4-1/2	5C	3	1-7/8
36 x 36	36	5/8	7/8	5	6C	4	2-1/4
48 x 48	48	3/4	1-1/4	7	8C	5	3

SIGN SIZE (mm)	DIMENSIONS (Millimeters)						
	A	B	C	D	E	F	G
762 x 762	762	13	19	114	125C	76	48
914 x 914	914	16	22	127	150C	102	57
1219 x 1219	1219	19	32	178	200C	127	76

COLORS**BORDER & LEGEND - BLACK (Non-Reflective)****BACKGROUND - WHITE (Reflective)**

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

Gerry Meis
CHIEF, OFFICE OF SIGNS AND DELINEATION


3/19/03

DATE

REVISION

REVISION

(This page left intentionally blank)

MUTCD NUMBER NoneCODE W4-1
Lt. or Rt.

Notes:

1. For Arrowhead dimensions, see Appendix Page 2.
2. Speed variable, specify when ordering.


SIGN SIZE (Inches)	DIMENSIONS (Inches)													
	A	B	C	D	E	F	G	H	J	K	L	M	N	P
48 x 48	48	3/4	1-1/4	8	7	1-1/2	4-3/4	14	25-1/2	18-1/2	16	10E	4	3
60 x 60	60	7/8	1-1/2	10	8-3/4	2	6	17-1/2	31-7/8	23-1/8	20	12E	5	3-3/4
72 x 72	72	1	1-3/4	12	10-1/2	2-1/4	7-1/4	21	38-1/4	27-3/4	24	15E	6	4-1/2
96 x 96	96	1-1/4	2-1/4	16	14	3	9-1/2	28	51	37	32	20E	8	6

SIGN SIZE (mm)	DIMENSIONS (Millimeters)													
	A	B	C	D	E	F	G	H	J	K	L	M	N	P
1219 x 1219	1219	19	32	203	178	38	121	356	648	470	406	250E	102	76
1524 x 1524	1524	22	38	254	222	51	152	445	810	587	508	300E	127	95
1829 x 1829	1829	25	44	305	267	57	184	533	972	705	610	375E	152	114
2438 x 2438	2438	32	57	406	356	76	241	711	1295	940	813	500E	203	152

COLORS

BORDER & LEGEND - BLACK (NON-REFLECTIVE)
BACKGROUND - YELLOW (REFLECTIVE)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

MUTCD NUMBER NoneCODE W4-4
Lt. or Rt.

Notes:

1. For Arrowhead dimensions, see Appendix Page 2.
2. Speed variable, specify when ordering.

SIGN SIZE (Inches)	DIMENSIONS (Inches)													
	A	B	C	D	E	F	G	H	J	K	L	M	N	P
48 x 48	48	3/4	1-1/4	8	7	1-1/2	4-3/4	13	25-1/2	17	16	10E	4	3
60 x 60	60	7/8	1-1/2	10	8-3/4	2	6	16-1/4	31-7/8	21-1/4	20	12E	5	3-3/4
72 x 72	72	1	1-3/4	12	10-1/2	2-1/4	7-1/4	19-1/2	38-1/4	25-1/2	24	15E	6	4-1/2
96 x 96	96	1-1/4	2-1/4	16	14	3	9-1/2	26	51	34	32	20E	8	6

SIGN SIZE (mm)	DIMENSIONS (Millimeters)													
	A	B	C	D	E	F	G	H	J	K	L	M	N	P
1219 x 1219	1219	19	32	203	178	38	121	330	648	432	406	250E	102	76
1524 x 1524	1524	22	38	254	222	51	152	413	810	540	508	300E	127	95
1829 x 1829	1829	25	44	305	267	57	184	495	972	648	610	375E	152	114
2438 x 2438	2438	32	57	406	356	76	241	660	1295	864	813	500E	203	152

COLORS

BORDER & LEGEND - BLACK (NON-REFLECTIVE)
BACKGROUND - YELLOW (REFLECTIVE)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -



 CHIEF, OFFICE OF SIGNS AND DELINEATION

4/11/05

DATE

REVISION

REVISION

MUTCD NUMBER NoneCODE W4-7
Lt. or Rt.

Notes:

1. For Arrowhead dimensions, see Appendix Page 2.
2. Speed variable, specify when ordering.

SIGN SIZE (Inches)	DIMENSIONS (Inches)												
	A	B	C	D	E	F	G	H	J	K	L	M	N
48 x 48	48	3/4	1-1/4	7	11-1/2	2-1/4	1	12-1/2	3-1/2	16	4	10E	3
60 x 60	60	7/8	1-1/2	8-3/4	14-3/8	2-13/16	1-1/4	15-9/16	4-3/8	20	5	12E	3-3/4
72 x 72	72	1	1-3/4	10-1/2	17-1/4	3-3/8	1-1/2	18-3/4	5-1/4	24	6	15E	4-1/2
96 x 96	96	1-1/4	2-1/4	14	23	4-1/2	2	25	7	32	8	20E	6

SIGN SIZE (mm)	DIMENSIONS (Millimeters)												
	A	B	C	D	E	F	G	H	J	K	L	M	N
1219 x 1219	1219	19	32	178	292	57	25	318	89	406	102	250E	76
1524 x 1524	1524	22	38	222	365	71	32	395	111	508	127	300E	95
1829 x 1829	1829	25	44	267	438	86	38	476	133	610	152	375E	114
2438 x 2438	2438	32	57	356	584	114	51	635	178	813	203	500E	152

COLORS

BORDER & LEGEND - BLACK (NON-REFLECTIVE)
BACKGROUND - YELLOW (REFLECTIVE)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -


Gerry Myers
 CHIEF, OFFICE OF SIGNS AND DELINEATION

4/11/05

DATE

REVISION

REVISION

MUTCD NUMBER NoneCODE W4-10
Lt. or Rt.

Notes:

1. For Arrowhead dimensions, see Appendix Page 2.
2. Speed variable, specify when ordering.

SIGN SIZE (Inches)	DIMENSIONS (Inches)											
	A	B	C	D	E	F	G	H	J	K	L	M
48 x 48	48	3/4	1-1/4	7	6-1/4	8	15	20	19	2	10E	3
60 x 60	60	7/8	1-1/2	8-3/4	6-9/16	10	18-3/4	25	23-3/4	2-1/2	12E	3-3/4
72 x 72	72	1	1-3/4	10-1/2	8-3/8	12	22-1/2	30	28-1/2	3	15E	4-1/2
96 x 96	96	1-1/4	2-1/4	14	12-1/2	16	30	40	38	4	20E	6

SIGN SIZE (mm)	DIMENSIONS (Millimeters)											
	A	B	C	D	E	F	G	H	J	K	L	M
1219 x 1219	1219	19	32	178	159	203	381	508	483	51	250E	76
1524 x 1524	1524	22	38	222	167	254	476	635	603	64	300E	95
1829 x 1829	1829	25	44	267	213	305	572	762	724	76	375E	114
2438 x 2438	2438	32	57	356	318	406	762	1016	965	102	500E	152

COLORS

BORDER & LEGEND - BLACK (NON-REFLECTIVE)
BACKGROUND - YELLOW (REFLECTIVE)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -


Gerry Myers
 CHIEF, OFFICE OF SIGNS AND DELINEATION

4/11/05

DATE

REVISION

REVISION

MUTCD NUMBER NoneCODE W4-14
Lt. or Rt.

Notes:

1. For Arrowhead dimensions, see Appendix Page 2.
2. Speed variable, specify when ordering.

SIGN SIZE (Inches)	DIMENSIONS (Inches)										
	A	B	C	D	E	F	G	H	J	K	L
48 x 48	48	3/4	1-1/4	6	1-1/2	13	10-1/2	3-1/2	2	10E	3
60 x 60	60	7/8	1-1/2	7-1/2	1-7/8	16-1/4	13-1/8	4-3/8	2-1/2	12E	3-3/4
72 x 72	72	1	1-3/4	9	2-1/4	19-1/2	15-3/4	5-1/4	3	15E	4-1/2
96 x 96	96	1-1/4	2-1/4	12	3	26	21	7	4	20E	6

SIGN SIZE (mm)	DIMENSIONS (Millimeters)										
	A	B	C	D	E	F	G	H	J	K	L
1219 x 1219	1219	19	32	152	38	330	267	89	51	250E	76
1524 x 1524	1524	22	38	191	48	413	333	111	64	300E	95
1829 x 1829	1829	25	44	229	57	495	400	159	76	375E	114
2438 x 2438	2438	32	57	305	76	660	533	178	102	500E	152

COLORS

BORDER & LEGEND - BLACK (NON-REFLECTIVE)
BACKGROUND - YELLOW (REFLECTIVE)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -


Gerry Kreis
 CHIEF, OFFICE OF SIGNS AND DELINEATION

4/11/05

DATE

REVISION

REVISION

MUTCD NUMBER NoneCODE W4-18
Lt. or Rt.

Notes:

1. For Arrowhead dimensions, see Appendix Page 2.
2. Speed variable, specify when ordering.

SIGN SIZE (Inches)	DIMENSIONS (Inches)														
	A	B	C	D	E	F	G	H	J	K	L	M	N	P	R
48 x 48	48	3/4	1-1/4	7	22-1/2	3/16	7	10	3	10-1/2	2-3/16	16-1/2	16-7/8	10E	3
60 x 60	60	7/8	1-1/2	8-3/4	28	1/4	8-3/4	12-1/2	3-3/4	13-1/8	2-3/4	20-5/8	21	12E	3-3/4
72 x 72	72	1	1-3/4	10-1/2	33-1/2	5/16	10-1/2	15	4-1/2	15-5/8	3-1/4	24-3/4	25-1/4	15E	4-1/2
96 x 96	96	1-1/4	2-1/4	14	45	3/8	14	20	6	21	4-3/8	33	33-3/4	20E	6

SIGN SIZE (mm)	DIMENSIONS (Millimeters)														
	A	B	C	D	E	F	G	H	J	K	L	M	N	P	R
1219 x 1219	1219	19	32	178	572	5	178	254	76	267	56	419	429	250E	76
1524 x 1524	1524	22	38	222	711	6	222	318	95	333	70	524	533	300E	95
1829 x 1829	1829	25	44	267	851	8	267	381	114	397	83	629	641	375E	114
2438 x 2438	2438	32	57	356	1143	10	356	508	152	533	111	838	857	500E	152

COLORS

BORDER & LEGEND - BLACK (NON-REFLECTIVE)
BACKGROUND - YELLOW (REFLECTIVE)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -


Gerry Myers
 CHIEF, OFFICE OF SIGNS AND DELINEATION

4/11/05

DATE

REVISION

REVISION

MUTCD NUMBER NoneCODE W4-22
Lt. or Rt.

Notes:


1. For Arrowhead dimensions, see Appendix Page 2.
2. Speed variable, specify when ordering.
3. May be ordered in either a diamond or square shape.

SIGN SIZE (Inches)	DIMENSIONS (Inches)															
	A	B	C	D	E	F	G	H	J	K	L	M	N	P	R	S
72 x 72	72	1	1-3/4	6-3/4	3	18-3/4	16-1/2	4-1/2	13-1/2	12-3/4	15-3/4	7-1/2	14-5/8	5-1/4	15E	4-1/2
96 x 96	96	1-1/4	2-1/4	9	4	25	22	6	18	17	21	10	19-1/2	7	20E	6

SIGN SIZE (mm)	DIMENSIONS (Millimeters)															
	A	B	C	D	E	F	G	H	J	K	L	M	N	P	R	S
1829 x 1829	1829	25	44	171	76	476	419	114	343	324	400	191	371	133	375E	114
2438 x 2438	2438	32	57	229	102	635	559	152	457	432	533	254	495	178	500E	152

COLORS
BORDER & LEGEND - BLACK (NON-REFLECTIVE)
BACKGROUND - YELLOW (REFLECTIVE)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

MUTCD NUMBER NoneCODE **W11-1**
Lt. or Rt.

SIGN SIZE (Inches)	DIMENSIONS (Inches)																
	A	B	C	D	E	F	G	H	J	K	L	M	N	P	R	S	T
30 x 60	30	60	1/2	3/4	18	9-1/4	7-1/2	3-3/4	1-1/8	7-1/2	9	7-1/2	3	4-1/2	1-1/2	3-1/2	1-7/8
36 x 60	36	60	5/8	7/8	18	9-5/16	7-1/2	3-3/4	1-1/8	7-1/2	9	7-1/2	3	4-1/2	1-1/2	3-1/2	2-1/4
48 x 72	48	72	3/4	1-1/4	18	9-3/8	7-1/2	3-3/4	1-1/8	9	12	10	4	6	2	4-3/4	3

SIGN SIZE (mm)	DIMENSIONS (Millimeters)																
	A	B	C	D	E	F	G	H	J	K	L	M	N	P	R	S	T
762 x 1524	762	1524	13	19	450	235	191	95	29	191	229	191	76	114	38	89	48
914 x 1524	914	1524	16	22	450	237	191	95	29	191	229	191	76	114	38	89	57
1219 x 1829	1219	1829	19	31	450	238	191	95	29	229	305	254	102	152	51	121	76

COLORS**BORDER, LEGEND & DIAMOND BACKGROUND - BLACK (NON-REFLECTIVE)****DIAMOND - WHITE (REFLECTIVE)****BACKGROUND - YELLOW (REFLECTIVE)**

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -


 CHIEF, OFFICE OF SIGNS AND DELINEATION

4/12/04


DATE

REVISION

REVISION

DEPARTMENT OF TRANSPORTATION

STATE OF CALIFORNIA



SIGN	DIMENSIONS (INCH)											
	A	B	C	D	E	F	G	H	J	K	L	M
STANDARD	30	36	5/8	7/8	2 1/4	3 1/2	4E	2 1/4	4D	—	3	15
SPECIAL	36	48	3/4	1 1/4	3	5	5E	3 1/4	5D	16	3	21

COLORS:

BORDER, LEGEND & SYMBOL — BLACK

BACKGROUND — YELLOW (REFL)


THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE.


 CHIEF, DIVISION OF TRAFFIC ENGINEERING

DATE

REVISION

REVISION



SIGN	DIMENSIONS (INCHES)												
	A	B	C	D	E	F	G	H	J	K	L	M	N
STANDARD	30	30	1/2	3/4	1 1/2	3 1/2	4E	2 1/4	2 1/2	4D	—	3	—
SPECIAL	36	40	5/8	1	2 5/8	5	5E	3 1/4	3 1/2	5D	16	2	18

COLORS

BORDER, LEGEND & SYMBOL - BLACK

BACKGROUND - YELLOW (REFL)

THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE.

CD Barber


CHIEF, DIVISION OF TRAFFIC ENGINEERING

6/17/87

DATE

REVISION

REVISION

MUTCD NUMBER W7-3CODE W29A

SIGN	DIMENSIONS (INCHES)							
	A	B	C	D	E	F	G	H
STANDARD	24	18	3/4	5/8	1 1/2	4D	3	3 1/2
CONVENTIONAL	36	24	1/2	3/4	1 7/8	5D	4	5
FREEWAY	48	36	3/4	1 1/4	2 1/4	8D	5	7 1/2

COLORS

BORDER & LEGEND - BLACK (NON REFL)

BACKGROUND - YELLOW (REFL)

• THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON THE REVERSE SIDE •

43


MR. Leland
 CHIEF, DIVISION OF TRAFFIC ENGINEERING

DATE

3/22/91

REVISION

REVISION



SIGN	DIMENSIONS (INCHES)							
	A	B	C	D	E	F	G	H
STANDARD	24	18	3/8	5/8	1 1/2	3C	3	4 1/2
CONVENTIONAL	36	24	1/2	3/4	1 7/8	5C	4	5
FREEWAY	48	36	3/4	1 1/4	2 1/4	7C	6	8

COLORS

BORDER & LEGEND - BLACK (NON REFL)

BACKGROUND - YELLOW (REFL)


- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON THE REVERSE SIDE -

MR. Lawrence
 CHIEF, DIVISION OF TRAFFIC ENGINEERING

3/22/91
 DATE

REVISION

REVISION



	DIMENSIONS (INCHES)						
	A	B	C	D	E	F	G
STANDARD	36	24	½	¾	4	4C	2
FWY & EXPY	48	36	¾	1 ¼	6	6C	3

COLORS

LEGEND - BLACK (NON-REFL)
 BACKGROUND - YELLOW (REFL)

THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE.

[Signature]
 CHIEF, DIVISION OF TRAFFIC ENGINEERING


11/2/81
 DATE

REVISION

REVISION

DEPARTMENT OF TRANSPORTATION

STATE OF CALIFORNIA



COLORS
LEGEND - BLACK (NON-REFL)
 BACKGROUND - YELLOW (REFL)

SIGN	DIMENSIONS (INCHES)										
	A	B	C	D	E	F	G	H	J	K	L
MIN.	78	48	3	3/4	1-1/4	23	30	14	9	6 E	6
STD.	114	60	6	3/4	1-1/4	36	47	22	8	10 D	6

THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE.

[Signature]
 CHIEF, OFFICE OF TRAFFIC ENGINEERING


6/30/80
 DATE

CDB
 REVISION

10/10/84
 REVISION

DEPARTMENT OF TRANSPORTATION

STATE OF CALIFORNIA



NOTE:

Arrow may be oriented upward or downward, left or right. See policy.

SIGN	DIMENSIONS (INCHES)													
	A	B	C	D	E	F	G	H	J	K	L	M	N	P
MIN.	78	60	3	3/4	1-1/4	20	30	24-1/4	15-1/8	11-9/16	7	8C	5	20
STD.	114	72	6	3/4	1-1/4	36	47	29-1/4	18-1/4	14	8	10D	6	24

COLORS

BORDER & LEGEND - BLACK

BACKGROUND - YELLOW (REFL)

THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE.

CD Barton
CHIEF, DIVISION OF TRAFFIC ENGINEERING

11/10/86
DATE

REVISION


REVISION

MUTCD NUMBER NONE

CODE W30B

DEPARTMENT OF TRANSPORTATION

STATE OF CALIFORNIA



COLORS

**LEGEND-BLACK
BACKGROUND-YELLOW(REFL)**

DIMENSIONS IN INCHES

THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE.

CD Bartles
CHIEF, DIVISION OF TRAFFIC ENGINEERING


7/31/84
DATE

REVISION

REVISION

MUTCD NUMBER NONE

CODE W30C
(Lt. or Rt.)



COLORS
LEGEND — BLACK (NON-REFL.)
BACKGROUND — YELLOW (REFL.)

SIGN	DIMENSIONS (INCHES)							
	A	B	C	D	E	F	G	H
MIN.	78	18	6	6E	3	3/4	1-1/4	30-1/8
STD.	114	24	7	100	6	3/4	1-1/4	42


THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE.

CD Barton
CHIEF, DIVISION OF TRAFFIC ENGINEERING

10/10/84
DATE

CRB 6/17/87
REVISION

REVISION



ALL DIMENSIONS ARE IN INCHES

W31 SUFFIX	SIZE	BORDER WIDTH	MARGIN WIDTH	LETTER SIZE, SERIES & STROKE WIDTH					COR. RAD.
				LINE 1	LINE 2	LINE 3	LINE 4	LINE 5	
-1.1	24x24	5/8	3/8	6E-1.20					1½
-2.1	30x30	3/4	1/2	8E-1.60					1-7/8

W31 SUFFIX	SIZE	DIMENSIONS											
		A	B	C	D	E	F	G	H	I	J	K	L
-1.1	24x24	-	3	--	24								
-2.1	30x30	15	4	16	-								

Yellow BACKGROUND WITH Black BORDER & SYMBOL

REFLECTIVE BACKGROUND

3/8" DIA. HOLES •

APPROVED:

TRAFFIC ENGINEER

5/24/71


DATE

2/7/72

DIVISION

DEPARTMENT OF TRANSPORTATION

STATE OF CALIFORNIA



NOTE:

STREET MAY BE
SUBSTITUTED FOR ROAD.

SIGN	DIMENSIONS (INCHES)									
	A	B	C	D	E	F	G	H	J	K
MIN.	24	3/8	5/8	3D	1 1/2	1 1/2	-	12	1 1/2	3C
STD.	30	1/2	3/4	4D	2	2	16	15	1 7/8	4C
SPECIAL	36	5/8	7/8	5D	2 1/2	3	16	18	2 1/4	5C

COLORS

LEGEND -BLACK
BACKGROUND -YELLOW (REFL)


THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE.

[Signature]
CHIEF, OFFICE OF TRAFFIC ENGINEERING

6/13/80
DATE

REVISION

REVISION

MUTCD NUMBER NoneCODE W34A

Alternate Message, Line 1: _____ FT
Specify distance when ordering.

SIGN SIZE (in)	DIMENSIONS (INCHES)							
	A	B	C	D	E	F	G	H
36 x 30	36	30	5/8	7/8	7	6C	4	2-1/4
48 x 36	48	36	3/4	1-1/4	7	8C	6	3
60 x 48	60	48	7/8	1-1/2	10	10C	8	3-3/4

SIGN SIZE (mm)	DIMENSIONS (MILLIMETERS)							
	A	B	C	D	E	F	G	H
914 x 762	914	762	16	22	180	150C	102	57
1219 x 914	1219	914	19	32	180	200C	154	76
1524 x 1219	1524	1219	22	38	258	250C	203	95

COLORS
LEGEND & BORDER - BLACK (NON-REFLECTIVE)
BACKGROUND - YELLOW (REFLECTIVE)


- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

Gerry Meis
 CHIEF, OFFICE OF SIGNS AND DELINEATION

4/4/00
 DATE

REVISION

REVISION

MUTCD NUMBER NoneCODE W34C


Arrow direction is variable. Specify direction when ordering.

SIGN SIZE (in)	DIMENSIONS (INCHES)											
	A	B	C	D	E	F	G	H	J	K	L	M
36 x 54	36	54	1/2	3/4	4	6C	3	4C	6-3/4	4-3/4	1-7/8	1/2
48 x 72	48	72	5/8	1	5-1/4	8C	4-1/2	6C	7-1/2	5-3/4	2-5/8	3/4

SIGN SIZE (mm)	DIMENSIONS (MILLIMETERS)											
	A	B	C	D	E	F	G	H	J	K	L	M
914 x 1372	914	1372	13	19	104	150C	76	100C	171	120	48	13
1219 x 1829	1219	1829	16	25	135	200C	115	150C	191	147	67	21

COLORS**BACKGROUND - YELLOW (Reflective)****ARROW, MESSAGE & BORDERS - BLACK (Non-Reflective)**

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -



ALL DIMENSIONS ARE IN INCHES

W38 SUFFIX	SIZE	BORDER WIDTH	MARGIN WIDTH	LETTER SIZE, SERIES & STROKE WIDTH					COR. RAD.
				LINE 1	LINE 2	LINE 3	LINE 4	LINE 5	
-1	30x30	3/4	1/2	5E-1.00	5E-1.00				1-7/8
-2	48x48	1 1/4	3/4	8E-1.60	8E-1.60				3

W38 SUFFIX	SIZE	DIMENSIONS											
		A	B	C	D	E	F	G	H	I	J	K	L
-1	30x30	15	16	2	22	21-3/8							
-2	48x48	24	16	3	--	--							

Yellow BACKGROUND WITH Black BORDER & SYMBOL

REFLECTIVE BACKGROUND



3/8" DIA. HOLES •

APPROVED:

[Signature]
TRAFFIC ENGINEER

5/24/71
DATE

REVISION

MUTCD NUMBER NONECODE W43

SIGN	DIMENSIONS (INCHES)								
	A	B	C	D	E	F	G	H	J
MINIMUM	24	3/8	5/8	1 1/2	8F	4	20	2	12
STANDARD	30	1/2	3/4	1 7/8	10F	5	24	3	15
SPECIAL	48	3/4	1 1/4	3	16F	8	40	4	24

COLORS

BORDER & LEGEND - BLACK
BACKGROUND - YELLOW (REFL)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON THE REVERSE SIDE -

MR. L. J. L. L.
CHIEF, DIVISION OF TRAFFIC ENGINEERING


DATE

REVISION

REVISION

DEPARTMENT OF TRANSPORTATION

STATE OF CALIFORNIA



COLORS
BORDER & LEGEND - BLACK
BACKGROUND - YELLOW (REFL)


THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE.

W.H. Henry
 CHIEF, DIVISION OF TRAFFIC ENGINEERING

6/23/83
 DATE

REVISION

REVISION

STATE OF CALIFORNIA
DEPARTMENT OF TRANSPORTATION

ALL DIMENSIONS ARE IN INCHES

W46 SUFFIX	SIZE	BORDER WIDTH	MARGIN WIDTH	LETTER SIZE, SERIES & STROKE WIDTH					CORNER RADIUS
				LINE 1	LINE 2	LINE 3	LINE 4	LINE 5	
-1	24X12	1/2	3/8	3E					1 1/2

W46 SUFFIX	SIZE	DIMENSIONS											
		A	B	C	D	E	F	G	H	I	J	K	L
-1	24X12	4 1/2	1 1/2										

YELLOW BACKGROUND WITH BLACK BORDER LEGEND & SYMBOL REFLECTORIZED BACKGROUND

3/8 DIA HOLES ●

APPROVED


CHIEF, OFFICE OF TRAFFIC

12/7/77
DATE

REVISION

STATE OF CALIFORNIA DEPARTMENT OF TRANSPORTATION

STATE OF CALIFORNIA



COLORS

LEGEND & BORDER - YELLOW (REFL)

BACKGROUND - BLACK


THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE.

CHIEF, DIVISION OF TRAFFIC ENGINEERING

DATE

REVISION

REVISION



ALL DIMENSIONS ARE IN INCHES

W47 SUFFIX	SIZE	BORDER WIDTH	MARGIN WIDTH	LETTER SIZE, SERIES & STROKE WIDTH					COR. RAD.
				LINE 1	LINE 2	LINE 3	LINE 4	LINE 5	
-1.1	30 Dia.	3/4	1/2	7E-1.40					
-2.1	36 Dia.	7/8	5/8	8E-1.60					
-3.1	48 Dia.	1-1/4	3/4	10E					

W47 SUFFIX	SIZE	DIMENSIONS											
		A	B	C	D	E	F	G	H	I	J	K	L
-1.1	30 Dia.	3	24	12	-	3	3 1/2	45°					
-2.1	36 Dia.	-	-	15	16	3-3/4	4	45°					
-3.1	48 Dia.	-	-	18	16	5	5	45°					

Yellow BACKGROUND WITH Black BORDER & SYMBOL

REFLECTIVE BACKGROUND

3/8" DIA HOLES •


APPROVED:

TRAFFIC ENGINEER

DATE

REVISION

12/21/99



Handwritten note:
 1100 3/21/11
 for 4 tracks
 3/21/11

ALL DIMENSIONS ARE IN INCHES

W48 SUFFIX	SIZE	BORDER WIDTH	MARGIN WIDTH	LETTER SIZE, SERIES & STROKE WIDTH					COR. RAD.
				LINE 1	LINE 2	LINE 3	LINE 4	LINE 5	
-1	30x24	$\frac{1}{2}$	$\frac{1}{2}$	6D-1.08	5D-.90				2

W48 SUFFIX	SIZE	DIMENSIONS											
		A	B	C	D	E	F	G	H	I	J	K	L
-1	30x24	$1\frac{1}{2}R$	21	$6\frac{1}{2}$	$12\frac{1}{2}$	3	2R	25	$3\frac{1}{2}$	$2\frac{1}{2}$	$4\frac{1}{2}$	10	$\frac{1}{2}$

BLACK & YELLOW BACKGROUND WITH YELLOW BORDER & SYMBOL REFLECTIVE BACKGROUND

3/8" DIA. HOLES •


Sign also available in numerals of 2 to 6 inclusive.

APPROVED:

Handwritten signature
 TRAFFIC ENGINEER

5/21/11
 DATE

DIVISION



ALL DIMENSIONS ARE IN INCHES

W49 SUFFIX	SIZE	BORDER WIDTH	MARGIN WIDTH	LETTER SIZE, SERIES & STROKE WIDTH					COR. RAD.
				LINE 1	LINE 2	LINE 3	LINE 4	LINE 5	
-1	36x36	7/8	5/8	6D-1.08	6D-1.08				2 1/4

W49 SUFFIX	SIZE	DIMENSIONS											
		A	B	C	D	E	F	G	H	I	J	K	L
-1	36x36	18	16	4									

Yellow BACKGROUND WITH Black BORDER & SYMBOL REFLECTIVE BACKGROUND

3/8" DIA. HOLES •

APPROVED:


[Signature]
TRAFFIC ENGINEER

5/21/71
DATE

REVISION

DEPARTMENT OF TRANSPORTATION

STATE OF CALIFORNIA




SIGN	DIMENSIONS (INCHES)				
	A	B	C	D	E
STANDARD	36	5/8	7/8	6C	3
SPECIAL	48	¾	1-¼	8D	4

COLORS

BORDER & LEGEND - BLACK

BACKGROUND - YELLOW (REFL)

THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE.



 CHIEF, DIVISION OF TRAFFIC ENGINEERING

DATE

7/2/82

REVISION

REVISION

MUTCD NUMBER NoneCODE W50-1

SIGN SIZE	DIMENSIONS (INCHES)					
	A	B	C	D	E	F
36 x 36	36	5/8	7/8	16-1/2	9	2-1/4
48 x 48	48	3/4	1-1/4	22	12	3

COLORS
BORDER & LEGEND - BLACK (NON-REFLECTIVE)
BACKGROUND - YELLOW (REFLECTIVE)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

Robert J. Hynes
 CHIEF, OFFICE OF SIGNS AND DELINEATION


1/22/96
 DATE

REVISION

REVISION

W51

CODE W51



ALL DIMENSIONS ARE IN INCHES

W51 SUFFIX	SIZE	BORDER WIDTH	MARGIN WIDTH	LETTER SIZE, SERIES & STROKE WIDTH					COR. RAD.
				LINE 1	LINE 2	LINE 3	LINE 4	LINE 5	
-1	48x48	1-1/4	3/4	8D-1.44	8D-1.44				3
-2	72x72	1-3/4	1	12D-2.16	12D-2.16				4-1/2

W51 SUFFIX	SIZE	DIMENSIONS											
		A	B	C	D	E	F	G	H	I	J	K	L
-1	48x48	24	16	6									
-2	72x72	-	27	9									

Yellow BACKGROUND WITH Black BORDER & SYMBOL REFLECTIVE BACKGROUND

3/8" DIA. HOLES •

APPROVED:



ACCT
TRAFFIC ENGINEER

5/24/71
DATE

REVISION

DEPARTMENT OF TRANSPORTATION

STATE OF CALIFORNIA



SIGN	DIMENSIONS (INCHES)				
	A	B	C	D	E
STANDARD	30	1/2	3/4	2 1/2	5D
SPECIAL	36	5/8	1	3	6D

COLORS
BORDER & LEGEND - BLACK
BACKGROUND - YELLOW (REFL)

COVER PLATE DETAIL

0.040" ALUMINUM WITH PHOSPHORIC ACID ETCH.

STANDARD - 30x30

SPECIAL - 36x36

THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE.


 CHIEF, DIVISION OF TRAFFIC ENGINEERING

DATE


7/14/87

REVISION

REVISION

DEPARTMENT OF TRANSPORTATION

STATE OF CALIFORNIA



ALL DIMENSIONS ARE IN INCHES

W55B SUFFIX	SIZE	BORDER WIDTH	MARGIN WIDTH	LETTER SIZE, SERIES & STROKE WIDTH					CORNER RADIUS
				LINE 1	LINE 2	LINE 3	LINE 4	LINE 5	
-1	36 X 36	7/8	5/8	5C	5C	5C			2 1/4

W55B SUFFIX	SIZE	DIMENSIONS											
		A	B	C	D	E	F	G	H	I	J	K	L
-1	36 X 36	2	1	16	18								

YELLOW BACKGROUND WITH **BLACK** BORDER LEGEND & SYMBOL REFLECTORIZED BACKGROUND


3/8 DIA HOLES • 5/16" DIA. HOLES ■

APPROVED

[Signature]
CHIEF, OFFICE OF TRAFFIC

1/25/78
DATE

REVISION

MUTCD NUMBER NoneCODE **W59-1**
Lt. or Rt.

SIGN SIZE (Inches)	DIMENSIONS (Inches)																			
	A	B	C	D	E	F	G	H	J	K	L	M	N	P	R	S	T	U	V	W
30 x 60	30	60	1/2	3/4	18	9-1/4	7-1/2	3-3/4	1-1/8	21	15-3/4	13-1/4	5-1/4	3-5/8	4	9-5/8	15-5/8	33-5/16	33-5/8	1-7/8
36 x 60	36	60	5/8	7/8	18	9-5/16	7-1/2	3-3/4	1-1/8	21	15-3/4	13-1/4	5-1/4	3-5/8	4	9-5/8	15-5/8	33-5/16	33-5/8	2-1/4
48 x 72	48	72	3/4	1-1/4	18	9-3/8	7-1/2	3-3/4	1-1/8	27	20-1/2	17-1/2	7	4-3/4	5-1/4	12-13/16	20-3/4	44-3/8	45	3

SIGN SIZE (mm)	DIMENSIONS (Millimeters)																			
	A	B	C	D	E	F	G	H	J	K	L	M	N	P	R	S	T	U	V	W
762 x 1524	762	1524	13	19	450	235	191	95	29	533	400	337	133	92	102	244	397	846	854	48
914 x 1524	914	1524	16	22	450	237	191	95	29	533	400	337	133	92	102	244	397	846	854	57
1219 x 1829	1219	1829	19	31	450	238	191	95	29	686	521	445	178	121	133	325	527	1127	1143	76

COLORS**BORDER, LEGEND & DIAMOND BACKGROUND - BLACK (NON-REFLECTIVE)****DIAMOND - WHITE (REFLECTIVE)****BACKGROUND - YELLOW (REFLECTIVE)**

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -



 CHIEF, OFFICE OF SIGNS AND DELINEATION

8/1/02

DATE

REVISION

REVISION

MUTCD NUMBER E11-1CODE W61A,B,C,
D,E,F,G,H

SIGN	DIMENSIONS (INCHES)								
	A	B	C	D	E	F	G	H	J
W61A	44	20	10E	20	2	3	16	--	--
W61B	44	20	10E	20	2	3	16	--	--
W61C	84	20	10E	20	2	3	16	--	--
W61D	126	20	10E	20-1/2	2	3	16	24	20
W61E	192	20	10E	20-1/2	2	3	16	24	22-1/4
W61F	84	20	10E	20	2	3	16	24	--
W61G	192	20	10E	20-1/2	2	3	16	24	22-1/4
W61H	44	20	--	20	2	3	16	--	--

COLORS
 LEGEND - BLACK (Non Reflective)
 BACKGROUND - YELLOW (Reflective)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

DEPUTY CHIEF, DIVISION OF TRAFFIC OPERATIONS


DATE

6/21/93

REVISION

REVISION

STATE OF CALIFORNIA - DEPARTMENT OF TRANSPORTATION



* For arrowhead dimensions, see page 6-2 of the Standard Highway Signs Book.


W66B (CA)

ENGLISH UNITS

A	B	C	D	E	F	G	H	J
24	12	.375	.625	1.875	9	10.25	2.75	1.5

COLORS: BORDER & SYMBOL - BLACK
BACKGROUND - YELLOW (RETROREFLECTIVE)

9/26/06



ALL DIMENSIONS ARE IN INCHES

W69 SUFFIX	SIZE	BORDER WIDTH	MARGIN WIDTH	LETTER SIZE, SERIES & STROKE WIDTH					COR. RAD.
				LINE 1	LINE 2	LINE 3	LINE 4	LINE 5	
-1.1	60x60	1½	7/8	8E-1.60	8E-1.60	8E-1.60			3-3/4

W69 SUFFIX	SIZE	DIMENSIONS											
		A	B	C	D	E	F	G	H	I	J	K	L
-1.1	60x60	24	2	8	1-3/4	6½	6	9	13-5/16				

Yellow BACKGROUND WITH Black BORDER & SYMBOL

REFLECTIVE BACKGROUND

3/8" DIA. HOLES •

Post holes through channel

APPROVED:


TRAFFIC ENGINEER

5/24/71

DATE

3-76

REVISION



ALL DIMENSIONS ARE IN INCHES.

W70 SUFFIX	SIZE	BORDER WIDTH	MARGIN WIDTH	LETTER SIZE, SERIES & STROKE WIDTH					COR. RAD.
				LINE 1	LINE 2	LINE 3	LINE 4	LINE 5	
-1.1	60x60	1½	7/8	8E-1.60	8E-1.60	8E-1.60			3-3/4

W70 SUFFIX	SIZE	DIMENSIONS											
		A	B	C	D	E	F	G	H	I	J	K	L
-1.1	60x60	24	5½	3	5	39	42	13-5/16					

Yellow BACKGROUND WITH Black BORDER & SYMBOL

REFLECTIVE BACKGROUND

3/8" DIA HOLES •

Post holes through channel

APPROVED:


TRAFFIC ENGINEER

5/21/71

DATE

3-76

REVISION

MUTCD NUMBER NONECODE W71

SIGN	DIMENSIONS (INCHES)							
	A	B	C	D	E	F	G	H
STANDARD	24	18	3/8	5/8	1 1/2	3 1/2	4C	3
CONVENTIONAL	32	18	3/8	5/8	1 1/2	3 1/2	4D	3
FREEWAY	54	28	1/2	3/4	1 7/8	5 1/2	6D	5

COLORS

BORDER & LEGEND - BLACK

BACKGROUND - YELLOW (REFL)


- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON THE REVERSE SIDE -

MR. Lander Jr.
DEPUTY CHIEF, DIVISION OF TRAFFIC OPERATIONS

1/15/92
DATE

REVISION

REVISION

MUTCD NUMBER NoneCODE W72B

Notes:
Speed Variable,
specify when ordering.

SIGN SIZE (Inches)	DIMENSIONS (Inches)														
	A	B	C	D	E	F	G	H	J	K	L	M	N	P	R
36 x 66	36	66	3/4	1-1/4	18	9-5/16	7-1/2	3-3/4	1-1/8	4	6E	5-1/2	12E	5E	3
48 x 78	48	78	7/8	1-1/2	18	9-3/8	7-1/2	3-3/4	1-1/8	5	8E	6-1/2	16E	6E	3-3/4
60 x 102	60	102	1	1-3/4	27	13-15/16	10	5	1-1/2	6	10E	8	20E	8E	4-1/2

SIGN SIZE (mm)	DIMENSIONS (Millimeters)														
	A	B	C	D	E	F	G	H	J	K	L	M	N	P	R
914 x 1676	914	1676	19	32	457	237	191	95	29	102	150E	140	300E	125E	76
1219 x 1981	1219	1981	22	38	457	238	191	95	29	127	200E	165	400E	150E	95
1524 x 2591	1524	2591	25	44	686	354	254	127	38	152	250E	203	500E	200E	114

COLORS**BORDER, LEGEND & DIAMOND BACKGROUND - BLACK (NON-REFLECTIVE)****DIAMOND - WHITE (REFLECTIVE)****BACKGROUND - YELLOW (REFLECTIVE)**

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -



 CHIEF, OFFICE OF SIGNS AND DELINEATION

8/1/02

DATE

REVISION

REVISION

MUTCD NUMBER NoneCODE W73
Rt. or Lt.

Alternate Message, Line 1: LEFT

SIGN SIZE	DIMENSIONS (INCHES)							
	A	B	C	D	E	F	G	H
36 x 36	36	5/8	7/8	4C	2	1	3	2-1/4
48 x 48	48	3/4	1-1/4	6C	3	1	4	3
60 x 60	60	7/8	1-1/2	8C	3-1/2	1-1/2	5	3-3/4

COLORS
LEGEND - BLACK (NON-REFLECTIVE)
BACKGROUND - YELLOW (REFLECTIVE)


- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

W. J. Housh
 CHIEF, OFFICE OF SIGNS AND DELINEATION

7/15/96
 DATE

REVISION

REVISION

MUTCD NUMBER NoneCODE W73A
Rt. or Lt.

Alternate Message, Lines 1 & 2: LEFT

SIGN SIZE	DIMENSIONS (INCHES)							
	A	B	C	D	E	F	G	H
36 x 36	36	5/8	7/8	4C	2	1	3	2-1/4
48 x 48	48	3/4	1-1/4	6C	3	1	4	3
60 x 60	60	7/8	1-1/2	8C	3-1/2	1-1/2	5	3-3/4

COLORS
LEGEND - BLACK (NON-REFLECTIVE)
BACKGROUND - YELLOW (REFLECTIVE)


- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

W. J. [Signature]
 CHIEF, OFFICE OF SIGNS AND DELINEATION

7/15/96
 DATE

REVISION

REVISION

MUTCD NUMBER NONECODE W74
(Lt or Rt)

* REDUCE SPACING 70%

SIGN	DIMENSIONS (INCHES)							
	A	B	C	D	E	F	G	H
MINIMUM	36	5/8	7/8	2 1/4	5D	5E	3	1 1/2
STANDARD	48	3/4	1 1/4	3	6D	6E	4	2
FREEWAY	60	7/8	1 1/2	3 3/4	8D	8E	5	2 1/2

COLORS

BORDER & LEGEND — BLACK

BACKGROUND — YELLOW (REFL)

• THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON THE REVERSE SIDE •

c D Barteel


CHIEF, DIVISION OF TRAFFIC ENGINEERING

10/3/88

DATE

REVISION

REVISION

MUTCD NUMBER NoneCODE W74-1
Lt. or Rt.Alternate Message,
Line 4: LEFT.

SIGN SIZE (Inches)	DIMENSIONS (Inches)											
	A	B	C	D	E	F	G	H	J	K	L	M
30 x 60	30	60	1/2	3/4	18	9-1/4	7-1/2	3-3/4	1-1/8	4	5C	1-7/8
36 x 60	36	60	5/8	7/8	18	9-5/16	7-1/2	3-3/4	1-1/8	4	5D	2-1/4
48 x 72	48	72	3/4	1-1/4	18	9-3/8	7-1/2	3-3/4	1-1/8	6	7D	3

SIGN SIZE (mm)	DIMENSIONS (Millimeters)											
	A	B	C	D	E	F	G	H	J	K	L	M
762 x 1524	762	1524	13	19	450	235	191	95	29	102	125C	48
914 x 1524	914	1524	16	22	450	237	191	95	29	102	125D	57
1219 x 1829	1219	1829	19	31	450	238	191	95	29	152	175D	76

COLORS**BORDER, LEGEND & DIAMOND BACKGROUND - BLACK (NON-REFLECTIVE)****DIAMOND - WHITE (REFLECTIVE)****BACKGROUND - YELLOW (REFLECTIVE)**

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -



 CHIEF, OFFICE OF SIGNS AND DELINEATION

8/1/02

DATE

REVISION

REVISION

MUTCD NUMBER NoneCODE W75-1
Lt. or Rt.Alternate Message,
Line 4: LEFT.

SIGN SIZE (Inches)	DIMENSIONS (Inches)											
	A	B	C	D	E	F	G	H	J	K	L	M
30 x 60	30	60	1/2	3/4	18	9-1/4	7-1/2	3-3/4	1-1/8	4	5C	1-7/8
36 x 60	36	60	5/8	7/8	18	9-5/16	7-1/2	3-3/4	1-1/8	4	5D	2-1/4
48 x 72	48	72	3/4	1-1/4	18	9-3/8	7-1/2	3-3/4	1-1/8	6	7D	3

SIGN SIZE (mm)	DIMENSIONS (Millimeters)											
	A	B	C	D	E	F	G	H	J	K	L	M
762 x 1524	762	1524	13	19	450	235	191	95	29	102	125C	48
914 x 1524	914	1524	16	22	450	237	191	95	29	102	125D	57
1219 x 1829	1219	1829	19	31	450	238	191	95	29	152	175D	76

COLORS

BORDER, LEGEND & DIAMOND BACKGROUND - BLACK (NON-REFLECTIVE)
DIAMOND - WHITE (REFLECTIVE)
BACKGROUND - YELLOW (REFLECTIVE)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -


Gerry Kreis
 CHIEF, OFFICE OF SIGNS AND DELINEATION

8/1/02

DATE

REVISION

REVISION

MUTCD NUMBER **W16-1**CODE **W79A**

SIGN SIZE	DIMENSIONS (INCHES)							
	A	B	C	D	E	F	G	H
30 x 24	30	24	1/2	3/4	5	5C	4	1-7/8
36 x 30	36	30	5/8	7/8	6-1/2	6C	5	2-1/4
48 x 36	48	36	3/4	1-1/4	7	8C	6	3

COLORS
LEGEND - BLACK (NON-REFLECTIVE)
BACKGROUND - YELLOW (REFLECTIVE)


- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

Henry Myers
 CHIEF, OFFICE OF SIGNS AND DELINEATION

5/4/99
 DATE

REVISION

REVISION

MUTCD NUMBER NoneCODE W82

SIGN SIZE (Inches)	DIMENSIONS (Inches)						
	A	B	C	D	E	F	G
24 x 24	24	3/8	5/8	1-1/2	3-1/8	3-7/8	11-1/2
30 x 30	30	1/2	3/4	1-7/8	4	4-7/8	14-1/2

COLORS
BORDER & LEGEND - BLACK (NON-REFLECTIVE)
BACKGROUND - YELLOW (REFLECTIVE)


- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

[Signature]
 CHIEF, OFFICE OF SIGNS AND DELINEATION

2/20/96
 DATE

REVISION

REVISION

MUTCD NUMBER NoneCODE W82-1

SIGN SIZE (Inches)	DIMENSIONS (Inches)							
	A	B	C	D	E	F	G	H
24 x 24	24	3/8	5/8	1-1/2	6	1	2C	10
30 x 30	30	1/2	3/4	1-7/8	7-1/2	1-1/4	2-1/2C	12-1/2

COLORS
BORDER & LEGEND - BLACK (NON-REFLECTIVE)
BACKGROUND - YELLOW (REFLECTIVE)


• THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE •

[Signature]
 CHIEF, OFFICE OF SIGNS AND DELINEATION

2/20/96
 DATE

REVISION

REVISION

MUTCD NUMBER **R4-2**CODE **W83**

SIGN SIZE	DIMENSIONS (INCHES)							
	A	B	C	D	E	F	G	H
24 x 30	24	30	1/2	3/4	3-1/2	6D	2-1/2	1-1/2
36 x 45	36	45	3/4	1-1/4	6	8D	4-1/2	2-1/4

COLORS

BORDER & LEGEND - BLACK (NON-REFLECTIVE)
BACKGROUND - YELLOW (REFLECTIVE)


- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

George N. Nis
 CHIEF, OFFICE OF SIGNS AND DELINEATION

7/16/98
 DATE

REVISION

REVISION

MUTCD NUMBER NONECODE SW4-1

SIGN	DIMENSIONS (INCHES)					
	A	B	C	D	E	F
STANDARD	72	1	1 3/4	4 1/2	10D	7

COLORS

BORDER & LEGEND - BLACK

BACKGROUND - YELLOW (REFL)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON THE REVERSE SIDE -

171

MR. L. J. L. L.
 CHIEF, DIVISION OF TRAFFIC ENGINEERING

6/22/91
 DATE

REVISION

REVISION

**TRAILERS - CAMPERS
GUSTY WIND AREA
NEXT — MILES**

7"

6"

6"

7"

Note: Mileage distances may vary, specify when ordering.

SIZE	BORDER WIDTH	MARGIN WIDTH	LETTER SIZE AND SERIES					CORNER RADIUS	REFLECTORS	
			LINE 1	LINE 2	LINE 3	LINE 4	LINE 5		NO.	SIZE
132"x48"	1½"	¾"	8" D	8" D	6" D			3"		


Yellow BACKGROUND WITH Black BORDER AND SYMBOL.

REMARKS

Reflective Sheeting Background.
Refer to standard post
spacing table.

APPROVED:

[Signature]
TRAFFIC ENGINEER
8/73
DATE 7/13/93
11/21/74
12/16/93

MUTCD NUMBER NoneCODE SW22-1

SIGN	DIMENSIONS (INCHES)					
	A	B	C	D	E	F
STANDARD	42	5/8	1	6D	4	2-5/8

COLORS
 BORDER & LEGEND - BLACK (NON-REFLECTIVE)
 BACKGROUND - YELLOW (REFLECTIVE)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

MR. Lawler


DEPUTY CHIEF, DIVISION OF TRAFFIC OPERATIONS

1-5-94

DATE

REVISION

REVISION

MUTCD NUMBER NoneCODE SW22-1A**Alternate Messages:**


Various MPH and Various MILES, specify when ordering.

SIGN	DIMENSIONS (INCHES)							
	A	B	C	D	E	F	G	H
STANDARD	30	18	1/2	3/4	3-3/4	4D	2-1/2	1-7/8

COLORS

BORDER & LEGEND - BLACK (NON-REFLECTIVE)
 BACKGROUND - YELLOW (REFLECTIVE)

• THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE •


 DEPUTY CHIEF, DIVISION OF TRAFFIC OPERATIONS

DATE

1-5-94

REVISION


REVISION

MUTCD NUMBER NONE

CODE **SW26**
(Lt or Rt)

DEPARTMENT OF TRANSPORTATION

STATE OF CALIFORNIA



ALTERNATE MESSAGE: STOP AHEAD.
Arrow Detail see Appendix p. 2 of 9.

SIGN	DIMENSIONS (INCHES)														
	A	B	C	D	E	F	G	H	J	K	L	M	N	P	Q
MINIMUM	60	1	1 1/2	3 3/4	8 3/4	6 1/4	43	7E	12 1/2	24	6 1/4	7 1/2R	2 1/16R	16 1/4	15 1/2
STANDARD	72	1	1 3/4	4 1/2	10 1/2	8	51	8E	14 1/4	28 1/2	7 1/2	7R	2R	19 1/2	18
SPECIAL	96	1 1/4	2 1/4	6	14	10	68	10E	19	38	10	9 1/2R	3R	26	24

COLORS
LEGEND, ARROW & BORDER - BLACK
BACKGROUND - YELLOW (REFL)

THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE.

C D Bartel
CHIEF, DIVISION OF TRAFFIC ENGINEERING


REV. 2/7/84
DATE

REVISION

REVISION

DEPARTMENT OF TRANSPORTATION

STATE OF CALIFORNIA



SIGN	DIMENSIONS (INCHES)										
	A	B	C	D	E	F	G	H	J	K	L
MIN.	30	1/2	3/4	1 7/8	5C	3 1/4	2 1/2	9	8 3/4	15/16	7 1/2
STD.	36	5/8	7/8	2-1/4	6C	4	3	10-7/8	10-1/2	1-1/8	9
SPECIAL	48	3/4	1-1/4	3	8C	5-1/4	4	14-1/2	14	1-1/2	12

COLORS

LEGEND - BLACK (NON-REFL)
 BACKGROUND - YELLOW (REFL)

THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE.

[Signature]
 CHIEF, OFFICE OF TRAFFIC ENGINEERING

6/22/80
 DATE

10/16/86 6/23/83
 REVISION

REVISION

STATE OF CALIFORNIA DEPARTMENT OF TRANSPORTATION

STATE OF CALIFORNIA



SIGN	DIMENSIONS (INCHES)					
	A	B	C	D	E	F
MINIMUM	30	1/2	3/4	4E	—	4
STANDARD	36	5/8	7/8	5E	—	5
SPECIAL	48	3/4	1 1/4	6E	1	6

COLORS
 LEGEND & BORDER - BLACK
 BACKGROUND - YELLOW (REFL)

THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE.

[Signature]
 CHIEF, DIVISION OF TRAFFIC ENGINEERING


6/23/23
 DATE

REVISION

REVISION

DEPARTMENT OF TRANSPORTATION

STATE OF CALIFORNIA



COLORS

LEGEND & BORDER - BLACK
BACKGROUND - YELLOW (REFL)

DIMENSIONS IN INCHES

THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE.

W. H. Henry
CHIEF, DIVISION OF TRAFFIC ENGINEERING

DATE

REVISION

REVISION

MUTCD NUMBER NONE

CODE SW36

STATE OF CALIFORNIA
DEPARTMENT OF TRANSPORTATION



COLORS
LEGEND & BORDER - BLACK
BACKGROUND - YELLOW (REFL)

DIMENSIONS IN INCHES

THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE.

W.H. Cunniff
CHIEF, DIVISION OF TRAFFIC ENGINEERING

DATE

6/23/83

REVISION


REVISION

MUTCD NUMBER NONE

CODE SW37

DEPARTMENT OF TRANSPORTATION

STATE OF CALIFORNIA



COLORS

LEGEND & BORDER - BLACK
BACKGROUND - YELLOW (REFL)

DIMENSIONS IN INCHES

THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE.

L.H. Benney
CHIEF, DIVISION OF TRAFFIC ENGINEERING

6/25/83
DATE

REVISION

REVISION

MUTCD NUMBER NONE

CODE SW38

DEPARTMENT OF TRANSPORTATION

STATE OF CALIFORNIA



NOTE: LINE 2 SPACING CONDENSED 10%

SIGN	DIMENSIONS (INCHES)					
	A	B	C	D	E	F
STANDARD	24	5/8	3/8	4C	2	2
SPECIAL	30	3/4	1/2	5C	2 1/2	2 1/2

COLORS

BORDER & LEGEND - BLACK
BACKGROUND - YELLOW (REFL)


THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE.

C D Barteo
CHIEF, DIVISION OF TRAFFIC ENGINEERING

2/7/84
DATE

REVISION

REVISION



SIGN	DIMENSIONS (INCHES)					
	A	B	C	D	E	
MINIMUM	30	1/2	3/4	4E	2 1/2	
STANDARD	36	5/8	7/8	5E	3	
SPECIAL	48	3/4	1 1/4	6E	4	

COLORS

LEGEND & BORDER - BLACK
BACKGROUND - YELLOW (REFL)

THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE.

C. D. Bartel
CHIEF, DIVISION OF TRAFFIC ENGINEERING


8/7/84
DATE

REVISION


REVISION

DEPARTMENT OF TRANSPORTATION

STATE OF CALIFORNIA



NOTE: Sign may be rotated either left or right.
Add holes for 90° rotation.



ARROW DETAIL

	DIMENSIONS (INCHES)								
	A	B	C	D	E	F	G	H	J
MINIMUM	30	1/2	5/8	24 3/8	4 3/8	7 13/16	4 11/16	1/2	3 15/16
STANDARD	36	5/8	7/8	29 1/4	5 1/4	9 3/8	5 5/8	5/8	4 3/4
SPECIAL	48	3/4	1 1/4	39	7	12 1/2	7 1/2	7/8	6 1/4

COLORS

BORDER & ARROW - BLACK

BACKGROUND - YELLOW (REFL)

THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE.

C. B. Butler
CHIEF, DIVISION OF TRAFFIC ENGINEERING

2/24/86
DATE

REVISION


REVISION

NONE

CODE **SW45**

DEPARTMENT OF TRANSPORTATION

STATE OF CALIFORNIA



COLORS

BORDER & LEGEND - BLACK
BACKGROUND - YELLOW (REFL)

DIMENSIONS IN INCHES


THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE.

CD Barton
CHIEF, DIVISION OF TRAFFIC ENGINEERING

6/17/87
DATE

REVISION

REVISION

MUTCD NUMBER NONECODE SW46

* CONDENSED SPACING 70%

SIGN	DIMENSIONS (INCHES)						
	A	B	C	D	E	F	G
MINIMUM	36	5/8	7/8	2 1/4	5C	3	4
STANDARD	48	3/4	1 1/4	3	6D	4	5

COLORS

BORDER & LEGEND - BLACK
BACKGROUND - YELLOW (REFL)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON THE REVERSE SIDE -

C. D. Bartlett

CHIEF, DIVISION OF TRAFFIC ENGINEERING


10/3/88

DATE

12/5/89

REVISION

REVISION

MUTCD NUMBER NoneCODE SW47**NOTE:**

* Letter and word spacing reduced to 80%

SIGN	DIMENSIONS (INCHES)					
	A	B	C	D	E	F
Minimum	30	1/2	3/4	1-7/8	4D	2
Standard	36	5/8	7/8	2-1/4	5D	3

COLORS**BORDER & LEGEND - Black****BACKGROUND - Yellow (Reflective)**

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON THE REVERSE SIDE -


CHIEF, DIVISION OF TRAFFIC ENGINEERING

2-1-90

DATE

REVISION

REVISION

MUTCD NUMBER NONECODE SW48

*REDUCE LETTER SPACING 30%

SIGN	DIMENSIONS (INCHES)						
	A	B	C	D	E	F	G
CONVENTIONAL	48	36	5/8	7/8	2 1/4	4C	2
FREEWAY	72	54	3/4	1 1/4	3	6C	3

COLORS

BORDER & LEGEND - BLACK

BACKGROUND - YELLOW (REFL)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON THE REVERSE SIDE -

C D Barteel

CHIEF, DIVISION OF TRAFFIC ENGINEERING

5/4/90


DATE

REVISION


REVISION

MUTCD NUMBER NONECODE SW48-1 &-2

SW48-1



SW48-2



SIGN	DIMENSIONS (INCHES)						
	A	B	C	D	E	F	G
CONVENTIONAL	48	12	5/8	7/8	2 1/4	4	4C
FREEWAY	72	18	3/4	1 1/4	3	6	6C

COLORS

BORDER & LEGEND - BLACK

BACKGROUND - YELLOW (REFL)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON THE REVERSE SIDE -

C. B. Bartee

CHIEF, DIVISION OF TRAFFIC ENGINEERING

5/4/90

DATE

REVISION

REVISION

MUTCD NUMBER NONECODE SW49

SIGN	DIMENSIONS (INCHES)						
	A	B	C	D	E	F	G
STANDARD	36	12	3/8	5/8	1 1/2	4	4C

COLORS

BORDER & LEGEND - BLACK
 BACKGROUND - YELLOW (REFL)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON THE REVERSE SIDE -

M. Landin Jr.
 Dep. CHIEF, DIVISION OF TRAFFIC ENGINEERING

12-10-90

DATE

REVISION

REVISION

MUTCD NUMBER NONECODE SW50

SIGN	DIMENSIONS (INCHES)							
	A	B	C	D	E	F	G	H
STANDARD	36	24	3/8	5/8	1 1/2	3 1/2	4E	2 1/2

COLORS

BORDER & LEGEND - BLACK

BACKGROUND - YELLOW (REFL)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON THE REVERSE SIDE -


CHIEF, DIVISION OF TRAFFIC ENGINEERING

1-4-91

DATE

REVISION

REVISION

MUTCD NUMBER NoneCODE SW52

SIGN	DIMENSIONS (Inches)					
	A	B	C	D	E	F
MINIMUM	30	1/2	3/4	4C	2-1/2	1-7/8
STANDARD	42	5/8	1	5C	3	2-5/8
SPECIAL	48	3/4	1-1/4	6C	4	3

COLORS
BORDER & LEGEND - BLACK
BACKGROUND - YELLOW (Reflective)


- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

MR. Louch
 DEPUTY CHIEF, DIVISION OF TRAFFIC OPERATIONS

8/6/92
 DATE

REVISION

REVISION

MUTCD NUMBER --NoneCCODE SW54
Lt. or Rt.

Note: This sign may be ordered with left facing arrows or the diamond symbol in the right lane, specify when ordering.

SIGN SIZE	DIMENSIONS (INCHES)				
	A	B	C	D	E
36 x 36	36	5/8	7/8	8-1/4	2-1/4
48 x 48	48	3/4	1-1/4	11	3

COLORS
BORDER & LEGEND - BLACK (NON-REFLECTIVE)
BACKGROUND - YELLOW (REFLECTIVE)


- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

W. L. Horvath
 CHIEF, OFFICE OF SIGNS AND DELINEATION

11/1/96
 DATE

REVISION

REVISION

MUTCD NUMBER --NoneCODE **SW54-1**
Lt, Rt. & Vt.

Note: This sign may be ordered with left facing arrows or the diamond symbol in the right lane, specify when ordering.

SIGN SIZE	DIMENSIONS (INCHES)				
	A	B	C	D	E
36 x 36	36	5/8	7/8	8-1/4	2-1/4
48 x 48	48	3/4	1-1/4	11	3

COLORS
BORDER & LEGEND - BLACK (NON-REFLECTIVE)
BACKGROUND - YELLOW (REFLECTIVE)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

[Signature]


CHIEF, OFFICE OF SIGNS AND DELINEATION

11/1/96

DATE

REVISION

REVISION

MUTCD NUMBER NoneCODE SW54A

SIGN SIZE	DIMENSIONS (INCHES)								
	A	B	C	D	E	F	G	H	J
30 x 24	30	24	1/2	3/4	1-7/8	4-1/2	3C	3	5D
36 x 30	36	30	5/8	7/8	2-1/4	5	4C	4	6D

COLORS
BORDER & LEGEND - BLACK (NON-REFLECTIVE)
BACKGROUND - YELLOW (REFLECTIVE)


• THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE •

W. L. Hester
 CHIEF, OFFICE OF SIGNS AND DELINEATION

11/1/96
 DATE

REVISION

REVISION

MUTCD NUMBER --NoneCODE SW54B

Variable time and days, specify when ordering.

SIGN SIZE	DIMENSIONS (INCHES)										
	A	B	C	D	E	F	G	H	J	K	L
30 x 30	30	1/2	3/4	1-7/8	4-1/2	3C	2	2D	1-1/2	1-1/2D	5D
36 x 36	36	5/8	7/8	2-1/4	5-1/2	4C	3	3D	2	2D	6D

COLORS
BORDER & LEGEND - BLACK (NON-REFLECTIVE)
BACKGROUND - YELLOW (REFLECTIVE)


- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

W. J. [Signature]
 CHIEF, OFFICE OF SIGNS AND DELINEATION

11/1/96
 DATE

REVISION

REVISION

MUTCD NUMBER --NoneCODE SW54C

SIGN SIZE	DIMENSIONS (INCHES)									
	A	B	C	D	E	F	G	H	J	K
30 x 30	30	1/2	3/4	1-7/8	5-1/2	3C	2-1/2	3	2C	5D
36 x 36	36	5/8	7/8	2-1/4	5-1/2	4C	3	4	3C	6D

COLORS
BORDER & LEGEND - BLACK (NON-REFLECTIVE)
BACKGROUND - YELLOW (REFLECTIVE)


• THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE •

[Signature]
 CHIEF, OFFICE OF SIGNS AND DELINEATION

11/1/96
 DATE

REVISION

REVISION

MUTCD NUMBER NoneCODE SW58

SIGN SIZE (Inches)	DIMENSIONS (Inches)							
	A	B	C	D	E	F	G	H
36 x 36	36	36	5/8	7/8	5-1/2	4D	3	2-1/4
54 x 48	54	48	3/4	1-1/4	6	6D	4	3

SIGN SIZE (mm)	DIMENSIONS (Millimeters)							
	A	B	C	D	E	F	G	H
914 x 914	914	914	13	19	140	100D	76	57
1372 x 1219	1372	1219	19	32	152	150D	102	76

COLORS

BORDER & LEGEND - BLACK (Non-Reflective)
BACKGROUND - YELLOW (Reflective)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -


Gerry Myers
 CHIEF, OFFICE OF SIGNS AND DELINEATION

8/30/02

DATE

REVISION

REVISION

MUTCD NUMBER NoneCODE SW59

Sign Size (Inches)	DIMENSIONS (Inches)							
	A	B	C	D	E	F	G	H
30 x 30	30	1/2	3/4	10	5	28	14	1-7/8
36 x 36	36	5/8	7/8	12	6	33-1/2	16-3/4	2-1/4
48 x 48	48	3/4	1-1/4	16	8	44-3/4	22-3/8	3


Sign Size (mm)	DIMENSIONS (Millimeters)							
	A	B	C	D	E	F	G	H
762 x 762	762	13	19	254	127	711	356	48
914 x 914	914	16	22	305	152	851	425	57
1219 x 1219	1219	19	32	406	203	1137	568	76

COLORS
BORDER & SYMBOL - BLACK (NON-REFLECTIVE)
BACKGROUND - YELLOW (REFLECTIVE)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

MUTCD NUMBER None

CODE SW59
Grid




Denny Morris
CHIEF, OFFICE OF SIGNS AND DELINEATION

8/5/03

DATE

REVISION

REVISION

MUTCD NUMBER NONECODE SW100

SIGN	DIMENSIONS (INCHES)			
	A	B	C	D
MINIMUM	36	5/8	7/8	2 1/4
STANDARD	48	3/4	1 1/4	3
CONVENTIONAL	60	7/8	1 1/2	3 3/4
FREEWAY	72	1	1 3/4	4 1/2
FREEWAY	96	1 1/4	2 1/4	6

COLORS

BORDER - BLACK

BACKGROUND - YELLOW OR ORANGE (REFL)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON THE REVERSE SIDE -


MR. Lavelle
 CHIEF, DIVISION OF TRAFFIC ENGINEERING

3/22/91

DATE

REVISION

REVISION

MUTCD NUMBER **D1-1a**CODE **G1-1****NOTE:**


The arrow is centered vertically on the message and may be placed vertical, horizontal or diagonal on either side of the message.

SIGN SIZE (Inches)	DIMENSIONS (Inches)					
	A	B	C	D	E	F
Var x 12	12	1/2	1-1/2	4	4C	4
Var x 18	18	1	3	6	6&4-1/2E(M)	7-1/2
Var x 24	24	1-1/4	3	8	8&6E(M)	10

SIGN SIZE (mm)	DIMENSIONS (Millimeters)					
	A	B	C	D	E	F
Var x 305	305	13	38	102	100C	103
Var x 457	457	25	76	152	150&113E(M)	192
Var x 610	610	32	76	203	200&150E(M)	257

COLORS**BORDER & LEGEND - WHITE (REFLECTIVE)****BACKGROUND - GREEN (REFLECTIVE)**

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

MUTCD NUMBER **D1-2a**CODE **G1-4****NOTE:**


The arrow is centered vertically between Lines 1 and 2, and may be placed vertical, horizontal or diagonal on either side of the message.

SIGN SIZE (Inches)	DIMENSIONS (Inches)						
	A	B	C	D	E	F	G
Var x 18	18	1/2	1-1/2	3-1/2	4C	3-1/2	3
Var x 30	30	1	3	7	6&4-1/2E(M)	6	8
Var x 42	42	1-1/4	6	10	8&6E(M)	10	10

SIGN SIZE (mm)	DIMENSIONS (Millimeters)						
	A	B	C	D	E	F	G
Var x 457	457	13	38	89	100C	89	79
Var x 762	762	25	76	178	150&113E(M)	152	206
Var x 1067	1067	32	152	254	200&150E(M)	254	259

COLORS**BORDER & LEGEND - WHITE (REFLECTIVE)****BACKGROUND - GREEN (REFLECTIVE)**

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

MUTCD NUMBER NoneCODE G1-7**NOTE:**

The arrow is centered vertically on the message and may be placed vertical, horizontal or diagonal on either side of the message.

SIGN SIZE (Inches)	DIMENSIONS (Inches)							
	A	B	C	D	E	F	G	H
Var x 24	24	1/2	1-1/2	4-1/4	4C	4	3-1/2	4-1/4
Var x 36	36	1	3	7	6&4-1/2E(M)	7	6	7
Var x 48	48	1-1/4	6	8-1/2	8&6E(M)	10	8	9-1/2

SIGN SIZE (mm)	DIMENSIONS (Millimeters)							
	A	B	C	D	E	F	G	H
Var x 610	610	13	38	108	100C	102	89	111
Var x 914	914	25	76	178	150&113E(M)	178	152	180
Var x 1219	1219	32	152	216	200&150E(M)	254	203	246

COLORS**BORDER & LEGEND - WHITE (REFLECTIVE)****BACKGROUND - GREEN (REFLECTIVE)**

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

MUTCD NUMBER NoneCODE G1-10

NOTE: The arrow is centered vertically on the message and may be placed vertical, horizontal or diagonal on either side of the message.

SIGN SIZE (Inches)	DIMENSIONS (Inches)								
	A	B	C	D	E	F	G	H	J
Var x 30	30	1/2	3	4	4C	3-1/2	3-1/2	3	4
Var x 48	48	1	6	6-1/2	6&4-1/2E(M)	6	7-1/2	6-1/2	8
Var x 60	60	1-1/4	6	8	8&6E(M)	7-1/2	9	8	9-1/2

SIGN SIZE (mm)	DIMENSIONS (Millimeters)								
	A	B	C	D	E	F	G	H	J
Var x 762	762	13	76	102	100C	89	89	76	106
Var x 1219	1219	25	152	165	150&113E(M)	152	191	165	207
Var x 1524	1524	32	152	203	200&150E(M)	191	229	203	248

COLORS**BORDER & LEGEND - WHITE (REFLECTIVE)****BACKGROUND - GREEN (REFLECTIVE)**

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -


CHIEF, OFFICE OF SIGNS AND DELINEATION

8/1/03

DATE

REVISION

REVISION

MUTCD NUMBER NoneCODE G1-13

NOTE: The arrow is centered vertically on the message and may be placed vertical, horizontal or diagonal on either side of the message.

SIGN SIZE (Inches)	DIMENSIONS (Inches)								
	A	B	C	D	E	F	G	H	J
Var x 30	30	1/2	3	4	4C	3-1/2	3	3-1/2	4
Var x 48	48	1	6	7	6&4-1/2E(M)	7-1/4	6-1/2	6	7-3/4
Var x 60	60	1-1/4	6	8	8&6E(M)	9-1/4	7-3/4	8	9

SIGN SIZE (mm)	DIMENSIONS (Millimeters)								
	A	B	C	D	E	F	G	H	J
Var x 762	762	13	76	102	100C	89	76	89	106
Var x 1219	1219	25	152	178	150&113E(M)	184	165	152	201
Var x 1524	1524	32	152	203	200&150E(M)	235	197	203	236

COLORS**BORDER & LEGEND - WHITE (REFLECTIVE)****BACKGROUND - GREEN (REFLECTIVE)**

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

Derry McIs
CHIEF, OFFICE OF SIGNS AND DELINEATION

8/1/03

DATE

REVISION

REVISION

MUTCD NUMBER NoneCODE G1-16


NOTE: The arrow is centered vertically on the message and may be placed vertical, horizontal or diagonal on either side of the message.

SIGN SIZE (Inches)	DIMENSIONS (Inches)							
	A	B	C	D	E	F	G	H
Var x 36	36	1/2	3	4-1/2	4C	4	3-1/2	4-1/2
Var x 48	48	1	6	5-3/4	6&4-1/2E(M)	6-1/2	4-3/4	6-1/4
Var x 72	72	1-1/4	6	8-1/2	8&6E(M)	10	8	9-1/2

SIGN SIZE (mm)	DIMENSIONS (Millimeters)							
	A	B	C	D	E	F	G	H
Var x 914	914	13	76	114	100C	102	89	118
Var x 1219	1219	25	152	146	150&113E(M)	165	121	162
Var x 1829	1829	32	152	216	200&150E(M)	254	203	249

COLORS**BORDER & LEGEND - WHITE (REFLECTIVE)****BACKGROUND - GREEN (REFLECTIVE)**

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

MUTCD NUMBER NoneCODE G1-19

NOTE: The arrow is centered vertically on the message and may be placed vertical, horizontal or diagonal on either side of the message.

SIGN SIZE (Inches)	DIMENSIONS (Inches)						
	A	B	C	D	E	F	G
Var x 30	30	1/2	3	5	4C	4	5
Var x 42	42	1	6	7	6&4-1/2E(M)	7	7-1/2
Var x 54	54	1-1/4	6	10	8&6E(M)	8	10

SIGN SIZE (mm)	DIMENSIONS (Millimeters)						
	A	B	C	D	E	F	G
Var x 762	762	13	76	127	100C	102	131
Var x 1067	1067	25	152	178	150&113E(M)	178	194
Var x 1372	1372	32	152	254	200&150E(M)	203	262

COLORS**BORDER & LEGEND - WHITE (REFLECTIVE)****BACKGROUND - GREEN (REFLECTIVE)**

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

MUTCD NUMBER **D2-3**CODE **G5**

SIGN SIZE (Inches)	DIMENSIONS (Inches)						
	A	B	C	D	E	F	G
Var x 30	30	1/2	1-1/2	4-1/4	5D	3-1/2	3-3/4
Var x 42	42	1	6	7	6&4-1/2E(M)	7	7-1/2
Var x 54	54	1-1/4	6	10	8&6E(M)	8	10
Var x 66	66	1-1/2	6	11	10.67&8E(M)	10	11
Var x 84	84	2	12	14	13.3&10E(M)	13	14

SIGN SIZE (mm)	DIMENSIONS (Millimeters)						
	A	B	C	D	E	F	G
Var x 762	762	13	38	108	125D	89	101
Var x 1067	1067	25	152	178	150&113E(M)	178	194
Var x 1372	1372	32	152	254	200&150E(M)	203	262
Var x 1676	1676	38	152	279	265&200E(M)	254	289
Var x 2134	2134	51	305	356	330&250E(M)	330	368

COLORS**BORDER & LEGEND - WHITE (REFLECTIVE)****BACKGROUND - GREEN (REFLECTIVE)**

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -




SIGN SIZE (Inches)	DIMENSIONS (Inches)					
	A	B	C	D	E	F
Var x 6	6	-	1	1	4Caps	1
Var x 18	18	1	3	6	6&4-1/2E(M)	7-1/2
Var x 24	24	1-1/4	3	8	8&6E(M)	10

SIGN SIZE (mm)	DIMENSIONS (Millimeters)					
	A	B	C	D	E	F
Var x 152	152	-	25	26	100Caps	26
Var x 457	457	25	76	152	150&113E(M)	192
Var x 610	610	32	76	203	200&150E(M)	257

COLORS
BORDER & LEGEND - WHITE (REFLECTIVE)
BACKGROUND - GREEN (REFLECTIVE)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

MUTCD NUMBER **D3**CODE **G7-2**

SIGN SIZE (Inches)	DIMENSIONS (Inches)						
	A	B	C	D	E	F	G
Var x 12	12	1/2	3/4	1-7/8	4	4Caps	4
Var x 18	18	5/8	7/8	2-1/4	6	6&4-1/2E(M)	7-1/2
Var x 24	24	3/4	1-1/4	3	8	8&6E(M)	10

SIGN SIZE (mm)	DIMENSIONS (Millimeters)						
	A	B	C	D	E	F	G
Var x 305	305	13	19	48	102	100Caps	103
Var x 457	457	16	22	57	152	150&113E(M)	192
Var x 610	610	19	32	76	203	200&150E(M)	257

COLORS
BORDER & LEGEND - BLACK (NON-REFLECTIVE)
BACKGROUND - YELLOW (REFLECTIVE)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -


Gerry Kreis
 CHIEF, OFFICE OF SIGNS AND DELINEATION

8/1/03

DATE

REVISION

REVISION

**NOTE:**

The arrow is centered vertically on the message and may be placed vertical, horizontal or diagonal on either side of the message.

SIGN SIZE (Inches)	DIMENSIONS (Inches)					
	A	B	C	D	E	F
Var x 12	12	1/2	1-1/2	4	4C	4
Var x 18	18	1	3	6	6&4-1/2E(M)	7-1/2
Var x 24	24	1-1/4	3	8	8&6E(M)	10

SIGN SIZE (mm)	DIMENSIONS (Millimeters)					
	A	B	C	D	E	F
Var x 305	305	13	38	102	100C	103
Var x 457	457	25	76	152	150&113E(M)	192
Var x 610	610	32	76	203	200&150E(M)	257

COLORS

BORDER & LEGEND - WHITE (REFLECTIVE)

BACKGROUND - GREEN (REFLECTIVE)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

MUTCD NUMBER **D1-2**CODE **G8-4****NOTE:**


The arrow is centered vertically between Lines 1 and 2, and may be placed vertical, horizontal or diagonal on either side of the message.

SIGN SIZE (Inches)	DIMENSIONS (Inches)						
	A	B	C	D	E	F	G
Var x 18	18	1/2	1-1/2	3-1/2	4C	3-1/2	3
Var x 30	30	1	3	7	6&4-1/2E(M)	6	8
Var x 42	42	1-1/4	6	10	8&6E(M)	10	10

SIGN SIZE (mm)	DIMENSIONS (Millimeters)						
	A	B	C	D	E	F	G
Var x 457	457	13	38	89	100C	89	79
Var x 762	762	25	76	178	150&113E(M)	152	206
Var x 1067	1067	32	152	254	200&150E(M)	254	259

COLORS**BORDER & LEGEND - WHITE (REFLECTIVE)****BACKGROUND - GREEN (REFLECTIVE)**

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

MUTCD NUMBER NoneCODE G8-7**NOTE:**

The arrow is centered vertically on the message and may be placed vertical, horizontal or diagonal on either side of the message.

SIGN SIZE (Inches)	DIMENSIONS (Inches)							
	A	B	C	D	E	F	G	H
Var x 24	24	1/2	1-1/2	4-1/4	4C	4	3-1/2	4-1/4
Var x 36	36	1	3	7	6&4-1/2E(M)	7	6	7
Var x 48	48	1-1/4	6	8-1/2	8&6E(M)	10	8	9-1/2

SIGN SIZE (mm)	DIMENSIONS (Millimeters)							
	A	B	C	D	E	F	G	H
Var x 610	610	13	38	108	100C	102	89	111
Var x 914	914	25	76	178	150&113E(M)	178	152	180
Var x 1219	1219	32	152	216	200&150E(M)	254	203	246

COLORS**BORDER & LEGEND - WHITE (REFLECTIVE)****BACKGROUND - GREEN (REFLECTIVE)**

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

MUTCD NUMBER NoneCODE G8-10


NOTE: The arrow is centered vertically on the message and may be placed vertical, horizontal or diagonal on either side of the message.

SIGN SIZE (Inches)	DIMENSIONS (Inches)								
	A	B	C	D	E	F	G	H	J
Var x 30	30	1/2	3	4	4C	3-1/2	3-1/2	3	4
Var x 48	48	1	6	6-1/2	6&4-1/2E(M)	6	7-1/2	6-1/2	8
Var x 60	60	1-1/4	6	8	8&6E(M)	7-1/2	9	8	9-1/2

SIGN SIZE (mm)	DIMENSIONS (Millimeters)								
	A	B	C	D	E	F	G	H	J
Var x 762	762	13	76	102	100C	89	89	76	106
Var x 1219	1219	25	152	165	150&113E(M)	152	191	165	207
Var x 1524	1524	32	152	203	200&150E(M)	191	229	203	248

COLORS**BORDER & LEGEND - WHITE (REFLECTIVE)****BACKGROUND - GREEN (REFLECTIVE)**

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

MUTCD NUMBER **None**CODE **G8-13**


NOTE: The arrow is centered vertically on the message and may be placed vertical, horizontal or diagonal on either side of the message.

SIGN SIZE (Inches)	DIMENSIONS (Inches)								
	A	B	C	D	E	F	G	H	J
Var x 30	30	1/2	3	4	4C	3-1/2	3	3-1/2	4
Var x 48	48	1	6	7	6&4-1/2E(M)	7-1/4	6-1/2	6	7-3/4
Var x 60	60	1-1/4	6	8	8&6E(M)	9-1/4	7-3/4	8	9

SIGN SIZE (mm)	DIMENSIONS (Millimeters)								
	A	B	C	D	E	F	G	H	J
Var x 762	762	13	76	102	100C	89	76	89	106
Var x 1219	1219	25	152	178	150&113E(M)	184	165	152	201
Var x 1524	1524	32	152	203	200&150E(M)	235	197	203	236

COLORS**BORDER & LEGEND - WHITE (REFLECTIVE)****BACKGROUND - GREEN (REFLECTIVE)**

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

MUTCD NUMBER **None**CODE **G8-16**

NOTE: The arrow is centered vertically on the message and may be placed vertical, horizontal or diagonal on either side of the message.

SIGN SIZE (Inches)	DIMENSIONS (Inches)							
	A	B	C	D	E	F	G	H
Var x 36	36	1/2	3	4-1/2	4C	4	3-1/2	4-1/2
Var x 48	48	1	6	5-3/4	6&4-1/2E(M)	6-1/2	4-3/4	6-1/4
Var x 72	72	1-1/4	6	8-1/2	8&6E(M)	10	8	9-1/2

SIGN SIZE (mm)	DIMENSIONS (Millimeters)							
	A	B	C	D	E	F	G	H
Var x 914	914	13	76	114	100C	102	89	118
Var x 1219	1219	25	152	146	150&113E(M)	165	121	162
Var x 1829	1829	32	152	216	200&150E(M)	254	203	249

COLORS
BORDER & LEGEND - WHITE (REFLECTIVE)
BACKGROUND - GREEN (REFLECTIVE)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

MUTCD NUMBER NoneCODE G8-19

NOTE: The arrow is centered vertically on the message and may be placed vertical, horizontal or diagonal on either side of the message.

SIGN SIZE (Inches)	DIMENSIONS (Inches)						
	A	B	C	D	E	F	G
Var x 30	30	1/2	3	5	4C	4	5
Var x 42	42	1	6	7	6&4-1/2E(M)	7	7-1/2
Var x 54	54	1-1/4	6	10	8&6E(M)	8	10

SIGN SIZE (mm)	DIMENSIONS (Millimeters)						
	A	B	C	D	E	F	G
Var x 762	762	13	76	127	100C	102	131
Var x 1067	1067	25	152	178	150&113E(M)	178	194
Var x 1372	1372	32	152	254	200&150E(M)	203	262

COLORS

BORDER & LEGEND - WHITE (REFLECTIVE)
BACKGROUND - GREEN (REFLECTIVE)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

MUTCD NUMBER NoneCODE G8-22**NOTE:**


The arrow is centered vertically on Line 2, and may be placed vertical, horizontal or diagonal on either side of the message.

SIGN SIZE (Inches)	DIMENSIONS (Inches)					
	A	B	C	D	E	F
Var x 18	18	1/2	1-1/2	3-1/2	4C	3
Var x 30	30	1	3	7-1/4	6&4-1/2E(M)	6-1/2
Var x 42	42	1-1/4	6	10-1/4	8&6E(M)	9-1/2

SIGN SIZE (mm)	DIMENSIONS (Millimeters)					
	A	B	C	D	E	F
Var x 457	457	13	38	90	100C	77
Var x 762	762	25	76	185	150&113E(M)	166
Var x 1067	1067	32	152	263	200&150E(M)	241

COLORS**BORDER & LEGEND - WHITE (REFLECTIVE)****BACKGROUND - GREEN (REFLECTIVE)**

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -


MUTCD NUMBER NoneCODE G9-1

	No. of Numerals	SIGN SIZE (Inches)	DIMENSIONS (Inches)					
			A	B	C	D	E	F
4" Numerals	1	4 x 6	4	6	1	4D	1/2	-
	2	8 x 6	8	6	1	4D	1/2	-
	3	12 x 6	12	6	1	4D	1/2	-
	4	18 x 6	18	6	1	4D	1/2	8-1/2
	5	21 x 6	21	6	1	4D	1/2	10
	6	24 x 6	24	6	1	4D	1/2	11-1/2
	7	30 x 6	30	6	1	4D	1/2	14-1/2
3" Numerals	1	3 x 5	3	5	1	3D	1/2	-
	2	6 x 5	6	5	1	3D	1/2	-
	3	8 x 5	8	5	1	3D	1/2	-
	4	12 x 5	12	5	1	3D	1/2	5-1/2
	5	15 x 5	15	5	1	3D	1/2	7
	6	18 x 5	18	5	1	3D	1/2	8-1/2
	7	21 x 5	21	5	1	3D	1/2	10
2" Numerals	1	2 x 4	2	4	1	2C	1/2	-
	2	3 x 4	3	4	1	2C	1/2	-
	3	5 x 4	5	4	1	2C	1/2	-
	4	7 x 4	7	4	1	2C	1/2	3
	5	9 x 4	9	4	1	2C	1/2	4
	6	10 x 4	10	4	1	2C	1/2	4-1/2
	7	12 x 4	12	4	1	2C	1/2	5-1/2

	No. of Numerals	SIGN SIZE (mm)	DIMENSIONS (Millimeters)					
			A	B	C	D	E	F
100mm Numerals	1	102 x 152	102	152	26	100D	13	-
	2	203 x 152	203	152	26	100D	13	-
	3	305 x 152	305	152	26	100D	13	-
	4	456 x 152	456	152	26	100D	13	215
	5	534 x 152	534	152	26	100D	13	254
	6	610 x 152	610	152	26	100D	13	292
	7	762 x 152	762	152	26	100D	13	368
75mm Numerals	1	76 x 127	76	127	26	75D	13	-
	2	152 x 127	152	127	26	75D	13	-
	3	203 x 127	203	127	26	75D	13	-
	4	306 x 127	306	127	26	75D	13	140
	5	382 x 127	382	127	26	75D	13	178
	6	458 x 127	458	127	26	75D	13	216
	7	534 x 127	534	127	26	75D	13	254
50mm Numerals	1	51 x 102	51	102	26	50C	13	-
	2	76 x 102	76	102	26	50C	13	-
	3	127 x 102	127	102	26	50C	13	-
	4	178 x 102	178	102	26	50C	13	76
	5	230 x 102	230	102	26	50C	13	102
	6	254 x 102	254	102	26	50C	13	114
	7	306 x 102	306	102	26	50C	13	140

COLORS
LEGEND - WHITE (REFLECTIVE)
BACKGROUND - GREEN (REFLECTIVE)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -


MUTCD NUMBER NoneCODE G9-2

SIGN SIZE (Inches)	DIMENSIONS (Inches)								
	A	B	C	D	E	F	G	H	J
Var x 18	18	1/2	1-1/2	4	5D	3-1/2	2C	3-1/2	5
Var x 24	24	1	3	7-1/2	6&4-1/2E(M)	5-1/2	2C	4-1/2	6
Var x 30	30	1-1/4	6	9	8&6E(M)	6	3D	6	8
Var x 36	36	1-1/2	6	10	10.67&8E(M)	7	4D	7	10

SIGN SIZE (mm)	DIMENSIONS (Millimeters)								
	A	B	C	D	E	F	G	H	J
Var x 457	457	13	38	102	125D	90	50C	90	127
Var x 610	610	25	76	191	150&113E(M)	141	50C	115	152
Var x 762	762	32	152	231	200&150E(M)	153	75D	153	203
Var x 914	914	38	152	256	265&200E(M)	179	100D	179	254

COLORS**BORDER & LEGEND - WHITE (REFLECTIVE)****BACKGROUND - GREEN (REFLECTIVE)**

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -




CHIEF, OFFICE OF SIGNS AND DELINEATION

8/1/03

DATE

REVISION

REVISION

MUTCD NUMBER NoneCODE G9-5

SIGN SIZE (Inches)	DIMENSIONS (Inches)										
	A	B	C	D	E	F	G	H	J	K	L
Var x 24	24	1/2	1-1/2	3-1/2	2C	3	4D	3	5D	3-1/2	5
Var x 30	30	1	3	4	2C	3	4D	5	6&4-1/2E(M)	7-1/2	6
Var x 42	42	1-1/4	6	6	3D	5	6D	7	8&6E(M)	9	8
Var x 48	48	1-1/2	6	5	4D	6	8D	7	10.67&8E(M)	10	10

SIGN SIZE (mm)	DIMENSIONS (Millimeters)										
	A	B	C	D	E	F	G	H	J	K	L
Var x 610	610	13	38	89	50C	76	100D	76	125D	94	127
Var x 762	762	25	76	102	50C	76	100D	127	150&113E(M)	194	152
Var x 1067	1067	32	152	152	75D	127	150D	178	200&150E(M)	235	203
Var x 1219	1219	38	152	135	100D	152	200D	178	265&200E(M)	254	254

COLORS
BORDER & LEGEND - WHITE (REFLECTIVE)
BACKGROUND - GREEN (REFLECTIVE)


- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

Gerry Greis
 CHIEF, OFFICE OF SIGNS AND DELINEATION

8/1/03
 DATE

REVISION

REVISION



ALL DIMENSIONS ARE IN INCHES

G9A SUFFIX	SIZE	BORDER WIDTH	MARGIN WIDTH	LETTER SIZE, SERIES & STROKE WIDTH					COR. RAD.
				LINE 1	LINE 2	LINE 3	LINE 4	LINE 5	
-1.1	2x2 $\frac{1}{2}$	-	-	2C - .32					-
-2	2$\frac{5}{8}$x3$\frac{3}{4}$	-	-	3D-.54					-
-3	3 $\frac{1}{4}$ x5	-	-	4D-.72					-

G9A SUFFIX	SIZE	DIMENSIONS											
		A	B	C	D	E	F	G	H	I	J	K	L
-1.1	2x2 $\frac{1}{2}$	2 $\frac{1}{2}$	2	1/4									
-2	2$\frac{5}{8}$x3$\frac{3}{4}$	3-3/4	2-5/8	3/8									
-3	3 $\frac{1}{4}$ x5	5	3 $\frac{1}{4}$	1/2									

Green BACKGROUND WITH White SYMBOL Reflective message

Available with numerals 0 thru 9
Center numerals on background.

APPROVED:

AC. Ester
TRAFFIC ENGINEER

5/17/12
DATE

7/25/12
REVISION



ALL DIMENSIONS ARE IN INCHES

G10 SUFFIX	SIZE	BORDER WIDTH	MARGIN WIDTH	LETTER SIZE, SERIES & STROKE WIDTH					COR. RAD.
				LINE 1	LINE 2	LINE 3	LINE 4	LINE 5	
-1	Varx24	1	-	6 & 4 ¹ / ₂	4 CAPS				3
-2	Varx36	1 ¹ / ₄	-	8 & 6	6 CAPS				6

G10 SUFFIX	SIZE	DIMENSIONS											
		A	B	C	D	E	F	G	H	I	J	K	L
-1	Varx24	4	5	6 ¹ / ₂									
-2	Varx36	8	7	9									

Green BACKGROUND WITH White BORDER & SYMBOL Reflective message and border.

Refer to standard post spacing table.

APPROVED

Acosta
TRAFFIC ENGINEER

11/15/71
DATE

REVISION

NONE**NOTES:**

1. SIGN TEXT: BRUSHSCRIPT (Letraset) IN PANTON 107.
TEXT SHADOW IN BLACK IS OFFSET 5/8" (1/4" FOR MINIMUM SIZE SIGN) TO CREATE SHADOW EFFECT.
LOWER CASE TEXT IS 7" HIGH (3 1/4" HIGH FOR MINIMUM SIZE SIGN).
2. POPPY COLORS: SEE ART WORK SEPERATIONS FOR DETAILS.

SIZE	DIMENSIONS (INCHES)															
	A	B	C	D	E	F	G	H	J	K	L	M	N	O	P	Q
MINIMUM	60	36	1	3	6 3/4	27 1/2	2 1/2	19 3/4	2 1/2	31	3	34	6 1/2	5 1/2	3 1/2	6 1/2
STANDARD	132	84	2	6	19	60 3/4	5	43 3/4	4	68 1/4	5	74 1/2	19	12	8	14

COLORS:

LEGEND: REFLECTIVE (see note1)
BORDERS - WHITE (reflective)
BACKGROUND - PANTONE 307 (reflective)
POPPY COLORS PANTONE (see note 2, reflective)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -


[Signature]
DEPUTY CHIEF, DIVISION OF TRAFFIC OPERATIONS

DATE

1-6-94

REVISION

REVISION



* NOTE:

Use Series C or B letters
in line 1 for longer names.

ALL DIMENSIONS ARE IN INCHES

R144 44

G11 SUFFIX	SIZE	BORDER WIDTH	MARGIN WIDTH	LETTER SIZE, SERIES & STROKE WIDTH					COR. RAD.
				LINE 1	LINE 2	LINE 3	LINE 4	LINE 5	
-1	36x18	5/8	3/8	4D-.72*	1-3/4 D-.32	2-1/2 D-.45			1 1/2

G11 SUFFIX	SIZE	DIMENSIONS											
		A	B	C	D	E	F	G	H	I	J	K	L
-1	36x18	2 1/2	1/2	3/8	1	3	12	1 1/4	1 1/2	31	2 1/4	1-3/4	3 1/4

White BACKGROUND WITH Black BORDER & SYMBOL Not Reflectorized.

3/8" Dia. Holes

M


16

APPROVED:

Accety
TRAFFIC ENGINEER

11/15/71
DATE

REVISION



NOTE:

Use series C or B letters in lines 1 and 2 for longer names.

ALL DIMENSIONS ARE IN INCHES

G11 SUFFIX	SIZE	BORDER WIDTH	MARGIN WIDTH	LETTER SIZE, SERIES & STROKE WIDTH					COR. RAD.
				LINE 1	LINE 2	LINE 3	LINE 4	LINE 5	
-2	36x21	3/8	3/8	4D-.72	4D-.72	1-3/4D-.32			1½

G11 SUFFIX	SIZE	DIMENSIONS											
		A	B	C	D	E	F	G	H	I	J	K	L
-2	36x21	1½	18	3¼	3	2	16						

White BACKGROUND WITH Black BORDER & SYMBOL Not Reflectorized.


3/8" Dia. Holes

APPROVED:

Accetta
TRAFFIC ENGINEER

11/15/71
DATE

REVISION



.196 DIA. HOLES
FOR 3 1/4" YELLOW
REFLECTORS

NOTE:

* USE SERIES C OR B LETTERS IN
LINE 1 FOR LONGER NAMES.

R53 97

ALL DIMENSIONS ARE IN INCHES

G11 SUFFIX	SIZE	BORDER WIDTH	MARGIN WIDTH	LETTER SIZE, SERIES & STROKE WIDTH					CORNER RADIUS
				LINE 1	LINE 2	LINE 3	LINE 4	LINE 5	
-4.1	44 X 18	5/8	3/8	4D- .72*	13/4D- .32	2 1/2- .45			1 1/2

G11 SUFFIX	SIZE	DIMENSIONS											
		A	B	C	D	E	F	G	H	I	J	K	L
-4.1	44 X 18	2 1/2	1/2	3/8	1	3	12	4 1/4	4 3/4	8	27 1/2	1 1/2	2 1/4
										M	N	O	P
										1 3/4	3 1/4	4	16

WHITE BACKGROUND WITH BLACK BORDER, LEGEND & SYMBOL NON REFLECTORIZED BACKGROUND

3 8" DIA HOLES ●

APPROVED:


[Signature]

CHIEF, OFFICE OF TRAFFIC

8/22/78

DATE

REVISION

MUTCD NUMBER NoneCODE G11-4A

COLORS
LEGEND & BORDER - BLACK (NON-REFLECTIVE)
BACKGROUND - WHITE (NON-REFLECTIVE)


• THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE •

[Signature]
CHIEF, OFFICE OF SIGNS AND DELINEATION

1/13/98
DATE

REVISION

REVISION

MUTCD NUMBER NoneCODE G11-4B

COLORS

LEGEND & BORDER - BLACK (NON-REFLECTIVE)
BACKGROUND - WHITE (NON-REFLECTIVE)


• THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE •

Yusef M. Ali
CHIEF, OFFICE OF SIGNS AND DELINEATION

1/13/98
DATE

REVISION

REVISION



NOTE:

Use Series B letters in lines 1 & 2 for longer names.

ALL DIMENSIONS ARE IN INCHES

R144 44

G11 SUFFIX	SIZE	BORDER WIDTH	MARGIN WIDTH	LETTER SIZE, SERIES & STROKE WIDTH					COR. RAD.
				LINE 1	LINE 2	LINE 3	LINE 4	LINE 5	
-5	44x24	5/8	3/8	4C-.64	4C-.64	1-3/4D-.32	2 1/2D-.45		1 1/2

G11 SUFFIX	SIZE	DIMENSIONS											
		A	B	C	D	E	F	G	H	I	J	K	L
-5	44x24	2 1/2	1/2	3/8	1	3	18	4-7/8	4-3/4	8	27 1/2	1 1/2	2 1/4

White BACKGROUND WITH Black BORDER & SYMBOL

Not Reflectorized

3/8" Dia. Holes

M	N	O	P	Q
1-3/4	2	3 1/4	4	16

APPROVED:

ACE
TRAFFIC ENGINEER

11/15/71
DATE



REVISION

MUTCD NUMBER NONE

CODE G11-6

DEPARTMENT OF TRANSPORTATION

STATE OF CALIFORNIA



COLORS
LEGEND - BLACK
BACKGROUND - WHITE(NON-REFL)

5/16 DIA. HOLES
DIMENSIONS IN INCHES

THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE.


CHIEF, DIVISION OF TRAFFIC ENGINEERING

3/28/83

DATE

REVISION

REVISION

MUTCD NUMBER NoneCODE G11-7

*Note:
XX is for locations with a
postmile equation, BK
(Back) or AH (Ahead).

COLORS
LEGEND - BLACK (NON-REFLECTIVE)
BACKGROUND - WHITE (NON-REFLECTIVE)


- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

[Signature]
CHIEF, OFFICE OF SIGNS AND DELINEATION

3/2/95
DATE

REVISION

REVISION

MUTCD NUMBER NoneCODE G11-8

COLORS
 LEGEND & BORDER - BLACK (NON-REFLECTIVE)
 BACKGROUND - WHITE (NON-REFLECTIVE)


• THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE •

Henry Meyer
 CHIEF, OFFICE OF SIGNS AND DELINEATION

1/13/98
 DATE

REVISION

REVISION

MUTCD NUMBER NoneCODE G11-9

COLORS
 LEGEND & BORDER - BLACK (NON-REFLECTIVE)
 BACKGROUND - WHITE (NON-REFLECTIVE)


- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

Benny K. Jones
 CHIEF, OFFICE OF SIGNS AND DELINEATION

1/13/98
 DATE

REVISION

REVISION


MUTCD NUMBER NoneCODE G11-10**Alternate Messages:**

Line 1: END

Lines 5,6 and 7: Specify County, Route and Postmile.

COLORS**LEGEND - BLACK (NON-REFLECTIVE)****BACKGROUND - WHITE (NON-REFLECTIVE)**

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -




CHIEF, OFFICE OF SIGNS AND DELINEATION

DATE

9/27/00

REVISION

REVISION



SYMBOLS:

BEAR- 8-1/2"x4", STARS- 2" Radius

ALL DIMENSIONS ARE IN INCHES

G13 SUFFIX	SIZE	BORDER WIDTH	MARGIN WIDTH	LETTER SIZE, SERIES & STROKE WIDTH					COR RAD.
				LINE 1	LINE 2	LINE 3	LINE 4	LINE 5	
-1	36x30	3/4	1/2	4C-.64	4C-.64	3D-.54	1 1/2 C-.24		TOP: 2-1/4 BOT: 1-1/2

G13 SUFFIX	SIZE	DIMENSIONS											
		A	B	C	D	E	F	G	H	I	J	K	L
-1	36x30	3-3/4	1 1/4	2-3/16	3 1/2	7/8	1/4	3/16 R	3	24	13	10-3/4	15-3/4

Cream BACKGROUND WITH Brown BORDER & SYMBOL

Not Reflectorized

3/8" Dia. Holes

M	N	O	P
16-3/4	4 1/2	6	2 1/2
Q	R	S	T
1 1/2	2	2	2

APPROVED

TRAFFIC ENGINEER

 11/15/71
 DATE

REVISION



SYMBOLS:
BEAR-17"x8", STARS-4" RADIUS

NOTE:
Alternate Message, Line 3:
NEXT LEFT, NEXT EXIT or SECOND EXIT.

ALL DIMENSIONS ARE IN INCHES

G13 SUFFIX	SIZE	BORDER WIDTH	MARGIN WIDTH	LETTER SIZE, SERIES & STROKE WIDTH					COR. RAD.
				LINE 1	LINE 2	LINE 3	LINE 4	LINE 5	
-2	72x60	1	5/8	8C-1.28	8C-1.28	6D-1.08	3C-.48		TOP: 4 1/2 BOT: 3

G13 SUFFIX	SIZE	DIMENSIONS											
		A	B	C	D	E	F	G	H	I	J	K	L
-2	72x60	3	11	33	12	48	5	4	9	13 1/2	31 1/2	21 1/2 R	26 R

Cream BACKGROUND WITH Brown BORDER & SYMBOL Not Reflectorized
3/8" Dia. Holes

APPROVED:

Acc. Sep.
TRAFFIC ENGINEER

11/15/71
DATE

11/15/94
REVISION



SYMBOLS-
BEAR: 8-1/2" x 4", STARS: 2" radius.

ALL DIMENSIONS ARE IN INCHES

<u>G14</u> SUFFIX	SIZE	BORDER WIDTH	MARGIN WIDTH	LETTER SIZE, SERIES & STROKE WIDTH					COR. RAD.
				LINE 1	LINE 2	LINE 3	LINE 4	LINE 5	
-1.1	36x30	3/4	1/2	4C-.64	3B-.42	1 1/2 C-.24			TOP 2 1/4 BOT 1 1/2

<u>G14</u> SUFFIX	SIZE	DIMENSIONS											
		A	B	C	D	E	F	G	H	I	J	K	L
-1.1	36x30	3	24	16	2 1/2	1	6	4 1/2	15-3/4	10-3/4	13R	6-3/4	1 1/2

Cream BACKGROUND WITH Brown BORDER & SYMBOL Not reflectorized
3/8" dia. holes



M
9 1/4

APPROVED:

accstep
TRAFFIC ENGINEER

5/14/71
DATE

5/12/72
REVISION



ALL DIMENSIONS ARE IN INCHES

G15 SUFFIX	SIZE	BORDER WIDTH	MARGIN WIDTH	LETTER SIZE, SERIES & STROKE WIDTH					COR. RAD.
				LINE 1	LINE 2	LINE 3	LINE 4	LINE 5	
-1	15x9	$\frac{1}{4}$	-	1D-.18	1-3/4C-.28	1D-.18			2
-2	36x20	$\frac{1}{2}$	-	2 $\frac{1}{4}$ D-.41	4C-.64	2 $\frac{1}{4}$ D-.41			4 $\frac{1}{2}$

G15 SUFFIX	SIZE	DIMENSIONS											
		A	B	C	D	E	F	G	H	I	J	K	L
-1	15x9	1	.7	1/8	1 $\frac{1}{2}$	6	-	4.3	9 $\frac{1}{2}$	3/4	3/4	1 $\frac{1}{4}$	1-3/4
-2	36x20	2 $\frac{1}{4}$	1.7	3/16	1 $\frac{1}{2}$	-	8 $\frac{1}{2}$	10 $\frac{1}{2}$	24	1-3/4	1 $\frac{1}{2}$	3 $\frac{1}{4}$	3 $\frac{1}{2}$

Brown BACKGROUND WITH Buff BORDER & SYMBOL Not Reflectorized.

3/8" Dia. Holes

M

-

16

APPROVED

TRAFFIC ENGINEER

11/15/71

DATE

REVISION



ALL DIMENSIONS ARE IN INCHES

G16 SUFFIX	SIZE	BORDER WIDTH	MARGIN WIDTH	LETTER SIZE, SERIES & STROKE WIDTH					COR. RAD.
				LINE 1	LINE 2	LINE 3	LINE 4	LINE 5	
-1	Var x 18	$\frac{1}{2}$	-	4D-.72	4D-.72				$1\frac{1}{2}$
-2	Var x 36	$1\frac{1}{4}$	-	8 & 6	6 CAP				6

G16 SUFFIX	SIZE	DIMENSIONS											
		A	B	C	D	E	F	G	H	I	J	K	L
-1	Var x 18	3½	3	3½									
-2	Var x 36	8	7	9									

Green BACKGROUND WITH White BORDER & SYMBOLReflective message &
borderRefer to standard post
spacing table.

APPROVED

TRAFFIC ENGINEER

11/15/71

DATE

REVISION



ALL DIMENSIONS ARE IN INCHES

G17 SUFFIX	SIZE	BORDER WIDTH	MARGIN WIDTH	LETTER SIZE, SERIES & STROKE WIDTH					COR. RAD.
				LINE 1	LINE 2	LINE 3	LINE 4	LINE 5	
-1	36 x 18	$\frac{1}{2}$	-	4D-.72	5E-1.00				$1\frac{1}{2}$
-2	72 x 36	$1\frac{1}{4}$	-	6 CAP	8 CAP				6

G17 SUFFIX	SIZE	DIMENSIONS											
		A	B	C	D	E	F	G	H	I	J	K	L
-1	36 x 18	$3\frac{1}{2}$	$2\frac{1}{2}$	3									
-2	72 x 36	8	7	7									

Green BACKGROUND WITH White BORDER & SYMBOL Reflective message & border

Refer to standard
post spacing table.

APPROVED

ACE
TRAFFIC ENGINEER

11/15/71
DATE

REVISION



NOTE:

On overhead mounted signs, with lighting and catwalks, bottom border shall be omitted.

NOTE:

Available with message LEFT LANE.

ALL DIMENSIONS ARE IN INCHES

G20 SUFFIX	SIZE	BORDER WIDTH	MARGIN WIDTH	LETTER SIZE, SERIES & STROKE WIDTH					COR. RAD.
				LINE 1	LINE 2	LINE 3	LINE 4	LINE 5	
-1	Varx30	1	-	6 & 4 ¹ / ₂	5 CAPS				3
-2	Varx42	1- ¹ / ₄	-	8 & 6	6 CAPS				6

G20 SUFFIX	SIZE	DIMENSIONS											
		A	B	C	D	E	F	G	H	I	J	K	L
-1	Varx30	7	6	7 ¹ / ₂									
-2	Varx42	10	8	12									

Green BACKGROUND WITH White BORDER & SYMBOL Reflective message and border.


Refer to standard post spacing table.

APPROVED:

Accept
TRAFFIC ENGINEER

11/15/71
DATE

REVISION



NOTE:

On overhead mounted signs, with lighting and catwalks, bottom border shall be omitted.

NOTE:

Available with message LEFT LANE

ALL DIMENSIONS ARE IN INCHES

G20 SUFFIX	SIZE	BORDER WIDTH	MARGIN WIDTH	LETTER SIZE, SERIES & STROKE WIDTH					COR. RAD.
				LINE 1	LINE 2	LINE 3	LINE 4	LINE 5	
-3	Var x 42	1	-	6 & 4½	6 & 4½	5 CAP			6
-4	Var x 54	1½	-	8 & 6	8 & 6	6 CAP			9

G20 SUFFIX	SIZE	DIMENSIONS											
		A	B	C	D	E	F	G	H	I	J	K	L
-3	Var x 42	7	7½	6	7½								
-4	Var x 54	9	8	8	11								

Green BACKGROUND WITH White BORDER & SYMBOL

Reflective message & border


Refer to standard post spacing table.

APPROVED:

ACE Top
TRAFFIC ENGINEER

11/15/71
DATE

REVISION



NOTE:

On overhead mounted signs, with lighting and catwalks, bottom border shall be omitted.

NOTE:

Available with message LEFT LANE.

ALL DIMENSIONS ARE IN INCHES

G20 SUFFIX	SIZE	BORDER WIDTH	MARGIN WIDTH	LETTER SIZE, SERIES & STROKE WIDTH					COR. RAD.
				LINE 1	LINE 2	LINE 3	LINE 4	LINE 5	
-5	Varx54	1	-	4 CAP	8 NUM	6 & 4 1/2	5 CAP		6
-6	Varx72	1 1/4	-	6 CAP	8 NUM	8 & 6	6 CAP		9

G20 SUFFIX	SIZE	DIMENSIONS											
		A	B	C	D	E	F	G	H	I	J	K	L
-5	Varx54	7	6	7 1/2	6	6							
-6	Varx72	10	8	10	8	8							

Green BACKGROUND WITH White BORDER & SYMBOL Reflective message and border.

Refer to standard post spacing table.

APPROVED

ACE
TRAFFIC ENGINEER

11/15/71
DATE

REVISION



NOTE:

On overhead mounted signs, with lighting and catwalks, bottom border shall be omitted.

NOTE:

Available with message LEFT LANE.

ALL DIMENSIONS ARE IN INCHES

G20 SUFFIX	SIZE	BORDER WIDTH	MARGIN WIDTH	LETTER SIZE, SERIES & STROKE WIDTH					COR. RAD.
				LINE 1	LINE 2	LINE 3	LINE 4	LINE 5	
-7.1	Var x 60	1	-	8 NUM	6 & 4½	6 & 4½	5 CAP		6
-8.1	Var x 84	1½	-	8 NUM	8 & 6	8 & 6	6 CAP		9

G20 SUFFIX	SIZE	DIMENSIONS											
		A	B	C	D	E	F	G	H	I	J	K	L
-7.1	Var x 60	7	6	6	7	4							
-8.1	Var x 84	10	8	8	12	9							

Green BACKGROUND WITH White BORDER & SYMBOL Reflective message & border


Refer to standard post spacing table.

APPROVED:

AcceTen
TRAFFIC ENGINEER

11/15/71
DATE

7/15/73
REVISION


MUTCD NUMBER NoneCODE G20-9

SIGN SIZE (Inches)	DIMENSIONS (Inches)															
	A	B	C	D	E	F	G	H	J	K	L	M	N	P	R	S
108 x 70	108	70	1-1/2	35	24	36	18-3/4	12	3	8	6E	8E	5	10	18	6
108 x 72	108	72	1-1/2	36	24	36	18-3/4	12	3	8	6E	8E	5	11	18	6

SIGN SIZE (mm)	DIMENSIONS (Millimeters)															
	A	B	C	D	E	F	G	H	J	K	L	M	N	P	R	S
2743 x 1778	2743	1778	38	889	610	914	476	305	76	203	150E	200E	127	254	457	152
2743 x 1829	2743	1829	38	914	610	914	476	305	76	203	150E	200E	127	279	457	152

COLORS
BORDER, LEGEND & DIAMOND - WHITE (REFLECTIVE)
DIAMOND BACKGROUND - BLACK (NON-REFLECTIVE)
BACKGROUND - GREEN (REFLECTIVE)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -



NOTE:

On overhead mounted signs, with lighting and catwalks, bottom border shall be omitted.

ALL DIMENSIONS ARE IN INCHES

G21 SUFFIX	SIZE	BORDER WIDTH	MARGIN WIDTH	LETTER SIZE, SERIES & STROKE WIDTH					COR. RAD.
				LINE 1	LINE 2	LINE 3	LINE 4	LINE 5	
-1	Varx60	1	-	6 & 4 ¹ / ₂	8 NUM	6 & 4 ¹ / ₂	6 U.C.		6
-2	Varx72	1 ¹ / ₄	-	8 & 6	8 NUM	8 & 6	8 U.C.		6

G21 SUFFIX	SIZE	DIMENSIONS											
		A	B	C	D	E	F	G	H	I	J	K	L
-1	Varx60	6	6	8 ¹ / ₂	10	14 ¹ / ₂	6						
-2	Varx72	8	7	10 ¹ / ₄	11 ³ / ₄	15	8						

Green BACKGROUND WITH White BORDER & SYMBOL Reflective message & border


Refer to standard post spacing table.

APPROVED

ACE
TRAFFIC ENGINEER

11/15/71
DATE

REVISION



*NOTE:

Use 8" numerals for G21-3 and G21-4.

ALL DIMENSIONS ARE IN INCHES

G21 SUFFIX	SIZE	BORDER WIDTH	MARGIN WIDTH	LETTER SIZE, SERIES & STROKE WIDTH					COR. RAD.
				LINE 1	LINE 2	LINE 3	LINE 4	LINE 5	
-3	Varx90	1	-	6 & 4 ¹ / ₂ *	6 & 4 ¹ / ₂	6 U.C.	6 & 4 ¹ / ₂	6 U.C.	6
-4	Varx108	1 ¹ / ₄	-	8 & 6*	8 & 6	8 U.C.	8 & 6	8 U.C.	6

G21 SUFFIX	SIZE	DIMENSIONS											
		A	B	C	D	E	F	G	H	I	J	K	L
-3	Varx90	6	6	8 ¹ / ₂	5	10	14 ¹ / ₂	6					
-4	Varx108	7	7	10-1/4	6 ³ / ₄	11-3/4	14	8					

Green BACKGROUND WITH White BORDER & SYMBOL Reflective message and border


Refer to standard post spacing table.

APPROVED:

accat
TRAFFIC ENGINEER

11/15/71
DATE

REVISION



NOTE:

Available with 1/4 or 1/2 mile and RIGHT TURN or LEFT TURN in lieu of TURN OFF.

G22 SUFFIX	SIZE	BORDER WIDTH	MARGIN WIDTH	LETTER SIZE, SERIES & STROKE WIDTH					COR. RAD.
				LINE 1	LINE 2	LINE 3	LINE 4	LINE 5	
-1	Varx48	1 1/4	-	8 & 6	6 CAP	6 CAP			6

G22 SUFFIX	SIZE	DIMENSIONS											
		A	B	C	D	E	F	G	H	I	J	K	L
-1	Varx48	9	2	6									

Green BACKGROUND WITH White BORDER & SYMBOL

Reflective message and border.


Refer to standard post spacing table.

APPROVED

CC. E. Taylor
TRAFFIC ENGINEER


11/15/71
DATE

REVISION



NOTE:

On overhead mounted signs, with
lighting and catwalks, bottom
border shall be omitted.



Whole numbers are 13.3" U.C.
Fraction numbers are 10" L.C.

ALL DIMENSIONS ARE IN INCHES

G23 SUFFIX	SIZE	BORDER WIDTH	MARGIN WIDTH	LETTER SIZE, SERIES & STROKE WIDTH					COR. RAD.
				LINE 1	LINE 2	LINE 3	LINE 4	LINE 5	
-1	Varx90	2	-	13.3&10	13.3&10	13.3&10			12

G23 SUFFIX	SIZE	DIMENSIONS											
		A	B	C	D	E	F	G	H	I	J	K	L
-1	Varx90	14	15	16	13.3	20							

Green BACKGROUND WITH White BORDER & SYMBOL Reflective message &
border

APPROVED:

Accident
TRAFFIC ENGINEER

11/15/71
DATE

REVISION



NOTE:

On overhead mounted signs, with lighting and catwalks, bottom border shall be omitted.

ALL DIMENSIONS ARE IN INCHES

G23 SUFFIX	SIZE	BORDER WIDTH	MARGIN WIDTH	LETTER SIZE, SERIES & STROKE WIDTH					COR. RAD.
				LINE 1	LINE 2	LINE 3	LINE 4	LINE 5	
-2	Varxl100	2	-	13.3&10	13.3&10	13.3&10			12

G23	SIZE	DIMENSIONS											
SUFFIX		A	B	C	D	E	F	G	H	I	J	K	L
-2	Varx100	14	15	20	21	13.3	20	10					

Green BACKGROUND WITH White BORDER & SYMBOL Reflective message & border


Use 10" numerals for shields.

APPROVED

acc
TRAFFIC ENGINEER

11/15/71
DATE

REVISION



NOTE:

On overhead mounted signs, with lighting and catwalks, bottom border shall be omitted.

ALL DIMENSIONS ARE IN INCHES

G23 SUFFIX	SIZE	BORDER WIDTH	MARGIN WIDTH	LETTER SIZE, SERIES & STROKE WIDTH					COR. RAD.
				LINE 1	LINE 2	LINE 3	LINE 4	LINE 5	
-3	Varxl00	2	-	13.3&10	13.3&10	13.3&10			12

G23 SUFFIX	SIZE	DIMENSIONS											
		A	B	C	D	E	F	G	H	I	J	K	L
-3	Varxl00	14	20	20	16	13.3	20	10					

Green BACKGROUND WITH White BORDER & SYMBOL Reflective message & border

Use 10" numerals for shields.

APPROVED:

[Signature]
TRAFFIC ENGINEER

11/15/71
DATE

REVISION



NOTE:

On overhead mounted signs, with lighting and catwalks, bottom border shall be omitted.

ALL DIMENSIONS ARE IN INCHES

G23 SUFFIX	SIZE	BORDER WIDTH	MARGIN WIDTH	LETTER SIZE, SERIES & STROKE WIDTH					COR. RAD.
				LINE 1	LINE 2	LINE 3	LINE 4	LINE 5	
-4	Varx100	2	-	13.3&10	13.3&10	13.3&10			12

G23 SUFFIX	SIZE	DIMENSIONS											
		A	B	C	D	E	F	G	H	I	J	K	L
-4	Varx100	19	20	15	16	13.3	20	10					

Green BACKGROUND WITH White BORDER & SYMBOL Reflective message & border


Use 10" numerals for shields.

APPROVED:

TRAFFIC ENGINEER

DATE

REVISION



NOTE:

On overhead mounted signs, with lighting and catwalks, bottom border shall be omitted.

ALL DIMENSIONS ARE IN INCHES

G23 SUFFIX	SIZE	BORDER WIDTH	MARGIN WIDTH	LETTER SIZE, SERIES & STROKE WIDTH					COR. RAD.
				LINE 1	LINE 2	LINE 3	LINE 4	LINE 5	
-5	Varxl20	2	-	13.3&10	13.3&10	13.3&10	13.3&10		12

G23 SUFFIX	SIZE	DIMENSIONS											
		A	B	C	D	E	F	G	H	I	J	K	L
-5	Varx120	14	13	20½	16½	16	13.3	20	25-1/2	10			

Green BACKGROUND WITH White BORDER & SYMBOL Reflective message & border

Use 10" numerals for shields.

APPROVED:

CC
TRAFFIC ENGINEER

11/15/71
DATE

REVISION



E (min.)
F (max.)

NOTE:

On overhead mounted signs, with lighting and catwalks, bottom border shall be omitted.

ALL DIMENSIONS ARE IN INCHES

G23 SUFFIX	SIZE	BORDER WIDTH	MARGIN WIDTH	LETTER SIZE, SERIES & STROKE WIDTH					COR. RAD.
				LINE 1	LINE 2	LINE 3	LINE 4	LINE 5	
-6	Varx90	2	-	13.3&10	13.3&10	13.3&10			12

G23 SUFFIX	SIZE	DIMENSIONS											
		A	B	C	D	E	F	G	H	I	J	K	L
-6	Varx90	14	13	17	16	13.3	20	25½					

Green BACKGROUND WITH White BORDER & SYMBOL

Reflective message and border.

APPROVED:

acety
TRAFFIC ENGINEER

11/15/71
DATE

REVISION



NOTE:

On overhead mounted signs, with lighting and catwalks, bottom border shall be omitted.

ALL DIMENSIONS ARE IN INCHES

G24 SUFFIX	SIZE	BORDER WIDTH	MARGIN WIDTH	LETTER SIZE, SERIES & STROKE WIDTH					COR RAD.
				LINE 1	LINE 2	LINE 3	LINE 4	LINE 5	
-1	Var x 80	2	-	15 NUM	16 & 12				12
-2	Var x 110	2	-	18 NUM	20 & 15				12

G24 SUFFIX	SIZE	DIMENSIONS											
		A	B	C	D	E	F	G	H	I	J	K	L
-1	Var x 80	13	12	7									
-2	Var x 110	17	16	14									

Green BACKGROUND WITH White BORDER & SYMBOL

Reflective message & border

APPROVED

acc. sign
TRAFFIC ENGINEER

11/15/71
DATE

REVISION



NOTE:

On overhead mounted signs, with lighting and catwalks, bottom border shall be omitted.

ALL DIMENSIONS ARE IN INCHES

G24 SUFFIX	SIZE	BORDER WIDTH	MARGIN WIDTH	LETTER SIZE, SERIES & STROKE WIDTH					COR RAD.
				LINE 1	LINE 2	LINE 3	LINE 4	LINE 5	
-3	Var x 110	2	-	12 CAP	15 NUM	16 & 12	16 & 12		12

G24 SUFFIX	SIZE	DIMENSIONS											
		A	B	C	D	E	F	G	H	I	J	K	L
-3	Var x 110	12	16	13	9	12							


Green BACKGROUND WITH White BORDER & SYMBOL Reflective message & border

APPROVED:

[Signature]
TRAFFIC ENGINEER

11/15/71
DATE

REVISION



NOTE:

On overhead mounted signs, with lighting and catwalks, bottom border shall be omitted.


ALL DIMENSIONS ARE IN INCHES

G24 SUFFIX	SIZE	BORDER WIDTH	MARGIN WIDTH	LETTER SIZE, SERIES & STROKE WIDTH					COR RAD.
				LINE 1	LINE 2	LINE 3	LINE 4	LINE 5	
-4	Var x 120	2	-	12 CAP	15 NUM	16 & 12	16 & 12		12

G24 SUFFIX	SIZE	DIMENSIONS											
		A	B	C	D	E	F	G	H	I	J	K	L
-4	Var x 120	10	14	11	6	7							

Green BACKGROUND WITH White BORDER & SYMBOL Reflective message & border

APPROVED: *Acosta* 11/15/71
TRAFFIC ENGINEER DATE REVISION



NOTE:

On overhead mounted signs, with lighting and catwalks, bottom border shall be omitted.

ALL DIMENSIONS ARE IN INCHES

<u>G24</u> SUFFIX	SIZE	BORDER WIDTH	MARGIN WIDTH	LETTER SIZE, SERIES & STROKE WIDTH					COR. RAD.
				LINE 1	LINE 2	LINE 3	LINE 4	LINE 5	
-5	Var x 110	2	-	12 CAP	15 NUM	16&12			12

<u>G24</u>	SIZE	DIMENSIONS											
SUFFIX		A	B	C	D	E	F	G	H	I	J	K	L
-5	Var x 110	10	10	13	7	12							

Green BACKGROUND WITH White BORDER & SYMBOL Reflective message & border

APPROVED

[Signature]
TRAFFIC ENGINEER

11/15/71
DATE

REVISION



NOTE:

On overhead mounted signs, with lighting and catwalks, bottom border shall be omitted.

ALL DIMENSIONS ARE IN INCHES

G24 SUFFIX	SIZE	BORDER WIDTH	MARGIN WIDTH	LETTER SIZE, SERIES & STROKE WIDTH					COR. RAD.
				LINE 1	LINE 2	LINE 3	LINE 4	LINE 5	
-6	Var x 110	2	-	12 CAP	16 & 12	16 & 12	15 NUM		12

G24 SUFFIX	SIZE	DIMENSIONS											
		A	B	C	D	E	F	G	H	I	J	K	L
-6	Var x 110	10	7	10	21	16	17						



Green BACKGROUND WITH White BORDER & SYMBOL Reflective message & border

APPROVED

acc
TRAFFIC ENGINEER

11/15/71
DATE

REVISION

MUTCD NUMBER **M1-4****U.S. SHIELDS ON GUIDE SIGNS****G26-1**
CODE (English)

COLORS :
BACKGROUND - WHITE (REFLECTIVE)
BORDER & LEGEND - BLACK
(NON-REFLECTIVE)

DIMENSIONS (INCHES)

4" Numerals		8" Numerals		10" Numerals		12" Numerals		15" Numerals		18" Numerals	
2 Digits	3 Digits	2 Digits	3 Digits	2 Digits	3 Digits	2 Digits	3 Digits	2 Digits	3 Digits	2 Digits	3 Digits
A	11-5/8	15	21	27	36	35	45	42	54	49	63
B	10	10	18	24	24	30	30	36	36	42	42
C	1-7/8	2-3/4	3-7/16	4-15/16	6-9/16	5-11/16	8-3/16	6-13/16	9-13/16	7-15/16	11-7/16
D	2-3/4	5-7/8	4-15/16	10-5/8	14-3/16	8-3/16	17-11/16	9-13/16	21-1/4	11-7/16	24-3/4
E	3-5/16	5-9/16	6	11-3/4	15-11/16	10	19-5/8	12	23-9/16	14	27-1/2
F	7-3/16	8-7/8	12-5/8	15-5/8	20-7/8	21-1/16	26-1/16	25-1/4	31-1/4	29-1/2	36-1/2
G	3-3/4	3-3/4	6-3/4	6-3/4	9	11-1/4	11-1/4	13-1/2	13-1/2	15-3/4	15-3/4
H	2-1/16	2-1/16	3-11/16	3-11/16	4-7/8	6-1/8	6-1/8	7-3/8	7-3/8	8-9/16	8-9/16
J	3-1/8	4-13/16	5-9/16	8-9/16	11-7/16	9-5/16	14-5/16	11-3/16	17-3/16	13-1/16	20-1/16
K	3-1/2	3-1/2	6-5/16	6-5/16	8-7/16	10-9/16	10-9/16	12-11/16	12-11/16	14-13/16	14-13/16
L	2-3/4	2-3/4	4-15/16	4-15/16	6-9/16	8-3/16	8-3/16	9-13/16	9-13/16	11-7/16	11-7/16
M	2-5/16	2-5/16	4-1/8	4-1/8	5-1/2	6-7/8	6-7/8	8-1/4	8-1/4	9-5/8	9-5/8
N	2-7/8	2-7/8	5-3/16	5-3/16	6-7/8	8-5/8	8-5/8	10-3/8	10-3/8	15-5/16	15-5/16
P	3-11/16	3-11/16	6-5/8	6-5/8	8-13/16	11	11	13-3/16	13-3/16	15-3/8	15-3/8
R	3	3	5	5	7	9	9	10-1/2	10-1/2	12	12
S	4D	4D	8D	8D	10D	12D	12D	15D	15D	18D	18D
T	5/16	5/16	1/2	1/2	9/16	3/4	3/4	7/8	7/8	1	1
U	3/8	3/8	9/16	9/16	3/4	7/8	7/8	1	1	1-1/4	1-1/4

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -



Gerry Kreis
 CHIEF, OFFICE OF SIGNS AND DELINEATION

6/3/02

DATE

REVISION

REVISION

MUTCD NUMBER **M1-4****U.S. SHIELDS ON GUIDE SIGNS**G26-1
CODE (Metric)

COLORS :
BACKGROUND - WHITE (REFLECTIVE)
BORDER & LEGEND - BLACK
(NON-REFLECTIVE)

DIMENSIONS (MILLIMETERS)

100mm Numerals		200mm Numerals		250mm Numerals		300mm Numerals		375mm Numerals		450mm Numerals	
2 Digits	3 Digits	2 Digits	3 Digits	2 Digits	3 Digits	2 Digits	3 Digits	2 Digits	3 Digits	2 Digits	3 Digits
A	295	381	686	711	914	889	1143	1067	1372	1245	1600
B	254	254	457	610	610	762	762	914	914	1067	1067
C	48	70	125	116	167	144	208	173	249	202	291
D	70	149	270	167	360	208	449	249	540	291	629
E	84	141	298	203	398	254	498	305	598	356	699
F	183	225	397	429	530	535	662	641	794	749	927
G	95	95	171	229	229	286	286	343	343	400	400
H	52	52	94	124	124	156	156	187	187	217	217
J	79	122	217	189	291	237	364	284	437	332	510
K	89	89	160	214	214	268	268	322	322	376	376
L	70	70	125	167	167	208	208	249	249	291	291
M	59	59	105	140	140	175	175	210	210	244	244
N	73	73	132	175	175	219	219	264	264	306	306
P	94	94	168	224	224	279	279	335	335	391	391
R	76	76	127	178	178	229	229	267	267	305	305
S	100D	100D	200D	250D	250D	300D	300D	375D	375D	450D	450D
T	8	8	13	14	14	19	19	22	22	25	25
U	10	10	14	19	19	22	22	25	25	32	32

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -



Gerry Kreis
 CHIEF, OFFICE OF SIGNS AND DELINEATION

6/3/02

DATE

REVISION

REVISION

U.S. SHIELDS FOR INDEPENDENT USE

	DIMENSIONS (INCHES)				DIMENSIONS (MILLIMETERS)			
	10" Numerals		12" Numerals		250mm Numerals		300mm Numerals	
	2 Digits	3 Digits	2 Digits	3 Digits	2 Digits	3 Digits	2 Digits	3 Digits
A	24	28	30	35	610	711	762	889
B	24	24	30	30	610	610	762	762
C	3-9/16	4-1/2	4-7/16	5-5/8	90	114	113	143
D	3-3/4	6-5/8	4-11/16	8-1/4	95	168	119	210
E	5-3/16	8	6-7/16	10	132	203	164	254
F	14-15/16	16-15/16	18-5/8	21-1/8	379	430	473	537
G	9	9	11-1/4	11-1/4	229	229	286	286
H	4-15/16	4-15/16	6-1/8	6-1/8	125	125	156	156
J	5-7/16	7-7/16	6-13/16	9-5/16	138	189	173	237
K	8-1/2	8-1/2	10-5/8	10-5/8	216	216	270	270
L	6-9/16	6-9/16	8-3/16	8-3/16	167	167	208	208
M	5-1/2	5-1/2	6-7/8	6-7/8	140	140	175	175
N	6-13/16	6-13/16	8-1/2	8-1/2	173	173	216	216
P	8-3/4	8-3/4	10-15/16	10-15/16	222	222	278	278
R	4-1/8	4-1/8	5-3/16	5-3/16	107	107	134	134
S	3E	3E	3-3/4E	3-3/4E	75E	75E	94E	94E
T	1-3/4	1-3/4	2-3/16	2-3/16	46	46	57	57
U	10D	10D	12D	12D	250D	250D	300D	300D
V	5-1/8	5-1/8	6-7/8	6-7/8	132	132	177	177
W	9/16	9/16	3/4	3/4	14	14	19	19
X	3/4	3/4	7/8	7/8	19	19	22	22

COLORS :
BACKGROUND - WHITE (REFLECTIVE)
BORDER & LEGEND - BLACK (NON-REFLECTIVE)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

Gerry Kreis
 CHIEF, OFFICE OF SIGNS AND DELINEATION

6/3/02
 DATE


REVISION

REVISION

INTERSTATE SHIELDS ON GUIDE SIGNS

CODE

G27-1



To be used for some AGA numerals:

- 3 digit 10" num. - reduce num. ht. to 8".
- 3 digit 12" num. - use the 38"x45" shield.
- 3 digit 15" num. - reduce num. ht. to 12".

** 1-5/16" for cut-out borders.

* 1" for cut-out borders.

4" Numerals		6" Num's		8" Num's		10" Numerals		12" Num's		15" Numerals		18" Numerals	
2 Digits	3 Digits	3 Digits	3 Digits	2 Digits	3 Digits	2 Digits	3 Digits	3 Digits	3 Digits	2 Digits	3 Digits	2 Digits	3 Digits
a 12	14	18	18	18	24	24	25	36	36	36	38	48	51
b 14	16	21	21	21	24	24	30	36	36	36	45	48	58
c 8-1/8	7-1/8	13-1/8	13-1/8	13-1/8	15	15	17-1/2	22-1/2	22-1/2	22-1/2	26-1/4	30	34
d 8-1/4	9	12-9/16	12-9/16	12-9/16	14-7/8	14-7/8	16-3/4	22-5/16	22-5/16	22-5/16	25-1/4	29-3/4	33
e 6	6-7/16	9-3/16	9-3/16	9-3/16	8-5/8	8-5/8	12-3/4	12-15/16	12-15/16	12-15/16	19	17-1/4	23-3/8
f 1-3/8	1-3/8	1-7/8	1-7/8	1-7/8	2-5/16	2-5/16	2-5/8	3-7/16	3-7/16	3-7/16	3-13/16	4-3/4	5-1/4
g 1D	1D	1-7/8C	1-7/8C	1-7/8C	2D	2D	2D	3C	3C	3C	3D	5C	5D
h 3/8	3/8	5/8	5/8	5/8	7/8	7/8	13/16	1-5/16	1-5/16	1-5/16	1-5/16	2	1-3/4
j 1/2 *	1/2 *	9/16 **	9/16 **	9/16 **	3/4 **	3/4 **	3/4 **	1-1/8 **	1-1/8 **	1-1/8 **	1-1/8 **	1-1/2 **	1-1/2 **
k 1-1/4	1-1/2	2-3/4	2-3/4	1	2-9/16	2-9/16	2-9/16	3-1/8	3-1/8	3-1/8	3-1/8	4	4
l 4D	4D	6D	6D	8D	10D	10D	10D	12D	12D	15D	15D	18D	18D
m 3-1/2	4-3/4	4-5/16	4-5/16	4-1/16	5-1/2	5-1/2	6-1/4	12	12	9	10-5/8	12-3/4	15-1/2
n 1-1/4	1	2-1/16	2-1/16	2-1/16	2-7/8	2-7/8	1-3/4	4-5/16	4-5/16	4-5/16	2-3/4	5-3/4	4
p 8-3/16	8-15/16	12-7/16	12-7/16	12-7/16	14-5/8	14-5/8	16-11/16	21-15/16	21-15/16	21-15/16	25-1/8	29-1/4	32-3/4


APPROVED

ACB
TRAFFIC ENGINEER

11/15/71
DATE

8/27/93
REVISION

INTERSTATE SHIELDS FOR INDEPENDENT USE



Reflective Background &
Message.
3/8" Dia. Holes.

	6" Numerals	8" Numerals		12" Numerals	
	1 to 3 Digits	2 Digits	3 Digits	2 Digits	3 Digits
a	18	24	25	36	36
b	21	24	30	36	42
c	13 - 1/8"	15	17 - 1/2	22 - 1/2	26 - 1/4
d	12 - 9/16	14 - 7/8	16 - 3/4	22 - 5/16	25 - 1/4
e	9 - 3/16	8 - 5/8	12 - 3/4	12 - 15/16	18 - 3/8
f	1 - 7/8	2 - 3/8	2 - 5/8	3 - 9/16	3 - 13/16
g	1 - 7/8 C	2 - 1/2 C	2 - 1/2 C	3 - 3/4 C	3 - 3/4 C
h	5/8"	1	7/8	1 - 1/2	1 - 1/4
j	9/16	3/4	3/4	1 - 1/8	1 - 1/8
k	1 - 1/8 D	1 - 1/2 D	1 - 1/2 D	2 - 1/4 D	2 - 1/4 D
l	1 - 1/32	1 - 3/8	2 - 1/4	2 - 1/16	2 - 1/16
m	6D	8D	8D	12D	12D
n	4 - 5/16	5 - 3/4	5 - 3/4	8 - 5/8	8 - 5/8
p	2 - 1/16	2 - 7/8	1 - 3/4	4 - 5/16	4 - 1/4
q	12 - 7/16	14 - 5/8	16 - 11/16	21 - 15/16	24 - 7/8
r	1 - 1/2	3	3 - 1/2"	3	3
s	15	18	18	15	15
t	—	—	—	16	16

APPROVED


Acc. Sigs
TRAFFIC ENGINEER

11/15/71
DATE

REVISION

STATE SHIELDS ON GUIDE SIGNS

CODE **G28-1**



Green background with white border and numerals.

* 1" for cut-out borders.

** 1-5/16" for cut-out borders.

	4" Numerals		8" Numerals		10" Numerals		12" Numerals		15" Numerals		18" Numerals	
	2 Digits	3 Digits	2 Digits	3 Digits	2 Digits	3 Digits	2 Digits	3 Digits	2 Digits	3 Digits	2 Digits	3 Digits
a	9	11	18	18	25	25	32	32	36	36	42	42
b	10-1/2	15	21	24	28	32	35	40	36	45	42	54
c	3-1/4	4-3/4	6-1/2	6-1/2	10	10	13	13	13-1/2	13-1/2	15-1/2	15-1/2
d	40	40	80	80	100	100	120	120	150	150	180	180
e	1-3/4	2-1/4	3-1/2	3-1/2	5	5	7	7	7-1/2	7-1/2	8-1/2	8-1/2
f	14-3/4	18	29-1/2	32-7/16	41	41	53-7/16	53-7/16	65	65	75-7/16	75-7/16
g	6-7/16	8-1/2	13-1/16	13-1/16	17-7/16	17-7/16	21-1/16	21-1/16	23	25	26-13/16	30
h	2-3/16	2-1/4	4-3/8	4-3/8	5-13/16	5-13/16	5-11/16	5-11/16	6	6	6-15/16	7-1/8
i	1-3/16	1	2-9/16	1-1/16	3-7/16	1-7/16	3-9/16	1-1/16	5	2-1/2	5-13/16	3
j	3-1/16	5-1/4	6-1/8	7-5/8	8-3/16	10-3/8	11-13/16	14-5/16	12	16-1/2	14-1/16	19-7/8
k	2-9/16	3-1/8	5-1/8	5-7/16	6-13/16	7-3/8	7-1/8	7-7/8	7-1/4	8-3/8	8-3/8	10
l	2-11/16	2-1/2	5-3/16	5	7-7/8	7-5/8	11-1/4	10-15/16	13-9/16	11-1/8	15-7/8	12-1/8
m	1/2 *	1/2 *	3/4 **	3/4 **	1 **	1 **	1-1/2 **	1-1/2 **	1-3/4 **	1-3/4 **	2 **	2 **
n												

APPROVED

acc
TRAFFIC ENGINEER

11/15/71
DATE

REVISION

STATE SHIELDS FOR INDEPENDENT USE



Green background with white border,
letters & numerals.

Reflective message & background.

3/8" Dia. Holes.


	10" Numerals		12" Numerals	
	2 Digits	3 Digits	2 Digits	3 Digits
a	25	25	31-1/4	31-1/4
b	24	28	30	35
c	11	11	14	14
d	10 D	10 D	12 D	12 D
e	4	4	5-1/4	5-1/4
f	45	55	56-1/4	68-3/4
g	17-1/8	16-1/8	21-7/16	20-1/8
h	3-7/8	3-7/8	4-7/8	4-7/8
j	5-1/8	2-3/16	6-7/16	2-5/8
k	8-1/8	10-1/8	10-1/8	12-5/8
l	4-5/8	4-7/8	5-7/8	6-1/8
m	8-5/8	8-15/16	10-7/8	11-5/16
n	2 E	2 E	2-1/2 E	2-1/2 E
p	3-1/4	6-3/4	4-1/16	8-7/16
q	20	23-1/2	25	29-3/8
r	5-1/4	5-1/4	4-1/4	4-1/4
s	18	18	24	24
t	1-3/4	1-3/4	3	3
u	3/4	3/4	1	1

APPROVED:

acoster
TRAFFIC ENGINEER

11/15/71
DATE

REVISION



ALL DIMENSIONS ARE IN INCHES

G30 SUFFIX	SIZE	BORDER WIDTH	MARGIN WIDTH	LETTER SIZE, SERIES & STROKE WIDTH					COR. RAD.
				LINE 1	LINE 2	LINE 3	LINE 4	LINE 5	
-1	48x26	5/8	-	4F-.80	4F-.80				1½

G30 SUFFIX	SIZE	DIMENSIONS											
		A	B	C	D	E	F	G	H	I	J	K	L
-1	48x26	2½	21	4	10	5½	11-¾	23	2½	18	16		

Reflective Background

3/8" Dia. Holes

APPROVED

TRAFFIC ENGINEER

DATE

REVISION



ALL DIMENSIONS ARE IN INCHES

G30A SUFFIX	SIZE	BORDER WIDTH	MARGIN WIDTH	LETTER SIZE, SERIES & STROKE WIDTH					COR. RAD.
				LINE 1	LINE 2	LINE 3	LINE 4	LINE 5	
-1	12 x 18	3/8	-						1½
-2	18 x 27	5/8	-						1½

G30A SUFFIX	SIZE	DIMENSIONS											
		A	B	C	D	E	F	G	H	I	J	K	L
-1	12 x 18	15	1½										
-2	18 x 27	21	3										

3/8" Dia Holes.


Reflective Background

APPROVED:

accato
TRAFFIC ENGINEER

11/15/71
DATE

REVISION



ALL DIMENSIONS ARE IN INCHES

G30B SUFFIX	SIZE	BORDER WIDTH	MARGIN WIDTH	LETTER SIZE, SERIES & STROKE WIDTH					COR. RAD.
				LINE 1	LINE 2	LINE 3	LINE 4	LINE 5	
-1	18x18	1/4	-						-
-2	24x24	3/8	-						-

G30B SUFFIX	SIZE	DIMENSIONS											
		A	B	C	D	E	F	G	H	I	J	K	L
-1	18x18	7	5R	2	3-7/8	5	15	2R	10-5/8				
-2	24x24	9-5/16	5-5/16	4	5-1/8	6-5/8	18	2-11/16	14-3/16				

Reflective Background


3/8" Diameter Holes o

APPROVED:

TRAFFIC ENGINEER

 8/24/71
DATE

REVISION

MUTCD NUMBER NONECODE G32**NOTE:**

FOR ARROWHEAD DIMENSIONS, SEE APPENDIX PAGE 2 OF 11, STANDARD ARROWHEAD.

MARGIN WIDTH:

- * THIS DIMENSION APPLIES ONLY TO SIGNS MADE ON WHITE REFLECTIVE BACKGROUND WITH BLACK ARROW AND BORDER.
 ** THIS DIMENSION APPLIES ONLY TO SIGNS MADE ON GREEN OR BLUE REFLECTIVE BACKGROUND WITH A WHITE REFLECTIVE ARROW AND BORDER.

SIGN	DIMENSIONS (INCHES)									
	A	B	C*	D*	E	F	G	H	J	K**
MINIMUM	18	5	1/4	3/8	5 5/8	1 1/2	13/16	3 3/8	1 1/4	1/2
CONVENTIONAL	24	6	3/8	1/2	1 1/2	7 1/2	1	4	1 1/2	1/2
FREEWAY	30	8	1/2	5/8	9 1/2	1 7/8	1 1/4	5 1/2	2	3/4

COLORS

ARROW & BORDER - BLACK

BACKGROUND - WHITE (REFL)

ARROW & BORDER - WHITE (REFL)

BACKGROUND - GREEN, BLUE OR BROWN (REFL)


- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON THE REVERSE SIDE -

MR. Leland
 CHIEF, DIVISION OF TRAFFIC ENGINEERING

3/22/91
 DATE

REVISION

REVISION

MUTCD NUMBER NONECODE G33**NOTE:**

FOR ARROWHEAD DIMENSIONS, SEE APPENDIX PAGE 2 OF 11, STANDARD ARROWHEAD.

MARGIN WIDTH:

- * THIS DIMENSION APPLIES ONLY TO SIGNS MADE ON WHITE REFLECTIVE BACKGROUND WITH BLACK ARROW AND BORDER.
- ** THIS DIMENSION APPLIES ONLY TO SIGNS MADE ON GREEN OR BLUE REFLECTIVE BACKGROUND WITH A WHITE REFLECTIVE ARROW AND BORDER.

SIGN	DIMENSIONS (INCHES)									
	A	B*	C*	D	E	F	G	H	J	K**
MINIMUM	12	3/8	1/2	1 1/2	1 1/2	2 1/4	9	7 1/2	2	1/2

COLORS

ARROW & BORDER - BLACK

BACKGROUND - WHITE (REFL)

ARROW & BORDER - WHITE (REFL)

BACKGROUND - GREEN, BLUE OR BROWN (REFL)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON THE REVERSE SIDE -


113

M. Lamb
 Dep. CHIEF, DIVISION OF TRAFFIC ENGINEERING

13/22/91
 DATE

REVISION

REVISION

MUTCD NUMBER NONECODE G33-1**NOTE:**

FOR ARROWHEAD DIMENSIONS, SEE APPENDIX PAGE 2 OF 11, STANDARD ARROWHEAD.

MARGIN WIDTH:

- * THIS DIMENSION APPLIES ONLY TO SIGNS MADE ON WHITE REFLECTIVE BACKGROUND WITH BLACK ARROW AND BORDER.
- ** THIS DIMENSION APPLIES ONLY TO SIGNS MADE ON GREEN OR BLUE REFLECTIVE BACKGROUND WITH A WHITE REFLECTIVE ARROW AND BORDER.

SIGN	DIMENSIONS (INCHES)									
	A	B	C*	D*	E	F	G	H	J	K**
MINIMUM	18	5	1/4	3/8	1 1/4	5 5/8	1 1/2	13/16	3 3/8	1/2
CONVENTIONAL	24	6	3/8	1/2	1 1/2	7 1/2	1 1/2	1	4	1/2
FREEWAY	30	8	1/2	5/8	2	9 1/2	1 7/8	1 1/4	5 1/2	3/4

COLORS

ARROW & BORDER - BLACK

BACKGROUND - WHITE (REFL)

ARROW & BORDER - WHITE (REFL)

BACKGROUND - GREEN, BLUE OR BROWN (REFL)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON THE REVERSE SIDE -

113


Mr. L...
 Dep. CHIEF, DIVISION OF TRAFFIC ENGINEERING

DATE

13/22/91

REVISION

REVISION

MUTCD NUMBER NONECODE G34**NOTE:**

FOR ARROWHEAD DIMENSIONS, SEE APPENDIX PAGE 2 OF 11, STANDARD ARROWHEAD.

MARGIN WIDTH:

- * THIS DIMENSION APPLIES ONLY TO SIGNS MADE ON WHITE REFLECTIVE BACKGROUND WITH BLACK ARROW AND BORDER.
- ** THIS DIMENSION APPLIES ONLY TO SIGNS MADE ON GREEN OR BLUE REFLECTIVE BACKGROUND WITH WHITE OR YELLOW REFLECTIVE ARROW AND BORDER.

SIGN	DIMENSIONS (INCHES)									
	A	B	C*	D*	E	F	G	H	J	K**
MINIMUM	16	11	1/4	3/8	2	2 1/2	5 1/2	1 1/2	1	1/2
STANDARD	21	15	3/8	1/2	2 5/8	3 1/4	7 1/4	1 1/2	1 1/2	1/2
SPECIAL	26	18	1/2	5/8	3 1/4	4	9	1 1/2	2	3/4

COLORS

ARROW & BORDER - BLACK

BACKGROUND - WHITE (REFL)

ARROW & BORDER - WHITE (REFL)

BACKGROUND - GREEN OR BLUE (REFL)

ARROW & BORDER - YELLOW (REFL)

BACKGROUND - BLUE (REFL)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON THE REVERSE SIDE -


117

Dep *MR Lanchbury*
 CHIEF, DIVISION OF TRAFFIC ENGINEERING

6/22/91
 DATE

REVISION

REVISION

MUTCD NUMBER NONECODE G35**NOTE:**

FOR ARROWHEAD DIMENSIONS, SEE APPENDIX PAGE 2 OF 11, STANDARD ARROWHEAD.

MARGIN WIDTH:

- * THIS DIMENSION APPLIES ONLY TO SIGNS MADE ON WHITE REFLECTIVE BACKGROUND WITH BLACK ARROW AND BORDER.
- ** THIS DIMENSION APPLIES ONLY TO SIGNS MADE ON GREEN OR BLUE REFLECTIVE BACKGROUND WITH WHITE OR YELLOW REFLECTIVE ARROW AND BORDER.

SIGN	DIMENSIONS (INCHES)								
	A	B	C*	D*	E	F	G	H	J**
MINIMUM	16	11	1/4	3/8	5 3/4	1 1/2	1	2	1/2
STANDARD	21	15	3/8	1/2	7 1/2	1 1/2	1 1/2	2 5/8	1/2
SPECIAL	26	18	1/2	5/8	9	1 1/2	2	3 1/4	3/4

COLORS

ARROW & BORDER - BLACK

BACKGROUND - WHITE (REFL)

ARROW & BORDER - WHITE (REFL)

BACKGROUND - GREEN OR BLUE (REFL)

ARROW & BORDER - YELLOW (REFL)

BACKGROUND - BLUE (REFL)


- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON THE REVERSE SIDE -

MP Landolt
 Chief, Division of Traffic Engineering

6/22/91
 DATE

REVISION

REVISION

MUTCD NUMBER NONECODE G36**NOTE:**

FOR ARROWHEAD DIMENSIONS, SEE APPENDIX PAGE 2 OF 11, STANDARD ARROWHEAD.

MARGIN WIDTH:

- * THIS DIMENSION APPLIES ONLY TO SIGNS MADE ON WHITE REFLECTIVE BACKGROUND WITH BLACK ARROW AND BORDER.
- ** THIS DIMENSION APPLIES ONLY TO SIGNS MADE ON GREEN OR BLUE REFLECTIVE BACKGROUND WITH WHITE OR YELLOW REFLECTIVE ARROW AND BORDER.

SIGN	DIMENSIONS (INCHES)									
	A	B	C*	D*	E	F	G	H	J	K**
MINIMUM	16	11	1/4	3/8	1	1 1/2	2	7	2	1/2
STANDARD	21	15	3/8	1/2	1 1/2	1 1/2	2 1/2	10	2 5/8	1/2
SPECIAL	26	18	1/2	5/8	2	1 1/2	3	12	3 1/4	3/4

COLORS

ARROW & BORDER - BLACK
 BACKGROUND - WHITE (REFL)
 ARROW & BORDER - WHITE (REFL)
 BACKGROUND - GREEN OR BLUE (REFL)
 ARROW & BORDER - YELLOW (REFL)
 BACKGROUND - BLUE (REFL)


- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON THE REVERSE SIDE -

MR. Louchard
 CHIEF, DIVISION OF TRAFFIC ENGINEERING

DATE

REVISION

REVISION

MUTCD NUMBER NONECODE G37**NOTE:**

FOR ARROWHEAD DIMENSIONS, SEE APPENDIX PAGE 2 OF 11, STANDARD ARROWHEAD.

MARGIN WIDTH:

* THIS DIMENSION APPLIES ONLY TO SIGNS MADE ON WHITE REFLECTIVE BACKGROUND WITH BLACK ARROW AND BORDER.

** THIS DIMENSION APPLIES ONLY TO SIGNS MADE ON GREEN OR BLUE REFLECTIVE BACKGROUND WITH WHITE OR YELLOW REFLECTIVE ARROW AND BORDER.

SIGN	DIMENSIONS (INCHES)														
	A	B	C*	D*	E	F	G	H	J	K	L	M	N	P	Q**
MINIMUM	16	11	1/4	3/8	2 1/8	5 7/8	1 5/8	1 1/2	1	1 1/4	3 1/2	4 1/4	1 1/4	7/16	1/2
STANDARD	21	15	3/8	1/2	3 1/16	7 7/16	2 1/4	1 1/2	1 1/2	1 3/4	4 1/2	5 3/4	1 9/16	9/16	1/2

COLORS

ARROW & BORDER - BLACK

BACKGROUND - WHITE (REFL)

ARROW & BORDER - WHITE (REFL)

BACKGROUND - GREEN OR BLUE (REFL)

ARROW & BORDER - YELLOW (REFL)

BACKGROUND - BLUE (REFL)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON THE REVERSE SIDE -



 CHIEF, DIVISION OF TRAFFIC ENGINEERING

DATE

3/22/91

REVISION

REVISION

MUTCD NUMBER NONECODE G38**NOTE:**

FOR ARROWHEAD DIMENSIONS, SEE APPENDIX PAGE 2 OF 11, STANDARD ARROWHEAD.

MARGIN WIDTH:

* THIS DIMENSION APPLIES ONLY TO SIGNS MADE ON WHITE REFLECTIVE BACKGROUND WITH BLACK ARROW AND BORDER.

** THIS DIMENSION APPLIES ONLY TO SIGNS MADE ON GREEN OR BLUE REFLECTIVE BACKGROUND WITH WHITE OR YELLOW REFLECTIVE ARROW AND BORDER.

SIGN	DIMENSIONS (INCHES)														
	A	B	C*	D*	E	F	G	H	J	K	L	M	N	P	Q**
MINIMUM	16	11	1/4	3/8	5 7/8	2 1/8	1 5/8	1 1/2	1	1 1/4	1 1/4	4 1/4	3 1/2	7/16	1/2
STANDARD	21	15	3/8	1/2	7 7/16	3 1/16	2 1/4	1 1/2	1 1/2	1 3/4	1 9/16	5 3/4	4 1/2	9/16	1/2

COLORS

ARROW & BORDER - BLACK

BACKGROUND - WHITE (REFL)


ARROW & BORDER - WHITE (REFL)

BACKGROUND - GREEN OR BLUE (REFL)

ARROW & BORDER - YELLOW (REFL)

BACKGROUND - BLUE (REFL)


- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON THE REVERSE SIDE -


 CHIEF, DIVISION OF TRAFFIC ENGINEERING

DATE

REVISION

REVISION

MUTCD NUMBER NONECODE G43**NOTE:**

FOR ARROWHEAD DIMENSIONS, SEE APPENDIX PAGE 2 OF 11, STANDARD ARROWHEAD.

MARGIN WIDTH:

- * THIS DIMENSION APPLIES ONLY TO SIGNS MADE ON WHITE REFLECTIVE BACKGROUND WITH BLACK ARROW AND BORDER.
- ** THIS DIMENSION APPLIES ONLY TO SIGNS MADE ON GREEN OR BLUE REFLECTIVE BACKGROUND WITH WHITE OR YELLOW REFLECTIVE ARROW AND BORDER.

SIGN	DIMENSIONS (INCHES)											
	A	B	C*	D*	E	F	G	H	J	K	L	M**
MINIMUM	16	11	1/4	3/8	4 1/4	1 1/2	1	3 1/4	2	3 3/4	6 3/4	1/2
STANDARD	21	15	3/8	1/2	5 5/8	1 1/2	1 1/2	4 5/16	2 5/8	5	8 7/8	1/2
SPECIAL	26	18	1/2	5/8	7	1 1/2	1 1/2	5 3/8	3 1/4	6	11	3/4

COLORS

ARROW & BORDER - BLACK

BACKGROUND - WHITE (REFL)

ARROW & BORDER - WHITE (REFL)

BACKGROUND - GREEN OR BLUE (REFL)

ARROW & BORDER - YELLOW (REFL)

BACKGROUND - BLUE (REFL)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON THE REVERSE SIDE -

127

M. Lawlor


CHIEF, DIVISION OF TRAFFIC ENGINEERING

3/22/91

DATE

REVISION

REVISION

MUTCD NUMBER NONECODE G44**NOTE:**

FOR ARROWHEAD DIMENSIONS, SEE APPENDIX PAGE 2 OF 11, STANDARD ARROWHEAD.

MARGIN WIDTH:


- * THIS DIMENSION APPLIES ONLY TO SIGNS MADE ON WHITE REFLECTIVE BACKGROUND WITH BLACK ARROW AND BORDER.
- ** THIS DIMENSION APPLIES ONLY TO SIGNS MADE ON GREEN OR BLUE REFLECTIVE BACKGROUND WITH WHITE OR YELLOW REFLECTIVE ARROW AND BORDER.

SIGN	DIMENSIONS (INCHES)											
	A	B	C*	D*	E	F	G	H	J	K	L	M**
MINIMUM	16	11	1/4	3/8	4 1/4	1 1/2	1	3 3/4	2	3 1/4	6 3/4	1/2
STANDARD	21	15	3/8	1/2	5 5/8	1 1/2	1 1/2	5	2 5/8	4 5/16	8 7/8	1/2
SPECIAL	26	18	1/2	5/8	7	1 1/2	1 1/2	6	3 1/4	5 3/8	11	3/4

COLORS

ARROW & BORDER - BLACK
 BACKGROUND - WHITE (REFL)
 ARROW & BORDER - WHITE (REFL)
 BACKGROUND - GREEN OR BLUE (REFL)
 ARROW & BORDER - YELLOW (REFL)
 BACKGROUND - BLUE (REFL)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON THE REVERSE SIDE -



 CHIEF, DIVISION OF TRAFFIC ENGINEERING

DATE

3/22/91

REVISION

REVISION

MUTCD NUMBER NONECODE G45**NOTE:**

FOR ARROWHEAD DIMENSIONS, SEE APPENDIX PAGE 2 OF 11, STANDARD ARROWHEAD.

MARGIN WIDTH:

* THIS DIMENSION APPLIES ONLY TO SIGNS MADE ON WHITE REFLECTIVE BACKGROUND WITH BLACK ARROW AND BORDER.

** THIS DIMENSION APPLIES ONLY TO SIGNS MADE ON GREEN OR BLUE REFLECTIVE BACKGROUND WITH WHITE OR YELLOW REFLECTIVE ARROW AND BORDER.

SIGN	DIMENSIONS (INCHES)															
	A	B	C*	D*	E	F	G	H	J	K	L	M	N	P	Q	R**
MINIMUM	16	11	1/4	3/8	5/8	4 11/16	1 1/2	1	6 5/16	5 5/16	2	2 11/16	1/4	7/16	6 5/16	1/2
STANDARD	21	15	3/8	1/2	1 3/16	6 1/2	1 1/2	1 1/2	8 13/16	7 11/16	2 5/8	3 7/8	3/8	9/16	9	1/2

COLORS

ARROW & BORDER - BLACK

BACKGROUND - WHITE (REFL)

ARROW & BORDER - WHITE (REFL)

BACKGROUND - GREEN OR BLUE (REFL)

ARROW & BORDER - YELLOW (REFL)

BACKGROUND - BLUE (REFL)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON THE REVERSE SIDE -


CHIEF, DIVISION OF TRAFFIC ENGINEERING

DATE

3/22/91

REVISION

REVISION

MUTCD NUMBER NONECODE G46**NOTE:**

FOR ARROWHEAD DIMENSIONS, SEE APPENDIX PAGE 2 OF 11, STANDARD ARROWHEAD.

MARGIN WIDTH:

* THIS DIMENSION APPLIES ONLY TO SIGNS MADE ON WHITE REFLECTIVE BACKGROUND WITH BLACK ARROW AND BORDER.

** THIS DIMENSION APPLIES ONLY TO SIGNS MADE ON GREEN OR BLUE REFLECTIVE BACKGROUND WITH WHITE OR YELLOW REFLECTIVE ARROW AND BORDER.

SIGN	DIMENSIONS (INCHES)															
	A	B	C*	D*	E	F	G	H	J	K	L	M	N	P	Q	R**
MINIMUM	16	11	1/4	3/8	5/8	4 11/16	1 1/2	1	2	5 5/16	6 5/16	2 11/16	6 5/16	1/4	7/16	1/2
STANDARD	21	15	3/8	1/2	1 3/16	6 1/2	1 1/2	1 1/2	2 5/8	7 11/16	9	3 7/8	8 13/16	3/8	9/16	1/2

COLORS

ARROW & BORDER - BLACK

BACKGROUND - WHITE (REFL)


ARROW & BORDER - WHITE (REFL)

BACKGROUND - GREEN OR BLUE (REFL)

ARROW & BORDER - YELLOW (REFL)

BACKGROUND - BLUE (REFL)


- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON THE REVERSE SIDE -


 CHIEF, DIVISION OF TRAFFIC ENGINEERING

DATE

REVISION

REVISION

***NOTE**

No margin for signs with
blue or green background

ALL DIMENSIONS ARE IN INCHES

<u>G47</u> SUFFIX	SIZE	BORDER WIDTH	MARGIN WIDTH	LETTER SIZE, SERIES & STROKE WIDTH					COR. RAD.
				LINE 1	LINE 2	LINE 3	LINE 4	LINE 5	
-1	21 x 9	3/8	3/8*	5C-.80					1 1/2
-2	26 x 12	1/2	3/8*	6C-.96					1 1/2
-3	30 x 15	1/2	-	7C-1.12					1 1/2

<u>G47</u> SUFFIX	SIZE	DIMENSIONS											
		A	B	C	D	E	F	G	H	I	J	K	L
-1	21 x 9	1 1/2	6	2									
-2	26 x 12	1 1/2	9	3									
-3	30 x 15	1 1/2	12	4									

G47-1,2 WHITE REFLECTIVE BACKGROUND WITH BLACK MESSAGE & BORDER.

G47-1,2 GREEN REFLECTIVE BACKGROUND WITH WHITE REFLECTIVE MESSAGE & BORDER

G47-1,3 BLUE REFLECTIVE BACKGROUND WITH WHITE REFLECTIVE MESSAGE & BORDER


3/8" DIA. HOLES. ●

APPROVED:

accator
TRAFFIC ENGINEER

11/15/71
DATE

REVISION

***NOTE**

No margin for signs with
blue or green background

ALL DIMENSIONS ARE IN INCHES

G48 SUFFIX	SIZE	BORDER WIDTH	MARGIN WIDTH	LETTER SIZE, SERIES & STROKE WIDTH					COR. RAD.
				LINE 1	LINE 2	LINE 3	LINE 4	LINE 5	
-1	21 x 9	3/8	3/8*	5C-.80					1½
-2	26 x 12	½	3/8*	6C-.96					1½
-3	30 x 15	½	-	7C-1.12					1½

G48 SUFFIX	SIZE	DIMENSIONS											
		A	B	C	D	E	F	G	H	I	J	K	L
-1	21 x 9	1½	6	2									
-2	26 x 12	1½	9	3									
-3	20 x 15	1½	12	4									

G48-1,2 WHITE REFLECTIVE BACKGROUND WITH BLACK MESSAGE & BORDER.

G48-1,2 GREEN REFLECTIVE BACKGROUND WITH WHITE REFLECTIVE MESSAGE & BORDER

G48-1,3 BLUE REFLECTIVE BACKGROUND WITH WHITE REFLECTIVE MESSAGE & BORDER

3/8" DIA. HOLES. ●

APPROVED:

[Signature]
TRAFFIC ENGINEER

11/15/71
DATE

REVISION

***NOTE**

No margin for signs with
blue or green background

ALL DIMENSIONS ARE IN INCHES

G49 SUFFIX	SIZE	BORDER WIDTH	MARGIN WIDTH	LETTER SIZE, SERIES & STROKE WIDTH					COR. RAD.
				LINE 1	LINE 2	LINE 3	LINE 4	LINE 5	
-1	21 x 9	3/8	3/8*	5C-.80					1½
-2	26 x 12	½	3/8*	6C-.96					1½
-3	30 x 15	½	-	7C-1.12					1½

G49 SUFFIX	SIZE	DIMENSIONS											
		A	B	C	D	E	F	G	H	I	J	K	L
-1	21 x 9	1½	6	2									
-2	26 x 12	1½	9	3									
-3	30 x 15	1½	12	4									

G49-1,2 WHITE REFLECTIVE BACKGROUND WITH BLACK MESSAGE & BORDER.

G49-1,2 GREEN REFLECTIVE BACKGROUND WITH WHITE REFLECTIVE MESSAGE & BORDER

G49-1,3 BLUE REFLECTIVE BACKGROUND WITH WHITE REFLECTIVE MESSAGE & BORDER


3/8" DIA. HOLES. ●

APPROVED:

[Signature]
TRAFFIC ENGINEER

11/15/71
DATE

REVISION

***NOTE**

No margin for signs with
blue or green background

ALL DIMENSIONS ARE IN INCHES

G50 SUFFIX	SIZE	BORDER WIDTH	MARGIN WIDTH	LETTER SIZE, SERIES & STROKE WIDTH					COR. RAD.
				LINE 1	LINE 2	LINE 3	LINE 4	LINE 5	
-1	21 x 9	3/8	3/8*	5C-.80					1½
-2	26 x 12	½	3/8*	6C-.96					1½
-3	30 x 15	½	-	7C-1.12					1½

G50 SUFFIX	SIZE	DIMENSIONS											
		A	B	C	D	E	F	G	H	I	J	K	L
-1	21 x 9	1½	6	2									
-2	26 x 12	1½	9	3									
-3	30 x 15	1½	12	4									

G50-1,2 WHITE REFLECTIVE BACKGROUND WITH BLACK MESSAGE & BORDER.

G50-1,2 GREEN REFLECTIVE BACKGROUND WITH WHITE REFLECTIVE MESSAGE & BORDER

G50-1,3 BLUE REFLECTIVE BACKGROUND WITH WHITE REFLECTIVE MESSAGE & BORDER


3/8" DIA. HOLES. ●

APPROVED:

[Signature]
TRAFFIC ENGINEER

11/15/71
DATE

REVISION

***NOTE:**

No margin for signs with Green background and white message or Blue background and White message

ALL DIMENSIONS ARE IN INCHES

G51 SUFFIX	SIZE	BORDER WIDTH	MARGIN WIDTH	LETTER SIZE, SERIES & STROKE WIDTH					COR. RAD.
				LINE 1	LINE 2	LINE 3	LINE 4	LINE 5	
-1	21 x 9	3/8	3/8*	4B-.56					1½

G51 SUFFIX	SIZE	DIMENSIONS											
		A	B	C	D	E	F	G	H	I	J	K	L
-1	21 x 9	1½	6	2½	8-15	6 9-1/8							

3/8" Dia Holes.


G51-1: White reflective background with Black border & symbol.
 Green reflective background with White reflective border & symbol.
 Blue reflective background with White reflective border & symbol.

APPROVED

ACR
 TRAFFIC ENGINEER

11/15/71
 DATE

REVISION



ALL DIMENSIONS ARE IN INCHES

G53 SUFFIX	SIZE	BORDER WIDTH	MARGIN WIDTH	LETTER SIZE, SERIES & STROKE WIDTH					CORNER RADIUS
				LINE 1	LINE 2	LINE 3	LINE 4	LINE 5	
-1	21 X 9	3/8	3/8	4B - .56					1-1/2

G53 SUFFIX	SIZE	DIMENSIONS											
		A	B	C	D	E	F	G	H	I	J	K	L
-1	21 X 9	1-1/2	6	2-1/2	9	8-7/8							

WHITE REFLECTIVE BACKGROUND WITH BLACK BORDER & LEGEND
 GREEN REFLECTIVE BACKGROUND WITH WHITE REFLECTIVE BORDER & LEGEND
 BLUE REFLECTIVE BACKGROUND WITH WHITE REFLECTIVE BORDER & LEGEND

3/8" DIA HOLES ●


*NO MARGIN ON GREEN OR BLUE BACKGROUND SIGNS

APPROVED:

CHIEF, OFFICE OF TRAFFIC

3/22/76
 DATE

REVISION

***NOTE:**

No margin for sign with Green background
& White message.

ALL DIMENSIONS ARE IN INCHES

G55 SUFFIX	SIZE	BORDER WIDTH	MARGIN WIDTH	LETTER SIZE, SERIES & STROKE WIDTH					COR. RAD.
				LINE 1	LINE 2	LINE 3	LINE 4	LINE 5	
-1	21 x 9	3/8	3/8*	4B-56					1½

G55 SUFFIX	SIZE	DIMENSIONS											
		A	B	C	D	E	F	G	H	I	J	K	L
-1	21 x 9	1½	6	2½	8-5/8	8-¾							

3/8" Dia holes.


G55-1: White reflective background with Black border & symbol.
Green reflective background with White reflective border & symbol.

APPROVED

ACB
TRAFFIC ENGINEER

11/15/71
DATE

REVISION

***NOTE:**

No margin for signs with Green background & white message or Blue background & White message.

ALL DIMENSIONS ARE IN INCHES

G56 SUFFIX	SIZE	BORDER WIDTH	MARGIN WIDTH	LETTER SIZE, SERIES & STROKE WIDTH					COR. RAD.
				LINE 1	LINE 2	LINE 3	LINE 4	LINE 5	
-1	21 x 15	3/8	3/8*	9C-1.44					1½
-2	26 x 18	1/2	3/8*	10C-1.60					1½

G56 SUFFIX	SIZE	DIMENSIONS											
		A	B	C	D	E	F	G	H	I	J	K	L
-1	21 x 15	1½	12	3									
-2	26 x 18	1½	15	4									

3/8" Dia Holes.

G56-1,-2: White reflective background with Black border & symbol.
 Green reflective background w/ White reflective border & symbol.
 Blue reflective background w/ White reflective border & symbol.
 Blue reflective background w/ Yellow reflective border & symbol.

APPROVED:

AC Estey
 TRAFFIC ENGINEER

11/15/71
 DATE

REVISION

***NOTE:**

No margin for signs with Green background & White message.

ALL DIMENSIONS ARE IN INCHES

G57 SUFFIX	SIZE	BORDER WIDTH	MARGIN WIDTH	LETTER SIZE, SERIES & STROKE WIDTH					COR. RAD.
				LINE 1	LINE 2	LINE 3	LINE 4	LINE 5	
-1	21 x 15	3/8	3/8*	9C-1.44					1½
-2	26 x 18	½	3/8*	10C-1.60					1½

G57 SUFFIX	SIZE	DIMENSIONS											
		A	B	C	D	E	F	G	H	I	J	K	L
-1	21 x 15	1½	12	3	17½								
-2	26 x 18	1½	15	4	20								

3/8" Dia Holes


G57-1,-2: White reflective background with Black border & symbol.
 Green reflective background w/ White reflective border & symbol
 Blue reflective background w/ Yellow reflective border & symbol

APPROVED:

Accator
 TRAFFIC ENGINEER

11/15/71
 DATE

REVISION

MUTCD NUMBER NONECODE G58**NOTE:**

MAY BE ORDERED WITH THE ALTERNATE MESSAGES: NEXT EXIT OR NEXT LEFT.

MARGIN WIDTH:

- * THIS DIMENSION APPLIES ONLY TO SIGNS MADE ON WHITE REFLECTIVE BACKGROUND WITH BLACK ARROW AND BORDER.
- ** THIS DIMENSION APPLIES ONLY TO SIGNS MADE ON GREEN OR BLUE REFLECTIVE BACKGROUND WITH WHITE OR YELLOW REFLECTIVE ARROW AND BORDER.

SIGN	DIMENSIONS (INCHES)								
	A	B	C*	D*	E	F	G	H	J**
STANDARD	30	24	1/2	5/8	1 1/2	5	5D	4	3/4

COLORS

BORDER & LEGEND - BLACK
BACKGROUND - WHITE (REFL)

BORDER & LEGEND - WHITE (REFL)
BACKGROUND - GREEN OR BLUE (REFL)

BORDER & LEGEND - YELLOW (REFL)
BACKGROUND - BLUE (REFL)


- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON THE REVERSE SIDE -

MR. Lawrence
CHIEF, DIVISION OF TRAFFIC ENGINEERING

DATE

REVISION

REVISION

***NOTE**

No margin for signs with
blue or green background

ALL DIMENSIONS ARE IN INCHES

<u>G59</u> SUFFIX	SIZE	BORDER WIDTH	MARGIN WIDTH	LETTER SIZE, SERIES & STROKE WIDTH					COR. RAD.
				LINE 1	LINE 2	LINE 3	LINE 4	LINE 5	
-1	18 x 12	3/8	3/8*	6E-1.20					1½

<u>G59</u> SUFFIX	SIZE	DIMENSIONS											
		A	B	C	D	E	F	G	H	I	J	K	L
-1	18 x 12	1½	9	3	5-3/16	5							

G59-1 WHITE REFLECTIVE BACKGROUND WITH BLACK MESSAGE & BORDER.

G59-1 GREEN REFLECTIVE BACKGROUND WITH WHITE REFLECTIVE MESSAGE & BORDER

G59-1 BLUE REFLECTIVE BACKGROUND WITH WHITE REFLECTIVE MESSAGE & BORDER


3/8" DIA. HOLES. ●

APPROVED:

Accatun
TRAFFIC ENGINEER

11/15/71
DATE

REVISION

MUTCD NUMBER NONECODE G66-11

NOTE: APPROPRIATE DIRECTIONAL ARROW
MAY BE USED BELOW SYMBOL

SIGN	DIMENSIONS (INCHES)					
	A	B	C	D	E	F
MINIMUM	18	1/2	3	12	1 1/2	4E
CONVENTIONAL	24	1/2	3	18	1 1/2	6E
FREEWAY	30	3/4	3 3/4	22 1/2	1 7/8	8E

COLOR
BORDER & SYMBOL - WHITE (REFL)
BACKGROUND - BLUE

• THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON THE REVERSE SIDE •

C. D. Butler

CHIEF, DIVISION OF TRAFFIC ENGINEERING

REC 14 1987

DATE

REVISION

REVISION

MUTCD NUMBER NONECODE G66-11A

NOTE: APPROPRIATE DIRECTIONAL ARROW MAY BE USED
BELOW SYMBOL


SIGN	DIMENSIONS (INCHES)					
	A	B	C	D	E	F
MINIMUM	18	5	3/8	1 1/4	3A	1
CONVENTIONAL	24	6	1/2	1 1/2	4A	1
FREEWAY	30	8	3/4	1 7/8	5A	1 1/2

COLOR

BORDER & SYMBOL - WHITE (REFL)

BACKGROUND - BLUE (REFL)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON THE REVERSE SIDE -


CHIEF, DIVISION OF TRAFFIC ENGINEERING


DEC 14 1997

DATE

1/15/98

REVISION

REVISION

MUTCD NUMBER NONECODE G66-12A

NOTE: APPROPRIATE DIRECTIONAL ARROW MAY BE USED
BELOW SYMBOL


SIGN	DIMENSIONS (INCHES)					
	A	B	C	D	E	F
MINIMUM	18	5	3/8	1 1/4	3D	1
CONVENTIONAL	24	6	1/2	1 1/2	4D	1
FREEWAY	30	8	3/4	1 7/8	5D	1 1/2

COLOR

BORDER & SYMBOL - WHITE (REFL)

BACKGROUND - BLUE (REFL)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON THE REVERSE SIDE -



CHIEF, DIVISION OF TRAFFIC ENGINEERING

DATE

1/15/92

REVISION

REVISION

MUTCD NUMBER NoneCODE G66-21

SIGN SIZE (Inches)	DIMENSIONS (Inches)					
	A	B	C	D	E	F
18 x 18	18	1/2	1-1/2	3C	1	1-1/2
24 x 24	24	1/2	2-1/8	4C	1-1/4	1-1/2
30 x 30	30	3/4	2-3/4	5C	1-1/2	1-7/8

COLORS
BORDER & LEGEND - WHITE (REFLECTIVE)
BACKGROUND - BLUE (REFLECTIVE)


- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

George H. H. H.
 CHIEF, OFFICE OF SIGNS AND DELINEATION

7/21/97
 DATE

REVISION

REVISION

MUTCD NUMBER NoneCODE G66-21A

NOTE: Distance and arrow direction will vary, specify when ordering.

SIGN SIZE (Inches)	DIMENSIONS (Inches)								
	A	B	C	D	E	F	G	H	J
18 x 12	18	12	1/2	2	3C	3-1/2	1-1/4	11	1-1/2
24 x 16	24	16	1/2	3	4C	4-1/2	1-1/2	15	1-1/2
30 x 18	30	18	3/4	4	5C	4-1/2	2	19	1-7/8

COLORS
BORDER & LEGEND - WHITE (REFLECTIVE)
BACKGROUND - BLUE (REFLECTIVE)


- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

Gerry Kreis
 CHIEF, OFFICE OF SIGNS AND DELINEATION

7/21/97
 DATE

REVISION

REVISION


MUTCD NUMBER NoneCODE G66-22A

SIGN SIZE	DIMENSIONS (Inches)							
	A	B	C	D	E	F	G	H
18 x 18	18	1/2	4-1/2	9	2	14	3E	1-1/2
24 x 24	24	1/2	6	12	2-3/4	18-1/2	4E	1-1/2
30 x 30	30	3/4	7-1/2	15	3-1/4	23-1/2	5E	1-7/8

SIGN SIZE	DIMENSIONS (Millimeters)							
	A	B	C	D	E	F	G	H
457 x 457	457	13	114	229	51	355	75E	38
610 x 610	610	13	153	304	70	470	100E	38
762 x 762	762	19	191	380	83	596	125E	48

Colors
Border & Symbol - White (Reflective)
Background - Blue (Reflective)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -


 CHIEF, OFFICE OF SIGNS AND DELINEATION

DATE

12/1/99


REVISION

REVISION

STATE OF CALIFORNIA - DEPARTMENT OF TRANSPORTATION

MUTCD NUMBER None

CODE G66-22B



SIGN SIZE	DIMENSIONS (Inches)							
	A	B	C	D	E	F	G	H
18 x 18	18	1/2	4-1/2	9	2	14	3E	1-1/2
24 x 24	24	1/2	6	12	2-3/4	18-1/2	4E	1-1/2
30 x 30	30	3/4	7-1/2	15	3-1/4	23-1/2	5E	1-7/8

SIGN SIZE	DIMENSIONS (Millimeters)							
	A	B	C	D	E	F	G	H
457 x 457	457	13	114	229	51	355	75E	38
610 x 610	610	13	153	304	70	470	100E	38
762 x 762	762	19	191	380	83	596	125E	48

Colors
Border & Symbol - White (Reflective)
Background - Blue (Reflective)


- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

[Signature]
 CHIEF, OFFICE OF SIGNS AND DELINEATION

12/1/99
 DATE

REVISION

REVISION

MUTCD NUMBER NONECODE G66-55

NOTE: APPROPRIATE ARROWS MAY BE USED BELOW SYMBOL ON CONVENTIONAL HIGHWAYS
DO NOT USE ARROW WITH SYMBOL ON FREEWAYS.

SIGN	DIMENSIONS (INCHES)										
	A	B	C	D	E	F	G	H	J	K	L
MINIMUM	18	3/8	6 5/8	6 7/8	2 7/16	3 7/8	1 11/16	3 5/8	6D	8 1/8	1 1/2
STANDARD	24	3/8	8 13/16	9 3/16	3 3/16	5 1/8	2 1/4	4 13/16	8D	10 3/4	1 1/2
SPECIAL	30	5/8	11	11 1/2	4	6 3/8	2 13/16	6	10D	13 1/2	1 7/8

COLORS

BORDER & LEGEND - WHITE (REFL)

BACKGROUND - BLUE

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON THE REVERSE SIDE -


CHIEF, DIVISION OF TRAFFIC ENGINEERING

12/5/89

DATE

REVISION

REVISION

MUTCD NUMBER NONECODE G66-56

NOTE: APPROPRIATE ARROWS MAY BE USED BELOW SYMBOL ON CONVENTIONAL HIGHWAYS.
DO NOT USE ARROW WITH SYMBOL ON FREEWAYS.

SIGN	DIMENSIONS (INCHES)										
	A	B	C	D	E	F	G	H	J	K	L
MINIMUM	18	3/8	6 5/8	6 7/8	2 7/16	3 7/8	1 11/16	3 5/8	6D	8 1/8	1 1/2
STANDARD	24	3/8	8 13/16	9 3/16	3 3/16	5 1/8	2 1/4	4 13/16	8D	10 3/4	1 1/2
SPECIAL	30	5/8	11	11 1/2	4	6 3/8	2 13/16	6	10D	13 1/2	1 7/8

COLORS

BORDER & LEGEND - WHITE (REFL)

BACKGROUND - BLUE

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON THE REVERSE SIDE -


CHIEF, DIVISION OF TRAFFIC ENGINEERING

12/5/89

DATE

REVISION

REVISION

MUTCD NUMBER NONECODE G66-56A

SIGN	DIMENSIONS (INCHES)							
	A	B	C	D	E	F	G	H
STANDARD	30	30	3/8	5/8	1 1/2	4	5D	3 1/2

COLORS
 BORDER & LEGEND - WHITE (REFL)
 BACKGROUND - BLUE

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON THE REVERSE SIDE -

C. D. Barber

CHIEF, DIVISION OF TRAFFIC ENGINEERING

6/17/87

DATE

REVISION

REVISION

STATE OF CALIFORNIA

DEPARTMENT OF TRANSPORTATION



★ CONDENSE SPACING 10%

★★ CONDENSE SPACING 15%

SIGN	DIMENSIONS (INCHES)								
	A	B	C	D	E	F	G	H	J
MINIMUM	18	1/2	6 1/8	2 1/4D	1 1/8	1/2	6 1/4	7 7/8	5 5/8
CONVENTIONAL	24	1/2	8 1/8	3D	1 1/2	5/8	8 3/8	10 1/2	7 1/2
FREEWAY	30	3/4	10 1/8	4D	1 7/8	7/8	10	13 1/8	9 3/8

COLORS

BORDER & STAR - WHITE (REFL)

BACKGROUND & LEGEND - BLUE


THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE.

COB
CHIEF, DIVISION OF TRAFFIC ENGINEERING

2/24/86
DATE

COB 11/10/86
REVISION

REVISION

MUTCD NUMBER NONECODE G66-58

SIGN	DIMENSIONS (INCHES)						
	A	B	C	D	E	F	G
MINIMUM	VAR	30	1 1/4	3	7	6 CAP	4
CONVENTION	VAR	36	1 1/2	6	7	8 CAP	6
FREEWAY	VAR	42	2	6	8	10 CAP	6

COLORS
 BORDER & LEGEND - WHITE (REFL)
 BACKGROUND - BLUE


THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON THE REVERSE SIDE

139
 [Signature]
 CHIEF, DIVISION OF TRAFFIC ENGINEERING

3/22/91
 DATE

REVISION

REVISION

MUTCD NUMBER NONECODE G66-59

NOTES:

1. ARROWS MAY BE USED AND PLACED VERTICAL, HORIZONTAL OR DIAGONAL AND EITHER SIDE OF MESSAGE
2. FOR ARROW DETAILS SEE APPENDIX PAGE 10.
3. FOR MOUNTING REFER TO STANDARD POST SPACING TABLE.

SIGN	DIMENSIONS (INCHES)						
	A	B	C	D	E	F	G
MINIMUM	VAR	30	1 1/4	3	6	6 CAP	6
CONVENTION	VAR	42	1 1/2	6	9	8 CAP	8
FREEWAY	VAR	54	2	6	12	10 CAP	10

COLORS

BORDER & LEGEND - WHITE (REFL)

BACKGROUND - BLUE


• THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON THE REVERSE SIDE •

MR. L. J. L. L.
 CHIEF, DIVISION OF TRAFFIC ENGINEERING

6/22/91
 DATE

REVISION

REVISION

MUTCD NUMBER NONECODE G66-60

SIGN	DIMENSIONS (INCHES)							
	A	B	C	D	E	F	G	H
MINIMUM	VAR	36	1 1/4	3	5	6 CAP	4	1 1/2
CONVENTION	VAR	48	1 1/2	6	7	8 CAP	5	2
FREEWAY	VAR	66	2	6	10	10 CAP	8	2 1/2

COLORS

BORDER & LEGEND - WHITE (REFL)

BACKGROUND - BLUE

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON THE REVERSE SIDE -


143

MP Lanching
 CHIEF, DIVISION OF TRAFFIC ENGINEERING

6/22/91
 DATE

REVISION

REVISION

MUTCD NUMBER NoneCODE G66-61

SIGN SIZES	DIMENSIONS (INCHES)					
	A	B	C	D	E	F
18 x 18	18	1/2	1-1/2	1-1/2	15	2-1/4D
24 x 24	24	1/2	1-1/2	2	20	3D
30 x 30	30	3/4	1-7/8	2-1/2	25	4D

COLORS
BORDER & SYMBOL - WHITE (REFLECTIVE)
BACKGROUND & LEGEND - BLUE (REFLECTIVE)


- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

[Signature]
 CHIEF, OFFICE OF SIGNS AND DEKREATION

2/23/95
 DATE

REVISION

REVISION

MUTCD NUMBER --NoneCODE G66-62

SIGN SIZES	DIMENSIONS (INCHES)					
	A	B	C	D	E	F
18 x 18	18	1/2	1-1/2	1-1/2	15	2-1/4D
24 x 24	24	1/2	1-1/2	2	20	3D
30 x 30	30	3/4	1-7/8	2-1/2	25	4D

COLORS
BORDER & SYMBOL - WHITE (REFLECTIVE)
BACKGROUND & LEGEND - BLUE (REFLECTIVE)


- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

[Signature]
 CHIEF, OFFICE OF SIGNS AND DELINEATION

2/23/95
 DATE

REVISION

REVISION



ALL DIMENSIONS ARE IN INCHES

G68 SUFFIX	SIZE	BORDER WIDTH	MARGIN WIDTH	LETTER SIZE, SERIES & STROKE WIDTH					COR RAD.
				LINE 1	LINE 2	LINE 3	LINE 4	LINE 5	
-1	114x60	1-1/2		8"CAPS	8" CAPS	8" CAPS			6

G68 SUFFIX	SIZE	DIMENSIONS											
		A	B	C	D	E	F	G	H	I	J	K	L
-1	114x60	10	8										

GREEN BACKGROUND WITH WHITE BORDER & SYMBOL

REFLECTIVE MESSAGE AND
BORDER

Refer to standard post
spacing table.

APPROVED

Acco
TRAFFIC ENGINEER

5/14/71
DATE

REVISION

MUTCD NUMBER NONE

CODE G 69

STATE OF CALIFORNIA DEPARTMENT OF TRANSPORTATION

STATE OF CALIFORNIA



Alternate Message Line 3: AHEAD.

SIGN	DIMENSIONS (INCHES)										
	A	B	C	D	E	F	G	H	J	K	L
STD.	48	36	5	6D	4	3	15	16	7/8	3R	3/8 D.

COLORS

LEGEND -WHITE(REFL)
BACKGROUND -GREEN

THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE.

[Signature]
CHIEF, DIVISION OF TRAFFIC ENGINEERING

4/22/81
DATE

7/18/97
REVISION

7/21/98
REVISION

**Use when the Exit Number/Suffix
is 1 to 2 numbers or letters.**



G70-2 (CA)

NOTES:

The exit number/suffix should be the same height as the lower case lettering used for the destination message on the guide sign. When the destination message is all capital lettering, the exit number/suffix should be the same height as the capital lettering.


When the exit number includes a suffix letter, the suffix letter is separated from the number by a space.

ENGLISH UNITS

A	B	C	D	E	F	G	H	J	K
36	12	1-1/4	3	4	4E	3	6E	3-1/2	3-1/4
48	15	1-1/2	3	5	5E	3-1/2	8E	5	4-3/4
60	18	2	3	6	6E	4	10E	6	6-1/2
72	24	2	6	8	8E	6	12E	7	6-5/8
90	30	2-1/2	6	10	10E	7-1/2	15E	10	7-5/8

**COLORS: BORDER & LEGEND - WHITE (RETROREFLECTIVE)
BACKGROUND - GREEN (RETROREFLECTIVE)**

**Use when the Exit Number/Suffix
is 3 to 4 numbers or letters.**



G70-3 (CA)

NOTES:

The exit number/suffix should be the same height as the lower case lettering used for the destination message on the guide sign. When the destination message is all capital lettering, the exit number/suffix should be the same height as the capital lettering.


When the exit number includes a suffix letter, the suffix letter is separated from the number by a space.

ENGLISH UNITS

A	B	C	D	E	F	G	H	J	K
48	12	1-1/4	3	4	4E	3	6E	4	3-1/8
66	15	1-1/2	3	5	5E	3-1/2	8E	6	5-3/8
78	18	2	3	6	6E	4	10E	6	5-5/8
96	24	2	6	8	8E	6	12E	8	6-1/4
120	30	2-1/2	6	10	10E	7-1/2	15E	10	7-3/4

**COLORS: BORDER & LEGEND - WHITE (RETROREFLECTIVE)
BACKGROUND - GREEN (RETROREFLECTIVE)**

**Use when the
Exit Number/Suffix is
1 to 2 numbers or letters.**



G70-4 (CA)

NUMBER/SUFFIX

The exit number/suffix should be the same height as the lower case lettering used for the destination message on the guide sign. When the destination message is all capital lettering, the exit number/suffix should be the same height as the capital lettering.


When the exit number includes a suffix letter, the suffix letter is separated from the number by a space.

ENGLISH UNITS

A	B	C	D	E	F	G	H
24	24	1-1/4	3	5-1/2	4E	3	6E
30	30	1-1/2	3	6-1/2	5E	4	8E
36	36	2	3	7-1/2	6E	5	10E
42	42	2	6	8	8E	6	12E
48	48	2-1/2	6	8	10E	7	15E

**COLORS: BORDER & LEGEND - WHITE (RETROREFLECTIVE)
BACKGROUND - GREEN (RETROREFLECTIVE)**

Use when the
Exit Number/Suffix is
3 to 4 numbers or letters.



G70-5 (CA)

NOTES:

The exit number/suffix should be the same height as the lower case lettering used for the destination message on the guide sign. When the destination message is all capital lettering, the exit number/suffix should be the same height as the capital lettering.

When the exit number includes a suffix letter, the suffix letter is separated from the number by a space.

ENGLISH UNITS

A	B	C	D	E	F	G	H
36	24	1-1/4	3	5-1/2	4E	3	6E
48	30	1-1/2	3	6-1/2	5E	4	8E
54	36	2	3	7-1/2	6E	5	10E
66	42	2	6	8	8E	6	12E
78	48	2-1/2	6	8	10E	7	15E

**COLORS: BORDER & LEGEND - WHITE (RETROREFLECTIVE)
BACKGROUND - GREEN (RETROREFLECTIVE)**



NOTE: Arrow may be placed vertical, horizontal or diagonal, and on either side of message.

Alternate messages include:
 . STATE BEACH
 . STATE RECREATION AREA
 . NAT'L PARK

ALL DIMENSIONS ARE IN INCHES

G72 SUFFIX	SIZE	BORDER WIDTH	MARGIN WIDTH	LETTER SIZE, SERIES & STROKE WIDTH					CORNER RADIUS
				LINE 1	LINE 2	LINE 3	LINE 4	LINE 5	
-1.3	VAR X 18	1/2	-	4D-0.72	4D-0.72				1 1/2
-2.3	VAR X 30	1 1/4	-	6D-1.08	6D-1.08				3
-3.3	VAR X 42	1 1/2	-	8D-1.44	8D-1.44				3

DIMENSIONS													
G72	SIZE	A	B	C	D	E	F	G	H	I	J	K	L
SUFFIX													
-1.3	VAR X 18	3	4										
-2.3	VAR X 30	6	6										
-3.3	VAR X 42	9	8										

BROWN BACKGROUND WITH WHITE BORDER. LEGEND & SYMBOL REFLECTORIZED

Refer to standard arrow sheet
 3 8 DIA HOLES • and post spacing table.

APPROVED

CHIEF, OFFICE OF TRAFFIC

1-8-74

DATE

REVISION

REVISION


 ROUTE — BUSINESS

ALL DIMENSIONS ARE IN INCHES

G76 SUFFIX	SIZE	BORDER WIDTH	MARGIN WIDTH	LETTER SIZE, SERIES & STROKE WIDTH					COR. RAD.
				LINE 1	LINE 2	LINE 3	LINE 4	LINE 5	
-1	Varx30	2	-	10 CAP					6

G76 SUFFIX	SIZE	DIMENSIONS											
		A	B	C	D	E	F	G	H	I	J	K	L
-1	Varx30	10											

Green BACKGROUND WITH White BORDER & SYMBOL Reflective message and border.

Refer to standard post spacing table.


APPROVED:


 TRAFFIC ENGINEER

DATE

11/15/70

REVISION



ALL DIMENSIONS ARE IN INCHES

G77 SUFFIX	SIZE	BORDER WIDTH	MARGIN WIDTH	LETTER SIZE SERIES & STROKE WIDTH					COR RAD
				LINE 1	LINE 2	LINE 3	LINE 4	LINE 5	
-1	Varx48	1	-	6 U.C.	6 & 4½	6 U.C.			6
-2	Varx72	1½	-	8 U.C.	8 & 6	8 U.C.			6
-3	Varx90	1½	-	10.67U.C.	10.67&8	10.67U.C.			12

G77 SUFFIX	SIZE	DIMENSIONS											
		A	B	C	D	E	F	G	H	I	J	K	L
-1	Varx48	6	4½	5½	6-3/4	3½							
-2	Varx72	9	8½	7	9½	7½							
-3	Varx90	11	10.58	7½	11½	9.08							

Green BACKGROUND WITH White BORDER & SYMBOL Reflective message & border.

Refer to standard arrow sheet
and post spacing table.

APPROVED

acc
TRAFFIC ENGINEER

11/15/71
DATE

REVISION



NOTE:

On overhead mounted signs, with lighting and catwalks, bottom border shall be omitted.

NOTE:

For destinations on lines 1 & 3 use 6 & 4½ (G77-4), 8 & 6 (G77-5) or 10.67 & 8 (G77-6).

ALL DIMENSIONS ARE IN INCHES.

G77 SUFFIX	SIZE	BORDER WIDTH	MARGIN WIDTH	LETTER SIZE, SERIES & STROKE WIDTH					COR. RAD.
				LINE 1	LINE 2	LINE 3	LINE 4	LINE 5	
-4.1	Var x54	1	-	6 CAP	8 NUM	6 CAP			6
-5.2	Var x72	1½	-	8 CAP	10 NUM	8 CAP			6
-6.1	Var x84	1½	-	10 CAP	10 NUM	10 CAP			12
			-						

G77 SUFFIX	SIZE	DIMENSIONS											
		A	B	C	D	E	F	G	H	I	J	K	L
-4.1	Var x54	6	6										
-5.2	Var x72	8	8										
-6.1	Var x84	10	9½										

Green BACKGROUND WITH White BORDER & SYMBOL Reflective message & border

REFER TO STANDARD ARROW SHEET & POST SPACING TABLE.


APPROVED:

acat
TRAFFIC ENGINEER

11/15/71
DATE

7/15/73
REVISION

10/19/75



NOTE:

On overhead mounted signs, with lighting and catwalks, bottom border shall be omitted.

*NOTE:

For destinations use same size

ALL DIMENSIONS ARE IN INCHES letters as in Line 2.

G77 SUFFIX	SIZE	BORDER WIDTH	MARGIN WIDTH	LETTER SIZE, SERIES & STROKE WIDTH					COR. RAD.
				LINE 1	LINE 2	LINE 3	LINE 4	LINE 5	
-7	Varx54	1	-	6 U.C.*	6 & 4 ¹ / ₂	6 U.C.*			6
-8	Varx72	1 ¹ / ₄	-	8 U.C.*	8 & 6	8 U.C.*			6
-9	Varx90	1 ¹ / ₂	-	10.67U.C.*	10.67 & 8 ¹ / ₂	10.67UC.*			12

G77 SUFFIX	SIZE	DIMENSIONS											
		A	B	C	D	E	F	G	H	I	J	K	L
-7	Varx54	6	5 ¹ / ₄	7 ¹ / ₄	8 ³ / ₄	4 ¹ / ₄							
-8	Varx72	9	8 ¹ / ₂	7	9 ¹ / ₄	7 ¹ / ₄							
-9	Varx90	11	10.58	7 ¹ / ₂	11 ¹ / ₂	9.08							

Green BACKGROUND WITH White BORDER & SYMBOL Reflective message & border.


Refer to standard arrow sheet & post spacing table.

APPROVED:

ACCE
TRAFFIC ENGINEER

11/15/71
DATE

REVISION

MUTCD NUMBER NONECODE G77A

- NOTE: 1. ARROW MAY BE EITHER HORIZONTAL OR DIAGONAL.
 2. ON OVERHEAD MOUNTED SIGNS, WITH LIGHTING AND CATWALKS, BOTTOM BORDER SHALL BE OMITTED.
 3. FOR ARROW DETAILS SEE APPENDIX PAGE 10.
 4. FOR MOUNTING REFER TO STANDARD POST SPACING TABLE.
 5. CENTER SHIELD ON BAR.

SIGN	DIMENSIONS (INCHES)								
	A	B	C	D	E	F	G	H	J
MINIMUM	VAR	66	1 1/4	6	6	6CAP	8NUM	6	38 3/8
STANDARD	VAR	90	1 1/2	6	8	8CAP	10NUM	8	52 1/4
SPECIAL	VAR	102	1 1/2	12	9	10CAP	10NUM	10	60 1/4

COLORS

BORDER & LEGEND - WHITE (REFL)

BACKGROUND - GREEN

THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE.



CHIEF, DIVISION OF TRAFFIC ENGINEERING

6/17/87

DATE

REVISION

REVISION



NOTE:

On overhead mounted signs, with lighting and catwalks, bottom border shall be omitted.

NOTE:

For destinations in line 2 use 6 & 4½ (G78-1), 8 & 6 (G78-2), or 10.67 & 8 (G78-3).

ALL DIMENSIONS ARE IN INCHES

G78 SUFFIX	SIZE	BORDER WIDTH	MARGIN WIDTH	LETTER SIZE, SERIES & STROKE WIDTH					COR RAD.
				LINE 1	LINE 2	LINE 3	LINE 4	LINE 5	
-1.2	Var x42	1	-	8 NUM	6 CAP				6
-2.3	Var x54	1½	-	10 NUM	8 CAP				6
-3.2	Var x66	1½	-	10 NUM	10 CAP				6

G78 SUFFIX	SIZE	DIMENSIONS											
		A	B	C	D	E	F	G	H	I	J	K	L
-1.2	Var x42	6	6										
-2.3	Var x54	8	7										
-3.2	Var x66	10	10½										

Green BACKGROUND WITH White BORDER & SYMBOL

Reflective message & border

Refer to standard arrow sheet
& post spacing table

APPROVED:

aceta
TRAFFIC ENGINEER

11/15/71
DATE

7-25/72
REVISION

7/15/73
10/19/73



NOTE:

On overhead mounted signs, with lighting and catwalks, bottom border shall be omitted.

NOTE:

For destinations in line 2 use same size letters as in line 1.

ALL DIMENSIONS ARE IN INCHES

G78 SUFFIX	SIZE	BORDER WIDTH	MARGIN WIDTH	LETTER SIZE, SERIES & STROKE WIDTH					COR. RAD.
				LINE 1	LINE 2	LINE 3	LINE 4	LINE 5	
-4.1	Var x 42	1	-	6 & 4½	6 U.C.				6
-5.1	Var x 48	1½	-	8 & 6	8 U.C.				6
-6.1	Var x 54	1½	-	10.67 & 8	10.67 U.C.				6

G78 SUFFIX	SIZE	DIMENSIONS											
		A	B	C	D	E	F	G	H	I	J	K	L
-4.1	Var x 42	8	10	13½									
-5.1	Var x 48	9	11	14									
-6.1	Var x 54	10	10.33	15									

Green BACKGROUND WITH White BORDER & SYMBOL Reflective message & border


Refer to standard arrow sheet
& post spacing table

APPROVED

AccStop
TRAFFIC ENGINEER

11/15/71
DATE

7/25/72
REVISION




Alternate Message, Line 1: VISTA POINT.

SIGN SIZE (Inches)	DIMENSIONS (Inches)							
	A	B	C	D	E	F	G	H
72 x 30	72	30	1	6-1/2	5E	6-1/2	6E	3
144 x 60	144	60	2	13	10E	13	12E	6

SIGN SIZE (mm)	DIMENSIONS (Millimeters)							
	A	B	C	D	E	F	G	H
1829 x 762	1829	762	25	165	125E	165	150E	76
3658 x 1524	3658	1524	51	330	250E	330	300E	152

COLORS
BORDER & LEGEND - WHITE (REFLECTIVE)
BACKGROUND - BLUE (REFLECTIVE)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

MUTCD NUMBER NoneCODE G79A

SIGN SIZE (Inches)	DIMENSIONS (Inches)					
	A	B	C	D	E	F
72 x 12	72	12	1	4	4E	3
144 x 24	144	24	2	8	8E	6

SIGN SIZE (mm)	DIMENSIONS (Millimeters)					
	A	B	C	D	E	F
1829 x 305	1829	305	25	102	100E	76
3658 x 610	3658	610	51	203	200E	152

COLORS
BORDER & LEGEND - WHITE (REFLECTIVE)
BACKGROUND - BLUE (REFLECTIVE)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -



NOTE:
Available with message VISTA POINT.

ALL DIMENSIONS ARE IN INCHES

G80A SUFFIX	SIZE	BORDER WIDTH	MARGIN WIDTH	LETTER SIZE, SERIES & STROKE WIDTH					COR. RAD.
				LINE 1	LINE 2	LINE 3	LINE 4	LINE 5	
-1	54x66	2	-	10 CAP	10 CAP				6
-2	72x78	2	-	12 CAP	12 CAP				12

G80A SUFFIX	SIZE	DIMENSIONS											
		A	B	C	D	E	F	G	H	I	J	K	L
-1	54x66	3	30	30	10 ⁺	13	5 ¹ / ₂	7	10	16			
-2	72x78	3	27	45	8 ⁺	19	7	9	11	-			


Blue BACKGROUND WITH White BORDER & SYMBOL Reflective message & border.
Refer to standard arrow sheet.

APPROVED:

acc
TRAFFIC ENGINEER

11/15/71
DATE

REVISION

MUTCD NUMBER NoneCODE G80B

SIGN SIZE	DIMENSIONS (INCHES)					
	A	B	C	D	E	F
60 x 12	60	12	1-1/4	4-1/2	3C	3
72 x 12	72	12	2	4	4C	3
144 x 24	144	24	2	8	8C	6

SIGN SIZE	DIMENSIONS (MILLIMETERS)					
	A	B	C	D	E	F
1524 x 305	1524	305	32	115	75C	76
1829 x 305	1829	305	51	102	100C	76
3658 x 610	3658	610	51	205	200C	152

COLORS
BORDER & LEGEND - WHITE (REFLECTIVE)
BACKGROUND - BLUE (REFLECTIVE)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

Gerry Kreis
 CHIEF, OFFICE OF SIGNS AND DELINEATION


11/8/01
 DATE

REVISION

REVISION

DEPARTMENT OF TRANSPORTATION

STATE OF CALIFORNIA



Note: May be used with NEXT RIGHT

SIGN	DIMENSIONS (INCHES)					
	A	B	C	D	E	F
MINIMUM	120	18	1	3R	6	6&4 1/2
CONVENTIONAL	144	24	1 1/4	6R	8	8&6
FREEWAY	204	30	1 1/4	9R	9.67	10.67&8

COLORS

BORDER & LEGEND - WHITE (REFL)

BACKGROUND - BLUE

THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE.


 CHIEF, DIVISION OF TRAFFIC ENGINEERING

DATE


5/14/85

REVISION

REVISION

DEPARTMENT OF TRANSPORTATION

STATE OF CALIFORNIA



NOTE: ARROWS MAY BE USED AND PLACED VERTICAL, HORIZONTAL, OR
DIAGONAL AND ON EITHER SIDE OF MESSAGE.
★ WITHOUT ARROWS


SIGN	DIMENSIONS (INCHES)							
	A★	B	C	D	E	F	G	H
MINIMUM	72	30	1	3R	8	6&4 1/2	6	7
CONVENTIONAL	96	42	1 1/4	6R	10	8&6	10	10
FREEWAY	132	48	1 1/2	9R	11	10.67&8	11	10

COLORS

BORDER & LEGEND - WHITE (REFL)

BACKGROUND - BLUE

THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE.



CHIEF, DIVISION OF TRAFFIC ENGINEERING

DATE

5/14/85

REVISION

REVISION

MUTCD NUMBER NONECODE G81-52

NOTE: TO BE USED ONLY WITH G66-1 AND G66-12.

SIGN	DIMENSIONS (INCHES)					
	A	B	C	D	E	F
MINIMUM	18	5	3/8	1 1/4	3D	1
CONVENTIONAL	24	6	1/2	1 1/2	4D	1
FREEWAY	30	8	3/4	1 7/8	5D	1 1/2

COLOR

BORDER & SYMBOL - WHITE (REFL)

BACKGROUND - BLUE (REFL)


- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON THE REVERSE SIDE -

MR. Lander
CHIEF, DIVISION OF TRAFFIC ENGINEERING

1/15/92
DATE

REVISION

REVISION

MUTCD NUMBER NONECODE G81-61

★ CENTER MESSAGE.

NOTE: See Policy for sign size requirements.

SIGN	DIMENSIONS (INCHES)					
	A	B/VAR	C	D	E/VAR	F/VAR
MINIMUM	VAR	6-12	1/2	1 1/2	3 1/2D-5D	2C-3 1/2D
CONVENTIONAL	VAR	6-12	1/2	1 1/2	3 1/2D-6D	2C-4D
SPECIAL	VAR	12-18	5/8	1 1/2	6C-8D	4C-6D
FREEWAY	VAR	18-24	3/4	1 7/8	8C-10D	6C-8D

COLORS

BORDER & LEGEND - WHITE (REFL)

BACKGROUND - BLUE

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON THE REVERSE SIDE -

CD Bartell

CHIEF, DIVISION OF TRAFFIC ENGINEERING

3/25/88

DATE

12/5/89

REVISION

REVISION

MUTCD NUMBER NONECODE G81-62

SIGN	DIMENSIONS (INCHES)									
	A	B	C	D	E	F	G	H	J	K
SPECIAL	36	18	3/4	1 1/2	4 1/2	3D	2	5D	3 1/2	3
SPECIAL	48	24	3/4	1 1/2	5	4D	5	6D	4	6
SPECIAL	60	30	5/8	1 1/2	6	6D	5	8D	5	6
FREEWAY	84	42	1 1/2	3	8 1/2	8D	8	10D	7 1/2	9

COLORS
 BORDER & LEGEND - WHITE (REFL)
 BACKGROUND - BLUE

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON THE REVERSE SIDE -

C.D. Bantee


CHIEF, DIVISION OF TRAFFIC ENGINEERING

3/25/88

DATE

REVISION

REVISION

MUTCD NUMBER NoneCODE G81-63

SIGN	DIMENSIONS (INCHES)						
	A	B	C	D	E	F	G
MINIMUM	36	18	1/2	1-1/2	3-1/2	4D	3
STANDARD	48	24	1/2	1-1/2	5	5D	4
SPECIAL	48	30	3/4	1-7/8	6	6C	6

COLOR
 BORDER & LEGEND = WHITE (REFLECTIVE)
 BACKGROUND = BLUE (REFLECTIVE)


- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

MR. Lawrence J.
 DEPUTY CHIEF, DIVISION OF TRAFFIC OPERATIONS

9-1-93
 DATE

REVISION

REVISION

MUTCD NUMBER **NONE**CODE **G81-64A**

SIGN	DIMENSIONS (INCHES)						
	A	B	C	D	E	F	G
MINIMUM	84	12	4	4E	3/8	5/8	1-1/2
STANDARD	108	18	6	6E	5/8	1	3
SPECIAL	132	24	8	8E	7/8	1-1/4	3-3/4

SIGN	DIMENSIONS (MILLIMETERS)						
	A	B	C	D	E	F	G
MINIMUM	2134	305	102	100E	10	16	38
STANDARD	2743	457	152	150E	16	25	76
SPECIAL	3353	610	203	200E	22	32	96

COLORS

BORDER & LEGEND - BLACK (NONREFLECTIVE)
BACKGROUND - YELLOW (REFLECTIVE)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

MUTCD NUMBER **NONE**CODE **G81-65**

NOTE: Specify radio frequency when ordering.

SIGN	DIMENSIONS (Inches)										
	A	B	C	D	E	F	G	H	J	K	L
MINIMUM	84	48	1-1/2	7	6D	5	4E	4	6E	6	3
STANDARD	108	66	2	9	8D	7	6E	6	8E	8	6
SPECIAL	132	84	2	11	10D	9	8E	8	10E	10	12

SIGN	DIMENSIONS (Millimeters)										
	A	B	C	D	E	F	G	H	J	K	L
MINIMUM	2134	1219	38	180	150D	127	100E	102	150E	158	76
STANDARD	2743	1676	51	232	200D	178	150E	152	200E	212	152
SPECIAL	3353	2134	51	285	250D	229	200E	203	250E	264	305

COLORS**BORDER & LEGEND - WHITE (REFLECTIVE)****BACKGROUND - BROWN (REFLECTIVE)**


- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

Gerry Kreis
CHIEF, OFFICE OF SIGNS AND DELINEATION

3/9/01
DATE

REVISION

REVISION



NOTE:

ALL DIMENSIONS ARE IN INCHES Arrow may be placed vertical, horizontal or diagonal and on either side of message.

G82 SUFFIX	SIZE	BORDER WIDTH	MARGIN WIDTH	LETTER SIZE, SERIES & STROKE WIDTH					COR. RAD.
				LINE 1	LINE 2	LINE 3	LINE 4	LINE 5	
-1	42x12	1/2	-	4D - .72					3
-2	54x15	1	-	5 CAP					3

G82 SUFFIX	SIZE	DIMENSIONS											
		A	B	C	D	E	F	G	H	I	J	K	L
-1	42x12	1 1/2	9	16	4								
-2	54x15	3	9	-	5								

Green BACKGROUND WITH White BORDER & SYMBOL Reflective message, border and background.

Refer to standard arrow sheet.
3/8" Dia. Holes

APPROVED

Accetta
TRAFFIC ENGINEER

11/15/71
DATE

7/9/96
REVISION

MUTCD NUMBER NoneCODE G83-1

SIGN SIZE (Inches)	DIMENSIONS (Inches)								
	A	B	C	D	E	F	G	H	J
Var x 78	Var	78	18	12E	16	16&12E(M)	15E	2	12
Var x 80	Var	80	20	12E	16	16&12E(M)	15E	2	12

SIGN SIZE (mm)	DIMENSIONS (Millimeters)								
	A	B	C	D	E	F	G	H	J
Var x 1981	Var	1981	457	300E	406	400&300E(M)	375E	51	305
Var x 2032	Var	2032	508	300E	406	400&300E(M)	375E	51	305

COLORS
BORDER & LEGEND - WHITE (REFLECTIVE)
BACKGROUND - GREEN (REFLECTIVE)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

Gerry Myers
 CHIEF, OFFICE OF SIGNS AND DELINEATION

6/8/01

DATE

REVISION

REVISION

MUTCD NUMBER NoneCODE G83-2

SIGN SIZE (Inches)	DIMENSIONS (Inches)										
	A	B	C	D	E	F	G	H	J	K	L
Var x 110	Var	110	14	12E	15E	16	16&12E(M)	12	15D	2	12

SIGN SIZE (mm)	DIMENSIONS (Millimeters)										
	A	B	C	D	E	F	G	H	J	K	L
Var x 2794	Var	2794	356	300E	375E	406	400&300E(M)	305	375D	51	305

COLORS
BORDER & LEGEND - WHITE (REFLECTIVE)
BACKGROUND - GREEN (REFLECTIVE)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -


Gerry K. Reis
 CHIEF, OFFICE OF SIGNS AND DELINEATION

6/8/01

DATE

REVISION

REVISION

MUTCD NUMBER NoneCODE G83-3

SIGN SIZE (Inches)	DIMENSIONS (Inches)																	
	A	B	C	D	E	F	G	H	J	K	L	M	N	P	R	S	T	U
Variable x 70	Var.	70	2	35	24	36	18-3/4	12	3	5-1/2	5	13.3UC & 10LC	8-1/2	10D	16	126	3	9
Variable x 100	Var.	100	2	50	24	36	18-3/4	12	3	13	11	13.3UC & 10LC	14.3	10D	20	126	3	12

SIGN SIZE (mm)	DIMENSIONS (Millimeters)																	
	A	B	C	D	E	F	G	H	J	K	L	M	N	P	R	S	T	U
Variable x 1778	Var.	1778	51	889	610	914	476	305	76	140	127	330UC & 250LC	216	250D	406	3200	76	229
Variable x 2540	Var.	2540	51	1270	610	914	476	305	76	330	279	330UC & 250LC	363	250D	508	3200	76	305

COLORS

BORDER, LEGEND & DIAMOND - WHITE (REFLECTIVE)
LEGEND ON WHITE BACKGROUND - BLACK (NON-REFLECTIVE)
DIAMOND BACKGROUND - BLACK (NON-REFLECTIVE)
BACKGROUND - GREEN & WHITE (REFLECTIVE)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

Gerry Kreis
 CHIEF, OFFICE OF SIGNS AND DELINEATION


8/1/02

DATE

REVISION

REVISION

STATE OF CALIFORNIA - DEPARTMENT OF TRANSPORTATION



G83-4 (CA)

NOTES:

Mileage is in 1/4 mile increments. See Fraction Detail when mileage includes a fraction.


The exit number should be located on the left edge of the sign for left exits and on the right edge of the sign for right exits.

ENGLISH UNITS

A	B	C	D	E	F	G	H	J	K	L	M	N	P
Variable	84	66	1-1/2	14	10E	12E	14	13.3&10E(M)	9	18	10E	6E	3
Variable	100	76	2	16	12E	15E	16	16&12E(M)	12	24	12E	8E	6
Variable	102	78	2	17	12E	15E	16	16&12E(M)	12	24	12E	8E	6

COLORS: BORDER & LEGEND - WHITE (RETROREFLECTIVE)
BACKGROUND - GREEN (RETROREFLECTIVE)

STATE OF CALIFORNIA - DEPARTMENT OF TRANSPORTATION



G83-5 (CA)

NOTES:


Mileage is in 1/4 mile increments. See Fraction Detail when mileage includes a fraction.

The exit number should be located on the left edge of the sign for left exits and on the right edge of the sign for right exits.

ENGLISH UNITS

A	B	C	D	E	F	G	H	J	K	L	M	N
Variable	78	1-1/2	14	10E	12E	12	13.3&10E(M)	9	18	10E	6E	3
Variable	90	2	14	12E	15E	12	16&12E(M)	12	24	12E	8E	6

COLORS: BORDER & LEGEND - WHITE (RETROREFLECTIVE)
BACKGROUND - GREEN (RETROREFLECTIVE)

MUTCD NUMBER NoneCODE G84

NOTES:


1. For 'EXIT' use Series 'E' alphabet. For alternate message 'RAMP' use Series 'D' alphabet and reduce letter spacing to 80%.
2. For arrow dimensions, see sign dimensions 'H' for Width, 'J' for Length and Sign Specification Appendix Page 10 of 11.
3. Arrow angle may vary, specify angle or order unapplied.

Units of Measure	SIGN DIMENSIONS								
	A	B	C	D	E	F	G	H	J
Inches	54	48	2	6	9	10	14	14	16
Millimeters	1372	1219	51	152	229	250	356	356	406

COLORS

BORDER & LEGEND - WHITE (REFLECTIVE)
BACKGROUND - GREEN (REFLECTIVE)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

MUTCD NUMBER NoneCODE G84-1

NOTE: For arrow size, see dimensions 'L' (Width), 'M' (Height), and Standard Arrows for Directional Signs in Chapter 5, Appendix 1.

SIGN SIZE (Inches)	DIMENSIONS (Inches)												
	A	B	C	D	E	F	G	H	J	K	L	M	N
36 x 54	36	54	1	18	9-1/2	7-1/2	3-3/4	1-1/8	5	8E	11-1/4	12-3/4	3

SIGN SIZE (mm)	DIMENSIONS (Millimeters)												
	A	B	C	D	E	F	G	H	J	K	L	M	N
914 x 1372	914	1372	25	457	241	191	95	29	127	200E	286	324	76

COLORS

BORDER, LEGEND & DIAMOND - WHITE (REFLECTIVE)
DIAMOND BACKGROUND - BLACK (NON-REFLECTIVE)
BACKGROUND - GREEN (REFLECTIVE)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

Gerry Kreis
 CHIEF, OFFICE OF SIGNS AND DELINEATION


8/1/02

DATE

REVISION

REVISION

**Use when an Exit Number/Suffix
has 1 to 2 numbers or letters.**



G84-2 (CA)

NOTES:

For arrow dimensions, see Figure 2D-2 (CA) of the MUTCD 2003 California Supplement.

Arrow is centered on the number/suffix and may be placed on either side. Arrow angle can vary, specify angle or order unapplied.


When the exit number includes a suffix letter, the suffix letter is separated from the number by a space.

ENGLISH UNITS

A	B	C	D	E	F	G	H	J	K
54	48	2	6	9	10E	8	12D	14	16

**COLORS: BORDER & LEGEND - WHITE (RETROREFLECTIVE)
BACKGROUND - GREEN (RETROREFLECTIVE)**

**Use when an Exit Number/Suffix
has 3 to 4 numbers or letters.**



G84-3 (CA)

NOTES:

For arrow dimensions, see Figure 2D-2 (CA) of the MUTCD 2003 California Supplement.


Arrow angle can vary, specify angle or order unapplied.

When the exit number includes a suffix letter, the suffix letter is separated from the number by a space.

ENGLISH UNITS

A	B	C	D	E	F	G	H	J	K
48	60	2	6	9	10E	12C	13	14	16

**COLORS: BORDER & LEGEND - WHITE (RETROREFLECTIVE)
BACKGROUND - GREEN (RETROREFLECTIVE)**

MUTCD NUMBER NoneCODE G85-1

Note: For arrow size and dimensions, see Appendix Page 10 of 11.

SIGN SIZE (Inches)	DIMENSIONS (Inches)						
	A	B	C	D	E	F	G
Var x 78	Var	78	20	16&12E(M)	13	2	12
Var x 80	Var	80	20	16&12E(M)	14	2	12

SIGN SIZE (mm)	DIMENSIONS (Millimeters)						
	A	B	C	D	E	F	G
Var x 1981	Var	1981	508	400&300E(M)	330	51	305
Var x 2032	Var	2032	508	400&300E(M)	356	51	305

COLORS
BORDER & LEGEND - WHITE (REFLECTIVE)
BACKGROUND - GREEN (REFLECTIVE)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

MUTCD NUMBER NoneCODE G85-2


Note: For arrow size and dimensions, see Appendix Page 10 of 11.

SIGN SIZE (Inches)	DIMENSIONS (Inches)					
	A	B	C	D	E	F
Var x 48	Var	48	20	16&12E(M)	2	6
Var x 50	Var	50	21	16&12E(M)	2	12

SIGN SIZE (mm)	DIMENSIONS (Millimeters)					
	A	B	C	D	E	F
Var x 1219	Var	1219	508	400&300E(M)	51	152
Var x 1270	Var	1270	533	400&300E(M)	51	305

COLORS
BORDER & LEGEND - WHITE (REFLECTIVE)
BACKGROUND - GREEN (REFLECTIVE)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

MUTCD NUMBER NoneCODE G85-3

Note: For arrow size and dimensions, see Appendix Page 10 of 11.

SIGN SIZE (Inches)	DIMENSIONS (Inches)								
	A	B	C	D	E	F	G	H	J
Var x 114	Var	114	12	20	16&12E(M)	14	15D	2	12
Var x 120	Var	120	12	20	16&12E(M)	16	15D	2	12

SIGN SIZE (mm)	DIMENSIONS (Millimeters)								
	A	B	C	D	E	F	G	H	J
Var x 2896	Var	2896	305	508	400&300E(M)	356	375D	51	305
Var x 3048	Var	3048	305	508	400&300E(M)	406	375D	51	305

COLORS
BORDER & LEGEND - WHITE (REFLECTIVE)
BACKGROUND - GREEN (REFLECTIVE)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

Gerry Kiser
 CHIEF, OFFICE OF SIGNS AND DELINEATION

6/8/01

DATE

REVISION

REVISION

MUTCD NUMBER NoneCODE G85-4

Note: For arrow size and dimensions, see Appendix Page 10 of 11.

SIGN SIZE (Inches)	DIMENSIONS (Inches)									
	A	B	C	D	E	F	G	H	J	K
Var x 138	Var	138	10	20	16&12E(M)	16	11	15D	2	12

SIGN SIZE (mm)	DIMENSIONS (Millimeters)									
	A	B	C	D	E	F	G	H	J	K
Var x 3505	Var	3505	254	508	400&300E(M)	406	279	375D	51	305

COLORS
BORDER & LEGEND - WHITE (REFLECTIVE)
BACKGROUND - GREEN (REFLECTIVE)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

Gerry K. [Signature]
 CHIEF, OFFICE OF SIGNS AND DELINEATION

6/8/01

DATE

REVISION

REVISION

MUTCD NUMBER NoneCODE G85-5

Note: For arrow size and dimensions, see Appendix 10 of 11.

SIGN SIZE (Inches)	DIMENSIONS (Inches)						
	A	B	C	D	E	F	G
Var x 80	Var	80	18	16&12E(M)	16	2	12

SIGN SIZE (mm)	DIMENSIONS (Millimeters)						
	A	B	C	D	E	F	G
Var x 2032	Var	2032	457	400&300E(M)	406	51	305

COLORS
BORDER & LEGEND - WHITE (REFLECTIVE)
BACKGROUND - GREEN (REFLECTIVE)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

MUTCD NUMBER NoneCODE G85-6


Note: For arrow size and dimensions, see Appendix 10 of 11.

SIGN SIZE (Inches)	DIMENSIONS (Inches)									
	A	B	C	D	E	F	G	H	J	K
Var x 80	Var	80	12	16&12E(M)	11	12	12E	15D	2	12

SIGN SIZE (Inches)	DIMENSIONS (Millimeters)									
	A	B	C	D	E	F	G	H	J	K
Var x 2032	Var	2032	305	400&300E(M)	279	305	300E	375D	51	305

COLORS
BORDER & LEGEND - WHITE (REFLECTIVE)
BACKGROUND - GREEN (REFLECTIVE)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

MUTCD NUMBER NoneCODE G85-7

Notes:

1. Series C or D alphabets, abbreviations and hyphenations may be used to maintain minimum sign widths. Smaller letter heights, 4" (100 mm) minimum, may be used as a last option.
2. For arrow size and dimensions, see Standard Arrows for Directional Signs in Chapter 5, Appendix 1.

SIGN SIZE (Inches)	DIMENSIONS (Inches)												
	A	B	C	D	E	F	G	H	J	K	L	M	N
Variable x 60	Var.	60	1	18	9-1/2	7-1/2	3-3/4	1-1/8	7-1/2	6UC&4-1/2LC	6	4-1/2	3
Variable x 72	Var.	72	1-1/4	18	9-5/8	7-1/2	3-3/4	1-1/8	10	8UC&6LC	8	6	6

SIGN SIZE (mm)	DIMENSIONS (Millimeters)												
	A	B	C	D	E	F	G	H	J	K	L	M	N
Variable x 1524	Var.	1524	25	457	241	191	95	29	191	150UC&113LC	152	114	76
Variable x 1829	Var.	1829	32	457	244	191	95	29	254	200UC&150LC	203	152	152

COLORS

BORDER, LEGEND & DIAMOND - WHITE (REFLECTIVE)

DIAMOND BACKGROUND - BLACK (NON-REFLECTIVE)

BACKGROUND - GREEN (REFLECTIVE)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -


Gerry Kreis
CHIEF, OFFICE OF SIGNS AND DELINEATION

8/1/02

DATE

REVISION

REVISION

MUTCD NUMBER NoneCODE G85-8

Notes:

1. Series C or D alphabets, abbreviations and hyphenations may be used to maintain minimum sign widths. Smaller letter heights, 4" (100 mm) minimum, may be used as a last option.
2. For arrow size and dimensions, see Standard Arrows for Directional Signs in Chapter 5, Appendix 1.

SIGN SIZE (Inches)	DIMENSIONS (Inches)												
	A	B	C	D	E	F	G	H	J	K	L	M	N
Variable x 72	Var.	72	1	18	9-1/2	7-1/2	3-3/4	1-1/8	8	6UC&4-1/2LC	6	4-1/2	3
Variable x 84	Var.	84	1-1/4	18	9-5/8	7-1/2	3-3/4	1-1/8	10	8UC&6LC	8	6	6

SIGN SIZE (mm)	DIMENSIONS (Millimeters)												
	A	B	C	D	E	F	G	H	J	K	L	M	N
Variable x 1829	Var.	1829	25	457	241	191	95	29	203	150UC&113LC	152	114	76
Variable x 2134	Var.	2134	32	457	244	191	95	29	254	200UC&150LC	203	152	152


COLORS

BORDER, LEGEND & DIAMOND - WHITE (REFLECTIVE)

DIAMOND BACKGROUND - BLACK (NON-REFLECTIVE)

BACKGROUND - GREEN (REFLECTIVE)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

MUTCD NUMBER NoneCODE G85-9

Note:

For arrow size and dimensions, see Standard Arrows for Directional Signs in Chapter 5, Appendix 1.

SIGN SIZE (Inches)	DIMENSIONS (Inches)																	
	A	B	C	D	E	F	G	H	J	K	L	M	N	P	R	S	T	U
Variable x 70	Var.	70	2	35	24	36	18-3/4	12	3	5-1/2	5	13.3UC & 10LC	8-1/2	10D	16	126	3	9
Variable x 100	Var.	100	2	50	24	36	18-3/4	12	3	13	11	13.3UC & 10LC	14.3	10D	20	126	3	12

SIGN SIZE (mm)	DIMENSIONS (Millimeters)																	
	A	B	C	D	E	F	G	H	J	K	L	M	N	P	R	S	T	U
Variable x 1778	Var.	1778	51	889	610	914	476	305	76	140	127	330UC & 250LC	216	250D	406	3200	76	229
Variable x 2540	Var.	2540	51	1270	610	914	476	305	76	330	279	330UC & 250LC	363	250D	508	3200	76	305

COLORS

BORDER, LEGEND & DIAMOND - WHITE (REFLECTIVE)
LEGEND ON WHITE BACKGROUND - BLACK (NON-REFLECTIVE)
DIAMOND BACKGROUND - BLACK (NON-REFLECTIVE)
BACKGROUND - GREEN & WHITE (REFLECTIVE)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -


 CHIEF, OFFICE OF SIGNS AND DELINEATION


8/1/02

DATE

REVISION

REVISION

STATE OF CALIFORNIA - DEPARTMENT OF TRANSPORTATION



G85-10 (CA)

NOTES:


Arrow direction may vary. For arrow dimensions, see Figure 2D-2 (CA) of the MUTCD 2003 California Supplement.

The exit number should be located on the left edge of the sign for left exits and on the right edge of the sign for right exits.

ENGLISH UNITS

A	B	C	D	E	F	G	H	J	K	L	M
Variable	84	1-1/2	28	11	13.3&10E(M)	66	9	18	10E	6E	3
Variable	100	2	33	12	16&12E(M)	76	12	24	12E	8E	6
Variable	102	2	34	12	16&12E(M)	78	12	24	12E	8E	6

COLORS: BORDER & LEGEND - WHITE (RETROREFLECTIVE)
BACKGROUND - GREEN (RETROREFLECTIVE)



G85-11 (CA)

NOTES:


Arrow direction may vary. For arrow dimensions, see Figure 2D-2 (CA) of the MUTCD 2003 California Supplement.

The exit number should be located on the left edge of the sign for left exits and on the right edge of the sign for right exits.

ENGLISH UNITS

A	B	C	D	E	F	G	H	J	K	L
Variable	84	1-1/2	28	11	13.3&10E(M)	9	18	10E	6E	3
Variable	100	2	34	12	16&12E(M)	12	24	12E	8E	6
Variable	102	2	34	12	16&12E(M)	13	24	12E	8E	6

COLORS: BORDER & LEGEND - WHITE (RETROREFLECTIVE)
BACKGROUND - GREEN (RETROREFLECTIVE)



- NOTES: 1. Available with messages; NEXT LEFT, NEXT EXIT, SECOND RIGHT, SECOND LEFT.
 2. On overhead mounted signs, with lighting and catwalks, bottom border shall be omitted.
 3. Refer to standard post spacing table.

SIGN	DIMENSIONS (INCHES)								
	A	B	C	D	E	F	G	H	J
MINIMUM	VAR	54	2	12R	12	13.3&10	11	10 CAP	11
STANDARD	VAR	66	2	12R	16	16 & 12	13	12 CAP	13

COLORS

BORDER & LEGEND - WHITE (REFL)

BACKGROUND - GREEN

THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE.

CHIEF, DIVISION OF TRAFFIC ENGINEERING

6/17/87

DATE

REVISION

REVISION

MUTCD NUMBER NoneCODE G86-3

ALTERNATE MESSAGE, Line 3:
NEXT RIGHT, NEXT LEFT, SECOND RIGHT and SECOND LEFT.

SIGN SIZE (Inches)	DIMENSIONS (Inches)									
	A	B	C	D	E	F	G	H	J	K
Var x 96	Var	96	11	10E	12	13.3&10E(M)	10	12D	2	12
Var x 110	Var	110	14	12E	16	16&12E(M)	12	15D	2	12

SIGN SIZE (mm)	DIMENSIONS (Millimeters)									
	A	B	C	D	E	F	G	H	J	K
Var x 2438	Var	2438	389	250E	305	330&250E(M)	254	300D	51	305
Var x 2794	Var	2794	356	300E	406	400&300E(M)	305	375D	51	305

COLORS
BORDER & LEGEND - WHITE (REFLECTIVE)
BACKGROUND - GREEN (REFLECTIVE)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

Gerry Kreis
CHIEF, OFFICE OF SIGNS AND DELINEATION

6/8/01

DATE

REVISION

REVISION

MUTCD NUMBER NoneCODE G86-5

ALTERNATE MESSAGE, Line 3:
NEXT RIGHT, NEXT LEFT, SECOND RIGHT and SECOND LEFT.

SIGN SIZE (Inches)	DIMENSIONS (Inches)								
	A	B	C	D	E	F	G	H	J
Var x 90	Var	90	14	10E	14	13.3&10E(M)	16	2	12
Var x 108	Var	108	16	12E	16	16&12E(M)	20	2	12
Var x 110	Var	110	17	12E	16	16&12E(M)	20	2	12

SIGN SIZE (mm)	DIMENSIONS (Millimeters)								
	A	B	C	D	E	F	G	H	J
Var x 2286	Var	2286	356	250E	356	330&250E(M)	406	51	305
Var x 2743	Var	2743	406	300E	406	400&300E(M)	508	51	305
Var x 2794	Var	2794	432	300E	406	400&300E(M)	508	51	305

COLORS
BORDER & LEGEND - WHITE (REFLECTIVE)
BACKGROUND - GREEN (REFLECTIVE)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

MUTCD NUMBER NoneCODE G86-7

ALTERNATE MESSAGE, Line 3:
NEXT RIGHT, NEXT LEFT, SECOND RIGHT and SECOND LEFT.

SIGN SIZE (Inches)	DIMENSIONS (Inches)											
	A	B	C	D	E	F	G	H	J	K	L	M
Var x 90	Var	90	14	10E	14	13.3&10E(M)	14	12D	31	6	2	12
Var x 96	Var	96	14	12E	12	16&12E(M)	16	15D	32	6	2	12
Var x 100	Var	100	16	12E	12	16&12E(M)	16	15D	34	6	2	12

SIGN SIZE (mm)	DIMENSIONS (Millimeters)											
	A	B	C	D	E	F	G	H	J	K	L	M
Var x 2286	Var	2286	356	250E	356	330&250E(M)	356	300D	787	152	51	305
Var x 2438	Var	2438	356	300E	305	400&300E(M)	406	375D	813	152	51	305
Var x 2540	Var	2540	406	300E	305	400&300E(M)	406	375D	864	152	51	305

COLORS
BORDER & LEGEND - WHITE (REFLECTIVE)
BACKGROUND - GREEN (REFLECTIVE)


- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

Gerry Keri
 CHIEF, OFFICE OF SIGNS AND DELINEATION

6/8/01
 DATE

REVISION

REVISION

MUTCD NUMBER NoneCODE G86-8

Note: Series C or D alphabets, abbreviations and hyphenations may be used for the primary message to maintain minimum sign widths. Smaller letter heights, 4"(100 mm) minimum, may be considered as a last option.

SIGN SIZE (Inches)	DIMENSIONS (Inches)														
	A	B	C	D	E	F	G	H	J	K	L	M	N	P	R
Variable x 60	Var.	60	1	18	9-1/2	7-1/2	3-3/4	1-1/8	6-1/2	6UC&4-1/2LC	6	4-1/2	4E	3	3
Variable x 78	Var.	78	1-1/4	18	9-5/8	7-1/2	3-3/4	1-1/8	8-1/2	8UC&6LC	8	7	6E	5	6

SIGN SIZE (mm)	DIMENSIONS (Millimeters)														
	A	B	C	D	E	F	G	H	J	K	L	M	N	P	R
Variable x 1524	Var.	1524	25	457	241	191	95	29	165	150UC&113LC	152	114	100E	76	76
Variable x 1981	Var.	1981	32	457	244	191	95	29	216	200UC&150LC	203	178	150E	127	152

COLORS**BORDER, LEGEND & DIAMOND - WHITE (REFLECTIVE)****DIAMOND BACKGROUND - BLACK (NON-REFLECTIVE)****BACKGROUND - GREEN (REFLECTIVE)**

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -



 CHIEF, OFFICE OF SIGNS AND DELINEATION

8/1/02

DATE

REVISION

REVISION

MUTCD NUMBER NoneCODE G86-9

SIGN SIZE (Inches)	DIMENSIONS (Inches)														
	A	B	C	D	E	F	G	H	J	K	L	M	N	P	R
Variable x 72	Var.	72	1	18	9-1/2	7-1/2	3-3/4	1-1/8	6-1/2	6UC&4-1/2LC	6	4-1/2	4E	3	3
Variable x 90	Var.	90	1-1/4	18	9-5/8	7-1/2	3-3/4	1-1/8	8	8UC&6LC	8	6	6E	5	6

SIGN SIZE (mm)	DIMENSIONS (Millimeters)														
	A	B	C	D	E	F	G	H	J	K	L	M	N	P	R
Variable x 1829	Var.	1829	25	457	241	191	95	29	165	150UC&113LC	152	114	100E	76	76
Variable x 2286	Var.	2286	32	457	244	191	95	29	203	200UC&150LC	203	152	150E	127	152

COLORS**BORDER, LEGEND & DIAMOND - WHITE (REFLECTIVE)****DIAMOND BACKGROUND - BLACK (NON-REFLECTIVE)****BACKGROUND - GREEN (REFLECTIVE)**

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -



 CHIEF, OFFICE OF SIGNS AND DELINEATION

8/1/02

DATE

REVISION

REVISION

MUTCD NUMBER NoneCODE G86-10

SIGN SIZE (Inches)	DIMENSIONS (Inches)																	
	A	B	C	D	E	F	G	H	J	K	L	M	N	P	R	S	T	U
Variable x 70	Var.	70	2	35	24	36	18-3/4	12	3	8	10D	8	13.3UC & 10LC	11	16	126	3	9
Variable x 100	Var.	100	2	50	24	36	18-3/4	12	3	15	10D	14	13.3UC & 10LC	17	20	126	3	12

SIGN SIZE (mm)	DIMENSIONS (Millimeters)																	
	A	B	C	D	E	F	G	H	J	K	L	M	N	P	R	S	T	U
Variable x 1778	Var.	1778	51	889	610	914	476	305	76	203	250D	203	330UC & 250LC	279	406	3200	76	229
Variable x 2540	Var.	2540	51	1270	610	914	476	305	76	381	250D	356	330UC & 250LC	432	508	3200	76	305

COLORS

BORDER, LEGEND & DIAMOND - WHITE (REFLECTIVE)
LEGEND ON WHITE BACKGROUND - BLACK (NON-REFLECTIVE)
DIAMOND BACKGROUND - BLACK (NON-REFLECTIVE)
BACKGROUND - GREEN & WHITE (REFLECTIVE)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -


Denny Morris
 CHIEF, OFFICE OF SIGNS AND DELINEATION

8/1/02

DATE

REVISION

REVISION

MUTCD NUMBER NoneCODE G86-11

Alternate message Line 3: "NEXT RIGHT" and "NEXT LEFT".

SIGN SIZE	DIMENSIONS (Millimeters)									
	A	B	C	D	E	F	G	H	J	K
Var. x 1054	Var.	1054	25	188	160 & 113	151	188	125Cap	176	75
Var. x 1355	Var.	1355	38	252	200 & 150	201	226	150Cap	226	151
Var. x 1807	Var.	1807	50	329	265 & 200	276	301	200Cap	301	226

SIGN SIZE	DIMENSIONS (Inches)									
	A	B	C	D	E	F	G	H	J	K
Var. x 42	Var.	42	1	7-1/2	6 & 4-1/2	6	7-1/2	5Cap	7	3
Var. x 54	Var.	54	1-1/2	10	8 & 6	8	9	6Cap	9	6
Var. x 72	Var.	72	2	13	10.67 & 8	11	12	8Cap	12	9

COLORS
LEGEND & BORDER - WHITE (REFLECTIVE)
BACKGROUND - BROWN (NON-REFLECTIVE)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -


[Signature]
 CHIEF, OFFICE OF SIGNS AND DELINEATION

2/10/99
 DATE

REVISION

REVISION

STATE OF CALIFORNIA - DEPARTMENT OF TRANSPORTATION



G86-12(CA)

NOTES:

Alternate message, Line 2: NEXT LEFT, NEXT EXIT, SECOND RIGHT, and SECOND LEFT.


The exit number should be located on the left edge of the sign for left exits and on the right edge of the sign for right exits.

ENGLISH UNITS

A	B	C	D	E	F	G	H	J	K	L	M	N
Variable	84	66	1-1/2	14	10E	14	13.3&10E(M)	9	18	10E	6E	3
Variable	100	76	2	16	12E	16	16&12E(M)	12	24	12E	8E	6
Variable	102	78	2	17	12E	16	16&12E(M)	12	24	12E	8E	6

COLORS: BORDER & LEGEND - WHITE (RETROREFLECTIVE)
BACKGROUND - GREEN (RETROREFLECTIVE)

STATE OF CALIFORNIA - DEPARTMENT OF TRANSPORTATION



G86-13 (CA)

NOTES:

Alternate message, Line 2: NEXT LEFT, NEXT EXIT, SECOND RIGHT, and SECOND LEFT.

The exit number should be located on the left edge of the sign for left exits and on the right edge of the sign for right exits.

ENGLISH UNITS

A	B	C	D	E	F	G	H	J	K	L	M
Variable	78	1-1/2	14	10E	12	13.3&10E(M)	9	18	10E	6E	3
Variable	90	2	14	12E	12	16&12E(M)	12	24	12E	8E	6

COLORS: BORDER & LEGEND - WHITE (RETROREFLECTIVE)
BACKGROUND - GREEN (RETROREFLECTIVE)



ALL DIMENSIONS ARE IN INCHES

<u>G87</u> SUFFIX	SIZE	BORDER WIDTH	MARGIN WIDTH	LETTER SIZE, SERIES & STROKE WIDTH					COR. RAD.
				LINE 1	LINE 2	LINE 3	LINE 4	LINE 5	
-1	Varx54	2	-	13.3&10	10 CAP				6

<u>G87</u> SUFFIX	SIZE	DIMENSIONS											
		A	B	C	D	E	F	G	H	I	J	K	L
-1	Varx54	11	11	12									

Green BACKGROUND WITH White BORDER & SYMBOL Reflective message and border.

Refer to standard post spacing table.

APPROVED

accat
TRAFFIC ENGINEER

11/15/71
DATE

REVISION

MUTCD NUMBER NONECODE G92

SIGN	DIMENSION (INCHES)						
	A	B	C	D	E	F	G
STANDARD	48	30	3/4	1 7/8	7	5D	6
SPECIAL	36	24	1/2	1 1/2	5 1/2	4D	5

COLORS

BORDER & SYMBOL - WHITE (REFL)

BACKGROUND - GREEN (REF)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON THE REVERSE SIDE -



 DEPUTY CHIEF, DIVISION OF TRAFFIC OPERATIONS

DATE

1/15/92

REVISION

REVISION

MUTCD NUMBER NoneCODE G92-1

SIGN SIZE (Inches)	DIMENSIONS (Inches)										
	A	B	C	D	E	F	G	H	J	K	L
36 x 36	36	36	1/2	18	9-1/2	7-1/2	3-3/4	1-1/8	3	4C	1-1/2
48 x 42	48	42	3/4	18	9-3/8	7-1/2	3-3/4	1-1/8	4	5C	1-7/8

SIGN SIZE (mm)	DIMENSIONS (Millimeters)										
	A	B	C	D	E	F	G	H	J	K	L
914 x 914	914	914	13	457	241	191	95	29	76	100C	38
1219 x 1067	1219	1067	19	457	238	191	95	29	102	125C	48

COLORS
BORDER, LEGEND & DIAMOND - WHITE (REFLECTIVE)
DIAMOND BACKGROUND - BLACK (NON-REFLECTIVE)
BACKGROUND - GREEN (REFLECTIVE)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

Gerry Kreis
 CHIEF, OFFICE OF SIGNS AND DELINEATION

8/1/02


DATE

REVISION

REVISION

DEPARTMENT OF TRANSPORTATION

STATE OF CALIFORNIA



SIGN	DIMENSIONS (INCHES)							
	A	B	C	D	E	F	G	H
MIN.	24	18	1½	10½	3D	3/8	5/8	1½

COLORS

LEGEND & SYMBOL - GREEN
BACKGROUND - WHITE (REFL)

THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE.


CHIEF, OFFICE OF TRAFFIC ENGINEERING

12/4/80

DATE

REVISION

REVISION

MUTCD NUMBER 1-5CODE G94-1

SIGN	DIMENSIONS (INCHES)					
	A	B	C	D	E	F
MINIMUM	18	1/2	1 1/2	5 1/4	7 1/2	13 1/2
CONVENTIONAL	24	1/2	1 1/2	7	10	18
FREEWAY	30	3/4	1 7/8	8 5/8	12 1/2	22 1/2

COLORS

BORDER & LEGEND - WHITE (REFL)

BACKGROUND - GREEN

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON THE REVERSE SIDE -


CHIEF, DIVISION OF TRAFFIC ENGINEERING

12/5/89

DATE

REVISION

REVISION

MUTCD NUMBER NoneCODE G94
Grid

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

Gerry Myers
CHIEF, DIVISION OF TRAFFIC OPERATIONS

8/16/00

DATE

REVISION

REVISION



NOTE: For symbol details, see Standard Highway Signs, Appendix, "Car Pool".

G95A (CA)


ENGLISH UNITS

A	B	C	D	E	F	G	H
96	42	1.25	16	4	8D	8	6
108	48	1.5	20	4	10D	8	6

METRIC UNITS

A	B	C	D	E	F	G	H
2438	1067	32	406	102	200D	203	152
2743	1219	38	508	102	250D	203	152

COLORS: BORDER & LEGEND - WHITE (RETROREFLECTIVE)
BACKGROUND - BLUE (RETROREFLECTIVE)



NOTE: For symbol details, see Standard Highway Signs, Appendix, "Car Pool".

G95B (CA)


ENGLISH UNITS

A	B	C	D	E	F	G	H
96	60	1.25	16	6	8D	10	6
108	72	1.5	20	7	10D	11	6

METRIC UNITS

A	B	C	D	E	F	G	H
2438	1500	32	406	152	200D	254	152
2743	1829	38	508	178	250D	279	152

COLORS: BORDER & LEGEND - WHITE (RETROREFLECTIVE)
BACKGROUND - BLUE (RETROREFLECTIVE)

MUTCD NUMBER NoneCODE G95B-1

SIGN	DIMENSIONS (INCHES)						
	A	B	C	D	E	F	G
CONVENTIONAL	96	18	1-1/4	6	3-1/2	4D	2
FREEWAY	108	24	1-1/2	8	4-1/2	6D	3

COLOR
 BOLDER & LEGEND = WHITE (REFLECTIVE)
 BACKGROUND = GREEN (NON-REFLECTIVE)


- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

MR. Lawrence
 DEPUTY CHIEF, DIVISION OF TRAFFIC OPERATIONS

DATE

REVISION

REVISION



SIGN	DIMENSIONS (INCHES)					
	A	B	C	D	E	F
FWY 4-LANE	96	24	5/8	1 1/2	8	8D
FWY 6-LANE	108	30	1	2 1/4	10	10D

COLORS

BORDER & LEGEND - WHITE (REFL)

BACKGROUND - GREEN

THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE.


CHIEF, DIVISION OF TRAFFIC ENGINEERING1/12/87
DATECSB 6/17/87
REVISION

REVISION



NOTE: For symbol details, see Standard Highway Signs, Appendix, "Car Pool".

G95E (CA)


ENGLISH UNITS

A	B	C	D	E	F	G	H	J
96	18	1	6D	6	11	4	10	3
120	24	1.25	8D	8	10	5	14	6

METRIC UNITS

A	B	C	D	E	F	G	H	J
2438	457	25	150D	152	279	102	254	76
3048	610	32	200D	203	254	127	356	152

COLORS: BORDER & LEGEND - WHITE (RETROREFLECTIVE)
BACKGROUND - BLUE (RETROREFLECTIVE)

MUTCD NUMBER NoneCODE G95F

NOTES:

1. When appropriate, a local transit authority's logo may be used in place of, or on the left side of the sign in combination with a standard symbol. When a local transit authority's name is used, instead of a logo, in combination with a standard symbol, it should also be placed on the left side of the sign, in a letter size approximately 25% of the height of the symbol being used.
2. For standard symbol details, see G97B (Rail Station) or G97-1A (Light Rail Station).
3. Alternate message line 1: NEXT LEFT, NEXT EXIT, SECOND EXIT, SECOND RIGHT, SECOND LEFT, etc.

SIGN SIZE	DIMENSIONS (INCHES)							
	A	B	C	D	E	F	G	H
Variable x 36	VAR	36	1-1/4	6	4	16	6D	6
Variable x 48	VAR	48	1-1/2	6	5-1/2	20	8D	9
Variable x 60	VAR	60	2	9	7	25	10D	11

COLORS
BORDER, LEGEND, & SYMBOL - WHITE (REFLECTIVE)
BACKGROUND - GREEN (NON-REFLECTIVE)


- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

MR. Lawrence
 DEPUTY CHIEF, DIVISION OF TRAFFIC OPERATIONS

2-9-94
 DATE

9-2-94
 REVISION

1-25-95
 REVISION

MUTCD NUMBER NoneCODE G95G

NOTES:

1. When appropriate, a local transit authority's logo may be used in place of, or on the left side of the sign in combination with a standard symbol. When a local transit authority's name is used, instead of a logo, in combination with a standard symbol, it should also be placed on the left side of the sign, in a letter size approximately 25% of the height of the symbol being used.
2. For standard symbol details, see G97B (Rail Station) or G97-1A (Light Rail Station).
3. Alternate message line 1: Variable, see policy.
4. Alternate message line 2: NEXT LEFT, NEXT EXIT, SECOND EXIT, SECOND RIGHT, SECOND LEFT, etc.

SIGN SIZES	DIMENSIONS (INCHES)									
	A	B	C	D	E	F	G	H	J	K
Variable x 54	VAR	54	1-1/4	6	5	16	8 & 6	6	6D	8
Variable x 66	VAR	66	1-1/2	6	5	20	10.67 & 8	8	8D	9.33
Variable x 84	VAR	84	2	9	7	25	13.3 & 10	10	10D	11.7

COLORS
 BORDER, LEGEND, & SYMBOL - WHITE (REFLECTIVE)
 BACKGROUND - GREEN (NON-REFLECTIVE)


- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

PR Lawrence
 DEPUTY CHIEF, DIVISION OF TRAFFIC OPERATIONS

2-9-94
 DATE

9-2-94
 REVISION

1-25-95
 REVISION

MUTCD NUMBER NONECODE G96

SIGN	DIMENSIONS (INCHES)						
	A	B	C	D	E	F	G
MINIMUM	18	1/2	4 7/8	1 1/2	6	4 9/16	2 5/8
CONVENTIONAL	24	1/2	6 1/2	1 1/2	8	6 1/8	3 1/2
FREEWAY	30	3/4	8 1/4	1 7/8	10	7 5/8	4 1/4

COLORS
 BORDER & SYMBOL - WHITE (REFL)
 BACKGROUND - GREEN



- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON THE REVERSE SIDE -

Dep *MP Lawless*
 CHIEF, DIVISION OF TRAFFIC ENGINEERING

3/22/91
 DATE

REVISION

REVISION

MUTCD NUMBER NONECODE G96A

NOTE: TO BE USED ONLY WITH G96

SIGN	DIMENSIONS (INCHES)					
	A	B	C	D	E	F
MINIMUM	18	5	1/2	1 1/4	1	3C
CONVENTIONAL	24	6	1/2	1 1/2	1	4C
FREEWAY	30	8	3/4	1 7/8	1 1/2	5C

COLORS
 BORDER & LEGEND - WHITE (REFL)
 BACKGROUND - GREEN

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON THE REVERSE SIDE -

MR. L...
 CHIEF, DIVISION OF TRAFFIC ENGINEERING


6/22/91
 DATE

MR. L... 7/12/91
 REVISION

REVISION

DEPARTMENT OF TRANSPORTATION

STATE OF CALIFORNIA



SIGN	DIMENSIONS (INCHES)					
	A	B	C	D	E	F
MINIMUM	18	1/2	1 1/2	15	1-1/2	4 1/8
CONVENTIONAL	24	1/2	2	20	1-1/2	5 1/2
FREEWAY	30	3/4	2 1/2	25	1-7/8	6 7/8

COLORS
LEGEND - WHITE (REFL)
BACKGROUND - GREEN


THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE.

CD Barber
 CHIEF, DIVISION OF TRAFFIC ENGINEERING

9-26-86
 DATE

REVISION

REVISION

MUTCD NUMBER NoneCODE G97A

Notes:

1. This sign is to be used only with the G97 symbol sign.
2. Alternate messages such as CALTRAIN or BART, etc. may be used to coincide with local terminology.

SIGN SIZE	DIMENSIONS (INCHES)					
	A	B	C	D	E	F
18 x 5	18	5	1/2	1	3C	1-1/2
24 x 6	24	6	1/2	1	4C	1-1/2
30 x 8	30	8	3/4	1-1/2	5C	1-7/8

SIGN SIZE	DIMENSIONS (INCHES)					
	A	B	C	D	E	F
457 x 127	457	127	13	26	75C	38
610 x 152	610	152	13	26	100C	38
762 x 203	762	203	19	39	175C	48

COLOR

BORDER & LEGEND - WHITE (Reflective)

BACKGROUND - GREEN (Reflective)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

Gerry Kreis
 CHIEF, OFFICE OF SIGNS & DELINEATION


11/23/99

DATE

REVISION

REVISION

MUTCD NUMBER _____



SIGN	DIMENSIONS (INCHES)				
	A	B	C	D	E
MINIMUM	18	1/2	1 1/2	2	7
CONVENTIONAL	24	1/2	1 1/2	2 1/2	9 1/2
FREEWAY	30	3/4	1 7/8	3	12

COLORS
BORDER & SYMBOL - WHITE (REFL)
BACKGROUND - BROWN


- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON THE REVERSE SIDE -

MR. L. J. [Signature]
 CHIEF, DIVISION OF TRAFFIC ENGINEERING

1/13/92
 DATE

REVISION

REVISION



SIGN	DIMENSIONS (Inches)				
	A	B	C	D	E
MINIMUM	18	1/2	1-1/2	2-1/4	13-1/2
CONVENTIONAL	24	1/2	1-1/2	3	18
FREEWAY	30	3/4	1-7/8	3-3/4	22-1/2

COLORS
BORDER & SYMBOL - WHITE (Reflective)
BACKGROUND - BROWN (Reflective)


- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

MP Lavelle
 DEPUTY CHIEF, DIVISION OF TRAFFIC OPERATIONS

6/19/92
 DATE

REVISION

REVISION



SIGN	DIMENSIONS (Inches)						
	A	B	C	D	E	F	G
MINIMUM	18	10	1/2	1-1/2	2-1/2	1	2C
CONVENTIONAL	24	12	1/2	1-1/2	2-1/4	1-1/2	3C
FREEWAY	30	16	3/4	1-7/8	2-3/4	2-1/2	4C

COLORS
BORDER & SYMBOL - WHITE (Reflective)
BACKGROUND - BROWN (Reflective)


- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

MR. L. L. L.
 DEPUTY CHIEF, DIVISION OF TRAFFIC OPERATIONS


6/19/92
 DATE

REVISION

REVISION


MUTCD NUMBER NoneCODE G200-81B

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -


DEPUTY CHIEF, DIVISION OF TRAFFIC OPERATIONS6/19/92
DATE

REVISION

REVISION

MUTCD NUMBER NoneCODE G200-82

SIGN SIZE (Inches)	DIMENSIONS (Inches)				
	A	B	C	D	E
18 x 18	18	1/2	1-1/2	2	14
24 x 24	24	1/2	1-1/2	2-1/2	19
30 x 30	30	3/4	1-7/8	3-1/4	23-1/2


COLORS
BORDER - WHITE (REFLECTIVE)
SYMBOL - LAVENDER, GREEN, ORANGE & YELLOW (REFLECTIVE)
BACKGROUND - BROWN (REFLECTIVE)

Guy Myers
 CHIEF, OFFICE OF SIGNS AND DELINEATION

5/8/97
 DATE

REVISION

REVISION

MUTCD NUMBER NoneCODE G200-82A

SIGN SIZE (Inches)	DIMENSIONS (Inches)								
	A	B	C	D	E	F	G	H	J
18 x 12	18	12	1/2	1-1/2	1-1/2	2	3/4	1-1/2D	1-3/4
24 x 18	24	18	1/2	1-1/2	2	3	1-1/2	2D	2-1/2
30 x 24	30	24	3/4	1-7/8	2-1/4	4	2	3C	2-3/4

COLORS
BORDER & MESSAGE - WHITE (REFLECTIVE)
BACKGROUND - BROWN (REFLECTIVE)

Garry Miller
 CHIEF, OFFICE OF SIGNS AND DELINEATION

5/8/97
 DATE

REVISION

REVISION

(This page left intentionally blank)



ALL DIMENSIONS ARE IN INCHES

SG1 SUFFIX	SIZE	BORDER WIDTH	MARGIN WIDTH	LETTER SIZE, SERIES & STROKE WIDTH					COR RAD.
				LINE 1	LINE 2	LINE 3	LINE 4	LINE 5	
-1	VarX20	1/2	-	4&3	4&3				3
-2	VarX30	1	-	6&4-1/2	6&4-1/2				3

SG1 SUFFIX	SIZE	DIMENSIONS											
		A	B	C	D	E	F	G	H	I	J	K	L
-1	VarX20	4	4	4									
-2	VarX30	7	4-1/2	6-1/2									

Green BACKGROUND WITH White BORDER & SYMBOL Reflective message & border.

APPROVED:

[Signature]
TRAFFIC ENGINEER

8/1/73
DATE

11/21/74

CODE SG2

ALL DIMENSIONS ARE IN INCHES

ALL DIMENSIONS ARE IN INCHES

SG2 SUFFIX	SIZE	BORDER WIDTH	MARGIN WIDTH	LETTER SIZE, SERIES & STROKE WIDTH					L
				LINE 1	LINE 2	LINE 3	LINE 4		
-1	30X28	3/4	-	4&3	4&3	4&3			3
-2	48X40	1	-	6&4½	6&4½	6&4½			

SG2 SUFFIX	SIZE	DIMENSIONS											
		A	B	C	D	E	F	G	H	I	J	K	L
-1	30X28	2	12	-	4	4							
-2	48X40	2	18	16	6	5							


Green BACKGROUND WITH White BORDER & SYMBOL Reflective message & border.

3/8" Dia Holes

APPROVED:

8/1/73

11/24/74


MUTCD NUMBER NoneCODE SG2A

SIGN SIZE (Inches)	DIMENSIONS (INCHES)						
	A	B	C	D	E	F	G
42 X 15	42	15	1/2	1-1/2	3-3/8	3 & 2.25 E(M)	2-1/4

SIGN SIZE (mm)	DIMENSIONS (MILLIMETERS)						
	A	B	C	D	E	F	G
1067 X 381	1067	381	13	38	87	75 & 56 E(M)	57

COLORS
BACKGROUND - BROWN (RETROREFLECTIVE)
BORDER & LEGEND - WHITE(RETROREFLECTIVE)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

MUTCD NUMBER NoneCODE SG8

SIGN SIZE	DIMENSIONS (INCHES)					
	A	B	C	D	E	F
84 x 18	84	18	1-1/4	3	6	6E
120 x 24	120	24	1-1/2	6	8	8E
144 x 30	144	30	2	6	10	10E

COLORS
 BORDER & LEGEND - WHITE (REFLECTIVE)
 BACKGROUND - GREEN (NON-REFLECTIVE)

• THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE •

[Signature]
 CHIEF, OFFICE OF SIGNS AND DELINEATION

2/3/95
 DATE

REVISION

REVISION



- NOTES:
- 1. For symbol details, see Standard Highway Signs, Appendix, "Car Pool".
 - 2. Line 3: Alternate phone number, specify when ordering.

SG19 (CA)

ENGLISH UNITS

A	B	C	D	E	F	G	H	J	K
48	30	.75	3	11	8	4	4D	5.5	3C
72	42	1	6	15	12	6	6D	7	4C
90	54	1.5	9	19	16	7	8D	9	6C

METRIC UNITS

A	B	C	D	E	F	G	H	J	K
1219	762	19	76	279	203	102	100D	140	75C
1829	1067	25	152	381	305	152	150D	178	100C
2286	1372	38	229	483	406	178	200D	229	150C

COLORS: BORDER & LEGEND - WHITE (RETROREFLECTIVE)
BACKGROUND - BLUE (RETROREFLECTIVE)

STATE OF CALIFORNIA - DEPARTMENT OF TRANSPORTATION



NOTES:

1. For symbol details, see Standard Highway Signs, Appendix, "Car Pool".
2. Alternate Line 3 Message: Appropriate phone number, specify when ordering.
3. Alternate Line 4 Message: A CALTRANS FACILITY.
4. Alternate Line 5 Message: FREE - NO PERMIT REQUIRED, or appropriate name.

SG20 (CA)

ENGLISH UNITS

A	B	C	D	E	F	G	H	J	K	L	M	N	O
48	36	.75	3	9.25	10	3.75	4D	5	3C	3D	3	2C	1.5
66	54	1	6	15.5	13	7.5	6D	6.5	4C	4D	4	3C	2
96	72	1.5	9	19.75	18	8.75	8D	9	6C	6D	6	4C	2.5

METRIC UNITS

A	B	C	D	E	F	G	H	J	K	L	M	N	O
1219	914	19	76	235	254	95	100D	127	75C	75D	76	50C	38
1676	1372	25	152	394	330	191	150D	165	100C	100D	102	75C	51
2438	1829	38	229	502	457	222	200D	229	150C	150D	152	100C	64

COLORS: BORDER & LEGEND - WHITE (RETROREFLECTIVE)
BACKGROUND - BLUE (RETROREFLECTIVE)

MUTCD NUMBER NoneCODE SG25

NOTES:

1. County, Route and Location Number will vary, specify when ordering.
2. Line 1, County may be abbreviated Co., when using a longer county name.

SIGN	DIMENSIONS (INCHES)								
	A	B	C	D	E	F	G	H	J
SPECIAL	12	18	3/8	1-1/2	2	1C	3D	1-1/2	1-1/2C
SPECIAL	18	24	1/2	1-1/2	2-1/2	1-1/2C	4D	2-1/2	2C
STANDARD	30	36	3/4	1-1/2	4	2C	6E	3	3D

COLORS

BORDER & LEGEND - WHITE (REFLECTIVE)
BACKGROUND - BLUE (REFLECTIVE)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

DEPUTY CHIEF, DIVISION OF TRAFFIC OPERATIONS


DATE

3-11-94

REVISION

12/26/96

REVISION

MUTCD NUMBER NoneCODE SG25A

Note: Information placed in this area will be provided by the participant, at their expense.
The message and logos shall be approved by the responsible agency.

SIGN	DIMENSIONS (INCHES)								
	A	B	C	D	E	F	G	H	J
SPECIAL	12	6	3/8	1-1/2	7/8	3/4D	1/2	3	10-1/4
SPECIAL	18	12	1/2	1-1/2	1-1/2	1-1/2D	1	6	15
STANDARD	30	18	3/4	1-1/2	2-1/4	2D	1-1/2	10	25-1/2

SIGN	DIMENSIONS (MILLIMETERS)								
	A	B	C	D	E	F	G	H	J
SPECIAL	300	150	9	38	22	19D	13	75	256
SPECIAL	450	300	13	38	38	38D	25	150	375
STANDARD	750	450	19	38	56	50D	38	250	638

COLORS
BORDER & LEGEND - WHITE (REFLECTIVE)
BACKGROUND - BLUE (REFLECTIVE)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

Gregory M. Reis
CHIEF, OFFICE OF SIGNS AND DELINEATION


5/5/98
DATE

REVISION

REVISION

STATE OF CALIFORNIA
DEPARTMENT OF TRANSPORTATION

STATE OF CALIFORNIA



ALL DIMENSIONS ARE IN INCHES

SG5 SUFFIX	SIZE	BORDER WIDTH	MARGIN WIDTH	LETTER SIZE, SERIES & STROKE WIDTH					CORNER RADIUS
				LINE 1	LINE 2	LINE 3	LINE 4	LINE 5	
-1.1	72X36	1	-	4C-.64	4	6C-.96	4C-.64		3

SG5	SIZE	DIMENSIONS											
		A	B	C	D	E	F	G	H	I	J	K	L
SUFFIX													
-1.1	72X36	4	3	3.5									

BLUE BACKGROUND WITH WHITE BORDER LEGEND & SYMBOL REFLECTORIZED

3 8 DIA HOLES •

APPROVED

CHIEF, OFFICE OF TRAFFIC

 4/6/78
DATE

REVISION

MUTCD NUMBER **NONE**CODE **SG28 (Lt)**

NOTES:

1. Alternate messages: COASTAL ACCESS, COASTAL VIEW or BAY ACCESS, use 'D' Series alphabet. Alternate message: BAY VIEW, use 'E' Series alphabet.
2. For arrowhead dimensions, see Standard Arrowhead on Appendix Page 2 of 11.

SIGN SIZE (Inches)	DIMENSIONS (Inches)												
	A	B	C	D	E	F	G	H	J	K	L	M	N
30 X 30	30	3/4	1-1/2	4	4D/E	3	7-3/8	1-1/2	5-5/8	7-1/2	4	7-1/4	8-3/4
48 X 48	48	1	3	6	6D/E	5	12	2-1/2	9	12	6-3/8	11-5/8	14


SIGN SIZE (mm)	DIMENSIONS (Millimeters)												
	A	B	C	D	E	F	G	H	J	K	L	M	N
762 X 762	762	19	38	102	100D/E	76	187	38	143	191	102	184	222
1219 X 1219	1219	25	76	152	150D/E	127	305	64	229	305	162	295	356

COLORS

BORDER & LEGEND - WHITE (REFLECTIVE)

BACKGROUND - BROWN (REFLECTIVE)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

MUTCD NUMBER **NONE**CODE **SG28 (Rt)**

NOTES:

1. Alternate messages: COASTAL ACCESS, COASTAL VIEW or BAY ACCESS, use 'D' Series alphabet. Alternate message: BAY VIEW, use 'E' Series alphabet.
2. For arrowhead dimensions, see Standard Arrowhead on Appendix Page 2 of 11.

SIGN SIZE (Inches)	DIMENSIONS (Inches)												
	A	B	C	D	E	F	G	H	J	K	L	M	N
30 X 30	30	3/4	1-1/2	4	4D/E	3	7-3/8	1-1/2	5-5/8	7-1/2	4	7-1/4	8-3/4
48 X 48	48	1	3	6	6D/E	5	12	2-1/2	9	12	6-3/8	11-5/8	14


SIGN SIZE (mm)	DIMENSIONS (Millimeters)												
	A	B	C	D	E	F	G	H	J	K	L	M	N
762 X 762	762	19	38	102	100D/E	76	187	38	143	191	102	184	222
1219 X 1219	1219	25	76	152	150D/E	127	305	64	229	305	162	295	356

COLORS

BORDER & LEGEND - WHITE (REFLECTIVE)

BACKGROUND - BROWN (REFLECTIVE)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

MUTCD NUMBER NoneCODE SG28
Grid

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

Gerry Myers
CHIEF, DIVISION OF TRAFFIC OPERATIONS

11/6/01
DATE

REVISION

REVISION

DEPARTMENT OF TRANSPORTATION

STATE OF CALIFORNIA



SIGN	DIMENSIONS (INCHES)									
	A	B	C	D	E	F	G	H	J	K
STANDARD	60	30	1	3R	6	60	5	7	3	9
SPECIAL	72	36	1 1/2	3R	7	80	5 1/2	7 1/2	3	12

COLORS
BORDER & LEGEND - WHITE (REFL)
BACKGROUND - BROWN

THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE.

C. D. Bartlett
 CHIEF, DIVISION OF TRAFFIC ENGINEERING

6/11/85
 DATE

REVISION

REVISION



SIGN	DIMENSIONS (INCHES)									
	A	B	C	D	E	F	G	H	J	K
STANDARD	60	30	1	3R	6	60	5	7	3	9
SPECIAL	72	36	1 1/2	3R	7	80	5 1/2	7 1/2	3	12

COLORS**BORDER & LEGEND - WHITE (REFL)****BACKGROUND - BROWN**

THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE.


 CHIEF, DIVISION OF TRAFFIC ENGINEERING

DATE

6/1/85

REVISION

REVISION

DEPARTMENT OF TRANSPORTATION

STATE OF CALIFORNIA



NOTE: ARROW DIRECTION MAY VARY. SEE APPENDIX PAGE 10 FOR ARROW DETAIL.

SIGN	DIMENSIONS (INCHES)									
	A	B	C	D	E	F	G	H	J	K
STANDARD	60	30	1	3R	6	6D	5	4 MIN.	3	9
SPECIAL	72	36	1 1/2	3R	7	8D	5 1/2	5 MIN.	3	12

COLORS

BORDER & LEGEND - WHITE (REFL)

BACKGROUND - BROWN

THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE.


 CHIEF, DIVISION OF TRAFFIC ENGINEERING

DATE

REVISION

REVISION



NOTE: 1. ARROW MAY BE PLACED VERTICAL, HORIZONTAL OR
DIAGONAL AND ON EITHER SIDE OF MESSAGE.

2. FOR ARROW DETAIL SEE APPENDIX PAGE 10.

SIGN	DIMENSIONS (INCHES)					
	A	B	C	D	E	F
MINIMUM	VAR	12	1/2	1 1/2 R	4	4C
STANDARD	VAR	18	1	2 1/4 R	6	6D
SPECIAL	VAR	24	1	3 R	8	8D

COLORS
BACKGROUND-BROWN
LEGEND AND BORDER-WHITE (REFL.)

THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE.

CSB
CHIEF, DIVISION OF TRAFFIC ENGINEERING


6/11/85
DATE

REVISION

REVISION

DEPARTMENT OF TRANSPORTATION

STATE OF CALIFORNIA



SIGN	DIMENSIONS (INCHES)					
	A	B	C	D	E	F
MINIMUM	96	24	1	3R	8	8CAP
FREEWAY	120	30	1 1/2	3R	10	10 CAP

COLOR


LEGEND & BORDER-WHITE (REFL)
BACKGROUND-BROWN

THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE.

CD Baxter
CHIEF, DIVISION OF TRAFFIC ENGINEERING6/11/85
DATE_____
REVISION_____
REVISION

MUTCD NUMBER NONE

CODE SG35



SIGN	DIMENSIONS (INCHES)							
	A	B	C	D	E	F	G	H
STANDARD	60	12	1	3R	4	40	3	9
SPECIAL	72	18	1 1/2	3R	6 1/2	50	3	12

COLORS
LEGEND & BORDER - BLACK
BACKGROUND - WHITE(REFL)

THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE.

CSB
 CHIEF, DIVISION OF TRAFFIC ENGINEERING

6/11/85
 DATE

REVISION

REVISION

DEPARTMENT OF TRANSPORTATION

STATE OF CALIFORNIA

DEPARTMENT OF TRANSPORTATION

STATE OF CALIFORNIA



SIGN	DIMENSIONS (INCHES)									
	A	B	C	D	E	F	G	H	J	K
STANDARD	60	18	1	3R	3	40	4	9	3	9
SPECIAL	72	24	1 1/2	3R	4 1/4	50	5 1/2	12	3	9

COLORS

BORDER & LEGEND - BLACK & WHITE (REFL)
BACKGROUND - BLACK

THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE.

Carl S. Barton
CHIEF, DIVISION OF TRAFFIC ENGINEERING

DATE

6/1/85

REVISION

REVISION

MUTCD NUMBER NONECODE SG38

* REDUCE SPACING 50%

NOTE:

1. ALTERNATE MESSAGE, NEXT EXIT, NEXT LEFT, SECOND RIGHT, OR SECOND LEFT.
2. REFER TO STANDARD POST SPACING TABLE.

SIGN	DIMENSION (INCHES)							
	A	B	C	D	E	F	G	H
CONVENTIONAL	VAR	30	1	3	6 1/2	6D	6	5D
FREEWAY	VAR	36	1 1/2	6	8	8 CAP	6	6 CAP

COLORS

BORDER & LEGEND - WHITE (REFL)

BACKGROUND - GREEN

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON THE REVERSE SIDE -

C.D. Bantel

CHIEF, DIVISION OF TRAFFIC ENGINEERING

1-19-89

DATE

1-26-89

REVISION

REVISION

MUTCD NUMBER NONECODE SG39**NOTE:**

1. ARROW MAY BE PLACED VERTICAL, HORIZONTAL OR DIAGONAL AND EITHER SIDE OF MESSAGE.
2. FOR ARROW DETAILS SEE APPENDIX, PAGE 10.
3. FOR MOUNTING REFER TO STANDARD POST SPACING TABLE.

SIGN	DIMENSION (INCHES)						
	A	B	C	D	E	F	G
MINIMUM	VAR	20	1/2	1 1/2	4 1/2	4C	3
STANDARD	VAR	30	1	3	6 1/2	6 CAP	5

COLORS

BORDER & LEGEND - WHITE (REFL)

BACKGROUND - GREEN

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON THE REVERSE SIDE -

CP. Bartel

CHIEF, DIVISION OF TRAFFIC ENGINEERING


1-19-89

DATE

1-26-89

REVISION

REVISION

MUTCD NUMBER NONECODE SG41

SIGN	DIMENSIONS (INCHES)					
	A	B	C	D	E	F
MINIMUM	24	3/8	1 1/2	3 3/4	4D	2 1/4
STANDARD	36	5/8	2 1/4	5	6D	4
FREEWAY	48	3/4	3	7 1/2	8D	4 1/2

COLORS

BORDER & LEGEND - WHITE (REFL)

BACKGROUND - BLUE (NON REFL)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON THE REVERSE SIDE -


CHIEF, DIVISION OF TRAFFIC ENGINEERING

12/5/89

DATE

REVISION

REVISION

MUTCD NUMBER NoneCODE SG42-1


Alternate Messages:
 FOOD, LODGING or CAMPING;
 NEXT RIGHT (LEFT), SECOND RIGHT (LEFT),
 NEXT EXIT, or SECOND EXIT

SIGN SIZE (Inches)	DIMENSIONS (Inches)									
	A	B	C	D	E	F	G	H	J	K
180 x 120	180	120	1-1/2	11	8E	10	36	8	48	9

SIGN SIZE (mm)	DIMENSIONS (Millimeters)									
	A	B	C	D	E	F	G	H	J	K
4572 x 3048	4572	3048	38	279	200E	254	914	203	1219	229

COLORS
BORDER & LEGEND - WHITE (REFLECTIVE)
BACKGROUND - BLUE (REFLECTIVE)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

MUTCD NUMBER NoneCODE SG42-2

Alternate Messages:
 FOOD, LODGING or CAMPING;
 NEXT RIGHT (LEFT), SECOND RIGHT (LEFT),
 NEXT EXIT, or SECOND EXIT

SIGN SIZE (Inches)	DIMENSIONS (Inches)									
	A	B	C	D	E	F	G	H	J	K
180 x 72	180	72	1-1/2	9	8E	36	10	8	48	9

SIGN SIZE (mm)	DIMENSIONS (Millimeters)									
	A	B	C	D	E	F	G	H	J	K
4572 x 1829	4572	1829	38	229	200E	914	254	203	1219	229

COLORS
BORDER & LEGEND - WHITE (REFLECTIVE)
BACKGROUND - BLUE (REFLECTIVE)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -


Gerry Kreis
 CHIEF, OFFICE OF SIGNS AND DELINEATION

7/10/03

DATE

REVISION

REVISION

MUTCD NUMBER NoneCODE SG42-3

Alternate Messages:
 FOOD, LODGING or CAMPING;
 NEXT RIGHT (LEFT), SECOND RIGHT (LEFT),
 NEXT EXIT, or SECOND EXIT

SIGN SIZE (Inches)	DIMENSIONS (Inches)											
	A	B	C	D	E	F	G	H	J	K	L	M
180 x 144	180	144	1-1/2	9-1/2	8E	8	36	8	10	8	48	9

SIGN SIZE (mm)	DIMENSIONS (Millimeters)											
	A	B	C	D	E	F	G	H	J	K	L	M
4572 x 3658	4572	3658	38	241	200E	203	914	203	254	203	1219	229

COLORS
BORDER & LEGEND - WHITE (REFLECTIVE)
BACKGROUND - BLUE (REFLECTIVE)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -



Gerry K. Davis
 CHIEF, OFFICE OF SIGNS AND DELINEATION

7/10/03

DATE

REVISION

REVISION

MUTCD NUMBER **None**CODE **SG42-4****Alternate Messages:** FOOD, LODGING or CAMPING.**Alternate Arrow Directions:** Left, Right, Vertical and Oblique Left or Right.**Arrow Size:** Use One Line Horizontal Arrow for Caps. See Sign Specification Appendix Page 10 of 11.**Mileage Plate**

May be used under a business logo when the business is not visible from Off-Ramp.
Show mileage to nearest 1/4 mile.

SIGN SIZE (Inches)	DIMENSIONS (Inches)																
	A	B	C	D	E	F	G	H	J	K	L	M	N	P	R	S	T
84 x 54	84	54	1	7	6E	6	12	4	5	18	3	2-1/4	12-3/4	6	4	2D	1

SIGN SIZE (mm)	DIMENSIONS (Millimeters)																
	A	B	C	D	E	F	G	H	J	K	L	M	N	P	R	S	T
2134 x 1372	2134	1372	25	178	150E	152	305	102	127	457	76	57	324	152	102	50D	25

COLORS**BORDER & LEGEND - WHITE (REFLECTIVE)****BACKGROUND - BLUE (REFLECTIVE)**

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -



Gerry Meis
CHIEF, OFFICE OF SIGNS AND DELINEATION

7/10/03

DATE

REVISION

REVISION

MUTCD NUMBER NoneCODE SG42-5**Alternate Messages:** FOOD, LODGING or CAMPING.**Alternate Arrow Directions:** Left, Right, Vertical and Oblique Left or Right.**Arrow Size:** Use One Line Horizontal Arrow for Caps. See Sign Specification Appendix Page 10 of 11.**Mileage Plate**

May be used under a business logo when the business is not visible from Off-Ramp.
Show mileage to nearest 1/4 mile.

SIGN SIZE (Inches)	DIMENSIONS (Inches)															
	A	B	C	D	E	F	G	H	J	K	L	M	N	P	R	S
66 x 36	66	36	1	6-1/2	6E	5	12	6	18	3	2-3/4	12-3/4	6	4	2D	1

SIGN SIZE (mm)	DIMENSIONS (Millimeters)															
	A	B	C	D	E	F	G	H	J	K	L	M	N	P	R	S
1676 x 914	1676	914	25	165	150E	127	305	152	457	76	70	324	152	102	50D	25


COLORS**BORDER & LEGEND - WHITE (REFLECTIVE)****BACKGROUND - BLUE (REFLECTIVE)**

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

MUTCD NUMBER

None

CODE

SG42-6**Alternate Messages:**


Line 1 - NEXT RIGHT (LEFT), SECOND RIGHT (LEFT), NEXT EXIT, or SECOND EXIT
 Line 2 - FOOD or LODGING

SIGN SIZE (Inches)	DIMENSIONS (Inches)									
	A	B	C	D	E	F	G	H	J	K
138 x 138	138	138	1-1/2	11	8E	10	36	8	48	9

SIGN SIZE (mm)	DIMENSIONS (Millimeters)									
	A	B	C	D	E	F	G	H	J	K
3505 x 3505	3505	3505	38	279	200E	254	914	203	1219	229

COLORS**BORDER & LEGEND - WHITE (REFLECTIVE)****BACKGROUND - BLUE (REFLECTIVE)**

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

MUTCD NUMBER NoneCODE SG42-7**Alternate Messages:**

Line 1 - NEXT RIGHT (LEFT), SECOND RIGHT (LEFT), NEXT EXIT, or SECOND EXIT
 Line 2 - FOOD or LODGING

SIGN SIZE (Inches)	DIMENSIONS (Inches)										
	A	B	C	D	E	F	G	H	J	K	L
138 x 90	138	90	1-1/2	10	8E	9	36	11	48	10	9

SIGN SIZE (mm)	DIMENSIONS (Millimeters)										
	A	B	C	D	E	F	G	H	J	K	L
3505 x 2286	3505	2286	38	256	200E	229	914	279	1219	254	229

COLORS

BORDER & LEGEND - WHITE (REFLECTIVE)
BACKGROUND - BLUE (REFLECTIVE)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -


Gerry Meis
 CHIEF, OFFICE OF SIGNS AND DELINEATION

7/10/03


DATE

REVISION

REVISION

MUTCD NUMBER **None**CODE **SG42-8**

***Alternate Messages:**
 FUEL or FOOD (Use Series 'E' Alphabet)
 LODGING or CAMPING (Use Series 'C' Alphabet)




Mileage Plate
 May be used under a business logo when the business is not visible from an Off-Ramp. Show mileage to nearest 1/4 mile.

SIGN SIZE (Inches)	DIMENSIONS (Inches)											
	A	B	C	D*	E	F	G	H	J	K	L	M
30 x 30	30	3/4	4-1/2	5E/C	4	12	6	18	1-7/8	4	2D	1

SIGN SIZE (mm)	DIMENSIONS (Millimeters)											
	A	B	C	D*	E	F	G	H	J	K	L	M
762 x 762	762	19	114	125E/C	102	305	152	457	48	102	50D	25

COLORS
BORDER & LEGEND - WHITE (REFLECTIVE)
BACKGROUND - BLUE (REFLECTIVE)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

MUTCD NUMBER NoneCODE SG42-9**Alternate Messages:**

Line 1 - NEXT RIGHT (LEFT), SECOND RIGHT (LEFT), NEXT EXIT, or SECOND EXIT
 Line 2 - FOOD, LODGING, or CAMPING


SIGN SIZE (Inches)	DIMENSIONS (Inches)									
	A	B	C	D	E	F	G	H	J	K
66 x 84	66	84	1-1/2	8	8E	8	36	9	48	6

SIGN SIZE (mm)	DIMENSIONS (Millimeters)									
	A	B	C	D	E	F	G	H	J	K
1676 x 2134	1676	2134	38	203	200E	203	914	229	1219	152

COLORS

BORDER & LEGEND - WHITE (REFLECTIVE)
BACKGROUND - BLUE (REFLECTIVE)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

MUTCD NUMBER NoneCODE SG42-10

Alternate Messages:
 FOOD, LODGING or CAMPING;
 NEXT RIGHT (LEFT), SECOND RIGHT (LEFT),
 NEXT EXIT, or SECOND EXIT

SIGN SIZE (Inches)	DIMENSIONS (Inches)										
	A	B	C	D	E	F	G	H	J	K	L
126 x 120	126	120	1-1/2	11	8E	10	36	8	11	48	9

SIGN SIZE (mm)	DIMENSIONS (Millimeters)										
	A	B	C	D	E	F	G	H	J	K	L
3200 x 3048	3200	3048	38	279	200E	254	914	203	279	1219	229


COLORS
BORDER & LEGEND - WHITE (REFLECTIVE)
BACKGROUND - BLUE (REFLECTIVE)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

MUTCD NUMBER

None

CODE

SG42-11**Alternate Messages:**

FOOD, LODGING or CAMPING;

NEXT RIGHT (LEFT), SECOND RIGHT (LEFT), NEXT EXIT, or SECOND EXIT

(Series 'D' Alphabet is standard, Series 'C' may be used to accomodate a longer message.)

SIGN SIZE (Inches)	DIMENSIONS (Inches)											
	A	B	C	D	E	F	G	H	J	K	L	M
126 x 144	126	144	1-1/2	9-1/2	8D	8	36	8	10-1/2	8	48	9

SIGN SIZE (mm)	DIMENSIONS (Millimeters)											
	A	B	C	D	E	F	G	H	J	K	L	M
3200 x 3658	3200	3658	38	241	200D	203	914	203	267	203	1219	229

COLORS**BORDER & LEGEND - WHITE (REFLECTIVE)****BACKGROUND - BLUE (REFLECTIVE)**

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -



 CHIEF, OFFICE OF SIGNS AND DELINEATION

7/10/03


DATE

REVISION

REVISION

MUTCD NUMBER NoneCODE SG42-12
Lt. or Rt.***Alternate Messages:**

FUEL or FOOD use 'E' Series Alphabet, CAMPING or LODGING use 'C' Series Alphabet.


Alternate Arrow Directions: Left, Right, Vertical and Oblique Left or Right.**Arrow Size:** Use One Line Horizontal Arrow for Caps. See Sign Specification Appendix Page 10 of 11.**Mileage Plate**May be used under a business logo when the business is not visible from Off-Ramp.
Show mileage to nearest 1/4 mile.

SIGN SIZE (Inches)	DIMENSIONS (Inches)														
	A	B	C	D	E	F	G	H	J	K	L	M	N	P	R
48 x 36	48	36	1	6-1/2	6E/C	5	12	6-1/2	18	4-1/4	12-3/4	6	4	2D	1

SIGN SIZE (mm)	DIMENSIONS (Millimeters)														
	A	B	C	D	E	F	G	H	J	K	L	M	N	P	R
1219 x 914	1219	914	25	165	150E/C	127	305	165	457	108	324	152	102	50D	25

COLORS**BORDER & LEGEND - WHITE (REFLECTIVE)****BACKGROUND - BLUE (REFLECTIVE)**

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -



 CHIEF, OFFICE OF SIGNS AND DELINEATION

7/10/03

DATE

REVISION

REVISION




SG44-1
Lt. & Rt.

SIGN SIZE (Inches)	DIMENSIONS (Inches)							
	A	B	C	D	E	F	G	H
72 x 18	72	18	2-1/2	6C	6	2-1/2	12	38

SIGN SIZE (mm)	DIMENSIONS (Millimeters)							
	A	B	C	D	E	F	G	H
1829 x 457	1829	457	63	150C	152	63	305	965

COLORS
BORDER, SYMBOL & LEGEND - WHITE (RETROREFLECTIVE)
BACKGROUND - BLUE (RETROREFLECTIVE)



SG44-2
Lt. & Rt.


SIGN SIZE (Inches)	DIMENSIONS (Inches)								
	A	B	C	D	E	F	G	H	I
72 x 18	72	18	2-1/2	6C	6	2-1/2	12	38	1

SIGN SIZE (mm)	DIMENSIONS (Millimeters)								
	A	B	C	D	E	F	G	H	I
1829 x 457	1829	457	63	150C	152	63	305	965	25

COLORS
BORDER, SYMBOL & LEGEND - WHITE (RETROREFLECTIVE)
BACKGROUND - BLUE (RETROREFLECTIVE)

MUTCD NUMBER None

CODE SG44A



Bed & Breakfast


CHIEF, OFFICE OF SIGNS AND DELINEATION


3/13/97
DATE

REVISION

REVISION

MUTCD NUMBER None

CODE SG44C



Fuel

Gerry K. Reis
CHIEF, OFFICE OF SIGNS AND DELINEATION


3/13/97
DATE

REVISION

REVISION

MUTCD NUMBER None

CODE SG44D



Food

Gerry Myers
CHIEF, OFFICE OF SIGNS AND DELINEATION


3/13/97
DATE

REVISION

REVISION

MUTCD NUMBER None

CODE SG44E



Lodging

Gerry Myers
CHIEF, OFFICE OF SIGNS AND DELINEATION


3/13/97
DATE

REVISION

REVISION

MUTCD NUMBER None

CODE SG44F



Camping-Trailers

Gerry Kreis
CHIEF, OFFICE OF SIGNS AND DELINEATION


3/13/97
DATE

REVISION

REVISION

MUTCD NUMBER None

CODE SG44G



Winery


CHIEF, OFFICE OF SIGNS AND DELINEATION

3/13/97
DATE

REVISION

REVISION

MUTCD NUMBER None

CODE SG44H




Gift Shop

Gerry Myers
CHIEF, OFFICE OF SIGNS AND DELINEATION

3/13/97
DATE

REVISION

REVISION

MUTCD NUMBER NoneCODE SG44J

Camping-Trailer and Tent

Gerry Keri
CHIEF, OFFICE OF SIGNS AND DELINEATION


3/13/97
DATE

REVISION

REVISION

MUTCD NUMBER None

CODE SG44K




Art Studio

Gerry Kreis
CHIEF, OFFICE OF SIGNS AND DELINEATION

3/13/97
DATE

REVISION

REVISION

MUTCD NUMBER NoneCODE SG45

SIGN SIZE	DIMENSIONS (INCHES)												
	A	B	C	D	E	F	G	H	J	K	L	M	N
12 x 18	12	18	1/4	1/4	1-1/2	10	16	1/4	4	3/4	4-1/2	4D	1-3/4
18 x 24	18	24	3/8	1/2	1-1/2	15	21	1/2	5	1	6	5D	2-1/2

COLORS
BORDER & LEGEND - GREEN (Reflective)
BACKGROUND - WHITE (Reflective)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

[Signature]
 CHIEF, OFFICE OF SIGNS AND DELINEATION

4/23/95
 DATE

REVISION

REVISION

MUTCD NUMBER NoneCODE SG47A

Note: Distance variable, specify when ordering.

SIGN SIZE (Inches)	DIMENSIONS (Inches)								
	A	B	C	D	E	F	G	H	J
66 x 48	66	48	1	6	6D	4	4D	26	6
108 x 66	108	66	1-1/4	8	8D	6	6D	36	9
132 x 84	132	84	1-1/2	10	10D	8	8D	46	12

SIGN SIZE (mm)	DIMENSIONS (Millimeters)								
	A	B	C	D	E	F	G	H	J
1676 x 1219	1676	1219	25	155	150D	102	100D	660	152
2743 x 1676	2743	1676	32	206	200D	154	150D	914	229
3353 x 2134	3353	2134	38	258	250D	205	200D	1168	305

COLORS

BORDER & LEGEND - WHITE (REFLECTIVE)
WELCOME CENTER SYMBOL - YELLOW (REFLECTIVE)
BACKGROUND - BLUE (REFLECTIVE)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

George M. Reis
 CHIEF, OFFICE OF SIGNS AND DELINEATION

11/2/00

DATE

REVISION

REVISION

MUTCD NUMBER NoneCODE SG47B

Alternate Message - Line 4:
NEXT RIGHT, NEXT LEFT, and SECOND EXIT

SIGN SIZE (Inches)	DIMENSIONS (Inches)								
	A	B	C	D	E	F	G	H	J
66 x 48	66	48	1	6	6D	4	4D	26	6
108 x 66	108	66	1-1/4	8	8D	6	6D	36	9
132 x 84	132	84	1-1/2	10	10D	8	8D	46	12

SIGN SIZE (mm)	DIMENSIONS (Millimeters)								
	A	B	C	D	E	F	G	H	J
1676 x 1219	1676	1219	25	155	150D	102	100D	660	152
2743 x 1676	2743	1676	32	206	200D	154	150D	914	229
3353 x 2134	3353	2134	38	258	250D	205	200D	1168	305

COLORS

BORDER & LEGEND - WHITE (REFLECTIVE)
WELCOME CENTER SYMBOL - YELLOW (REFLECTIVE)
BACKGROUND - BLUE (REFLECTIVE)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

Gerry Kreis
CHIEF, OFFICE OF SIGNS AND DELINEATION

11/2/00

DATE

REVISION

REVISION



Note: Arrow variable, specify when ordering.

SIGN SIZE (Inches)	DIMENSIONS (Inches)							
	A	B	C	D	E	F	G	H
42 x 24	42	24	1/2	5	3C	2-1/2	14	3
54 x 30	54	30	3/4	6	4C	3	18	3

SIGN SIZE (mm)	DIMENSIONS (Millimeters)							
	A	B	C	D	E	F	G	H
1067 x 609	1067	609	13	127	75C	65	356	76
1372 x 762	1372	762	19	153	100C	78	457	76

COLORS
BORDER & LEGEND - WHITE (REFLECTIVE)
WELCOME CENTER SYMBOL - YELLOW (REFLECTIVE)
BACKGROUND - BLUE (REFLECTIVE)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

Gerry Greis
 CHIEF, OFFICE OF SIGNS AND DELINEATION

11/2/00

DATE

REVISION

REVISION

MUTCD NUMBER NoneCODE SG47D

Note: Arrow and distance variable, specify when ordering.

SIGN SIZE (Inches)	DIMENSIONS (Inches)									
	A	B	C	D	E	F	G	H	J	K
42 x 28	42	28	1/2	4	3C	2-1/2	3	3D	14	3
54 x 36	54	36	3/4	5	4C	3	4	4D	18	3

SIGN SIZE (mm)	DIMENSIONS (Millimeters)									
	A	B	C	D	E	F	G	H	J	K
1067 x 711	1067	711	13	102	75C	65	77	75D	356	76
1372 x 914	1372	914	19	129	100C	76	104	100D	457	76

COLORS
BORDER & LEGEND - WHITE (REFLECTIVE)
WELCOME CENTER SYMBOL - YELLOW (REFLECTIVE)
BACKGROUND - BLUE (REFLECTIVE)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -


Gerry Myers
 CHIEF, OFFICE OF SIGNS AND DELINEATION

11/2/00

DATE

REVISION

REVISION

MUTCD NUMBER NoneCODE SG47E
(Grid)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -


Gerry Kreis
CHIEF, OFFICE OF SIGNS AND DELINEATION

11/2/00

DATE

REVISION

REVISION

MUTCD NUMBER NoneCODE SG49

*NOTE: This area, dimensions 'H' and 'M', is provided for the placement of an agency's individual logo. The logo shown is an example only and should not be used without prior approval.

SIGN SIZE (Inches)	DIMENSIONS (Inches)											
	A	B	C	D	E	F	G	H	J	K	L	M
72 x 36	72	36	1	3	9	6C	6	18	5	44	6	24
96 x 48	96	48	1-1/2	6	12	8C	8	24	7	58	8	32

SIGN SIZE (mm)	DIMENSIONS (Millimeters)											
	A	B	C	D	E	F	G	H	J	K	L	M
1829 x 914	1829	914	25	76	229	150C	152	457	127	1118	152	610
2438 x 1219	2438	1219	38	152	305	200C	203	610	178	1473	203	813

COLORS
BORDER & LEGEND - WHITE (REFLECTIVE)
BACKGROUND - BLUE (REFLECTIVE)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -



SG49A (CA)


ENGLISH UNITS

A	B	C	D	E	F	G	H
42	54	.75	5.25	12 MAX.	4.5	6D	3
54	72	1	7	16 MAX.	6	8D	6
68	90	1.25	8.75	20 MAX.	7.5	10D	6

METRIC UNITS

A	B	C	D	E	F	G	H
1067	1372	19	133	300 MAX.	114	150D	76
1372	1829	25	178	400 MAX.	152	200D	152
1727	2286	32	222	500 MAX.	191	250D	152

COLORS: BORDER & LEGEND - WHITE (RETROREFLECTIVE)
BACKGROUND - BLUE (RETROREFLECTIVE)



DEPARTMENT OF TRANSPORTATION

STATE OF CALIFORNIA




Plate to be same as Material Operations
Warehouse Stock Catalog No. 9905 3890 8
Aluminum Guide Plate 3 1/2" x 12"

COLORS

LEGEND & SYMBOL - BLACK

BACKGROUND - WHITE (NON-REFL)

THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE.

CHIEF, DIVISION OF TRAFFIC ENGINEERING

3/11/83

DATE

REVISION

REVISION



CODE NO.	SIZE	BORDER WIDTH	MARGIN WIDTH	LETTER SIZE & SERIES					HOLE CENTERS	HOLE DIA.	CORNER RADIUS	REFLECTORS	
				LINE 1	LINE 2	LINE 3,4,5	LINE 6&7	LINE 8&9				NO.	SIZE
	30"X24"	1/2"	1/2"	3"-C	3/8"X15" BAR	1-1/2"-C	3/4"-C	3/4"-C	1-1/2" 21"	SEE NOTE	1-1/2"		

WHITE BACKGROUND WITH BLACK BORDER AND SYMBOL.

REMARKS

3/8" DIA. HOLES INDICATED ●
 5/16" DIA. " " ✕

STATE OF CALIFORNIA
 DEPARTMENT OF PUBLIC WORKS
 DIVISION OF HIGHWAYS

APPROVED:

[Signature]
 TRAFFIC ENGINEER

DATE

8/77

11/1/77

MUTCD NUMBER NONECODE S8

SIGN	DIMENSIONS (INCHES)														
	A	B	C	D	E	F	G	H	J	K	L	M	N	P	Q
STANDARD	36	22	3/8	1/2	1 1/2	1 1/2	2D	3D	1 1/2C	1C	1	1 1/4	3/4	2	2

COLORS

BORDER & LEGEND - BLACK (NON REFL)

BACKGROUND - WHITE (REFL)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON THE REVERSE SIDE -

CHIEF, DIVISION OF TRAFFIC ENGINEERING

12/5/89

DATE

REVISION

REVISION

MUTCD NUMBER NONECODE S9

COLORS
 BORDER, LEGEND & SYMBOL - WHITE (REFL)
 BACKGROUND - BLUE (REFL)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON THE REVERSE SIDE -

CD Bartel


CHIEF, DIVISION OF TRAFFIC ENGINEERING

10/3/88

DATE

REVISION

REVISION

MUTCD NUMBER NONECODE S10

COLOR
 BORDER, LEGEND & SYMBOL - WHITE (REFL)
 BACKGROUND - BLUE (REFL)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON THE REVERSE SIDE -

C. O. Bartee

CHIEF, DIVISION OF TRAFFIC ENGINEERING

10/3/88

DATE

12/5/88

REVISION

REVISION

MUTCD NUMBER NoneCODE S12

SIGN	DIMENSIONS (INCHES)							
	A	B	C	D	E	F	G	H
Standard	24	18	3/8	1/2	1-1/2	4	4E	2

COLORS

BORDER & LEGEND - White (Reflective)

BACKGROUND - Brown (Reflective)


- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON THE REVERSE SIDE -

 207
 CHIEF, DIVISION OF TRAFFIC ENGINEERING

DATE

REVISION

REVISION

MUTCD NUMBER NoneCODE S16-8**NOTE:**

Caltrans will provide the recognition panels with black lettering (1-1/2") on a white reflective background. Participants may provide, at their expense and Caltrans approval, the recognition panels when special colors and/or logos are requested. The panels shall conform to the current Caltrans Sign Contract, produced on .063 aluminum with reflective sheeting background and made within the dimensions shown.

COLORS
BORDER & LEGEND - WHITE (REFLECTIVE)
BACKGROUND - BROWN (NON-REFLECTIVE)


- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

Garry Kreis
 CHIEF, OFFICE OF SIGNS AND DELINEATION

7/18/97
 DATE

REVISION

REVISION

MUTCD NUMBER NoneCODE S17

SIGN	DIMENSIONS (Inches)						
	A	B	C	D	E	F	G
STANDARD	24	6	1/2	2-1/2	1-3/4	20	1-1/2

COLOR
 LEGEND & BORDER - WHITE (Reflective)
 BACKGROUND - GREEN (Reflective)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

MR. Lumberg
 CHIEF, DIVISION OF TRAFFIC OPERATIONS

8-1-91
 DATE

REVISION

REVISION

MUTCD NUMBER NoneCODE S18

Notes:

* Refer to G26-2 for additional route shield dimensions.

Dimensions for the smaller route shields should be adjusted proportionately.

** Route number is variable, specify when ordering.

SIGN SIZES (INCHES)	DIMENSIONS (INCHES)													
	A	B	C	D	E	F	G	H	J	K	L	M	N	P
12 x 18	12	18	3/8	1-1/2	1-1/2	2C	1	9	1-1/4	1B	1F	3D	1-3/4	1/4
24 x 36	24	36	5/8	1-1/2	3	4C	2	18	2-1/2	2B	2F	6D	3-1/2	1/2
36 x 48	36	48	7/8	2-1/4	3-1/2	6C	2-1/2	24	3-1/2	2-1/2B	2-1/2F	8D	4-1/2	3/4

COLORS

BACKGROUND = BROWN (NON-REFLECTIVE)

BORDER & LEGEND = CREAM (NON-REFLECTIVE)

ROUTE SHIELD BACKGROUND = WHITE (NON-REFLECTIVE)


ROUTE SHIELD BORDER & LEGEND = BLACK (NON-REFLECTIVE)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

CHIEF, OFFICE OF SIGNS AND DELINEATION
1/22/99
DATE

REVISION

REVISION

MUTCD NUMBER NoneCODE S19

COLOR
BORDER & LEGEND = WHITE (Non-Reflective)
BACKGROUND = BLUE (Non-Reflective)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

MR. L. J. ...

DEPUTY CHIEF, DIVISION OF TRAFFIC OPERATIONS

11-9-92

DATE

REVISION

REVISION

MUTCD NUMBER NoneCODE S20

COLORS
BORDER & LEGEND - BLACK
BACKGROUND - YELLOW (Non-Reflective)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

MR. Lumbard


DEPUTY CHIEF, DIVISION OF TRAFFIC OPERATIONS

9-1-93

DATE

REVISION

REVISION

MUTCD NUMBER NoneCODE S21

COLORS
BORDER & LEGEND - BLACK (Non-Reflective)
BACKGROUND - WHITE (Reflective)

• THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE •

MR. Lawrence
 DEPUTY CHIEF, DIVISION OF TRAFFIC OPERATIONS


7/13/93
 DATE

REVISION

REVISION



REVISION

MUTCD NUMBER NoneCODE S23

COLORS
BORDER & LEGEND - BLACK (NON-REFLECTIVE)
BACKGROUND - WHITE (REFLECTIVE)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -


MP Lowland
DEPUTY CHIEF, DIVISION OF TRAFFIC OPERATIONS

12-16-93

DATE

REVISION

REVISION

MUTCD NUMBER NoneCODE S24

COLOR
BORDER & LEGEND - BLACK
BACKGROUND - WHITE (REFLECTIVE)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

MR. Lawrence J.
DEPUTY CHIEF, DIVISION OF TRAFFIC OPERATIONS

2-4-94
DATE

REVISION

REVISION

MUTCD NUMBER NoneCODE S25
Pg. 1 of 2

Notes:

- * See G26-2 for additional route shield dimensions and Page 2 for Div. of Hwy. logo. Shield sizes not shown on G26-2 should be adjusted proportionately.
- ** The route number is variable, specify when ordering (see Page 2).

SIGN SIZES (INCHES)	DIMENSIONS (INCHES)														
	A	B	C	D	E	F	G	H	J	K	L	M	N	P	R
12 x 18	12	18	3/8	1-1/2	1-1/2	2C	1	9	1-1/4	1B	1F	3	1-3/4	1/4	1-1/8
24 x 36	24	36	5/8	1-1/2	3	4C	2	18	2-1/2	2B	2F	6	3-1/2	1/2	2-1/4
36 x 48	36	48	7/8	2-1/4	3-1/2	6C	2-1/2	24	3-1/2	2-1/2B	2-1/2F	8	4-1/2	3/4	3

COLORS

BACKGROUND = BROWN (NON-REFLECTIVE)
 BORDER & LEGEND = CREAM (NON-REFLECTIVE)
 ROUTE SHIELD BACKGROUND = WHITE (NON-REFLECTIVE)
 ROUTE SHIELD BORDER & LEGEND = BLACK (NON-REFLECTIVE)


- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

Henry H. H. H.
CHIEF, OFFICE OF SIGNS AND DELINEATION

6/9/99
DATE

REVISION

REVISION

MUTCD NUMBER NoneCODE S26


COLOR
BORDER & LEGEND - BLACK
BACKGROUND - YELLOW (Non-Reflective)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

MR. L. L. L.
 CHIEF, DIVISION OF TRAFFIC OPERATIONS

5-23-94
 DATE

REVISI

MUTCD NUMBER NoneCODE S27

Note: Resident Engineer Name Plate (to be provided by the district).

COLOR
BORDER & LEGEND - WHITE (Reflective)
BACKGROUND - BLUE (Non-Reflective)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -


MR. Lawrence
DEPUTY CHIEF, DIVISION OF TRAFFIC OPERATIONS

5-24-94

DATE

REVISION

REVISION

MUTCD NUMBER NoneCODE S28

SIGN SIZE	DIMENSIONS (INCHES)						
	A	B	C	D	E	F	G
18 x 12	18	12	1/2	1-1/2	2	2D	1
36 x 24	36	24	3/4	1-1/2	4	4D	2
54 x 36	54	36	1	3	6	6D	3

COLORS
BORDER & LEGEND - WHITE (REFLECTIVE)
BACKGROUND - BLUE (NON-REFLECTIVE)


- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

CHIEF, OFFICE OF SIGNS AND DELINEATION

DATE

REVISION

REVISION

MUTCD NUMBER NoneCODE S29

NOTE: When bridge information requires more than 2 lines, see S29-1.

SIGN SIZE (Inches)	DIMENSIONS (Inches)										
	A	B	C	D	E	F	G	H	J	K	L
Variable x 18	Var.	18	1/2	3/8	4-1/2	1-5/8	1-1/2E	2-1/4	3C	3	1-1/2
Variable x 24	Var.	24	5/8	3/8	6	2-1/8	2E	3	4C	4	1-1/2
Variable x 36	Var.	36	1	5/8	9	3-1/4	3E	4-1/2	6C	6	2-1/4
Variable x 48	Var.	48	1-1/4	3/4	12	4-3/8	4E	6	8C	8	3

SIGN SIZE (Millimeters)	DIMENSIONS (Millimeters)										
	A	B	C	D	E	F	G	H	J	K	L
Variable x 457	Var.	457	13	10	114	41	38E	57	75C	79	38
Variable x 610	Var.	610	16	10	152	54	50E	76	100C	106	38
Variable x 914	Var.	914	25	16	229	83	75E	114	150C	157	57
Variable x 1219	Var.	1219	32	19	305	111	100E	152	200C	210	76

COLORS**BORDER & LEGEND - BROWN (Non-Reflective)****BACKGROUND & HISTORIC BRIDGE LEGEND - CREAM "Pantone Process Color 468C" (Non-Reflective)**

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

Denny Krus
CHIEF, OFFICE OF SIGNS AND DELINEATION

12/28/00

DATE

REVISION

REVISION

MUTCD NUMBER NoneCODE S29-1

SIGN SIZE (Inches)	DIMENSIONS (Inches)											
	A	B	C	D	E	F	G	H	J	K	L	M
Variable x 24	Var.	24	1/2	3/8	4-1/2	1-5/8	1-1/2E	2-1/2	3C	2-1/4	3-1/4	1-1/2
Variable x 30	Var.	30	5/8	3/8	6	2-1/8	2E	2-3/4	4C	2-1/2	4	1-1/2
Variable x 48	Var.	48	1	5/8	9	3-1/4	3E	5	6C	4-1/2	6-1/2	2-1/4
Variable x 66	Var.	66	1-1/4	3/4	12	4-3/8	4E	7-1/2	8C	6	9	3

SIGN SIZE (Millimeters)	DIMENSIONS (Millimeters)											
	A	B	C	D	E	F	G	H	J	K	L	M
Variable x 610	Var.	610	13	10	114	41	38E	65	75C	57	84	38
Variable x 762	Var.	762	16	10	152	54	50E	70	100C	64	106	38
Variable x 1219	Var.	1219	25	16	229	83	75E	129	150C	114	168	57
Variable x 1676	Var.	1676	32	19	305	111	100E	193	200C	152	233	76

COLORS**BORDER & LEGEND - BROWN (Non-Reflective)****BACKGROUND & HISTORIC BRIDGE LEGEND - CREAM "Pantone Process Color 468C" (Non-Reflective)**

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

Gerry Kreis
 CHIEF, OFFICE OF SIGNS AND DELINEATION

12/28/00

DATE

REVISION

REVISION

MUTCD NUMBER NoneCODE S29-2

Alternate Message, Line 4: NEXT EXIT, SECOND EXIT, NEXT RIGHT, and NEXT LEFT.
See Appendix Page 10 of 11 for arrow size when applicable.

SIGN SIZE (Inches)	DIMENSIONS (Inches)												
	A	B	C	D	E	F	G	H	J	K	L	M	N
Variable x 24	Var.	24	1/2	3/8	4-1/2	1-5/8	1-1/2E	2-3/4	3C	2-1/4	2D	3-3/4	1-1/2
Variable x 30	Var.	30	5/8	3/8	6	2-1/8	2E	3	4C	3	3D	4	1-1/2
Variable x 48	Var.	48	1	5/8	9	3-1/4	3E	5-1/2	6C	4-1/2	4D	7-1/2	2-1/4
Variable x 66	Var.	66	1-1/4	3/4	12	4-3/8	4E	8	8C	6	6D	10	3

SIGN SIZE (Millimeters)	DIMENSIONS (Millimeters)												
	A	B	C	D	E	F	G	H	J	K	L	M	N
Variable x 610	Var.	610	13	10	114	41	38E	71	75C	57	50D	97	38
Variable x 762	Var.	762	16	10	152	54	50E	77	100C	77	75D	104	38
Variable x 1219	Var.	1219	25	16	229	83	75E	141	150C	114	100D	194	57
Variable x 1676	Var.	1676	32	19	305	111	100E	206	200C	152	150D	257	76

COLORS**BORDER & LEGEND - BROWN (Non-Reflective)****BACKGROUND & HISTORIC BRIDGE LEGEND - CREAM "Pantone Process Color 468C" (Non-Reflective)**

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -


CHIEF, OFFICE OF SIGNS AND DELINEATION

12/28/00

DATE

REVISION

REVISION

MUTCD NUMBER NoneCODE S30-1

COLORS
BORDER & LEGEND - BLACK (NON-REFLECTIVE)
BACKGROUND - WHITE (REFLECTIVE)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

[Signature] 1/29/96
CHIEF, OFFICE OF SIGNS AND DELINEATION DATE

REVISION

REVISION

MUTCD NUMBER NoneCODE S30-2

NOTE: Distance will vary, specify when ordering.

COLORS
BORDER & LEGEND - BLACK (NON-REFLECTIVE)
BACKGROUND - WHITE (REFLECTIVE)


• THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE •

[Signature]
CHIEF, OFFICE OF SIGNS AND DELINEATION

1/29/96
DATE

REVISION

REVISION

MUTCD NUMBER NoneCODE S30-3

COLORS
BORDER & LEGEND - BLACK (NON-REFLECTIVE)
BACKGROUND - WHITE (REFLECTIVE)


- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

[Signature]
CHIEF, OFFICE OF SIGNS AND DELINEATION

1/29/96
DATE

REVISION

REVISION

MUTCD NUMBER NoneCODE S30-4

COLORS
BORDER & LEGEND - BLACK (NON-REFLECTIVE)
BACKGROUND - WHITE (REFLECTIVE)


• THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE •

[Signature]
CHIEF, OFFICE OF SIGNS AND DELINEATION

1/29/96
DATE

REVISION

REVISION

MUTCD NUMBER NoneCODE S30-5

COLORS
BORDER & LEGEND - BLACK (NON-REFLECTIVE)
BACKGROUND - WHITE (REFLECTIVE)

• THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE •

[Signature]
CHIEF, OFFICE OF SIGNS AND DELINEATION

1/29/96
DATE

REVISION

REVISION

MUTCD NUMBER **None**CODE **S32/S32A**

NOTES:

1. The appropriate size of Adopt-A-Highway Symbol (S32A), 10"x12" for the 36"x30" sign size or 15"x18" for the 54"x42" sign size, shall be attached to the sign, as shown, prior to shipment.
2. Recognition Panel Information: Caltrans will provide the recognition panel (S32B) with black lettering (3" minimum for the 45"x21" size and 2" minimum for the 30"x15" size) on a white reflective background. A participant may provide, at their expense and Caltrans approval, the recognition panel when special colors and/or logos are requested. The panel shall conform to the current Caltrans Sign Contract, produced on .063 aluminum with reflective sheeting background and made to fit within the dimensions shown.

SIGN SIZE	DIMENSIONS (Inches)																		
	A	B	C	D	E	F	G	H	J	K	L	M	N	P	R	S	T	U	V
36 x 30	36	30	3/4	1-7/8	8	2E	2	3	3	15	30	3/4	4-3/4	2D	1-1/2	3/16	1-1/2	3	6
54 x 42	54	42	1	3	11-1/2	3E	2	4-1/2	4-1/2	21	45	1	6-1/2	3D	2	3/16	2	5	9

COLORS

BORDER & LEGEND - WHITE (REFLECTIVE)
BACKGROUND - PANTONE 327C (REFLECTIVE)
PHONE NUMBER - BLACK (NON-REFLECTIVE)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -


Gerry Kreis
 CHIEF, OFFICE OF SIGNS AND DELINEATION

8/4/03

DATE

REVISION

REVISION

MUTCD NUMBER NoneCODE S32-1**COLORS**

BORDER - WHITE (REFLECTIVE)
 BACKGROUND - PANTONE 327C (REFLECTIVE)
 FIGURE OUTLINE - BLACK (NON-REFLECTIVE)
 BROWN - PANTONE 154C (REFLECTIVE)
 BEIGE - PANTONE 467C (REFLECTIVE)
 BLUE - PANTONE 291C (REFLECTIVE)
 ORANGE - PANTONE 165C (REFLECTIVE)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -


Gerry Meis
 CHIEF, OFFICE OF SIGNS AND DELINEATION

1/26/99

DATE

REVISION

REVISION

MUTCD NUMBER NoneCODE S32-2 (CA)**COLORS**

BORDER - WHITE (REFLECTIVE)
 BACKGROUND - PANTONE 327C (REFLECTIVE)
 FIGURE OUTLINE - BLACK (NON-REFLECTIVE)
 YELLOW - PANTONE 114C (REFLECTIVE)
 DARK ORANGE - PANTONE 173C (REFLECTIVE)
 ORANGE - PANTONE 165C (REFLECTIVE)
 GREEN - PANTONE 360C (REFLECTIVE)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -


Gerry Meis
 CHIEF, OFFICE OF SIGNS AND DELINEATION

2/10/99

DATE

REVISION

REVISION

MUTCD NUMBER NoneCODE S32-3**COLORS**

BORDER - WHITE (REFLECTIVE)
 BACKGROUND - PANTONE 327C (REFLECTIVE)
 FIGURE OUTLINE - BLACK (NON-REFLECTIVE)
 GREEN - PANTONE 360C (REFLECTIVE)
 ORANGE - PANTONE 165C (REFLECTIVE)
 BLUE - PANTONE 291C (REFLECTIVE)
 BROWN - PANTONE 154C (REFLECTIVE)
 BEIGE - PANTONE 467C (REFLECTIVE)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -


Gerry Myers
CHIEF, OFFICE OF SIGNS AND DELINEATION

1/17/01

DATE

REVISION

REVISION

MUTCD NUMBER NoneCODE S32-4**COLORS**

BORDER - WHITE (REFLECTIVE)
 BACKGROUND - PANTONE 327C (REFLECTIVE)
 FIGURE OUTLINE - BLACK (NON-REFLECTIVE)
 AQUA - PANTONE 326C (REFLECTIVE)
 ORANGE - PANTONE 165C (REFLECTIVE)
 BLUE - PANTONE 291C (REFLECTIVE)
 BROWN - PANTONE 154C (REFLECTIVE)
 BEIGE - PANTONE 467C (REFLECTIVE)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -


Gary Myers
CHIEF, OFFICE OF SIGNS AND DELINEATION

1/17/01

DATE

REVISION

REVISION

MUTCD NUMBER NoneCODE S32-5**COLORS**

BORDER - WHITE (REFLECTIVE)
 BACKGROUND - PANTONE 327C (REFLECTIVE)
 FIGURE OUTLINE - BLACK (NON-REFLECTIVE)
 GREEN - PANTONE 360C (REFLECTIVE)
 ORANGE - PANTONE 165C (REFLECTIVE)
 BLUE - PANTONE 291C (REFLECTIVE)
 BROWN - PANTONE 154C (REFLECTIVE)
 BEIGE - PANTONE 467C (REFLECTIVE)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -


Gerry Meis
 CHIEF, OFFICE OF SIGNS AND DELINEATION

1/17/01

DATE

REVISION

REVISION

MUTCD NUMBER NoneCODE S32A

SIGN SIZE	DIMENSIONS (Inches)															
	A	B	C	D	E	F	G	H	J	K	L	M	N	O	P	R
10 x 12	10	12	5-9/16	2	3-11/16	3	20	2-5/16	1-13/16	2-5/16	19-1/4	3/4	13/16	1-1/2	3	3/16
15 x 18	15	18	8-3/8	3	5-1/2	4-1/2	30	3-1/2	2-3/4	3-1/2	29	1	1-1/4	2	5	3/16

COLORS

BORDER & LEGEND - WHITE (REFLECTIVE)
BACKGROUND - PANTONE 327C (REFLECTIVE)
CIRCLE - PANTONE 165C (REFLECTIVE)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -


Gerry Meis
 CHIEF, OFFICE OF SIGNS AND DELINEATION

8/4/03

DATE

REVISION

REVISION

MUTCD NUMBER NoneCODE S32B

SIGN SIZE	DIMENSIONS (Inches)						
	A	B	C	D	E	F	G
30 x 15	30	15	3/4	1	7	6-1/2	1/8
45 x 21	45	21	1	1	10-3/4	9-1/2	1/8

COLOR
BACKGROUND - WHITE (REFLECTIVE)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -


Gerry Kreis
 CHIEF, OFFICE OF SIGNS AND DELINEATION

1/17/01

DATE

REVISION

REVISION

MUTCD NUMBER NoneCODE S33

Note: Route Shield and Logo shown are examples only.
 The Route Shield and Logo shall not occupy more than 25% of the sign's surface area.
 Unless specified, the logo will be supplied by others.

COLORS
BACKGROUND - WHITE (REFLECTIVE)
LEGEND & BORDER - BLACK (NON-REFLECTIVE)
ROUTE SHIELD & LOGO - SEE NOTE (REFLECTIVE)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

[Signature]
 CHIEF, OFFICE OF SIGNS AND DELINEATION

DATE

5/4/99

REVISION

REVISION

REVISION


MUTCD NUMBER NONECODE S35

SIGN SIZE (in)	DIMENSIONS (INCHES)						
	A	B	C	D	E	F	G
36 X 30	36	30	5	6C	3	4C	1

SIGN SIZE (mm)	DIMENSIONS (MILLIMETERS)						
	A	B	C	D	E	F	G
914 X 762	914	762	127	150C	76	100C	25

COLORS
BACKGROUND - BLUE (OPAQUE)
BORDER & LEGEND - WHITE(REFLECTIVE)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

MUTCD NUMBER NONECODE S35-1


NOTE: Supplemental plate for the S35, used only when memorializing 1 persons name in accordance to Department guidelines.

SIGN SIZE (in)	DIMENSIONS (INCHES)					
	A	B	C	D	E	F
36 X 12	36	12	3	2C	2	1

SIGN SIZE (mm)	DIMENSIONS (MILLIMETERS)					
	A	B	C	D	E	F
914 X 305	914	305	76	50C	51	25

COLORS
BACKGROUND - BLUE (OPAQUE)
BORDER & LEGEND - WHITE(REFLECTIVE)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

MUTCD NUMBER NONECODE S35-2


NOTE: Supplemental plate for the S35, used only when memorializing 2 persons names in accordance to Department guidelines.

SIGN SIZE (in)	DIMENSIONS (INCHES)						
	A	B	C	D	E	F	G
36 X 15	36	15	2-1/2	2C	2	1	3

SIGN SIZE (mm)	DIMENSIONS (MILLIMETERS)						
	A	B	C	D	E	F	G
914 X 381	914	381	64	50C	51	25	76

COLORS
BACKGROUND - BLUE (OPAQUE)
BORDER & LEGEND - WHITE(REFLECTIVE)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

MUTCD NUMBER NONECODE S35-3

NOTE: Supplemental plate for the S35, used only when memorializing 3 persons names in accordance to Department guidelines.

SIGN SIZE (in)	DIMENSIONS (INCHES)					
	A	B	C	D	E	F
36 X 18	36	18	2	2C	1	3

SIGN SIZE (mm)	DIMENSIONS (MILLIMETERS)					
	A	B	C	D	E	F
914 X 457	914	457	51	50C	25	76

COLORS
BACKGROUND - BLUE (OPAQUE)
BORDER & LEGEND - WHITE(REFLECTIVE)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

(This page left intentionally blank)



Note:

Also available with message

BRIDGE CLOSED, STREET CLOSED
RAMP CLOSED.

ALL DIMENSIONS ARE IN INCHES

C2 SUFFIX	SIZE	BORDER WIDTH	MARGIN WIDTH	LETTER SIZE, SERIES & STROKE WIDTH					COR. RAD.
				LINE 1	LINE 2	LINE 3	LINE 4	LINE 5	
-1.1	36x24	5/8	3/8	6D-1.08	6D-.108				1 1/2
-2.1	48x30	3/4	1/2	8D-1.44	8D-1.44				1-7/8

C2 SUFFIX	SIZE	DIMENSIONS											
		A	B	C	D	E	F	G	H	I	J	K	L
-1.1	36x24	3	18	16	4	4	29						
-2.1	48x30	3	24	16	4	5	--						

White BACKGROUND WITH Black BORDER & SYMBOL REFLECTIVE BACKGROUND

3/8" DIA. HOLES •


APPROVED:

accatop
TRAFFIC ENGINEER

4-13-71
DATE

CR 12/24/78
REVISION

9/16/05

MUTCD NUMBER NONECODE C9A

NOTE: SEE C9B FOR SYMBOL DETAILS.

SIGN	DIMENSIONS (INCHES)											
	A	B	C	D	E	F	G	H	J	K	L	M
STANDARD	36	5/8	7/8	2 1/4	3 1/2	27 1/2	24	15	8	3	11	22
SPECIAL	48	3/4	1 1/4	3	4 3/4	36 1/2	32	20	11 3/4	4	14 3/4	29 1/2

COLORS

BORDER & LEGEND - BLACK
BACKGROUND - ORANGE

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON THE REVERSE SIDE -


MP L...
CHIEF, DIVISION OF TRAFFIC ENGINEERING

6/22/91


DATE

REVISION

REVISION

MUTCD NUMBER NONECODE C9B

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON THE REVERSE SIDE -


M. P. Landry



CHIEF, DIVISION OF TRAFFIC ENGINEERING

3/22/91

DATE

REVISION

REVISION

MUTCD NUMBER NONECODE C11

3/16" Holes at 1" Intervals
TYPICAL PLATE DETAIL

* ALTERNATE MESSAGE (FOR LINE ONE) "STATE HIGHWAY"

SIGN	DIMENSIONS (INCHES)																
	A	B	C	D	E	F	G	H	J	K	L	M	N	P	Q	R	S
CONVENTIONAL	60	36	5/8	7/8	2 1/4	4 1/2	6C	4 1/4	4 3/4	16	9	3	1/2	1	3	8	4
FREEWAY	90	48	3/4	1 1/4	3	6	8C	5 1/2	6 1/2	20	18	3	1/2	1	5	10	6

COLOR

BORDER & LEGEND - BLACK
BACKGROUND - ORANGE (REFL)


- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON THE REVERSE SIDE -

MR. Lawrence J. ...
Dep. CHIEF, DIVISION OF TRAFFIC ENGINEERING

3/22/91
DATE

REVISION

RLVIS 1/4

MUTCD NUMBER NoneCODE C12

Alternate Message, Line 2: LANES
(Condense Spacing 25%)

SIGN SIZE	DIMENSIONS (INCHES)					
	A	B	C	D	E	F
36 x 36	36	5/8	7/8	6D	4	2-1/4
48 x 48	48	3/4	1-1/4	8D	6	3

SIGN SIZE	DIMENSIONS (MILLIMETERS)					
	A	B	C	D	E	F
914 x 914	914	16	22	150D	100	57
1219 x 1219	1219	19	32	200D	150	76

COLORS
LEGEND - BLACK (NON-REFLECTIVE)
BACKGROUND - YELLOW (REFLECTIVE)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -


Gerry Myers
 CHIEF, OFFICE OF SIGNS AND DELINEATION

10/8/99

DATE

REVISION

REVISION



SIGN	DIMENSIONS (INCHES)							
	A	B	C	D	E	F	G	H
MINIMUM	36	18	3/8	5/8	3 1/4	4C	3	3 1/4
STANDARD	48	24	5/8	3/4	3 1/4	6C	3 1/4	4 1/2

COLORS
LEGEND & BORDER - BLACK
BACKGROUND - ORANGE (REFL)


THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE.

[Signature]
 CHIEF, DIVISION OF TRAFFIC ENGINEERING

4/2/82
 DATE

REVISION

REVISION

CODE C17

Front



Back

ALL DIMENSIONS ARE IN INCHES

C17 SUFFIX	SIZE	BORDER WIDTH	MARGIN WIDTH	LETTER SIZE, SERIES & STROKE WIDTH					COR. RAD.
				LINE 1	LINE 2	LINE 3	LINE 4	LINE 5	
-1.1ft.	24x24	5/8	3/8	3C-.48	3C-.48	10D-1.80			1½
-1.1BK	24x24	5/8	3/8	4E-.80	8D-1.44	3C-.48			1½

C17 SUFFIX	SIZE	DIMENSIONS											
		A	B	C	D	E	F	G	H	I	J	K	L
-1.1	24x24	3	18	6¼	1½	1	2	2½	3				
Ft.&BK													

Orange & White BACKGROUND WITH Black BORDER & SYMBOL Reflectorized

3/8" Dia. Holes

APPROVED

TRAFFIC ENGINEER
4-13-71

DATE

3/13/73

REVISION

8/28/98



ALL DIMENSIONS ARE IN INCHES

C19 SUFFIX	SIZE	BORDER WIDTH	MARGIN WIDTH	LETTER SIZE, SERIES & STROKE WIDTH					COR. RAD.
				LINE 1	LINE 2	LINE 3	LINE 4	LINE 5	
-1.1	36x36	7/8	5/8	5D-.90	5D-.90	5D-.90			2 1/4
-2.1	48x48	1 1/4	3/4	7D-1.26	7D-1.26	7D-1.26			3

C19 SUFFIX	SIZE	DIMENSIONS											
		A	B	C	D	E	F	G	H	I	J	K	L
-1.1	36x36	18	16	4	2 1/2								
-2.1	48x48	24	16	5	1 1/2								

Orange BACKGROUND WITH Black BORDER & SYMBOL REFLECTIVE BACKGROUND

3/8" DIA HOLES •

Overlay plate available with 1500 ft., 1000 ft., or 500 ft., see C29

APPROVED:

ACCT
TRAFFIC ENGINEER

4-13-71
DATE

OK 4/6/78
REVISION

CODE C20

Location of C20B
is approximate,
(See note below).



ALL DIMENSIONS ARE IN INCHES

C20 SUFFIX	SIZE	BORDER WIDTH	MARGIN. WIDTH	LETTER SIZE, SERIES & STROKE WIDTH					COR. RAD.
				LINE 1	LINE 2	LINE 3	LINE 4	LINE 5	
-1.1	36x36	7/8	5/8	5C-.80	5C-.80	5C-.80			2 1/4
-2	48x48	1 1/4	3/4	6C-.96	6C-.96	6C-.96			3
-3	72x72	1-3/4	1	8D-1.44	8D-1.44	8D-1.44			4 1/2

C20 SUFFIX	SIZE	DIMENSIONS											
		A	B	C	D	E	F	G	H	I	J	K	L
-1.1	36x36	18	16	2-3/4	1/2	2 1/2	12-3/8	2-1/4	13-3/4				
-2	48x48	24	16	3 1/2	1/2	3	17-5/16	4	18-5/8				
-3	72x72	--	--	6	3 1/2	2 1/2	--	--	--				

Orange BACKGROUND WITH Black BORDER & SYMBOL

REFLECTIVE BACKGROUND

Notes:

See (C20A) LEFT overlay plate for left lane closures.

See (C20B) numeral plate when more than one lane is closed.

See (C29) 500 ft., 1000 ft. or 1500 ft. plate to alter the third line.

APPROVED:

[Signature]
TRAFFIC ENGINEER

4-13-71
DATE

8/2/73
DIVISION

1-30-4
DIVISION



ALL DIMENSIONS ARE IN INCHES

Use as overlay for C20.

C20A SUFFIX	SIZE	BORDER WIDTH	MARGIN WIDTH	LETTER SIZE, SERIES & STROKE WIDTH					COR. RAD.
				LINE 1	LINE 2	LINE 3	LINE 4	LINE 5	
-1	16x7	-	-	5C-.80					-
-2	19x8	-	-	6C-.96					-
-3	33x10	-	-	8D-1.44					-

C20A SUFFIX	SIZE	DIMENSIONS											
		A	B	C	D	E	F	G	H	I	J	K	L
-1	16x7	3-1/2	1										
-2	19x8	4	1										
-3	33x10	5	1										

Orange BACKGROUND WITH Black SYMBOL Reflective Background


3/8" Dia. Holes

APPROVED:

ACR
TRAFFIC ENGINEER

5/12/72
DATE

REVISION

MUTCD NUMBER NoneCODE C20B

Note: Number is variable, specify when ordering.

SIGN SIZE	DIMENSIONS (INCHES)					
	A	B	C	D	E	F
6 x 8	6	8	1/2	1	6D	1/2
8 x 10	8	10	1/2	1	8D	1/2
10 x 12	10	12	1/2	1	10D	1/2

COLORS
LEGEND - BLACK (NON-REFLECTIVE)
BACKGROUND - ORANGE (REFLECTIVE)


- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -


 CHIEF, OFFICE OF SIGNS AND DELINEATION

2/3/95
 DATE

REVISION

REVISION



ALL DIMENSIONS ARE IN INCHES

C23 SUFFIX	SIZE	BORDER WIDTH	MARGIN WIDTH	LETTER SIZE, SERIES & STROKE WIDTH					COR. RAD.
				LINE 1	LINE 2	LINE 3	LINE 4	LINE 5	
-1	30x30	3/4	1/2	5C-.80	5C-.80	5C-.80			1-7/8
-2	48x48	1 1/4	3/4	8C-1.28	8C-1.28	8C-1.28			3

C23 SUFFIX	SIZE	DIMENSIONS											
		A	B	C	D	E	F	G	H	I	J	K	L
-1	30x30	15	16	2 1/2	3 1/4	1-3/4	19						
-2	48x48	24	16	4	5-13/16	2-13/16	30-3/8						

Orange BACKGROUND WITH Black BORDER & SYMBOL

REFLECTIVE BACKGROUND

3/8" DIA. HOLES •


APPROVED:

TRAFFIC ENGINEER

4-13-71

DATE

DESIGNER

MUTCD NUMBER NONECODE C23B

SIGN	DIMENSIONS (INCHES)						
	A	B	C	D	E	F	G
MINIMUM	18	3-1/2	4C	3	3/8	5/8	1-1/2
MAXIMUM	24	3-3/4	6C	4-1/2	5/8	1	2-5/8

SIGN	DIMENSIONS (MILLIMETERS)						
	A	B	C	D	E	F	G
MINIMUM	457	90	100C	77	10	16	38
MAXIMUM	610	95	150C	119	16	25	67

*NOTE: The plate width will be determined by the message and the lettering size.
The message is to be centered horizontally across the plate.

COLORS
BORDER & LEGEND - BLACK (Non-Reflective)
BACKGROUND - ORANGE (Reflective)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

Gerry Myers
 CHIEF, OFFICE OF SIGNS AND DELINEATION


8/25/00
 DATE

REVISION

REVISION

DEPARTMENT OF TRANSPORTATION

STATE OF CALIFORNIA




SIGN	DIMENSIONS (INCHES)							
	A	B	C	D	E	F	G	H
MIN.	30	1/2	3/4	4C	3	16	15	1 7/8
STD.	48	3/4	1 1/4	6C	4	16	24	3

COLORS

LEGEND -BLACK (NON REFL.)

BACKGROUND -ORANGE (REFL.)

THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE.



 CHIEF, OFFICE OF TRAFFIC ENGINEERING

DATE

6/13/80

REVISION

REVISION



ALL DIMENSIONS ARE IN INCHES

C26 SUFFIX	SIZE	BORDER WIDTH	MARGIN WIDTH	LETTER SIZE, SERIES & STROKE WIDTH					COR. RAD.
				LINE 1	LINE 2	LINE 3	LINE 4	LINE 5	
-1.1	36x18	5/8	3/8	5C-.80	5C-.80				1½

C26 SUFFIX	SIZE	DIMENSIONS											
		A	B	C	D	E	F	G	H	I	J	K	L
-1.1	36x18	2	14	2-3/4	2½	3	19-5/8	3½	7				

Orange BACKGROUND WITH Black BORDER & SYMBOL

REFLECTIVE BACKGROUND

3/8" DIA. HOLES •

APPROVED:

TRAFFIC ENGINEER

4-13-71


DATE

1/12/72

EXTENSION

DEPARTMENT OF TRANSPORTATION

STATE OF CALIFORNIA



SIGN	DIMENSIONS (INCHES)								
	A	B	C	D	E	F	G	H	J
MIN.	24	3/8	5/8	4D	3	3 1/2	12	-	1 1/2
STD.	36	5/8	7/8	6D	4	5	15	16	2 1/4
SPECIAL	48	3/4	1 1/4	8D	5	6	24	16	3

COLORS

LEGEND -BLACK (NON REFL.)
 BACKGROUND -ORANGE (REFL.)

THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE.

[Signature]
 CHIEF, OFFICE OF TRAFFIC ENGINEERING


DATE

6/13/88

REVISION


REVISION

NONE



NOTES:


1. Signs to be attached to short handle with 1/8" Dia. - Pull Thru Rivets.
2. Sleeve and Optional Handle may be fabricated from round tubing; aluminum, PVC (Schedule 40), or galvanized conduit of suitable diameter to provide proper fit with the hardwood handle.
3. Packaging Instructions: 12 - Paddles, signs with short handles attached, per carton. Place slip sheets between paddles. 12 - Long Handles per bundle. Cartons to be suitable for shipping and reshipping.



DEPUTY CHIEF, DIVISION OF TRAFFIC OPERATIONS
11-1-93
DATE

REVISION

REVISION



1000 FT

500 FT

ALL DIMENSIONS ARE IN INCHES

C29 SUFFIX	SIZE	BORDER WIDTH	MARGIN WIDTH	LETTER SIZE, SERIES & STROKE WIDTH					COR. RAD.
				LINE 1	LINE 2	LINE 3	LINE 4	LINE 5	
-1	20x7			5C-.80	5C-.80	5C-.80			
-2	29x9			7C-1.12	7C-1.12	7C-1.12			
-3	36x9			7C-1.12	7C-1.12	7C-1.12			
-4	39x9			7D-1.26	7D-1.26	7D-1.26			

C29 SUFFIX	SIZE	DIMENSIONS											
		A	B	C	D	E	F	G	H	I	J	K	L
-1	20x7	3½	1	2	10½	2½							
-2	29x9	4½	1	3	16½	4							
-3	36x9	4½	1	4½	--	4½							
-4	39x9	4½	1	4½	--	4½							

Orange BACKGROUND WITH Black SYMBOL

REFLECTIVE BACKGROUND

3/8" DIA. HOLES •

C29 -1: C1 -1, C9 -1, C16 -1, C18 -1 THRU C21 -1

C29 -2: C16 -2, C18 -2, C20 -2, C21 -2

C29 -3: C1 -2, C9 -2, C19 -2

C29 -4: C18 -3, C20 -3

APPROVED:


[Signature]
TRAFFIC ENGINEER

4-13-71
DATE

REVISION

-DEPARTMENT OF TRANSPORTATION

STATE OF CALIFORNIA




Alternate Message: RAMP CLOSED

SIGN	DIMENSIONS (INCHES)				
	A	B	C	D	E
STANDARD	30	1/2	3/4	50	3 1/2
SPECIAL	48	3/4	1 1/4	80	5 1/2

COLORS
LEGEND & BORDER - BLACK
BACKGROUND - ORANGE (REFL)

THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE.


 CHIEF, DIVISION OF TRAFFIC ENGINEERING

DATE


12/23/82

REVISION

CDBartel

REVISION

2/7/84

STATE OF CALIFORNIA
DEPARTMENT OF TRANSPORTATIONSTATE OF CALIFORNIA
DEPARTMENT OF TRANSPORTATION

SIGN	DIMENSIONS (INCHES)				
	A	B	C	D	E
STANDARD	30	1/2	3/4	5C	3 1/2
SPECIAL	48	3/4	1 1/4	8C	5 1/2

COLORS
 LEGEND & BORDER - BLACK
 BACKGROUND - ORANGE (REFL)

THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE.

C D Bartel
 CHIEF, DIVISION OF TRAFFIC ENGINEERING


2/7/84
 DATE

REVISION

REVISION

U.S. DEPARTMENT OF TRANSPORTATION

STATE OF CALIFORNIA



*Reduce spacing 25%

SIGN	DIMENSIONS (INCHES)										
	A	B	C	D	E	F	G	H	J	K	L
STD.	30	1/2	3/4	5C	3	3/4	4 1/16	4 1/32	13-11/16	13-1/16	1-7/8
SPECIAL	36	5/8	7/8	6C	3-1/2	1	4 15/16	4 7/8	16-1/2	15-3/4	2-1/4
FWY.	48	3/4	1-1/4	8C	5	1-1/4	6 9/16	6 1/2	21-7/8	20-7/8	3

COLORS

LEGEND & BORDER - BLACK

BACKGROUND - ORANGE (REFL)


THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE.


 CHIEF, DIVISION OF TRAFFIC ENGINEERING

DATE

REVISION

REVISION



C37 (CA)

ENGLISH UNITS

A	B	C	D	E	F	G	H	J	K	L
36	42	.625	.875	4.25	4E	2.5	3	4D	26	2.25


COLORS: BORDER & LEGEND - BLACK
BACKGROUND - WHITE (RETROREFLECTIVE)
OR ORANGE (RETROREFLECTIVE)

MUTCD NUMBER NONE

CODE C38

DEPARTMENT OF TRANSPORTATION

STATE OF CALIFORNIA



COLORS

LEGEND & BORDER - BLACK
BACKGROUND - ORANGE (REFL.)


THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE.

[Signature]
CHIEF, DIVISION OF TRAFFIC ENGINEERING

9/23/82
DATE

12/23/82
REVISION

REVISION

MUTCD NUMBER NoneCODE C40

SIGN SIZE	DIMENSIONS (INCHES)							
	A	B	C	D	E	F	G	H
72 x 36	72	36	5/8	7/8	7	4D	5	2-1/4
108 x 42	108	42	5/8	1	7	6D	5	2-5/8
144 x 60	144	60	7/8	1-1/2	10	8D	8	3-3/4

SIGN SIZE	DIMENSIONS (MILLIMETERS)							
	A	B	C	D	E	F	G	H
1829 x 914	1829	914	16	22	178	100D	127	57
2743 x 1067	2743	1067	16	25	178	150D	127	67
3658 x 1524	3658	1524	22	38	254	200D	203	95

COLORS
LEGEND - BLACK (NON-REFLECTIVE)
BACKGROUND - WHITE (REFLECTIVE)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -


Gerry Myers
 CHIEF, OFFICE OF SIGNS AND DELINEATION

7/28/99

DATE

REVISION

REVISION

MUTCD NUMBER NoneCODE C40A

SIGN SIZES (in)	DIMENSIONS (Inches)					
	A	B	C	D	E	F
36 X 36	36	1/2	3/4	4C	2-1/2	1-7/8
48 X 48	48	5/8	1	5C	3	2-5/8

SIGN SIZES (mm)	DIMENSIONS (Millimeters)					
	A	B	C	D	E	F
914 X 914	914	13	19	100C	64	48
1219 X 1219	1219	16	25	125C	76	67

COLORS**BORDER & LEGEND - BLACK (Non-Reflective)****BACKGROUND - ORANGE (Reflective)**

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

Gerry Kreis
CHIEF, OFFICE OF SIGNS AND DELINEATION


3/22/01

DATE


REVISION

REVISION

(This page left intentionally blank)



Arrow Detail



ALL DIMENSIONS ARE IN INCHES

SC3 SUFFIX	SIZE	BORDER WIDTH	MARGIN WIDTH	LETTER SIZE, SERIES & STROKE WIDTH					COR. RAD.
				LINE 1	LINE 2	LINE 3	LINE 4	LINE 5	
-1	48x18	5/8	3/8	6D-1.08					1½
-2	36x12	1/2	3/8	4D					1-1/2

SC3 SUFFIX	SIZE	DIMENSIONS											
		A	B	C	D	E	F	G	H	I	J	K	L
-1	48x18	7	5½	7/8	3	4	1½	15	6	16			
-2	36x12	4-5/8	3-5/8	9/16	2	2-5/8	1-1/2	10	4	12			

Orange BACKGROUND WITH Black BORDER & LEGEND

REFLECTIVE BACKGROUND

3/8" DIA. HOLES ●

APPROVED:

TRAFFIC ENGINEER
2-11-74


DATE

5/4/98

REVISION

DEPARTMENT OF TRANSPORTATION

STATE OF CALIFORNIA



SIGN	DIMENSIONS (INCHES)						
	A	B	C	D	E	F	G
MINIMUM	36	7/8	5/8	5C	3	1-3/4	2 1/4
STANDARD	48	1 1/4	3/4	7C	4	1	3

COLORS
BORDER & LEGEND - BLACK
BACKGROUND - ORANGE (REFL)

THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE.


CD Butler
 CHIEF, DIVISION OF TRAFFIC ENGINEERING

DATE

REVISION

REVISION

9-26-86

MUTCD NUMBER NoneCODE SC6-3

COLOR
BORDER & LEGEND - BLACK (NON-REFLECTIVE)
BACKGROUND - ORANGE (REFLECTIVE)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -


Gerry Kreis
 CHIEF, OFFICE OF SIGNS & DELINEATION

3/27/01

DATE

REVISION

REVISION

MUTCD NUMBER NoneCODE SC6-4

COLOR
BORDER & LEGEND - BLACK (NON-REFLECTIVE)
BACKGROUND - ORANGE (REFLECTIVE)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -


Gerry Kreis
 CHIEF, OFFICE OF SIGNS & DELINEATION

3/27/01

DATE

REVISION

REVISION



COLOR
LEGEND - BLACK (NON-REFLECTIVE)
BACKGROUND - ORANGE (REFLECTIVE)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -


Gerry Kreis
CHIEF, OFFICE OF SIGNS & DELINEATION

3/28/01

DATE

REVISION

REVISION

MUTCD NUMBER NoneCODE SC6B

COLOR
LEGEND - BLACK (NON-REFLECTIVE)
BACKGROUND - ORANGE (REFLECTIVE)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -


Gerry Kruis
 CHIEF, OFFICE OF SIGNS & DELINEATION

3/28/01

DATE

REVISION

REVISION

MUTCD NUMBER NoneCODE SC7

NOTES:

- * These dimensions apply to the Overlay Panel when applicable.
- ** The minimum letter height and style for the street or road name should be Caltrans Alphabet, Series C. However, if the message becomes wider than the panel, a smaller standard letter height may be considered.

COLOR
 BORDER & LEGEND - BLACK (NON-REFLECTIVE)
 BACKGROUND - WHITE (REFLECTIVE)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -


MR. Lavelle
 DEPUTY CHIEF, DIVISION OF TRAFFIC OPERATIONS

9-1-93

DATE

REVISION

REVISION

MUTCD NUMBER NoneCODE SC8

NOTES:

- * These dimensions apply to the Overlay Panel when applicable.
- ** The minimum letter height and style for the street or road name should be Caltrans Alphabet, Series C. However, if the message becomes wider than the panel, a smaller standard letter height may be considered.

COLOR
 BORDER & LEGEND - BLACK (NON-REFLECTIVE)
 BACKGROUND - ORANGE (REFLECTIVE)


• THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE •

MR. L. L. L.
 DEPUTY CHIEF, DIVISION OF TRAFFIC OPERATIONS

9-1-93
 DATE

REVISION

REVISION

MUTCD NUMBER NoneCODE SC9

*MOVEABLE ARROW: Arrow directions are Vertical, Horizontal or Diagonal, to be adjusted when sign is placed (See Appendix Page 10 of 11 for arrow dimensions).

COLOR
 BORDER & LEGEND - BLACK (NON-REFLECTIVE)
 BACKGROUND - ORANGE (REFLECTIVE)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -


MR. Lawrence
 DEPUTY CHIEF, DIVISION OF TRAFFIC OPERATIONS

DATE

9-1-93

REVISION

REVISION

MUTCD NUMBER NoneCODE SC10

Alternate Message: "ROAD WORK AHEAD"

SIGN SIZE	DIMENSIONS (Inches)							
	A	B	C	D	E	F	G	H
48 x 30	48	30	1/2	3/4	7	6C	4	2-1/4
66 x 36	66	36	5/8	7/8	7-1/2	8C	5	3

COLORS
BORDER & LEGEND - BLACK (NON-REFLECTIVE)
BACKGROUND - WHITE (REFLECTIVE)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -


 CHIEF, OFFICE OF SIGNS AND DELINEATION
12/18/98
DATE

REVISION

REVISION

MUTCD NUMBER NoneCODE SC11

SIGN	DIMENSIONS (Inches)							
	A	B	C	D	E	F	G	H
STANDARD	42	30	5/8	1	7	6D	4	2-5/8
SPECIAL	54	42	3/4	1-1/4	10	8D	6	3

COLORS
BORDER & LEGEND - BLACK
BACKGROUND - WHITE (REFLECTIVE)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

MR. Lawrence J. [Signature]
 DEPUTY CHIEF, DIVISION OF TRAFFIC OPERATIONS

8-9-93
 DATE

REVISION

MUTCD NUMBER NoneCODE SC13

SIGN	DIMENSIONS (Inches)							
	A	B	C	D	E	F	G	H
STANDARD	42	30	5/8	1	7	6D	4	2-5/8
SPECIAL	54	42	3/4	1-1/4	10	8D	6	3

COLORS
BORDER & LEGEND - BLACK
BACKGROUND - WHITE (REFLECTIVE)


• THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE •

MR. Lawrence J. [Signature]
 DEPUTY CHIEF, DIVISION OF TRAFFIC OPERATIONS

8-9-93
 DATE

REVISION

REVISION

MUTCD NUMBER NoneCODE SC15

SIGN	DIMENSIONS (Inches)						
	A	B	C	D	E	F	G
STANDARD	42	18	5/8	1	6	6C	2-5/8
SPECIAL	54	24	3/4	1-1/4	8	8C	3

COLORS
BORDER & LEGEND - BLACK
BACKGROUND - WHITE (REFLECTIVE)


- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

MP Lawrence
 DEPUTY CHIEF, DIVISION OF TRAFFIC OPERATIONS

12-2-93
 DATE

REVISION

REVISION

MUTCD NUMBER NoneCODE SC12

SIGN SIZE	DIMENSIONS (Inches)							
	A	B	C	D	E	F	G	H
54 x 30	54	30	5/8	7/8	8	6D	4	2-1/4
72 x 42	72	42	3/4	1-1/4	10	8D	6	3

COLORS
BORDER & LEGEND - BLACK (NON-REFLECTIVE)
BACKGROUND - WHITE (REFLECTIVE)

- THE POLICY FOR INTENDED USAGE OF THIS SIGN IS SHOWN ON REVERSE SIDE -

Gerry Meis
 CHIEF, OFFICE OF SIGNS AND DELINEATION

9/15/98
 DATE

REVISION

REVISION