# Tracking the Deployment of the Integrated Metropolitan ITS Infrastructure in Orlando

# **FY99 Results**

For additional information, please contact:

Joseph I. Peters, Ph.D. ITS Program Assessment Coordinator ITS Joint Program Office, Room 3416 400 Seventh St., S.W. Washington, D.C. 20590 (202) 366-2202 FAX: (202) 493-2027 E-mail: joe.peters@fhwa.dot.gov

Table of Contents	
Part 1 - Background and Purpose	1
Part 2 - Summary 1999 Survey Results	3
Part 3 - Detailed 1999 Survey Results	7
Freeway Management Component Indicators	9
Freeway Management Integration Indicators	11
Incident Management Component Indicators	
Incident Management Integration Indicators	15
Arterial Management Component Indicators	17
Arterial Management Integration Indicators	19
Electronic Toll Collection Component Indicators	
Electronic Toll Collection Integration Indicators	22
Transit Management Component Indicators	
Transit Management Integration Indicators	
Electronic Fare Payment Component Indicators	
Electronic Fare Payment Integration Indicators	27
Highway-Rail Intersection Component Indicators	
Highway-Rail Intersection Integration Indicators	29
Emergency Management Component Indicators	
Emergency Management Integration Indicators	
Regional Multimodal Traveler Information Component Indicators	
Regional Multimodal Traveler Information Integration Indicators	33
Appendix A. Survey Coverage Area	A.1
Appendix B. Surveyed Agencies	
Appendix C. Freeway Management Components	C.1
Appendix D. Freeway Management Integration	
Appendix E. Freeway Management Information Collection and Dissemination	E.1
Appendix F. Arterial Management Components	F.1
Appendix G. Arterial Management Integration	
Appendix H. Arterial Management Information Collection and Dissemination	
Appendix I. Transit Management Components	
Appendix J. Transit Management Integration	
Appendix K. Transit Management Information Collection and Dissemination	
Appendix L. Emergency Management	L.1

#### Part 1 - Background and Purpose

In January 1996, Secretary Peña set a goal of deploying the integrated metropolitan Intelligent Transportation System (ITS) infrastructure in 75<sup>1</sup> of the nation's largest metropolitan areas by 2006:

"I'm setting a national goal: to build an intelligent transportation infrastructure across the United States to save time and lives, and improve the quality of life for Americans. I believe that what we do, we must measure . . . Let us set a very tangible target that will focus our attention . . . I want 75 of our largest metropolitan areas outfitted with a complete intelligent transportation infrastructure in 10 years."<sup>2</sup>

-- Secretary Peña, 1996

In 1997, the U.S. Department of Transportation initiated an effort to track progress toward fulfillment of this goal by conducting a survey of deployment in the nation's largest metropolitan areas. Traditionally, the product of a transportation infrastructure investment consists of a fixed asset such as a highway, bridge, or public transportation vehicle developed, constructed, or purchased by a single agency. Tracking the level of deployment for such traditional fixed assets can be accomplished by simply counting the number of such assets deployed. Measuring the deployment of the metropolitan ITS infrastructure is more complex because it consists of a set of systems, often deployed by multiple agencies, and integrated through a combination of complex institutional and technical arrangements. In brief, it is often difficult to simply count the number of systems deployed without first devising a measurement approach that captures the essential features of such systems in a consistent fashion across many deployment environments.

In order to track progress toward fulfillment of the Secretary's goal for deployment, the U.S. Department of Transportation ITS Joint Program Office developed the metropolitan ITS deployment tracking methodology. This methodology tracks deployment of the nine components that make up the Metropolitan ITS infrastructure: Freeway Management; Incident Management; Arterial Management; Emergency Management; Transit Management; Electronic Toll Collection; Electronic Fare Payment; Highway-Rail Intersections; and Regional Multimodal Traveler Information. Through a set of indicators tied to the major functions of each component, the level of deployment is tracked for the nation's largest metropolitan areas. In addition, the integration links between agencies operating the infrastructure are also tracked. The details of

<sup>&</sup>lt;sup>1</sup> Since Secretary Peña's speech, the number of metropolitan areas that DOT will measure has been increased from 75 to 78. However, to maintain reporting consistency across the 10-year goal period, this report considers only the original 75 metropolitan areas.

<sup>&</sup>lt;sup>2</sup> Excerpt of a speech delivered by Secretary of Transportation Peña at the Transportation Research Board in Washington, DC on January 10, 1996.

the methodology are explained elsewhere.<sup>3</sup>

During the summer and fall of 1999, the U.S. DOT undertook a new data collection effort for the purpose of examining ITS deployment progress in the nation's largest metropolitan areas. The Orlando metropolitan area was among the areas surveyed in 1997 and again in 1999. This report presents the results of the 1999 survey efforts and compares the results of the 1997 survey against those observed in 1999. The overall response rate for the surveys administered in the Orlando region was 100% in 1997 and 83% in 1999.

Part 2 contains a summary of the 1999 survey results, and Part 3 provides a comparison of 1999 survey results and the 1997 survey results.

The report also contains a set of appendices containing a map of the survey area, the list of local contacts surveyed along with a status of their response to the survey and a summary of the data collected from the surveys.

Agencies are encouraged to review the data presented in this report for completeness and accuracy and to direct any comments or corrections to the data provided to the contacts listed below:

Steve Gordon Oak Ridge National Laboratory P.O. Box 2008, 4500N, MS-6207 Oak Ridge, TN 37831-6207 (865) 576-8416 (voice) (865) 574-3895 (fax) gordonsr@ornl.gov

Jeff Trombly Science Applications International Corporation 301 Laboratory Road Oak Ridge, TN 37831-2501 (865) 481-8563 (voice) (865) 481-2941 (fax) jeffrey.w.trombly@saic.com

<sup>&</sup>lt;sup>3</sup> Additional Resources: "Measuring ITS Deployment and Integration" (Electronic Document Number: 4372). U.S. Department of Transportation, Joint Program Office for Intelligent Transportation Systems, 400 Seventh St., SW (HVH-1), Washington, DC 20590, Phone: 202-366-9536, Fax: 202-366-3302, Web: http://www.its.dot.gov.

#### Part 2 - Summary 1999 Survey Results

Deployment indicators have been developed for two broad areas of interest: (1) the individual components, including their basic functions and characteristics and (2) integration of components, including how these components work together to provide coordinated regional service. As mentioned earlier, these indicators are expressed as percentages of the possible deployment opportunity and not necessarily what should be deployed based on local needs. Requirements for deployment and integration between each component will vary based on local conditions and cannot be assigned without extensive coordination with individual metropolitan areas.

The following two figures portray the surrogate indicators for each of the nine components in Orlando and the same indicators at the national level. These are judged to be the single best representative of a component and are being used as summary indicator for component. The summary indicators are expressed as a percentage; however, because deployment goals have yet to be established, these indicators should not be read as a comparison of what is deployed versus eventual deployment goals. Instead, they only reflect what is deployed compared to full market saturation (i.e., opportunity for deployment).


Each component indicator was selected to reflect a critical function of the individual components. For example, in the case of Freeway Management, three basic functions were defined: surveillance, traffic control, and information display. The three indicators developed to reflect these functions are: percentage of freeway centerline miles under electronic surveillance (surveillance function), percentage of freeway entrance ramps managed by ramp meters (traffic control function), and percentage of freeway centerline miles covered by permanent VMS, HAR, or in-vehicle signing (information display function). The indicators are surrogates that do not necessarily reflect the full breadth of metropolitan ITS deployment activity.

A critical aspect of ITS that provides much of its capability is the integration of individual components to form a unified regional traffic control system. Individual ITS components routinely collect information that is used for purposes internal to that component. For example, the Arterial Management component monitors arterial conditions to revise signal timing and to convey these conditions to travelers through such technologies as variable message signs and highway advisory radio. Other ITS components can make use of this information in formulating their control strategies. For example, Transit Management may alter routes and schedules based on real-time information on arterial traffic conditions, and Freeway Management may alter ramp metering or diversion recommendations based on the same information.

As with the component indicators, definitions for inter- and intra-component integration were developed for each component, and indicators, derived from these definitions, were produced for each component. A total of 34 individual integration indicators was specified and is portrayed in the third figure which follows. Each integration indicator has been assigned a number and an origin/destination path from one ITS infrastructure component to another. For example, the

integration of information from the Freeway Management component to the Regional Multimodal Traveler Information component is identified by the number "10."


Data as of 5/1/00



Orlando Summary Indicators\*


\* Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity.

\*\* Deployment opportunity reflects potential totals that do not necessarily reflect actual need.



\* Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity

\*\* Deployment opportunity reflects potential totals that do not necessarily reflect actual need



### **Orlando Integration Links**

Note: Shading indicates the value of the link. For example a circle half shaded equals 50%

Link	Description	Link	Description
1	Arterial Management to Regional	2	Arterial Management to Freeway
	Multimodal Traveler Information		Management
3	Arterial Management to Transit	4	Arterial Management to Incident
	Management		Management
5	Incident Management to Arterial	6	Incident Management to Regional
	Management		Multimodal Traveler Information
7	Incident Management to Emergency	8	Incident Management to Freeway
	Management.		Management
9	Incident Management to Transit	10	Freeway Management to Regional
	Management		Multimodal Traveler Information
11	Freeway Management to Arterial	12	Freeway Management to Transit
	Management		Management

Link	Description	Link	Description
13	Freeway Management to Incident	14a	Transit Management to Regional
	Management		Multimodal Traveler Information
			(static route information)
		14b	Transit Management to Regional
			Multimodal Traveler Information
			(schedule adherence information)
15a	Transit Management to Freeway	16a	Transit Management to Arterial
	Management		Management
15b	Transit Management to Freeway	16b	Transit Management to Arterial
	Management (transit vehicle probes)		Management (transit vehicle probes)
17	Electronic Toll Collection to	18	Electronic Toll Collection to Arterial
	Freeway Management (ETC		Management (ETC equipped probes)
	equipped probes)		
19	Electronic Fare Payment and	20	Electronic Fare Payment to Transit
	Electronic Toll Collection		Management
21a	Emergency Management to Incident	22	Emergency Management to Arterial
	Management (incident notification)		Management
21b	Emergency Management to Incident		
	Management (incident clearance)		
23	Highway-rail intersections to	24	Highway-rail intersections to Arterial
	Incident Management (crossing		Management (crossing status)
	status)		
25	Incident Management intra	26	Arterial Management intra component
	component		
27	Electronic Fare Payment intra	28	Electronic Toll Collection intra
	component.		component
29	Transit Management to Incident	30	Freeway Management intra
	Management (incident reporting)		component

#### Part 3 - Detailed 1999 Survey Results

The following figures and tables summarize the complete set of component and integration indicators developed for the Orlando metropolitan area. The figures summarizing the component indicators consist of a bar chart portraying the deployment levels for 1997, 1999, and 2005 accompanied by detailed tables of the data used to calculate each component indicator value (*Num* stands for numerator and *Den* stands for denominator; blank space indicates that no response was received.)

Example: Calculating Component Indicators for Freeway Management

Consider a metropolitan area with 100 miles of freeway and 25 freeway entrance ramps. The area has no ramp meters, 10 freeway miles for which traffic data are collected electronically, and 5 freeway miles, which are covered by highway advisory radio.

The component indicator for electronic surveillance is calculated as (10/100) or 10%.

The component indicator for ramp meter control is calculated as (0/25) or 0%.

The component indicator for HAR coverage is calculated as (5/100) or 5%.

The summary indicator for the metropolitan area is calculated as (10%+0%+5%)/3 = 5%.


The figures summarizing the integration indicators consist of a diagram for each of the nine metropolitan ITS components portraying the integration level for 1999 (*italic*) and 2005 (**bold**), accompanied by tables providing an explanation of the data and calculations performed to develop each integration indicator value for 1999 and 2005. Each diagram portrays the proportion of agencies providing information to a component (e.g., the flow of incident information from Incident Management to Freeway Management) and the proportion of agencies providing information from one component (e.g., the flow of freeway travel condition information from Freeway Management to Arterial Management).

Example: Calculating Integration between Arterial Management and Regional Multimodal Traveler Information

Consider a metropolitan area with three arterial management agencies. One out of three provides information to the public using a Regional Multimodal Traveler Information Media (e.g., internet, kiosk, pager, etc...). The integration indicator is 1/3 or 33%.

#### **Freeway Management Component Indicators**

Data as of 5/1/00



Orlando Freeway Management\*


\* Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity. \*\* Deployment opportunity reflects potential totals that do not necessarily reflect actual need.

	1997			1999			2005		
Description	Num	Den	%	Num	Den	%	Num	Den	%
Freeway centerline miles	40	147	27%	40	147	27%	47	147	32%
are under electronic									
surveillance for									
monitoring traffic flow									
Freeway entrance ramps	0	147	0%						
are controlled by ramp									
meters or miles under lane									
control									

	1997			1999			2005		
Description	Num	Den	%	Num	Den	%	Num	Den	%
Freeway entrance ramps are controlled by ramp meters					230			230	
Freeway centerline miles will be controlled by lane control					147			147	
Freeway miles are covered by VMS, HAR, or IVS	40	147	27%						
Freeway miles are covered by VMS					147			147	
Freeway miles are covered by HAR					147			147	
Freeway miles are covered by IVS					147			147	

#### **Freeway Management Integration Indicators**

# Orlando Freeway Management Integration\*




\* Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity

Link Description	1999	2005
2. Arterial Management agencies sending information to Freeway	(0/3)	(0/3)
Management	0%	0%
8. Incident Management agencies sending information to Freeway	(1/1)	(1/1)
Management	100%	100%
15a. Transit management agencies with vehicles equipped with	(0/1)	(0/1)
ramp meter priority	0%	0%
15b. Transit Management agencies with vehicles equipped as	(0/1)	(0/1)
probes	0%	0%
17. Freeway Management agencies receiving freeway conditions	(0/1)	(1/1)
from vehicle probes	0%	100%
30. Freeway Management agencies sending information to another	(1/1)	(1/1)
Freeway Management agency	100%	100%
11. Freeway Management agencies sending information to Arterial	(1/1)	(1/1)
Management	100%	100%

Link Description	1999	2005
10. Freeway Management agencies disseminating freeway	(0/1)	(1/1)
conditions to the public	0%	100%
12. Freeway Management agencies sending freeway conditions to	(0/1)	(1/1)
Transit Management	0%	100%
13. Freeway Management agencies sending freeway conditions to	(1/1)	(1/1)
Incident Management	100%	100%

#### **Incident Management Component Indicators**

Data as of 5/1/00



#### Orlando Freeway and Arterial Incident Management\*


\* Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity. \*\* Deployment opportunity reflects potential totals that do not necessarily reflect actual need.

		1997	199			1999			
Description	Num	Den	%	Num	Den	%	Num	Den	%
Freeway miles are	40	147	27%	40	147	27%	47	147	32%
covered by incident									
detection algorithms									
Freeway miles are	147	147	100%	147	147	100%	147	147	100%
covered by free cellular									
phone calls to a									
dedicated number									
Freeway miles are	40	147	27%	40	147	27%	47	147	32%
covered by surveillance									
cameras.									

		1997		1999		2005			
Description	Num	Den	%	Num	Den	%	Num	Den	%
Freeway miles are	0	147	0%	25	147	17%	47	147	32%
covered by on-call									
publicly-sponsored									
service patrol or towing									
services.									
Arterial miles are	0	977	0%		977			977	
covered by incident									
detection algorithms									
Arterial miles are	977	977	100%		977			977	
covered by free cellular									
phone calls to a									
dedicated number									
Arterial miles are	0	977	0%		977			977	
covered by surveillance									
cameras									
Arterial miles are	0	977	0%		977			977	
covered by on-call									
publicly-sponsored									
service patrol or towing									
services									

#### **Incident Management Integration Indicators**

# Orlando




Incident Management Integration\*

\* Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity

Link Description	1999	2005
21a. Incident management agencies receiving incident severity from	(0/1)	(1/1)
Emergency Management	0%	100%
21b. Incident management agencies receiving incident clearance	(0/1)	(1/1)
activities from Emergency Management	0%	100%
13. Freeway Management agencies sending freeway conditions to	(1/1)	(1/1)
Incident Management	100%	100%
4. Arterial Management agencies sending arterial conditions to Incident	(0/3)	(0/3)
Management	0%	0%
23. Arterial Management agencies receive information on highway-rail	(0/3)	(0/3)
intersection crossing blockages for the purpose of managing incident	0%	0%
response		
29. Transit Management agencies report traffic incidents as part of an	(0/1)	(0/1)
organized regional incident management program	0%	0%

Link Description	1999	2005
7. Incident management agencies transfer information describing	(1/1)	(1/1)
incident severity, location, and type to Emergency Management agencies	100%	100%
9. Incident Management agencies transfer information describing	(1/1)	(1/1)
incident severity, location, and type to Transit Management agencies	100%	100%
6. Incident Management agencies disseminate information describing	(1/1)	(1/1)
incident severity, location, and type to the public	100%	100%
5. Incident Management agencies transfer information describing	(1/1)	(1/1)
incident severity, location, and type to Arterial Management agencies	100%	100%
8. Incident Management agencies transfer information describing	(1/1)	(1/1)
incident severity, location, and type to Freeway Management agencies	100%	100%
25. Police, fire, and EMS agencies participating in a formal incident	(1/5)	(1/5)
management plan/team	20%	20%

#### **Arterial Management Component Indicators**




#### Orlando Arterial Management\*

\* Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity. \*\* Deployment opportunity reflects potential totals that do not necessarily reflect actual need.

	1997			1999			2005		
Description	Num	Den	%	Num	Den	%	Num	Den	%
Arterial miles covered	60	977	6%						
by electronic									
surveillance									
Signalized intersections				202	603	33%	350	670	52%
are covered by									
electronic surveillance									
for monitoring traffic									
flow									
Signalized intersections	645	1058	61%	530	603	88%	600	670	90%
are under centralized or									
closed loop control									

		1997			1999			2005		
Description	Num	Den	%	Num	Den	%	Num	Den	%	
Arterial miles are	0	977	0%							
covered by VMS, HAR,										
or IVS										
Arterial miles are					977			977		
covered by VMS										
Arterial miles are					977			977		
covered by HAR										
Arterial miles are					977			977		
covered by IVS										

#### **Arterial Management Integration Indicators**




\* Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity

Link Description	1999	2005
16a. Transit management agencies with vehicles equipped with traffic	(0/1)	(0/1)
signal priority	0%	0%
16b. Transit Management agencies have vehicles equipped as probes on	(0/1)	(0/1)
arterials	0%	0%
22. Emergency Management agencies have vehicles equipped with	(2/5)	(2/5)
traffic signal preemption capability	40%	40%
24. Arterial Management agencies have traffic signals within 200 feet of	(1/3)	(1/3)
a highway rail intersection with the capability of having their signal	33%	33%
timing adjusted in response to a train crossing		
18. Number of Arterial Management agencies receiving information	(0/3)	(0/3)
from vehicle probes	0%	0%
5. Incident Management agencies transfer information describing	(1/1)	(1/1)
incident severity, location, and type to Arterial Management	100%	100%
11. Freeway Management agencies transfer freeway travel times,	(1/1)	(1/1)
speeds, and conditions to Arterial Management agencies	100%	100%

Link Description	1999	2005
3. Arterial Management agencies transfer arterial travel times, speeds,	(0/3)	(0/3)
and conditions to Transit Management	0%	0%
1. Arterial Management agencies disseminate arterial travel times,	(0/3)	(1/3)
speeds, and conditions to the public	0%	33%
2. Arterial Management agencies send traffic condition information to	(0/3)	(0/3)
Freeway Management	0%	0%
4. Arterial Management agencies transfer arterial travel times, speeds,	(0/3)	(0/3)
and conditions to Incident Management	0%	0%
26. Arterial Management agencies under cooperative agreement to share	(1/3)	(2/3)
traffic signal timing for coordinated response	33%	67%

#### **Electronic Toll Collection Component Indicators**


Data as of 5/1/00



# Orlando

\* Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity. \*\* Deployment opportunity reflects potential totals that do not necessarily reflect actual need.

	1997			1999			2005		
Description	Num	Den	%	Num	Den	%	Num	Den	%
Toll collection plazas				62	85	73%	102	102	100%
with ETC capability									
Toll collection lanes	173	173	100%	263	1048	25%	858	1148	75%
with ETC capability									




\* Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity

Link Description	1999	2005
18. Number of Arterial Management agencies receiving information	(0/3)	(0/3)
from vehicle probes	0%	0%
19. Transit agencies that accept electronic payment through the use of	(0/1)	(0/1)
electronic toll collection media	0%	0%
17. Freeway Management agencies receiving information from vehicle	(0/1)	(1/1)
probes	0%	100%
28. Toll operators using common toll tag technology	(4/4)	(4/4)
	100%	100%

#### **Transit Management Component Indicators**

Data as of 5/1/00




\* Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity. \*\* Deployment opportunity reflects potential totals that do not necessarily reflect actual need.

	1997			1999			2005		
Description	Num	Den	%	Num	Den	%	Num	Den	%
Fixed-route transit vehicles	5	202	2%						
are equipped with AVL									
Fixed-route transit vehicles	0	202	0%						
are equipped with									
electronic monitoring of									
vehicle component									
Paratransit vehicles operate	0	113	0%						
under computer-aided									
dispatch									
Percent fixed-route transfer	3	10	30%						
locations with electronic									
display of information									
Bus stops display									
information to the public									

#### **Transit Management Integration Indicators**

# Orlando Transit Management Integration\*



\* Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity


Link Description	1999	2005
3. Arterial Management agencies transfer arterial travel times, speeds,	(0/3)	(0/3)
and conditions to Transit Management	0%	0%
9. Incident management agencies transfer information describing	(1/1)	(1/1)
incident severity, location, and type to Transit Management	100%	100%
12. Freeway Management agencies transfer freeway travel times,	(0/1)	(1/1)
speeds, and conditions to Transit Management	0%	100%
20. Transit Management agencies using Electronic Fare Payment data in	(0/1)	(0/1)
transit service planning	0%	0%
16a. Transit Management agencies have vehicles equipped with traffic	(0/1)	(0/1)
signal priority capability	0%	0%
16b. Transit Management agencies have vehicles equipped as probes on	(0/1)	(0/1)
arterials	0%	0%
14a. Transit Management agencies disseminate information describing	(0/1)	(0/1)
transit routes, schedules, and fares to travelers	0%	0%

Link Description	1999	2005
14b. Transit Management agencies disseminate information describing	(0/1)	(0/1)
schedule/route adherence to travelers	0%	0%
15a. Transit Management agencies have vehicles equipped with ramp	(0/1)	(0/1)
meter priority capability	0%	0%
15b. Transit Management agencies have vehicles equipped as probes on	(0/1)	(0/1)
freeways	0%	0%
29. Transit Management agencies that report traffic incidents as part of	(0/1)	(0/1)
an organized regional Incident Management program	0%	0%

#### **Electronic Fare Payment Component Indicators**

Data as of 5/1/00

# Orlando Electronic Fare Payment\*



\* Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity. \*\* Deployment opportunity reflects potential totals that do not necessarily reflect actual need.

	1997			1999			2005		
Description	Num	Den	%	Num	Den	%	Num	Den	%
Fixed-route transit vehicles that accept electronic payment	0	202	0%						
Rail transit stations that accept electronic payment	0	0							

#### **Electronic Fare Payment Integration Indicators** Orlando Electronic Fare Payment Integration\* <u>Inputs</u> <u>Outputs</u> Share Transit 0% 0% Common (20) Service Fare 0% 0% Planning Media 27 0% **Transit Operators** 0% with Common Fare Media

Legend	
1999	
2005	


\* Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity

Link Description	1999	2005
19. Transit agencies that accept electronic payment through the use of	(0/1)	(0/1)
electronic toll collection media	0%	0%
20. Transit Management agencies use Electronic Fare Payment data in	(0/1)	(0/1)
transit service planning	0%	0%
27. Transit Management agencies that use the same electronic payment	(0/1)	(0/1)
system	0%	0%

#### **Highway Rail Intersection Component Indicators**

Data as of 5/1/00


# Orlando Highway-Rail Intersections\*



\* Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity. \*\* Deployment opportunity reflects potential totals that do not necessarily reflect actual need.

	1997			1999			2005		
Description	Num	Den	%	Num	Den	%	Num	Den	%
Highway-rail intersections	0	319	0%	6	44	14%	12	44	27%
are under electronic									
surveillance									

# Highway Rail Intersection Integration Indicators Orlando Highway Rail Intersections Integration\* Inputs Outputs




\* Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity

Link Description	1999	2005
24. Arterial Management agencies with traffic signals within 200 feet of	(1/3)	(1/3)
a highway rail intersection with the capability of having their signal	33%	33%
timing adjusted in response to a train crossing		
23. Arterial Management agencies receive information on highway-rail	(0/3)	(0/3)
intersection crossing blockages for the purpose of managing incident	0%	0%
response		

#### **Emergency Management Component Indicators**

Data as of 5/1/00



\* Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity. \*\* Deployment opportunity reflects potential totals that do not necessarily reflect actual need.


	1997			1999			2005		
Description	Num	Den	%	Num	Den	%	Num	Den	%
Public sector emergency	450	1767	25%	924	2286	40%	1440	2327	62%
vehicles that operate									
under computer-aided									
dispatch									
Public sector emergency	287	1767	16%	0	2286	0%	110	2327	5%
vehicles that have in-									
vehicle route guidance									
capability									

## **Emergency Management Integration Indicators**

# Orlando Emergency Management Integration\*

## <u>Inputs</u>

<u>Outputs</u>




Legend 1999, 2005

\* Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity

Link Description	1999	2005
7. Freeway Management agencies transfer information describing	(1/1)	(1/1)
incident severity, location, and type to Emergency Management agencies	100%	100%
22. Emergency Management agencies have vehicles equipped with	(2/5)	(2/5)
traffic signal preemption capability	40%	40%
21a. Freeway Management agencies receive incident severity, location,	(0/1)	(1/1)
and type data from Emergency Management agencies	0%	100%
21b. Freeway Management agencies receive incident clearance	(0/1)	(1/1)
activities information from Emergency Management agencies	0%	100%

#### **Regional Multimodal Traveler Information Component Indicators**

Data as of 5/1/00



\* Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity. \*\* Deployment opportunity reflects potential totals that do not necessarily reflect actual need.


	1997			1999			2005		
Description	Num	Den	%	Num	Den	%	Num	Den	%
Freeway conditions disseminated to travelers	0	147	0%	0	147	0%	47	147	32%
Possible RMTI media types are used to display information to travelers	1	8	13%	0	8	0%	1	8	13%
Possible RMTI media are used to display information on <i>two or</i> <i>more modes</i> to travelers	1	8	13%	0	8	0%	1	8	13%

#### **Regional Multimodal Traveler Information Integration Indicators**

# Orlando Regional Multimodal Traveler Information Integration\*

**Inputs** 

<u>Outputs</u>




\* Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity

Link Description	1999	2005
14a. Transit Management agencies that disseminate information	(0/1)	(0/1)
describing transit routes, schedules, and fares to travelers	0%	0%
14b. Transit Management agencies that disseminate information	(0/1)	(0/1)
describing schedule/route adherence to travelers	0%	0%
1. Arterial Management agencies that disseminate arterial travel times,	(0/3)	(1/3)
speeds, and conditions to the public	0%	33%
10. Freeway Management agencies that disseminate freeway travel	(0/1)	(1/1)
times, speeds, and conditions to travelers	0%	100%
6. Incident Management agencies that disseminate information	(1/1)	(1/1)
describing incident severity, location, and type to the public	100%	100%

Appendix A Survey Coverage Area

# ORLANDO URBANIZED AREA METROPOLITAN PLANNING ORGANIZATION, FL



Appendix B Surveyed Agencies

# Surveyed Agencies

Agency Name	Phone	Fax	1999		199	97	
			Out	In	Out	In	
	OR	LANDO	1				
Arterial Management							
Seminole County	(407) 323-2500	(407) 324-0780	5/28/1999		08/14/1997	10/28/1997	
Osceola County	(407) 847-1260	(407) 847-1409	5/28/1999	2/11/2000	08/14/1997	08/26/1997	
Orlando City	(407) 246-3255	(407) 246-2892	5/28/1999	6/11/1999	08/14/1997	08/26/1997	
Orange County	(407) 836-7866	(407) 836-7869	5/28/1999	6/28/1999	08/14/1997	09/15/1997	
Electronic Toll Collection					· · · · · · · · · · · · · · · · · · ·		
Orlando Orange County Expressway	(407) 316-3800	(407) 316-3801	6/2/1999	6/3/1999	08/14/1997	10/23/1997	
Florida Department of Transportation-Florida	(850) 488-5687	(850) 922-5019	6/3/1999	6/3/1999	08/14/1997	08/18/1997	
Emergency Management Systems			·		'		
Orange County Sheriff's Office	407-836-3700	407-836-3709	6/2/1999	6/7/1999	08/14/1997	08/25/1997	
Orlando Fire Department	(407) 246-2905	(407) 246-2512	6/2/1999	6/4/1999	08/14/1997	06/18/1998	
Orlando Police Department	(407) 246-2470	(407) 246-2732	6/3/1999	8/23/1999	08/14/1997	08/19/1997	
Osceola County Sheriff's Department	(407) 348-1124	(407) 348-1161	6/2/1999	6/7/1999	08/14/1997	06/22/1998	
Seminole County Sheriff's Department	(407) 330-6683	(407) 330-6656	6/3/1999	6/17/1999	08/14/1997	06/18/1998	
Freeway Management			·		'		
Florida Department of Transportation	(904) 943-5319	(904) 736-5349	5/28/1999	6/14/1999	08/14/1997	09/25/1997	
MPO					I		
Orlando Urbanized Area Metropolitan Planning	(407) 481-5672	(407) 481-5680	6/7/1999	7/12/1999			
Transit Management	·				· · · ·		
LYNX Central Florida Regional Transit Authority	(407)841-2279	(407) 999-5444	5/28/1999	6/11/1999	08/14/1997	08/28/1997	

Appendix C Freeway Management Components

	Florida Departme	ent of Transportation
	1999	2005
Agency Returned Survey?	Yes	
FREEWAY MANAGEMENT SECTION		
Number of freeway centerline miles that agency owns or maintains	47	
Number of freeway centerline miles that is used for planning	47	
Number of freeway entrance ramps that agency owns, operates or maintains	119	
Number of freeway entrance ramps that is used for planning	119	
Type of facilities used to conduct freeway/incident management activities		
Activities housed in a free-standing dedicated building?	No	
Activities housed in a building shared with other activities?	Yes	
Activities conducted in a dedicated control room?	Yes	
Control room contains operator console(s)?	Yes	
Control room contains electronic wall map?	No	
Control room contains CCTV display(s)?	Yes	
Activities conducted in a room containing workstations or PCs that manage traffic?	Yes	
Facilities are electronically linked to other transportation mgt facilities?	Yes	
Staffing and hours of operation of freeway/incident management activities		
Number of full-time agency staff members	4	
Number of full time contractor staff members	NR	
Number of part-time agency staff members	4	
Number of part-time contractor staff members	NR	
Staffed 24 hours day by agency staff or by others	agency	
Staffed during peak hours only by agency staff or by others	NR	
Staffed by others during off-peak hours	No	
Agency staff perform transportation management as an ancillary duty	Yes	
Agency staff dedicated to transportation management duty	Yes	
Types of operations conducted for freeway/incident management		
Incident detection and management?	Yes	
This metropolitan area?	Yes	
Other metropolitan area?	Yes	
Statewide?	No	
Monitoring and troubleshooting status of system components?	Yes	
Manual override of ramp metering rates at freeway on-ramps?	No	
Operating transportation management roadside devices?	Yes	
Radio communications with other agencies?	No	
Exchange of electronic data with other agencies such as computer aided dispatch?	Yes	
Real-Time Traffic Data Collection Technologies		
Total number of miles under surveillance with real-time data collection tech.	40	47

	Florida Departme	nt of Transportation
	1999	2005
Number of Stations with data collection technologies		
Loop detectors	70	90
Video imaging detectors	0	0
Probe readers (elec. toll tags, transit vehicles, other technology)	0	0
Microwave radar	0	0
Other (e.g., acoustic detectors)	0	2
Number of Miles covered with data collection technologies		
Loop detectors	40	47
Video imaging detectors	0	0
Probe readers (elec. toll tags, transit vehicles, other technology)	0	0
Microwave radar	0	0
Other (e.g., acoustic detectors)	0	0
Variable Message Signs (VMS) on Freeways		-
Candidate locations for deployment of VMS where VMS has been deployed	NR	NR
Candidate locations for deployment of VMS	36	40
Roadside Technologies used to Distribute Traveler Information		
Total number of miles where information is distributed	38	47
Number deployed		
Highway advisory radio	0	0
In-vehicle signing	0	0
Portable variable message signs	0	0
Other	36	40
Miles covered		
Highway advisory radio	0	0
In-vehicle signing	0	0
Portable variable message signs	0	0
Other	0	0
Ramp Meters on Freeways		
Number of entrance ramp meters operated under isolated control	NR	NR
Number of entrance ramp meters operated under central control	NR	NR
Number of entrance ramp meters that provide preemption for emergency vehicles	NR	NR
Number of entrance ramp meters that provide priority for transit vehicles	NR	NR
Total number of metered ramps	NR	NR
Freeway centerline miles under lane control	NR	NR
Communication Links		
Freeway centerline miles covered by the following type of communication		
Twisted pair cable	0	0
Coaxial cable	0	0
Fiber-optic cable	40	47
Microwave radio	0	0
Other	0	0
ITS Standards Used Related to Freeway Management		
ATMS Data Dictionary Sections 1 and 2 (ITE TM 1.01)	No	

	Florida Department of Transportation		
	1999	2005	
ATMS Data Dictionary Sections 3 and 4 (ITE TM 1.02)	No		
Message Set for External TMC Communication (ITE-9604-1)	No		
NTCIP Class B Profile (AASHTO TS 3.3)	Yes		
NTCIP Data Collection and Monitoring Devices (AASHTO TS 3.DCM)	No		
NTCIP Object Definitions for Environmental Sensor Stations (AASHTO TS 3.7)	No		
NTICP Object Definitions for Dynamic Message Signs (AASHTO TS 3.6)	Yes		
NTICP Object Definitions for Highway Advisory Radio (AASHTO TS 3.HAR)	No		
NTICP Object Definitions for Ramp Meter Control (AASHTO TS 3.RMC)	No		
NTICP Object Definitions for Transportation Sensor Systems (AASHTO TS 3.TSS)	No		
NTICP Object Definitions for Video Camera Control (AASHTO TS 3.VCC)	Yes		
Would agency be willing to participate in testing of ITS Standards?	Yes		
Have agreements in place with other agencies to use similar hardware			
and software to aid maintenance and interoperability?	No		
INCIDENT MANAGEMENT SECTION			
Use of Service Patrols to Assist in Detection and Response to Incidents			
Publicly operated service patrol vehicles	Yes		
Privately operated service patrol vehicles operated under public contract	No		
Total number of freeway miles patrolled by these services	25	47	
Miles Covered by Methods to Detect and Verify Incidents			
Free cellular phone call to a dedicated phone number other than 911	47	NR	
Police patrols	NR	NR	
Computer algorithms linked to traffic surveillance equipment	40	47	
CCTV	40	47	
Private sector sources (e.g., Shadow Traffic, SmartRoutes)	47	47	
Other (e.g., free cell phone call to an area radio system, etc.)	47	0	
Procedures in place for Freeway Incident Response?			
Working agreement(s)/arrangement(s) with other agencies	No		
Inter-agency incident management admin. team that meets regularly	Yes		
Major incident response team that responds to major incidents	No		
Set of goals/objectives for incident mgt that has been adopted by agencies in region	No		
Central focal point for facilitating the two-way flow of information			
among agencies responding to an incident?			
The central focal point is a Freeway or Traffic Management Center	No		
The central focal point is a Police, Fire or joint dispatch center	No		
The central focal point is another center	No		
Methods of Communication Used On-Site at an Incident	-		
Police			
Two-way radio	No		
800 MHz trunked radio	Yes		
Cellular telephone	No		
Hand-held (i.e., walkie-talkie)	No		
Automated data systems (i.e., CAD)	Yes		

	Florida Departme	ent of Transportation
	1999	2005
Fire		
Two-way radio	No	
800 MHz trunked radio	Yes	
Cellular telephone	No	
Hand-held (i.e., walkie-talkie)	No	
Automated data systems (i.e., CAD)	No	
DOT		
Two-way radio	Yes	
800 MHz trunked radio	No	
Cellular telephone	Yes	
Hand-held (i.e., walkie-talkie)	No	
Automated data systems (i.e., CAD)	No	
Towing		
Two-way radio	No	
800 MHz trunked radio	No	
Cellular telephone	No	
Hand-held (i.e., walkie-talkie)	No	
Automated data systems (i.e., CAD)	No	
Which police agencies typically respond to incidents on freeways?	110	
State Police	Yes	
County Police or Sheriff	No	
City Police	Yes	
Who provides on-site emergency medical response?		
Fire	Yes	
Emergency Management Service Agency	No	
Private hospital	No	
Has a multi-agency contact list been developed in area containing the	-	
names, phone numbers, etc. for the appropriate response personnel?	Yes	
Is the Incident Command System used to manage incident scenes?	DK	
Is there a legal specification by state law or formal agreement as to who		
is "in charge" at the incident scene?		
Specified by state law?	No	
Formal agreement?	No	
Not specified or don't know?	Yes	
On-scene command post used to manage activities of responding agencies?	DK	
Are there communication linkages to a communications traffic/freeway mgt center?	NR	
Plan developed and adopted by responding agencies for staging and parking		
response vehicles and equip. at incident site that minimizes lane blockage		
and facilitates the re-opening of lanes?	No	
Respondents protected through law or court opinion for liability claims		
for damages to vehicles or cargoes during clearance activities?	DK	
Are overturned tank trucks, which are intact and not leaking, uprighted		

	Florida Departmer	nt of Transportation
	1999	2005
without first off-loading?	No	
Does your state or local jurisdiction have a law that requires drivers		
involved in property-damage-only accidents to move the vehicles		
from travel lanes to a safe location to exchange info and wait for police?	Yes	
Have laws or policies regarding the removal of stalled/abandoned vehicles		
from freeway shoulders?	No	
Hours abandoned vehicles are allowed to remain on a freeway shoulder?	DK	
Have policies or procedures for quick removal of vehicles?	No	
Is Total Station equipment used to investigate major incidents?	DK	
Handling of Towing Responses to Incidents		
Formal contract based on qualifications?	No	
Rotation with companies under contract?	No	
Separate lists kept for light and heavy response and for specialty recovery?	NR	
Rotation list with minimal qualifications?	Yes	
In towing qualifications, do you require towers to be certified under the		
Towing and Recovery Ass. of America's National Drivers Cert. Program?	DK	
DK: Don't know		
NR: No Response		
Leg: Legislation or action being planned		

Appendix D Freeway Management Integration

# Freeway Management Integration Agencies for Metropolitan Area:Orlando

	Florida Departmer	nt of Transportation
Agency Name	1999	2005
Agency Returned Survey?	Yes	
Freeway Management Section		
Agencies your agency provides freeway travel times, speeds, and		
conditions information, share infrastructure or coordinates operation		
Freeway Management Agencies		
Provide Information	Florida Highway Patrol,	
	Florida Department of	
	Transportation	Expressway Authority
Share Infrastructure	Florida Highway Patrol,	
	Florida Department of	
	Transportation	Expressway Authority
Coordinate Operation	Florida Highway Patrol,	
	Florida Department of	
	Transportation	Expressway Authority
Incident Management Agencies		
Provide Information	Florida Department of	
	Transportation, Florida	
	Highway Patrol	Expressway Authority
Share Infrastructure	Florida Department of	
	Transportation, Florida	
	Highway Patrol	Expressway Authority
Coordinate Operation	Florida Department of	
	Transportation, Florida	
	Highway Patrol	Expressway Authority
Arterial Management Agencies	5,	
Provide Information	Orlando City, Seminole	
	County, Orange County	Osceola County
Share Infrastructure	None listed	None listed
Coordinate Operation		
		Osceola County, Seminol
	Orlando City	County, Orange County
Public Transit Operators		
Provide Information		
		LYNX Central Florida
	None listed	Regional Transit Authority
Share Infrastructure	None listed	None listed
Coordinate Operation		
· ·	LYNX Central Florida	
	Regional Transit Authority	None listed
Receiving real-time information via electronic means from others		

## Freeway Management Integration Agencies for Metropolitan Area:Orlando

	Florida Department of Transportation			
Agency Name	1999	2005		
Incident Management agencies from which your agency receives				
incident severity, location, and type information	Florida Department of Transportation, Florida Highway Patrol	Expressway Authority		
Arterial Management agencies from which your agency receives				
arterial travel times, speeds, and conditions	Orlando City	Osceola County, Seminolo County, Orange County		
Public Transit operators from which your agency receives				
freeway travel times derived from vehicle probes	None listed	LYNX Central Florida Regional Transit Authority		
Toll Collection agencies from which your agency receives freeway travel				
times derived from vehicles probes	None listed	Orlando Orange County Expressway Authority/Bee Lin		
Freeway Incident Management Section				
Agencies your agency provides incident severity, location, and type info.				
and/or shares infrastructure and/or coordinates operation				
Arterial Management Agencies				
Provide Information	Orlando City, Seminole County, Orange County	Osceola County		
Share Infrastructure	None listed	None listed		
Coordinate Operation	Orlando City	Osceola County, Seminol County, Orange County		
Emergency Management Agencies				
Provide Information	Orlando Police Department, Florida Highway Patrol	None listed		
Share Infrastructure	Florida Highway Patrol	None listed		
Coordinate Operation	Florida Highway Patrol	Orlando Police Department, Orlando Police Department		
Freeway Management Agencies				
Provide Information	Florida Department of Transportation	Expressway Authority, FDOT Turnpike		
Share Infrastructure	Florida Department of Transportation	Expressway Authority		
Coordinate Operation	Florida Department of Transportation	Expressway Authority, FDOT Turnpike		
Public Transit Operators				

D - 2

#### Freeway Management Integration Agencies for Metropolitan Area:Orlando

	Florida Departmer	nt of Transportation
Agency Name	1999	2005
Provide Information		
	LYNX Central Florida	
	Regional Transit Authority	None listed
Share Infrastructure	None listed	None listed
Coordinate Operation		
	LYNX Central Florida	
	Regional Transit Authority	None listed
Receiving real-time information via electronic means from others		
Emergency Management agencies from which your agency receives		
incident clearance and/or incident severity and type		
		Orlando Police
		Department, Orlando Fire
Receive Arterial Incident Clearance Information	Florida Highway Patrol	Department
		Orlando Police
		Department, Orlando Fire
Receive Arterial Incident Severity Information	Florida Highway Patrol	Department
Arterial Management agencies from which your agency receives		
arterial travel times, speeds, and conditions	Orlando City	None listed
Freeway Management agencies from which your agency receives		
freeway travel times, speeds, and conditions	Florida Department of	Expressway Authority,
	Transportation	FDOT Turnpike

\*short survey: Agency responded using a short survey. The survey did not include names of individual agencies, but only identified whether integration exists.

D - 3

Appendix E Freeway Management Information Collection and Dissemination

#### Data Collection and Dissemination: Freeway Management Agencies for Metropolitan Area: Orlando

	Florida Department of Transportation					
Agency Name	1999	2005				
Agency Returned Survey?	Yes					
Freeway Management Section						
Data collected, archived, and/or transferred to another agency						
Collected by your agency	Traffic volumes, Traffic speeds, Lane occupancy, Weather conditions, Incidents, Current work zones, Scheduled work zones, Emergency/evacuation routes and procedures	Vehicle classification				
Archived by your agency	Traffic volumes, Traffic speeds, Lane occupancy, Incidents, Current work zones, Scheduled work zones	NR				
Transferred to another agency by your agency	Traffic volumes, Traffic speeds, Lane occupancy, Incidents, Emergency/evacuation routes and procedures	NR				
Importance of making information available to the public						
Ranked High	Current work zones, Scheduled work zones, Emergency/evacuation routes and procedures					
Ranked Medium	Traffic speeds					
Ranked Low	Traffic volumes, Lane occupancy, Vehicle classification, Weather conditions, Incidents					
Groups that make requests for the data	Universities, State DOT personnel					
What is the data used for?	Traffic analysis, Planning, Incident detection algorithm development					
Methods used to disseminate freeway information to the public						
Technologies your agency uses to disseminate:	NR	Internet Web sites				
Technologies your agency (through another agency or org.) uses to disseminate:	Commercial Radio/TV	Internet Web sites				
Internet web site reporting freeway conditions	NR					
Telephone system for reporting freeway information to the public	NR					
Organizations your agency sends information for dissemination to the public	Metro Traffic Local Television Network Affiliates					
Freeway Incident Management Section						
Methods used to distribute incident location and severity information						
to the public						
Technologies your agency uses to disseminate:	Commercial Radio/TV	Internet Web sites				
Technologies your agency (through another agency or org.) uses to disseminate:	Commercial Radio/TV	Internet Web sites				
Internet web site reporting incident information	NR					
Telephone system for reporting incident information to the public	NR					
Organizations your agency sends information for dissemination to the public	Metro Traffic Local Television Network Affiliates					

Appendix F Arterial Management Components

	Orange	e County	Orlan	do City	Osceola County		Totals	
	1999	2005	1999	2005	1999	2005	1999	2005
Agency Returned Survey?	Yes		Yes		Yes		3	
ARTERIAL MANAGEMENT SECTION								
Number of arterial miles that agency owns or maintains	NR		1,023		NR		1,023	
Number of arterial miles that is used for planning	NR		400		NR		400	
Number of highway-rail intersections that agency maintains	NR		44		NR		44	
Number of highway-rail intersections that is used for planning	NR		27		NR		27	
Type of facilities used to conduct arterial management activities								
Activities housed in a free-standing dedicated building?	No		No		No		0	
Activities housed in a building shared with other activities?	No		Yes		No		1	
Activities conducted in a dedicated control room?	No		Yes		No		1	
Control room contains operator console(s)?	No		Yes		No		1	
Control room contains electronic wall map?	No		Yes		No		1	
Control room contains CCTV display(s)?	No		Yes		No		1	
Activities conducted in a room containing workstations or PCs that manage traffic?	Yes		Yes		No		2	
Facilities are electronically linked to other transportation mgt facilities?	No		No		No		0	
Staffing and hours of operation of arterial management activities								
Number of full-time agency staff members	1		NR		NR		1	
Number of full time contractor staff members	NR		NR		NR		0	
Number of part-time agency staff members	NR		NR		NR		0	
Number of part-time contractor staff members	NR		NR		NR		0	
Staffed 24 hours day by agency staff or by others	NR		agency		NR		0	
Staffed during peak hours only by agency staff or by others	NR		NR		NR		0	
Staffed by others during off-peak hours	No		No		No		0	
Agency staff perform transportation management as an ancillary duty	No		No		No		0	
Agency staff dedicated to transportation management duty	No		Yes		No		1	
Types of operations conducted for arterial management								
Incident detection and management?	No		No		No		0	
This metropolitan area?	No		No		No		0	
Other metropolitan area?	No		No		No		0	
Monitoring and troubleshooting status of system components?	No		Yes		No		1	
Radio communications with other agencies?	No		No		No		0	
Exchange of electronic data with other agencies such as computer aided dispatch?	No		No		No		0	
Manual override of traffic signal timing plans	Yes		Yes		No		2	
Operating transportation mgt roadside devices (e.g., VMS, CCTV, etc.)	No		No		No		0	
Describe agency's role in traffic signal control		county outside rated area	area, and roa	incorporated ads in another risdiction	Ν	R		

	Orange	e County	Orlan	do City	Osceola	a County	Totals	
	1999	2005	1999	2005	1999	2005	1999	2005
Traffic Signals Operated by Agency								
Number of signalized intersections operated and owned by agency	375	450	373	400	NR	NR	748	850
Number of signalized intersections operated by agency but owned by another	145	180	7	0	NR	NR	152	180
Total number of signalized intersections operated by agency	230	270	373	400	NR	NR	603	670
Characteristics of signalized intersections that agency operates								
Under closed loop or central system control	190	225	340	375	NR	NR	530	600
Under real-time traffic adaptive control using advanced software	0	223	0	50	NR	NR	0	70
Using SCOOT	No	20	No	00	No		0	10
Using SCATS	No		No		No		0	
		1	NR		NR		0	
Name of software Allow signal preemption for emergency vehicles	NR 55	70	NR 92	93	NR	NR	147	162
Allow signal priority for transit vehicles	0	20	92	93	NR	NR	0	163 20
Within 200 feet of a highway-rail intersection	0	0	11	12	NR	NR	11	12
Within 200 feet of a highway-rail intersection that adjust signal timing	0	0	6	12	NR	NR	6	12
Software used to control the signals agency operates		Ŭ	Ű	12			<u> </u>	12
Date of last upgrade to traffic signal control system software?	Ν	IR	19	992	N	IR		
How often do you update signal timing?	-	eeded		early	NR			
Software used and number of signalized intersections under control (1999, 2005)	-	Eagle Closed Loop, 180, 225 Undetermined, 0, 400 Peek/Transyt Smartways, 8, 0 EAGLE MARC, 1, 0 UTCS, 339, 0		NR				
Controllers used to control signals								
NEMA	375	450	373	394	0	0	748	844
170/179	0	0	0	0	0	0	0	0
2070 controller	0	0	0	6	0	0	0	6
Other	0	0	0	0	0	0	0	0
Technologies Associated with Highway-Rail Intersections								
Total number of highway-rail intersections under electronic surveillance	NR	NR	6	12	NR	NR	6	12
Highway-Rail intersection capapbilities					-			
Video surveillance	0	0	0	0	0	0	0	0
Electronic surveillance other than video	0	0	6	12	0	0	6	12
Ability to predict train arrival electronically	0	0	0	0	0	0	0	0
Equipped with electronic traffic violator devices Other	0	0	0	0	0	0	0	0
Other Real-Time Electronic Traffic Data Collection Technologies	0	0	U	U	U	0	0	U
Total number of signalized intersections covered by electronic surveillance	NR	NR	202	350	NR	NR	202	350
Number of signalized intersections with data collection technologies			202				202	330
Loop detectors	0	0	202	300	0	0	202	300
Video detection cameras	0	0	0	50	0	0	0	50
Probe readers reading toll tags	0	0	0	0	0	0	0	0

	Orange	e County	Orlan	do City	Osceola	a County	То	tals
	1999	2005	1999	2005	1999	2005	1999	2005
Probe readers reading license plates	0	0	0	0	0	0	0	0
Other	0	0	0	0	0	0	0	0
Roadside Technologies used to Distribute Traveler Information								
Number deployed								
Highway Advisory Radio	NR	NR	NR	NR	NR	NR	0	0
In-Vehicle Signing (IVS)	NR	NR	NR	NR	NR	NR	0	0
VMS controlling parking access	NR	NR	0	24	NR	NR	0	24
<u>Miles covered</u>								
Highway Advisory Radio	NR	NR	NR	NR	NR	NR	0	0
In-Vehicle Signing (IVS)	NR	NR	NR	NR	NR	NR	0	0
Variable Message Signs (VMS) on Arterials								<u> </u>
Candidate locations for deployment of VMS where VMS has been deployed	NR	NR	NR	NR	NR	NR	0	0
Candidate locations for deployment of VMS	NR	NR	NR	NR	NR	NR	0	0
Communication Technologies Signalized intersections communicated with by each type of communication								───
Twisted pair cable	110	60	364	250	0	0	474	310
Coaxial cable	0	0	0	0	0	0	474	0
Fiber-optic cable	35	100	8	150	0	0	43	250
Other (e.g., wireless, dial-up modems, leased lines, etc.)	45	65	1	0	0	0	46	65
Does agency convey information on highway-rail intersection crossing	10					<u> </u>	10	
status to travelers via roadside media such as VMS or HAR?	No		No		No		0	
ITS Standards Used Related to Traffic Signal Control	110		110		110		0	
Advanced Transportation Controller (ATC) Software Application Interface (ITE 9603-1)	No		No		No		0	
ATC Physical Cabinet Functional Design (ITE-9603-2)	No		No		No		0	
ATC Functionality and Interface Definitions (ITE-9603-3)	No		No		No		0	
Natl. Trans. Communications for ITS Protocol (NTCIP) Class B Profile (AASHTO TS 3.3)	No		No		No		0	
NTCIP Data Collection and Monitoring Devices (AASHTO TS 3.DCM)	No		No		No		0	
NTCIP Object Definitions for Video Camera Control (AASHTO TS 3.VCC)	No		No		No		0	
NTCIP Object Definitions for Actuated Traffic Signal Controller Units (AASHTO TS 3.5)	No		No		No		0	
Would agency be willing to participate in testing of ITS Standards?	Yes		Yes		NR		2	
Have agreements in place with other agencies to use similar hardware								
and software to aid maintenance and interoperability?	No		Yes		NR		1	
INCIDENT MANAGEMENT ON ARTERIAL STREETS								
Receive information on highway-rail intersection crossing blockages for								
the purpose of managing incident response?	No		No		No		0	
Use of Service Patrols to Assist in Detection and Response to Incidents								
Publicly operated service patrol vehicles	No		No		No		0	
Privately operated service patrol vehicles operated under public contract	No		No		No		0	
Total number of arterial miles patrolled by these services	NR	NR	NR	NR	NR	NR	0	0
Miles Covered by Methods to Detect and Verify Incidents								
Free cellular phone call to a dedicated phone number other than 911	0	0	0	0	0	0	0	0

	Orange	e County	Orlan	do City	Osceola	County	То	tals
	1999	2005	1999	2005	1999	2005	1999	2005
Free cellular phone call to an area radio station	0	0	0	0	0	0	0	0
Police patrols	0	0	0	0	0	0	0	0
Computer algorithms linked to traffic surveillance equipment	0	0	0	0	0	0	0	0
CCTV	0	0	0	0	0	0	0	0
Private sector sources (e.g., Shadow Traffic, Smart Routes)	0	0	0	0	0	0	0	0
Other	0	0	0	0	0	0	0	0
Procedures in place for Arterial Incident Response?								L
Working agreement(s)/arrangement(s) with other agencies	No		No		No		0	
Inter-agency incident management admin. team that meets regularly	Yes		Yes		No		2	
Major incident response team that responds to major incidents	No		No		No		0	
Set of goals/objectives for incident mgt that has been adopted by agencies in region	No		No		No		0	
Methods of Communication Used On-Site at an Incident								
Police								
Two-way radio	No		No		No		0	
800 MHz trunked radio	No		No		No		0	
Cellular telephone	No		No		No		0	
Hand-held (i.e., walkie-talkie)	No		No		No		0	
Automated data systems (i.e., CAD)	No		No		No		0	
Other	No		No		No		0	
Fire	INU		NO		NO		0	<u> </u>
Two-way radio	No		No		No		0	
800 MHz trunked radio	No		-				0	
			No		No		-	
Cellular telephone	No		No		No		0	<b> </b>
Hand-held (i.e., walkie-talkie)	No	-	No		No		0	ļ
Automated data systems (i.e., CAD)	No		No		No		0	ļ
Other	No		No		No		0	ļ
DOT								
Two-way radio	No		No		No		0	
800 MHz trunked radio	No		No		No		0	
Cellular telephone	No		No		No		0	
Hand-held (i.e., walkie-talkie)	No		No		No		0	
Automated data systems (i.e., CAD)	No		No		No		0	
Other	No		No		No		0	
Towing							1	
Two-way radio	No		No		No		0	
800 MHz trunked radio	No		No		No		0	
Cellular telephone	No		No		No		0	
Hand-held (i.e., walkie-talkie)	No		No		No		0	
			-				0	
Automated data systems (i.e., CAD)	No		No		No		U	

	Orange	e County	Orlan	do City	Osceola	a County	Totals	
	1999	2005	1999	2005	1999	2005	1999	2005
Other	No		No		No		0	
Which police agencies typically respond to incidents on arterials?								
State Police	Yes		Yes		No		2	
County Police or Sheriff	No		No		No		0	
City Police	No		Yes		No		1	
Who provides on-site emergency medical response?								
Fire	Yes		Yes		No		2	
Emergency Management Service Agency	No		No		No		0	
Private hospital	No		No		No		0	
Has a multi-agency contact list been developed in area containing the								
names, phone numbers, etc. for the appropriate response personnel?	Yes		No		NR		1	
Is the Incident Command System used to manage incident scenes?	Yes		DK		NR		1	
Is there a legal specification by state law or formal agreement as to who								
is "in charge" at the incident scene?								
Specified by state law?	No		No		No		0	
Formal agreement?	No		No		No		0	
Not specified or don't know?	Yes		Yes		No		2	
On-scene command post used to manage activities of responding agencies?	DK		Yes		NR		1	
Are there communication linkages to a communications traffic/freeway mgt center?	NR		No		NR		0	
Plan developed and adopted by responding agencies for staging and parking			110				Ŭ	<u> </u>
response vehicles and equip. at incident site that minimizes lane blockage								
and facilitates the re-opening of lanes?	No		No		NR		0	
Respondents protected through law or court opinion for liability claims								
for damages to vehicles or cargoes during clearance activities?	DK		DK		NR		0	
Are overturned tank trucks, which are intact and not leaking, uprighted								
without first off-loading?	NR		No		NR		0	
Does your state or local jurisdiction have a law that requires drivers								
involved in property-damage-only accidents to move the vehicles								
from travel lanes to a safe location to exchange info and wait for police?	Yes		No		NR		1	
Have laws or policies regarding the removal of stalled/abandoned vehicles								
from freeway shoulders?	NR		No		NR		0	
Hours abandoned vehicles are allowed to remain on a freeway shoulder?	NR		>36		NR		0	
Have policies or procedures for quick removal of vehicles?	NR		No		NR		0	
Is Total Station equipment used to investigate major incidents?	DK		No		NR		0	
Handling of Towing Responses to Incidents								
Formal contract based on qualifications?	No		No		No		0	
Rotation with companies under contract?	No		Yes		No		1	
Separate lists kept for light and heavy response and for specialty recovery?	NR		No		NR		0	
Rotation list with minimal qualifications?	No		No		No		0	

	Orang	e County	Orlan	do City	Osceola	a County	То	tals
	1999	2005	1999	2005	1999	2005	1999	2005
In towing qualifications, do you require towers to be certified under the								
Towing and Recovery Ass. of America's National Drivers Cert. Program?	DK		DK		NR		0	
DK: Don't know								
NR: No Response								
Leg: Legislation or action being planned								

Appendix G Arterial Management Integration

	Orange	County	Orland	do City	Osce	ola County
Agency Name	1999	2005	1999	2005	1999	2005
Agency Returned Survey?	Yes		Yes		Yes	
Arterial Management Section						
Arterial Mgt. agencies in metropolitan area with which you share info.						
Share Timing Plans Information						
	Orlando City,					
	Seminole County	Seminole County	None listed	Winter Park City	None listed	None listed
Coordinate Changes to Timing Plans				Maitland City,		
	Orlando City,	Orlando City,		Orange County,		
	Seminole County	Seminole County	None listed	Winter Park City	None listed	None listed
Turn over Control of Signals	None listed	None listed	Orange County	None listed	None listed	None listed
Agencies your agency provides arterial travel times, speeds, and						
conditions information, share infrastructure or coordinates operation						
Freeway Management Agencies						
Provide Information	None listed	None listed	None listed	None listed	None listed	None listed
Share Infrastructure			Department of	Department of		
	None listed	None listed	Transportation	Transportation	None listed	None listed
Coordinate Operation	None listed	None listed	None listed	None listed	None listed	None listed
Incident Management Agencies						
Provide Information	None listed	None listed	None listed	None listed	None listed	None listed
Share Infrastructure			Florida	Florida		
			Department of	Department of		
	None listed	None listed	Transportation	Transportation	None listed	None listed
Coordinate Operation	None listed	None listed	None listed	Department of	None listed	None listed
Public Transit Operators Agencies						
Provide Information	None listed	None listed	None listed	None listed	None listed	None listed
Share Infrastructure	None listed	None listed	None listed	None listed	None listed	None listed
Coordinate Operation	None listed	None listed	None listed	None listed	None listed	None listed
Arterial Management Agencies	None instea	None listed	None listed	None listed	None listed	None listed
Provide Information						
	None listed	None listed	None listed	Seminole County	None listed	None listed
Share Infrastructure	None instea	None listed	None listed	Commone County	None listed	None listed
			Maitland City,	Maitland City,		
	None listed	None listed	Winter Park City	Winter Park City	None listed	None listed
Coordinate Operation	None listed	None listed	None listed	None listed	None listed	None listed
Receiving real-time information via electronic means from others						
Freeway Management agencies from which your agency receives						
	Florida	Florida	Florida	Florida		
	Department of	Department of	Department of	Department of		
freeway travel times, speeds, and conditions	Transportation	Transportation	Transportation	Transportation	None listed	None listed
Public Transit operators from which your agency receives						
arterial travel times derived from vehicle probes	None listed	None listed	None listed	None listed	None listed	None listed

	Orar	ige County	Orlar	ndo City	Osce	eola County
Agency Name	1999	2005	1999	2005	1999	2005
Incident Management agencies from which your agency receives						
incident clearance and/or incident severity, location, and type information						
Receive information on Incident Clearance	None listed	Florida Department of Transportation	Florida Department of Transportation	Florida Department of Transportation	None listed	None listed
		Florida Department of	Florida Department of	Florida Department of		
Receive information on Incident Severity, Location, and Type	None listed	Transportation	Transportation	Transportation	None listed	None listed
Toll Collection agencies from which your agency receives arterial travel						
times derived from vehicles probes	None listed	None listed	None listed	None listed	None listed	None listed
Arterial Incident Management Section						
Agencies your agency provides incident severity, location, and type info.						
and/or shares infrastructure and/or coordinates operation						
Emergency Management Agencies						
Provide Information	None listed	None listed	None listed	None listed	None listed	None listed
Share Infrastructure	None listed	None listed	None listed	Orlando Police Department, Orlando Fire Department	None listed	None listed
Coordinate Operation	None listed	None listed	None listed	None listed	None listed	None listed
Freeway Management Agencies	None listed		None listed	None listed	None listed	None listed
Provide Information	News Pateri	News Pated	News Pateri	News Pateri	News Pateri	News Peterd
Share Infrastructure	None listed	None listed	None listed Florida Department of Transportation	None listed Florida Department of Transportation	None listed	None listed
Coordinate Operation	None listed	None listed	None listed	None listed	None listed	None listed
Public Transit Operators						
Provide Information	None listed	None listed	None listed	None listed	None listed	None listed
Share Infrastructure	None listed	None listed	None listed	None listed	None listed	None listed
Coordinate Operation	None listed	None listed	None listed	None listed	None listed	None listed
Receiving real-time information via electronic means from others						
Emergency Management agencies from which your agency receives						
arterial incident clearance and/or arterial incident severity						
Receive Arterial Incident Clearance Information	None listed	None listed	None listed	None listed	None listed	None listed
Receive Arterial Incident Severity Information	None listed	None listed	None listed	None listed	None listed	None listed
Arterial Management agencies from which your agency receives						
arterial travel times, speeds, and conditions	None listed	None listed	Orlando City	Seminole County, Orange County	None listed	None listed
Freeway Management agencies from which your agency receives			,			

	Orange County		Orlando City		Osceola County	
Agency Name	1999	2005	1999	2005	1999	2005
			Florida			
			Department of			
freeway travel times, speeds, and conditions	None listed	None listed	Transportation	None listed	None listed	None listed

\*short survey: Agency responded using a short survey. The survey did not include names of individual agencies, but only identified whether integration exists.

Appendix H Arterial Management Information Collection and Dissemination

#### Data Collection and Dissemination: Arterial Management Agencies for Metropolitan Area: Orlando

	Orono	je County	Orlan	Osceola County		
Agency Name	1999	2005	1999	do City 2005	1999	2005
Agency Returned Survey?	Yes		Yes		Yes	
Arterial Management Section						
Data collected, archived, and/or transferred to another agency						
Collected by your agency			Tarttia anna da			
	Traffic volumes, Turning movements, Phasing/cycle lengths	Traffic volumes, Turning movements, Phasing/cycle lengths	Traffic speeds, Lane occupancy, Turning movements, Phasing/cycle lengths, Emergency vehicle signal preemption, Current work zones, Scheduled work zones	NR	NR	NR
Archived by your agency	Turning movements, Phasing/cycle	Turning movements, Phasing/cycle	Turning movements	NR	NR	NR
Transferred to another agency by your agency	NR	NR	zones, Scheduled work zones	NR	NR	NR
Importance of making information available to the public						
Ranked High	Traffic volumes		Road conditions, Route designations (snow emergency, etc.), Incidents, Current work zones, Scheduled work zones, Emergency/evacuation routes and procedures		NR	
Ranked Medium	Turning movemen lengths	ts, Phasing/cycle	Turning movements, Phasing/cycle lengths, Weather conditions, Intermodal (air, rail, water) connections		NR	

#### Data Collection and Dissemination: Arterial Management Agencies for Metropolitan Area: Orlando

	Orang	e County	Orlan	do City	Osceol	a County
Agency Name	1999	2005	1999	2005	1999	2005
Ranked Low			occupancy, Vehicle Probe vehicles, Qu vehicle signal pree vehicle signal prior operations coordina Transit operations	eues, Emergency mption, Transit ity, Highway ation information,		
Owners that we have no set of a the state	NR		information		NR	
Groups that make requests for the data	Consultants		Consultants, Legal		, Legal NR	
What is the data used for?	Traffic analysis, Pl impact analysis	anning, Roadway	Traffic analysis, Co determination, Plar impact analysis		NR	
Methods used to disseminate arterial information to the public						
Technologies your agency uses to disseminate:	NR	NR	NR	Internet Web sites	NR	NR
Technologies your agency (through another agency or org.) uses to disseminate:	NR	NR	NR	NR	NR	NR
Internet web site reporting arterial conditions	NR	•	NR		NR	
Telephone system for reporting arterial information to the public	NR		NR		NR	
Organizations your agency sends information for dissemination to the public	NR		NR		NR	
Arterial Incident Management Section						
Methods used to distribute incident location and severity information						
to the public						
Technologies your agency uses to disseminate:	NR	NR	NR	NR	NR	NR
Technologies your agency (through another agency or org.) uses to disseminate:	NR	NR	NR	NR	NR	NR
Internet web site reporting incident information	NR	-	NR	-	NR	, <b>-</b>
Telephone system for reporting incident information to the public	NR		NR		NR	
Organizations your agency sends information for dissemination to the public	NR		NR		NR	

Appendix I Transit Management Components

	LYNX Central Florida R	egional Transit Authority
	1999	2005
Agency Returned Survey?	Yes	
Number of vehicles used in revenue service		
Fixed Route Bus	NR	NR
Heavy or Rapid Rail	NR	NR
Light Rail	NR	NR
Demand Responsive	NR	NR
Commuter Rail	NR	NR
Ferry Boat	NR	NR
Have of plan to have an Automated Vehicle Location System?	No	
Primary and Secondary Location Technologies Used		
Primary Technologies		
GPS	No	No
Sign/Odometer	No	No
Dead-Reckoning	No	No
LORAN C	No	No
Other	No	No
Backup Technologies		
GPS	No	No
Sign/Odometer	No	No
Dead-Reckoning	No	No
LORAN C	No	No
Other	No	No
Number of Vehicles Equipped with AVL		
Fixed Route Bus	NR	NR
Heavy or Rapid Rail	NR	NR
Light Rail	NR	NR
Demand Responsive	NR	NR
Commuter Rail	NR	NR
Ferry Boat	NR	NR
Motor Buses Operated as Vehicle Probes		
Number of Motor Buses equipped as probes on freeways?	NR	
Number of Motor Buses equipped as probes on arterials?	NR	
Have Organized Regional Incident Management Program?	No	
Have Automated Traveler Information System?	No	
Services Automated Traveler Info. System Applies:		

		egional Transit Authority
	1999	2005
Fixed Route	No	
Heavy Rail	No	
Light Rail	No	
Demand Responsive	No	
Commuter Rail	No	
Ferry	No	
Locations where traveler information is displayed to public		
Number of bus stops on fixed transit routes	NR	NR
Bus stops on fixed transit routes that display traveler info to the public	NR	NR
Number of rail stations	NR	NR
Number of rail stations that display traveler information	NR	NR
Number of other locations that display traveler information to public	NR	NR
Number of vehicles the traveler information system has available		
Fixed Route Bus	NR	NR
Heavy or Rapid Rail	NR	NR
Light Rail	NR	NR
Demand Responsive	NR	NR
Commuter Rail	NR	NR
Ferry Boat	NR	NR
Deployment of Communications Technology		
Attributes of Radio System:		
Digital?	No	
Analog?	No	
Trunked?	No	
Regular?	No	
Services that use a Digital or Trunked Radio System		
<u>Digital Only</u>		
Fixed Route Bus	No	No
Heavy or Rapid Rail	No	No
Light Rail	No	No
Demand Responsive	No	No
Commuter Rail	No	No
Ferry Boat	No	No
Trunked Only		
Fixed Route Bus	No	No
Heavy or Rapid Rail	No	No
Light Rail	No	No
Demand Responsive	No	No

	1999	tegional Transit Authority 2005
Or second to a Dail		
Commuter Rail	No	No
Ferry Boat	No	No
Have of plan to have Automatic Passenger Counters (APCs)?	No	
Methods used to count passengers	N1-	
Treadle Mats	No	
Infrared Beams	No	
Primary and Secondary Location Technologies Used		
<u>Primary Technologies</u> GPS	Nia	Na
Differential GPS	No	No
	No	No
Signpost/Odometer	No	No
Dead_Reckoning	No	No
LORAN C	No	No
Other Desland State	No	No
Backup Technologies GPS	Nia	Na
Differential GPS	No	No
Signpost/Odometer	No No	No No
Dead_Reckoning LORAN C	No	No
Other	No No	No No
Number of Vehicles with APCs	NO	INO
Fixed Route Bus	ND	ND
	NR NR	NR NR
Heavy or Rapid Rail Light Rail	NR	NR
Demand Responsive	NR	NR
Commuter Rail	NR	NR
Ferry Boat	NR	NR
Remote Real-Time Monitoring and Computer Assisted Dispatching	INR	INK
Remote Real-Time Monitoring and Computer Assisted Dispatching		
Fixed Route Bus	NR	NR
Heavy or Rapid Rail	NR	NR
Light Rail	NR	NR
Demand Responsive	NR	NR
Commuter Rail	NR	NR
Ferry Boat	NR	NR
Automated Dispatching or Control Software		
Fixed Route Bus	NR	NR

	LYNX Central Florida R	egional Transit Authority
	1999	2005
Heavy or Rapid Rail	NR	NR
Light Rail	NR	NR
Demand Responsive	NR	NR
Commuter Rail	NR	NR
Ferry Boat	NR	NR
Coordinate or plan to coordinate travel request and vehicle		
dispatching for multiple agencies?	NR	
Is there or will there be a Transportation Management Center		
(TMC) in the region that controls transit and highway modes?	NR	
Modes that TMC currently controls:		
Highways	No	No
Fixed Route Bus	No	No
Heavy or Rapid Rail	No	No
Light Rail	No	No
Demand Responsive	No	No
Commuter Rail	No	No
Ferry Boat	No	No
Other Priority at Traffic Signals and Ramp Meter Priority	No	No
Priority at Traffic Signals		
Fixed Route Bus	NR	NR
Light Rail	NR	NR
Demand Responsive	NR	NR
Ramp Meter Priority		
Fixed Route Bus	NR	NR
Demand Responsive	NR	NR
Number of Vehicles Equipped with Navigation Aids		
Fixed Route Bus	NR	NR
Heavy or Rapid Rail	NR	NR
Light Rail	NR	NR
Demand Responsive	NR	NR
Commuter Rail	NR	NR
Ferry Boat	NR	NR
ITS Standards Used Related to Transit Management		
TCIP On Boad Objects (TCIP-OB)	No	
TCIP Traffic Management Objects (TCIP-TM)	No	
TCIP Common Public Transportation Objects (TCIP-CPT)	No	

		Regional Transit Authority
	1999	2005
TCIP Passenger Information Objects (TCIP-PI)	No	
TCIP Incident Management Objects (TCIP-IM)	No	
TCIP Fare Collection Objects (TCIP-FC)	No	
TCIP Spatial Representation Objects (TCIP-SP)	No	
TCIP Control Center Objects (TCIP-CC)	No	
TCIP Scheduling/Runcutting Objects (TCIP-SCH)	No	
Send data communication between micro computer and heavy duty		
vehicle applications (SAE J1708)	No	
Would agency be willing to participate in testing of ITS Standards?	NR	
Have agreements in place with other agencies to use similar hardware		
and software to aid maintenance and interoperability?	NR	
Electronic Fare Payment		
Have full operational Electronic Fare Payment System?	No	
Methods of Fare Payment		
Stored value card with fare deducted for each trip		
Magnetic Stripe	No	
Smart Card	No	
Debit Card	No	
Billed by the month for trips taken		
Magnetic Stripe	No	
Smart Card	No	
Credit Card	No	
Monthly Pass		
Magnetic Stripe	No	
Smart Card	No	
Vehicles/Stations Equipped with Automated Payment Mechanism		
Magnetic Stripe Readers		
Fixed Route Bus Vehicles	NR	NR
Heavy or Rapid Rail Stations	NR	NR
Light Rail Stations	NR	NR
Demand Responsive Vehicles	NR	NR
Commuter Rail Stations	NR	NR
Ferry Boat Landings	NR	NR
Smart Card Readers		
Fixed Route Bus Vehicles	NR	NR
Heavy or Rapid Rail Stations	NR	NR
Light Rail Stations	NR	NR
Demand Responsive Vehicles	NR	NR
Commuter Rail Stations	NR	NR

	LYNX Central Florida R	egional Transit Authority		
	1999	2005		
Ferry Boat Landings	NR	NR		
Credit Card				
Fixed Route Bus Vehicles	NR	NR		
Heavy or Rapid Rail Stations	NR	NR		
Light Rail Stations	NR	NR		
Demand Responsive Vehicles	NR	NR		
Commuter Rail Stations	NR	NR		
Ferry Boat Landings	NR	NR		
Debit Card				
Fixed Route Bus Vehicles	NR	NR		
Heavy or Rapid Rail Stations	NR	NR		
Light Rail Stations	NR	NR		
Demand Responsive Vehicles	NR	NR		
Commuter Rail Stations	NR	NR		
Ferry Boat Landings	NR	NR		
NR: No Response				

Appendix J Transit Management Integration

	LYNX Central Florida Regional Transit Author				
Agency Name	1999	2005			
Agency Returned Survey?	Yes				
Transit operators in the region that use the same electronic payment system	None listed				
Toll operators from whom you accept electronic payment of transit					
fare through the use of ETC media	None listed				
Receiving real-time information via electronic means from others					
Freeway Management agencies from which your agency receives					
freeway travel times, speeds, and conditions					
Receive Information	None listed	None listed			
Share Infrastructure	None listed	None listed			
Arterial Management agencies from which your agency receives					
arterial travel times, speeds, and conditions					
Receive Information	None listed	None listed			
Share Infrastructure	None listed	None listed			
Incident Management agencies from which your agency receives					
incident severity, location, and type					
Receive Information	None listed	None listed			
Share Infrastructure	None listed	None listed			

Appendix K Transit Management Information Collection and Dissemination

#### Data Collection and Dissemination: Transit Management Agencies for Metropolitan Area: Orlando

	LYNX Central Florida Regional Transit Authority					
Agency Name	1999	2005				
Agency Returned Survey?	Yes					
Methods used to disseminate transit information to the public						
Technologies your agency uses to disseminate:						
Transit routes, schedules and fares	NR	NR				
Real-time transit schedule adherence or arrival and departure times	NR	NR				
Technologies employed by other organization receiving your data						
Transit routes, schedules and fares	NR	NR				
Real-time transit schedule adherence or arrival and departure times	NR	NR				
Internet web site reporting transit routes, schedules and fare, etc.	NR					
Telephone system for reporting transit information to the public	NR					
Organizations your agency sends information for dissemination to the public	NR					
Data collected, archived, and/or transferred to another agency						
Collected by your agency	NR	NR				
Archived by your agency	NR	NR				
Transferred to another agency by your agency	NR	NR				
Importance of making information available to the public						
Ranked High	NR					
Ranked Medium	NR					
Ranked Low	NR					
Groups that make requests for the data	NR					
What is the data used for?	NR					

Appendix L Emergency Management

	Total V	ehicles/		gation bilities	A	VL	C	AD	with Mot	quipped bile Data ninal	Equipp	nicles bed with mption	Formal rogram	Info to other	
Agency Name	1999	2005	1999	2005	1999	2005	1999	2005	1999	2005	1999	2005	Participate in I Incident Mgt P	0 5	List of agencies receiving data
Orange County Sheriff's Office	1,426	1,630	0	0	0	0					0				None listed
Orlando Fire Department	59	70	0	70	0	70	59	70	NR	NR	40	70	NR	NR	None listed
Orlando Police Department	339	NR	0	40	0	40	0	40	0	40	0	0	Yes	No	None listed
Osceola County Sheriff's Department	125	225	0	0	0	0	0	0	NR	NR	1	15	NR	NR	None listed
Seminole County Sheriff's Department	337	402	0	NR	NR	NR	365	430	337	402	0	NR	NR	NR	None listed

Appendix M Electronic Toll Collection

#### Electronic Toll Collection Agencies for Metropolitan Area: Orlando

	Transporta	partment of ition-Florida ippike	Orlando Orange County Expressway Authority/Bee Line Expressway		Orlando Orange County Expressway Authority/East- West Expressway	
	1999	2005	1999	2005	1999	2005
	X					
Agency Returned Survey?	Yes		Yes		Yes	0
Number of toll Collection Plazas operated	75	92	0	0	0	0
Number of toll collection plazas with dedicated ETC	21	92	0	0	0	0
Number of toll collection plazas with both manual and ETC	21	92	0	0	0	0
Number of toll collection lanes operated	875	975	24	24	74	74
Number of toll collection lanes with dedicated ETC	12	170	4	4	19	19
Number of toll collection lanes with both manual and ETC	78	515	20	20	55	55
Number of toll collection tags issued	18,000	400,000	195,855	392,000	195,855	392,000
Antennae Location Technologies						
In-Pavement?	No		Yes		Yes	
Focused Beam?	No		No		No	
Distributed Overhead?	Yes		No		No	
In-Vehicle Equipment Technologies						
Tag-based?	Yes		Yes		Yes	
Integrated circuit card-based?	No		No		No	
Are toll tags used by other toll operations in metro area?	Yes		Yes		Yes	
List of toll operators that use tags	Tampa Ex Midbay Brid Santa Rosa Authority, Or	Expressway, kpressway, Ige Authority, a Bay Bridge Iando-Orange xpressway	Depart	kway, Florida ment of ortation	Transportati	partment of on, Osceola way
Are toll tags used by operators of public transit to pay transit fares						
in metro area?	No		No		No	
List of transit operators that use tags	No	one	None		None	
NR: No Response						

#### Electronic Toll Collection Agencies for Metropolitan Area: Orlando

	Expre Authority	ange County essway //Greeway essway	Totals			
	1999	2005	1999	2005		
Agency Returned Survey?	Yes		4			
Number of toll Collection Plazas operated	10	10	85	102		
Number of toll collection plazas with dedicated ETC	10	10	31	102		
Number of toll collection plazas with both manual and ETC	10	10	31	102		
Number of toll collection lanes operated	75	75	1048	1148		
Number of toll collection lanes with dedicated ETC	12	22	47	215		
Number of toll collection lanes with both manual and ETC	63	53	216	643		
Number of toll collection tags issued	195,855	392,000	605,565	1,576,000		
Antennae Location Technologies	190,000	392,000	000,000	1,370,000		
In-Pavement?	Yes		3			
Focused Beam?	No		0			
Distributed Overhead?	No		1			
In-Vehicle Equipment Technologies	INO		I			
Tag-based?	Yes		4			
Integrated circuit card-based?	No		4			
Are toll tags used by other toll operations in metro area?	Yes		4			
List of toll operators that use tags	Osceola Par Depart	kway, Florida ment of				
Are toll tags used by operators of public transit to pay transit fares		ortation				
in metro area?	No		0			
List of transit operators that use tags	-	one	-			
NR: No Response						