# Tracking the Deployment of the Integrated Metropolitan ITS Infrastructure in Fresno

# **FY99 Results**

For additional information, please contact:

Joseph I. Peters, Ph.D. ITS Program Assessment Coordinator ITS Joint Program Office, Room 3416 400 Seventh St., S.W. Washington, D.C. 20590 (202) 366-2202 FAX: (202) 493-2027 E-mail: joe.peters@fhwa.dot.gov

Table of Contents
-------------------

Part 1 - Background and Purpose	1
Part 2 - Summary 1999 Survey Results	3
Part 3 - Detailed 1999 Survey Results	7
Freeway Management Component Indicators	9
Freeway Management Integration Indicators	11
Incident Management Component Indicators	13
Incident Management Integration Indicators	15
Arterial Management Component Indicators	17
Arterial Management Integration Indicators	19
Electronic Toll Collection Component Indicators	21
Electronic Toll Collection Integration Indicators	22
Transit Management Component Indicators	
Transit Management Integration Indicators	24
Electronic Fare Payment Component Indicators	26
Electronic Fare Payment Integration Indicators	
Highway-Rail Intersection Component Indicators	
Highway-Rail Intersection Integration Indicators	
Emergency Management Component Indicators	
Emergency Management Integration Indicators	
Regional Multimodal Traveler Information Component Indicators	
Regional Multimodal Traveler Information Integration Indicators	33
Appendix A. Survey Coverage Area	
Appendix B. Surveyed Agencies	
Appendix C. Freeway Management Components	
Appendix D. Freeway Management Integration	
Appendix E. Freeway Management Information Collection and Dissemination	
Appendix F. Arterial Management Components	
Appendix G. Arterial Management Integration	
Appendix H. Arterial Management Information Collection and Dissemination	
Appendix I. Transit Management Components	
Appendix J. Transit Management Integration	
Appendix K. Transit Management Information Collection and Dissemination	
Appendix L. Emergency Management	L.1

# Part 1 - Background and Purpose

In January 1996, Secretary Peña set a goal of deploying the integrated metropolitan Intelligent Transportation System (ITS) infrastructure in  $75^1$  of the nation's largest metropolitan areas by 2006:

"I'm setting a national goal: to build an intelligent transportation infrastructure across the United States to save time and lives, and improve the quality of life for Americans. I believe that what we do, we must measure . . . Let us set a very tangible target that will focus our attention . . . I want 75 of our largest metropolitan areas outfitted with a complete intelligent transportation infrastructure in 10 years."<sup>2</sup>

-- Secretary Peña, 1996

In 1997, the U.S. Department of Transportation initiated an effort to track progress toward fulfillment of this goal by conducting a survey of deployment in the nation's largest metropolitan areas. Traditionally, the product of a transportation infrastructure investment consists of a fixed asset such as a highway, bridge, or public transportation vehicle developed, constructed, or purchased by a single agency. Tracking the level of deployment for such traditional fixed assets can be accomplished by simply counting the number of such assets deployed. Measuring the deployment of the metropolitan ITS infrastructure is more complex because it consists of a set of systems, often deployed by multiple agencies, and integrated through a combination of complex institutional and technical arrangements. In brief, it is often difficult to simply count the number of systems deployed without first devising a measurement approach that captures the essential features of such systems in a consistent fashion across many deployment environments.

In order to track progress toward fulfillment of the Secretary's goal for deployment, the U.S. Department of Transportation ITS Joint Program Office developed the metropolitan ITS deployment tracking methodology. This methodology tracks deployment of the nine components that make up the Metropolitan ITS infrastructure: Freeway Management; Incident Management; Arterial Management; Emergency Management; Transit Management; Electronic Toll Collection; Electronic Fare Payment; Highway-Rail Intersections; and Regional Multimodal Traveler Information. Through a set of indicators tied to the major functions of each component, the level of deployment is tracked for the nation's largest metropolitan areas. In addition, the integration links between agencies operating the infrastructure are also tracked. The details of

<sup>&</sup>lt;sup>1</sup> Since Secretary Peña's speech, the number of metropolitan areas that DOT will measure has been increased from 75 to 78. However, to maintain reporting consistency across the 10-year goal period, this report considers only the original 75 metropolitan areas.

<sup>&</sup>lt;sup>2</sup> Excerpt of a speech delivered by Secretary of Transportation Peña at the Transportation Research Board in Washington, DC on January 10, 1996.

the methodology are explained elsewhere.<sup>3</sup>

During the summer and fall of 1999, the U.S. DOT undertook a new data collection effort for the purpose of examining ITS deployment progress in the nation's largest metropolitan areas. The Fresno metropolitan area was among the areas surveyed in 1997 and again in 1999. This report presents the results of the 1999 survey efforts and compares the results of the 1997 survey against those observed in 1999. The overall response rate for the surveys administered in the Fresno region was 50% in 1997 and 88% in 1999.

Part 2 contains a summary of the 1999 survey results, and Part 3 provides a comparison of 1999 survey results and the 1997 survey results.

The report also contains a set of appendices containing a map of the survey area, the list of local contacts surveyed along with a status of their response to the survey and a summary of the data collected from the surveys.

Agencies are encouraged to review the data presented in this report for completeness and accuracy and to direct any comments or corrections to the data provided to the contacts listed below:

Steve Gordon Oak Ridge National Laboratory P.O. Box 2008, 4500N, MS-6207 Oak Ridge, TN 37831-6207 (865) 576-8416 (voice) (865) 574-3895 (fax) gordonsr@ornl.gov

Jeff Trombly Science Applications International Corporation 301 Laboratory Road Oak Ridge, TN 37831-2501 (865) 481-8563 (voice) (865) 481-2941 (fax) jeffrey.w.trombly@saic.com

<sup>&</sup>lt;sup>3</sup> Additional Resources: "Measuring ITS Deployment and Integration" (Electronic Document Number: 4372). U.S. Department of Transportation, Joint Program Office for Intelligent Transportation Systems, 400 Seventh St., SW (HVH-1), Washington, DC 20590, Phone: 202-366-9536, Fax: 202-366-3302, Web: http://www.its.dot.gov.

# Part 2 - Summary 1999 Survey Results

Deployment indicators have been developed for two broad areas of interest: (1) the individual components, including their basic functions and characteristics and (2) integration of components, including how these components work together to provide coordinated regional service. As mentioned earlier, these indicators are expressed as percentages of the possible deployment opportunity and not necessarily what should be deployed based on local needs. Requirements for deployment and integration between each component will vary based on local conditions and cannot be assigned without extensive coordination with individual metropolitan areas.

The following two figures portray the surrogate indicators for each of the nine components in Fresno and the same indicators at the national level. These are judged to be the single best representative of a component and are being used as summary indicator for component. The summary indicators are expressed as a percentage; however, because deployment goals have yet to be established, these indicators should not be read as a comparison of what is deployed versus eventual deployment goals. Instead, they only reflect what is deployed compared to full market saturation (i.e., opportunity for deployment).


Each component indicator was selected to reflect a critical function of the individual components. For example, in the case of Freeway Management, three basic functions were defined: surveillance, traffic control, and information display. The three indicators developed to reflect these functions are: percentage of freeway centerline miles under electronic surveillance (surveillance function), percentage of freeway entrance ramps managed by ramp meters (traffic control function), and percentage of freeway centerline miles covered by permanent VMS, HAR, or in-vehicle signing (information display function). The indicators are surrogates that do not necessarily reflect the full breadth of metropolitan ITS deployment activity.

A critical aspect of ITS that provides much of its capability is the integration of individual components to form a unified regional traffic control system. Individual ITS components routinely collect information that is used for purposes internal to that component. For example, the Arterial Management component monitors arterial conditions to revise signal timing and to convey these conditions to travelers through such technologies as variable message signs and highway advisory radio. Other ITS components can make use of this information in formulating their control strategies. For example, Transit Management may alter routes and schedules based on real-time information on arterial traffic conditions, and Freeway Management may alter ramp metering or diversion recommendations based on the same information.

As with the component indicators, definitions for inter- and intra-component integration were developed for each component, and indicators, derived from these definitions, were produced for each component. A total of 34 individual integration indicators was specified and is portrayed in the third figure which follows. Each integration indicator has been assigned a number and an origin/destination path from one ITS infrastructure component to another. For example, the


integration of information from the Freeway Management component to the Regional Multimodal Traveler Information component is identified by the number "10."

Data as of 5/1/00




Fresno

\* Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity. \*\* Deployment opportunity reflects potential totals that do not necessarily reflect actual need.



\* Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity \*\* Deployment opportunity reflects potential totals that do not necessarily reflect actual need



# **Fresno Integration Links**

Note: Shading indicates the value of the link. For example a circle half shaded equals 50%

Link	Description	Link	Description
1	Arterial Management to Regional	2	Arterial Management to Freeway
	Multimodal Traveler Information		Management
3	Arterial Management to Transit	4	Arterial Management to Incident
	Management		Management
5	Incident Management to Arterial	6	Incident Management to Regional
	Management		Multimodal Traveler Information
7	Incident Management to Emergency	8	Incident Management to Freeway
	Management.		Management
9	Incident Management to Transit	10	Freeway Management to Regional
	Management		Multimodal Traveler Information

Link	Description	Link	Description
11	Freeway Management to Arterial Management	12	Freeway Management to Transit Management
13	Freeway Management to Incident Management	14a	Transit Management to Regional Multimodal Traveler Information (static route information)
		14b	Transit Management to Regional Multimodal Traveler Information (schedule adherence information)
15a	Transit Management to Freeway Management	16a	Transit Management to Arterial Management
15b	Transit Management to Freeway Management (transit vehicle probes)	16b	Transit Management to Arterial Management (transit vehicle probes)
17	Electronic Toll Collection to Freeway Management (ETC equipped probes)	18	Electronic Toll Collection to Arterial Management (ETC equipped probes)
19	Electronic Fare Payment and Electronic Toll Collection	20	Electronic Fare Payment to Transit Management
21a	Emergency Management to Incident Management (incident notification)	22	Emergency Management to Arterial Management
21b	Emergency Management to Incident Management (incident clearance)		
23	Highway-rail intersections to Incident Management (crossing status)	24	Highway-rail intersections to Arterial Management (crossing status)
25	Incident Management intra component	26	Arterial Management intra component
27	Electronic Fare Payment intra component.	28	Electronic Toll Collection intra component
29	Transit Management to Incident Management (incident reporting)	30	Freeway Management intra component

# Part 3 - Detailed 1999 Survey Results

The following figures and tables summarize the complete set of component and integration indicators developed for the Fresno metropolitan area. The figures summarizing the component indicators consist of a bar chart portraying the deployment levels for 1997, 1999, and 2005 accompanied by detailed tables of the data used to calculate each component indicator value (*Num* stands for numerator and *Den* stands for denominator; blank space indicates that no response was received.)

Example: Calculating Component Indicators for Freeway Management

Consider a metropolitan area with 100 miles of freeway and 25 freeway entrance ramps. The area has no ramp meters, 10 freeway miles for which traffic data are collected electronically, and 5 freeway miles, which are covered by highway advisory radio.

The component indicator for electronic surveillance is calculated as (10/100) or 10%.

The component indicator for ramp meter control is calculated as (0/25) or 0%.

The component indicator for HAR coverage is calculated as (5/100) or 5%.

The summary indicator for the metropolitan area is calculated as (10%+0%+5%)/3 = 5%.


The figures summarizing the integration indicators consist of a diagram for each of the nine metropolitan ITS components portraying the integration level for 1999 (*italic*) and 2005 (**bold**), accompanied by tables providing an explanation of the data and calculations performed to develop each integration indicator value for 1999 and 2005. Each diagram portrays the proportion of agencies providing information to a component (e.g., the flow of incident information from Incident Management to Freeway Management) and the proportion of agencies providing information to other components (e.g., the flow of freeway travel condition information from Freeway Management to Arterial Management).

Example: Calculating Integration between Arterial Management and Regional Multimodal Traveler Information

Consider a metropolitan area with three arterial management agencies. One out of three provides information to the public using a Regional Multimodal Traveler Information Media (e.g., internet, kiosk, pager, etc...). The integration indicator is 1/3 or 33%.

#### **Freeway Management Component Indicators**

Data as of 5/1/00



Fresno Freeway Management\*

\* Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity.


\*\* Deployment opportunity reflects potential totals that do not necessarily reflect actual need.

	1997			1999			2005		
Description	Num	Den	%	Num	Den	%	Num	Den	%
Freeway centerline miles		104		6	104	6%	10	104	10%
are under electronic									
surveillance for									
monitoring traffic flow									
Freeway entrance ramps									
are controlled by ramp									
meters or miles under lane									
control									
Freeway entrance ramps				25	136	18%	40	136	29%
are controlled by ramp									
meters									

	1997			1999			2005		
Description	Num	Den	%	Num	Den	%	Num	Den	%
Freeway centerline miles					104			104	
will be controlled by lane									
control									
Freeway miles are		104							
covered by VMS, HAR,									
or IVS									
Freeway miles are				72	104	69%	100	104	96%
covered by VMS									
Freeway miles are				20	104	19%	75	104	72%
covered by HAR									
Freeway miles are					104			104	
covered by IVS									

# **Freeway Management Integration Indicators**

# Fresno Freeway Management Integration\*



\* Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity


Link Description	1999	2005
2. Arterial Management agencies sending information to Freeway	(0/1)	(0/1)
Management	0%	0%
8. Incident Management agencies sending information to Freeway	(0/1)	(0/1)
Management	0%	0%
15a. Transit management agencies with vehicles equipped with	(0/2)	(0/2)
ramp meter priority	0%	0%
15b. Transit Management agencies with vehicles equipped as	(0/2)	(0/2)
probes	0%	0%
17. Freeway Management agencies receiving freeway conditions	(0/1)	(0/1)
from vehicle probes	0%	0%
30. Freeway Management agencies sending information to another	(0/1)	(0/1)
Freeway Management agency	0%	0%
11. Freeway Management agencies sending information to Arterial	(0/1)	(0/1)
Management	0%	0%

Link Description	1999	2005
10. Freeway Management agencies disseminating freeway	(1/1)	(1/1)
conditions to the public	100%	100%
12. Freeway Management agencies sending freeway conditions to	(0/1)	(0/1)
Transit Management	0%	0%
13. Freeway Management agencies sending freeway conditions to	(1/1)	(1/1)
Incident Management	100%	100%

#### **Incident Management Component Indicators**

Data as of 5/1/00

# Fresno Freeway and Arterial Incident Management\*



\* Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity.


\*\* Deployment opportunity reflects potential totals that do not necessarily reflect actual need.

		1997		1999			2005		
Description	Num	Den	%	Num	Den	%	Num	Den	%
Freeway miles are		104			104			104	
covered by incident									
detection algorithms									
Freeway miles are		104			104			104	
covered by free cellular									
phone calls to a									
dedicated number									
Freeway miles are		104		20	104	19%	30	104	29%
covered by surveillance									
cameras.									

	1997		1999			2005			
Description	Num	Den	%	Num	Den	%	Num	Den	%
Freeway miles are		104		7	104	7%	15	104	14%
covered by on-call									
publicly-sponsored									
service patrol or towing									
services.									
Arterial miles are		1551			1551			1551	
covered by incident									
detection algorithms									
Arterial miles are		1551			1551			1551	
covered by free cellular									
phone calls to a									
dedicated number									
Arterial miles are	2	1551	0%		1551			1551	
covered by surveillance									
cameras									
Arterial miles are		1551			1551			1551	
covered by on-call									
publicly-sponsored									
service patrol or towing									
services									

# **Incident Management Integration Indicators**

# Fresno



# Incident Management Integration\*


\* Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity

Link Description	1999	2005
21a. Incident management agencies receiving incident severity from	(0/1)	(0/1)
Emergency Management	0%	0%
21b. Incident management agencies receiving incident clearance	(0/1)	(0/1)
activities from Emergency Management	0%	0%
13. Freeway Management agencies sending freeway conditions to	(1/1)	(1/1)
Incident Management	100%	100%
4. Arterial Management agencies sending arterial conditions to Incident	(0/1)	(0/1)
Management	0%	0%
23. Arterial Management agencies receive information on highway-rail	(0/1)	(0/1)
intersection crossing blockages for the purpose of managing incident	0%	0%
response		
29. Transit Management agencies report traffic incidents as part of an	(1/2)	(1/2)
organized regional incident management program	50%	50%

Link Description	1999	2005
7. Incident management agencies transfer information describing	(1/1)	(1/1)
incident severity, location, and type to Emergency Management agencies	100%	100%
9. Incident Management agencies transfer information describing	(0/1)	(0/1)
incident severity, location, and type to Transit Management agencies	0%	0%
6. Incident Management agencies disseminate information describing	(1/1)	(1/1)
incident severity, location, and type to the public	100%	100%
5. Incident Management agencies transfer information describing	(0/1)	(0/1)
incident severity, location, and type to Arterial Management agencies	0%	0%
8. Incident Management agencies transfer information describing	(0/1)	(0/1)
incident severity, location, and type to Freeway Management agencies	0%	0%
25. Police, fire, and EMS agencies participating in a formal incident	(2/3)	(2/3)
management plan/team	67%	67%

#### **Arterial Management Component Indicators**

Data as of 5/1/00



Fresno


\* Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity.

\*\* Deployment opportunity reflects potential totals that do not necessarily reflect actual need.

		1997		1999			2005		
Description	Num	Den	%	Num	Den	%	Num	Den	%
Arterial miles covered	0	1551	0%						
by electronic									
surveillance									
Signalized intersections					122			119	
are covered by									
electronic surveillance									
for monitoring traffic									
flow									
Signalized intersections	152	396	38%	20	122	16%	119	119	100%
are under centralized or									
closed loop control									
Arterial miles are	0	1551	0%						
covered by VMS, HAR,									
or IVS									

	1997			1999			2005		
Description	Num	Den	%	Num	Den	%	Num	Den	%
Arterial miles are					1551			1551	
covered by VMS									
Arterial miles are					1551			1551	
covered by HAR									
Arterial miles are					1551			1551	
covered by IVS									

# **Arterial Management Integration Indicators**



# Arterial Management Integration\*

\* Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity


Link Description	1999	2005
16a. Transit management agencies with vehicles equipped with traffic	(0/2)	(0/2)
signal priority	0%	0%
16b. Transit Management agencies have vehicles equipped as probes on	(0/2)	(0/2)
arterials	0%	0%
22. Emergency Management agencies have vehicles equipped with	(1/3)	(2/3)
traffic signal preemption capability	33%	67%
24. Arterial Management agencies have traffic signals within 200 feet of	(0/1)	(0/1)
a highway rail intersection with the capability of having their signal	0%	0%
timing adjusted in response to a train crossing		
18. Number of Arterial Management agencies receiving information	(0/1)	(0/1)
from vehicle probes	0%	0%
5. Incident Management agencies transfer information describing	(0/1)	(0/1)
incident severity, location, and type to Arterial Management	0%	0%

Link Description	1999	2005
11. Freeway Management agencies transfer freeway travel times,	(0/1)	(0/1)
speeds, and conditions to Arterial Management agencies	0%	0%
3. Arterial Management agencies transfer arterial travel times, speeds,	(0/1)	(0/1)
and conditions to Transit Management	0%	0%
1. Arterial Management agencies disseminate arterial travel times,	(0/1)	(0/1)
speeds, and conditions to the public	0%	0%
2. Arterial Management agencies send traffic condition information to	(0/1)	(0/1)
Freeway Management	0%	0%
4. Arterial Management agencies transfer arterial travel times, speeds,	(0/1)	(0/1)
and conditions to Incident Management	0%	0%
26. Arterial Management agencies under cooperative agreement to share	(1/1)	(1/1)
traffic signal timing for coordinated response	100%	100%

#### **Electronic Toll Collection Component Indicators**

Data as of 5/1/00

# Fresno Electronic Toll Collection\*



\* Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity.

\*\* Deployment opportunity reflects potential totals that do not necessarily reflect actual need.

	1997			1999			2005		
Description	Num	Den	%	Num	Den	%	Num	Den	%
Toll collection plazas									
with ETC capability									
Toll collection lanes									
with ETC capability									


#### **Electronic Toll Collection Integration Indicators** Fresno Electronic Toll Collection Integration\* Inputs Outputs **Probe Vehicle** Times Affect Timing 0% 0% (18) ▶ Share 0% 19 0% \_ Common Fare Media 17 0% 0% 28 N/R N/R Probe Vehicle Times **Toll Operators** Affect Control with Common Strategy Tags Legend 1999, **2005**

\* Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity

Link Description	1999	2005
18. Number of Arterial Management agencies receiving information	(0/1)	(0/1)
from vehicle probes	0%	0%
19. Transit agencies that accept electronic payment through the use of	(0/2)	(0/2)
electronic toll collection media	0%	0%
17. Freeway Management agencies receiving information from vehicle	(0/1)	(0/1)
probes	0%	0%
28. Toll operators using common toll tag technology	( 0/)	( 0/)

#### **Transit Management Component Indicators**

Data as of 5/1/00




# Fresno Transit Management\*

\* Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity.

\*\* Deployment opportunity reflects potential totals that do not necessarily reflect actual need.

	1997			1999			2005		
Description	Num	Den	%	Num	Den	%	Num	Den	%
Fixed-route transit vehicles are equipped with AVL	0	108	0%	101	126	80%	130	158	82%
Fixed-route transit vehicles are equipped with electronic monitoring of vehicle component	0	108	0%	101	126	80%	130	158	82%
Paratransit vehicles operate under computer- aided dispatch	26	32	81%	26	29	90%	30	41	73%
Percent fixed-route transfer locations with electronic display of information	0	0							
Bus stops display information to the public				46	2510	2%	75	750	10%

# **Transit Management Integration Indicators**



#### \* Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity


Link Description	1999	2005
3. Arterial Management agencies transfer arterial travel times, speeds,	(0/1)	(0/1)
and conditions to Transit Management	0%	0%
9. Incident management agencies transfer information describing	(0/1)	(0/1)
incident severity, location, and type to Transit Management	0%	0%
12. Freeway Management agencies transfer freeway travel times,	(0/1)	(0/1)
speeds, and conditions to Transit Management	0%	0%
20. Transit Management agencies using Electronic Fare Payment data in	(1/2)	(1/2)
transit service planning	50%	50%
16a. Transit Management agencies have vehicles equipped with traffic	(0/2)	(0/2)
signal priority capability	0%	0%
16b. Transit Management agencies have vehicles equipped as probes on	(0/2)	(0/2)
arterials	0%	0%
14a. Transit Management agencies disseminate information describing	(2/2)	(2/2)
transit routes, schedules, and fares to travelers	100%	100%

Link Description	1999	2005
14b. Transit Management agencies disseminate information describing	(0/2)	(1/2)
schedule/route adherence to travelers	0%	50%
15a. Transit Management agencies have vehicles equipped with ramp	(0/2)	(0/2)
meter priority capability	0%	0%
15b. Transit Management agencies have vehicles equipped as probes on	(0/2)	(0/2)
freeways	0%	0%
29. Transit Management agencies that report traffic incidents as part of	(1/2)	(1/2)
an organized regional Incident Management program	50%	50%

#### **Electronic Fare Payment Component Indicators**


Data as of 5/1/00

# Fresno Electronic Fare Payment\*



\* Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity. \*\* Deployment opportunity reflects potential totals that do not necessarily reflect actual need.

	1997			1999			2005		
Description	Num	Den	%	Num	Den	%	Num	Den	%
Fixed-route transit vehicles that accept electronic payment	21	108	19%	21	126	17%	24	158	15%
Rail transit stations that accept electronic payment	0	0			0			0	



Legena	
1999	
2005	


\* Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity

Link Description	1999	2005
19. Transit agencies that accept electronic payment through the use of	(0/2)	(0/2)
electronic toll collection media	0%	0%
20. Transit Management agencies use Electronic Fare Payment data in	(1/2)	(1/2)
transit service planning	50%	50%
27. Transit Management agencies that use the same electronic payment	(0/2)	(0/2)
system	0%	0%

# **Highway Rail Intersection Component Indicators**

Data as of 5/1/00

# Fresno Highway-Rail Intersections\*




\* Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity.

\*\* Deployment opportunity reflects potential totals that do not necessarily reflect actual need.

	1997			1999			2005		
Description	Num	Den	%	Num	Den	%	Num	Den	%
Highway-rail intersections					0			0	
are under electronic									
surveillance									

# Highway Rail Intersection Integration Indicators Fresno Highway Rail Intersections Integration\* Inputs Outputs




\* Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity

Link Description	1999	2005
24. Arterial Management agencies with traffic signals within 200 feet of	(0/1)	(0/1)
a highway rail intersection with the capability of having their signal	0%	0%
timing adjusted in response to a train crossing		
23. Arterial Management agencies receive information on highway-rail	(0/1)	(0/1)
intersection crossing blockages for the purpose of managing incident	0%	0%
response		

#### **Emergency Management Component Indicators**


Data as of 5/1/00



\* Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity. \*\* Deployment opportunity reflects potential totals that do not necessarily reflect actual need.

	1997			1999			2005		
Description	Num	Den	%	Num	Den	%	Num	Den	%
Public sector emergency				313	313	100%	410	410	100%
vehicles that operate									
under computer-aided									
dispatch									
Public sector emergency				176	313	56%	290	410	71%
vehicles that have in-									
vehicle route guidance									
capability									

### **Emergency Management Integration Indicators**




\* Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity

Link Description	1999	2005
7. Freeway Management agencies transfer information describing	(1/1)	(1/1)
incident severity, location, and type to Emergency Management agencies	100%	100%
22. Emergency Management agencies have vehicles equipped with	(1/3)	(2/3)
traffic signal preemption capability	33%	67%
21a. Freeway Management agencies receive incident severity, location,	(0/1)	(0/1)
and type data from Emergency Management agencies	0%	0%
21b. Freeway Management agencies receive incident clearance	(0/1)	(0/1)
activities information from Emergency Management agencies	0%	0%

#### **Regional Multimodal Traveler Information Component Indicators**

Data as of 5/1/00




\* Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity.

\*\* Deployment opportunity reflects potential totals that do not necessarily reflect actual need.

	1997			1999			2005		
Description	Num	Den	%	Num	Den	%	Num	Den	%
Freeway conditions		104		6	104	6%	10	104	10%
disseminated to									
travelers									
Possible RMTI media	2	8	25%	5	8	63%	5	8	63%
types are used to									
display information to									
travelers									
Possible RMTI media	1	8	13%	4	8	50%	4	8	50%
are used to display									
information on two or									
more modes to									
travelers									

## **Regional Multimodal Traveler Information Integration Indicators**

# Fresno Regional Multimodal Traveler Information Integration\*




\* Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity

Link Description	1999	2005
14a. Transit Management agencies that disseminate information	(2/2)	(2/2)
describing transit routes, schedules, and fares to travelers	100%	100%
14b. Transit Management agencies that disseminate information	(0/2)	(1/2)
describing schedule/route adherence to travelers	0%	50%
1. Arterial Management agencies that disseminate arterial travel times,	(0/1)	(0/1)
speeds, and conditions to the public	0%	0%
10. Freeway Management agencies that disseminate freeway travel	(1/1)	(1/1)
times, speeds, and conditions to travelers	100%	100%
6. Incident Management agencies that disseminate information	(1/1)	(1/1)
describing incident severity, location, and type to the public	100%	100%

Appendix A Survey Coverage Area

# COUNCIL OF FRESNO COUNTY GOVERNMENTS, CA



Appendix B Surveyed Agencies

# Surveyed Agencies

Agency Name	Phone	Fax	199	9	19	97
			Out	In	Out	In
	FF	RÉSNO				
Arterial Management						
Caltrans District 6	(209) 488-4144	(209) 488-4221	7/29/1999	9/22/1999	09/18/1997	
Fresno City	559- 498-1486	559-498-4539	7/29/1999		09/17/1997	08/19/1998
Emergency Management			· · · · ·			
Fresno City Fire Department	559-498-1544	559-490-5273	8/13/1999	8/23/1999		
Fresno City Police Department	559-498-1414	559-488-1185	8/13/1999	8/18/1999		
Fresno County Sheriff Department	559-488-3939	559-488-3377	8/13/1999	8/30/1999		
Freeway Management			· · · · ·			
Caltrans District 6	(209) 488-4144	(209) 488-4221	7/29/1999	9/20/1999	09/18/1997	
MPO			· · · · ·			
Fresno County Governments	(209) 233-4148	(209) 233-9645	7/16/1999	9/21/1999		
Transit Management	· · · · · · · · · · · · · · · · · · ·		·	· · ·		
Fresno Area Express	(559) 498-1502	(559) 488-1065	8/9/1999	9/21/1999	07/21/1997	08/18/1997
Visalia City Coach	(209) 738-3305	(209) 738-3594	8/9/1999	8/30/1999	07/18/1997	07/22/1997

Appendix C Freeway Management Components

	Caltrans District 6	
	1999	2005
Agency Returned Survey?	Yes	
FREEWAY MANAGEMENT SECTION		
Number of freeway centerline miles that agency owns or maintains	34	
Number of freeway centerline miles that is used for planning	34	
Number of freeway entrance ramps that agency owns, operates or maintains	30	
Number of freeway entrance ramps that is used for planning	30	
Type of facilities used to conduct freeway/incident management activities		
Activities housed in a free-standing dedicated building?	No	
Activities housed in a building shared with other activities?	No	
Activities conducted in a dedicated control room?	Yes	
Control room contains operator console(s)?	No	
Control room contains electronic wall map?	No	
Control room contains CCTV display(s)?	No	
Activities conducted in a room containing workstations or PCs that manage traffic?	No	
Facilities are electronically linked to other transportation mgt facilities?	No	
Staffing and hours of operation of freeway/incident management activities		
Number of full-time agency staff members	NR	
Number of full time contractor staff members	NR	
Number of part-time agency staff members	NR	
Number of part-time contractor staff members	NR	
Staffed 24 hours day by agency staff or by others	NR	
Staffed during peak hours only by agency staff or by others	NR	
Staffed by others during off-peak hours	No	
Agency staff perform transportation management as an ancillary duty	No	
Agency staff dedicated to transportation management duty	No	
Types of operations conducted for freeway/incident management		
Incident detection and management?	Yes	
This metropolitan area?	No	
Other metropolitan area?	No	
Statewide?	No	
Monitoring and troubleshooting status of system components?	Yes	
Manual override of ramp metering rates at freeway on-ramps?	No	
Operating transportation management roadside devices?	Yes	
Radio communications with other agencies?	Yes	
Exchange of electronic data with other agencies such as computer aided dispatch?	Yes	
Real-Time Traffic Data Collection Technologies		
Total number of miles under surveillance with real-time data collection tech.	6	10

	Caltrans District 6	
	1999	2005
Number of Stations with data collection technologies		
Loop detectors	44	75
Video imaging detectors	0	0
Probe readers (elec. toll tags, transit vehicles, other technology)	0	0
Microwave radar	0	0
Other (e.g., acoustic detectors)	0	0
Number of Miles covered with data collection technologies		
Loop detectors	33	100
Video imaging detectors	0	0
Probe readers (elec. toll tags, transit vehicles, other technology)	0	0
Microwave radar	0	0
Other (e.g., acoustic detectors)	0	0
Variable Message Signs (VMS) on Freeways		
Candidate locations for deployment of VMS where VMS has been deployed	29	40
Candidate locations for deployment of VMS	NR	NR
Roadside Technologies used to Distribute Traveler Information		
Total number of miles where information is distributed	20	75
Number deployed		
Highway advisory radio	4	15
In-vehicle signing	0	0
Portable variable message signs	8	30
Other	0	0
Miles covered		
Highway advisory radio	20	75
In-vehicle signing	0	0
Portable variable message signs	NR	NR
Other	0	0
Ramp Meters on Freeways		
Number of entrance ramp meters operated under isolated control	25	40
Number of entrance ramp meters operated under central control	0	40
Number of entrance ramp meters that provide preemption for emergency vehicles	0	NR
Number of entrance ramp meters that provide priority for transit vehicles	0	0
Total number of metered ramps	25	40
Freeway centerline miles under lane control	NR	NR
Communication Links		
Freeway centerline miles covered by the following type of communication		
Twisted pair cable	0	0
Coaxial cable	0	0
Fiber-optic cable	5	20
Microwave radio	0	0
Other	0	0
ITS Standards Used Related to Freeway Management		

	Caltrans District 6	
	1999	2005
ATMS Data Dictionary Sections 1 and 2 (ITE TM 1.01)	No	
ATMS Data Dictionary Sections 3 and 4 (ITE TM 1.02)	No	
Message Set for External TMC Communication (ITE-9604-1)	No	
NTCIP Class B Profile (AASHTO TS 3.3)	No	
NTCIP Data Collection and Monitoring Devices (AASHTO TS 3.DCM)	No	
NTCIP Object Definitions for Environmental Sensor Stations (AASHTO TS 3.7)	No	
NTICP Object Definitions for Dynamic Message Signs (AASHTO TS 3.6)	No	
NTICP Object Definitions for Highway Advisory Radio (AASHTO TS 3.HAR)	No	
NTICP Object Definitions for Ramp Meter Control (AASHTO TS 3.RMC)	No	
NTICP Object Definitions for Transportation Sensor Systems (AASHTO TS 3.TSS)	No	
NTICP Object Definitions for Video Camera Control (AASHTO TS 3.VCC)	No	
Would agency be willing to participate in testing of ITS Standards?	Yes	
Have agreements in place with other agencies to use similar hardware		
and software to aid maintenance and interoperability?	No	
INCIDENT MANAGEMENT SECTION		
Use of Service Patrols to Assist in Detection and Response to Incidents		
Publicly operated service patrol vehicles	No	
Privately operated service patrol vehicles operated under public contract	Yes	
Total number of freeway miles patrolled by these services	7	15
Miles Covered by Methods to Detect and Verify Incidents		
Free cellular phone call to a dedicated phone number other than 911	NR	NR
Police patrols	NR	NR
Computer algorithms linked to traffic surveillance equipment	NR	NR
CCTV	20	30
Private sector sources (e.g., Shadow Traffic, SmartRoutes)	NR	NR
Other (e.g., free cell phone call to an area radio system, etc.)	NR	NR
Procedures in place for Freeway Incident Response?		
Working agreement(s)/arrangement(s) with other agencies	Yes	
Inter-agency incident management admin. team that meets regularly	No	
Major incident response team that responds to major incidents	No	
Set of goals/objectives for incident mgt that has been adopted by agencies in region	No	
Central focal point for facilitating the two-way flow of information		
among agencies responding to an incident?		
The central focal point is a Freeway or Traffic Management Center	Yes	
The central focal point is a Police, Fire or joint dispatch center	No	
The central focal point is another center	No	
Methods of Communication Used On-Site at an Incident		
Police		
Two-way radio	No	
800 MHz trunked radio	No	
Cellular telephone	No	

	Caltrans District 6	
	1999	2005
Hand-held (i.e., walkie-talkie)	No	
Automated data systems (i.e., CAD)	Yes	
Two-way radio	No	
800 MHz trunked radio	No	
Cellular telephone	No	
Hand-held (i.e., walkie-talkie)	No	
Automated data systems (i.e., CAD)	No	
DOT		
Two-way radio	No	
800 MHz trunked radio	No	
Cellular telephone	Yes	
Hand-held (i.e., walkie-talkie)	No	
Automated data systems (i.e., CAD)	Yes	
Towing		
Two-way radio	No	
800 MHz trunked radio	No	
Cellular telephone	No	
Hand-held (i.e., walkie-talkie)	No	
Automated data systems (i.e., CAD)	No	
Which police agencies typically respond to incidents on freeways?		
State Police	Yes	
County Police or Sheriff	No	
City Police	No	
Who provides on-site emergency medical response?		
Fire	Yes	
Emergency Management Service Agency	Yes	
Private hospital	No	
Has a multi-agency contact list been developed in area containing the		
names, phone numbers, etc. for the appropriate response personnel?	Yes	
Is the Incident Command System used to manage incident scenes?	Yes	
Is there a legal specification by state law or formal agreement as to who		
is "in charge" at the incident scene?		
Specified by state law?	Yes	
Formal agreement?	No	
Not specified or don't know?	No Yes	
On-scene command post used to manage activities of responding agencies? Are there communication linkages to a communications traffic/freeway mgt center?	Yes	
Plan developed and adopted by responding agencies for staging and parking	res	
response vehicles and equip. at incident site that minimizes lane blockage		
and facilitates the re-opening of lanes?	No	
Respondents protected through law or court opinion for liability claims	INU	

	Caltrans District 6	
	1999	2005
for damages to vehicles or cargoes during clearance activities?	DK	
Are overturned tank trucks, which are intact and not leaking, uprighted		
without first off-loading?	No	
Does your state or local jurisdiction have a law that requires drivers		
involved in property-damage-only accidents to move the vehicles		
from travel lanes to a safe location to exchange info and wait for police?	No	
Have laws or policies regarding the removal of stalled/abandoned vehicles		
from freeway shoulders?	Yes	
Hours abandoned vehicles are allowed to remain on a freeway shoulder?	25-36	
Have policies or procedures for quick removal of vehicles?	Yes	
Is Total Station equipment used to investigate major incidents?	DK	
Handling of Towing Responses to Incidents		
Formal contract based on qualifications?	No	
Rotation with companies under contract?	Yes	
Separate lists kept for light and heavy response and for specialty recovery?	NR	
Rotation list with minimal qualifications?	No	
In towing qualifications, do you require towers to be certified under the		
Towing and Recovery Ass. of America's National Drivers Cert. Program?	DK	
DK: Don't know		
NR: No Response		
Leg: Legislation or action being planned		

Appendix D Freeway Management Integration

	Caltrans District 6	
Agency Name	1999	2005
Agency Returned Survey?	Yes	
Freeway Management Section		
Agencies your agency provides freeway travel times, speeds, and		
conditions information, share infrastructure or coordinates operation		
Freeway Management Agencies		
Provide Information	None listed	None listed
Share Infrastructure	None listed	None listed
Coordinate Operation	None listed	None listed
Incident Management Agencies		
Provide Information	Caltrans District 6, California Highway Patrol (CHP)	Caltrans District 6, California Highway Patrol (CHP)
Share Infrastructure	Caltrans District 6	Caltrans District 6
Coordinate Operation	Caltrans District 6, California Highway Patrol (CHP)	Caltrans District 6, California Highway Patrol (CHP)
Arterial Management Agencies		
Provide Information	None listed	None listed
Share Infrastructure	None listed	None listed
Coordinate Operation	None listed	None listed
Public Transit Operators		
Provide Information	None listed	None listed
Share Infrastructure	None listed	None listed
Coordinate Operation	None listed	None listed
Receiving real-time information via electronic means from others		
Incident Management agencies from which your agency receives		
incident severity, location, and type information	California Highway Patrol	California Highway Patrol
Arterial Management agencies from which your agency receives		
arterial travel times, speeds, and conditions	None listed	None listed
Public Transit operators from which your agency receives		
freeway travel times derived from vehicle probes	None listed	None listed
Toll Collection agencies from which your agency receives freeway travel		
times derived from vehicles probes	None listed	None listed
Freeway Incident Management Section		
Agencies your agency provides incident severity, location, and type info.		
and/or shares infrastructure and/or coordinates operation		
Arterial Management Agencies		
Provide Information	None listed	None listed
Share Infrastructure	None listed	None listed
Coordinate Operation	None listed	None listed

	Caltrans District 6		
Agency Name	1999	2005	
Emergency Management Agencies			
Provide Information	Fresno City Fire Department, Fresno City Police Department, Fresno County Fire Department, Fresno County Sheriff Department	Fresno City Fire Department, Fresno City Police Department, Fresno County Fire Department, Fresno County Sheriff Department	
Share Infrastructure	None listed	None listed	
Coordinate Operation	None listed	None listed	
Freeway Management Agencies			
Provide Information	None listed	None listed	
Share Infrastructure	None listed	None listed	
Coordinate Operation	None listed	None listed	
Public Transit Operators			
Provide Information	None listed	None listed	
Share Infrastructure	None listed	None listed	
Coordinate Operation	None listed	None listed	
Receiving real-time information via electronic means from others			
Emergency Management agencies from which your agency receives			
incident clearance and/or incident severity and type			
Receive Arterial Incident Clearance Information	California Highway Patrol	California Highway Patrol	
Receive Arterial Incident Severity Information	California Highway Patrol	California Highway Patrol	
Arterial Management agencies from which your agency receives			
arterial travel times, speeds, and conditions	None listed	None listed	
Freeway Management agencies from which your agency receives			
freeway travel times, speeds, and conditions	None listed	None listed	

\*short survey: Agency responded using a short survey. The survey did not include names of individual agencies, but only identified whether integration exists.

Appendix E Freeway Management Information Collection and Dissemination

#### Data Collection and Dissemination: Freeway Management Agencies for Metropolitan Area: Fresno

	Caltran	s District 6	
Agency Name	1999	2005	
Agency Returned Survey?	Yes		
Freeway Management Section			
Data collected, archived, and/or transferred to another agency			
Collected by your agency	Traffic volumes, Traffic speeds, Lane occupancy, Vehicle classification, Metering rate, Road conditions, Weather conditions, Incidents, Current work zones, Scheduled work zones, Emergency/evacuation routes and procedures, Highway operations coordination information	Traffic volumes, Traffic speeds, Lane occupancy, Vehicle classification, Metering rate, Road conditions, Weather conditions, Incidents, Current work zones, Scheduled work zones, Emergency/evacuation routes and procedures, Highway operations coordination information	
Archived by your agency	Traffic volumes, Traffic speeds, Lane occupancy, Vehicle classification, Metering rate, Road conditions, Weather conditions, Incidents, Current work zones, Scheduled work zones, Emergency/evacuation routes and procedures, Highway operations coordination information	Traffic volumes, Traffic speeds, Lane occupancy, Vehicle classification, Metering rate, Road conditions, Weather conditions, Incidents, Current work zones, Scheduled work zones, Emergency/evacuation routes and procedures, Highway operations coordination information	
Transferred to another agency by your agency	NR	NR	
Importance of making information available to the public			
Ranked High	Traffic volumes, Road conditions, Weather conditions, Incidents, Current work zones, Scheduled work zones, Emergency/evacuation routes and procedures, Highway operations coordination information		
Ranked Medium	NR		
Ranked Low	Traffic speeds, Lane occupancy, Vehicle classification, Metering rate		
Groups that make requests for the data	State DOT personnel, Media (I.e., TV stations, radio sta		
What is the data used for?	Traffic analysis, Construction impact determination, Pla	nning Incident detection algorithm development	
Methods used to disseminate freeway information to the public			
Technologies your agency uses to disseminate:	Telephone system, Internet Web sites, Pagers or personal data assistants, E-mail or other direct PC communication, Cell phone/voice	Telephone system, Internet Web sites, Pagers or personal data assistants, E-mail or other direct PC communication	
Technologies your agency (through another agency or org.) uses to disseminate:	E-mail or other direct PC communication	E-mail or other direct PC communication	
Internet web site reporting freeway conditions	www.dot.ca.gov		
Telephone system for reporting freeway information to the public	1-800-427-ROAD		
Organizations your agency sends information for dissemination to the public	NR		
Freeway Incident Management Section			
Methods used to distribute incident location and severity information			
to the public			
Technologies your agency uses to disseminate:	Telephone system, Internet Web sites, Pagers or personal data assistants, Kiosks, Facsimile, Media	Telephone system, Internet Web sites, Pagers or personal data assistants, Kiosks, Facsimile, Media	
Technologies your agency (through another agency or org.) uses to disseminate:	NR	NR	
Internet web site reporting incident information	www.dot.ca.gov		
Telephone system for reporting incident information to the public	1-800-427-ROAD		
Organizations your agency sends information for dissemination to the public	NR		

Appendix F Arterial Management Components

	Caltrans District 6	
	1999 2005	
Agency Returned Survey?	Yes	
ARTERIAL MANAGEMENT SECTION		
Number of arterial miles that agency owns or maintains	23	
Number of arterial miles that is used for planning	23	
Number of highway-rail intersections that agency maintains	0	
Number of highway-rail intersections that is used for planning	0	
Type of facilities used to conduct arterial management activities		
Activities housed in a free-standing dedicated building?	No	
Activities housed in a building shared with other activities?	No	
Activities conducted in a dedicated control room?	Yes	
Control room contains operator console(s)?	No	
Control room contains electronic wall map?	No	
Control room contains CCTV display(s)?	No	
Activities conducted in a room containing workstations or PCs that manage traffic?	No	
Facilities are electronically linked to other transportation mgt facilities?	No	
Staffing and hours of operation of arterial management activities		
Number of full-time agency staff members	NR	
Number of full time contractor staff members	NR	
Number of part-time agency staff members	NR	
Number of part-time contractor staff members	NR	
Staffed 24 hours day by agency staff or by others	NR	
Staffed during peak hours only by agency staff or by others	NR	
Staffed by others during off-peak hours	No	
Agency staff perform transportation management as an ancillary duty	No	
Agency staff dedicated to transportation management duty	No	
Types of operations conducted for arterial management		
Incident detection and management?	Yes	
This metropolitan area?	No	
Other metropolitan area?	No	
Monitoring and troubleshooting status of system components?	Yes	
Radio communications with other agencies?	No	
Exchange of electronic data with other agencies such as computer aided dispatch?	No	
Manual override of traffic signal timing plans	No	
Operating transportation mgt roadside devices (e.g., VMS, CCTV, etc.)	Yes	
Describe agency's role in traffic signal control	State routes only	
Traffic Signals Operated by Agency		
Number of signalized intersections operated and owned by agency	117	114

	Caltrans District 6	
	1999	2005
Number of signalized intersections operated by agency but owned by another	5	5
Total number of signalized intersections operated by agency	122	119
Characteristics of signalized intersections that agency operates		
Under closed loop or central system control	20	119
Under real-time traffic adaptive control using advanced software	0	119
Using SCOOT	No	
Using SCATS	No	
Name of software	NR	
Allow signal preemption for emergency vehicles	10	30
Allow signal priority for transit vehicles	0	0
Within 200 feet of a highway-rail intersection	4	4
Within 200 feet of a highway-rail intersection that adjust signal timing	0	0
Software used to control the signals agency operates		
Data affinition made to terffinitional control control control		
Date of last upgrade to traffic signal control system software?	1997 next und	ate January 2000
How often do you update signal timing?		nonths
	-	
O fluence used and such as of simplified interesting and as setted (4000, 0005)	C-8.4, 0, 119	
Software used and number of signalized intersections under control (1999, 2005)	C-8.3, 116, NR BASYS, 1, 0	
Controllers used to control signals		
NEMA	0	0
170/179	122	112
2070 controller	0	10
Other	0	0
Technologies Associated with Highway-Rail Intersections		
Total number of highway-rail intersections under electronic surveillance	NR	NR
Highway-Rail intersection capapbilities		
Video surveillance	0	0
Electronic surveillance other than video	0	0
Ability to predict train arrival electronically	0	0
Equipped with electronic traffic violator devices	0	0
Other	0	0
Real-Time Electronic Traffic Data Collection Technologies		
Total number of signalized intersections covered by electronic surveillance	NR	NR
Number of signalized intersections with data collection technologies		
Loop detectors	NR	NR
Video detection cameras	0	0
Probe readers reading toll tags	0	0
Probe readers reading license plates	0	0
Other	0	0
Roadside Technologies used to Distribute Traveler Information		
Number deployed		

	Caltrans District 6	
	1999	2005
Highway Advisory Radio	NR	NR
In-Vehicle Signing (IVS)	NR	NR
VMS controlling parking access	NR	NR
Miles covered		
Highway Advisory Radio	NR	NR
In-Vehicle Signing (IVS)	NR	NR
Variable Message Signs (VMS) on Arterials		
Candidate locations for deployment of VMS where VMS has been deployed	NR	NR
Candidate locations for deployment of VMS	NR	NR
Communication Technologies		
Signalized intersections communicated with by each type of communication		
Twisted pair cable	0	0
Coaxial cable	0	0
Fiber-optic cable	0	10
Other (e.g., wireless, dial-up modems, leased lines, etc.)	20	117
Does agency convey information on highway-rail intersection crossing		
status to travelers via roadside media such as VMS or HAR?	No	
ITS Standards Used Related to Traffic Signal Control		
Advanced Transportation Controller (ATC) Software Application Interface (ITE 9603-1)	No	
ATC Physical Cabinet Functional Design (ITE-9603-2)	No	
ATC Functionality and Interface Definitions (ITE-9603-3)	No	
Natl. Trans. Communications for ITS Protocol (NTCIP) Class B Profile (AASHTO TS 3.3)	No	
NTCIP Data Collection and Monitoring Devices (AASHTO TS 3.DCM)	No	
NTCIP Object Definitions for Video Camera Control (AASHTO TS 3.VCC)	No	
NTCIP Object Definitions for Actuated Traffic Signal Controller Units (AASHTO TS 3.5)	No	
Would agency be willing to participate in testing of ITS Standards?	Yes	
Have agreements in place with other agencies to use similar hardware		
and software to aid maintenance and interoperability?	Yes	
INCIDENT MANAGEMENT ON ARTERIAL STREETS		
Receive information on highway-rail intersection crossing blockages for		
the purpose of managing incident response?	No	
Use of Service Patrols to Assist in Detection and Response to Incidents		
Publicly operated service patrol vehicles	No	
Privately operated service patrol vehicles operated under public contract	No	
Total number of arterial miles patrolled by these services	NR	NR
Miles Covered by Methods to Detect and Verify Incidents		
Free cellular phone call to a dedicated phone number other than 911	0	0
Free cellular phone call to an area radio station	0	0
Police patrols	23	23
Computer algorithms linked to traffic surveillance equipment	0	0
CCTV	0	0
Private sector sources (e.g., Shadow Traffic, Smart Routes)	0	0
Other	0	0

	Caltrans I	District 6
	1999	2005
Procedures in place for Arterial Incident Response?		
Working agreement(s)/arrangement(s) with other agencies	No	
Inter-agency incident management admin. team that meets regularly	No	
Major incident response team that responds to major incidents	No	
Set of goals/objectives for incident mgt that has been adopted by agencies in region	No	
Methods of Communication Used On-Site at an Incident		
Police		
Two-way radio	No	
800 MHz trunked radio	No	
Cellular telephone	No	
Hand-held (i.e., walkie-talkie)	No	
Automated data systems (i.e., CAD)	No	
Other	No	
Fire		
Two-way radio	No	
800 MHz trunked radio	No	
Cellular telephone	No	
Hand-held (i.e., walkie-talkie)	No	
Automated data systems (i.e., CAD)	No	
Other	No	
Two-way radio	No	
800 MHz trunked radio	No	
Cellular telephone	Yes	
Hand-held (i.e., walkie-talkie)	No	
Automated data systems (i.e., CAD)	No	
Other	No	
Towing		
Two-way radio	No	
800 MHz trunked radio	No	
Cellular telephone	No	
Hand-held (i.e., walkie-talkie)	No	
Automated data systems (i.e., CAD)	No	
Other	No	
Which police agencies typically respond to incidents on arterials?		
State Police	No	
County Police or Sheriff	Yes	
City Police	Yes	
Who provides on-site emergency medical response?		
Fire	Yes	
Emergency Management Service Agency	Yes	

	Caltrans	District 6
	1999	2005
Private hospital	No	
Has a multi-agency contact list been developed in area containing the		
names, phone numbers, etc. for the appropriate response personnel?	Yes	
Is the Incident Command System used to manage incident scenes?	No	
Is there a legal specification by state law or formal agreement as to who		
is "in charge" at the incident scene?		
Specified by state law?	Yes	
Formal agreement?	No	
Not specified or don't know?	No	
On-scene command post used to manage activities of responding agencies?	No	
Are there communication linkages to a communications traffic/freeway mgt center?	NR	
Plan developed and adopted by responding agencies for staging and parking		
response vehicles and equip. at incident site that minimizes lane blockage		
and facilitates the re-opening of lanes?	No	
Respondents protected through law or court opinion for liability claims		
for damages to vehicles or cargoes during clearance activities?	No	
Are overturned tank trucks, which are intact and not leaking, uprighted		
without first off-loading?	No	
Does your state or local jurisdiction have a law that requires drivers		
involved in property-damage-only accidents to move the vehicles		
from travel lanes to a safe location to exchange info and wait for police?	No	
Have laws or policies regarding the removal of stalled/abandoned vehicles		
from freeway shoulders?	Yes	
Hours abandoned vehicles are allowed to remain on a freeway shoulder?	25-36	
Have policies or procedures for quick removal of vehicles?	No	
Is Total Station equipment used to investigate major incidents?	No	
Handling of Towing Responses to Incidents		
Formal contract based on qualifications?	No	
Rotation with companies under contract?	Yes	
Separate lists kept for light and heavy response and for specialty recovery?	NR	
Rotation list with minimal qualifications?	No	
In towing qualifications, do you require towers to be certified under the		
Towing and Recovery Ass. of America's National Drivers Cert. Program?	DK	
DK: Don't know		
NR: No Response		
Leg: Legislation or action being planned		

Appendix G Arterial Management Integration

	Caltra	ins District 6
Agency Name	1999	2005
Agency Returned Survey?	Yes	
Arterial Management Section		
Arterial Mgt. agencies in metropolitan area with which you share info.		
Share Timing Plans Information	Fresno City, Clovis City	Clovis City
Coordinate Changes to Timing Plans	Fresno City, Clovis City	Fresno City, Clovis City
Turn over Control of Signals	None listed	None listed
Agencies your agency provides arterial travel times, speeds, and		
conditions information, share infrastructure or coordinates operation		
Freeway Management Agencies		
Provide Information	None listed	None listed
Share Infrastructure	None listed	None listed
Coordinate Operation	None listed	None listed
Incident Management Agencies		
Provide Information	None listed	None listed
Share Infrastructure	None listed	None listed
Coordinate Operation	None listed	None listed
Public Transit Operators Agencies	None listed	
Provide Information	None listed	None listed
Share Infrastructure	None listed	None listed
Coordinate Operation	None listed	
Arterial Management Agencies	None listed	None listed
Provide Information	None listed	None listed
Share Infrastructure	None listed	None listed
Coordinate Operation		
Receiving real-time information via electronic means from others	None listed	None listed
Freeway Management agencies from which your agency receives		
freeway travel times, speeds, and conditions	None listed	Fresno City
Public Transit operators from which your agency receives		
arterial travel times derived from vehicle probes	None listed	None listed
Incident Management agencies from which your agency receives		
incident clearance and/or incident severity, location, and type information		
Receive information on Incident Clearance	None listed	None listed
Receive information on Incident Severity, Location, and Type	None listed	None listed
Toll Collection agencies from which your agency receives arterial travel	Nama Rata I	News Reted
times derived from vehicles probes	None listed	None listed
Arterial Incident Management Section Agencies your agency provides incident severity, location, and type info.		
and/or shares infrastructure and/or coordinates operation		
Emergency Management Agencies		

	Caltrar	s District 6
Agency Name	1999	2005
Provide Information		
	Fresno City Fire	Fresno City Fire Department
	Department, Fresno City	Fresno City Police
	Police Department, Fresno	
	County Sheriff Department	Sheriff Department
Share Infrastructure	None listed	None listed
Coordinate Operation	None listed	None listed
Freeway Management Agencies		
Provide Information	None listed	None listed
Share Infrastructure	None listed	None listed
Coordinate Operation	None listed	None listed
Public Transit Operators		
Provide Information	None listed	None listed
Share Infrastructure	None listed	None listed
Coordinate Operation	None listed	None listed
Receiving real-time information via electronic means from others		
Emergency Management agencies from which your agency receives		
arterial incident clearance and/or arterial incident severity		
Receive Arterial Incident Clearance Information	California Highway Patrol	California Highway Patrol
Receive Arterial Incident Severity Information	California Highway Patrol	California Highway Patrol
Arterial Management agencies from which your agency receives		
arterial travel times, speeds, and conditions	None listed	None listed
Freeway Management agencies from which your agency receives		
freeway travel times, speeds, and conditions	None listed	None listed

\*short survey: Agency responded using a short survey. The survey did not include names of individual agencies, but only identified whether integration exists.

Appendix H Arterial Management Information Collection and Dissemination

#### Data Collection and Dissemination: Arterial Management Agencies for Metropolitan Area: Fresno

	Caltrar	ns District 6		
Agency Name	1999	2005		
Agency Returned Survey?	Yes			
Arterial Management Section				
Data collected, archived, and/or transferred to another agency				
Collected by your agency	Traffic volumes, Weather conditions, Incidents	Traffic volumes, Traffic speeds, Lane occupancy, Turning movements, Phasing/cycle lengths, Emergency vehicle signal preemption, Weather conditions, Incidents		
Archived by your agency	NR	NR		
Transferred to another agency by your agency	NR	NR		
Importance of making information available to the public				
Ranked High	Traffic volumes. Weather conditions. Incidents			
Ranked Medium	Traffic speeds, Lane occupancy, Turning movements, Phasing/cycle lengths, Emergency vehicle sign preemption			
Ranked Low	NR			
Groups that make requests for the data	State DOT personnel, Consultants			
What is the data used for?	Traffic analysis			
Methods used to disseminate arterial information to the public				
Technologies your agency uses to disseminate:	NR	NR		
Technologies your agency (through another agency or org.) uses to disseminate:	NR	NR		
Internet web site reporting arterial conditions	NR			
Telephone system for reporting arterial information to the public	NR			
Organizations your agency sends information for dissemination to the public	NR			
Arterial Incident Management Section				
Methods used to distribute incident location and severity information				
to the public				
Technologies your agency uses to disseminate:	Telephone system, Internet Web sites, Pagers or personal data assistants, Kiosks, Facsimile	Telephone system, Internet Web sites, Pagers or personal data assistants, Kiosks, Facsimile		
Technologies your agency (through another agency or org.) uses to disseminate:	NR	NR		
Internet web site reporting incident information	NR	·		
Telephone system for reporting incident information to the public	NR			
Organizations your agency sends information for dissemination to the public	NR			

Appendix I Transit Management Components

	Fresno A	rea Express	Visalia (	City Coach	Totals	
	1999	2005	1999	2005	1999	2005
Agency Returned Survey?	Yes		Yes		2	
Number of vehicles used in revenue service						
Fixed Route Bus	101	130	25	28	126	158
Heavy or Rapid Rail	0	0	NR	NR	0	0
Light Rail	0	0	NR	NR	0	0
Demand Responsive	23	30	6	11	29	41
Commuter Rail	NR	NR	NR	NR	0	0
Ferry Boat	NR	NR	NR	NR	0	0
lave of plan to have an Automated Vehicle Location System?	Yes		No		1	
Primary and Secondary Location Technologies Used						
Primary Technologies						
GPS	No	No	No	No	0	0
Sign/Odometer	No	No	No	No	0	0
Dead-Reckoning	No	No	No	No	0	0
LORAN C	No	No	No	No	0	0
Other	No	No	No	No	0	0
Backup Technologies						
GPS	No	No	No	No	0	0
Sign/Odometer	No	No	No	No	0	0
Dead-Reckoning	No	No	No	No	0	0
LORAN C	No	No	No	No	0	0
Other	No	No	No	No	0	0
Number of Vehicles Equipped with AVL						
Fixed Route Bus	101	130	NR	NR	101	130
Heavy or Rapid Rail	NR	NR	NR	NR	0	0
Light Rail	NR	NR	NR	NR	0	0
Demand Responsive	NR	30	NR	NR	0	30
Commuter Rail	NR	NR	NR	NR	0	0
Ferry Boat	NR	NR	NR	NR	0	0
Notor Buses Operated as Vehicle Probes						
Number of Motor Buses equipped as probes on freeways?	NR		NR		0	
Number of Motor Buses equipped as probes on arterials?	NR		NR		0	
Have Organized Regional Incident Management Program?	Yes		No		1	
Have Automated Traveler Information System?	Yes		Yes		2	

	Fresno A	rea Express	Visalia (	City Coach	Totals	
	1999	2005	1999	2005	1999	2005
Services Automated Traveler Info. System Applies:						
Fixed Route	Yes		Yes		2	
Heavy Rail	No		No		0	
Light Rail	No		No		0	
Demand Responsive	Yes		No		1	
			_		0	
Commuter Rail	No		No		-	
Ferry	No		No		0	
ocations where traveler information is displayed to public	0.000	ND	540	750	0540	750
Number of bus stops on fixed transit routes	2,000	NR	510	750	2510	750
Bus stops on fixed transit routes that display traveler info to the public	1 NR	20	45	55	46	75
Number of rail stations		NR	0	0	0	0
Number of rail stations that display traveler information	NR	NR	0	0	0	0
Number of other locations that display traveler information to public	NR	NR	0	0	0	0
lumber of vehicles the traveler information system has available						
Fixed Route Bus	101	130	NR	NR	101	130
Heavy or Rapid Rail	NR	NR	NR	NR	0	0
Light Rail	NR	NR	NR	NR	0	0
Demand Responsive	NR	30	NR	NR	0	30
Commuter Rail	NR	NR	NR	NR	0	0
Ferry Boat	NR	NR	NR	NR	0	0
Deployment of Communications Technology						
Attributes of Radio System:						
Digital?	Yes		No		1	
Analog?	Yes		Yes		2	
Trunked?	Yes		No		1	
Regular?	No		Yes		1	
ervices that use a Digital or Trunked Radio System						
Digital Only						
Fixed Route Bus	Yes	No	No	No	1	0
Heavy or Rapid Rail	No	No	No	No	0	0
Light Rail	No	No	No	No	0	0
Demand Responsive	Yes	No	No	No	1	0
Commuter Rail	No	No	No	No	0	0
Ferry Boat	No	No	No	No	0	0
Trunked Only						
Fixed Route Bus	Yes	No	No	No	1	0
Heavy or Rapid Rail	No	No	No	No	0	0

	Fresno Area Express		Visalia City Coach		Totals	
	1999	2005	1999	2005	1999	2005
Light Rail	No	No	No	No	0	0
Demand Responsive	Yes	No	No	No	1	0
Commuter Rail	No	No	No	No	0	0
Ferry Boat	No	No	No	No	0	0
Have of plan to have Automatic Passenger Counters (APCs)?	No		No		0	
Methods used to count passengers						
Treadle Mats	No		No		0	
Infrared Beams	No		No		0	
Primary and Secondary Location Technologies Used						
Primary Technologies						[
GPS	No	No	No	No	0	0
Differential GPS	No	No	No	No	0	0
Signpost/Odometer	No	No	No	No	0	0
Dead_Reckoning	No	No	No	No	0	0
LORAN C	No	No	No	No	0	0
Other	No	No	No	No	0	0
Backup Technologies						
GPS	No	No	No	No	0	0
Differential GPS	No	No	No	No	0	0
Signpost/Odometer	No	No	No	No	0	0
Dead_Reckoning	No	No	No	No	0	0
LORAN C	No	No	No	No	0	0
Other	No	No	No	No	0	0
Number of Vehicles with APCs						
Fixed Route Bus	NR	NR	NR	NR	0	0
Heavy or Rapid Rail	NR	NR	NR	NR	0	0
Light Rail	NR	NR	NR	NR	0	0
Demand Responsive	NR	NR	NR	NR	0	0
Commuter Rail	NR	NR	NR	NR	0	0
Ferry Boat	NR	NR	NR	NR	0	0
Remote Real-Time Monitoring and Computer Assisted Dispatching						
Remote Real-Time Monitoring						
Fixed Route Bus	101	130	NR	NR	101	130
Heavy or Rapid Rail	NR	NR	NR	NR	0	0
Light Rail	NR	NR	NR	NR	0	0
Demand Responsive	23	30	NR	NR	23	30
Commuter Rail	NR	NR	NR	NR	0	0

	Erocas A			ity Coach	Totals	
	1999	rea Express 2005	1999	2005	1999 2005	
Ferry Boat	NR	NR	NR	NR	0	0
Automated Dispatching or Control Software					0	0
Fixed Route Bus	101	130	NR	NR	101	130
	NR	NR		NR		
Heavy or Rapid Rail			NR		0	0
Light Rail	NR	NR	NR	NR	0	0
Demand Responsive	26	30	NR	NR	26	30
Commuter Rail	NR	NR	NR	NR	0	0
Ferry Boat	NR	NR	NR	NR	0	0
Coordinate or plan to coordinate travel request and vehicle						
dispatching for multiple agencies?	No		No		0	
s there or will there be a Transportation Management Center						
(TMC) in the region that controls transit and highway modes?	NR		No		0	
Modes that TMC currently controls:						
Highways	No	No	No	No	0	0
Fixed Route Bus	No	No	No	No	0	0
Heavy or Rapid Rail	No	No	No	No	0	0
Light Rail	No	No	No	No	0	0
Demand Responsive	No	No	No	No	0	0
Commuter Rail	No	No	No	No	0	0
Ferry Boat	No	No	No	No	0	0
•	-	-	-		-	-
Other Priority at Traffic Signals and Ramp Meter Priority	No	No	No	No	0	0
Priority at Traffic Signals						
Fixed Route Bus	NR	NR	NR	NR	0	0
Light Rail	NR	NR	NR	NR	0	0
Demand Responsive	NR	NR	NR	NR	0	0
Ramp Meter Priority					-	-
Fixed Route Bus	NR	NR	NR	NR	0	0
Demand Responsive	NR	NR	NR	NR	0	0
Number of Vehicles Equipped with Navigation Aids						
Fixed Route Bus	NR	NR	NR	NR	0	0
Heavy or Rapid Rail	NR	NR	NR	NR	0	0
Light Rail	NR	NR	NR	NR	0	0
Demand Responsive	NR	NR	NR	NR	0	0
Commuter Rail	NR	NR	NR	NR	0	0

	<b>F</b> actor <b>A</b>	<b>-</b>		St. Ossah	Tet	
	Fresno Area Express 1999 2005		Visalia City Coach		Totals	
Formy Doot	1999 	2005 NR	1999 NR	2005 NR	<b>1999</b> 0	<b>2005</b>
Ferry Boat TS Standards Used Related to Transit Management	NR	INK	INK	INF	0	0
	Na		No		0	
TCIP On Boad Objects (TCIP-OB)	No				-	
TCIP Traffic Management Objects (TCIP-TM)	No No		No		0	
TCIP Common Public Transportation Objects (TCIP-CPT)			No		-	
TCIP Passenger Information Objects (TCIP-PI)	No		No		0	
TCIP Incident Management Objects (TCIP-IM)	No		No		0	
TCIP Fare Collection Objects (TCIP-FC)	No		No		0	
TCIP Spatial Representation Objects (TCIP-SP)	No		No		0	
TCIP Control Center Objects (TCIP-CC)	No		No		0	
TCIP Scheduling/Runcutting Objects (TCIP-SCH)	No		No		0	
Send data communication between micro computer and heavy duty						
vehicle applications (SAE J1708)	No		No		0	
Nould agency be willing to participate in testing of ITS Standards?	No		No		0	
lave agreements in place with other agencies to use similar hardware						
and software to aid maintenance and interoperability?	No		No		0	
Electronic Fare Payment						
lave full operational Electronic Fare Payment System?	Yes		No		1	
Nethods of Fare Payment						
Stored value card with fare deducted for each trip						
Magnetic Stripe	No		No		0	
Smart Card	No		No		0	
Debit Card	No		No		0	
Billed by the month for trips taken						
Magnetic Stripe	No		No		0	
Smart Card	No		No		0	
Credit Card	No		No		0	
Monthly Pass						
Magnetic Stripe	No		No		0	
Smart Card	No		No		0	
/ehicles/Stations Equipped with Automated Payment Mechanism						
Magnetic Stripe Readers						
Fixed Route Bus Vehicles	NR	NR	21	24	21	24
Heavy or Rapid Rail Stations	NR	NR	NR	NR	0	0
Light Rail Stations	NR	NR	NR	NR	0	0
Demand Responsive Vehicles	NR	NR	NR	NR	0	0
Commuter Rail Stations	NR	NR	NR	NR	0	0
Ferry Boat Landings	NR	NR	NR	NR	0	0

	Fresno Are	ea Express	Visalia City Coach		Totals	
	1999	2005	1999	2005	1999	2005
Smart Card Readers						
Fixed Route Bus Vehicles	NR	NR	NR	NR	0	0
Heavy or Rapid Rail Stations	NR	NR	NR	NR	0	0
Light Rail Stations	NR	NR	NR	NR	0	0
Demand Responsive Vehicles	NR	NR	NR	NR	0	0
Commuter Rail Stations	NR	NR	NR	NR	0	0
Ferry Boat Landings	NR	NR	NR	NR	0	0
Credit Card						
Fixed Route Bus Vehicles	NR	NR	NR	NR	0	0
Heavy or Rapid Rail Stations	NR	NR	NR	NR	0	0
Light Rail Stations	NR	NR	NR	NR	0	0
Demand Responsive Vehicles	NR	NR	NR	NR	0	0
Commuter Rail Stations	NR	NR	NR	NR	0	0
Ferry Boat Landings	NR	NR	NR	NR	0	0
Debit Card						
Fixed Route Bus Vehicles	NR	NR	NR	NR	0	0
Heavy or Rapid Rail Stations	NR	NR	NR	NR	0	0
Light Rail Stations	NR	NR	NR	NR	0	0
Demand Responsive Vehicles	NR	NR	NR	NR	0	0
Commuter Rail Stations	NR	NR	NR	NR	0	0
Ferry Boat Landings	NR	NR	NR	NR	0	0
IR: No Response						

Appendix J Transit Management Integration

	Fresr	o Area Express	Vis	alia City Coach
Agency Name	1999	2005	1999	2005
Agency Returned Survey?	Yes		Yes	
Transit operators in the region that use the same electronic payment system	None listed		None listed	·
Toll operators from whom you accept electronic payment of transit				
fare through the use of ETC media	None listed		None listed	
Receiving real-time information via electronic means from others				
Freeway Management agencies from which your agency receives				
freeway travel times, speeds, and conditions				
Receive Information	None listed	None listed	None listed	None listed
Share Infrastructure	None listed	None listed	None listed	None listed
Arterial Management agencies from which your agency receives				
arterial travel times, speeds, and conditions				
Receive Information	None listed	None listed	None listed	None listed
Share Infrastructure	None listed	None listed	None listed	None listed
Incident Management agencies from which your agency receives				
incident severity, location, and type				
Receive Information	None listed	None listed	None listed	None listed
Share Infrastructure	None listed	None listed	None listed	None listed

Appendix K Transit Management Information Collection and Dissemination

#### Data Collection and Dissemination: Transit Management Agencies for Metropolitan Area: Fresno

	Fresno Ar	ea Express	Visalia City Coach				
Agency Name	1999	2005	1999 2005				
Agency Returned Survey?	Yes		Yes				
Methods used to disseminate transit information to the public							
Technologies your agency uses to disseminate:							
Transit routes, schedules and fares	Variable Message Signs (in vehicle), Pagers or personal data assistants, Internet Web Sites, Telephone System	NR	Facsimile, Variable Message Signs (in vehicle), Internet Web Sites	Kiosks			
Real-time transit schedule adherence or arrival and departure times	NR	Pagers or personal data assistants, Internet Web Sites	NR	NR			
Technologies employed by other organization receiving your data							
Transit routes, schedules and fares	NR	NR	NR	NR			
Real-time transit schedule adherence or arrival and departure times	NR	NR	NR	NR			
Internet web site reporting transit routes, schedules and fare, etc.	www.ci.fresno.ca.us/index.	html	www.ci.visalia.ca.us	•			
Telephone system for reporting transit information to the public	559-498-1122		NR				
Organizations your agency sends information for dissemination to the public	NR		NR				
Data collected, archived, and/or transferred to another agency							
Collected by your agency	Incidents, Vehicle monitoring status, Passenger information (e.g., surveys, O/D), Trip itinerary planning records, Passenger count, Vehicle time and location	NR	NR	NR			
Archived by your agency	NR	NR	NR	NR			
Transferred to another agency by your agency	NR	NR	NR	NR			
Importance of making information available to the public							
Ranked High	Passenger information (e.g itinerary planning records,		NR				
Ranked Medium	NR		NR				
Ranked Low		ng status, Passenger count					
Groups that make requests for the data	Consultants, MPOs, Media stations), Federal DOT per personnel		NR				
What is the data used for?	Dissemination to the public	, Planning	NR				

K - 1

Appendix L Emergency Management

	Total V	Navigation otal Vehicles Capabilities				CAD Equipped with Mobile Data Terminal		Vehicles Equipped with Preemption		<sup>:</sup> ormal rogram	Info to other				
Agency Name	1999	2005	1999	2005	1999	2005	1999	2005	1999	2005	1999	2005	Participate in F Incident Mgt P	Send Incident agencies	List of agencies receiving data
Fresno City Fire Department	38	40				40	38						No	No	None listed
Fresno City Police Department	176	250	176	250	176	250	176	250	176	250	0	250	Yes	No	None listed
Fresno County Sheriff Department	99	120	0	NR	80	120	99	120	80	120	0	0	Yes	No	None listed