Tracking the Deployment of the Integrated Metropolitan ITS Infrastructure in Youngstown, Warren

FY99 Results

For additional information, please contact:

Joseph I. Peters, Ph.D.
ITS Program Assessment Coordinator
ITS Joint Program Office, Room 3416
400 Seventh St., S.W.
Washington, D.C. 20590
(202) 366-2202
FAX: (202) 493-2027
E-mail: joe.peters@fhwa.dot.gov

Table of Contents

Part 1 - Background and Purpose	1
Part 2 - Summary 1999 Survey Results	3
Part 3 - Detailed 1999 Survey Results	7
Freeway Management Component Indicators	9
Freeway Management Integration Indicators	11
Incident Management Component Indicators	13
Incident Management Integration Indicators	15
Arterial Management Component Indicators	17
Arterial Management Integration Indicators	
Electronic Toll Collection Component Indicators	
Electronic Toll Collection Integration Indicators	
Transit Management Component Indicators	
Transit Management Integration Indicators	
Electronic Fare Payment Component Indicators	
Electronic Fare Payment Integration Indicators	
Highway-Rail Intersection Component Indicators	
Highway-Rail Intersection Integration Indicators	
Emergency Management Component Indicators	
Emergency Management Integration Indicators	
Regional Multimodal Traveler Information Component Indicators	
Regional Multimodal Traveler Information Integration Indicators	33
Appendix A. Survey Coverage Area	
Appendix B. Surveyed Agencies	
Appendix C. Freeway Management Components	
Appendix D. Freeway Management Integration	
Appendix E. Freeway Management Information Collection and Dissemination	
Appendix F. Arterial Management Components	
Appendix G. Arterial Management Integration	
Appendix H. Arterial Management Information Collection and Dissemination	
Appendix I. Transit Management Components	
Appendix J. Transit Management Integration	
Appendix K. Transit Management Information Collection and Dissemination	
Appendix L. Emergency Management	
Appendix M. Electronic Toll Collection.	M.1

Part 1 - Background and Purpose

In January 1996, Secretary Peña set a goal of deploying the integrated metropolitan Intelligent Transportation System (ITS) infrastructure in 75¹ of the nation's largest metropolitan areas by 2006:

"I'm setting a national goal: to build an intelligent transportation infrastructure across the United States to save time and lives, and improve the quality of life for Americans. I believe that what we do, we must measure . . . Let us set a very tangible target that will focus our attention . . . I want 75 of our largest metropolitan areas outfitted with a complete intelligent transportation infrastructure in 10 years." ²

-- Secretary Peña, 1996

In 1997, the U.S. Department of Transportation initiated an effort to track progress toward fulfillment of this goal by conducting a survey of deployment in the nation's largest metropolitan areas. Traditionally, the product of a transportation infrastructure investment consists of a fixed asset such as a highway, bridge, or public transportation vehicle developed, constructed, or purchased by a single agency. Tracking the level of deployment for such traditional fixed assets can be accomplished by simply counting the number of such assets deployed. Measuring the deployment of the metropolitan ITS infrastructure is more complex because it consists of a set of systems, often deployed by multiple agencies, and integrated through a combination of complex institutional and technical arrangements. In brief, it is often difficult to simply count the number of systems deployed without first devising a measurement approach that captures the essential features of such systems in a consistent fashion across many deployment environments.

In order to track progress toward fulfillment of the Secretary's goal for deployment, the U.S. Department of Transportation ITS Joint Program Office developed the metropolitan ITS deployment tracking methodology. This methodology tracks deployment of the nine components that make up the Metropolitan ITS infrastructure: Freeway Management; Incident Management; Arterial Management; Emergency Management; Transit Management; Electronic Toll Collection; Electronic Fare Payment; Highway-Rail Intersections; and Regional Multimodal Traveler Information. Through a set of indicators tied to the major functions of each component, the level of deployment is tracked for the nation's largest metropolitan areas. In addition, the integration links between agencies operating the infrastructure are also tracked. The details of

¹ Since Secretary Peña's speech, the number of metropolitan areas that DOT will measure has been increased from 75 to 78. However, to maintain reporting consistency across the 10-year goal period, this report considers only the original 75 metropolitan areas.

² Excerpt of a speech delivered by Secretary of Transportation Peña at the Transportation Research Board in Washington, DC on January 10, 1996.

the methodology are explained elsewhere.³

During the summer and fall of 1999, the U.S. DOT undertook a new data collection effort for the purpose of examining ITS deployment progress in the nation's largest metropolitan areas. The Youngstown, Warren metropolitan area was among the areas surveyed in 1997 and again in 1999. This report presents the results of the 1999 survey efforts and compares the results of the 1997 survey against those observed in 1999. The overall response rate for the surveys administered in the Youngstown, Warren region was 88% in 1997 and 71% in 1999.

Part 2 contains a summary of the 1999 survey results, and Part 3 provides a comparison of 1999 survey results and the 1997 survey results.

The report also contains a set of appendices containing a map of the survey area, the list of local contacts surveyed along with a status of their response to the survey and a summary of the data collected from the surveys.

Agencies are encouraged to review the data presented in this report for completeness and accuracy and to direct any comments or corrections to the data provided to the contacts listed below:

Steve Gordon
Oak Ridge National Laboratory
P.O. Box 2008, 4500N, MS-6207
Oak Ridge, TN 37831-6207
(865) 576-8416 (voice)
(865) 574-3895 (fax)
gordonsr@ornl.gov

Jeff Trombly
Science Applications International Corporation
301 Laboratory Road
Oak Ridge, TN 37831-2501
(865) 481-8563 (voice)
(865) 481-2941 (fax)
jeffrey.w.trombly@saic.com

³ Additional Resources: "Measuring ITS Deployment and Integration" (Electronic Document Number: 4372). U.S. Department of Transportation, Joint Program Office for Intelligent Transportation Systems, 400 Seventh St., SW (HVH-1), Washington, DC 20590, Phone: 202-366-9536, Fax: 202-366-3302, Web: http://www.its.dot.gov.

Part 2 - Summary 1999 Survey Results

Deployment indicators have been developed for two broad areas of interest: (1) the individual components, including their basic functions and characteristics and (2) integration of components, including how these components work together to provide coordinated regional service. As mentioned earlier, these indicators are expressed as percentages of the possible deployment opportunity and not necessarily what should be deployed based on local needs. Requirements for deployment and integration between each component will vary based on local conditions and cannot be assigned without extensive coordination with individual metropolitan areas.


The following two figures portray the surrogate indicators for each of the nine components in Youngstown, Warren and the same indicators at the national level. These are judged to be the single best representative of a component and are being used as summary indicator for component. The summary indicators are expressed as a percentage; however, because deployment goals have yet to be established, these indicators should not be read as a comparison of what is deployed versus eventual deployment goals. Instead, they only reflect what is deployed compared to full market saturation (i.e., opportunity for deployment).

Each component indicator was selected to reflect a critical function of the individual components. For example, in the case of Freeway Management, three basic functions were defined: surveillance, traffic control, and information display. The three indicators developed to reflect these functions are: percentage of freeway centerline miles under electronic surveillance (surveillance function), percentage of freeway entrance ramps managed by ramp meters (traffic control function), and percentage of freeway centerline miles covered by permanent VMS, HAR, or in-vehicle signing (information display function). The indicators are surrogates that do not necessarily reflect the full breadth of metropolitan ITS deployment activity.

A critical aspect of ITS that provides much of its capability is the integration of individual components to form a unified regional traffic control system. Individual ITS components routinely collect information that is used for purposes internal to that component. For example, the Arterial Management component monitors arterial conditions to revise signal timing and to convey these conditions to travelers through such technologies as variable message signs and highway advisory radio. Other ITS components can make use of this information in formulating their control strategies. For example, Transit Management may alter routes and schedules based on real-time information on arterial traffic conditions, and Freeway Management may alter ramp metering or diversion recommendations based on the same information.

As with the component indicators, definitions for inter- and intra-component integration were developed for each component, and indicators, derived from these definitions, were produced for each component. A total of 34 individual integration indicators was specified and is portrayed in the third figure which follows. Each integration indicator has been assigned a number and an origin/destination path from one ITS infrastructure component to another. For example, the


integration of information from the Freeway Management component to the Regional Multimodal Traveler Information component is identified by the number "10."



^{*} Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity.

^{**} Deployment opportunity reflects potential totals that do not necessarily reflect actual need.






^{*} Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity

^{**} Deployment opportunity reflects potential totals that do not necessarily reflect actual need

Youngstown, Warren Integration Links



Note: Shading indicates the value of the link. For example a circle half shaded equals 50%

Link	Description	Link	Description
1	Arterial Management to Regional	2	Arterial Management to Freeway
	Multimodal Traveler Information		Management
3	Arterial Management to Transit	4	Arterial Management to Incident
	Management		Management
5	Incident Management to Arterial	6	Incident Management to Regional
	Management		Multimodal Traveler Information
7	Incident Management to Emergency	8	Incident Management to Freeway
	Management.		Management
9	Incident Management to Transit	10	Freeway Management to Regional
	Management		Multimodal Traveler Information
11	Freeway Management to Arterial	12	Freeway Management to Transit
	Management		Management

Link	Description	Link	Description
13	Freeway Management to Incident	14a	Transit Management to Regional
	Management		Multimodal Traveler Information
			(static route information)
		14b	Transit Management to Regional
			Multimodal Traveler Information
			(schedule adherence information)
15a	Transit Management to Freeway	16a	Transit Management to Arterial
	Management		Management
15b	Transit Management to Freeway	16b	Transit Management to Arterial
	Management (transit vehicle probes)		Management (transit vehicle probes)
17	Electronic Toll Collection to	18	Electronic Toll Collection to Arterial
	Freeway Management (ETC		Management (ETC equipped probes)
	equipped probes)		
19	Electronic Fare Payment and	20	Electronic Fare Payment to Transit
	Electronic Toll Collection		Management
21a	Emergency Management to Incident	22	Emergency Management to Arterial
	Management (incident notification)		Management
21b	Emergency Management to Incident		
	Management (incident clearance)		
23	Highway-rail intersections to	24	Highway-rail intersections to Arterial
	Incident Management (crossing		Management (crossing status)
	status)		
25	Incident Management intra	26	Arterial Management intra component
	component		
27	Electronic Fare Payment intra	28	Electronic Toll Collection intra
	component.		component
29	Transit Management to Incident	30	Freeway Management intra
	Management (incident reporting)		component

Part 3 - Detailed 1999 Survey Results

The following figures and tables summarize the complete set of component and integration indicators developed for the Youngstown, Warren metropolitan area. The figures summarizing the component indicators consist of a bar chart portraying the deployment levels for 1997, 1999, and 2005 accompanied by detailed tables of the data used to calculate each component indicator value (*Num* stands for numerator and *Den* stands for denominator; blank space indicates that no response was received.)

Example: Calculating Component Indicators for Freeway Management

Consider a metropolitan area with 100 miles of freeway and 25 freeway entrance ramps. The area has no ramp meters, 10 freeway miles for which traffic data are collected electronically, and 5 freeway miles, which are covered by highway advisory radio.

The component indicator for electronic surveillance is calculated as (10/100) or 10%.

The component indicator for ramp meter control is calculated as (0/25) or 0%.

The component indicator for HAR coverage is calculated as (5/100) or 5%.

The summary indicator for the metropolitan area is calculated as (10%+0%+5%)/3 = 5%.

The figures summarizing the integration indicators consist of a diagram for each of the nine metropolitan ITS components portraying the integration level for 1999 (*italic*) and 2005 (**bold**), accompanied by tables providing an explanation of the data and calculations performed to develop each integration indicator value for 1999 and 2005. Each diagram portrays the proportion of agencies providing information to a component (e.g., the flow of incident information from Incident Management to Freeway Management) and the proportion of agencies providing information from one component to other components (e.g., the flow of freeway travel condition information from Freeway Management to Arterial Management).


Example: Calculating Integration between Arterial Management and Regional Multimodal Traveler Information

Consider a metropolitan area with three arterial management agencies. One out of three provides information to the public using a Regional Multimodal Traveler Information Media (e.g., internet, kiosk, pager, etc...). The integration indicator is 1/3 or 33%.

Freeway Management Component Indicators

Data as of 5/1/00

Youngstown, Warren Freeway Management*



^{*} Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity.


^{**} Deployment opportunity reflects potential totals that do not necessarily reflect actual need.

	1997			1999			2005		
Description	Num	Den	%	Num	Den	%	Num	Den	%
Freeway centerline miles	0	103	0%		103			103	
are under electronic									
surveillance for									
monitoring traffic flow									
Freeway entrance ramps	0	103	0%						
are controlled by ramp									
meters or miles under lane									
control									
Freeway entrance ramps					98			98	
are controlled by ramp									
meters									

	1997			1999			2005		
Description	Num	Den	%	Num	Den	%	Num	Den	%
Freeway centerline miles					103			103	
will be controlled by lane									
control									
Freeway miles are	0	103	0%						
covered by VMS, HAR,									
or IVS									
Freeway miles are					103			103	
covered by VMS									
Freeway miles are					103			103	
covered by HAR									
Freeway miles are					103			103	
covered by IVS									

Freeway Management Integration Indicators

Youngstown, Warren Freeway Management Integration*



^{*} Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity


Link Description	1999	2005
2. Arterial Management agencies sending information to Freeway	(1/2)	(1/2)
Management	50%	50%
8. Incident Management agencies sending information to Freeway	(0/1)	(0/1)
Management	0%	0%
15a. Transit management agencies with vehicles equipped with	(0/1)	(0/1)
ramp meter priority	0%	0%
15b. Transit Management agencies with vehicles equipped as	(0/1)	(0/1)
probes	0%	0%
17. Freeway Management agencies receiving freeway conditions	(0/1)	(0/1)
from vehicle probes	0%	0%
30. Freeway Management agencies sending information to another	(0/1)	(0/1)
Freeway Management agency	0%	0%
11. Freeway Management agencies sending information to Arterial	(0/1)	(0/1)
Management	0%	0%
10. Freeway Management agencies disseminating freeway	(1/1)	(1/1)
conditions to the public	100%	100%

Link Description	1999	2005
12. Freeway Management agencies sending freeway conditions to	(0/1)	(0/1)
Transit Management	0%	0%
13. Freeway Management agencies sending freeway conditions to	(0/1)	(0/1)
Incident Management	0%	0%

Incident Management Component Indicators

Data as of 5/1/00

Youngstown, Warren Freeway and Arterial Incident Management*



^{*} Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity.

^{**} Deployment opportunity reflects potential totals that do not necessarily reflect actual need.


	1997		1999			2005			
Description	Num	Den	%	Num	Den	%	Num	Den	%
Freeway miles are	0	103	0%		103			103	
covered by incident									
detection algorithms									
Freeway miles are	0	103	0%		103			103	
covered by free cellular									
phone calls to a									
dedicated number									
Freeway miles are	0	103	0%		103			103	
covered by surveillance									
cameras.									

		1997		1999		2005			
Description	Num	Den	%	Num	Den	%	Num	Den	%
Freeway miles are	0	103	0%		103			103	
covered by on-call									
publicly-sponsored									
service patrol or towing									
services.									
Arterial miles are	0	363	0%		363			363	
covered by incident									
detection algorithms									
Arterial miles are	0	363	0%		363			363	
covered by free cellular									
phone calls to a									
dedicated number									
Arterial miles are	0	363	0%		363			363	
covered by surveillance									
cameras									
Arterial miles are	0	363	0%		363			363	
covered by on-call									
publicly-sponsored									
service patrol or towing									
services									

Incident Management Integration Indicators

Youngstown, Warren

Incident Management Integration*




^{*} Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity

Link Description	1999	2005
21a. Incident management agencies receiving incident severity from	(1/1)	(1/1)
Emergency Management	100%	100%
21b. Incident management agencies receiving incident clearance	(1/1)	(1/1)
activities from Emergency Management	100%	100%
13. Freeway Management agencies sending freeway conditions to	(0/1)	(0/1)
Incident Management	0%	0%
4. Arterial Management agencies sending arterial conditions to Incident	(1/2)	(1/2)
Management	50%	50%
23. Arterial Management agencies receive information on highway-rail	(0/2)	(0/2)
intersection crossing blockages for the purpose of managing incident	0%	0%
response		
29. Transit Management agencies report traffic incidents as part of an	(1/1)	(1/1)
organized regional incident management program	100%	100%
7. Incident management agencies transfer information describing	(0/1)	(0/1)
incident severity, location, and type to Emergency Management agencies	0%	0%

Link Description	1999	2005
9. Incident Management agencies transfer information describing	(0/1)	(0/1)
incident severity, location, and type to Transit Management agencies	0%	0%
6. Incident Management agencies disseminate information describing	(1/1)	(1/1)
incident severity, location, and type to the public	100%	100%
5. Incident Management agencies transfer information describing	(0/1)	(0/1)
incident severity, location, and type to Arterial Management agencies	0%	0%
8. Incident Management agencies transfer information describing	(0/1)	(0/1)
incident severity, location, and type to Freeway Management agencies	0%	0%
25. Police, fire, and EMS agencies participating in a formal incident	(5/7)	(5/7)
management plan/team	71%	71%

Data as of 5/1/00

Youngstown, Warren Arterial Management*



^{*} Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity.

^{**} Deployment opportunity reflects potential totals that do not necessarily reflect actual need.


	1997			1999			2005		
Description	Num	Den	%	Num	Den	%	Num	Den	%
Arterial miles covered	0	363	0%						
by electronic									
surveillance									
Signalized intersections					155			172	
are covered by									
electronic surveillance									
for monitoring traffic									
flow									
Signalized intersections	28	160	17%	49	155	32%	38	172	22%
are under centralized or									
closed loop control									
Arterial miles are	0	363	0%						
covered by VMS, HAR,									
or IVS									

	1997			1999			2005		
Description	Num	Den	%	Num	Den	%	Num	Den	%
Arterial miles are					363			363	
covered by VMS									
Arterial miles are					363			363	
covered by HAR									
Arterial miles are					363			363	
covered by IVS									

Arterial Management Integration Indicators

Youngstown, Warren

Arterial Management Integration*



^{*} Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity


Link Description	1999	2005
16a. Transit management agencies with vehicles equipped with traffic	(0/1)	(0/1)
signal priority	0%	0%
16b. Transit Management agencies have vehicles equipped as probes on	(0/1)	(0/1)
arterials	0%	0%
22. Emergency Management agencies have vehicles equipped with	(1/7)	(2/7)
traffic signal preemption capability	14%	29%
24. Arterial Management agencies have traffic signals within 200 feet of	(1/2)	(1/2)
a highway rail intersection with the capability of having their signal	50%	50%
timing adjusted in response to a train crossing		
18. Number of Arterial Management agencies receiving information	(0/2)	(0/2)
from vehicle probes	0%	0%
5. Incident Management agencies transfer information describing	(0/1)	(0/1)
incident severity, location, and type to Arterial Management	0%	0%
11. Freeway Management agencies transfer freeway travel times,	(0/1)	(0/1)
speeds, and conditions to Arterial Management agencies	0%	0%

Link Description	1999	2005
3. Arterial Management agencies transfer arterial travel times, speeds,	(0/2)	(0/2)
and conditions to Transit Management	0%	0%
1. Arterial Management agencies disseminate arterial travel times,	(1/2)	(1/2)
speeds, and conditions to the public	50%	50%
2. Arterial Management agencies send traffic condition information to	(1/2)	(1/2)
Freeway Management	50%	50%
4. Arterial Management agencies transfer arterial travel times, speeds,	(1/2)	(1/2)
and conditions to Incident Management	50%	50%
26. Arterial Management agencies under cooperative agreement to share	(2/2)	(2/2)
traffic signal timing for coordinated response	100%	100%

Electronic Toll Collection Component Indicators

Data as of 5/1/00

Youngstown, Warren Electronic Toll Collection*



^{*} Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity.


^{**} Deployment opportunity reflects potential totals that do not necessarily reflect actual need.

	1997			1999			2005		
Description	Num	Den	%	Num	Den	%	Num	Den	%
Toll collection plazas				0	4	0%	0	0	
with ETC capability									
Toll collection lanes				0	15	0%	0	0	
with ETC capability									

Electronic Toll Collection Integration Indicators

Youngstown, Warren Electronic Toll Collection Integration*

Inputs Outputs




^{*} Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity

Link Description	1999	2005
18. Number of Arterial Management agencies receiving information	(0/2)	(0/2)
from vehicle probes	0%	0%
19. Transit agencies that accept electronic payment through the use of	(0/1)	(0/1)
electronic toll collection media	0%	0%
17. Freeway Management agencies receiving information from vehicle	(0/1)	(0/1)
probes	0%	0%
28. Toll operators using common toll tag technology	(0/1)	(0/1)
	0%	0%

Transit Management Component Indicators

Data as of 5/1/00

Youngstown, Warren Transit Management*




^{*} Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity.

^{**} Deployment opportunity reflects potential totals that do not necessarily reflect actual need.

	1997		1999			2005			
Description	Num	Den	%	Num	Den	%	Num	Den	%
Fixed-route transit vehicles are equipped with AVL	42	43	98%	44	44	100%	44	44	100%
Fixed-route transit vehicles are equipped with electronic monitoring of vehicle component	0	43	0%		44			44	
Paratransit vehicles operate under computer-aided dispatch	0	5	0%	5	5	100%	6	6	100%
Percent fixed-route transfer locations with electronic display of information	0	0							
Bus stops display information to the public									

Transit Management Integration Indicators

Youngstown, Warren Transit Management Integration*



^{*} Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity


Link Description	1999	2005
3. Arterial Management agencies transfer arterial travel times, speeds,	(0/2)	(0/2)
and conditions to Transit Management	0%	0%
9. Incident management agencies transfer information describing	(0/1)	(0/1)
incident severity, location, and type to Transit Management	0%	0%
12. Freeway Management agencies transfer freeway travel times,	(0/1)	(0/1)
speeds, and conditions to Transit Management	0%	0%
20. Transit Management agencies using Electronic Fare Payment data in	(0/1)	(0/1)
transit service planning	0%	0%
16a. Transit Management agencies have vehicles equipped with traffic	(0/1)	(0/1)
signal priority capability	0%	0%
16b. Transit Management agencies have vehicles equipped as probes on	(0/1)	(0/1)
arterials	0%	0%
14a. Transit Management agencies disseminate information describing	(0/1)	(0/1)
transit routes, schedules, and fares to travelers	0%	0%
14b. Transit Management agencies disseminate information describing	(0/1)	(0/1)
schedule/route adherence to travelers	0%	0%

Link Description	1999	2005
15a. Transit Management agencies have vehicles equipped with ramp	(0/1)	(0/1)
meter priority capability	0%	0%
15b. Transit Management agencies have vehicles equipped as probes on	(0/1)	(0/1)
freeways	0%	0%
29. Transit Management agencies that report traffic incidents as part of	(1/1)	(1/1)
an organized regional Incident Management program	100%	100%

Electronic Fare Payment Component Indicators

Data as of 5/1/00

Youngstown, Warren Electronic Fare Payment*



^{*} Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity.


^{**} Deployment opportunity reflects potential totals that do not necessarily reflect actual need.

	1997			1999			2005		
Description	Num	Den	%	Num	Den	%	Num	Den	%
Fixed-route transit vehicles that accept	0	43	0%		44			44	
Rail transit stations that accept electronic	0	0							
payment									

Electronic Fare Payment Integration Indicators

Youngstown, Warren Electronic Fare Payment Integration*

Inputs Outputs



Legend	
1999	
2005	

^{*} Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity


Link Description	1999	2005
19. Transit agencies that accept electronic payment through the use of	(0/1)	(0/1)
electronic toll collection media	0%	0%
20. Transit Management agencies use Electronic Fare Payment data in	(0/1)	(0/1)
transit service planning	0%	0%
27. Transit Management agencies that use the same electronic payment	(0/1)	(0/1)
system	0%	0%

Highway Rail Intersection Component Indicators

Data as of 5/1/00

Youngstown, Warren

Highway-Rail Intersections*



^{*} Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity.


^{**} Deployment opportunity reflects potential totals that do not necessarily reflect actual need.

	1997			1999			2005		
Description	Num	Den	%	Num	Den	%	Num	Den	%
Highway-rail intersections	2	130	2%		12			12	
are under electronic									
surveillance									

Highway Rail Intersection Integration Indicators

Youngstown, Warren Highway Rail Intersections Integration*

Inputs Outputs



Legend							
1999, 2005							


^{*} Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity

Link Description	1999	2005
24. Arterial Management agencies with traffic signals within 200 feet of	(1/2)	(1/2)
a highway rail intersection with the capability of having their signal	50%	50%
timing adjusted in response to a train crossing		
23. Arterial Management agencies receive information on highway-rail	(0/2)	(0/2)
intersection crossing blockages for the purpose of managing incident	0%	0%
response		

Emergency Management Component Indicators

Data as of 5/1/00

Youngstown, Warren Emergency Management*



^{*} Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity.


^{**} Deployment opportunity reflects potential totals that do not necessarily reflect actual need.

	1997			1999			2005		
Description	Num	Den	%	Num	Den	%	Num	Den	%
Public sector emergency vehicles that operate under computer-aided dispatch	0	242	0%	38	262	15%	44	198	22%
Public sector emergency vehicles that have in- vehicle route guidance capability	0	242	0%	40	262	15%	40	198	20%

Emergency Management Integration Indicators

Youngstown, Warren Emergency Management Integration*

Inputs Outputs



Legend 1999, 2005


^{*} Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity

Link Description	1999	2005
7. Freeway Management agencies transfer information describing	(0/1)	(0/1)
incident severity, location, and type to Emergency Management agencies	0%	0%
22. Emergency Management agencies have vehicles equipped with	(1/7)	(2/7)
traffic signal preemption capability	14%	29%
21a. Freeway Management agencies receive incident severity, location,	(1/1)	(1/1)
and type data from Emergency Management agencies	100%	100%
21b. Freeway Management agencies receive incident clearance	(1/1)	(1/1)
activities information from Emergency Management agencies	100%	100%

Regional Multimodal Traveler Information Component Indicators

Data as of 5/1/00

Youngstown, Warren Regional Multimodal Traveler Information*



^{*} Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity.

^{**} Deployment opportunity reflects potential totals that do not necessarily reflect actual need.


	1997			1999			2005		
Description	Num	Den	%	Num	Den	%	Num	Den	%
Freeway conditions	0	103	0%		103			103	
disseminated to									
travelers									
Possible RMTI media				4	8	50%	0	8	0%
types are used to									
display information to									
travelers									
Possible RMTI media				4	8	50%	0	8	0%
are used to display									
information on two or									
more modes to									
travelers									

Regional Multimodal Traveler Information Integration Indicators

Youngstown, Warren

Regional Multimodal Traveler Information Integration*

Inputs Outputs




^{*} Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity

Link Description	1999	2005
14a. Transit Management agencies that disseminate information	(0/1)	(0/1)
describing transit routes, schedules, and fares to travelers	0%	0%
14b. Transit Management agencies that disseminate information	(0/1)	(0/1)
describing schedule/route adherence to travelers	0%	0%
1. Arterial Management agencies that disseminate arterial travel times,	(1/2)	(1/2)
speeds, and conditions to the public	50%	50%
10. Freeway Management agencies that disseminate freeway travel	(1/1)	(1/1)
times, speeds, and conditions to travelers	100%	100%
6. Incident Management agencies that disseminate information	(1/1)	(1/1)
describing incident severity, location, and type to the public	100%	100%

Appendix A Survey Coverage Area

EASTGATE DEVELOPMENT AND TRANSPORTATION AGENCY, OH



Appendix B Surveyed Agencies

Surveyed Agencies

Agency Name	Phone	Fax	199	99	199	97
		İ	Out	In	Out	In
	YOUNGST	OWN, WARREN				
Arterial Management						
Trumbull County	(330) 675-2640	(330) 675-2642	8/5/1999		7/24/1997	7/25/1997
Warren City	(330) 841-2562	(330) 841-2614	8/5/1999		7/24/1997	
Youngstown City	(330) 742-8800	(330) 742-8807	8/5/1999		7/24/1997	
Mahoning County	(330) 799-1581	(330) 799-4600	8/5/1999	9/1/1999	7/24/1997	10/16/1997
Ohio Department of Transportation-District 4	(330) 297-0801	(330) 297-1848	8/5/1999	10/25/1999	7/24/1997	7/24/1997
Electronic Toll Collection		·				
Ohio Turnpike Commission	(440) 234-2081	(440) 234-7273	9/8/1999	9/27/1999	7/24/1997	
Emergency Management	'	'				
Trumbull County Sheriff Department	(330) 675-2545	(330) 675-2507	6/24/1999	8/25/1999	7/24/1997	7/7/1998
Warren City Fire Department	(330) 841-2542	(330) 841-2553	6/24/1999	6/28/1999	7/24/1997	7/28/1997
Youngstown City Police Department	(330) 742-8955	(330) 744-7452	6/24/1999	6/28/1999	7/24/1997	7/7/1998
Youngstown City Fire Department	(330) 747-7403	(330) 747-0094	6/24/1999	6/28/1999	7/24/1997	7/25/1997
Ohio State Highway Patrol	(330) 898-2311	(330) 898-7830	6/24/1999	6/25/1999	7/24/1997	8/14/1997
Warren City Police Department	(330) 841-2659	(330) 841-2532	6/24/1999	6/25/1999	7/24/1997	7/7/1998
Mahoning County Sheriff Department	(330) 480-5067	(330) 742-7463	6/24/1999	8/19/1999	7/24/1997	8/7/1998
Freeway Management	'	'				
Ohio Department of Transportation-District 4	(330) 297-0801	(330) 297-7886	8/5/1999	9/29/1999	7/24/1997	7/24/1997
MPO	'					
Eastgate Development & Transportation Agency	(330) 746-7601	(330) 746-8509	7/15/1999	7/28/1999		
Transit Management				-		
Western Reserve Transit Authority	(330) 744-8431	(330) 744-7611	8/9/1999	12/10/1999	7/17/1997	7/28/1997

Appendix C Freeway Management Components

	Ohio Department of T	ransportation-District 4
	1999	2005
Agency Returned Survey?	Yes	
FREEWAY MANAGEMENT SECTION		
Number of freeway centerline miles that agency owns or maintains	114	
Number of freeway centerline miles that is used for planning	75	
Number of freeway entrance ramps that agency owns, operates or maintains	116	
Number of freeway entrance ramps that is used for planning	80	
Type of facilities used to conduct freeway/incident management activities		
Activities housed in a free-standing dedicated building?	No	
Activities housed in a building shared with other activities?	No	
Activities conducted in a dedicated control room?	No	
Control room contains operator console(s)?	No	
Control room contains electronic wall map?	No	
Control room contains CCTV display(s)?	No	
Activities conducted in a room containing workstations or PCs that manage traffic?	No	
Facilities are electronically linked to other transportation mgt facilities?	No	
Staffing and hours of operation of freeway/incident management activities		
Number of full-time agency staff members	NR	
Number of full time contractor staff members	NR	
Number of part-time agency staff members	NR	
Number of part-time contractor staff members	NR	
Staffed 24 hours day by agency staff or by others	NR	
Staffed during peak hours only by agency staff or by others	NR	
Staffed by others during off-peak hours	No	
Agency staff perform transportation management as an ancillary duty	No	
Agency staff dedicated to transportation management duty	No	
Types of operations conducted for freeway/incident management		
Incident detection and management?	No	
This metropolitan area?	No	
Other metropolitan area?	No	
Statewide?	No	
Monitoring and troubleshooting status of system components?	No	
Manual override of ramp metering rates at freeway on-ramps?	No	
Operating transportation management roadside devices?	No	
Radio communications with other agencies?	No	
Exchange of electronic data with other agencies such as computer aided dispatch?	No	
Real-Time Traffic Data Collection Technologies		
Total number of miles under surveillance with real-time data collection tech.	NR	NR

	Ohio Department of T	ransportation-District 4	
	1999	2005	
Number of Stations with data collection technologies			
Loop detectors	0	0	
Video imaging detectors	0	0	
Probe readers (elec. toll tags, transit vehicles, other technology)	0	0	
Microwave radar	0	0	
Other (e.g., acoustic detectors)	0	0	
Number of Miles covered with data collection technologies	<u> </u>		
Loop detectors	0	0	
Video imaging detectors	0	0	
Probe readers (elec. toll tags, transit vehicles, other technology)	0	0	
Microwave radar	0	0	
Other (e.g., acoustic detectors)	0	0	
/ariable Message Signs (VMS) on Freeways			
Candidate locations for deployment of VMS where VMS has been deployed	NR	NR	
Candidate locations for deployment of VMS	NR	NR	
Roadside Technologies used to Distribute Traveler Information			
Total number of miles where information is distributed	NR	NR	
Number deployed			
Highway advisory radio	0	0	
In-vehicle signing	0	0	
Portable variable message signs	0	0	
Other	0	0	
Miles covered			
Highway advisory radio	0	0	
In-vehicle signing	0	0	
Portable variable message signs	0	0	
Other	0	0	
Ramp Meters on Freeways			
Number of entrance ramp meters operated under isolated control	NR	NR	
Number of entrance ramp meters operated under central control	NR	NR	
Number of entrance ramp meters that provide preemption for emergency vehicles	NR	NR	
Number of entrance ramp meters that provide priority for transit vehicles	NR	NR	
Total number of metered ramps	NR	NR	
Freeway centerline miles under lane control	NR	NR	
Communication Links			
Freeway centerline miles covered by the following type of communication			
Twisted pair cable	0	0	
Coaxial cable	0	0	
Fiber-optic cable	0	0	
Microwave radio	0	0	
Other	0	0	
TS Standards Used Related to Freeway Management ATMS Data Dictionary Sections 1 and 2 (ITE TM 1.01)	No		

	Ohio Department of To	ransportation-District 4
	1999	2005
ATMS Data Dictionary Sections 3 and 4 (ITE TM 1.02)	No	
Message Set for External TMC Communication (ITE-9604-1)	No	
NTCIP Class B Profile (AASHTO TS 3.3)	No	
NTCIP Data Collection and Monitoring Devices (AASHTO TS 3.DCM)	No	
NTCIP Object Definitions for Environmental Sensor Stations (AASHTO TS 3.7)	No	
NTICP Object Definitions for Dynamic Message Signs (AASHTO TS 3.6)	No	
NTICP Object Definitions for Highway Advisory Radio (AASHTO TS 3.HAR)	No	
NTICP Object Definitions for Ramp Meter Control (AASHTO TS 3.RMC)	No	
NTICP Object Definitions for Transportation Sensor Systems (AASHTO TS 3.TSS)	No	
NTICP Object Definitions for Video Camera Control (AASHTO TS 3.VCC)	No	
Nould agency be willing to participate in testing of ITS Standards?	No	
Have agreements in place with other agencies to use similar hardware		
and software to aid maintenance and interoperability?	No	
NCIDENT MANAGEMENT SECTION		
Use of Service Patrols to Assist in Detection and Response to Incidents		
Publicly operated service patrol vehicles	No	
Privately operated service patrol vehicles operated under public contract	No	
Total number of freeway miles patrolled by these services	NR	NR
Miles Covered by Methods to Detect and Verify Incidents		
Free cellular phone call to a dedicated phone number other than 911	NR	NR
Police patrols	NR	NR
Computer algorithms linked to traffic surveillance equipment	NR	NR
CCTV	NR	NR
Private sector sources (e.g., Shadow Traffic, SmartRoutes)	NR	NR
Other (e.g., free cell phone call to an area radio system, etc.)	NR	NR
Procedures in place for Freeway Incident Response?		
Working agreement(s)/arrangement(s) with other agencies	Yes	
Inter-agency incident management admin. team that meets regularly	No	
Major incident response team that responds to major incidents	No	
Set of goals/objectives for incident mgt that has been adopted by agencies in region	No	
Central focal point for facilitating the two-way flow of information		
among agencies responding to an incident?		
The central focal point is a Freeway or Traffic Management Center	No	
The central focal point is a Police, Fire or joint dispatch center	No	
The central focal point is another center	No	
Methods of Communication Used On-Site at an Incident	110	
Police		
Two-way radio	No	
800 MHz trunked radio	No	
Cellular telephone	No	
Hand-held (i.e., walkie-talkie)	No	
Automated data systems (i.e., CAD)	No	

	Ohio Department of T	ransportation-District 4
	1999	2005
<u>Fire</u>		
Two-way radio	No	
800 MHz trunked radio	No	
Cellular telephone	No	
Hand-held (i.e., walkie-talkie)	No	
Automated data systems (i.e., CAD)	No	
DOT		
Two-way radio	Yes	
800 MHz trunked radio	No	
Cellular telephone	No	
Hand-held (i.e., walkie-talkie)	No	
Automated data systems (i.e., CAD)	No	
Towing		
Two-way radio	No	
800 MHz trunked radio	No	
Cellular telephone	No	
Hand-held (i.e., walkie-talkie)	No	
Automated data systems (i.e., CAD)	No	
Which police agencies typically respond to incidents on freeways?		
State Police	Yes	
County Police or Sheriff	Yes	
City Police	Yes	
Who provides on-site emergency medical response?		
Fire	Yes	
Emergency Management Service Agency	No	
Private hospital	No	
Has a multi-agency contact list been developed in area containing the		
names, phone numbers, etc. for the appropriate response personnel?	Yes	
s the Incident Command System used to manage incident scenes?	DK	
s there a legal specification by state law or formal agreement as to who		
is "in charge" at the incident scene?		
Specified by state law?	No	
Formal agreement?	No	
Not specified or don't know?	Yes	
On-scene command post used to manage activities of responding agencies?	DK	
Are there communication linkages to a communications traffic/freeway mgt center?	NR	
Plan developed and adopted by responding agencies for staging and parking		
response vehicles and equip. at incident site that minimizes lane blockage	DI/	
and facilitates the re-opening of lanes?	DK	
Respondents protected through law or court opinion for liability claims	DV	
for damages to vehicles or cargoes during clearance activities? Are overturned tank trucks, which are intact and not leaking, uprighted	DK	

	Ohio Department of Ti	ransportation-District 4
	1999	2005
without first off-loading?	NR	
Does your state or local jurisdiction have a law that requires drivers		
involved in property-damage-only accidents to move the vehicles		
from travel lanes to a safe location to exchange info and wait for police?	NR	
Have laws or policies regarding the removal of stalled/abandoned vehicles		
from freeway shoulders?	NR	
Hours abandoned vehicles are allowed to remain on a freeway shoulder?	NR	
Have policies or procedures for quick removal of vehicles?	NR	
Is Total Station equipment used to investigate major incidents?	No	
Handling of Towing Responses to Incidents		
Formal contract based on qualifications?	No	
Rotation with companies under contract?	No	
Separate lists kept for light and heavy response and for specialty recovery?	NR	
Rotation list with minimal qualifications?	No	
In towing qualifications, do you require towers to be certified under the		
Towing and Recovery Ass. of America's National Drivers Cert. Program?	DK	
DK: Don't know		
NR: No Response		
Leg: Legislation or action being planned		

Appendix D Freeway Management Integration

	Ohio Department of	Transportation-District 4
Agency Name	1999	2005
Agency Returned Survey?	Yes	
Freeway Management Section		
Agencies your agency provides freeway travel times, speeds, and		
conditions information, share infrastructure or coordinates operation		
Freeway Management Agencies		
Provide Information	None listed	None listed
Share Infrastructure	None listed	None listed
Coordinate Operation	None listed	None listed
Incident Management Agencies		
Provide Information	None listed	None listed
Share Infrastructure	None listed	None listed
Coordinate Operation	None listed	None listed
Arterial Management Agencies		
Provide Information	None listed	None listed
Share Infrastructure	None listed	None listed
Coordinate Operation	None listed	None listed
Public Transit Operators		
Provide Information	None listed	None listed
Share Infrastructure	None listed	None listed
Coordinate Operation	None listed	None listed
Receiving real-time information via electronic means from others		
Incident Management agencies from which your agency receives		
incident severity, location, and type information	None listed	None listed
Arterial Management agencies from which your agency receives		
arterial travel times, speeds, and conditions	None listed	None listed
Public Transit operators from which your agency receives		
freeway travel times derived from vehicle probes	None listed	None listed
Toll Collection agencies from which your agency receives freeway travel		
times derived from vehicles probes	None listed	None listed
Freeway Incident Management Section		
Agencies your agency provides incident severity, location, and type info.		
and/or shares infrastructure and/or coordinates operation		
Arterial Management Agencies		
Provide Information	None listed	None listed
Share Infrastructure	None listed	None listed
Coordinate Operation	Mahoning County, Ohio Department of Transportation-District 4, Trumbull County, Warren City	None listed
Emergency Management Agencies	, ,	
Provide Information	None listed	None listed

	Ohio Department o	f Transportation-District 4
Agency Name	1999	2005
Share Infrastructure	None listed	None listed
Coordinate Operation	None listed	None listed
Freeway Management Agencies		
Provide Information	None listed	None listed
Share Infrastructure	None listed	None listed
Coordinate Operation	None listed	None listed
Public Transit Operators		
Provide Information	None listed	None listed
Share Infrastructure	None listed	None listed
Coordinate Operation	None listed	None listed
Receiving real-time information via electronic means from others		
Emergency Management agencies from which your agency receives		
incident clearance and/or incident severity and type		
Receive Arterial Incident Clearance Information	Ohio State Highway Patrol	Ohio State Highway Patrol
Receive Arterial Incident Severity Information	Ohio State Highway Patrol	Ohio State Highway Patrol
Arterial Management agencies from which your agency receives		
arterial travel times, speeds, and conditions	Ohio Department of Transportation- District 4	Ohio Department of Transportation- District 4
Freeway Management agencies from which your agency receives		
freeway travel times, speeds, and conditions	None listed	None listed

^{*}short survey: Agency responded using a short survey. The survey did not include names of individual agencies, but only identified whether integration exists.

Appendix E Freeway Management Information Collection and Dissemination

Data Collection and Dissemination: Freeway Management Agencies for Metropolitan Area: Youngstown, Warren

	Ohio Department of T	ransportation-District 4
Agency Name	1999	2005
Agency Returned Survey?	Yes	
Freeway Management Section		
Data collected, archived, and/or transferred to another agency		
Collected by your agency	Traffic volumes, Traffic speeds, Vehicle classification, Road conditions, Weather conditions, Current work zones, Scheduled work zones, Intermodal (air, rail, water) connections	NR
Archived by your agency	Traffic volumes, Traffic speeds, Vehicle classification, Road conditions, Weather conditions, Current work zones, Scheduled work zones, Intermodal (air, rail, water) connections	NR
Transferred to another agency by your agency	Traffic volumes, Traffic speeds, Vehicle classification, Road conditions, Weather conditions, Current work zones, Scheduled work zones, Intermodal (air, rail, water) connections	NR
Importance of making information available to the public		
Ranked High	Traffic volumes, Road conditions, Weather conditions, Cu	irrent work zones, Scheduled work zones
Ranked Medium	Traffic speeds, Vehicle classification, Intermodal (air, rail,	water) connections
Ranked Low	NR	
Groups that make requests for the data	Universities, State DOT personnel, Federal DOT personn Consultants	·
What is the data used for?	Traffic analysis, Construction impact determination, Planr public	ning, Roadway impact analysis, Dissemination to the
Methods used to disseminate freeway information to the public		
Technologies your agency uses to disseminate:	Telephone system, Internet Web sites, Pagers or personal data assistants, E-mail or other direct PC communication, Cell phone/voice, Cell phone/data, Facsimile	NR
Technologies your agency (through another agency or org.) uses to disseminate:	Telephone system, Internet Web sites, Pagers or personal data assistants, E-mail or other direct PC communication, Cell phone/voice, Cell phone/data, Facsimile	NR
Internet web site reporting freeway conditions	www.dot.state.oh.us	
Telephone system for reporting freeway information to the public	NR	
Organizations your agency sends information for dissemination to the public	NR	
Freeway Incident Management Section		
Methods used to distribute incident location and severity information		
to the public		

Data Collection and Dissemination: Freeway Management Agencies for Metropolitan Area: Youngstown, Warren

	Ohio Department of	Transportation-District 4
Agency Name	1999	2005
Technologies your agency uses to disseminate:	Telephone system, Internet Web sites, Pagers or personal data assistants, E-mail or other direct PC communication, Cell phone/voice, Cell phone/data, Facsimile	NR
Technologies your agency (through another agency or org.) uses to disseminate:	Telephone system, Internet Web sites, Pagers or personal data assistants, E-mail or other direct PC communication, Cell phone/voice, Cell phone/data, Facsimile	NR
Internet web site reporting incident information	NR	•
Telephone system for reporting incident information to the public	NR	
Organizations your agency sends information for dissemination to the public	NR	

Appendix F Arterial Management Components

	Mahonir	ng County		artment of ion-District 4	Tot	als
	1999	2005	1999	2005	1999	2005
						<u> </u>
Agency Returned Survey?	Yes		Yes		2	
ARTERIAL MANAGEMENT SECTION						<u> </u>
Number of arterial miles that agency owns or maintains	492.58		130		622.58	
Number of arterial miles that is used for planning	NR		130		130	
Number of highway-rail intersections that agency maintains	NR		12		12	
Number of highway-rail intersections that is used for planning	NR		0		0	
Type of facilities used to conduct arterial management activities						
Activities housed in a free-standing dedicated building?	No		No		0	
Activities housed in a building shared with other activities?	No		No		0	
Activities conducted in a dedicated control room?	No		No		0	
Control room contains operator console(s)?	No		No		0	
Control room contains electronic wall map?	No		No		0	
Control room contains CCTV display(s)?	No		No		0	
Activities conducted in a room containing workstations or PCs that manage traffic?	No		Yes		1	
Facilities are electronically linked to other transportation mgt facilities?	No		No		0	
Staffing and hours of operation of arterial management activities						'
Number of full-time agency staff members	120		NR		0	
Number of full time contractor staff members	0		NR		0	
Number of part-time agency staff members	1		NR		0	
Number of part-time contractor staff members	0		NR		0	
Staffed 24 hours day by agency staff or by others	yes		NR		1	
Staffed during peak hours only by agency staff or by others	yes		NR		1	
Staffed by others during off-peak hours	No		No		0	
Agency staff perform transportation management as an ancillary duty	No		No		0	
Agency staff dedicated to transportation management duty	No		No		0	
Types of operations conducted for arterial management						
Incident detection and management?	No		No		0	
This metropolitan area?	No		No		0	
Other metropolitan area?	No		No		0	
Monitoring and troubleshooting status of system components?	No		No		0	
Radio communications with other agencies?	No		No		0	
Exchange of electronic data with other agencies such as computer aided dispatch?	No		No		0	
Manual override of traffic signal timing plans	No		No		0	
Operating transportation mgt roadside devices (e.g., VMS, CCTV, etc.)	No		No		0	
Describe agency's role in traffic signal control		county except routes	State ro	utes only		
Traffic Signals Operated by Agency						

	Mahanin	a County		eartment of ion-District 4	Tot	ala.
	1999	g County 2005	1999	2005	1999	2005
Number of signalized intersections operated and owned by agency	38	44	115	125	153	169
Number of signalized intersections operated and owned by agency Number of signalized intersections operated by agency but owned by another	2	3	0	0	2	3
	40	47	115	125	155	172
Total number of signalized intersections operated by agency Characteristics of signalized intersections that agency operates	40	47	115	125	100	172
	20	20	47	ND	40	20
Under closed loop or central system control	32	38	17 0	NR	49	38
Under real-time traffic adaptive control using advanced software	0	0		NR	0	0
Using SCOOT	No		No		0	
Using SCATS	No		No		0	
Name of software	NR		NR			
Allow signal preemption for emergency vehicles	2	4	5	NR	7	4
Allow signal priority for transit vehicles	0	0	0	NR	0	0
Within 200 feet of a highway-rail intersection	0	0	1	NR	1	0
Within 200 feet of a highway-rail intersection that adjust signal timing	0	0	1	NR	1	0
Software used to control the signals agency operates						
Date of last upgrade to traffic signal control system software?	N	IR	19	998		
How often do you update signal timing?	ADT's to IT	E Handbook		as needed tate		
	N	IR		MATS, 0, 27		
Software used and number of signalized intersections under control (1999, 2005)	N	IR		MATS, 0, 27 TWAYS, 17, 0		
Software used and number of signalized intersections under control (1999, 2005) Controllers used to control signals		IR		, ,		
	40	IR 47		, ,	155	47
Controllers used to control signals			PEEK SMAR	TWAYS, 17, 0	155 0	47 0
Controllers used to control signals NEMA	40	47	PEEK SMAR	TWAYS, 17, 0		
NEMA 170/179 2070 controller Other	40	47 0	PEEK SMAR 115 0	TWAYS, 17, 0 NR 0	0	0
NEMA 170/179 2070 controller Other Technologies Associated with Highway-Rail Intersections	40 0 0	47 0 0	115 0 0	NR 0 0	0	0
NEMA 170/179 2070 controller Other Technologies Associated with Highway-Rail Intersections Total number of highway-rail intersections under electronic surveillance	40 0 0	47 0 0	115 0 0	NR 0 0	0	0
Controllers used to control signals NEMA 170/179 2070 controller Other Technologies Associated with Highway-Rail Intersections Total number of highway-rail intersections under electronic surveillance Highway-Rail intersection capapbilities	40 0 0 0 0	47 0 0 0 0	115 0 0 0 NR	NR 0 0 0 NR NR	0 0 0	0 0 0
Controllers used to control signals NEMA 170/179 2070 controller Other Technologies Associated with Highway-Rail Intersections Total number of highway-rail intersections under electronic surveillance Highway-Rail intersection capapbilities Video surveillance	40 0 0 0 0 NR	47 0 0 0 0 NR	115 0 0 0 NR	NR 0 0 0 NR 0 NR 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0	0 0 0
Controllers used to control signals NEMA 170/179 2070 controller Other Fechnologies Associated with Highway-Rail Intersections Total number of highway-rail intersections under electronic surveillance Highway-Rail intersection capapbilities Video surveillance Electronic surveillance other than video	40 0 0 0 0 NR	47 0 0 0 0 NR	115 0 0 0 NR	NR 0 0 0 NR 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0	0 0 0 0
NEMA 170/179 2070 controller Other Technologies Associated with Highway-Rail Intersections Total number of highway-rail intersections under electronic surveillance Highway-Rail intersection capapbilities Video surveillance Electronic surveillance other than video Ability to predict train arrival electronically	40 0 0 0 0 NR 0 0	47 0 0 0 0 NR 0 0	115 0 0 0 NR 0 0	NR 0 0 0 NR 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0	0 0 0 0
Controllers used to control signals NEMA 170/179 2070 controller Other Fechnologies Associated with Highway-Rail Intersections Total number of highway-rail intersections under electronic surveillance Highway-Rail intersection capapbilities Video surveillance Electronic surveillance other than video Ability to predict train arrival electronically Equipped with electronic traffic violator devices	40 0 0 0 0 NR 0 0 0	47 0 0 0 0 NR 0 0 0	115 0 0 0 NR 0 0	NR 0 0 0 NR 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0	0 0 0 0
Controllers used to control signals NEMA 170/179 2070 controller Other Fechnologies Associated with Highway-Rail Intersections Total number of highway-rail intersections under electronic surveillance Highway-Rail intersection capapbilities Video surveillance Electronic surveillance other than video Ability to predict train arrival electronically Equipped with electronic traffic violator devices Other	40 0 0 0 0 NR 0 0	47 0 0 0 0 NR 0 0	115 0 0 0 NR 0 0	NR 0 0 0 NR 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0	0 0 0 0
NEMA 170/179 2070 controller Other Fechnologies Associated with Highway-Rail Intersections Total number of highway-rail intersections under electronic surveillance Highway-Rail intersection capapbilities Video surveillance Electronic surveillance other than video Ability to predict train arrival electronically Equipped with electronic traffic violator devices Other Real-Time Electronic Traffic Data Collection Technologies	40 0 0 0 0 NR 0 0 0	47 0 0 0 0 NR 0 0 0	115 0 0 0 NR 0 0 0	NR 0 0 0 NR 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0 0
NEMA 170/179 2070 controller Other Fechnologies Associated with Highway-Rail Intersections Total number of highway-rail intersections under electronic surveillance Highway-Rail intersection capapbilities Video surveillance Electronic surveillance other than video Ability to predict train arrival electronically Equipped with electronic traffic violator devices Other Real-Time Electronic Traffic Data Collection Technologies Fotal number of signalized intersections covered by electronic surveillance	40 0 0 0 0 NR 0 0 0	47 0 0 0 0 NR 0 0 0	115 0 0 0 NR 0 0	NR 0 0 0 NR 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0	0 0 0 0
NEMA 170/179 2070 controller Other Technologies Associated with Highway-Rail Intersections Total number of highway-rail intersections under electronic surveillance Highway-Rail intersection capapbilities Video surveillance Electronic surveillance other than video Ability to predict train arrival electronically Equipped with electronic traffic violator devices Other Real-Time Electronic Traffic Data Collection Technologies Total number of signalized intersections with data collection technologies	40 0 0 0 0 NR 0 0 0 0 0	47 0 0 0 0 NR 0 0 0 0	115 0 0 0 NR 0 0 0 0	NR 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0
NEMA 170/179 2070 controller Other Fechnologies Associated with Highway-Rail Intersections Total number of highway-rail intersections under electronic surveillance Highway-Rail intersection capapbilities Video surveillance Electronic surveillance other than video Ability to predict train arrival electronically Equipped with electronic traffic violator devices Other Real-Time Electronic Traffic Data Collection Technologies Fotal number of signalized intersections covered by electronic surveillance	40 0 0 0 0 NR 0 0 0	47 0 0 0 0 NR 0 0 0	115 0 0 0 NR 0 0 0	NR 0 0 0 NR 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0 0 0

	Mahoning County			partment of	Totals	
	1999	2005	1999	ion-District 4	1999	2005
Probe readers reading license plates	0	0	0	0	0	0
Other	0	0	0	0	0	0
Roadside Technologies used to Distribute Traveler Information	0	0	-	· ·	0	
Number deployed			+			
Highway Advisory Radio	No	NR	NR	NR	0	0
In-Vehicle Signing (IVS)	No	NR	NR	NR	0	0
VMS controlling parking access	No	NR	NR	NR	0	0
Miles covered						
Highway Advisory Radio	No	NR	NR	NR	0	0
In-Vehicle Signing (IVS)	No	NR	NR	NR	0	0
Variable Message Signs (VMS) on Arterials						
Candidate locations for deployment of VMS where VMS has been deployed	No	NR	NR	NR	0	0
Candidate locations for deployment of VMS	No	NR	NR	NR	0	0
Communication Technologies						
Signalized intersections communicated with by each type of communication						
Twisted pair cable	0	0	17	17	17	17
Coaxial cable	0	0	0	0	0	0
Fiber-optic cable	0	0	NR	10	0	10
Other (e.g., wireless, dial-up modems, leased lines, etc.)	0	0	17	27	17	27
Does agency convey information on highway-rail intersection crossing						
status to travelers via roadside media such as VMS or HAR?	No		No		0	
ITS Standards Used Related to Traffic Signal Control						
Advanced Transportation Controller (ATC) Software Application Interface (ITE 9603-1)	No		No		0	
ATC Physical Cabinet Functional Design (ITE-9603-2)	No		No		0	
ATC Functionality and Interface Definitions (ITE-9603-3)	No		No		0	
Natl. Trans. Communications for ITS Protocol (NTCIP) Class B Profile (AASHTO TS 3.3)	No		No		0	
NTCIP Data Collection and Monitoring Devices (AASHTO TS 3.DCM)	No		No		0	
NTCIP Object Definitions for Video Camera Control (AASHTO TS 3.VCC)	No		No		0	
NTCIP Object Definitions for Actuated Traffic Signal Controller Units (AASHTO TS 3.5)	No		No		0	
Would agency be willing to participate in testing of ITS Standards?	Yes		Yes		2	
Have agreements in place with other agencies to use similar hardware	1.00		100			
and software to aid maintenance and interoperability?	No		Yes		1	
INCIDENT MANAGEMENT ON ARTERIAL STREETS			100			
Receive information on highway-rail intersection crossing blockages for						
the purpose of managing incident response?	No		No		0	
Use of Service Patrols to Assist in Detection and Response to Incidents	1				<u> </u>	
Publicly operated service patrol vehicles	No		No		0	
Privately operated service patrol vehicles operated under public contract	No		No		0	
Total number of arterial miles patrolled by these services	NR	NR	NR	NR	0	0
Miles Covered by Methods to Detect and Verify Incidents	1	1,,,,	 	'	•	Ť
Free cellular phone call to a dedicated phone number other than 911	0	0	0	0	0	0

	l Mahonin	Ohio Department of Mahoning County Transportation-District 4		Totals		
Free callular phase call to an order radio station	1999	2005	1999	2005	1999	2005
Free cellular phone call to an area radio station Police patrols	500	0 500	0	0	0 500	0 500
Computer algorithms linked to traffic surveillance equipment	0	0	0	0	0	0
CCTV	0	0	0	0	0	0
Private sector sources (e.g., Shadow Traffic, Smart Routes)	0	0	0	0	0	0
Other	0	0	0	0	0	0
Procedures in place for Arterial Incident Response?						
Working agreement(s)/arrangement(s) with other agencies	No		Yes		1	
Inter-agency incident management admin. team that meets regularly	Yes		No		1	
Major incident response team that responds to major incidents	Yes		No		1	
Set of goals/objectives for incident mgt that has been adopted by agencies in region	No		No		0	
Methods of Communication Used On-Site at an Incident						
Police _						
Two-way radio	No		No		0	
800 MHz trunked radio	No		No		0	
Cellular telephone	No		No		0	
Hand-held (i.e., walkie-talkie)	No		No		0	
Automated data systems (i.e., CAD)	No		No		0	
Other	No		No		0	
Fire						
Two-way radio	No		No		0	
800 MHz trunked radio	No		No		0	
Cellular telephone	No		No		0	
Hand-held (i.e., walkie-talkie)	No		No		0	
Automated data systems (i.e., CAD)	No		No		0	
Other	No		No		0	
DOT					<u>-</u>	
Two-way radio	Yes		No		1	
800 MHz trunked radio	No		No		0	
Cellular telephone	Yes		No		1	
Hand-held (i.e., walkie-talkie)	No		No		0	
Automated data systems (i.e., CAD)	No		No		0	
Other	No		No		0	
Towing	110		110			
Two-way radio	No		No		0	
800 MHz trunked radio	No		No		0	
Cellular telephone	No		No		0	
Hand-held (i.e., walkie-talkie)	No		No		0	

	Mahonir			partment of tion-District 4	Totals	
	1999	2005	1999	2005	1999	2005
Automated data systems (i.e., CAD)	No		No		0	
Other	No		No		0	
Which police agencies typically respond to incidents on arterials?				1		
State Police	Yes		No		1	
County Police or Sheriff	Yes		No		1	
City Police	No		No		0	
Who provides on-site emergency medical response?						
Fire	No		No		0	
Emergency Management Service Agency	No		No		0	
Private hospital	Yes		No		1	
Has a multi-agency contact list been developed in area containing the						
names, phone numbers, etc. for the appropriate response personnel?	Yes		NR		1	
s the Incident Command System used to manage incident scenes?	Yes		NR		1	
s there a legal specification by state law or formal agreement as to who						
is "in charge" at the incident scene?						
Specified by state law?	No		No		0	
Formal agreement?	No		No		0	
Not specified or don't know?	Yes		No		1	
On-scene command post used to manage activities of responding agencies?	Yes		NR		1	
Are there communication linkages to a communications traffic/freeway mgt center?	NR		NR		0	
Plan developed and adopted by responding agencies for staging and parking						
response vehicles and equip. at incident site that minimizes lane blockage						
and facilitates the re-opening of lanes?	Yes		NR		1	
Respondents protected through law or court opinion for liability claims						
for damages to vehicles or cargoes during clearance activities?	DK		NR		0	
Are overturned tank trucks, which are intact and not leaking, uprighted						
without first off-loading?	No		NR		0	
Does your state or local jurisdiction have a law that requires drivers						
involved in property-damage-only accidents to move the vehicles	.,					
from travel lanes to a safe location to exchange info and wait for police?	Yes		NR		1	
Have laws or policies regarding the removal of stalled/abandoned vehicles	ND.		ND			
from freeway shoulders?	NR		NR		0	
Hours abandoned vehicles are allowed to remain on a freeway shoulder?	NR		NR		0	
Have policies or procedures for quick removal of vehicles?	NR		NR		0	
Is Total Station equipment used to investigate major incidents?	Yes		NR		1	
Handling of Towing Responses to Incidents						
Formal contract based on qualifications?	No		No		0	
Rotation with companies under contract?	No		No		0	
Separate lists kept for light and heavy response and for specialty recovery?	NR		NR		0	

	Mahonii	ng County		eartment of ion-District 4	Tot	tals
	1999	2005	1999	2005	1999	2005
Rotation list with minimal qualifications?	No		No		0	
In towing qualifications, do you require towers to be certified under the						
Towing and Recovery Ass. of America's National Drivers Cert. Program?	DK		NR		0	
DK: Don't know						
NR: No Response						
Leg: Legislation or action being planned						

Appendix G Arterial Management Integration

	Maho	ning County	Ohio Department of Transportation-District 4		
Agency Name	1999	2005	1999	2005	
Agency Returned Survey?	Yes		Yes		
Arterial Management Section					
Arterial Mgt. agencies in metropolitan area with which you share info.					
Share Timing Plans Information	Department of Transportation-District 4, Youngstown City	Youngstown City	Trumbull County, Youngstown City	Youngstown City	
Coordinate Changes to Timing Plans	Mahoning County, Ohio Department of Transportation-District 4, Youngstown City	Mahoning County, Ohio Department of Transportation-District 4, Youngstown City	Trumbull County, Youngstown City	Trumbull County, Youngstown City	
Turn over Control of Signals	None listed	None listed	Ramps	Ramps	
Agencies your agency provides arterial travel times, speeds, and					
conditions information, share infrastructure or coordinates operation					
Freeway Management Agencies					
Provide Information	Ohio Department of Transportation-District 4	Ohio Department of Transportation-District 4	None listed	None listed	
Share Infrastructure	Ohio Department of Transportation-District 4	Ohio Department of Transportation-District 4	None listed	None listed	
Coordinate Operation	Ohio Department of Transportation-District 4	Ohio Department of Transportation-District 4	None listed	None listed	
Incident Management Agencies					
Provide Information	Ohio Department of Transportation-District 4	Ohio Department of Transportation-District 4	None listed	None listed	
Share Infrastructure	Ohio Department of Transportation-District 4	Ohio Department of Transportation-District 4	None listed	None listed	
Coordinate Operation	Ohio Department of Transportation-District 4	Ohio Department of Transportation-District 4	None listed	None listed	
Public Transit Operators Agencies					
Provide Information	None listed	None listed	None listed	None listed	
Share Infrastructure	None listed	None listed	None listed	None listed	
Coordinate Operation	None listed	None listed	None listed	None listed	
Arterial Management Agencies					
Provide Information	Mahoning County, Ohio Department of Transportation-District 4, Youngstown City	Mahoning County, Ohio Department of Transportation-District 4, Youngstown City	None listed	None listed	
Share Infrastructure	Mahoning County, Ohio Department of Transportation-District 4, Youngstown City	Mahoning County, Ohio Department of Transportation-District 4, Youngstown City	None listed	None listed	

	Mahor	ning County	Ohio Department of Transportation-District 4	
Agency Name	1999	2005	1999	2005
Coordinate Operation				
	Mahoning County, Ohio	Mahoning County, Ohio		
	Department of	Department of		
	Transportation-District 4,	Transportation-District 4,	N. P. C.	
Receiving real-time information via electronic means from others	Youngstown City	Youngstown City	None listed	None listed
Freeway Management agencies from which your agency receives				
freeway travel times, speeds, and conditions	None listed	None listed	None listed	None listed
Public Transit operators from which your agency receives				
arterial travel times derived from vehicle probes	None listed	None listed	None listed	None listed
Incident Management agencies from which your agency receives				
incident clearance and/or incident severity, location, and type information	None listed	None listed	Nana listad	None listed
Receive information on Incident Clearance	None listed	None listed	None listed	None listed
Receive information on Incident Severity, Location, and Type	None listed	None listed	None listed	None listed
Toll Collection agencies from which your agency receives arterial travel	None Paterd	Name Bate d	Niana Batad	Niana Batad
times derived from vehicles probes Arterial Incident Management Section	None listed	None listed	None listed	None listed
Agencies your agency provides incident severity, location, and type info.				
and/or shares infrastructure and/or coordinates operation				
Emergency Management Agencies Provide Information				
Provide information	Maharina Osamba Obariff	Mahaning Causta Obasiff		
	Mahoning County Sheriff Department, Ohio State	Mahoning County Sheriff Department, Ohio State		
	Highway Patrol	Highway Patrol	None listed	None listed
Share Infrastructure	i ngimay i alioi	riigiiway raasi	None listed	None listed
	Mahoning County Sheriff	Mahoning County Sheriff		
	Department, Ohio State	Department, Ohio State		
	Highway Patrol	Highway Patrol	None listed	None listed
Coordinate Operation				
	Mahoning County Sheriff	Mahoning County Sheriff		
	Department, Ohio State	Department, Ohio State		
	Highway Patrol	Highway Patrol	None listed	None listed
Freeway Management Agencies				
Provide Information	None listed	None listed	None listed	None listed
Share Infrastructure	None listed	None listed	None listed	None listed
Coordinate Operation	None listed	None listed	None listed	None listed
Public Transit Operators				
Provide Information	None listed	None listed	None listed	None listed
Share Infrastructure	None listed	None listed	None listed	None listed
Coordinate Operation	None listed	None listed	None listed	None listed
Receiving real-time information via electronic means from others				
Emergency Management agencies from which your agency receives				

	Mahoning County		Ohio Department	Ohio Department of Transportation-District 4		
Agency Name	1999	2005	1999	2005		
arterial incident clearance and/or arterial incident severity						
Receive Arterial Incident Clearance Information	None listed	None listed	None listed	None listed		
Receive Arterial Incident Severity Information	None listed	None listed	None listed	None listed		
Arterial Management agencies from which your agency receives						
arterial travel times, speeds, and conditions	None listed	None listed	None listed	None listed		
Freeway Management agencies from which your agency receives						
freeway travel times, speeds, and conditions	None listed	None listed	None listed	None listed		

^{*}short survey: Agency responded using a short survey. The survey did not include names of individual agencies, but only identified whether integration exists.

Appendix H
Arterial Management Information Collection and Dissemination

Data Collection and Dissemination: Arterial Management Agencies for Metropolitan Area: Youngstown, Warren

	Mahoni	ng County	Ohio Department of Transportation-District 4		
Agency Name	1999	2005	1999	2005	
Agency Returned Survey?	Yes		Yes		
Arterial Management Section					
Data collected, archived, and/or transferred to another agency					
Collected by your agency	Traffic volumes, Traffic speeds, Turning movements, Queues	Traffic volumes, Traffic speeds, Turning movements, Queues	NR	NR	
Archived by your agency	Traffic volumes, Traffic speeds, Turning movements, Queues	Traffic volumes, Traffic speeds, Turning movements, Queues	NR	NR	
Transferred to another agency by your agency	Queues	Queues	NR	NR	
Importance of making information available to the public					
Ranked High	Traffic volumes		NR		
Ranked Medium	Turning movements, Queues		NR		
Groups that make requests for the data	Traffic speeds, Lane occupancy, vehicles, Road conditions, Emery Transit vehicle signal priority, Ro Incidents, Current work zones, S (air, rail, water) connections, Emprocedures, Emergency/evacuat Highway operations coordination	ns, NR			
	Consultants, Attorneys/Location	-	NR		
What is the data used for?	Construction impact determination	on, Planning, Dissemination to the	NR		
Methods used to disseminate arterial information to the public					
Technologies your agency uses to disseminate:	NR	NR	Telephone system, Internet Web sites, E- mail or other direct PC communication	NR	
Technologies your agency (through another agency or org.) uses to disseminate:	NR	NR	NR	NR	
Internet web site reporting arterial conditions	NR		The following is used for construction info. ONLY on freeways and arterials! 1-800-603		
Telephone system for reporting arterial information to the public			The following # is use ONLY on freeway. 1-	ed for construction info. 300-603-1054	

Data Collection and Dissemination: Arterial Management Agencies for Metropolitan Area: Youngstown, Warren

	Mahonir	ng County	Ohio Department of T	ransportation-District 4	
Agency Name	1999	2005	1999	2005	
Organizations your agency sends information for dissemination to the public	NR		We have an establish provides construction minimum weekly for a within the district. Fa: accompany any chan impacts, such as char on a particular proj	ed fax network that information at III ODOT projects x updates also ges that have traffic	
Arterial Incident Management Section					
Methods used to distribute incident location and severity information					
to the public					
Technologies your agency uses to disseminate:	NR	NR	NR	NR	
Technologies your agency (through another agency or org.) uses to disseminate:	NR	NR	NR	NR	
Internet web site reporting incident information	NR	•	NR		
Telephone system for reporting incident information to the public	NR		NR		
Organizations your agency sends information for dissemination to the public	NR		NR		

Appendix I Transit Management Components

	Western Reserve	Transit Authority
	1999	2005
Agency Returned Survey?	Yes	
Number of vehicles used in revenue service		
Fixed Route Bus	44	44
Heavy or Rapid Rail	NR	NR
Light Rail	NR	NR
Demand Responsive	5	6
Commuter Rail	NR	NR
Ferry Boat	NR	NR
Have of plan to have an Automated Vehicle Location System?	Yes	
Primary and Secondary Location Technologies Used		
Primary Technologies		
GPS	Yes	No
Sign/Odometer	No	No
Dead-Reckoning	No	No
LORAN C	No	No
Other	No	No
Backup Technologies		
GPS	No	No
Sign/Odometer	No	No
Dead-Reckoning	No	No
LORAN C	No	No
Other	No	No
Number of Vehicles Equipped with AVL		
Fixed Route Bus	44	44
Heavy or Rapid Rail	NR	NR
Light Rail	NR	NR
Demand Responsive	5	6
Commuter Rail	NR	NR
Ferry Boat	NR	NR
Motor Buses Operated as Vehicle Probes		
Number of Motor Buses equipped as probes on freeways?	NR	
Number of Motor Buses equipped as probes on arterials?	NR	
Have Organized Regional Incident Management Program?	Yes	
Have Automated Traveler Information System?	No	
Services Automated Traveler Info. System Applies:		

	Western Reserve Transit Authority		
	1999	2005	
Fixed Route	No		
Heavy Rail	No		
Light Rail	No		
Demand Responsive	No		
Commuter Rail	No		
Ferry	No		
Locations where traveler information is displayed to public	140		
Number of bus stops on fixed transit routes	NR	NR	
Bus stops on fixed transit routes that display traveler info to the public	NR	NR	
Number of rail stations	NR	NR	
Number of rail stations that display traveler information	NR	NR	
Number of other locations that display traveler information to public	NR	NR NR	
Number of vehicles the traveler information system has available	INIX	INIX	
Fixed Route Bus	NR	NR	
Heavy or Rapid Rail	NR	NR	
Light Rail	NR	NR	
Demand Responsive	NR	NR	
Commuter Rail	NR	NR	
Ferry Boat	NR	NR	
Deployment of Communications Technology	INIX	INIX	
Attributes of Radio System:			
Digital?	No		
Analog?	Yes		
Trunked?	No		
Regular?	Yes		
Services that use a Digital or Trunked Radio System	163		
Digital Only			
Fixed Route Bus	No	No	
Heavy or Rapid Rail	No	No	
Light Rail	No	No	
Demand Responsive	No	No	
Commuter Rail	No	No	
Ferry Boat	No	No	
Trunked Only	140	110	
Fixed Route Bus	No	No	
Heavy or Rapid Rail	No	No	
Light Rail	No	No	
Demand Responsive	No	No	
Commuter Rail	No	No No	

	Western Reserve	Transit Authority
	1999	2005
Ferry Boat	No	No
Have of plan to have Automatic Passenger Counters (APCs)?	No	
Methods used to count passengers		
Treadle Mats	No	
Infrared Beams	No	
Primary and Secondary Location Technologies Used		
Primary Technologies		
GPS	No	No
Differential GPS	No	No
Signpost/Odometer	No	No
Dead_Reckoning	No	No
LORAN C	No	No
Other	No	No
Backup Technologies		
GPS	No	No
Differential GPS	No	No
Signpost/Odometer	No	No
Dead_Reckoning	No	No
LORAN C	No	No
Other	No	No
Number of Vehicles with APCs		
Fixed Route Bus	NR	NR
Heavy or Rapid Rail	NR	NR
Light Rail	NR	NR
Demand Responsive	NR	NR
Commuter Rail	NR	NR
Ferry Boat	NR	NR
Remote Real-Time Monitoring and Computer Assisted Dispatching		
Remote Real-Time Monitoring		
Fixed Route Bus	NR	NR
Heavy or Rapid Rail	NR	NR
Light Rail	NR	NR
Demand Responsive	NR	NR
Commuter Rail	NR	NR
Ferry Boat	NR	NR
Automated Dispatching or Control Software		
Fixed Route Bus	44	44
Heavy or Rapid Rail	NR	NR
Light Rail	NR	NR

	Western Reserve Transit Authority				
	1999	2005			
Demand Responsive	5	6			
Commuter Rail	NR	NR			
Ferry Boat	NR	NR			
Coordinate or plan to coordinate travel request and vehicle					
dispatching for multiple agencies?	Yes				
Is there or will there be a Transportation Management Center					
(TMC) in the region that controls transit and highway modes?	No				
Modes that TMC currently controls:					
Highways	No	No			
Fixed Route Bus	No	No No			
	-	_			
Heavy or Rapid Rail	No No	No No			
Light Rail	No	No			
Demand Responsive	No	No			
Commuter Rail	No	No			
Ferry Boat	No	No			
Other	No	No			
Priority at Traffic Signals and Ramp Meter Priority					
Priority at Traffic Signals					
Fixed Route Bus	NR	NR			
Light Rail	NR	NR			
Demand Responsive	NR	NR			
Ramp Meter Priority					
Fixed Route Bus	NR	NR			
Demand Responsive	NR	NR			
Number of Vehicles Equipped with Navigation Aids					
Fixed Route Bus	NR	NR			
Heavy or Rapid Rail	NR	NR			
Light Rail	NR	NR			
Demand Responsive	NR	NR			
Commuter Rail	NR	NR			
Ferry Boat	NR	NR			
TS Standards Used Related to Transit Management					
TCIP On Boad Objects (TCIP-OB)	No				
TCIP Traffic Management Objects (TCIP-TM)	No				
TCIP Common Public Transportation Objects (TCIP-CPT)	No				
TCIP Passenger Information Objects (TCIP-PI)	No				
TCIP Incident Management Objects (TCIP-IM)	No				
TCIP Fare Collection Objects (TCIP-FC)	No				

	Western Reserve Transit Authority				
	1999	2005			
TCIP Spatial Representation Objects (TCIP-SP)	No				
TCIP Control Center Objects (TCIP-CC)	No				
TCIP Scheduling/Runcutting Objects (TCIP-SCH)	No				
Send data communication between micro computer and heavy duty					
vehicle applications (SAE J1708)	No				
Would agency be willing to participate in testing of ITS Standards?	Yes				
Have agreements in place with other agencies to use similar hardware					
and software to aid maintenance and interoperability?	No				
Electronic Fare Payment					
Have full operational Electronic Fare Payment System?	No				
Methods of Fare Payment					
Stored value card with fare deducted for each trip					
Magnetic Stripe	No				
Smart Card	No				
Debit Card	No				
Billed by the month for trips taken					
Magnetic Stripe	No				
Smart Card	No				
Credit Card	No				
Monthly Pass					
Magnetic Stripe	No				
Smart Card	No				
Vehicles/Stations Equipped with Automated Payment Mechanism					
Magnetic Stripe Readers					
Fixed Route Bus Vehicles	NR	NR			
Heavy or Rapid Rail Stations	NR	NR			
Light Rail Stations	NR	NR			
Demand Responsive Vehicles	NR	NR			
Commuter Rail Stations	NR	NR			
Ferry Boat Landings	NR	NR			
Smart Card Readers					
Fixed Route Bus Vehicles	NR	NR			
Heavy or Rapid Rail Stations	NR	NR			
Light Rail Stations	NR	NR			
Demand Responsive Vehicles	NR	NR			
Commuter Rail Stations	NR	NR			
Ferry Boat Landings	NR	NR			
Credit Card					
Fixed Route Bus Vehicles	NR	NR			
Heavy or Rapid Rail Stations	NR	NR			

	Western Reserve	Transit Authority
	1999	2005
Light Rail Stations	NR	NR
Demand Responsive Vehicles	NR	NR
Commuter Rail Stations	NR	NR
Ferry Boat Landings	NR	NR
Debit Card		
Fixed Route Bus Vehicles	NR	NR
Heavy or Rapid Rail Stations	NR	NR
Light Rail Stations	NR	NR
Demand Responsive Vehicles	NR	NR
Commuter Rail Stations	NR	NR
Ferry Boat Landings	NR	NR
NR: No Response		

Appendix J Transit Management Integration

	Western Reserve Transit Authority					
Agency Name	1999	2005				
Agency Returned Survey?	Yes					
Transit operators in the region that use the same electronic payment system	None listed					
Toll operators from whom you accept electronic payment of transit						
fare through the use of ETC media	None listed					
Receiving real-time information via electronic means from others						
Freeway Management agencies from which your agency receives						
freeway travel times, speeds, and conditions						
Receive Information	None listed	None listed				
Share Infrastructure	None listed	None listed				
Arterial Management agencies from which your agency receives						
arterial travel times, speeds, and conditions						
Receive Information	None listed	None listed				
Share Infrastructure	None listed	None listed				
Incident Management agencies from which your agency receives						
incident severity, location, and type						
Receive Information	None listed	None listed				
Share Infrastructure	None listed	None listed				

Appendix K
Transit Management Information Collection and Dissemination

Data Collection and Dissemination: Transit Management Agencies for Metropolitan Area: Youngstown, Warren

	Western Reserve Transit Authority						
Agency Name	1999	2005					
Agency Returned Survey?	Yes						
Methods used to disseminate transit information to the public							
Technologies your agency uses to disseminate:							
Transit routes, schedules and fares	NR	NR					
Real-time transit schedule adherence or arrival and departure times	NR	NR					
Technologies employed by other organization receiving your data							
Transit routes, schedules and fares	NR	NR					
Real-time transit schedule adherence or arrival and departure times	NR	NR					
Internet web site reporting transit routes, schedules and fare, etc.	NR						
Telephone system for reporting transit information to the public	NR						
Organizations your agency sends information for dissemination to the public	NR						
Data collected, archived, and/or transferred to another agency							
Collected by your agency	Passenger count, Passenger information (e.g., surveys, O/D), Vehicle monitoring status, Incidents, Current roadway work zones for transit, Scheduled roadway work zones for transit	NR					
Archived by your agency	Passenger count, Passenger information (e.g., surveys, O/D), Incidents	NR					
Transferred to another agency by your agency	Passenger count	NR					
Importance of making information available to the public							
Ranked High	Passenger count, Transit operations coordination information, Incidents, Emergency/evacuation routes and procedures						
Ranked Medium	Passenger information (e.g., surveys, O/D), Vehicle monitoring status, Road conditions, Vehicle time and location, Weather conditions, Current roadway work zones for transit, Scheduled roadway work zones for transit, Highway operations coordination information						
Ranked Low	Route designations (snow emergency, etc), Trip itinerary planning records, Transit vehicle signal priority, Emergency vehicle signal preemption						
Groups that make requests for the data	Consultants, MPOs, Federal DOT personnel, State DOT personnel						
What is the data used for?	Dissemination to the public, Planning, Traffic analy	ysis					

Appendix L Emergency Management

	Total \	/ehicles		gation bilities	A۱	V L	С	AD	with Mo	quipped bile Data ninal	Equip	nicles bed with mption	Formal	Info to other	
Agency Name	1999	2005	1999	2005	1999	2005	1999	2005	1999	2005	1999	2005	Participate in I Incident Mgt P	Send Incident agencies	List of agencies receiving data
Mahoning County Sheriff Department				NR			0	NR	10		0		Yes	Yes	Mahoning County Emergency Management Agency
Ohio State Highway Patrol			0	0	_		0	0	0		0		Yes	-	None listed
Trumbull County Sheriff Department	38	NR	0	NR	0	NR	0	NR	0	NR	0	NR	Yes	Yes	None listed
Warren City Fire Department		6	2	NR	0	6	0	6	0	6	6	6	Yes	No	None listed
Warren City Police Department			38	38	0	0	38	38	38		0		Yes		None listed
Youngstown City Fire Department	10	11	0	2	0	0	0	0	0	11	0	11	No	No	None listed
Youngstown City Police Department	67	80	0	0	0	0	0	0	0	0	0	0	No	No	None listed

Youngstown, Warren L - 1 Emergency Management

Appendix M Electronic Toll Collection

Electronic Toll Collection Agencies for Metropolitan Area: Youngstown, Warren

	Ohio Turnpike Commission					
Agency Returned Survey?	Yes					
Number of toll Collection Plazas operated	4	0				
Number of toll collection plazas with dedicated ETC	0	0				
Number of toll collection plazas with both manual and ETC	0	0				
Number of toll collection lanes operated	15	0				
Number of toll collection lanes with dedicated ETC	0	0				
Number of toll collection lanes with both manual and ETC	0	0				
Number of toll collection tags issued	0	0				
Antennae Location Technologies						
In-Pavement?	No					
Focused Beam?	No					
Distributed Overhead?	No					
In-Vehicle Equipment Technologies						
Tag-based?	No					
Integrated circuit card-based?	No					
Are toll tags used by other toll operations in metro area?	NR					
Are toll tags used by operators of public transit to pay transit fares						
in metro area?	NR					
List of transit operators that use tags	None					
NR: No Response						