# Tracking the Deployment of the Integrated Metropolitan ITS Infrastructure in Raleigh-Durham

#### **FY99 Results**

For additional information, please contact:

Joseph I. Peters, Ph.D.
ITS Program Assessment Coordinator
ITS Joint Program Office, Room 3416
400 Seventh St., S.W.
Washington, D.C. 20590
(202) 366-2202
FAX: (202) 493-2027

E-mail: joe.peters@fhwa.dot.gov

#### **Table of Contents**

Part 1 - Background and Purpose	1
Part 2 - Summary 1999 Survey Results	3
Part 3 - Detailed 1999 Survey Results	7
Freeway Management Component Indicators	9
Freeway Management Integration Indicators	11
Incident Management Component Indicators	13
Incident Management Integration Indicators	15
Arterial Management Component Indicators	17
Arterial Management Integration Indicators	19
Electronic Toll Collection Component Indicators	21
Electronic Toll Collection Integration Indicators	22
Transit Management Component Indicators	23
Transit Management Integration Indicators	24
Electronic Fare Payment Component Indicators	26
Electronic Fare Payment Integration Indicators	
Highway-Rail Intersection Component Indicators	
Highway-Rail Intersection Integration Indicators	29
Emergency Management Component Indicators	
Emergency Management Integration Indicators	
Regional Multimodal Traveler Information Component Indicators	
Regional Multimodal Traveler Information Integration Indicators	33
Appendix A. Survey Coverage Area	A.1
Appendix B. Surveyed Agencies	B.1
Appendix C. Freeway Management Components	C.1
Appendix D. Freeway Management Integration	
Appendix E. Freeway Management Information Collection and Dissemination	E.1
Appendix F. Arterial Management Components	F.1
Appendix G. Arterial Management Integration	
Appendix H. Arterial Management Information Collection and Dissemination	H.1
Appendix I. Transit Management Components	I.1
Appendix J. Transit Management Integration	J.1
Appendix K. Transit Management Information Collection and Dissemination	
Appendix L. Emergency Management	L.1

#### **Part 1 - Background and Purpose**

In January 1996, Secretary Peña set a goal of deploying the integrated metropolitan Intelligent Transportation System (ITS) infrastructure in 75<sup>1</sup> of the nation's largest metropolitan areas by 2006:

"I'm setting a national goal: to build an intelligent transportation infrastructure across the United States to save time and lives, and improve the quality of life for Americans. I believe that what we do, we must measure . . . Let us set a very tangible target that will focus our attention . . . I want 75 of our largest metropolitan areas outfitted with a complete intelligent transportation infrastructure in 10 years."

-- Secretary Peña, 1996

In 1997, the U.S. Department of Transportation initiated an effort to track progress toward fulfillment of this goal by conducting a survey of deployment in the nation's largest metropolitan areas. Traditionally, the product of a transportation infrastructure investment consists of a fixed asset such as a highway, bridge, or public transportation vehicle developed, constructed, or purchased by a single agency. Tracking the level of deployment for such traditional fixed assets can be accomplished by simply counting the number of such assets deployed. Measuring the deployment of the metropolitan ITS infrastructure is more complex because it consists of a set of systems, often deployed by multiple agencies, and integrated through a combination of complex institutional and technical arrangements. In brief, it is often difficult to simply count the number of systems deployed without first devising a measurement approach that captures the essential features of such systems in a consistent fashion across many deployment environments.

In order to track progress toward fulfillment of the Secretary's goal for deployment, the U.S. Department of Transportation ITS Joint Program Office developed the metropolitan ITS deployment tracking methodology. This methodology tracks deployment of the nine components that make up the Metropolitan ITS infrastructure: Freeway Management; Incident Management; Arterial Management; Emergency Management; Transit Management; Electronic Toll Collection; Electronic Fare Payment; Highway-Rail Intersections; and Regional Multimodal Traveler Information. Through a set of indicators tied to the major functions of each component, the level of deployment is tracked for the nation's largest metropolitan areas. In addition, the integration links between agencies operating the infrastructure are also tracked. The details of

<sup>&</sup>lt;sup>1</sup> Since Secretary Peña's speech, the number of metropolitan areas that DOT will measure has been increased from 75 to 78. However, to maintain reporting consistency across the 10-year goal period, this report considers only the original 75 metropolitan areas.

<sup>&</sup>lt;sup>2</sup> Excerpt of a speech delivered by Secretary of Transportation Peña at the Transportation Research Board in Washington, DC on January 10, 1996.

the methodology are explained elsewhere.<sup>3</sup>

During the summer and fall of 1999, the U.S. DOT undertook a new data collection effort for the purpose of examining ITS deployment progress in the nation's largest metropolitan areas. The Raleigh-Durham metropolitan area was among the areas surveyed in 1997 and again in 1999. This report presents the results of the 1999 survey efforts and compares the results of the 1997 survey against those observed in 1999. The overall response rate for the surveys administered in the Raleigh-Durham region was 85% in 1997 and 70% in 1999.

Part 2 contains a summary of the 1999 survey results, and Part 3 provides a comparison of 1999 survey results and the 1997 survey results.

The report also contains a set of appendices containing a map of the survey area, the list of local contacts surveyed along with a status of their response to the survey and a summary of the data collected from the surveys.

Agencies are encouraged to review the data presented in this report for completeness and accuracy and to direct any comments or corrections to the data provided to the contacts listed below:

Steve Gordon
Oak Ridge National Laboratory
P.O. Box 2008, 4500N, MS-6207
Oak Ridge, TN 37831-6207
(865) 576-8416 (voice)
(865) 574-3895 (fax)
gordonsr@ornl.gov

Jeff Trombly
Science Applications International Corporation
301 Laboratory Road
Oak Ridge, TN 37831-2501
(865) 481-8563 (voice)
(865) 481-2941 (fax)
jeffrey.w.trombly@saic.com

<sup>&</sup>lt;sup>3</sup> Additional Resources: "Measuring ITS Deployment and Integration" (Electronic Document Number: 4372). U.S. Department of Transportation, Joint Program Office for Intelligent Transportation Systems, 400 Seventh St., SW (HVH-1), Washington, DC 20590, Phone: 202-366-9536, Fax: 202-366-3302, Web: http://www.its.dot.gov.

#### Part 2 - Summary 1999 Survey Results

Deployment indicators have been developed for two broad areas of interest: (1) the individual components, including their basic functions and characteristics and (2) integration of components, including how these components work together to provide coordinated regional service. As mentioned earlier, these indicators are expressed as percentages of the possible deployment opportunity and not necessarily what should be deployed based on local needs. Requirements for deployment and integration between each component will vary based on local conditions and cannot be assigned without extensive coordination with individual metropolitan areas.

The following two figures portray the surrogate indicators for each of the nine components in Raleigh-Durham and the same indicators at the national level. These are judged to be the single best representative of a component and are being used as summary indicator for component. The summary indicators are expressed as a percentage; however, because deployment goals have yet to be established, these indicators should not be read as a comparison of what is deployed versus eventual deployment goals. Instead, they only reflect what is deployed compared to full market saturation (i.e., opportunity for deployment).

Each component indicator was selected to reflect a critical function of the individual components. For example, in the case of Freeway Management, three basic functions were defined: surveillance, traffic control, and information display. The three indicators developed to reflect these functions are: percentage of freeway centerline miles under electronic surveillance (surveillance function), percentage of freeway entrance ramps managed by ramp meters (traffic control function), and percentage of freeway centerline miles covered by permanent VMS, HAR, or in-vehicle signing (information display function). The indicators are surrogates that do not necessarily reflect the full breadth of metropolitan ITS deployment activity.


A critical aspect of ITS that provides much of its capability is the integration of individual components to form a unified regional traffic control system. Individual ITS components routinely collect information that is used for purposes internal to that component. For example, the Arterial Management component monitors arterial conditions to revise signal timing and to convey these conditions to travelers through such technologies as variable message signs and highway advisory radio. Other ITS components can make use of this information in formulating their control strategies. For example, Transit Management may alter routes and schedules based on real-time information on arterial traffic conditions, and Freeway Management may alter ramp metering or diversion recommendations based on the same information.

As with the component indicators, definitions for inter- and intra-component integration were developed for each component, and indicators, derived from these definitions, were produced for each component. A total of 34 individual integration indicators was specified and is portrayed in the third figure which follows. Each integration indicator has been assigned a number and an origin/destination path from one ITS infrastructure component to another. For example, the

integration of information from the Freeway Management component to the Regional Multimodal Traveler Information component is identified by the number "10."

Data as of 5/1/00

## Raleigh-Durham Summary Indicators\*




<sup>\*</sup> Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity.

<sup>\*\*</sup> Deployment opportunity reflects potential totals that do not necessarily reflect actual need.




## National Summary Indicators\*



<sup>\*</sup> Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity

<sup>\*\*</sup> Deployment opportunity reflects potential totals that do not necessarily reflect actual need

## Raleigh-Durham Integration Links



Note: Shading indicates the value of the link. For example a circle half shaded equals 50%

Link	Description	Link	Description
1	Arterial Management to Regional	2	Arterial Management to Freeway
	Multimodal Traveler Information		Management
3	Arterial Management to Transit	4	Arterial Management to Incident
	Management		Management
5	Incident Management to Arterial	6	Incident Management to Regional
	Management		Multimodal Traveler Information
7	Incident Management to Emergency	8	Incident Management to Freeway
	Management.		Management
9	Incident Management to Transit	10	Freeway Management to Regional
	Management		Multimodal Traveler Information
11	Freeway Management to Arterial	12	Freeway Management to Transit
	Management		Management

Link	Description	Link	Description
13	Freeway Management to Incident	14a	Transit Management to Regional
	Management		Multimodal Traveler Information
	-		(static route information)
		14b	Transit Management to Regional
			Multimodal Traveler Information
			(schedule adherence information)
15a	Transit Management to Freeway	16a	Transit Management to Arterial
	Management		Management
15b	Transit Management to Freeway	16b	Transit Management to Arterial
	Management (transit vehicle probes)		Management (transit vehicle probes)
17	Electronic Toll Collection to	18	Electronic Toll Collection to Arterial
	Freeway Management (ETC		Management (ETC equipped probes)
	equipped probes)		
19	Electronic Fare Payment and	20	Electronic Fare Payment to Transit
	Electronic Toll Collection		Management
21a	Emergency Management to Incident	22	Emergency Management to Arterial
	Management (incident notification)		Management
21b	Emergency Management to Incident		
	Management (incident clearance)		
23	Highway-rail intersections to	24	Highway-rail intersections to Arterial
	Incident Management (crossing		Management (crossing status)
	status)		
25	Incident Management intra	26	Arterial Management intra component
	component		
27	Electronic Fare Payment intra	28	Electronic Toll Collection intra
	component.		component
29	Transit Management to Incident	30	Freeway Management intra
	Management (incident reporting)		component

### Part 3 - Detailed 1999 Survey Results

The following figures and tables summarize the complete set of component and integration indicators developed for the Raleigh-Durham metropolitan area. The figures summarizing the component indicators consist of a bar chart portraying the deployment levels for 1997, 1999, and 2005 accompanied by detailed tables of the data used to calculate each component indicator value (*Num* stands for numerator and *Den* stands for denominator; blank space indicates that no response was received.)

Example: Calculating Component Indicators for Freeway Management

Consider a metropolitan area with 100 miles of freeway and 25 freeway entrance ramps. The area has no ramp meters, 10 freeway miles for which traffic data are collected electronically, and 5 freeway miles, which are covered by highway advisory radio.

The component indicator for electronic surveillance is calculated as (10/100) or 10%.

The component indicator for ramp meter control is calculated as (0/25) or 0%.

The component indicator for HAR coverage is calculated as (5/100) or 5%.


The summary indicator for the metropolitan area is calculated as (10%+0%+5%)/3 = 5%.

The figures summarizing the integration indicators consist of a diagram for each of the nine metropolitan ITS components portraying the integration level for 1999 (*italic*) and 2005 (**bold**), accompanied by tables providing an explanation of the data and calculations performed to develop each integration indicator value for 1999 and 2005. Each diagram portrays the proportion of agencies providing information to a component (e.g., the flow of incident information from Incident Management to Freeway Management) and the proportion of agencies providing information from one component to other components (e.g., the flow of freeway travel condition information from Freeway Management to Arterial Management).

Example: Calculating Integration between Arterial Management and Regional Multimodal Traveler Information

Consider a metropolitan area with three arterial management agencies. One out of three provides information to the public using a Regional Multimodal Traveler Information Media (e.g., internet, kiosk, pager, etc...). The integration indicator is 1/3 or 33%.

# Raleigh-Durham Freeway Management\*



<sup>\*</sup> Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity.

<sup>\*\*</sup> Deployment opportunity reflects potential totals that do not necessarily reflect actual need.


	1997			1999			2005		
Description	Num	Den	%	Num	Den	%	Num	Den	%
Freeway centerline miles	0	102	0%	0	102	0%	30	102	29%
are under electronic									
surveillance for									
monitoring traffic flow									
Freeway entrance ramps	0	102	0%						
are controlled by ramp									
meters or miles under lane									
control									

		1997			1999			2005		
Description	Num	Den	%	Num	Den	%	Num	Den	%	
Freeway entrance ramps are controlled by ramp meters					240			240		
Freeway centerline miles will be controlled by lane control				1	102	1%	10	102	10%	
Freeway miles are covered by VMS, HAR, or IVS	0	102	0%							
Freeway miles are covered by VMS				28	102	27%	75	102	74%	
Freeway miles are covered by HAR				9	102	9%	9	102	9%	
Freeway miles are covered by IVS					102			102		

#### **Freeway Management Integration Indicators**

# Raleigh-Durham

# Freeway Management Integration\*




<sup>\*</sup> Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity

Link Description	1999	2005
2. Arterial Management agencies sending information to Freeway	(0/2)	(0/2)
Management	0%	0%
8. Incident Management agencies sending information to Freeway	(1/1)	(1/1)
Management	100%	100%
15a. Transit management agencies with vehicles equipped with	(0/4)	(0/4)
ramp meter priority	0%	0%
15b. Transit Management agencies with vehicles equipped as	(0/4)	(0/4)
probes	0%	0%
17. Freeway Management agencies receiving freeway conditions	(0/1)	(0/1)
from vehicle probes	0%	0%
30. Freeway Management agencies sending information to another	(1/1)	(1/1)
Freeway Management agency	100%	100%
11. Freeway Management agencies sending information to Arterial	(0/1)	(0/1)
Management	0%	0%

Link Description	1999	2005
10. Freeway Management agencies disseminating freeway	(1/1)	(1/1)
conditions to the public	100%	100%
12. Freeway Management agencies sending freeway conditions to	(1/1)	(1/1)
Transit Management	100%	100%
13. Freeway Management agencies sending freeway conditions to	(1/1)	(1/1)
Incident Management	100%	100%

Data as of 5/1/00

# Raleigh-Durham Freeway and Arterial Incident Management\*



- \* Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity.
- \*\* Deployment opportunity reflects potential totals that do not necessarily reflect actual need.


	1997			1999			2005		
Description	Num	Den	%	Num	Den	%	Num	Den	%
Freeway miles are	0	102	0%		102			102	
covered by incident									
detection algorithms									
Freeway miles are	102	102	100%		102			102	
covered by free cellular									
phone calls to a									
dedicated number									
Freeway miles are	0	102	0%	25	102	25%	60	102	59%
covered by surveillance									
cameras.									

		1997		1999			2005		
Description	Num	Den	%	Num	Den	%	Num	Den	%
Freeway miles are covered by on-call publicly-sponsored service patrol or towing services.	30	102	29%	40	102	39%	60	102	59%
Arterial miles are covered by incident detection algorithms	0	662	0%	0	662	0%	20	662	3%
Arterial miles are covered by free cellular phone calls to a dedicated number	662	662	100%	0	662	0%	0	662	100%
Arterial miles are covered by surveillance cameras	3	662	0%	0	662	0%	20	662	3%
Arterial miles are covered by on-call publicly-sponsored service patrol or towing services	0	662	0%		662			662	

#### **Incident Management Integration Indicators**

# Raleigh-Durham

# **Incident Management Integration\***




<sup>\*</sup> Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity

Link Description	1999	2005
21a. Incident management agencies receiving incident severity from	(1/1)	(1/1)
Emergency Management	100%	100%
21b. Incident management agencies receiving incident clearance	(0/1)	(0/1)
activities from Emergency Management	0%	0%
13. Freeway Management agencies sending freeway conditions to	(1/1)	(1/1)
Incident Management	100%	100%
4. Arterial Management agencies sending arterial conditions to Incident	(0/2)	(0/2)
Management	0%	0%
23. Arterial Management agencies receive information on highway-rail	(0/2)	(0/2)
intersection crossing blockages for the purpose of managing incident	0%	0%
response		
29. Transit Management agencies report traffic incidents as part of an	(2/4)	(2/4)
organized regional incident management program	50%	50%

Link Description	1999	2005
7. Incident management agencies transfer information describing	(1/1)	(1/1)
incident severity, location, and type to Emergency Management agencies	100%	100%
9. Incident Management agencies transfer information describing	(0/1)	(0/1)
incident severity, location, and type to Transit Management agencies	0%	0%
6. Incident Management agencies disseminate information describing	(1/1)	(1/1)
incident severity, location, and type to the public	100%	100%
5. Incident Management agencies transfer information describing	(0/1)	(0/1)
incident severity, location, and type to Arterial Management agencies	0%	0%
8. Incident Management agencies transfer information describing	(1/1)	(1/1)
incident severity, location, and type to Freeway Management agencies	100%	100%
25. Police, fire, and EMS agencies participating in a formal incident	(8/9)	(8/9)
management plan/team	89%	89%

## Raleigh-Durham Arterial Management\*



<sup>\*</sup> Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity.

<sup>\*\*</sup> Deployment opportunity reflects potential totals that do not necessarily reflect actual need.


	1997			1999			2005		
Description	Num	Den	%	Num	Den	%	Num	Den	%
Arterial miles covered	0	662	0%						
by electronic									
surveillance									
Signalized intersections				12	372	3%		60	
are covered by									
electronic surveillance									
for monitoring traffic									
flow									
Signalized intersections	558	1019	55%	0	372	0%	0	60	0%
are under centralized or									
closed loop control									

	1997			1999			2005		
Description	Num	Den	%	Num	Den	%	Num	Den	%
Arterial miles are	0	662	0%						
covered by VMS, HAR,									
or IVS									
Arterial miles are					662			662	
covered by VMS									
Arterial miles are					662			662	
covered by HAR									
Arterial miles are					662			662	
covered by IVS									

#### **Arterial Management Integration Indicators**

# Raleigh-Durham

# Arterial Management Integration\*




<sup>\*</sup> Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity

Link Description	1999	2005
16a. Transit management agencies with vehicles equipped with traffic	(0/4)	(1/4)
signal priority	0%	25%
16b. Transit Management agencies have vehicles equipped as probes on	(0/4)	(0/4)
arterials	0%	0%
22. Emergency Management agencies have vehicles equipped with	(2/9)	(3/9)
traffic signal preemption capability	22%	33%
24. Arterial Management agencies have traffic signals within 200 feet of	(1/2)	(1/2)
a highway rail intersection with the capability of having their signal	50%	50%
timing adjusted in response to a train crossing		
18. Number of Arterial Management agencies receiving information	(0/2)	(0/2)
from vehicle probes	0%	0%
5. Incident Management agencies transfer information describing	(0/1)	(0/1)
incident severity, location, and type to Arterial Management	0%	0%

Link Description	1999	2005
11. Freeway Management agencies transfer freeway travel times,	(0/1)	(0/1)
speeds, and conditions to Arterial Management agencies	0%	0%
3. Arterial Management agencies transfer arterial travel times, speeds,	(0/2)	(0/2)
and conditions to Transit Management	0%	0%
1. Arterial Management agencies disseminate arterial travel times,	(0/2)	(1/2)
speeds, and conditions to the public	0%	50%
2. Arterial Management agencies send traffic condition information to	(0/2)	(0/2)
Freeway Management	0%	0%
4. Arterial Management agencies transfer arterial travel times, speeds,	(0/2)	(0/2)
and conditions to Incident Management	0%	0%
26. Arterial Management agencies under cooperative agreement to share	(1/2)	(1/2)
traffic signal timing for coordinated response	50%	50%

# Raleigh-Durham Electronic Toll Collection\*



<sup>\*</sup> Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity.


<sup>\*\*</sup> Deployment opportunity reflects potential totals that do not necessarily reflect actual need.

	1997			1999			2005		
Description	Num	Den	%	Num	Den	%	Num	Den	%
Toll collection plazas									
with ETC capability									
Toll collection lanes									
with ETC capability									

#### **Electronic Toll Collection Integration Indicators**

# Raleigh-Durham Electronic Toll Collection Integration\*

Inputs Outputs




<sup>\*</sup> Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity

Link Description	1999	2005
18. Number of Arterial Management agencies receiving information	(0/2)	(0/2)
from vehicle probes	0%	0%
19. Transit agencies that accept electronic payment through the use of	(0/4)	(0/4)
electronic toll collection media	0%	0%
17. Freeway Management agencies receiving information from vehicle	(0/1)	(0/1)
probes	0%	0%
28. Toll operators using common toll tag technology	(0/)	( 0/)

#### **Transit Management Component Indicators**

Data as of 5/1/00

## Raleigh-Durham Transit Management\*



<sup>\*</sup> Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity.


<sup>\*\*</sup> Deployment opportunity reflects potential totals that do not necessarily reflect actual need.

	1997			1999			2005		
Description	Num	Den	%	Num	Den	%	Num	Den	%
Fixed-route transit vehicles are equipped with AVL	0	115	0%	0	162	0%	56	164	34%
Fixed-route transit vehicles are equipped with electronic monitoring of vehicle component	0	115	0%		162		40	164	24%
Paratransit vehicles operate under computer-aided dispatch	0	36	0%	0	61	0%	6	64	9%
Percent fixed-route transfer locations with electronic display of information	0	0							
Bus stops display information to the public				3	1463	0%	20	1615	1%

#### **Transit Management Integration Indicators**

# Raleigh-Durham

# Transit Management Integration\*



<sup>\*</sup> Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity


Link Description	1999	2005
3. Arterial Management agencies transfer arterial travel times, speeds,	(0/2)	(0/2)
and conditions to Transit Management	0%	0%
9. Incident management agencies transfer information describing	(0/1)	(0/1)
incident severity, location, and type to Transit Management	0%	0%
12. Freeway Management agencies transfer freeway travel times,	(1/1)	(1/1)
speeds, and conditions to Transit Management	100%	100%
20. Transit Management agencies using Electronic Fare Payment data in	(2/4)	(2/4)
transit service planning	50%	50%
16a. Transit Management agencies have vehicles equipped with traffic	(0/4)	(1/4)
signal priority capability	0%	25%
16b. Transit Management agencies have vehicles equipped as probes on	(0/4)	(0/4)
arterials	0%	0%
14a. Transit Management agencies disseminate information describing	(2/4)	(2/4)
transit routes, schedules, and fares to travelers	50%	50%
14b. Transit Management agencies disseminate information describing	(1/4)	(2/4)
schedule/route adherence to travelers	25%	50%

Link Description	1999	2005
15a. Transit Management agencies have vehicles equipped with ramp	(0/4)	(0/4)
meter priority capability	0%	0%
15b. Transit Management agencies have vehicles equipped as probes on	(0/4)	(0/4)
freeways	0%	0%
29. Transit Management agencies that report traffic incidents as part of	(2/4)	(2/4)
an organized regional Incident Management program	50%	50%

#### **Electronic Fare Payment Component Indicators**

Data as of 5/1/00

# Raleigh-Durham Electronic Fare Payment\*



<sup>\*</sup> Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity.

<sup>\*\*</sup> Deployment opportunity reflects potential totals that do not necessarily reflect actual need.


	1997			1999			2005		
Description	Num	Den	%	Num	Den	%	Num	Den	%
Fixed-route transit	56	115	49%	133	162	82%	159	164	97%
vehicles that accept									
electronic payment									
Rail transit stations that	0	0			0			0	
accept electronic									
payment									

#### **Electronic Fare Payment Integration Indicators**

# Raleigh-Durham

# Electronic Fare Payment Integration\*

Inputs Outputs



Legend
1999
2005


<sup>\*</sup> Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity

Link Description	1999	2005
19. Transit agencies that accept electronic payment through the use of	(0/4)	(0/4)
electronic toll collection media	0%	0%
20. Transit Management agencies use Electronic Fare Payment data in	(2/4)	(2/4)
transit service planning	50%	50%
27. Transit Management agencies that use the same electronic payment	(1/4)	(1/4)
system	25%	25%

Data as of 5/1/00

# Raleigh-Durham

## Highway-Rail Intersections\*



<sup>\*</sup> Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity.

<sup>\*\*</sup> Deployment opportunity reflects potential totals that do not necessarily reflect actual need.


	1997			1999			2005		
Description	Num	Den	%	Num	Den	%	Num	Den	%
Highway-rail intersections	0	0			12			12	
are under electronic									
surveillance									

#### **Highway Rail Intersection Integration Indicators**

# Raleigh-Durham

# Highway Rail Intersections Integration\*

Inputs Outputs



Legend					
1999, <b>2005</b>					

<sup>\*</sup> Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity


Link Description	1999	2005
24. Arterial Management agencies with traffic signals within 200 feet of	(1/2)	(1/2)
a highway rail intersection with the capability of having their signal	50%	50%
timing adjusted in response to a train crossing		
23. Arterial Management agencies receive information on highway-rail	(0/2)	(0/2)
intersection crossing blockages for the purpose of managing incident	0%	0%
response		

#### **Emergency Management Component Indicators**

Data as of 5/1/00

# Raleigh-Durham

### **Emergency Management\***



<sup>\*</sup> Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity.

<sup>\*\*</sup> Deployment opportunity reflects potential totals that do not necessarily reflect actual need.


	1997			1999			2005		
Description	Num	Den	%	Num	Den	%	Num	Den	%
Public sector emergency vehicles that operate under computer-aided dispatch	247	985	25%	588	877	67%	988	998	99%
Public sector emergency vehicles that have invehicle route guidance capability	0	985	0%	3	877	0%	9	998	1%

#### **Emergency Management Integration Indicators**

# Raleigh-Durham

# **Emergency Management Integration\***

Inputs Outputs



Legend
1999, <b>2005</b>


<sup>\*</sup> Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity

Link Description	1999	2005
7. Freeway Management agencies transfer information describing	(1/1)	(1/1)
incident severity, location, and type to Emergency Management agencies	100%	100%
22. Emergency Management agencies have vehicles equipped with	(2/9)	(3/9)
traffic signal preemption capability	22%	33%
21a. Freeway Management agencies receive incident severity, location,	(1/1)	(1/1)
and type data from Emergency Management agencies	100%	100%
21b. Freeway Management agencies receive incident clearance	(0/1)	(0/1)
activities information from Emergency Management agencies	0%	0%

#### **Regional Multimodal Traveler Information Component Indicators**

Data as of 5/1/00

# Raleigh-Durham Regional Multimodal Traveler Information\*



<sup>\*</sup> Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity.

<sup>\*\*</sup> Deployment opportunity reflects potential totals that do not necessarily reflect actual need.


	1997			1999			2005		
Description	Num	Den	%	Num	Den	%	Num	Den	%
Freeway conditions	0	102	0%	0	102	0%	30	102	29%
disseminated to									
travelers									
Possible RMTI media	2	8	25%	5	8	63%	4	8	50%
types are used to									
display information to									
travelers									
Possible RMTI media	2	8	25%	2	8	25%	4	8	50%
are used to display									
information on two or									
more modes to									
travelers									

#### **Regional Multimodal Traveler Information Integration Indicators**

# Raleigh-Durham

# Regional Multimodal Traveler Information Integration\*

<u>Inputs</u> <u>Outputs</u>




<sup>\*</sup> Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity


Link Description	1999	2005
14a. Transit Management agencies that disseminate information	(2/4)	(2/4)
describing transit routes, schedules, and fares to travelers	50%	50%
14b. Transit Management agencies that disseminate information	(1/4)	(2/4)
describing schedule/route adherence to travelers	25%	50%
1. Arterial Management agencies that disseminate arterial travel times,	(0/2)	(1/2)
speeds, and conditions to the public	0%	50%
10. Freeway Management agencies that disseminate freeway travel	(1/1)	(1/1)
times, speeds, and conditions to travelers	100%	100%
6. Incident Management agencies that disseminate information	(1/1)	(1/1)
describing incident severity, location, and type to the public	100%	100%

Appendix A Survey Coverage Area


# CAPITAL AREA MPO, DURHAM TRANSPORTATION ADVISORY COMMITTEE, NC



# CAPITAL AREA METROPOLITAN PLANNING ORGANIZATION, NC



## DURHAM TRANSPORTATION ADVISORY COMMITTEE, NC



Appendix B Surveyed Agencies

### **Surveyed Agencies**

Agency Name	Phone	Fax	1999		19	1997	
			Out	In	Out	In	
	RALEIG	H-DURHAM					
Arterial Management							
Raleigh City	(919) 890-3430	(919) 890-3451	8/5/1999		8/14/1997		
North Carolina Department of Transportation for	(336) 334-3192	(336) 334-3637	8/5/1999		8/14/1997	8/14/1997	
North Carolina Department of Transportation for	(919) 560-6851	(919) 560-3371	8/5/1999	2/7/2000	9/29/1997	10/10/1997	
Durham City	(919) 560-4366	(919) 560-4561	8/5/1999	10/13/1999	9/29/1997		
Emergency Management	<u>'</u>						
Durham City Fire Department	(919) 560-4242	(919) 560-4256	6/17/1999		8/18/1997	6/22/1998	
Chatham County Sheriff Department	(919) 542-2811	(919) 542-1215	6/4/1999	8/17/1999	6/18/1998	6/18/1998	
Wake County Sheriff's Department	(919) 856-6938	(919) 856-6874	6/3/1999	6/4/1999	8/18/1997	6/18/1998	
Durham City Police Department	(919) 560-4437	919-560-4899	6/4/1999	8/26/1999	8/18/1997	8/19/1997	
Wake County Emergency Medical Services	(919) 890-3035	(919) 890-3038	6/3/1999	6/16/1999	8/18/1997	6/18/1998	
Raleigh City Emergency Medical Services	(919) 831-6115	(919) 831-6180	6/3/1999	8/12/1999	8/18/1997	8/28/1997	
Raleigh City Police Department	(919) 890-3035	(919) 890-3038	6/4/1999	6/16/1999	8/18/1997	8/22/1997	
Raleigh City Fire Department	(919) 831-6115	(919) 831-6180	6/3/1999	6/4/1999	8/18/1997	8/28/1997	
Orange County Sheriff Department	(919) 644-3050	(919) 732-6403	6/3/1999	6/4/1999	6/18/1998	6/18/1998	
Durham Emergency Medical Services	919-560-4517	919-560-4596	6/4/1999	6/9/1999	8/18/1997	10/9/1997	
Durham County Sheriff Department	(919) 560-0846	(919) 560-0854	6/4/1999		8/18/1997	6/301998	
Freeway Management	<u>'</u>						
North Carolina Department of Transportation	(919) 560-3315	(919) 560-3371	7/29/1999	10/11/1999	8/15/1997	8/18/1997	
MPO		-					
Capital Area MPO/LPA	(919) 831-6785	(919) 831-6821	7/15/1999	7/28/1999			
Durham-Chapel Hill-Carrboro Metropolitan	(919) 560-4366	(919) 560-4561	7/15/1999	10/4/1999			
Transit Management	<u>'</u>						
Durham Area Transit	(919) 687-7055	(919) 688-1475	8/9/1999	12/8/1999	7/21/1997	7/24/1997	
Chapel Hill Transit	(919) 968-2755	(919) 968-2840	8/9/1999	8/19/1999	7/21/1997	10/23/1997	
Triangle Transit Authority	(919) 485-7424	(919) 990-9127	8/9/1999	10/21/1999	7/21/1997	7/25/1997	
Capital Area Transit	(919)831-6777	(919) 831-6821	8/9/1999	11/1/1999	8/15/1997		

Appendix C Freeway Management Components

	North Carolina Departme	nt of Transportation
	1999	2005
Agency Returned Survey?	Yes	
FREEWAY MANAGEMENT SECTION		
Number of freeway centerline miles that agency owns or maintains	NR	
Number of freeway centerline miles that is used for planning	NR	
Number of freeway entrance ramps that agency owns, operates or maintains	NR	
Number of freeway entrance ramps that is used for planning	NR	
Type of facilities used to conduct freeway/incident management activities		
Activities housed in a free-standing dedicated building?	No	
Activities housed in a building shared with other activities?	No	
Activities conducted in a dedicated control room?	No	
Control room contains operator console(s)?	No	
Control room contains electronic wall map?	No	
Control room contains CCTV display(s)?	No	
Activities conducted in a room containing workstations or PCs that manage traffic?	No	
Facilities are electronically linked to other transportation mgt facilities?	No	
Staffing and hours of operation of freeway/incident management activities		
Number of full-time agency staff members	NR	
Number of full time contractor staff members	NR	
Number of part-time agency staff members	NR	
Number of part-time contractor staff members	NR	
Staffed 24 hours day by agency staff or by others	NR	
Staffed during peak hours only by agency staff or by others	NR	
Staffed by others during off-peak hours	No	
Agency staff perform transportation management as an ancillary duty	No	
Agency staff dedicated to transportation management duty	No	
Types of operations conducted for freeway/incident management		
Incident detection and management?	No	
This metropolitan area?	No	
Other metropolitan area?	No	
Statewide?	No	
Monitoring and troubleshooting status of system components?	No	
Manual override of ramp metering rates at freeway on-ramps?	No	
Operating transportation management roadside devices?	No	
Radio communications with other agencies?	No	
Exchange of electronic data with other agencies such as computer aided dispatch?	No	
Real-Time Traffic Data Collection Technologies		
Total number of miles under surveillance with real-time data collection tech.	0	30

	North Carolina Depart	ment of Transportation
	1999	2005
Number of Stations with data collection technologies		
Loop detectors	0	0
Video imaging detectors	0	0
Probe readers (elec. toll tags, transit vehicles, other technology)	0	0
Microwave radar	0	0
Other (e.g., acoustic detectors)	0	0
Number of Miles covered with data collection technologies		-
Loop detectors	0	0
Video imaging detectors	0	0
Probe readers (elec. toll tags, transit vehicles, other technology)	0	0
Microwave radar	0	0
Other (e.g., acoustic detectors)	0	0
/ariable Message Signs (VMS) on Freeways		
Candidate locations for deployment of VMS where VMS has been deployed	11	30
Candidate locations for deployment of VMS	11	55
Roadside Technologies used to Distribute Traveler Information		
Total number of miles where information is distributed	9	9
Number deployed		
Highway advisory radio	NR	NR
In-vehicle signing	0	0
Portable variable message signs	0	0
Other	0	0
Miles covered		
Highway advisory radio	9	9
In-vehicle signing	0	0
Portable variable message signs	0	0
Other	0	0
Ramp Meters on Freeways		
Number of entrance ramp meters operated under isolated control	NR	NR
Number of entrance ramp meters operated under central control	NR	NR
Number of entrance ramp meters that provide preemption for emergency vehicles	NR	NR
Number of entrance ramp meters that provide priority for transit vehicles	NR	NR
Total number of metered ramps	NR	NR
reeway centerline miles under lane control	1	10
Communication Links		
Freeway centerline miles covered by the following type of communication		
Twisted pair cable	0	0
Coaxial cable	0	0
Fiber-optic cable	0	0
Microwave radio	0	0
Other	0	0

		ment of Transportation
ATMOR 4 PL 6 4 4 10 (TE TM 4 04)	1999	2005
ATMS Data Dictionary Sections 1 and 2 (ITE TM 1.01)	No	
ATMS Data Dictionary Sections 3 and 4 (ITE TM 1.02)	No	
Message Set for External TMC Communication (ITE-9604-1)	No	
NTCIP Class B Profile (AASHTO TS 3.3)	No	
NTCIP Data Collection and Monitoring Devices (AASHTO TS 3.DCM)	No	
NTCIP Object Definitions for Environmental Sensor Stations (AASHTO TS 3.7)	No	
NTICP Object Definitions for Dynamic Message Signs (AASHTO TS 3.6)	No No	
NTICP Object Definitions for Highway Advisory Radio (AASHTO TS 3.HAR)	No No	
NTICP Object Definitions for Ramp Meter Control (AASHTO TS 3.RMC)	No No	
NTICP Object Definitions for Transportation Sensor Systems (AASHTO TS 3.TSS)		
NTICP Object Definitions for Video Camera Control (AASHTO TS 3.VCC)	No NR	
Would agency be willing to participate in testing of ITS Standards?  Have agreements in place with other agencies to use similar hardware	NR NR	
and software to aid maintenance and interoperability?	NR	
NCIDENT MANAGEMENT SECTION	INK	
Jse of Service Patrols to Assist in Detection and Response to Incidents		
Publicly operated service patrol vehicles	Yes	
Privately operated service patrol vehicles operated under public contract	No	
otal number of freeway miles patrolled by these services	40	60
Miles Covered by Methods to Detect and Verify Incidents	40	00
Free cellular phone call to a dedicated phone number other than 911	NR	NR
Police patrols	NR	NR NR
Computer algorithms linked to traffic surveillance equipment	NR NR	NR NR
CCTV	25	60
Private sector sources (e.g., Shadow Traffic, SmartRoutes)	NR	NR
Other (e.g., free cell phone call to an area radio system, etc.)	NR	NR
Procedures in place for Freeway Incident Response?		
Working agreement(s)/arrangement(s) with other agencies	No	
Inter-agency incident management admin. team that meets regularly	No	
Major incident response team that responds to major incidents	No	
Set of goals/objectives for incident mgt that has been adopted by agencies in region	No	
Central focal point for facilitating the two-way flow of information	110	
among agencies responding to an incident?		
The central focal point is a Freeway or Traffic Management Center	No	
·	No No	
The central focal point is a Police, Fire or joint dispatch center		
The central focal point is another center	No	
Methods of Communication Used On-Site at an Incident		
<u>Police</u>		
Two-way radio	No	
800 MHz trunked radio	No	
Cellular telephone	No	

	North Carolina Depart	ment of Transportation
	1999	2005
Hand-held (i.e., walkie-talkie)	No	
Automated data systems (i.e., CAD)	No	
<u>Fire</u>		
Two-way radio	No	
800 MHz trunked radio	No	
Cellular telephone	No	
Hand-held (i.e., walkie-talkie)	No	
Automated data systems (i.e., CAD)	No	
DOT		
Two-way radio	No	
800 MHz trunked radio	No	
Cellular telephone	No	
Hand-held (i.e., walkie-talkie)	No	
Automated data systems (i.e., CAD)	No	
Towing	-	
Two-way radio	No	
800 MHz trunked radio	No No	
Cellular telephone	No No	
Hand-held (i.e., walkie-talkie)	No No	
Automated data systems (i.e., CAD)	No No	
Which police agencies typically respond to incidents on freeways?	INO	
State Police	No	
County Police or Sheriff	No	
City Police	No.	
Who provides on-site emergency medical response?	140	
Fire	No	
Emergency Management Service Agency	No	
Private hospital	No	
las a multi-agency contact list been developed in area containing the	-	
names, phone numbers, etc. for the appropriate response personnel?	NR	
s the Incident Command System used to manage incident scenes?	NR	
s there a legal specification by state law or formal agreement as to who		
is "in charge" at the incident scene?		
Specified by state law?	No	
Formal agreement?	No	
Not specified or don't know?	No	
On-scene command post used to manage activities of responding agencies?	NR	
Are there communication linkages to a communications traffic/freeway mgt center?	NR	
Plan developed and adopted by responding agencies for staging and parking		
response vehicles and equip. at incident site that minimizes lane blockage		
and facilitates the re-opening of lanes?	NR	
Respondents protected through law or court opinion for liability claims		

	North Carolina Depar	tment of Transportation
	1999	2005
for damages to vehicles or cargoes during clearance activities?	NR	
Are overturned tank trucks, which are intact and not leaking, uprighted		
without first off-loading?	NR	
Does your state or local jurisdiction have a law that requires drivers		
involved in property-damage-only accidents to move the vehicles		
from travel lanes to a safe location to exchange info and wait for police?	NR	
Have laws or policies regarding the removal of stalled/abandoned vehicles		
from freeway shoulders?	NR	
Hours abandoned vehicles are allowed to remain on a freeway shoulder?	NR	
Have policies or procedures for quick removal of vehicles?	NR	
s Total Station equipment used to investigate major incidents?	NR	
Handling of Towing Responses to Incidents		
Formal contract based on qualifications?	No	
Rotation with companies under contract?	No	
Separate lists kept for light and heavy response and for specialty recovery?	NR	
Rotation list with minimal qualifications?	No	
In towing qualifications, do you require towers to be certified under the		
Towing and Recovery Ass. of America's National Drivers Cert. Program?	NR	
DK: Don't know		
NR: No Response		
Leg: Legislation or action being planned		

Appendix D Freeway Management Integration

		lina Department of nsportation	
Agency Name	1999	2005	
	1000		
Agency Returned Survey?	Yes		
Freeway Management Section			
Agencies your agency provides freeway travel times, speeds, and			
conditions information, share infrastructure or coordinates operation			
Freeway Management Agencies			
Provide Information	short survey	None listed	
Share Infrastructure	None listed	None listed	
Coordinate Operation	None listed	None listed	
Incident Management Agencies			
Provide Information	short survey	None listed	
Share Infrastructure	None listed	None listed	
Coordinate Operation	None listed	None listed	
Arterial Management Agencies	Trene nerea	Traine meteu	
Provide Information	None listed	None listed	
Share Infrastructure	None listed	None listed	
Coordinate Operation	None listed	None listed	
Public Transit Operators	Trene nerea	. to.i.e ileted	
Provide Information	short survey	None listed	
Share Infrastructure	None listed	None listed	
Coordinate Operation	None listed	None listed	
Receiving real-time information via electronic means from others	Trono notou	Trono notog	
Incident Management agencies from which your agency receives			
incident severity, location, and type information	short survey	None listed	
Arterial Management agencies from which your agency receives			
arterial travel times, speeds, and conditions	None listed	None listed	
Public Transit operators from which your agency receives			
freeway travel times derived from vehicle probes	None listed	None listed	
Toll Collection agencies from which your agency receives freeway travel			
times derived from vehicles probes	None listed	None listed	
reeway Incident Management Section			
Agencies your agency provides incident severity, location, and type info.			
and/or shares infrastructure and/or coordinates operation			
Arterial Management Agencies			
Provide Information	None listed	None listed	
Share Infrastructure	None listed	None listed	
Coordinate Operation	None listed	None listed	

		lina Department of nsportation	
Agency Name	1999	2005	
Emergency Management Agencies			
Provide Information	short survey	None listed	
Share Infrastructure	None listed	None listed	
Coordinate Operation	None listed	None listed	
Freeway Management Agencies			
Provide Information	short survey	None listed	
Share Infrastructure	None listed	None listed	
Coordinate Operation	None listed	None listed	
Public Transit Operators			
Provide Information	None listed	None listed	
Share Infrastructure	None listed	None listed	
Coordinate Operation	None listed	None listed	
Receiving real-time information via electronic means from others			
Emergency Management agencies from which your agency receives			
incident clearance and/or incident severity and type			
Receive Arterial Incident Clearance Information	short survey	None listed	
Receive Arterial Incident Severity Information	None listed	None listed	
Arterial Management agencies from which your agency receives			
arterial travel times, speeds, and conditions	None listed	None listed	
Freeway Management agencies from which your agency receives			
freeway travel times, speeds, and conditions	None listed	None listed	

<sup>\*</sup>short survey: Agency responded using a short survey. The survey did not include names of individual agencies, but only identified whether integration exists.

Appendix E Freeway Management Information Collection and Dissemination

	North Carolina Department of Transportation			
Agency Name	1999	2005		
Agency Returned Survey?	Yes			
Freeway Management Section				
Data collected, archived, and/or transferred to another agency				
Collected by your agency	NR	NR		
Archived by your agency	NR	NR		
Transferred to another agency by your agency	NR	NR		
Importance of making information available to the public				
Ranked High	NR	•		
Ranked Medium	NR			
Ranked Low	NR			
Groups that make requests for the data	NR			
What is the data used for?	NR			
Methods used to disseminate freeway information to the public				
Technologies your agency uses to disseminate:	Internet Web sites	NR		
Technologies your agency (through another agency or org.) uses to disseminate:	NR	NR		
Internet web site reporting freeway conditions				
	NR			
Telephone system for reporting freeway information to the public	NR			
Organizations your agency sends information for dissemination to the public	NR			
Freeway Incident Management Section				
Methods used to distribute incident location and severity information				
to the public				
Technologies your agency uses to disseminate:	Internet Web sites	NR		
Technologies your agency (through another agency or org.) uses to disseminate:	NR	NR		
Internet web site reporting incident information		•		
-	NR			
Telephone system for reporting incident information to the public	NR			
Organizations your agency sends information for dissemination to the public	NR			

Appendix F Arterial Management Components

	Durham City		North Carolina Department of Transportation for Durham County		Totals	
	1999	2005	1999	2005	1999	2005
Agency Returned Survey?	Yes		Yes		2	
ARTERIAL MANAGEMENT SECTION						
Number of arterial miles that agency owns or maintains	NR		NR		0	
Number of arterial miles that is used for planning	NR		NR		0	
Number of highway-rail intersections that agency maintains	12		NR		12	
Number of highway-rail intersections that is used for planning	NR		NR		0	
Type of facilities used to conduct arterial management activities						
Activities housed in a free-standing dedicated building?	No		No		0	
Activities housed in a building shared with other activities?	No		No		0	
Activities conducted in a dedicated control room?	No		No		0	
Control room contains operator console(s)?	No		No		0	
Control room contains electronic wall map?	No		No		0	
Control room contains CCTV display(s)?	No		No		0	
Activities conducted in a room containing workstations or PCs that manage traffic?	No		No		0	
Facilities are electronically linked to other transportation mgt facilities?	No		No		0	
Staffing and hours of operation of arterial management activities						
Number of full-time agency staff members	NR		NR		0	
Number of full time contractor staff members	NR		NR		0	
Number of part-time agency staff members	NR		NR		0	
Number of part-time contractor staff members	NR		NR		0	
Staffed 24 hours day by agency staff or by others	NR		NR		0	
Staffed during peak hours only by agency staff or by others	NR		NR		0	
Staffed by others during off-peak hours	No		No		0	
Agency staff perform transportation management as an ancillary duty	No		No		0	
Agency staff dedicated to transportation management duty	No		No		0	
Types of operations conducted for arterial management						
Incident detection and management?	No		No		0	
This metropolitan area?	No		No		0	
Other metropolitan area?	No		No		0	
Monitoring and troubleshooting status of system components?	No		No		0	
Radio communications with other agencies?	No		No		0	
Exchange of electronic data with other agencies such as computer aided dispatch?	No		No		0	
Manual override of traffic signal timing plans	No		No		0	
Operating transportation mgt roadside devices (e.g., VMS, CCTV, etc.)	No		No		0	

	Durham City		North Carolina Department of Transportation for Durham County		Totals	
	1999	2005	1999	2005	1999	2005
Describe agency's role in traffic signal control	NR		All roads in county outside incorporated area			
Traffic Signals Operated by Agency						
Number of signalized intersections operated and owned by agency	NR	NR	324	NR	324	0
Number of signalized intersections operated by agency but owned by another	NR	NR	0	NR	0	0
Total number of signalized intersections operated by agency	48	60	324	NR	372	60
Characteristics of signalized intersections that agency operates						
Under closed loop or central system control	0	0	NR	NR	0	0
Under real-time traffic adaptive control using advanced software	0	60	NR	NR	0	60
Using SCOOT	No		No		0	
Using SCATS	Yes		No		1	
Name of software	SCATS		NR		<u>'</u>	
Allow signal preemption for emergency vehicles	13	20	NR	NR	13	20
Allow signal priority for transit vehicles	0	0	NR	NR	0	0
Within 200 feet of a highway-rail intersection	5	5	NR	NR	5	5
Within 200 feet of a highway-rail intersection that adjust signal timing	5	5	NR	NR	5	5
Software used to control the signals agency operates						
Date of last upgrade to traffic signal control system software?	N	İR	١	NR .		
How often do you update signal timing?	N	IR	N	<b>I</b> R		
Software used and number of signalized intersections under control (1999, 2005)	NR		BiTran Systems, Inc., 7, 25 Aries Software-Econolite, 5, 15			
Controllers used to control signals						
NEMA	0	0	317	NR	317	0
170/179	0	0	7	NR	7	0
2070 controller	0	0	0	0	0	0
Other	0	0	0	0	0	0
Technologies Associated with Highway-Rail Intersections	ND	ND	ND	ND		_
Total number of highway-rail intersections under electronic surveillance	NR	NR	NR	NR	0	0
<u>Highway-Rail intersection capapbilities</u> Video surveillance		0	0		0	0
Electronic surveillance other than video	0	0	0	0	0	0
	0	0	0	0	0	0
Ability to predict train arrival electronically  Equipped with electronic traffic violator devices	0	0	0	0	0	0
Other	0	0	0	0	0	0
Real-Time Electronic Traffic Data Collection Technologies	U	0	<del>                                     </del>	J	U	U
Fotal number of signalized intersections covered by electronic surveillance  Number of signalized intersections with data collection technologies	NR	NR	12	NR	12	0

	Durham City		North Carolina Department of Transportation for Durham County		Totals	
	1999	2005	1999	2005	1999	2005
Loop detectors	0	0	12	NR	12	0
Video detection cameras	0	0	1	5	1	5
Probe readers reading toll tags	0	0	0	0	0	0
Probe readers reading license plates	0	0	0	0	0	0
Other	0	0	0	0	0	0
Roadside Technologies used to Distribute Traveler Information						<b></b>
Number deployed						
Highway Advisory Radio	NR	NR	NR	NR	0	0
In-Vehicle Signing (IVS)	NR	NR	NR	NR	0	0
VMS controlling parking access	NR	NR	NR	NR	0	0
Miles covered	ND	ND	ND	ND		
Highway Advisory Radio	NR	NR	NR	NR	0	0
In-Vehicle Signing (IVS)	NR	NR	NR	NR	0	0
Variable Message Signs (VMS) on Arterials  Candidate locations for deployment of VMS where VMS has been deployed	NR	NR	NR	NR	0	0
Candidate locations for deployment of VMS where VMS has been deployed  Candidate locations for deployment of VMS	NR NR	NR NR	NR	NR NR	0	0
Communication Technologies	INIX	INK	INK	INIX	0	
Signalized intersections communicated with by each type of communication				+		<del> </del>
Twisted pair cable	0	0	0	0	0	0
Coaxial cable	0	0	0	0	0	0
Fiber-optic cable	0	0	12	NR	12	0
Other (e.g., wireless, dial-up modems, leased lines, etc.)	0	0	2	0	2	0
Does agency convey information on highway-rail intersection crossing			_	,		
status to travelers via roadside media such as VMS or HAR?	No		No		0	
ITS Standards Used Related to Traffic Signal Control	110		110			
Advanced Transportation Controller (ATC) Software Application Interface (ITE 9603-1)	No		No		0	
ATC Physical Cabinet Functional Design (ITE-9603-2)	No		No		0	
, ,	• • • •		No		0	
ATC Functionality and Interface Definitions (ITE-9603-3)	No					
Natl. Trans. Communications for ITS Protocol (NTCIP) Class B Profile (AASHTO TS 3.3)	No		No		0	
NTCIP Data Collection and Monitoring Devices (AASHTO TS 3.DCM)	No		No		0	<u> </u>
NTCIP Object Definitions for Video Camera Control (AASHTO TS 3.VCC)	No		No		0	
NTCIP Object Definitions for Actuated Traffic Signal Controller Units (AASHTO TS 3.5)	No		No		0	
Would agency be willing to participate in testing of ITS Standards?	NR		No		0	
Have agreements in place with other agencies to use similar hardware						
and software to aid maintenance and interoperability?	NR		No		0	
INCIDENT MANAGEMENT ON ARTERIAL STREETS						
Receive information on highway-rail intersection crossing blockages for						
the purpose of managing incident response?	No		No		0	
Use of Service Patrols to Assist in Detection and Response to Incidents						
Publicly operated service patrol vehicles	No		No		0	

	Durh	am City	Transportation	a Department of on for Durham ounty	To	tals
	1999	2005	1999	2005	1999	2005
Privately operated service patrol vehicles operated under public contract	No		No		0	
Total number of arterial miles patrolled by these services	NR	NR	NR	NR	0	0
Miles Covered by Methods to Detect and Verify Incidents						
Free cellular phone call to a dedicated phone number other than 911	0	60	0	0	0	60
Free cellular phone call to an area radio station	0	0	0	0	0	0
Police patrols	0	0	0	0	0	0
Computer algorithms linked to traffic surveillance equipment	0	20	0	0	0	20
CCTV	0	20	0	0	0	20
Private sector sources (e.g., Shadow Traffic, Smart Routes)	0	0	0	0	0	0
Other Procedures in place for Arterial Incident Response?	0	0	0	0	0	0
Working agreement(s)/arrangement(s) with other agencies	No		No		0	
Inter-agency incident management admin. team that meets regularly	No		No		0	
	-		No		0	
Major incident response team that responds to major incidents  Set of goals/chicotives for incident mot that has been adepted by agencies in region	No No		No		0	
Set of goals/objectives for incident mgt that has been adopted by agencies in region  Methods of Communication Used On-Site at an Incident	INO		INO		0	
						<del> </del>
Police	Na		Ne			
Two-way radio	No		No		0	
800 MHz trunked radio	No		No		0	
Cellular telephone	No		No		0	
Hand-held (i.e., walkie-talkie)	No		No		0	
Automated data systems (i.e., CAD)	No		No		0	
Other	No		No		0	
<u>Fire</u>						
Two-way radio	No		No		0	
800 MHz trunked radio	No		No		0	
Cellular telephone	No		No		0	
Hand-held (i.e., walkie-talkie)	No		No		0	
Automated data systems (i.e., CAD)	No		No		0	
Other	No		No		0	
DOT						
Two-way radio	No		No		0	
800 MHz trunked radio	No		No		0	
Cellular telephone	No		No		0	
Hand-held (i.e., walkie-talkie)	No		No		0	
Automated data systems (i.e., CAD)	No		No		0	
Other	No		No		0	
Towing						

	Durh	am City	Transportati	a Department of on for Durham ounty	To	tals
	1999	2005	1999	2005	1999	2005
Two-way radio	No		No		0	
800 MHz trunked radio	No		No		0	
Cellular telephone	No		No		0	
Hand-held (i.e., walkie-talkie)	No		No		0	
Automated data systems (i.e., CAD)	No		No		0	
Other	No		No		0	
Which police agencies typically respond to incidents on arterials?						
State Police	No		No		0	
County Police or Sheriff	No		No		0	
City Police	No		No		0	
Nho provides on-site emergency medical response?						
Fire	No		No		0	
Emergency Management Service Agency	No		No		0	
Private hospital	No		No		0	
las a multi-agency contact list been developed in area containing the						
names, phone numbers, etc. for the appropriate response personnel?	NR		NR		0	
s the Incident Command System used to manage incident scenes?	NR		NR		0	
s there a legal specification by state law or formal agreement as to who						
is "in charge" at the incident scene?						
Specified by state law?	No		No		0	
Formal agreement?	No		No		0	
Not specified or don't know?	No		No		0	
On-scene command post used to manage activities of responding agencies?	NR		NR		0	
Are there communication linkages to a communications traffic/freeway mgt center?	NR		NR		0	
Plan developed and adopted by responding agencies for staging and parking						
response vehicles and equip. at incident site that minimizes lane blockage						
and facilitates the re-opening of lanes?	NR		NR		0	
Respondents protected through law or court opinion for liability claims						
for damages to vehicles or cargoes during clearance activities?	NR		NR		0	
Are overturned tank trucks, which are intact and not leaking, uprighted						
without first off-loading?	NR		NR		0	
Does your state or local jurisdiction have a law that requires drivers						<u> </u>
involved in property-damage-only accidents to move the vehicles						
from travel lanes to a safe location to exchange info and wait for police?	NR		NR		0	
Have laws or policies regarding the removal of stalled/abandoned vehicles						
from freeway shoulders?	NR		NR		0	
Hours abandoned vehicles are allowed to remain on a freeway shoulder?	NR		NR		0	
lave policies or procedures for quick removal of vehicles?	NR		NR		0	

	Durh	am City	Transportation	Department of on for Durham unty	Totals		
	1999	2005	1999	2005	1999	2005	
Is Total Station equipment used to investigate major incidents?	NR		NR		0		
Handling of Towing Responses to Incidents							
Formal contract based on qualifications?	No		No		0		
Rotation with companies under contract?	No		No		0		
Separate lists kept for light and heavy response and for specialty recovery?	NR		NR		0		
Rotation list with minimal qualifications?	No		No		0		
In towing qualifications, do you require towers to be certified under the							
Towing and Recovery Ass. of America's National Drivers Cert. Program?	NR		NR		0		
DK: Don't know							
NR: No Response							
Leg: Legislation or action being planned				_			

Appendix G Arterial Management Integration

	Di	urham City		olina Department of on for Durham County
Agency Name	1999	2005	1999	2005
Agency Returned Survey?	Yes		Yes	
Arterial Management Section				
Arterial Mgt. agencies in metropolitan area with which you share info.				
Share Timing Plans Information	short survey	None listed	None listed	None listed
Coordinate Changes to Timing Plans	None listed	None listed	None listed	None listed
Turn over Control of Signals	short survey	None listed	None listed	None listed
Agencies your agency provides arterial travel times, speeds, and				
conditions information, share infrastructure or coordinates operation				
Freeway Management Agencies				
Provide Information	None listed	None listed	None listed	None listed
Share Infrastructure	None listed	None listed	None listed	None listed
Coordinate Operation	None listed	None listed	None listed	None listed
Incident Management Agencies				
Provide Information	None listed	None listed	None listed	None listed
Share Infrastructure	None listed	None listed	None listed	None listed
Coordinate Operation	None listed	None listed	None listed	None listed
Public Transit Operators Agencies				
Provide Information	None listed	None listed	None listed	None listed
Share Infrastructure	None listed	None listed	None listed	None listed
Coordinate Operation	None listed	None listed	None listed	None listed
Arterial Management Agencies				
Provide Information	None listed	None listed	None listed	None listed
Share Infrastructure	None listed	None listed	None listed	None listed
Coordinate Operation	None listed	None listed	None listed	None listed
Receiving real-time information via electronic means from others				
Freeway Management agencies from which your agency receives				
freeway travel times, speeds, and conditions	None listed	None listed	None listed	None listed
Public Transit operators from which your agency receives				
arterial travel times derived from vehicle probes	None listed	None listed	None listed	None listed
Incident Management agencies from which your agency receives				
incident clearance and/or incident severity, location, and type information				
Receive information on Incident Clearance	None listed	None listed	None listed	None listed
Receive information on Incident Severity, Location, and Type	None listed	None listed	None listed	None listed
Toll Collection agencies from which your agency receives arterial travel				
times derived from vehicles probes	None listed	None listed	None listed	None listed
Arterial Incident Management Section				
Agencies your agency provides incident severity, location, and type info.				
and/or shares infrastructure and/or coordinates operation				

		urham City		olina Department of on for Durham County
Agency Name	1999	2005	1999	2005
Emergency Management Agencies				
Provide Information	short survey	None listed	None listed	None listed
Share Infrastructure	None listed	None listed	None listed	None listed
Coordinate Operation	None listed	None listed	None listed	None listed
Freeway Management Agencies				
Provide Information	None listed	None listed	None listed	None listed
Share Infrastructure	None listed	None listed	None listed	None listed
Coordinate Operation	None listed	None listed	None listed	None listed
Public Transit Operators				
Provide Information	None listed	None listed	None listed	None listed
Share Infrastructure	None listed	None listed	None listed	None listed
Coordinate Operation	None listed	None listed	None listed	None listed
Receiving real-time information via electronic means from others				
Emergency Management agencies from which your agency receives				
arterial incident clearance and/or arterial incident severity				
Receive Arterial Incident Clearance Information	None listed	None listed	None listed	None listed
Receive Arterial Incident Severity Information	None listed	None listed	None listed	None listed
Arterial Management agencies from which your agency receives				
arterial travel times, speeds, and conditions	None listed	None listed	None listed	None listed
Freeway Management agencies from which your agency receives				
freeway travel times, speeds, and conditions	None listed	None listed	None listed	None listed

<sup>\*</sup>short survey: Agency responded using a short survey. The survey did not include names of individual agencies, but only identified whether integration exists.

Appendix H
Arterial Management Information Collection and Dissemination

		Durham City	•	partment of Transportation for Irham County
Agency Name	1999	2005	1999	2005
Agency Returned Survey?	Yes		Yes	
Arterial Management Section				
Data collected, archived, and/or transferred to another agency				
Collected by your agency	NR	NR	NR	NR
Archived by your agency	NR	NR	NR	NR
Transferred to another agency by your agency	NR	NR	NR	NR
Importance of making information available to the public				
Ranked High	NR	•	NR	•
Ranked Medium	NR		NR	
Ranked Low	NR		NR	
Groups that make requests for the data	NR		NR	
What is the data used for?	NR		NR	
Methods used to disseminate arterial information to the public				
Technologies your agency uses to disseminate:				
	NR	Dedicated cable TV, Internet Web sites, Kiosks	NR	NR
Technologies your agency (through another agency or org.) uses to disseminate:	NR	NR	NR	NR
Internet web site reporting arterial conditions	NR	•	NR	•
Telephone system for reporting arterial information to the public	NR		NR	
Organizations your agency sends information for dissemination to the public	NR		NR	
Arterial Incident Management Section				
Methods used to distribute incident location and severity information				
to the public				
Technologies your agency uses to disseminate:				
	NR	Dedicated cable TV, Internet Web sites, Kiosks	NR	NR
Technologies your agency (through another agency or org.) uses to disseminate:	NR	NR	NR	NR
Internet web site reporting incident information	NR	<b>.</b>	NR	•
Telephone system for reporting incident information to the public	NR		NR	
Organizations your agency sends information for dissemination to the public	NR		NR	

Appendix I Transit Management Components

	0 :: 1 4	<b>-</b>	01 11			<b>.</b>		e Transit	<b>T</b>	4-1-
	1999	ea Transit 2005	1999	lill Transit 2005	1999	rea Transit 2005	1999	ority <b>2005</b>	1999	tals 2005
Agency Returned Survey?	Yes	2005	Yes	2005	Yes	2005	Yes	2005	4	2005
Number of vehicles used in revenue service	103		103		103		103		7	
Fixed Route Bus	53	68	56	NR	29	40	24	56	162	164
Heavy or Rapid Rail	NR	NR	NR	NR	NR	NR	NR	NR	0	0
Light Rail	NR	NR	NR	NR	NR	NR	NR	NR	0	0
Demand Responsive	10	10	7	NR	38	48	6	6	61	64
Commuter Rail	NR	NR	NR	NR	NR	NR	NR	NR	0	0
Ferry Boat	NR	NR	NR	NR	NR	NR	NR	NR	0	0
Have of plan to have an Automated Vehicle Location System?	No		No		No		Yes		1	
Primary and Secondary Location Technologies Used										
Primary Technologies										
GPS	No	No	No	No	No	No	No	No	0	0
Sign/Odometer	No	No	No	No	No	No	No	No	0	0
Dead-Reckoning	No	No	No	No	No	No	No	No	0	0
LORAN C	No	No	No	No	No	No	No	No	0	0
Other	No	No	No	No	No	No	No	Yes	0	1
Backup Technologies										
GPS	No	No	No	No	No	No	No	No	0	0
Sign/Odometer	No	No	No	No	No	No	No	No	0	0
Dead-Reckoning	No	No	No	No	No	No	No	No	0	0
LORAN C	No	No	No	No	No	No	No	No	0	0
Other	No	No	No	No	No	No	No	No	0	0
Number of Vehicles Equipped with AVL										
Fixed Route Bus	NR	NR	NR	NR	NR	NR	0	56	0	56
Heavy or Rapid Rail	NR	NR	NR	NR	NR	NR	NR	NR	0	0
Light Rail	NR	NR	NR	NR	NR	NR	NR	NR	0	0
Demand Responsive	NR	NR	NR	NR	NR	NR	0	6	0	6
Commuter Rail	NR	NR	NR	NR	NR	NR	NR	NR	0	0
Ferry Boat	NR	NR	NR	NR	NR	NR	NR	NR	0	0
Motor Buses Operated as Vehicle Probes										
Number of Motor Buses equipped as probes on freeways?	NR		NR		NR		NR		0	
Number of Motor Buses equipped as probes on arterials?	NR		NR		NR		NR		0	
Have Organized Regional Incident Management Program?	Yes		No		Yes		No		2	
Have Automated Traveler Information System?	Yes		No		No		Yes		2	
Services Automated Traveler Info. System Applies:		<u>                                     </u>	<u> </u>	<u> </u>				<u> </u>		<u> </u>

	Capital Ar	rea Transit	Chapel F	Hill Transit	Durham A	rea Transit		e Transit nority	To	tals
	1999	2005	1999	2005	1999	2005	1999	2005	1999	2005
Fixed Route	Yes		No		No		Yes		2	
Heavy Rail	No		No		No		No		0	
Light Rail	No		No		No		No		0	
Demand Responsive	Yes		No		No		Yes		2	
Commuter Rail	No		No		No		No		0	
Ferry	No		No		No		No		0	
Locations where traveler information is displayed to public										
Number of bus stops on fixed transit routes	1,115	1,200	NR	NR	NR	NR	348	415	1463	1615
Bus stops on fixed transit routes that display traveler info to the public	0	0	NR	NR	NR	NR	3	20	3	20
Number of rail stations	NR	NR	NR	NR	NR	NR	0	0	0	0
Number of rail stations that display traveler information	NR	NR	NR	NR	NR	NR	0	0	0	0
Number of other locations that display traveler information to public	42	60	NR	NR	NR	NR	1	1	43	61
Number of vehicles the traveler information system has available										
Fixed Route Bus	53	68	NR	NR	NR	NR	0	56	53	124
Heavy or Rapid Rail	NR	NR	NR	NR	NR	NR	NR	NR	0	0
Light Rail	NR	NR	NR	NR	NR	NR	NR	NR	0	0
Demand Responsive	10	10	NR	NR	NR	NR	0	6	10	16
Commuter Rail	NR	NR	NR	NR	NR	NR	NR	NR	0	0
Ferry Boat	NR	NR	NR	NR	NR	NR	NR	NR	0	0
Deployment of Communications Technology										
Attributes of Radio System:										
Digital?	No		No		Yes		No		1	
Analog?	Yes		Yes		No		Yes		3	
Trunked?	No		No		No		Yes		1	
Regular?	Yes		Yes		Yes		No		3	
Services that use a Digital or Trunked Radio System										
<u>Digital Only</u>										
Fixed Route Bus	No	No	No	No	No	No	No	No	0	0
Heavy or Rapid Rail	No	No	No	No	No	No	No	No	0	0
Light Rail	No	No	No	No	No	No	No	No	0	0
Demand Responsive	No	No	No	No	No	No	No	No	0	0
Commuter Rail	No	No	No	No	No	No	No	No	0	0
Ferry Boat	No	No	No	No	No	No	No	No	0	0
Trunked Only										
Fixed Route Bus	No	No	No	No	No	No	No	No	0	0
Heavy or Rapid Rail	No	No	No	No	No	No	No	No	0	0
Light Rail	No	No	No	No	No	No	No	No	0	0
Demand Responsive	No	No	No	No	No	No	No	No	0	0

I - 2

	Capital A	rea Transit	Chanel F	lill Transit	Durham A	rea Transit		e Transit	To	tals
	1999	2005	1999	2005	1999	2005	1999	2005	1999	2005
Commuter Rail	No	No	No	No	No	No	No	No	0	0
Ferry Boat	No	No	No	No	No	No	No	No	0	0
Have of plan to have Automatic Passenger Counters (APCs)?	No		No		Yes		No		1	
Methods used to count passengers										
Treadle Mats	No		No		No		No		0	
Infrared Beams	No		No		Yes		No		1	
Primary and Secondary Location Technologies Used										
Primary Technologies										
GPS	No	No	No	No	No	No	No	No	0	0
Differential GPS	No	No	No	No	No	No	No	No	0	0
Signpost/Odometer	No	No	No	No	No	No	No	No	0	0
Dead_Reckoning	No	No	No	No	No	No	No	No	0	0
LORAN C	No	No	No	No	No	No	No	No	0	0
Other	No	No	No	No	No	No	No	No	0	0
Backup Technologies										
GPS	No	No	No	No	No	No	No	No	0	0
Differential GPS	No	No	No	No	No	No	No	No	0	0
Signpost/Odometer	No	No	No	No	No	No	No	No	0	0
Dead_Reckoning	No	No	No	No	No	No	No	No	0	0
LORAN C	No	No	No	No	No	No	No	No	0	0
Other	No	No	No	No	No	No	No	No	0	0
Number of Vehicles with APCs										
Fixed Route Bus	NR	NR	NR	NR	NR	40	NR	NR	0	40
Heavy or Rapid Rail	NR	NR	NR	NR	NR	NR	NR	NR	0	0
Light Rail	NR	NR	NR	NR	NR	NR	NR	NR	0	0
Demand Responsive	NR	NR	NR	NR	NR	NR	NR	NR	0	0
Commuter Rail	NR	NR	NR	NR	NR	NR	NR	NR	0	0
Ferry Boat	NR	NR	NR	NR	NR	NR	NR	NR	0	0
Remote Real-Time Monitoring and Computer Assisted Dispatching										
Remote Real-Time Monitoring										
Fixed Route Bus	NR	NR	NR	NR	NR	40	NR	NR	0	40
Heavy or Rapid Rail	NR	NR	NR	NR	NR	NR	NR	NR	0	0
Light Rail	NR	NR	NR	NR	NR	NR	NR	NR	0	0
Demand Responsive	NR	NR	NR	NR	NR	NR	NR	NR	0	0
Commuter Rail	NR	NR	NR	NR	NR	NR	NR	NR	0	0
Ferry Boat	NR	NR	NR	NR	NR	NR	NR	NR	0	0
Automated Dispatching or Control Software										
Fixed Route Bus	NR	NR	NR	NR	NR	40	0	56	0	96

I - 3

	Capital Ar	ea Transit	Chapel H	Hill Transit	Durham A	rea Transit		e Transit	То	tals
	1999	2005	1999	2005	1999	2005	1999	2005	1999	2005
Heavy or Rapid Rail	NR	NR	NR	NR	NR	NR	NR	NR	0	0
Light Rail	NR	NR	NR	NR	NR	NR	NR	NR	0	0
Demand Responsive	NR	NR	NR	NR	NR	NR	0	6	0	6
Commuter Rail	NR	NR	NR	NR	NR	NR	NR	NR	0	0
Ferry Boat	NR	NR	NR	NR	NR	NR	NR	NR	0	0
Coordinate or plan to coordinate travel request and vehicle										
dispatching for multiple agencies?	No		No		Yes		No		1	
Is there or will there be a Transportation Management Center										
(TMC) in the region that controls transit and highway modes?	Yes		NR		Yes		No		2	
Modes that TMC currently controls:							-			
Highways	No	Yes	No	No	No	No	No	No	0	1
Fixed Route Bus	No	Yes	No	No	No	Yes	No	No	0	2
Heavy or Rapid Rail	No	No	No	No	No	No	No	No	0	0
Light Rail	No	No	No	No	No	Yes	No	No	0	1
Demand Responsive	No	Yes	No	No	No	Yes	No	No	0	2
Commuter Rail	No	Yes	No	No	No	No	No	No	0	1
Ferry Boat	No	No	No	No	No	No	No	No	0	0
Other	No	No	No	No	No	No	No	No	0	0
Priority at Traffic Signals and Ramp Meter Priority	110	110	110	110	110	110	110	110		
Priority at Traffic Signals										†
Fixed Route Bus	NR	NR	NR	NR	NR	40	NR	NR	0	40
Light Rail	NR	NR	NR	NR	NR	NR	NR	NR	0	0
Demand Responsive	NR	NR	NR	NR	NR	NR	NR	NR	0	0
Ramp Meter Priority										
Fixed Route Bus	NR	NR	NR	NR	NR	NR	NR	NR	0	0
Demand Responsive	NR	NR	NR	NR	NR	NR	NR	NR	0	0
Number of Vehicles Equipped with Navigation Aids										
Fixed Route Bus	NR	NR	NR	NR	NR	NR	0	56	0	56
Heavy or Rapid Rail	NR	NR	NR	NR	NR	NR	NR	NR	0	0
Light Rail	NR	NR	NR	NR	NR	NR	NR	NR	0	0
Demand Responsive	NR	NR NB	NR NB	NR	NR	NR NB	0 ND	6 ND	0	6
Commuter Rail	NR	NR NB	NR NB	NR	NR	NR NB	NR	NR NB	0	0
Ferry Boat	NR	NR	NR	NR	NR	NR	NR	NR	0	0
ITS Standards Used Related to Transit Management TCIP On Boad Objects (TCIP-OB)	No		No		No		No		0	
TCIP On Boad Objects (TCIP-OB)  TCIP Traffic Management Objects (TCIP-TM)	No		No		No		No		0	
TCIP Traffic Management Objects (TCIP-TM)  TCIP Common Public Transportation Objects (TCIP-CPT)	No		No		No		No		0	

	Capital Ar	ea Transit	Chapel F	Hill Transit	Durham A	rea Transit		e Transit	To	tals
	1999	2005	1999	2005	1999	2005	1999	2005	1999	2005
TCIP Passenger Information Objects (TCIP-PI)	No		No		No		No		0	
TCIP Incident Management Objects (TCIP-IM)	No		No		No		No		0	
TCIP Fare Collection Objects (TCIP-FC)	Yes		No		No		No		1	
TCIP Spatial Representation Objects (TCIP-SP)	No		No		No		No		0	
TCIP Control Center Objects (TCIP-CC)	No		No		No		No		0	
TCIP Scheduling/Runcutting Objects (TCIP-SCH)	No		No		No		No		0	
Send data communication between micro computer and heavy duty										
vehicle applications (SAE J1708)	No		No		No		No		0	
Would agency be willing to participate in testing of ITS Standards?	No		No		Yes		Yes		2	
Have agreements in place with other agencies to use similar hardware										
and software to aid maintenance and interoperability?	No		No		No		No		0	
Electronic Fare Payment										
Have full operational Electronic Fare Payment System?	Yes		Yes		Yes		No		3	
Methods of Fare Payment										
Stored value card with fare deducted for each trip										
Magnetic Stripe	Yes		No		Yes		No		2	
Smart Card	No		No		No		No		0	
Debit Card	No		No		No		No		0	
Billed by the month for trips taken										
Magnetic Stripe	No		No		No		No		0	
Smart Card	No		No		No		No		0	
Credit Card	No		No		No		No		0	
Monthly Pass										
Magnetic Stripe	No		No		Yes		No		1	
Smart Card	No		No		No		No		0	
Vehicles/Stations Equipped with Automated Payment Mechanism										
Magnetic Stripe Readers										
Fixed Route Bus Vehicles	53	63	56	NR	NR	40	24	56	133	159
Heavy or Rapid Rail Stations	NR	NR	NR	NR	NR	NR	NR	NR	0	0
Light Rail Stations	NR	NR	NR	NR	NR	NR	NR	NR	0	0
Demand Responsive Vehicles	NR	NR	NR	NR	NR	NR	0	6	0	6
Commuter Rail Stations	NR	NR	NR	NR	NR	NR	NR	NR	0	0
Ferry Boat Landings	NR	NR	NR	NR	NR	NR	NR	NR	0	0
Smart Card Readers										
Fixed Route Bus Vehicles	NR	NR	NR	NR	NR	40	NR	NR	0	40
Heavy or Rapid Rail Stations	NR	NR	NR	NR	NR	NR	NR	NR	0	0
Light Rail Stations	NR	NR	NR	NR	NR	NR	NR	NR	0	0
Demand Responsive Vehicles	NR	NR	NR	NR	NR	NR	NR	NR	0	0
Commuter Rail Stations	NR	NR	NR	NR	NR	NR	NR	NR	0	0

	Capital Are	a Transit	Chapel H	lill Transit	Durham A	rea Transit		e Transit nority	Tot	tals
	1999	2005	1999	2005	1999	2005	1999	2005	1999	2005
Ferry Boat Landings	NR	NR	NR	NR	NR	NR	NR	NR	0	0
Credit Card										
Fixed Route Bus Vehicles	NR	NR	NR	NR	NR	40	NR	NR	0	40
Heavy or Rapid Rail Stations	NR	NR	NR	NR	NR	NR	NR	NR	0	0
Light Rail Stations	NR	NR	NR	NR	NR	NR	NR	NR	0	0
Demand Responsive Vehicles	NR	NR	NR	NR	NR	NR	NR	NR	0	0
Commuter Rail Stations	NR	NR	NR	NR	NR	NR	NR	NR	0	0
Ferry Boat Landings	NR	NR	NR	NR	NR	NR	NR	NR	0	0
Debit Card										
Fixed Route Bus Vehicles	NR	NR	NR	NR	NR	40	NR	NR	0	40
Heavy or Rapid Rail Stations	NR	NR	NR	NR	NR	NR	NR	NR	0	0
Light Rail Stations	NR	NR	NR	NR	NR	NR	NR	NR	0	0
Demand Responsive Vehicles	NR	NR	NR	NR	NR	NR	NR	NR	0	0
Commuter Rail Stations	NR	NR	NR	NR	NR	NR	NR	NR	0	0
Ferry Boat Landings	NR	NR	NR	NR	NR	NR	NR	NR	0	0
						<del>                                     </del>				
ND N. D										
NR: No Response										

Appendix J Transit Management Integration

	Cani	tal Area Transit	Ch	Chapel Hill Transit			
Agency Name	1999	2005	1999	2005			
Agency Name	1999	2005	1999	2005			
Agency Returned Survey?	Yes		Yes				
Transit operators in the region that use the same electronic payment system	None listed	•	Durham Area Transit	, Triangle Transit Authority			
Toll operators from whom you accept electronic payment of transit							
fare through the use of ETC media	None listed	•	None listed	•			
Receiving real-time information via electronic means from others							
Freeway Management agencies from which your agency receives							
freeway travel times, speeds, and conditions							
Receive Information	North Carolina Department of Transportation	None listed	None listed	None listed			
Share Infrastructure	None listed	North Carolina Department of Transportation	None listed	None listed			
Arterial Management agencies from which your agency receives	Treme merce		Trono noto u	. 10.10 11010			
arterial travel times, speeds, and conditions							
Receive Information	Raleigh City	None listed	None listed	None listed			
Share Infrastructure	Raleigh City	None listed	None listed	None listed			
Incident Management agencies from which your agency receives							
incident severity, location, and type							
Receive Information	North Carolina Department of Transportation	None listed	None listed	None listed			
Share Infrastructure	North Carolina Department of Transportation	None listed	None listed	None listed			

		am Area Transit		e Transit Authority			
Agency Name	1999	2005	1999	2005			
Agency Returned Survey?	Yes		Yes				
Transit operators in the region that use the same electronic payment system	None listed		None listed				
Toll operators from whom you accept electronic payment of transit	None listed		None listed				
fare through the use of ETC media	None listed		None listed				
Receiving real-time information via electronic means from others	Trono notod		TYONG NO.CCC				
Freeway Management agencies from which your agency receives							
freeway travel times, speeds, and conditions							
Receive Information	None listed	None listed	None listed	None listed			
Share Infrastructure	None listed	None listed	None listed	None listed			
Arterial Management agencies from which your agency receives							
arterial travel times, speeds, and conditions							
Receive Information	None listed	None listed	None listed	None listed			
Share Infrastructure	None listed	None listed	None listed	None listed			
Incident Management agencies from which your agency receives							
incident severity, location, and type							
Receive Information	None listed	None listed	None listed	None listed			
Share Infrastructure	None listed	None listed	None listed	None listed			

J - 2

Appendix K
Transit Management Information Collection and Dissemination

	Capital A	Chap	Chapel Hill Transit		
Agency Name	1999	2005	1999	2005	
Assess Deturned Commence					
Agency Returned Survey?	Yes		Yes		
Methods used to disseminate transit information to the public					
Technologies your agency uses to disseminate:					
Transit routes, schedules and fares					
	Facsimile, Cell phone/voice, E-mail or other direct PC communication, Pagers or personal data assistants, Internet Web Sites, Telephone System, Dedicated cable TV		NR	NR	
Real-time transit schedule adherence or arrival and departure times	Internet Web Sites, Telephone System	NR	NR	NR	
Technologies employed by other organization receiving your data					
Transit routes, schedules and fares	NR	NR	NR	NR	
Real-time transit schedule adherence or arrival and departure times	NR	NR	NR	NR	
nternet web site reporting transit routes, schedules and fare, etc.	www.raleigh-nc.org	g/transit	NR		
Telephone system for reporting transit information to the public	919-825-7228	~	NR		
Organizations your agency sends information for dissemination to the public	MCDOT CAMPO		NR		
Data collected, archived, and/or transferred to another agency					

	Capital Aı	rea Transit	Chapel Hill Transit				
gency Name	1999	2005	1999 2005				
Collected by your agency							
	Bus appearance						
	Surveys,						
	Incidents, Weather						
	conditions, Route						
	designations						
	(snow emergency,						
	etc), Passenger						
	information (e.g.,		Route				
	surveys, O/D),		designations				
	Passenger count,		(snow emergency,				
	Vehicle time and		etc), Passenger				
And the desired by the second	location	NR	count	NR			
Archived by your agency							
	Bus appearance						
	Surveys,						
	Incidents, Weather						
	conditions, Route						
	designations						
	(snow emergency,						
	etc), Passenger						
	information (e.g.,						
	surveys, O/D),						
	Passenger count, Vehicle time and						
		NR	Passenger count	NR			
Transferred to another agency by your agency	ioodioii	IVIX	Route	IVIX			
Transferred to direction agency by your agency			designations				
			(snow emergency,				
			etc), Passenger				
	NR	NR		NR			
mportance of making information available to the public							
Ranked High	Bus appearance S	urveys Incidents					
	Weather conditions						
	designations (snow						
	Passenger informa						
	O/D), Passenger c		Route designations	(snow emerger			
	and location		etc)	, 3-			

	Capital A	Capital Area Transit			
Agency Name	1999	2005	1999	2005	
Ranked Medium					
	NR		Passenger count		
Ranked Low					
	NR		NR		
Groups that make requests for the data			Consultants, MPOs	Media (Le. TV	
	Consultants, MPC	Ds. Federal DOT	stations, radio statio		
	personnel, State I	•	personnel, State DC		
	Universities		Universities		
What is the data used for?					
	Roadway impact	analysis, Planning,	Dissemination to the	e public. Planning	
	Traffic analysis	,, - · · · · · · · · · · · · ·	Traffic analysis	- <sub>-</sub>	

	Durh	am Area Transit	Triangle Transit Authority		
Agency Name	1999	2005	1999	2005	
Agency Returned Survey?	Yes		Yes		
Methods used to disseminate transit information to the public					
Technologies your agency uses to disseminate:					
Transit routes, schedules and fares	NR	NR	Internet Web Sites, Telephone System	Facsimile, Cell phone/data, Internet Web Sites, Telephone System	
Real-time transit schedule adherence or arrival and departure times	NR	NR	NR	Cell phone/data, Internet Web Sites, Telephone System	
Technologies employed by other organization receiving your data					
Transit routes, schedules and fares	NR	NR	NR	NR	
Real-time transit schedule adherence or arrival and departure times	NR	NR	NR	NR	
nternet web site reporting transit routes, schedules and fare, etc.	NR		www.ridetta.org		
Telephone system for reporting transit information to the public	NR		NR		
Organizations your agency sends information for dissemination to the public	NR		NR		
Data collected, archived, and/or transferred to another agency					

	Durha	am Area Transit	Triangle Transit Authority			
Agency Name	1999	2005	1999	2005		
Collected by your agency						
	NR	NR	Incidents, Passenger information (e.g., surveys, O/D), Passenger count	Vehicle time and location		
Archived by your agency						
Transferred to another agency by your agency	NR	NR	Incidents, Passenger information (e.g., surveys, O/D), Passenger count	Vehicle time and location		
Transferred to another agency by your agency						
	NR	NR	NR	NR		
Importance of making information available to the public						
Ranked High	planning recor information (e.	g., surveys, O/D), oring status, Vehicle	Vehicle time and lo	ocation		

	Durham A	Durham Area Transit			
Agency Name	1999	2005	1999	2005	
Ranked Medium	Emergency vehicle Transit operations information, Incide Emergency/evacua procedures, Highw	nts, ation routes and	Incidents, Passenger information (e.g., surveys, O/D)		
Ranked Low	Route designations etc), Current roadw transit, Scheduled zones for transit, Ir water) conditions	roadway work	у,		
Groups that make requests for the data	Federal DOT personnel, Universimpos, Media (I.e., stations)	ities, Consultants,	MPOs, Federal DO DOT personnel	T personnel, State	
What is the data used for?	Dissemination to the impact analysis, Place Construction impact Traffic analysis	ct determination,	Planning		

Appendix L Emergency Management

	Total \	/ehicles		lavigation apabilities AVL		AVL CAD		with Mobile Data Eq		Vehicles Equipped with Preemption		Formal rogram	Info to other		
Agency Name	1999	2005	1999	2005	1999	2005	1999	2005	1999	2005	1999	2005	Participate in Formal Incident Mgt Program	Send Incident Info t agencies	List of agencies receiving data
Chatham County Sheriff Department	60	60		0	0	0	50		NR		-	-	No	No	None listed
Durham City Police Department	176	250	0	NR	0	NR	176	250	NR	NR	0	0	Yes	Yes	None listed
											_				North Carolina Department of Transportation, North Carolina Emergency Management, Durham
Durham Emergency Medical Services	6	8		8	0	4	0		NR			8	Yes	Yes	City Storm Water
Orange County Sheriff Department	86	NR		NR o	0	NR	86		NR		0	NR 4	Yes	No	None listed
Raleigh City Emergency Medical Services  Raleigh City Fire Department	30	32	1	1	0	0	30		NR NR	NR NR	1	1	Yes Yes	Yes Yes	NFIRS Wake County Fire Marshal
Raleigh City Police Department	217	239	0	0	0	0	217	239	NR	NR	0	0	Yes	No	None listed
Wake County Emergency Medical Services	43	46	0	0	0	46	0	46	NR	NR	0	0	Yes	No	None listed
Wake County Sheriff's Department	230	330	0	NR	0	NR	0	330	NR	NR	0	0	Yes	Yes	Wake County Major Response & Logistics

Raleigh-Durham L - 1 Emergency Management