Tracking the Deployment of the Integrated Metropolitan ITS Infrastructure in Sacramento

FY99 Results

For additional information, please contact:

Joseph I. Peters, Ph.D.
ITS Program Assessment Coordinator
ITS Joint Program Office, Room 3416
400 Seventh St., S.W.
Washington, D.C. 20590
(202) 366-2202
FAX: (202) 493-2027
E-mail: joe.peters@fhwa.dot.gov

Table of Contents

Part 1 - Background and Purpose	1
Part 2 - Summary 1999 Survey Results	3
Part 3 - Detailed 1999 Survey Results	7
Freeway Management Component Indicators	9
Freeway Management Integration Indicators	11
Incident Management Component Indicators	13
Incident Management Integration Indicators	15
Arterial Management Component Indicators	17
Arterial Management Integration Indicators	19
Electronic Toll Collection Component Indicators	21
Electronic Toll Collection Integration Indicators	22
Transit Management Component Indicators	23
Transit Management Integration Indicators	
Electronic Fare Payment Component Indicators	
Electronic Fare Payment Integration Indicators	
Highway-Rail Intersection Component Indicators	
Highway-Rail Intersection Integration Indicators	
Emergency Management Component Indicators	
Emergency Management Integration Indicators	
Regional Multimodal Traveler Information Component Indicators	
Regional Multimodal Traveler Information Integration Indicators	33
Appendix A. Survey Coverage Area	
Appendix B. Surveyed Agencies	
Appendix C. Freeway Management Components	
Appendix D. Freeway Management Integration	
Appendix E. Freeway Management Information Collection and Dissemination	
Appendix F. Arterial Management Components	
Appendix G. Arterial Management Integration	
Appendix H. Arterial Management Information Collection and Dissemination	
Appendix I. Transit Management Components	
Appendix J. Transit Management Integration	
Appendix K. Transit Management Information Collection and Dissemination	
Appendix L. Emergency Management	L.1

Part 1 - Background and Purpose

In January 1996, Secretary Peña set a goal of deploying the integrated metropolitan Intelligent Transportation System (ITS) infrastructure in 75¹ of the nation's largest metropolitan areas by 2006:

"I'm setting a national goal: to build an intelligent transportation infrastructure across the United States to save time and lives, and improve the quality of life for Americans. I believe that what we do, we must measure . . . Let us set a very tangible target that will focus our attention . . . I want 75 of our largest metropolitan areas outfitted with a complete intelligent transportation infrastructure in 10 years." ²

-- Secretary Peña, 1996

In 1997, the U.S. Department of Transportation initiated an effort to track progress toward fulfillment of this goal by conducting a survey of deployment in the nation's largest metropolitan areas. Traditionally, the product of a transportation infrastructure investment consists of a fixed asset such as a highway, bridge, or public transportation vehicle developed, constructed, or purchased by a single agency. Tracking the level of deployment for such traditional fixed assets can be accomplished by simply counting the number of such assets deployed. Measuring the deployment of the metropolitan ITS infrastructure is more complex because it consists of a set of systems, often deployed by multiple agencies, and integrated through a combination of complex institutional and technical arrangements. In brief, it is often difficult to simply count the number of systems deployed without first devising a measurement approach that captures the essential features of such systems in a consistent fashion across many deployment environments.

In order to track progress toward fulfillment of the Secretary's goal for deployment, the U.S. Department of Transportation ITS Joint Program Office developed the metropolitan ITS deployment tracking methodology. This methodology tracks deployment of the nine components that make up the Metropolitan ITS infrastructure: Freeway Management; Incident Management; Arterial Management; Emergency Management; Transit Management; Electronic Toll Collection; Electronic Fare Payment; Highway-Rail Intersections; and Regional Multimodal Traveler Information. Through a set of indicators tied to the major functions of each component, the level of deployment is tracked for the nation's largest metropolitan areas. In addition, the integration links between agencies operating the infrastructure are also tracked. The details of

¹ Since Secretary Peña's speech, the number of metropolitan areas that DOT will measure has been increased from 75 to 78. However, to maintain reporting consistency across the 10-year goal period, this report considers only the original 75 metropolitan areas.

² Excerpt of a speech delivered by Secretary of Transportation Peña at the Transportation Research Board in Washington, DC on January 10, 1996.

the methodology are explained elsewhere.³

During the summer and fall of 1999, the U.S. DOT undertook a new data collection effort for the purpose of examining ITS deployment progress in the nation's largest metropolitan areas. The Sacramento metropolitan area was among the areas surveyed in 1997 and again in 1999. This report presents the results of the 1999 survey efforts and compares the results of the 1997 survey against those observed in 1999. The overall response rate for the surveys administered in the Sacramento region was 78% in 1997 and 88% in 1999.

Part 2 contains a summary of the 1999 survey results, and Part 3 provides a comparison of 1999 survey results and the 1997 survey results.

The report also contains a set of appendices containing a map of the survey area, the list of local contacts surveyed along with a status of their response to the survey and a summary of the data collected from the surveys.

Agencies are encouraged to review the data presented in this report for completeness and accuracy and to direct any comments or corrections to the data provided to the contacts listed below:

Steve Gordon
Oak Ridge National Laboratory
P.O. Box 2008, 4500N, MS-6207
Oak Ridge, TN 37831-6207
(865) 576-8416 (voice)
(865) 574-3895 (fax)
gordonsr@ornl.gov

Jeff Trombly
Science Applications International Corporation
301 Laboratory Road
Oak Ridge, TN 37831-2501
(865) 481-8563 (voice)
(865) 481-2941 (fax)
jeffrey.w.trombly@saic.com

³ Additional Resources: "Measuring ITS Deployment and Integration" (Electronic Document Number: 4372). U.S. Department of Transportation, Joint Program Office for Intelligent Transportation Systems, 400 Seventh St., SW (HVH-1), Washington, DC 20590, Phone: 202-366-9536, Fax: 202-366-3302, Web: http://www.its.dot.gov.

Part 2 - Summary 1999 Survey Results

Deployment indicators have been developed for two broad areas of interest: (1) the individual components, including their basic functions and characteristics and (2) integration of components, including how these components work together to provide coordinated regional service. As mentioned earlier, these indicators are expressed as percentages of the possible deployment opportunity and not necessarily what should be deployed based on local needs. Requirements for deployment and integration between each component will vary based on local conditions and cannot be assigned without extensive coordination with individual metropolitan areas.


The following two figures portray the surrogate indicators for each of the nine components in Sacramento and the same indicators at the national level. These are judged to be the single best representative of a component and are being used as summary indicator for component. The summary indicators are expressed as a percentage; however, because deployment goals have yet to be established, these indicators should not be read as a comparison of what is deployed versus eventual deployment goals. Instead, they only reflect what is deployed compared to full market saturation (i.e., opportunity for deployment).

Each component indicator was selected to reflect a critical function of the individual components. For example, in the case of Freeway Management, three basic functions were defined: surveillance, traffic control, and information display. The three indicators developed to reflect these functions are: percentage of freeway centerline miles under electronic surveillance (surveillance function), percentage of freeway entrance ramps managed by ramp meters (traffic control function), and percentage of freeway centerline miles covered by permanent VMS, HAR, or in-vehicle signing (information display function). The indicators are surrogates that do not necessarily reflect the full breadth of metropolitan ITS deployment activity.

A critical aspect of ITS that provides much of its capability is the integration of individual components to form a unified regional traffic control system. Individual ITS components routinely collect information that is used for purposes internal to that component. For example, the Arterial Management component monitors arterial conditions to revise signal timing and to convey these conditions to travelers through such technologies as variable message signs and highway advisory radio. Other ITS components can make use of this information in formulating their control strategies. For example, Transit Management may alter routes and schedules based on real-time information on arterial traffic conditions, and Freeway Management may alter ramp metering or diversion recommendations based on the same information.


As with the component indicators, definitions for inter- and intra-component integration were developed for each component, and indicators, derived from these definitions, were produced for each component. A total of 34 individual integration indicators was specified and is portrayed in the third figure which follows. Each integration indicator has been assigned a number and an origin/destination path from one ITS infrastructure component to another. For example, the


integration of information from the Freeway Management component to the Regional Multimodal Traveler Information component is identified by the number "10."



^{*} Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity.

^{**} Deployment opportunity reflects potential totals that do not necessarily reflect actual need.






^{*} Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity

5

^{**} Deployment opportunity reflects potential totals that do not necessarily reflect actual need

Sacramento Integration Links



Note: Shading indicates the value of the link. For example a circle half shaded equals 50%

Link	Description	Link	Description
1	Arterial Management to Regional	2	Arterial Management to Freeway
	Multimodal Traveler Information		Management
3	Arterial Management to Transit	4	Arterial Management to Incident
	Management		Management
5	Incident Management to Arterial	6	Incident Management to Regional
	Management		Multimodal Traveler Information
7	Incident Management to Emergency	8	Incident Management to Freeway
	Management.		Management
9	Incident Management to Transit	10	Freeway Management to Regional
	Management		Multimodal Traveler Information
11	Freeway Management to Arterial	12	Freeway Management to Transit
	Management		Management

6

Link	Description	Link	Description
13	Freeway Management to Incident	14a	Transit Management to Regional
	Management		Multimodal Traveler Information
			(static route information)
		14b	Transit Management to Regional
			Multimodal Traveler Information
			(schedule adherence information)
15a	Transit Management to Freeway	16a	Transit Management to Arterial
	Management		Management
15b	Transit Management to Freeway	16b	Transit Management to Arterial
	Management (transit vehicle probes)		Management (transit vehicle probes)
17	Electronic Toll Collection to	18	Electronic Toll Collection to Arterial
	Freeway Management (ETC		Management (ETC equipped probes)
	equipped probes)		
19	Electronic Fare Payment and	20	Electronic Fare Payment to Transit
	Electronic Toll Collection		Management
21a	Emergency Management to Incident	22	Emergency Management to Arterial
	Management (incident notification)		Management
21b	Emergency Management to Incident		
	Management (incident clearance)		
23	Highway-rail intersections to	24	Highway-rail intersections to Arterial
	Incident Management (crossing		Management (crossing status)
	status)		
25	Incident Management intra	26	Arterial Management intra component
	component		
27	Electronic Fare Payment intra	28	Electronic Toll Collection intra
	component.		component
29	Transit Management to Incident	30	Freeway Management intra
	Management (incident reporting)		component

Part 3 - Detailed 1999 Survey Results

The following figures and tables summarize the complete set of component and integration indicators developed for the Sacramento metropolitan area. The figures summarizing the component indicators consist of a bar chart portraying the deployment levels for 1997, 1999, and 2005 accompanied by detailed tables of the data used to calculate each component indicator value (*Num* stands for numerator and *Den* stands for denominator; blank space indicates that no response was received.)

Example: Calculating Component Indicators for Freeway Management

Consider a metropolitan area with 100 miles of freeway and 25 freeway entrance ramps. The area has no ramp meters, 10 freeway miles for which traffic data are collected electronically, and 5 freeway miles, which are covered by highway advisory radio.

The component indicator for electronic surveillance is calculated as (10/100) or 10%.

The component indicator for ramp meter control is calculated as (0/25) or 0%.

The component indicator for HAR coverage is calculated as (5/100) or 5%.

The summary indicator for the metropolitan area is calculated as (10%+0%+5%)/3 = 5%.

The figures summarizing the integration indicators consist of a diagram for each of the nine metropolitan ITS components portraying the integration level for 1999 (*italic*) and 2005 (**bold**), accompanied by tables providing an explanation of the data and calculations performed to develop each integration indicator value for 1999 and 2005. Each diagram portrays the proportion of agencies providing information to a component (e.g., the flow of incident information from Incident Management to Freeway Management) and the proportion of agencies providing information from one component to other components (e.g., the flow of freeway travel condition information from Freeway Management to Arterial Management).


Example: Calculating Integration between Arterial Management and Regional Multimodal Traveler Information

Consider a metropolitan area with three arterial management agencies. One out of three provides information to the public using a Regional Multimodal Traveler Information Media (e.g., internet, kiosk, pager, etc...). The integration indicator is 1/3 or 33%.

Freeway Management Component Indicators

Data as of 5/1/00

Sacramento Freeway Management*



^{*} Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity.

^{**} Deployment opportunity reflects potential totals that do not necessarily reflect actual need.


	1997			1999			2005		
Description	Num	Den	%	Num	Den	%	Num	Den	%
Freeway centerline miles are under electronic surveillance for monitoring traffic flow	41	217	19%	75	217	35%	125	217	58%
Freeway entrance ramps are controlled by ramp meters or miles under lane control	52	302	17%						

	1997				1999		2005		
Description	Num	Den	%	Num	Den	%	Num	Den	%
Freeway entrance ramps are controlled by ramp				56	302	19%	145	302	48%
meters									
Freeway centerline miles will be controlled by lane control					217			217	
Freeway miles are covered by VMS, HAR, or IVS	0	217	0%						
Freeway miles are covered by VMS					217			217	
Freeway miles are covered by HAR					217			217	
Freeway miles are covered by IVS					217			217	

Freeway Management Integration Indicators

Sacramento

Freeway Management Integration*




^{*} Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity

Link Description	1999	2005
2. Arterial Management agencies sending information to Freeway	(0/3)	(0/3)
Management	0%	0%
8. Incident Management agencies sending information to Freeway	(0/1)	(0/1)
Management	0%	0%
15a. Transit management agencies with vehicles equipped with	(0/1)	(0/1)
ramp meter priority	0%	0%
15b. Transit Management agencies with vehicles equipped as	(0/1)	(0/1)
probes	0%	0%
17. Freeway Management agencies receiving freeway conditions	(0/1)	(0/1)
from vehicle probes	0%	0%
30. Freeway Management agencies sending information to another	(0/1)	(1/1)
Freeway Management agency	0%	100%
11. Freeway Management agencies sending information to Arterial	(0/1)	(1/1)
Management	0%	100%

Link Description	1999	2005
10. Freeway Management agencies disseminating freeway	(1/1)	(1/1)
conditions to the public	100%	100%
12. Freeway Management agencies sending freeway conditions to	(0/1)	(0/1)
Transit Management	0%	0%
13. Freeway Management agencies sending freeway conditions to	(1/1)	(1/1)
Incident Management	100%	100%

Data as of 5/1/00

Sacramento Freeway and Arterial Incident Management*



^{*} Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity.

^{**} Deployment opportunity reflects potential totals that do not necessarily reflect actual need.


	1997				1999			2005		
Description	Num	Den	%	Num	Den	%	Num	Den	%	
Freeway miles are	0	217	0%		217			217		
covered by incident detection algorithms										
Freeway miles are covered by free cellular	0	217	0%		217			217		
phone calls to a dedicated number										
Freeway miles are covered by surveillance	24	217	11%		217			217		
cameras.										

	1997			1999			2005		
Description	Num	Den	%	Num	Den	%	Num	Den	%
Freeway miles are	68	217	31%	75	217	35%		217	
covered by on-call									
publicly-sponsored									
service patrol or towing									
services.									
Arterial miles are	0	1497	0%		1497			1497	
covered by incident									
detection algorithms									
Arterial miles are	0	1497	0%		1497			1497	
covered by free cellular									
phone calls to a									
dedicated number									
Arterial miles are	0	1497	0%	7	1497	0%	27	1497	2%
covered by surveillance									
cameras									
Arterial miles are	0	1497	0%		1497			1497	
covered by on-call									
publicly-sponsored									
service patrol or towing									
services									

Incident Management Integration Indicators

Sacramento

Incident Management Integration*




^{*} Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity

Link Description	1999	2005
21a. Incident management agencies receiving incident severity from	(0/1)	(0/1)
Emergency Management	0%	0%
21b. Incident management agencies receiving incident clearance	(0/1)	(0/1)
activities from Emergency Management	0%	0%
13. Freeway Management agencies sending freeway conditions to	(1/1)	(1/1)
Incident Management	100%	100%
4. Arterial Management agencies sending arterial conditions to Incident	(0/3)	(0/3)
Management	0%	0%
23. Arterial Management agencies receive information on highway-rail	(0/3)	(0/3)
intersection crossing blockages for the purpose of managing incident	0%	0%
response		
29. Transit Management agencies report traffic incidents as part of an	(0/1)	(0/1)
organized regional incident management program	0%	0%

Link Description	1999	2005
7. Incident management agencies transfer information describing	(0/1)	(0/1)
incident severity, location, and type to Emergency Management agencies	0%	0%
9. Incident Management agencies transfer information describing	(0/1)	(1/1)
incident severity, location, and type to Transit Management agencies	0%	100%
6. Incident Management agencies disseminate information describing	(0/1)	(0/1)
incident severity, location, and type to the public	0%	0%
5. Incident Management agencies transfer information describing	(0/1)	(1/1)
incident severity, location, and type to Arterial Management agencies	0%	100%
8. Incident Management agencies transfer information describing	(0/1)	(0/1)
incident severity, location, and type to Freeway Management agencies	0%	0%
25. Police, fire, and EMS agencies participating in a formal incident	(1/2)	(1/2)
management plan/team	50%	50%

Sacramento Arterial Management*



- * Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity.
- ** Deployment opportunity reflects potential totals that do not necessarily reflect actual need.


	1997			1999			2005		
Description	Num	Den	%	Num	Den	%	Num	Den	%
Arterial miles covered	0	1497	0%						
by electronic									
surveillance									
Signalized intersections					1338			1508	
are covered by									
electronic surveillance									
for monitoring traffic									
flow									
Signalized intersections	136	350	39%	581	1338	43%	481	1508	32%
are under centralized or									
closed loop control									

	1997			1999			2005		
Description	Num	Den	%	Num	Den	%	Num	Den	%
Arterial miles are	0	1497	0%						
covered by VMS, HAR,									
or IVS									
Arterial miles are				0	1497	0%	12	1497	1%
covered by VMS									
Arterial miles are					1497			1497	
covered by HAR									
Arterial miles are					1497			1497	
covered by IVS									

Arterial Management Integration Indicators

Sacramento

Arterial Management Integration*




^{*} Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity

Link Description	1999	2005
16a. Transit management agencies with vehicles equipped with traffic	(1/1)	(1/1)
signal priority	100%	100%
16b. Transit Management agencies have vehicles equipped as probes on	(0/1)	(0/1)
arterials	0%	0%
22. Emergency Management agencies have vehicles equipped with	(1/2)	(1/2)
traffic signal preemption capability	50%	50%
24. Arterial Management agencies have traffic signals within 200 feet of	(3/3)	(3/3)
a highway rail intersection with the capability of having their signal	100%	100%
timing adjusted in response to a train crossing		
18. Number of Arterial Management agencies receiving information	(0/3)	(0/3)
from vehicle probes	0%	0%
5. Incident Management agencies transfer information describing	(0/1)	(1/1)
incident severity, location, and type to Arterial Management	0%	100%

Link Description	1999	2005
11. Freeway Management agencies transfer freeway travel times,	(0/1)	(1/1)
speeds, and conditions to Arterial Management agencies	0%	100%
3. Arterial Management agencies transfer arterial travel times, speeds,	(0/3)	(0/3)
and conditions to Transit Management	0%	0%
1. Arterial Management agencies disseminate arterial travel times,	(0/3)	(1/3)
speeds, and conditions to the public	0%	33%
2. Arterial Management agencies send traffic condition information to	(0/3)	(0/3)
Freeway Management	0%	0%
4. Arterial Management agencies transfer arterial travel times, speeds,	(0/3)	(0/3)
and conditions to Incident Management	0%	0%
26. Arterial Management agencies under cooperative agreement to share	(1/3)	(1/3)
traffic signal timing for coordinated response	33%	33%

Data as of 5/1/00

Sacramento Electronic Toll Collection*



^{*} Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity.

^{**} Deployment opportunity reflects potential totals that do not necessarily reflect actual need.


	1997			1999			2005		
Description	Num	Den	%	Num	Den	%	Num	Den	%
Toll collection plazas									
with ETC capability									
Toll collection lanes									
with ETC capability									

Electronic Toll Collection Integration Indicators

Sacramento

Electronic Toll Collection Integration*

<u>Inputs</u> <u>Outputs</u>




^{*} Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity

Link Description	1999	2005
18. Number of Arterial Management agencies receiving information	(0/3)	(0/3)
from vehicle probes	0%	0%
19. Transit agencies that accept electronic payment through the use of	(0/1)	(0/1)
electronic toll collection media	0%	0%
17. Freeway Management agencies receiving information from vehicle	(0/1)	(0/1)
probes	0%	0%
28. Toll operators using common toll tag technology	(0/)	(0/)

Transit Management Component Indicators

Data as of 5/1/00

Sacramento Transit Management*



* Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity.


^{**} Deployment opportunity reflects potential totals that do not necessarily reflect actual need.

	1997			1999			2005		
Description	Num	Den	%	Num	Den	%	Num	Den	%
Fixed-route transit					209		239	239	100%
vehicles are equipped									
with AVL									
Fixed-route transit					209			239	
vehicles are equipped									
with electronic									
monitoring of vehicle									
component									
Paratransit vehicles				0	0		0	0	
operate under									
computer-aided									
dispatch									
Percent fixed-route									
transfer locations with									
electronic display of									
information									
Bus stops display				0	3500	0%		3500	
information to the									
public									

Transit Management Integration Indicators

Sacramento

Transit Management Integration*



^{*} Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity


Link Description	1999	2005
3. Arterial Management agencies transfer arterial travel times, speeds,	(0/3)	(0/3)
and conditions to Transit Management	0%	0%
9. Incident management agencies transfer information describing	(0/1)	(1/1)
incident severity, location, and type to Transit Management	0%	100%
12. Freeway Management agencies transfer freeway travel times,	(0/1)	(0/1)
speeds, and conditions to Transit Management	0%	0%
20. Transit Management agencies using Electronic Fare Payment data in	(0/1)	(0/1)
transit service planning	0%	0%
16a. Transit Management agencies have vehicles equipped with traffic	(1/1)	(1/1)
signal priority capability	100%	100%
16b. Transit Management agencies have vehicles equipped as probes on	(0/1)	(0/1)
arterials	0%	0%
14a. Transit Management agencies disseminate information describing	(1/1)	(1/1)
transit routes, schedules, and fares to travelers	100%	100%

Link Description	1999	2005
14b. Transit Management agencies disseminate information describing	(0/1)	(1/1)
schedule/route adherence to travelers	0%	100%
15a. Transit Management agencies have vehicles equipped with ramp	(0/1)	(0/1)
meter priority capability	0%	0%
15b. Transit Management agencies have vehicles equipped as probes on	(0/1)	(0/1)
freeways	0%	0%
29. Transit Management agencies that report traffic incidents as part of	(0/1)	(0/1)
an organized regional Incident Management program	0%	0%

Electronic Fare Payment Component Indicators

Data as of 5/1/00

Sacramento Electronic Fare Payment*



^{*} Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity.

^{**} Deployment opportunity reflects potential totals that do not necessarily reflect actual need.


	1997			1999			2005		
Description	Num	Den	%	Num	Den	%	Num	Den	%
Fixed-route transit					209			239	
vehicles that accept									
electronic payment									
Rail transit stations that					30			44	
accept electronic									
payment									

Electronic Fare Payment Integration Indicators

Sacramento

Electronic Fare Payment Integration*

<u>Inputs</u> <u>Outputs</u>



Legend
1999
2005


^{*} Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity

Link Description	1999	2005
19. Transit agencies that accept electronic payment through the use of	(0/1)	(0/1)
electronic toll collection media	0%	0%
20. Transit Management agencies use Electronic Fare Payment data in	(0/1)	(0/1)
transit service planning	0%	0%
27. Transit Management agencies that use the same electronic payment	(0/1)	(0/1)
system	0%	0%

Data as of 5/1/00

Sacramento

Highway-Rail Intersections*



^{*} Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity.

^{**} Deployment opportunity reflects potential totals that do not necessarily reflect actual need.


	1997			1999			2005		
Description	Num	Den	%	Num	Den	%	Num	Den	%
Highway-rail intersections	4	6	67%		43			43	
are under electronic									
surveillance									

Highway Rail Intersection Integration Indicators

Sacramento

Highway Rail Intersections Integration*

<u>Inputs</u> <u>Outputs</u>



Legend					
1999, 2005					


^{*} Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity

Link Description	1999	2005
24. Arterial Management agencies with traffic signals within 200 feet of	(3/3)	(3/3)
a highway rail intersection with the capability of having their signal	100%	100%
timing adjusted in response to a train crossing		
23. Arterial Management agencies receive information on highway-rail	(0/3)	(0/3)
intersection crossing blockages for the purpose of managing incident	0%	0%
response		

Data as of 5/1/00

Sacramento

Emergency Management*



^{*} Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity.

^{**} Deployment opportunity reflects potential totals that do not necessarily reflect actual need.


	1997			1999			2005		
Description	Num	Den	%	Num	Den	%	Num	Den	%
Public sector emergency vehicles that operate under computer-aided dispatch	175	1067	16%	263	488	54%	288	523	55%
Public sector emergency vehicles that have in- vehicle route guidance capability	0	1067	0%	0	488	0%	0	523	0%

Emergency Management Integration Indicators

Sacramento

Emergency Management Integration*

<u>Inputs</u> <u>Outputs</u>




Legend						
1999, 2005						

 $^{* \} Indicators \ are \ single \ surrogates \ that \ do \ not \ necessarily \ reflect \ the \ full \ breadth \ of \ ITS \ deployment \ activity$

Link Description	1999	2005
7. Freeway Management agencies transfer information describing	(0/1)	(0/1)
incident severity, location, and type to Emergency Management agencies	0%	0%
22. Emergency Management agencies have vehicles equipped with	(1/2)	(1/2)
traffic signal preemption capability	50%	50%
21a. Freeway Management agencies receive incident severity, location,	(0/1)	(0/1)
and type data from Emergency Management agencies	0%	0%
21b. Freeway Management agencies receive incident clearance	(0/1)	(0/1)
activities information from Emergency Management agencies	0%	0%

Data as of 5/1/00

Sacramento Regional Multimodal Traveler Information*



^{*} Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity.

^{**} Deployment opportunity reflects potential totals that do not necessarily reflect actual need.


	1997			1999			2005		
Description	Num	Den	%	Num	Den	%	Num	Den	%
Freeway conditions	41	217	19%	75	217	35%	125	217	58%
disseminated to									
travelers									
Possible RMTI media				4	8	50%	4	8	50%
types are used to									
display information to									
travelers									
Possible RMTI media				2	8	25%	4	8	50%
are used to display									
information on two or									
more modes to									
travelers									

${\bf Regional\ Multimodal\ Traveler\ Information\ Integration\ Indicators}$

Sacramento

Regional Multimodal Traveler Information Integration*

<u>Inputs</u> <u>Outputs</u>




^{*} Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity

Link Description	1999	2005
14a. Transit Management agencies that disseminate information	(1/1)	(1/1)
describing transit routes, schedules, and fares to travelers	100%	100%
14b. Transit Management agencies that disseminate information	(0/1)	(1/1)
describing schedule/route adherence to travelers	0%	100%
1. Arterial Management agencies that disseminate arterial travel times,	(0/3)	(1/3)
speeds, and conditions to the public	0%	33%
10. Freeway Management agencies that disseminate freeway travel	(1/1)	(1/1)
times, speeds, and conditions to travelers	100%	100%
6. Incident Management agencies that disseminate information	(0/1)	(0/1)
describing incident severity, location, and type to the public	0%	0%

Appendix A Survey Coverage Area

SACRAMENTO AREA COUNCIL OF GOVERNMENTS, CA



Appendix B Surveyed Agencies

Surveyed Agencies

Agency Name	Phone	Fax	19	99	199	9 7	
			Out	In	Out	In	
	SACI	RAMENTO					
Arterial Management							
Sacramento City	(916) 264-7508	(916) 264-8404	8/5/1999	10/15/1999	9/18/1997		
Caltrans District 3	(916) 323-8303	916/323-7669	8/5/1999	10/25/1999	9/18/1997	10/2/1997	
Sacramento County	(916) 875-5857	(916) 875-5587	8/5/1999	9/20/1999	9/18/1997		
Electronic Toll	'	'			'		
Caltrans Headquarters	916-654-1564	916-653-3053			9/18/1997	10/14/1997	
Emergency Management	·	·					
Caltrans District 3	(916) 323-8303	916/323-7669			9/18/1997	10/2/1997	
Sacramento City Police Department	(916) 264-5259	(916) 566-6467	6/28/1999	7/23/1999	7/27/1998	7/27/1998	
Sacramento County Sheriff Department	(916) 874-8440	(916) 874-5332	6/28/1999		7/21/1998	7/21/1998	
Sacramento City Fire & EMS Department	916-264-5266	916-264-7079	9/22/1999	10/12/1999			
Freeway Management							
Caltrans District 3	(916) 323-8303	916/323-7669	8/5/1999	10/4/1999	9/18/1997	10/2/1997	
MPO	·	·					
Sacramento Area Council of Governments	(916) 457-2264	(916) 457-3299	7/16/1999	9/22/1999			
Transit Management					'		
Sacramento Regional Transit District (RT)	916-321-2870	916-441-2156	8/9/1999	10/7/1999			

Appendix C Freeway Management Components

	Caltrans	District 3
	1999	2005
Agency Returned Survey?	Yes	
FREEWAY MANAGEMENT SECTION		
Number of freeway centerline miles that agency owns or maintains	500	
Number of freeway centerline miles that is used for planning	500	
Number of freeway entrance ramps that agency owns, operates or maintains	230	
Number of freeway entrance ramps that is used for planning	181	
Type of facilities used to conduct freeway/incident management activities		
Activities housed in a free-standing dedicated building?	No	
Activities housed in a building shared with other activities?	No	
Activities conducted in a dedicated control room?	Yes	
Control room contains operator console(s)?	No	
Control room contains electronic wall map?	No	
Control room contains CCTV display(s)?	No	
Activities conducted in a room containing workstations or PCs that manage traffic?	No	
Facilities are electronically linked to other transportation mgt facilities?	No	
Staffing and hours of operation of freeway/incident management activities		
Number of full-time agency staff members	3	
Number of full time contractor staff members	0	
Number of part-time agency staff members	1	
Number of part-time contractor staff members	0	
Staffed 24 hours day by agency staff or by others	agency	
Staffed during peak hours only by agency staff or by others	NR	
Staffed by others during off-peak hours	No	
Agency staff perform transportation management as an ancillary duty	No	
Agency staff dedicated to transportation management duty	Yes	
Types of operations conducted for freeway/incident management		
Incident detection and management?	Yes	
This metropolitan area?	No	
Other metropolitan area?	No	
Statewide?	No	
Monitoring and troubleshooting status of system components?	No	
Manual override of ramp metering rates at freeway on-ramps?	No	
Operating transportation management roadside devices?	Yes	
Radio communications with other agencies?	No	
Exchange of electronic data with other agencies such as computer aided dispatch?	Yes	
Real-Time Traffic Data Collection Technologies	. 55	
Total number of miles under surveillance with real-time data collection tech.	75	125

	Caltrans	District 3
	1999	2005
Number of Stations with data collection technologies		
Loop detectors	130	150
Video imaging detectors	1	1
Probe readers (elec. toll tags, transit vehicles, other technology)	0	0
Microwave radar	0	0
Other (e.g., acoustic detectors)	0	0
Number of Miles covered with data collection technologies	<u> </u>	, ,
Loop detectors	75	125
Video imaging detectors	1	1
Probe readers (elec. toll tags, transit vehicles, other technology)	0	0
Microwave radar	0	0
Other (e.g., acoustic detectors)	0	0
/ariable Message Signs (VMS) on Freeways		-
Candidate locations for deployment of VMS where VMS has been deployed	NR	NR
Candidate locations for deployment of VMS	NR	NR
Roadside Technologies used to Distribute Traveler Information		
Total number of miles where information is distributed	NR	NR
Number deployed		
Highway advisory radio	17	20
In-vehicle signing	0	0
Portable variable message signs	8	NR
Other	0	0
Miles covered		
Highway advisory radio	NR	NR
In-vehicle signing	0	0
Portable variable message signs	NR	NR
Other	0	0
Ramp Meters on Freeways		
Number of entrance ramp meters operated under isolated control	56	145
Number of entrance ramp meters operated under central control	0	0
Number of entrance ramp meters that provide preemption for emergency vehicles	0	0
Number of entrance ramp meters that provide priority for transit vehicles	0	0
Total number of metered ramps	56	145
Freeway centerline miles under lane control	NR	NR
Communication Links		
Freeway centerline miles covered by the following type of communication		
Twisted pair cable	41	41
Coaxial cable	0	0
Fiber-optic cable	0	20
Microwave radio	6	6
Other	0	10

	Caltrans	District 3
	1999	2005
ATMS Data Dictionary Sections 1 and 2 (ITE TM 1.01)	No	
ATMS Data Dictionary Sections 3 and 4 (ITE TM 1.02)	No	
Message Set for External TMC Communication (ITE-9604-1)	No	
NTCIP Class B Profile (AASHTO TS 3.3)	No	
NTCIP Data Collection and Monitoring Devices (AASHTO TS 3.DCM)	No	
NTCIP Object Definitions for Environmental Sensor Stations (AASHTO TS 3.7)	No	
NTICP Object Definitions for Dynamic Message Signs (AASHTO TS 3.6)	No	
NTICP Object Definitions for Highway Advisory Radio (AASHTO TS 3.HAR)	No	
NTICP Object Definitions for Ramp Meter Control (AASHTO TS 3.RMC)	No	
NTICP Object Definitions for Transportation Sensor Systems (AASHTO TS 3.TSS)	No	
NTICP Object Definitions for Video Camera Control (AASHTO TS 3.VCC)	No	
Would agency be willing to participate in testing of ITS Standards?	Yes	
Have agreements in place with other agencies to use similar hardware		
and software to aid maintenance and interoperability?	No	
NCIDENT MANAGEMENT SECTION		
Use of Service Patrols to Assist in Detection and Response to Incidents		
Publicly operated service patrol vehicles	No	
Privately operated service patrol vehicles operated under public contract	Yes	
Total number of freeway miles patrolled by these services	75	NR
Miles Covered by Methods to Detect and Verify Incidents		
Free cellular phone call to a dedicated phone number other than 911	NR 050	NR
Police patrols	350	350
Computer algorithms linked to traffic surveillance equipment	NR NR	NR
CCTV	NR 250	NR 250
Private sector sources (e.g., Shadow Traffic, SmartRoutes)	350 NR	350 NR
Other (e.g., free cell phone call to an area radio system, etc.) Procedures in place for Freeway Incident Response?	INIX	INK
Working agreement(s)/arrangement(s) with other agencies	Yes	
Inter-agency incident management admin. team that meets regularly	Yes	
Major incident response team that responds to major incidents	Yes	
Set of goals/objectives for incident mgt that has been adopted by agencies in region	Yes	
Central focal point for facilitating the two-way flow of information		
among agencies responding to an incident?		
The central focal point is a Freeway or Traffic Management Center	Yes	
The central focal point is a Police, Fire or joint dispatch center	No	
The central focal point is another center	No	
Methods of Communication Used On-Site at an Incident		
Police		
Two-way radio	Yes	
800 MHz trunked radio	Yes	
Cellular telephone	No	

	Caltrans	District 3
	1999	2005
Hand-held (i.e., walkie-talkie)	Yes	
Automated data systems (i.e., CAD)	Yes	
Fire		
Two-way radio	No	
800 MHz trunked radio	Yes	
Cellular telephone	No	
Hand-held (i.e., walkie-talkie)	Yes	
Automated data systems (i.e., CAD)	No	
DOT		
Two-way radio	No	
800 MHz trunked radio	No	
Cellular telephone	Yes	
Hand-held (i.e., walkie-talkie)	Yes	
Automated data systems (i.e., CAD)	Yes	
Towing		
Two-way radio	Yes	
800 MHz trunked radio	No	
Cellular telephone	No	
Hand-held (i.e., walkie-talkie)	No	
Automated data systems (i.e., CAD)	No	
Which police agencies typically respond to incidents on freeways?	<u> </u>	
State Police	Yes	
County Police or Sheriff	No	
City Police	No	
Who provides on-site emergency medical response?		
Fire	Yes	
Emergency Management Service Agency	Yes	
Private hospital	No	
Has a multi-agency contact list been developed in area containing the		
names, phone numbers, etc. for the appropriate response personnel?	Yes	
Is the Incident Command System used to manage incident scenes?	Yes	
Is there a legal specification by state law or formal agreement as to who		
is "in charge" at the incident scene?		
Specified by state law?	Yes	
Formal agreement?	No	
Not specified or don't know?	No	
On-scene command post used to manage activities of responding agencies?	Yes	
Are there communication linkages to a communications traffic/freeway mgt center?	Yes	
Plan developed and adopted by responding agencies for staging and parking		
response vehicles and equip. at incident site that minimizes lane blockage	NI-	
and facilitates the re-opening of lanes? Respondents protected through law or court opinion for liability claims	No	

	Caltrans	District 3
	1999	2005
for damages to vehicles or cargoes during clearance activities?	Yes	
Are overturned tank trucks, which are intact and not leaking, uprighted		
without first off-loading?	No	
Does your state or local jurisdiction have a law that requires drivers		
involved in property-damage-only accidents to move the vehicles		
from travel lanes to a safe location to exchange info and wait for police?	No	
Have laws or policies regarding the removal of stalled/abandoned vehicles		
from freeway shoulders?	Yes	
Hours abandoned vehicles are allowed to remain on a freeway shoulder?	0-24	
Have policies or procedures for quick removal of vehicles?	Yes	
Is Total Station equipment used to investigate major incidents?	DK	
Handling of Towing Responses to Incidents		
Formal contract based on qualifications?	No	
Rotation with companies under contract?	Yes	
Separate lists kept for light and heavy response and for specialty recovery?	Yes	
Rotation list with minimal qualifications?	No	
In towing qualifications, do you require towers to be certified under the		
Towing and Recovery Ass. of America's National Drivers Cert. Program?	DK	
DK: Don't know		
NR: No Response		
Leg: Legislation or action being planned		

Appendix D Freeway Management Integration

		Caltrans District 3		
Agency Name	1999	2005		
Agency Returned Survey?	Yes			
Freeway Management Section				
Agencies your agency provides freeway travel times, speeds, and				
conditions information, share infrastructure or coordinates operation				
Freeway Management Agencies				
Provide Information	None listed	Caltrans District 3		
Share Infrastructure	None listed	Caltrans District 3		
Coordinate Operation	None listed	Caltrans District 3		
Incident Management Agencies	Trono notos	Salatano Diotriot o		
Provide Information	Caltrans District 3	None listed		
Share Infrastructure	Caltrans District 3	None listed		
Coordinate Operation	Caltrans District 3	None listed		
Arterial Management Agencies	Califalis District 3	None listed		
Provide Information	None listed	Sacramento City Sacramento County		
Share Infrastructure	None listed	Sacramento City, Sacramento County		
Coordinate Operation		Sacramento City, Sacramento County		
•	None listed	Sacramento City, Sacramento County		
Provide Information	Niere Beterd	Name Bata d		
Share Infrastructure	None listed	None listed		
	None listed	None listed		
Coordinate Operation	None listed	None listed		
Receiving real-time information via electronic means from others				
Incident Management agencies from which your agency receives				
incident severity, location, and type information	California Highway Patrol	None listed		
Arterial Management agencies from which your agency receives				
arterial travel times, speeds, and conditions	None listed	Sacramento City, Sacramento County		
Public Transit operators from which your agency receives				
freeway travel times derived from vehicle probes	None listed	None listed		
Toll Collection agencies from which your agency receives freeway travel	N. P. C. I	N. P. C. I		
times derived from vehicles probes	None listed	None listed		
Freeway Incident Management Section				
Agencies your agency provides incident severity, location, and type info.				
and/or shares infrastructure and/or coordinates operation				
Arterial Management Agencies				
Provide Information	None listed	Sacramento City, Sacramento County		
Share Infrastructure	None listed	Sacramento County		
Coordinate Operation	None listed	Sacramento City, Sacramento County		
Emergency Management Agencies				

		Caltrans District 3
Agency Name	1999	2005
Provide Information	None listed	None listed
Share Infrastructure	None listed	None listed
Coordinate Operation	None listed	None listed
Freeway Management Agencies		
Provide Information	None listed	None listed
Share Infrastructure	None listed	None listed
Coordinate Operation	None listed	None listed
Public Transit Operators		
Provide Information	None listed	Sacramento Regional Transit District (RT)
Share Infrastructure	None listed	None listed
Coordinate Operation	None listed	None listed
Receiving real-time information via electronic means from others		
Emergency Management agencies from which your agency receives		
incident clearance and/or incident severity and type		
Receive Arterial Incident Clearance Information	California Highway Patrol	None listed
Receive Arterial Incident Severity Information	California Highway Patrol	None listed
Arterial Management agencies from which your agency receives		
arterial travel times, speeds, and conditions	None listed	None listed
Freeway Management agencies from which your agency receives		
freeway travel times, speeds, and conditions	California Highway Patrol	None listed

^{*}short survey: Agency responded using a short survey. The survey did not include names of individual agencies, but only identified whether integration exists.

Appendix E Freeway Management Information Collection and Dissemination

Data Collection and Dissemination: Freeway Management Agencies for Metropolitan Area: Sacramento

	Caltrans	District 3			
Agency Name	1999	2005			
Agency Returned Survey?	Yes				
Freeway Management Section					
Data collected, archived, and/or transferred to another agency					
Collected by your agency	Traffic speeds, Lane occupancy, Ramp queues, Metering rate, Road conditions, Route designations (snow emergency, etc.), Incidents, Current work zones, Scheduled work zones, Highway operations coordination information, Traffic volumes	Probe vehicles			
Archived by your agency	Traffic volumes	NR			
Transferred to another agency by your agency	NR	Traffic speeds, Probe vehicles, Ramp queues, Metering rate, Road conditions, Incidents, Current work zones, Scheduled work zones, Highway operations coordination information, Traffic volumes			
Importance of making information available to the public					
Ranked High	Traffic speeds, Road conditions, Incidents, Current work	z zones, Scheduled work zones			
Ranked Medium	Traffic volumes				
Ranked Low	Lane occupancy				
Groups that make requests for the data	Universities, Federal DOT personnel, Media (I.e., TV sta Systems (ATIS) provi	ations, radio stations), Advanced Traveler Information			
What is the data used for?	Traffic analysis, Planning, Dissemination to the public				
Methods used to disseminate freeway information to the public					
Technologies your agency uses to disseminate:	Telephone system, Internet Web sites, E-mail or other direct PC communication, Facsimile	NR			
Technologies your agency (through another agency or org.) uses to disseminate:	NR	Dedicated cable TV, Pagers or personal data assistants, Interactive TV, Kiosks, In-vehicle navigation systems, Cell phone/data			
Internet web site reporting freeway conditions	www.dot.ca.gov/hq/roadinfo/index.htm				
Telephone system for reporting freeway information to the public	NR				
Organizations your agency sends information for dissemination to the public	Local news media (TV/Radio Stations) Public Affairs Office District Communications Center				
Freeway Incident Management Section					
Methods used to distribute incident location and severity information					
to the public					
Technologies your agency uses to disseminate:	NR	NR			
Technologies your agency (through another agency or org.) uses to disseminate:	NR	NR			
Internet web site reporting incident information	cad.chp.ca.gov				
Telephone system for reporting incident information to the public	NR				
Organizations your agency sends information for dissemination to the public	Metro Traffic; Local TV stations; Shadow Traffic; Public	Affairs Office; District Communications			

Appendix F Arterial Management Components

	Caltrans	District 3	Sacram	ento City	Sacramer	nto County	То	tals
	1999	2005	1999	2005	1999	2005	1999	2005
Agency Returned Survey?	Yes		Yes		Yes		3	
ARTERIAL MANAGEMENT SECTION								
Number of arterial miles that agency owns or maintains	364		NR		359		723	
Number of arterial miles that is used for planning	0		NR		80		80	
Number of highway-rail intersections that agency maintains	0		NR		43		43	
Number of highway-rail intersections that is used for planning	0		NR		7		7	
Type of facilities used to conduct arterial management activities								<u> </u>
Activities housed in a free-standing dedicated building?	No		No		Yes		1	
Activities housed in a building shared with other activities?	No		No		Yes		1	
Activities conducted in a dedicated control room?	No		No		No		0	
Control room contains operator console(s)?	No		No		No		0	
Control room contains electronic wall map?	No		No		No		0	
Control room contains CCTV display(s)?	No		No		No		0	
Activities conducted in a room containing workstations or PCs that manage traffic?	No		No		Yes		1	
Facilities are electronically linked to other transportation mgt facilities?	No		No		No		0	
Staffing and hours of operation of arterial management activities								
Number of full-time agency staff members	NR		NR		5		5	
Number of full time contractor staff members	NR		NR		NR		0	
Number of part-time agency staff members	NR		NR		2		2	
Number of part-time contractor staff members	NR		NR		NR		0	
Staffed 24 hours day by agency staff or by others	NR		NR		NR		0	
Staffed during peak hours only by agency staff or by others	NR		NR		agency		0	
Staffed by others during off-peak hours	No		No		No		0	
Agency staff perform transportation management as an ancillary duty	No		No		Yes		1	
Agency staff dedicated to transportation management duty	No		No		Yes		1	
Types of operations conducted for arterial management								
Incident detection and management?	No		No		No		0	
This metropolitan area?	No		No		No		0	
Other metropolitan area?	No		No		No		0	
Monitoring and troubleshooting status of system components?	No		No		Yes		1	
Radio communications with other agencies?	No		No		No		0	
Exchange of electronic data with other agencies such as computer aided dispatch?	No		No		No		0	
Manual override of traffic signal timing plans	No		No		Yes		1	
Operating transportation mgt roadside devices (e.g., VMS, CCTV, etc.)	No		No		No		0	
Describe agency's role in traffic signal control	State ro	outes only	N	İR		ounty outside ated area		
Traffic Signals Operated by Agency								
Number of signalized intersections operated and owned by agency	147	167	NR	NR	490	538	637	705

F - 1

	Caltrans	District 3	Sacram	ento City	Sacrame	nto County	Tot	Totals	
	1999	2005	1999	2005	1999	2005	1999	2005	
Number of signalized intersections operated by agency but owned by another	12	12	NR	NR	89	161	101	173	
Total number of signalized intersections operated by agency	159	179	600	630	579	699	1338	1508	
Characteristics of signalized intersections that agency operates									
Under closed loop or central system control	63	73	130	NR	388	408	581	481	
Under real-time traffic adaptive control using advanced software	67	100	0	0	0	NR	67	100	
Using SCOOT	No		No	J	No		0		
Using SCATS	No		No		No		0		
Name of software		ersion 4	_	IIR		IR	0		
Allow signal preemption for emergency vehicles	25	30	10	10	176	296	211	336	
Allow signal priority for transit vehicles	0	0	0	0	0	38	0	38	
Within 200 feet of a highway-rail intersection	6	8	10	11	43	43	59	62	
Within 200 feet of a highway-rail intersection Within 200 feet of a highway-rail intersection that adjust signal timing	5	8	3	6	43	43	51	57	
Software used to control the signals agency operates		- ŭ	Ŭ	Ů	70	70	01	01	
Date of last upgrade to traffic signal control system software?	not an	plicable	N	IR		IR			
How often do you update signal timing?		per year		NR NR					
Software used and number of signalized intersections under control (1999, 2005)	Q3-09 Q7, C8, 6	Q3-103, 23, 0 Q3-099, 44, 0 Q7, 24, 0 C8, 61, 160 C7, 5, 0		NR		NR			
Controllers used to control signals		, , 		ı					
NEMA	0	0	0	0	0	0	0	0	
170/179	190	215	0	0	0	0	190	215	
2070 controller	0	30	0	0	0	0	0	30	
Other	0	0	0	0	0	0	0	0	
Technologies Associated with Highway-Rail Intersections				-	-				
Total number of highway-rail intersections under electronic surveillance	NR	NR	NR	NR	NR	NR	0	0	
Highway-Rail intersection capapbilities									
Video surveillance	0	0	0	0	0	0	0	0	
Electronic surveillance other than video	0	0	0	0	0	0	0	0	
Ability to predict train arrival electronically	0	0	0	0	0	0	0	0	
Equipped with electronic traffic violator devices	0	0	0	0	0	0	0	0	
Other	0	0	0	0	0	0	0	0	
Real-Time Electronic Traffic Data Collection Technologies									
Total number of signalized intersections covered by electronic surveillance	NR	NR	NR	NR	NR	NR	0	0	
Number of signalized intersections with data collection technologies									
Loop detectors	0	0	0	0	0	0	0	0	
Video detection cameras	0	0	0	0	0	0	0	0	
Probe readers reading toll tags	0	0	0	0	0	0	0	0	
Probe readers reading license plates	0	0	0	0	0	0	0	0	
Other	0	0	0	0	0	0	0	0	
Roadside Technologies used to Distribute Traveler Information									

	Caltrans	District 3	Sacramo	ento City	Sacrame	nto County	Totals	
	1999	2005	1999	2005	1999	2005	1999	2005
Number deployed								
Highway Advisory Radio	NR	NR	NR	NR	NR	NR	0	0
In-Vehicle Signing (IVS)	NR	NR	NR	NR	NR	NR	0	0
VMS controlling parking access	NR	NR	NR	NR	NR	NR	0	0
Miles covered								
Highway Advisory Radio	NR	NR	NR	NR	NR	NR	0	0
In-Vehicle Signing (IVS)	NR	NR	NR	NR	NR	NR	0	0
Variable Message Signs (VMS) on Arterials								
Candidate locations for deployment of VMS where VMS has been deployed	NR	NR	0	5	NR	NR	0	5
Candidate locations for deployment of VMS	NR	NR	20	20	NR	NR	20	20
Communication Technologies								<u> </u>
Signalized intersections communicated with by each type of communication								<u> </u>
Twisted pair cable	2	2	0	0	0	0	2	2
Coaxial cable	0	0	0	0	0	0	0	0
Fiber-optic cable	0	0	0	0	0	0	0	0
Other (e.g., wireless, dial-up modems, leased lines, etc.)	2	45	0	0	0	0	2	45
Does agency convey information on highway-rail intersection crossing								
status to travelers via roadside media such as VMS or HAR?	No		No		No		0	
ITS Standards Used Related to Traffic Signal Control								<u> </u>
Advanced Transportation Controller (ATC) Software Application Interface (ITE 9603-1)	No		No		No		0	
ATC Physical Cabinet Functional Design (ITE-9603-2)	No		No		No		0	
ATC Functionality and Interface Definitions (ITE-9603-3)	No		No		No		0	
Natl. Trans. Communications for ITS Protocol (NTCIP) Class B Profile (AASHTO TS 3.3)	No		No		No		0	
NTCIP Data Collection and Monitoring Devices (AASHTO TS 3.DCM)	No		No		No		0	
NTCIP Object Definitions for Video Camera Control (AASHTO TS 3.VCC)	No		No		No		0	
NTCIP Object Definitions for Actuated Traffic Signal Controller Units (AASHTO TS 3.5)	No		No		No		0	
Would agency be willing to participate in testing of ITS Standards?	Yes		NR		No		1	
Have agreements in place with other agencies to use similar hardware	103		IVIX		140		'	
and software to aid maintenance and interoperability?	No		NR		No		0	
INCIDENT MANAGEMENT ON ARTERIAL STREETS	INO		INIX		INO		U	
Receive information on highway-rail intersection crossing blockages for								
the purpose of managing incident response?	No		No		No		0	
Use of Service Patrols to Assist in Detection and Response to Incidents	INU		INU		INO		U	
·	No		No		No		0	
Publicly operated service patrol vehicles	1		No		No			
Privately operated service patrol vehicles operated under public contract	No	ND	No	ND	No	ND	0	
Total number of arterial miles patrolled by these services	NR	NR	NR	NR	NR	NR	0	0
Miles Covered by Methods to Detect and Verify Incidents	0	0	0	0	0	0	0	0
Free cellular phone call to a dedicated phone number other than 911	0	0	0	0	0	0	0	0
Free cellular phone call to an area radio station	0	0	0	0	0	0	0	0
Police patrols Computer algorithms linked to traffic surveillance equipment	0	0	0	0	0	0	0	0
CCTV	0	0	7	27	0	0	7	27

	Caltrans	District 3	Sacram	ento City	Sacramen	to County	To	tals
	1999	2005	1999	2005	1999	2005	1999	2005
Private sector sources (e.g., Shadow Traffic, Smart Routes)	0	0	0	0	0	0	0	0
Other	0	0	0	0	0	0	0	0
Procedures in place for Arterial Incident Response?								
Working agreement(s)/arrangement(s) with other agencies	No		No		No		0	
Inter-agency incident management admin. team that meets regularly	No		No		No		0	
Major incident response team that responds to major incidents	No		No		No		0	
Set of goals/objectives for incident mgt that has been adopted by agencies in region	No		No		No		0	
Methods of Communication Used On-Site at an Incident								
<u>Police</u>								
Two-way radio	No		No		No		0	
800 MHz trunked radio	No		No		No		0	
Cellular telephone	No		No		No		0	
Hand-held (i.e., walkie-talkie)	No		No		No		0	
Automated data systems (i.e., CAD)	No		No		No		0	
Other	No		No		No		0	
<u>Fire</u>								
Two-way radio	No		No		No		0	
800 MHz trunked radio	No		No		No		0	
Cellular telephone	No		No		No		0	
Hand-held (i.e., walkie-talkie)	No		No		No		0	
Automated data systems (i.e., CAD)	No		No		No		0	
Other	No		No		No		0	
DOT								
Two-way radio	No		No		No		0	
800 MHz trunked radio	No		No		No		0	
Cellular telephone	No		No		No		0	
Hand-held (i.e., walkie-talkie)	No		No		No		0	
Automated data systems (i.e., CAD)	No		No		No		0	
Other	No		No		No		0	
Towing								
Two-way radio	No		No		No		0	
800 MHz trunked radio	No		No		No		0	
Cellular telephone	No		No		No		0	
Hand-held (i.e., walkie-talkie)	No		No		No		0	
Automated data systems (i.e., CAD)	No		No		No		0	
Other	No		No		No		0	
Which police agencies typically respond to incidents on arterials?								
State Police	No		No		No		0	
County Police or Sheriff	No		No		No		0	

	Caltrans	s District 3	Sacram	ento City	Sacramer	nto County	То	tals
	1999	2005	1999	2005	1999	2005	1999	2005
City Police	No		No		No		0	
Who provides on-site emergency medical response?								
Fire	No		No		No		0	
Emergency Management Service Agency	No		No		No		0	
Private hospital	No		No		No		0	
Has a multi-agency contact list been developed in area containing the								
names, phone numbers, etc. for the appropriate response personnel?	NR		NR		NR		0	
Is the Incident Command System used to manage incident scenes?	NR		NR		NR		0	
Is there a legal specification by state law or formal agreement as to who								
is "in charge" at the incident scene?								
Specified by state law?	No		No		No		0	
Formal agreement?	No		No		No		0	
Not specified or don't know?	No		No		No		0	
On-scene command post used to manage activities of responding agencies?	NR		NR		NR		0	
Are there communication linkages to a communications traffic/freeway mgt center?	NR		NR		NR		0	
Plan developed and adopted by responding agencies for staging and parking								
response vehicles and equip. at incident site that minimizes lane blockage								
and facilitates the re-opening of lanes?	NR		NR		NR		0	
Respondents protected through law or court opinion for liability claims								
for damages to vehicles or cargoes during clearance activities?	NR		NR		NR		0	
Are overturned tank trucks, which are intact and not leaking, uprighted								
without first off-loading?	NR		NR		NR		0	
Does your state or local jurisdiction have a law that requires drivers								
involved in property-damage-only accidents to move the vehicles								
from travel lanes to a safe location to exchange info and wait for police?	NR		NR		NR		0	
Have laws or policies regarding the removal of stalled/abandoned vehicles								
from freeway shoulders?	NR		NR		NR		0	
Hours abandoned vehicles are allowed to remain on a freeway shoulder?	NR		NR		NR		0	
Have policies or procedures for quick removal of vehicles?	NR		NR		NR		0	
Is Total Station equipment used to investigate major incidents?	NR		NR		NR		0	

	Caltrans	s District 3	Sacram	ento City	Sacrame	nto County	Tot	als
	1999	2005	1999	2005	1999	2005	1999	2005
Handling of Towing Responses to Incidents								
Formal contract based on qualifications?	No		No		No		0	
Rotation with companies under contract?	No		No		No		0	
Separate lists kept for light and heavy response and for specialty recovery?	NR		NR		NR		0	
Rotation list with minimal qualifications?	No		No		No		0	
In towing qualifications, do you require towers to be certified under the								
Towing and Recovery Ass. of America's National Drivers Cert. Program?	NR		NR		NR		0	
DK: Don't know								
NR: No Response								
Leg: Legislation or action being planned								_

Appendix G Arterial Management Integration

	Caltrans	Caltrans District 3		mento City	Sacrame	ento County
Agency Name	1999	2005	1999	2005	1999	2005
Agency Returned Survey?	Yes		Yes		Yes	
Arterial Management Section						
Arterial Mgt. agencies in metropolitan area with which you share info.						
Share Timing Plans Information	None listed	None listed	short survey	None listed	None listed	None listed
Coordinate Changes to Timing Plans	None listed	None listed	short survey	None listed	None listed	None listed
Turn over Control of Signals	Sacramento City, Sacramento County	None listed	short survey	None listed	None listed	None listed
Agencies your agency provides arterial travel times, speeds, and	•		j			
conditions information, share infrastructure or coordinates operation						
Freeway Management Agencies						
Provide Information	None listed	None listed	None listed	None listed	None listed	None listed
Share Infrastructure	None listed	None listed	None listed	None listed	None listed	None listed
Coordinate Operation	None listed	None listed	None listed	None listed	None listed	None listed
Incident Management Agencies	Trono notou	Trono notod	TTOTIO IIOCOG	Ttorio ilotod	Ttorio ilotod	Ttorio notou
Provide Information	None listed	None listed	None listed	None listed	None listed	None listed
Share Infrastructure	None listed	None listed	None listed	None listed	None listed	None listed
Coordinate Operation	None listed	None listed	None listed	None listed	None listed	None listed
Public Transit Operators Agencies		Trong notes			110110 110100	
Provide Information	None listed	None listed	None listed	None listed	None listed	None listed
Share Infrastructure	None listed	None listed	None listed	None listed	None listed	None listed
Coordinate Operation	None listed	None listed	None listed	None listed	None listed	None listed
Arterial Management Agencies	None listed	None listed	TVOTIC IISICU	None listed	None listed	14011C listed
Provide Information	None listed	Sacramento City, Sacramento County	None listed	None listed	None listed	None listed
Share Infrastructure	None listed	Sacramento County	None listed	None listed	None listed	None listed
Coordinate Operation	None listed	None listed	None listed	None listed	None listed	None listed
Receiving real-time information via electronic means from others						
Freeway Management agencies from which your agency receives						
freeway travel times, speeds, and conditions	None listed	None listed	None listed	None listed	None listed	None listed
Public Transit operators from which your agency receives						
arterial travel times derived from vehicle probes	None listed	Sacramento Regional Transit District (RT)	None listed	None listed	None listed	None listed
Incident Management agencies from which your agency receives						
incident clearance and/or incident severity, location, and type information						
Receive information on Incident Clearance	None listed	None listed	None listed	None listed	None listed	None listed
Receive information on Incident Severity, Location, and Type	None listed	None listed	None listed	None listed	None listed	None listed
Toll Collection agencies from which your agency receives arterial travel						
times derived from vehicles probes	None listed	None listed	None listed	None listed	None listed	None listed
Arterial Incident Management Section						

	Calt	Caltrans District 3		Sacramento City		ento County
Agency Name	1999	2005	1999	2005	1999	2005
Agencies your agency provides incident severity, location, and type info.						
and/or shares infrastructure and/or coordinates operation						
Emergency Management Agencies						
Provide Information	None listed	None listed	None listed	None listed	None listed	None listed
Share Infrastructure	None listed	None listed	None listed	None listed	None listed	None listed
Coordinate Operation	None listed	None listed	None listed	None listed	None listed	None listed
Freeway Management Agencies						
Provide Information	None listed	None listed	None listed	None listed	None listed	None listed
Share Infrastructure	None listed	None listed	None listed	None listed	None listed	None listed
Coordinate Operation	None listed	None listed	None listed	None listed	None listed	None listed
Public Transit Operators						
Provide Information	None listed	None listed	None listed	None listed	None listed	None listed
Share Infrastructure	None listed	None listed	None listed	None listed	None listed	None listed
Coordinate Operation	None listed	None listed	None listed	None listed	None listed	None listed
Receiving real-time information via electronic means from others						
Emergency Management agencies from which your agency receives						
arterial incident clearance and/or arterial incident severity						
Receive Arterial Incident Clearance Information	None listed	None listed	None listed	None listed	None listed	None listed
Receive Arterial Incident Severity Information	None listed	None listed	None listed	None listed	None listed	None listed
Arterial Management agencies from which your agency receives						
arterial travel times, speeds, and conditions	None listed	None listed	None listed	None listed	None listed	None listed
Freeway Management agencies from which your agency receives						
freeway travel times, speeds, and conditions	None listed	None listed	None listed	None listed	None listed	None listed

^{*}short survey: Agency responded using a short survey. The survey did not include names of individual agencies, but only identified whether integration exists.

Appendix H
Arterial Management Information Collection and Dissemination

Data Collection and Dissemination: Arterial Management Agencies for Metropolitan Area: Sacramento

	С	altrans District 3	Sacr	amento City	Sacramento County	
Agency Name	1999	2005	1999	2005	1999	2005
Agency Returned Survey?	Yes		Yes		Yes	
Arterial Management Section						
Data collected, archived, and/or transferred to another agency						
Collected by your agency						
		Traffic volumes, Traffic	l		1	
	NR	speeds, Lane occupancy		NR	NR	NR
Archived by your agency	NR	NR	NR	NR	NR	NR
Transferred to another agency by your agency	NR	NR	NR	NR	NR	NR
Importance of making information available to the public						
Ranked High						•
	Troffic anodda Boo	d conditions, Incidents, Weather				
		work zones, Scheduled work				
	,	evacuation routes and procedures	NR		NR	
Ranked Medium	zonos, zmergeneyn	ovacation reales and procedures	1111			
		obe vehicles, Queues,				
	Emergency vehicle	signal preemption, Intermodal (ai	r,			
	rail, water) connecti	ons	NR		NR	
Ranked Low						
	Traffic volumes. Vel	nicle classification, Turning				
		g/cycle lengths, Transit vehicle				
		e designations (snow emergency				
		ations coordination information	NR		NR	
Groups that make requests for the data	Universities, State [OOT personnel	NR		NR	
What is the data used for?	Traffic analysis, Pla		NR		NR	
Methods used to disseminate arterial information to the public	Tramo analysis, i la		TW C		141.	
Technologies your agency uses to disseminate:						
recliniological year against about to discontinuous.						
				Internet Web		
				sites, E-mail or		
		l	l	other direct PC	1	
	NR	NR	NR	communication	NR	NR
Technologies your agency (through another agency or org.) uses to disseminate:	NR	NR	NR	NR	NR	NR
Internet web site reporting arterial conditions	NR		NR		NR	
Telephone system for reporting arterial information to the public	NR		NR		NR	
Organizations your agency sends information for dissemination to the public	NR		NR		NR	
Arterial Incident Management Section						
Methods used to distribute incident location and severity information						
to the public						
Technologies your agency uses to disseminate:				sites, E-mail or		
				other direct PC		
	NR	NR	NR	communication	NR	NR

Data Collection and Dissemination: Arterial Management Agencies for Metropolitan Area: Sacramento

	Caltrans District 3		Sacramento City		Sacramento County	
Agency Name	1999	2005	1999	2005	1999	2005
Technologies your agency (through another agency or org.) uses to disseminate:	NR	NR	NR	NR	NR	NR
Internet web site reporting incident information	NR I		NR		NR	
Telephone system for reporting incident information to the public	NR		NR		NR	
Organizations your agency sends information for dissemination to the public	NR N		NR		NR	

Appendix I Transit Management Components

	Sacramento Regional 1	Fransit District (RT)
	1999	2005
Agency Returned Survey?	Yes	
Number of vehicles used in revenue service		
Fixed Route Bus	209	239
Heavy or Rapid Rail	0	0
Light Rail	36	74
Demand Responsive	0	0
Commuter Rail	0	0
Ferry Boat	0	0
Have of plan to have an Automated Vehicle Location System?	Yes	
Primary and Secondary Location Technologies Used		
Primary Technologies		
GPS	No	No
Sign/Odometer	No	No
Dead-Reckoning	No	No
LORAN C	No	No
Other	Yes	Yes
Backup Technologies		
GPS	No	No
Sign/Odometer	No	No
Dead-Reckoning	No	No
LORAN C	No	No
Other	Yes	Yes
Number of Vehicles Equipped with AVL		
Fixed Route Bus	NR	239
Heavy or Rapid Rail	NR	NR
Light Rail	NR	74
Demand Responsive	NR	NR
Commuter Rail	NR	NR
Ferry Boat	NR	NR
Motor Buses Operated as Vehicle Probes		
Number of Motor Buses equipped as probes on freeways?	NR	
Number of Motor Buses equipped as probes on arterials?	NR	
Have Organized Regional Incident Management Program?	No	
Have Automated Traveler Information System?	Yes	
Services Automated Traveler Info. System Applies:		
Fixed Route	Yes	

	Sacramento Regiona	al Transit District (RT)
	1999	2005
Heavy Rail	No	
Light Rail	Yes	
Demand Responsive	No	
Commuter Rail	No	
Ferry	No	
Locations where traveler information is displayed to public	110	
Number of bus stops on fixed transit routes	3,500	3,500
Bus stops on fixed transit routes that display traveler info to the public	0	NR
Number of rail stations	30	44
Number of rail stations that display traveler information	30	44
Number of other locations that display traveler information to public	9	NR
Number of vehicles the traveler information system has available		
Fixed Route Bus	209	239
Heavy or Rapid Rail	0	0
Light Rail	36	74
Demand Responsive	0	0
Commuter Rail	0	0
Ferry Boat	0	0
Deployment of Communications Technology		
Attributes of Radio System:		
Digital?	No	
Analog?	Yes	
Trunked?	Yes	
Regular?	No	
Services that use a Digital or Trunked Radio System		
_Digital Only		
Fixed Route Bus	No	No
Heavy or Rapid Rail	No	No
Light Rail	No	No
Demand Responsive	No	No
Commuter Rail	No	No
Ferry Boat	No	No
Trunked Only		
Fixed Route Bus	No	No
Heavy or Rapid Rail	No	No
Light Rail	No	No
Demand Responsive	No	No
Commuter Rail	No	No
Ferry Boat	No	No
Have of plan to have Automatic Passenger Counters (APCs)?	No	

	Sacramento Regional	Transit District (RT)
	1999	2005
Methods used to count passengers		
Treadle Mats	No	
Infrared Beams	No	
Primary and Secondary Location Technologies Used		
Primary Technologies		
GPS	No	No
Differential GPS	No	No
Signpost/Odometer	No	No
Dead_Reckoning	No	No
LORAN C	No	No
Other	No	No
Backup Technologies		
GPS	No	No
Differential GPS	No	No
Signpost/Odometer	No	No
Dead_Reckoning	No	No
LORAN C	No	No
Other	No	No
Number of Vehicles with APCs		
Fixed Route Bus	NR	NR
Heavy or Rapid Rail	NR	NR
Light Rail	NR	NR
Demand Responsive	NR	NR
Commuter Rail	NR	NR
Ferry Boat	NR	NR
Remote Real-Time Monitoring and Computer Assisted Dispatching		
Remote Real-Time Monitoring		
Fixed Route Bus	NR	NR
Heavy or Rapid Rail	NR	NR
Light Rail	NR	NR
Demand Responsive	NR	NR
Commuter Rail	NR	NR
Ferry Boat	NR	NR
Automated Dispatching or Control Software		
Fixed Route Bus	0	239
Heavy or Rapid Rail	0	0
Light Rail	0	74
Demand Responsive	0	0
Commuter Rail	0	0

	Sacramento Regional	Transit District (RT)
	1999	2005
Ferry Boat	0	0
Coordinate or plan to coordinate travel request and vehicle		
dispatching for multiple agencies?	No	
Is there or will there be a Transportation Management Center		
(TMC) in the region that controls transit and highway modes?	Yes	
Modes that TMC currently controls:		
Highways	Yes	Yes
Fixed Route Bus	No	Yes
Heavy or Rapid Rail	No	No
Light Rail	No	Yes
Demand Responsive	No	No
Commuter Rail	No	No No
	1.14	
Ferry Boat	No	No
Other	Yes	Yes
Priority at Traffic Signals and Ramp Meter Priority Priority at Traffic Signals		
Fixed Route Bus	0	239
Light Rail	36	74
Demand Responsive	0	0
Ramp Meter Priority	Ŭ.	
Fixed Route Bus	NR	NR
Demand Responsive	NR	NR
Number of Vehicles Equipped with Navigation Aids		
Fixed Route Bus	NR	NR
Heavy or Rapid Rail	NR	NR
Light Rail	NR	NR
Demand Responsive	NR	NR
Commuter Rail	NR	NR
Ferry Boat	NR	NR
ITS Standards Used Related to Transit Management		
TCIP On Boad Objects (TCIP-OB)	No	
TCIP Traffic Management Objects (TCIP-TM)	No	
TCIP Common Public Transportation Objects (TCIP-CPT)	No	
TCIP Passenger Information Objects (TCIP-PI)	No	
TCIP Incident Management Objects (TCIP-IM)	No	
TCIP Fare Collection Objects (TCIP-FC)	No	
TCIP Spatial Representation Objects (TCIP-SP)	No	
TCIP Control Center Objects (TCIP-CC)	No	

	Sacramento Regiona	al Transit District (RT)
	1999	2005
TCIP Scheduling/Runcutting Objects (TCIP-SCH)	No	
Send data communication between micro computer and heavy duty		
vehicle applications (SAE J1708)	No	
Would agency be willing to participate in testing of ITS Standards?	Yes	
Have agreements in place with other agencies to use similar hardware		
and software to aid maintenance and interoperability?	No	
Electronic Fare Payment		
Have full operational Electronic Fare Payment System?	No	
Methods of Fare Payment		
Stored value card with fare deducted for each trip		
Magnetic Stripe	No	
Smart Card	No	
Debit Card	No	
Billed by the month for trips taken		
Magnetic Stripe	No	
Smart Card	No	
Credit Card	No	
Monthly Pass		
Magnetic Stripe	No	
Smart Card	No	
Vehicles/Stations Equipped with Automated Payment Mechanism		
Magnetic Stripe Readers		
Fixed Route Bus Vehicles	NR	NR
Heavy or Rapid Rail Stations	NR	NR
Light Rail Stations	NR	NR
Demand Responsive Vehicles	NR	NR
Commuter Rail Stations	NR	NR
Ferry Boat Landings	NR	NR
Smart Card Readers		
Fixed Route Bus Vehicles	NR	NR
Heavy or Rapid Rail Stations	NR	NR
Light Rail Stations	NR	NR
Demand Responsive Vehicles	NR	NR
Commuter Rail Stations	NR	NR
Ferry Boat Landings	NR	NR
Credit Card		
Fixed Route Bus Vehicles	NR	NR
Heavy or Rapid Rail Stations	NR	NR
Light Rail Stations	NR	NR
Demand Responsive Vehicles	NR	NR

	Sacramento Regiona	Sacramento Regional Transit District (RT)					
	1999	2005					
Commuter Rail Stations	NR	NR					
Ferry Boat Landings	NR	NR					
Debit Card							
Fixed Route Bus Vehicles	NR	NR					
Heavy or Rapid Rail Stations	NR	NR					
Light Rail Stations	NR	NR					
Demand Responsive Vehicles	NR	NR					
Commuter Rail Stations	NR	NR					
Ferry Boat Landings	NR	NR					
NR: No Response							

Appendix J Transit Management Integration

	Sacramento Regional Transit District (RT)							
Agency Name	1999	2005						
Agency Returned Survey?	Yes							
Transit operators in the region that use the same electronic payment system	None listed							
Toll operators from whom you accept electronic payment of transit								
fare through the use of ETC media	None listed							
Receiving real-time information via electronic means from others								
Freeway Management agencies from which your agency receives								
freeway travel times, speeds, and conditions								
Receive Information	None listed	Caltrans District 3						
Share Infrastructure	None listed	Caltrans District 3						
Arterial Management agencies from which your agency receives								
arterial travel times, speeds, and conditions								
Receive Information	None listed	Caltrans District 3, Sacramento City, Sacramento County, Citrus Heights City, California Highway Patrol						
Share Infrastructure	None listed	Caltrans District 3, Sacramento City, Sacramento County, Citrus Heights City, California Highway Patrol						
Incident Management agencies from which your agency receives								
incident severity, location, and type								
Receive Information	Caltrans District 3	Caltrans District 3, Sacramento City, Sacramento County						
Share Infrastructure	None listed	Caltrans District 3, Sacramento City, Sacramento County						

Appendix K
Transit Management Information Collection and Dissemination

Data Collection and Dissemination: Transit Management Agencies for Metropolitan Area: Sacramento

	Sacramento Regional Transit District (RT)						
Agency Name	1999	2005					
Agency Returned Survey?	Yes						
Methods used to disseminate transit information to the public							
Technologies your agency uses to disseminate:							
Transit routes, schedules and fares	Cell phone/voice, Kiosks, Internet Web Sites, Telephone System	Cell phone/voice, Kiosks, Internet Web Sites, Telephone System					
Real-time transit schedule adherence or arrival and departure times	NR	Monitors/VMS (not in vehicle), Cell phone/voice, E- mail or other direct PC communication, Kiosks, Internet Web Sites, Telephone System					
Technologies employed by other organization receiving your data							
Transit routes, schedules and fares	Internet Web Sites	Internet Web Sites					
Real-time transit schedule adherence or arrival and departure times	Internet Web Sites	Internet Web Sites					
Internet web site reporting transit routes, schedules and fare, etc.	www.sacrt.com	•					
Telephone system for reporting transit information to the public	916.321.2877						
Organizations your agency sends information for dissemination to the public	Sacramento Area Council of Governments Sacramento City Sacramento County Federal Transit Administration Sacramento Transportation Authority						
Data collected, archived, and/or transferred to another agency							
Collected by your agency	Passenger information (e.g., surveys, O/D), Passenger count, Vehicle time and location	Transit operations coordination information, Highway operations coordination information, Scheduled roadway work zones for transit, Current roadway work zones for transit, Transit vehicle signal priority, Emergency vehicle signal preemption, Passenger information (e.g., surveys, O/D), Passenger count, Vehicle time and location					
Archived by your agency	Passenger information (e.g., surveys, O/D), Passenger count, Vehicle time and location	Passenger information (e.g., surveys, O/D), Passenger count, Vehicle time and location					
Transferred to another agency by your agency	Passenger information (e.g., surveys, O/D), Passenger count, Vehicle time and location	Passenger information (e.g., surveys, O/D), Passenger count, Vehicle time and location					
Importance of making information available to the public							
Ranked High	Transit operations coordination information, High information (e.g., surveys, O/D), Passenger coun	way operations coordination information, Passenger t, Vehicle time and location					
Ranked Medium	Transit vehicle signal priority						
Ranked Low	Scheduled roadway work zones for transit, Current roadway work zones for transit, Emergency vehicle signal preemption						
Groups that make requests for the data	Consultants, MPOs, Media (I.e., TV stations, radio stations), Federal DOT personnel, State DOT personnel						
What is the data used for?	Dissemination to the public, Roadway impact analysis, Planning, Traffic analysis						

Appendix L Emergency Management

	Navigation Total Vehicles Capabilitie				CAD		CAD Equipped with Mobile Data Terminal		Vehicles Equipped with Preemption		ormal rogram	Info to other			
Agency Name	1999	2005	1999	2005	1999	2005	1999	2005	1999	2005	1999	2005	Participate in F Incident Mgt P	a) Š	List of agencies receiving data
Sacramento City Fire & EMS Department	98	108	0	0	0		88					54	Yes	*	None listed
Sacramento City Police Department	390	415	0	0	0	415	175	190	175	190	0	0	No	No	None listed

Sacramento L - 1 Emergency Management