Tracking the Deployment of the Integrated Metropolitan ITS Infrastructure in Louisville

FY99 Results

For additional information, please contact:

Joseph I. Peters, Ph.D. ITS Program Assessment Coordinator ITS Joint Program Office, Room 3416 400 Seventh St., S.W. Washington, D.C. 20590 (202) 366-2202 FAX: (202) 493-2027 E-mail: joe.peters@fhwa.dot.gov

Table of Contents

Part 1 - Background and Purpose	1
Part 2 - Summary 1999 Survey Results	3
Part 3 - Detailed 1999 Survey Results	7
Freeway Management Component Indicators	9
Freeway Management Integration Indicators	11
Incident Management Component Indicators	13
Incident Management Integration Indicators	15
Arterial Management Component Indicators	17
Arterial Management Integration Indicators	19
Electronic Toll Collection Component Indicators	21
Electronic Toll Collection Integration Indicators	22
Transit Management Component Indicators	
Transit Management Integration Indicators	24
Electronic Fare Payment Component Indicators	26
Electronic Fare Payment Integration Indicators	
Highway-Rail Intersection Component Indicators	28
Highway-Rail Intersection Integration Indicators	
Emergency Management Component Indicators	
Emergency Management Integration Indicators	
Regional Multimodal Traveler Information Component Indicators	
Regional Multimodal Traveler Information Integration Indicators	33
Appendix A. Survey Coverage Area	
Appendix B. Surveyed Agencies	
Appendix C. Freeway Management Components	
Appendix D. Freeway Management Integration	
Appendix E. Freeway Management Information Collection and Dissemination	
Appendix F. Arterial Management Components	
Appendix G. Arterial Management Integration	
Appendix H. Arterial Management Information Collection and Dissemination	
Appendix I. Transit Management Components	
Appendix J. Transit Management Integration	
Appendix K. Transit Management Information Collection and Dissemination	
Appendix L. Emergency Management	L.1

Part 1 - Background and Purpose

In January 1996, Secretary Peña set a goal of deploying the integrated metropolitan Intelligent Transportation System (ITS) infrastructure in 75^1 of the nation's largest metropolitan areas by 2006:

"I'm setting a national goal: to build an intelligent transportation infrastructure across the United States to save time and lives, and improve the quality of life for Americans. I believe that what we do, we must measure . . . Let us set a very tangible target that will focus our attention . . . I want 75 of our largest metropolitan areas outfitted with a complete intelligent transportation infrastructure in 10 years."²

-- Secretary Peña, 1996

In 1997, the U.S. Department of Transportation initiated an effort to track progress toward fulfillment of this goal by conducting a survey of deployment in the nation's largest metropolitan areas. Traditionally, the product of a transportation infrastructure investment consists of a fixed asset such as a highway, bridge, or public transportation vehicle developed, constructed, or purchased by a single agency. Tracking the level of deployment for such traditional fixed assets can be accomplished by simply counting the number of such assets deployed. Measuring the deployment of the metropolitan ITS infrastructure is more complex because it consists of a set of systems, often deployed by multiple agencies, and integrated through a combination of complex institutional and technical arrangements. In brief, it is often difficult to simply count the number of systems deployed without first devising a measurement approach that captures the essential features of such systems in a consistent fashion across many deployment environments.

In order to track progress toward fulfillment of the Secretary's goal for deployment, the U.S. Department of Transportation ITS Joint Program Office developed the metropolitan ITS deployment tracking methodology. This methodology tracks deployment of the nine components that make up the Metropolitan ITS infrastructure: Freeway Management; Incident Management; Arterial Management; Emergency Management; Transit Management; Electronic Toll Collection; Electronic Fare Payment; Highway-Rail Intersections; and Regional Multimodal Traveler Information. Through a set of indicators tied to the major functions of each component, the level of deployment is tracked for the nation's largest metropolitan areas. In addition, the integration links between agencies operating the infrastructure are also tracked. The details of

¹ Since Secretary Peña's speech, the number of metropolitan areas that DOT will measure has been increased from 75 to 78. However, to maintain reporting consistency across the 10-year goal period, this report considers only the original 75 metropolitan areas.

² Excerpt of a speech delivered by Secretary of Transportation Peña at the Transportation Research Board in Washington, DC on January 10, 1996.

the methodology are explained elsewhere.³

During the summer and fall of 1999, the U.S. DOT undertook a new data collection effort for the purpose of examining ITS deployment progress in the nation's largest metropolitan areas. The Louisville metropolitan area was among the areas surveyed in 1997 and again in 1999. This report presents the results of the 1999 survey efforts and compares the results of the 1997 survey against those observed in 1999. The overall response rate for the surveys administered in the Louisville region was 94% in 1997 and 88% in 1999.

Part 2 contains a summary of the 1999 survey results, and Part 3 provides a comparison of 1999 survey results and the 1997 survey results.

The report also contains a set of appendices containing a map of the survey area, the list of local contacts surveyed along with a status of their response to the survey and a summary of the data collected from the surveys.

Agencies are encouraged to review the data presented in this report for completeness and accuracy and to direct any comments or corrections to the data provided to the contacts listed below:

Steve Gordon Oak Ridge National Laboratory P.O. Box 2008, 4500N, MS-6207 Oak Ridge, TN 37831-6207 (865) 576-8416 (voice) (865) 574-3895 (fax) gordonsr@ornl.gov

Jeff Trombly Science Applications International Corporation 301 Laboratory Road Oak Ridge, TN 37831-2501 (865) 481-8563 (voice) (865) 481-2941 (fax) jeffrey.w.trombly@saic.com

³ Additional Resources: "Measuring ITS Deployment and Integration" (Electronic Document Number: 4372). U.S. Department of Transportation, Joint Program Office for Intelligent Transportation Systems, 400 Seventh St., SW (HVH-1), Washington, DC 20590, Phone: 202-366-9536, Fax: 202-366-3302, Web: http://www.its.dot.gov.

Part 2 - Summary 1999 Survey Results

Deployment indicators have been developed for two broad areas of interest: (1) the individual components, including their basic functions and characteristics and (2) integration of components, including how these components work together to provide coordinated regional service. As mentioned earlier, these indicators are expressed as percentages of the possible deployment opportunity and not necessarily what should be deployed based on local needs. Requirements for deployment and integration between each component will vary based on local conditions and cannot be assigned without extensive coordination with individual metropolitan areas.

The following two figures portray the surrogate indicators for each of the nine components in Louisville and the same indicators at the national level. These are judged to be the single best representative of a component and are being used as summary indicator for component. The summary indicators are expressed as a percentage; however, because deployment goals have yet to be established, these indicators should not be read as a comparison of what is deployed versus eventual deployment goals. Instead, they only reflect what is deployed compared to full market saturation (i.e., opportunity for deployment).


Each component indicator was selected to reflect a critical function of the individual components. For example, in the case of Freeway Management, three basic functions were defined: surveillance, traffic control, and information display. The three indicators developed to reflect these functions are: percentage of freeway centerline miles under electronic surveillance (surveillance function), percentage of freeway entrance ramps managed by ramp meters (traffic control function), and percentage of freeway centerline miles covered by permanent VMS, HAR, or in-vehicle signing (information display function). The indicators are surrogates that do not necessarily reflect the full breadth of metropolitan ITS deployment activity.

A critical aspect of ITS that provides much of its capability is the integration of individual components to form a unified regional traffic control system. Individual ITS components routinely collect information that is used for purposes internal to that component. For example, the Arterial Management component monitors arterial conditions to revise signal timing and to convey these conditions to travelers through such technologies as variable message signs and highway advisory radio. Other ITS components can make use of this information in formulating their control strategies. For example, Transit Management may alter routes and schedules based on real-time information on arterial traffic conditions, and Freeway Management may alter ramp metering or diversion recommendations based on the same information.

As with the component indicators, definitions for inter- and intra-component integration were developed for each component, and indicators, derived from these definitions, were produced for each component. A total of 34 individual integration indicators was specified and is portrayed in the third figure which follows. Each integration indicator has been assigned a number and an origin/destination path from one ITS infrastructure component to another. For example, the


integration of information from the Freeway Management component to the Regional Multimodal Traveler Information component is identified by the number "10."

Data as of 5/1/00




Louisville

* Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity. ** Deployment opportunity reflects potential totals that do not necessarily reflect actual need.



* Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity ** Deployment opportunity reflects potential totals that do not necessarily reflect actual need



Louisville Integration Links

Note: Shading indicates the value of the link. For example a circle half shaded equals 50%

Link	Description	Link	Description
1	Arterial Management to Regional	2	Arterial Management to Freeway
	Multimodal Traveler Information		Management
3	Arterial Management to Transit	4	Arterial Management to Incident
	Management		Management
5	Incident Management to Arterial	6	Incident Management to Regional
	Management		Multimodal Traveler Information
7	Incident Management to Emergency	8	Incident Management to Freeway
	Management.		Management
9	Incident Management to Transit	10	Freeway Management to Regional
	Management		Multimodal Traveler Information
11	Freeway Management to Arterial	12	Freeway Management to Transit
	Management		Management

Link	Description	Link	Description
13	Freeway Management to Incident	14a	Transit Management to Regional
	Management		Multimodal Traveler Information
			(static route information)
		14b	Transit Management to Regional
			Multimodal Traveler Information
			(schedule adherence information)
15a	Transit Management to Freeway	16a	Transit Management to Arterial
	Management		Management
15b	Transit Management to Freeway	16b	Transit Management to Arterial
	Management (transit vehicle probes)		Management (transit vehicle probes)
17	Electronic Toll Collection to	18	Electronic Toll Collection to Arterial
	Freeway Management (ETC		Management (ETC equipped probes)
	equipped probes)		
19	Electronic Fare Payment and	20	Electronic Fare Payment to Transit
	Electronic Toll Collection		Management
21a	Emergency Management to Incident	22	Emergency Management to Arterial
	Management (incident notification)		Management
21b	Emergency Management to Incident		
	Management (incident clearance)		
23	Highway-rail intersections to	24	Highway-rail intersections to Arterial
	Incident Management (crossing		Management (crossing status)
	status)		
25	Incident Management intra	26	Arterial Management intra component
	component		
27	Electronic Fare Payment intra	28	Electronic Toll Collection intra
	component.		component
29	Transit Management to Incident	30	Freeway Management intra
	Management (incident reporting)		component

Part 3 - Detailed 1999 Survey Results

The following figures and tables summarize the complete set of component and integration indicators developed for the Louisville metropolitan area. The figures summarizing the component indicators consist of a bar chart portraying the deployment levels for 1997, 1999, and 2005 accompanied by detailed tables of the data used to calculate each component indicator value (*Num* stands for numerator and *Den* stands for denominator; blank space indicates that no response was received.)

Example: Calculating Component Indicators for Freeway Management

Consider a metropolitan area with 100 miles of freeway and 25 freeway entrance ramps. The area has no ramp meters, 10 freeway miles for which traffic data are collected electronically, and 5 freeway miles, which are covered by highway advisory radio.

The component indicator for electronic surveillance is calculated as (10/100) or 10%.

The component indicator for ramp meter control is calculated as (0/25) or 0%.

The component indicator for HAR coverage is calculated as (5/100) or 5%.

The summary indicator for the metropolitan area is calculated as (10%+0%+5%)/3 = 5%.


The figures summarizing the integration indicators consist of a diagram for each of the nine metropolitan ITS components portraying the integration level for 1999 (*italic*) and 2005 (**bold**), accompanied by tables providing an explanation of the data and calculations performed to develop each integration indicator value for 1999 and 2005. Each diagram portrays the proportion of agencies providing information to a component (e.g., the flow of incident information from Incident Management to Freeway Management) and the proportion of agencies providing information to other components (e.g., the flow of freeway travel condition information from Freeway Management to Arterial Management).

Example: Calculating Integration between Arterial Management and Regional Multimodal Traveler Information

Consider a metropolitan area with three arterial management agencies. One out of three provides information to the public using a Regional Multimodal Traveler Information Media (e.g., internet, kiosk, pager, etc...). The integration indicator is 1/3 or 33%.

Freeway Management Component Indicators

Data as of 5/1/00



Louisville Freeway Management*

* Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity.


** Deployment opportunity reflects potential totals that do not necessarily reflect actual need.

	1997			1999			2005		
Description	Num	Den	%	Num	Den	%	Num	Den	%
Freeway centerline miles are under electronic surveillance for monitoring traffic flow	0	141	0%						
Freeway entrance ramps are controlled by ramp meters or miles under lane control	0	141	0%						

	1997			1999			2005		
Description	Num	Den	%	Num	Den	%	Num	Den	%
Freeway entrance ramps									
are controlled by ramp									
meters									
Freeway centerline miles									
will be controlled by lane									
control									
Freeway miles are	10	141	7%						
covered by VMS, HAR,									
or IVS									
Freeway miles are									
covered by VMS									
Freeway miles are									
covered by HAR									
Freeway miles are									
covered by IVS									

Freeway Management Integration Indicators

Louisville Freeway Management Integration*



* Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity


Link Description	1999	2005
2. Arterial Management agencies sending information to Freeway	(2/4)	(2/4)
Management	50%	50%
8. Incident Management agencies sending information to Freeway	(0/)	(0/)
Management		
15a. Transit management agencies with vehicles equipped with	(0/1)	(0/1)
ramp meter priority	0%	0%
15b. Transit Management agencies with vehicles equipped as	(0/1)	(0/1)
probes	0%	0%
17. Freeway Management agencies receiving freeway conditions	(0/)	(0/)
from vehicle probes		
30. Freeway Management agencies sending information to another	(0/)	(0/)
Freeway Management agency		
11. Freeway Management agencies sending information to Arterial	(0/)	(0/)
Management		

Link Description	1999	2005
10. Freeway Management agencies disseminating freeway	(0/)	(0/)
conditions to the public		
12. Freeway Management agencies sending freeway conditions to	(0/)	(0/)
Transit Management		
13. Freeway Management agencies sending freeway conditions to	(0/)	(0/)
Incident Management		

Incident Management Component Indicators

Data as of 5/1/00

Louisville Freeway and Arterial Incident Management*




* Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity. ** Deployment opportunity reflects potential totals that do not necessarily reflect actual need.

		1997		1999			2005		
Description	Num	Den	%	Num	Den	%	Num	Den	%
Freeway miles are	10	141	7%						
covered by incident									
detection algorithms									
Freeway miles are	0	141	0%						
covered by free cellular									
phone calls to a									
dedicated number									
Freeway miles are	0	141	0%						
covered by surveillance									
cameras.									

		1997			1999		2005		
Description	Num	Den	%	Num	Den	%	Num	Den	%
Freeway miles are	10	141	7%						
covered by on-call									
publicly-sponsored									
service patrol or towing									
services.									
Arterial miles are	0	516	0%		516			516	
covered by incident									
detection algorithms									
Arterial miles are	0	516	0%		516			516	
covered by free cellular									
phone calls to a									
dedicated number									
Arterial miles are	0	516	0%		516			516	
covered by surveillance									
cameras									
Arterial miles are	0	516	0%	11	516	2%		516	
covered by on-call									
publicly-sponsored									
service patrol or towing									
services									

Incident Management Integration Indicators

Louisville



Incident Management Integration*


* Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity

Link Description	1999	2005
21a. Incident management agencies receiving incident severity from	(0/)	(0/)
Emergency Management		
21b. Incident management agencies receiving incident clearance	(0/)	(0/)
activities from Emergency Management		
13. Freeway Management agencies sending freeway conditions to	(0/)	(0/)
Incident Management		
4. Arterial Management agencies sending arterial conditions to Incident	(2/4)	(2/4)
Management	50%	50%
23. Arterial Management agencies receive information on highway-rail	(0/4)	(0/4)
intersection crossing blockages for the purpose of managing incident	0%	0%
response		
29. Transit Management agencies report traffic incidents as part of an	(0/1)	(0/1)
organized regional incident management program	0%	0%

Link Description	1999	2005
7. Incident management agencies transfer information describing	(0/)	(0/)
incident severity, location, and type to Emergency Management agencies		
9. Incident Management agencies transfer information describing	(0/)	(0/)
incident severity, location, and type to Transit Management agencies		
6. Incident Management agencies disseminate information describing	(0/)	(0/)
incident severity, location, and type to the public		
5. Incident Management agencies transfer information describing	(0/)	(0/)
incident severity, location, and type to Arterial Management agencies		
8. Incident Management agencies transfer information describing	(0/)	(0/)
incident severity, location, and type to Freeway Management agencies		
25. Police, fire, and EMS agencies participating in a formal incident	(2/10)	(2/10)
management plan/team	20%	20%

Arterial Management Component Indicators

Data as of 5/1/00




* Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity.

** Deployment opportunity reflects potential totals that do not necessarily reflect actual need.

		1997			1999			2005	
Description	Num	Den	%	Num	Den	%	Num	Den	%
Arterial miles covered	215	516	42%						
by electronic									
surveillance									
Signalized intersections				31	681	5%	2	2	100%
are covered by									
electronic surveillance									
for monitoring traffic									
flow									
Signalized intersections	613	669	92%	615	681	90%	2	2	100%
are under centralized or									
closed loop control									
Arterial miles are	0	516	0%						
covered by VMS, HAR,									
or IVS									

	1997			1999			2005		
Description	Num	Den	%	Num	Den	%	Num	Den	%
Arterial miles are				25	516	5%		516	
covered by VMS									
Arterial miles are				11	516	2%		516	
covered by HAR									
Arterial miles are					516			516	
covered by IVS									

Arterial Management Integration Indicators Louisville



Arterial Management Integration*

* Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity


Link Description	1999	2005
16a. Transit management agencies with vehicles equipped with traffic	(0/1)	(0/1)
signal priority	0%	0%
16b. Transit Management agencies have vehicles equipped as probes on	(0/1)	(0/1)
arterials	0%	0%
22. Emergency Management agencies have vehicles equipped with	(1/10)	(1/10)
traffic signal preemption capability	10%	10%
24. Arterial Management agencies have traffic signals within 200 feet of	(1/4)	(1/4)
a highway rail intersection with the capability of having their signal	25%	25%
timing adjusted in response to a train crossing		
18. Number of Arterial Management agencies receiving information	(0/4)	(0/4)
from vehicle probes	0%	0%
5. Incident Management agencies transfer information describing	(0/)	(0/)
incident severity, location, and type to Arterial Management		

Link Description	1999	2005
11. Freeway Management agencies transfer freeway travel times,	(0/)	(0/)
speeds, and conditions to Arterial Management agencies		
3. Arterial Management agencies transfer arterial travel times, speeds,	(0/4)	(1/4)
and conditions to Transit Management	0%	25%
1. Arterial Management agencies disseminate arterial travel times,	(1/4)	(1/4)
speeds, and conditions to the public	25%	25%
2. Arterial Management agencies send traffic condition information to	(2/4)	(2/4)
Freeway Management	50%	50%
4. Arterial Management agencies transfer arterial travel times, speeds,	(2/4)	(2/4)
and conditions to Incident Management	50%	50%
26. Arterial Management agencies under cooperative agreement to share	(1/4)	(1/4)
traffic signal timing for coordinated response	25%	25%

Electronic Toll Collection Component Indicators

Data as of 5/1/00

Louisville Electronic Toll Collection*



* Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity. ** Deployment opportunity reflects potential totals that do not necessarily reflect actual need.

	1997			1999			2005		
Description	Num	Den	%	Num	Den	%	Num	Den	%
Toll collection plazas									
with ETC capability									
Toll collection lanes									
with ETC capability									


Electronic Toll Collection Integration Indicators Louisville Electronic Toll Collection Integration* Inputs Outputs **Probe Vehicle** Times Affect Timing 0% 0% (18) ► Share (19 0% -0% Common (17) Fare Media N/R N/R (28 N/R N/R Probe Vehicle Times **Toll Operators** Affect Control with Common Strategy Tags Legend 1999, **2005**

* Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity

1999	2005
(0/4)	(0/4)
0%	0%
(0/1)	(0/1)
0%	0%
(0/)	(0/)
(0/)	(0/)
	$\begin{array}{c} (0/4) \\ 0\% \\ (0/1) \\ 0\% \\ (0/) \\ \end{array}$

Transit Management Component Indicators

Data as of 5/1/00




Louisville Transit Management*

* Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity.

** Deployment opportunity reflects potential totals that do not necessarily reflect actual need.

	1997		1999			2005			
Description	Num	Den	%	Num	Den	%	Num	Den	%
Fixed-route transit	281	281	100%	301	301	100%	301	301	100%
vehicles are equipped									
with AVL									
Fixed-route transit	0	281	0%		301			301	
vehicles are equipped									
with electronic									
monitoring of vehicle									
component									
Paratransit vehicles	0	70	0%	78	78	100%	78	78	100%
operate under									
computer-aided									
dispatch									
Percent fixed-route	0	0							
transfer locations with									
electronic display of									
information									
Bus stops display									
information to the									
public									

Transit Management Integration Indicators



* Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity


Link Description	1999	2005
3. Arterial Management agencies transfer arterial travel times, speeds,	(0/4)	(1/4)
and conditions to Transit Management	0%	25%
9. Incident management agencies transfer information describing	(0/)	(0/)
incident severity, location, and type to Transit Management		
12. Freeway Management agencies transfer freeway travel times,	(0/)	(0/)
speeds, and conditions to Transit Management		
20. Transit Management agencies using Electronic Fare Payment data in	(0/1)	(0/1)
transit service planning	0%	0%
16a. Transit Management agencies have vehicles equipped with traffic	(0/1)	(0/1)
signal priority capability	0%	0%
16b. Transit Management agencies have vehicles equipped as probes on	(0/1)	(0/1)
arterials	0%	0%
14a. Transit Management agencies disseminate information describing	(1/1)	(1/1)
transit routes, schedules, and fares to travelers	100%	100%

Link Description	1999	2005
14b. Transit Management agencies disseminate information describing	(0/1)	(1/1)
schedule/route adherence to travelers	0%	100%
15a. Transit Management agencies have vehicles equipped with ramp	(0/1)	(0/1)
meter priority capability	0%	0%
15b. Transit Management agencies have vehicles equipped as probes on	(0/1)	(0/1)
freeways	0%	0%
29. Transit Management agencies that report traffic incidents as part of	(0/1)	(0/1)
an organized regional Incident Management program	0%	0%

Electronic Fare Payment Component Indicators

Data as of 5/1/00

Louisville Electronic Fare Payment*



* Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity.

** Deployment opportunity reflects potential totals that do not necessarily reflect actual need.

	1997			1999			2005		
Description	Num	Den	%	Num	Den	%	Num	Den	%
Fixed-route transit vehicles that accept electronic payment	0	281	0%		301			301	
Rail transit stations that accept electronic payment	0	0							

Electronic Fare Payment Integration Indicators Louisville **Electronic Fare Payment Integration*** Inputs Outputs Share Transit 0% 0% Common (20) **์**19 Service Fare 0% 0% Planning Media 27 0% **Transit Operators** 0% with Common Fare Media Legend 1999 2005


* Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity

Link Description	1999	2005
19. Transit agencies that accept electronic payment through the use of	(0/1)	(0/1)
electronic toll collection media	0%	0%
20. Transit Management agencies use Electronic Fare Payment data in	(0/1)	(0/1)
transit service planning	0%	0%
27. Transit Management agencies that use the same electronic payment	(0/1)	(0/1)
system	0%	0%

Highway Rail Intersection Component Indicators

Data as of 5/1/00

Louisville Highway-Rail Intersections*




* Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity.

** Deployment opportunity reflects potential totals that do not necessarily reflect actual need.

	1997			1999			2005		
Description	Num	Den	%	Num	Den	%	Num	Den	%
Highway-rail intersections	0	44	0%		10			10	
are under electronic									
surveillance									

Highway Rail Intersection Integration Indicators Louisville Highway Rail Intersections Integration* Inputs Outputs




* Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity

Link Description	1999	2005
24. Arterial Management agencies with traffic signals within 200 feet of	(1/4)	(1/4)
a highway rail intersection with the capability of having their signal	25%	25%
timing adjusted in response to a train crossing		
23. Arterial Management agencies receive information on highway-rail	(0/4)	(0/4)
intersection crossing blockages for the purpose of managing incident	0%	0%
response		

Emergency Management Component Indicators

Data as of 5/1/00




* Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity.

** Deployment opportunity reflects potential totals that do not necessarily reflect actual need.

	1997			1999			2005		
Description	Num	Den	%	Num	Den	%	Num	Den	%
Public sector emergency	21	891	2%	36	927	4%	395	880	45%
vehicles that operate									
under computer-aided									
dispatch									
Public sector emergency	0	891	0%	0	927	0%	0	880	0%
vehicles that have in-									
vehicle route guidance									
capability									

Emergency Management Integration Indicators

Louisville Emergency Management Integration*




* Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity

Link Description	1999	2005
7. Freeway Management agencies transfer information describing	(0/)	(0/)
incident severity, location, and type to Emergency Management agencies		
22. Emergency Management agencies have vehicles equipped with	(1/10)	(1/10)
traffic signal preemption capability	10%	10%
21a. Freeway Management agencies receive incident severity, location,	(0/)	(0/)
and type data from Emergency Management agencies		
21b. Freeway Management agencies receive incident clearance	(0/)	(0/)
activities information from Emergency Management agencies		

Regional Multimodal Traveler Information Component Indicators

Data as of 5/1/00

Louisville Regional Multimodal Traveler Information*




* Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity.

** Deployment opportunity reflects potential totals that do not necessarily reflect actual need.

	1997			1999			2005		
Description	Num	Den	%	Num	Den	%	Num	Den	%
Freeway conditions	0	141	0%	0					
disseminated to									
travelers									
Possible RMTI media				3	8	38%	4	8	50%
types are used to									
display information to									
travelers									
Possible RMTI media				1	8	13%	1	8	13%
are used to display									
information on two or									
more modes to									
travelers									

Regional Multimodal Traveler Information Integration Indicators

Louisville Regional Multimodal Traveler Information Integration*




* Indicators are single surrogates that do not necessarily reflect the full breadth of ITS deployment activity

Link Description	1999	2005
14a. Transit Management agencies that disseminate information	(1/1)	(1/1)
describing transit routes, schedules, and fares to travelers	100%	100%
14b. Transit Management agencies that disseminate information	(0/1)	(1/1)
describing schedule/route adherence to travelers	0%	100%
1. Arterial Management agencies that disseminate arterial travel times,	(1/4)	(1/4)
speeds, and conditions to the public	25%	25%
10. Freeway Management agencies that disseminate freeway travel	(0/)	(0/)
times, speeds, and conditions to travelers		
6. Incident Management agencies that disseminate information	(0/)	(0/)
describing incident severity, location, and type to the public		

Appendix A Survey Coverage Area

KENTUCKIANA REGIONAL PLANNING AND DEVELOPMENT AGENCY, IN-KY



Appendix B Surveyed Agencies

Surveyed Agencies

Agency Name	Phone	Fax	199	99	199	97
			Out	In	Out	In
	LOU	JISVILLE				
Arterial Management						
Jefferson County	(502) 574-5810	(502) 574-5924	8/5/1999	10/18/1999	8/8/1997	10/23/1997
Floyd County	(812) 948-5491	(812) 948-4744	8/5/1999	10/12/1999	8/8/1997	8/14/1997
Clark County	(812) 285-6286	(812) 285-6366	8/5/1999	9/1/1999	8/8/1997	
Louisville City	(502) 574-3930	(502) 574-4129	8/5/1999	10/11/1999	8/8/1997	8/20/1997
Emergency Management				· · · ·		
Clark County Sheriff Office	(812) 283-4471	(812) 280-5608	6/2/1999	6/8/1999	8/7/1997	8/8/1997
North Oldham County Fire Department	(502) 228-1447	(502) 228-3195	6/3/1999	9/2/1999	8/7/1997	10/2/1997
Kentucky Disaster & Emergency Services	(502) 607-1681	(502) 607-1251	6/17/1999	7/22/1999	8/7/1997	9/29/1997
Oldham County Sheriff Department	(502) 222-9501	(502) 222-3206	6/3/1999	8/12/1999	8/7/1997	5/21/1998
Oldham County Police Department	(502) 222-1300	(502) 222-5490	6/3/1999	6/3/1999	8/7/1997	8/21/1997
Jefferson County Sheriff Department	502-574-5400	502-574-8185	6/3/1999	6/3/1999	8/7/1997	8/26/1997
Floyd County Sheriff Department	(812) 948-4749	(812) 948-5405	6/3/1999	6/3/1999	8/7/1997	8/26/1997
Bullitt County Sheriff Department	502-543-2514	502-543-2710	6/2/1999	6/2/1999	8/7/1997	5/21/1998
Louisville Police Department	(502) 574-2413	(502) 574-7071	6/2/1999	6/2/1999	8/7/1997	6/23/1998
Louisville Fire Department	(502) 574-3075	(502) 574-1470	6/3/1999	6/3/1999	8/7/1997	9/29/1997
Freeway Management			·	`	· · · ·	
Kentucky Transportation Cabinet, District 5	(502) 564-4556	502-564-6640	7/29/1999		8/8/1997	11/20/1997
МРО			· · · · · ·	1	I	
Kentuckiana Regional Planning & Development	(502) 266-6084	(502) 266-5047	7/15/1999	7/28/1999		
Transit Management			· I	I	1	
River City Transit Authority	(502) 561-5246	(502) 213-3253	8/9/1999	1/13/2000	9/24/1997	9/30/1997

Appendix C Freeway Management Components Appendix D Freeway Management Integration Appendix E Freeway Management Information Collection and Dissemination Appendix F Arterial Management Components

	Clark	County	Floyd	County	Jeffersor	1 County
	1999	2005	1999	2005	1999	2005
						<u> </u>
Agency Returned Survey?	Yes		Yes		Yes	
ARTERIAL MANAGEMENT SECTION						
Number of arterial miles that agency owns or maintains	NR		NR		NR	
Number of arterial miles that is used for planning	NR		NR		NR	
Number of highway-rail intersections that agency maintains	NR		10		NR	
Number of highway-rail intersections that is used for planning	NR		NR		NR	
Type of facilities used to conduct arterial management activities						
Activities housed in a free-standing dedicated building?	Yes		No		No	
Activities housed in a building shared with other activities?	No		No		No	
Activities conducted in a dedicated control room?	Yes		No		No	
Control room contains operator console(s)?	Yes		No		No	
Control room contains electronic wall map?	Yes		No		No	
Control room contains CCTV display(s)?	Yes		No		No	
Activities conducted in a room containing workstations or PCs that manage traffic?	No		No		No	
Facilities are electronically linked to other transportation mgt facilities?	No		No		No	
Staffing and hours of operation of arterial management activities						
Number of full-time agency staff members	2		NR		NR	
Number of full time contractor staff members	1		NR		NR	
Number of part-time agency staff members	NR		NR		NR	
Number of part-time contractor staff members	4		NR		NR	
Staffed 24 hours day by agency staff or by others	NR		NR		NR	
Staffed during peak hours only by agency staff or by others	agency		NR		NR	
Staffed by others during off-peak hours	Yes		No		No	
Agency staff perform transportation management as an ancillary duty	No		No		No	
Agency staff dedicated to transportation management duty	No		No		No	
Types of operations conducted for arterial management						
Incident detection and management?	Yes		No		No	
This metropolitan area?	Yes		No		No	
Other metropolitan area?	No		No		No	
Monitoring and troubleshooting status of system components?	Yes		No		No	
Radio communications with other agencies?	Yes		No		No	
Exchange of electronic data with other agencies such as computer aided dispatch?	No		No		No	
Manual override of traffic signal timing plans	No		No		No	
Operating transportation mgt roadside devices (e.g., VMS, CCTV, etc.)	Yes		No		No	
Describe agency's role in traffic signal control	Do not	operate	N	IR	N	R
Traffic Signals Operated by Agency						
Number of signalized intersections operated and owned by agency	NR	NR	NR	NR	NR	NR

Clark County Floyd County	Jefferson C	County
1999 2005 1999 200	1999	2005
NR NR NR N	NR	NR
NR NR 1 2	35	NR
NR NR 0 0	35	41
NR NR 0 0	0	NR
No No	No	
No No	No	
NR NR	NR	
NR NR 0 0	0	NR
NR NR 0 0	0	NR
NR NR 0 0	0	NR
	0	NR
	L	
NR NR	NR	
NR NR	NR	
i) NR NR	NR	
0 0 0 0	0	0
0 0 0 0	0	0
0 0 0 0	0	0
0 0 0 0	0	0
NR NR NR N	NR	NR
0 0 0 0	0	0
0 0 0 0	0	0
0 0 0 0	0	0
0 0 0 0	0	0
0 0 0 0	0	0
NR NR NR N	NR	NR
	0	0
	0	0
0 0 0 0	0	0
	÷	0
0 0 0 0 0 0	0	

	Clark	County	Floyd	County	Jefferso	n County
	1999	2005	1999	2005	1999	2005
Roadside Technologies used to Distribute Traveler Information						
Number deployed						
Highway Advisory Radio	1	NR	NR	NR	NR	NR
In-Vehicle Signing (IVS)	NR	NR	NR	NR	NR	NR
VMS controlling parking access	NR	NR	NR	NR	NR	NR
<u>Miles covered</u>						
Highway Advisory Radio	11	NR	NR	NR	NR	NR
In-Vehicle Signing (IVS)	NR	NR	NR	NR	NR	NR
Variable Message Signs (VMS) on Arterials						
Candidate locations for deployment of VMS where VMS has been deployed	10	NR	NR	NR	NR	NR
Candidate locations for deployment of VMS	10	NR	NR	NR	NR	NR
Communication Technologies						
Signalized intersections communicated with by each type of communication						
Twisted pair cable	0	0	0	0	0	0
Coaxial cable	0	0	0	0	0	0
Fiber-optic cable	0	0	0	0	0	0
Other (e.g., wireless, dial-up modems, leased lines, etc.)	0	0	0	0	0	0
Does agency convey information on highway-rail intersection crossing						L
status to travelers via roadside media such as VMS or HAR?	No		No		No	
ITS Standards Used Related to Traffic Signal Control						L
Advanced Transportation Controller (ATC) Software Application Interface (ITE 9603-1)	No		No		No	
ATC Physical Cabinet Functional Design (ITE-9603-2)	No		No		No	
ATC Functionality and Interface Definitions (ITE-9603-3)	No		No		No	
Natl. Trans. Communications for ITS Protocol (NTCIP) Class B Profile (AASHTO TS 3.3)	No		No		No	
NTCIP Data Collection and Monitoring Devices (AASHTO TS 3.DCM)	No		No		No	
NTCIP Object Definitions for Video Camera Control (AASHTO TS 3.VCC)	No		No		No	
NTCIP Object Definitions for Actuated Traffic Signal Controller Units (AASHTO TS 3.5)	No		No		No	
Would agency be willing to participate in testing of ITS Standards?	No		NR		NR	
Have agreements in place with other agencies to use similar hardware	INO					
and software to aid maintenance and interoperability?	Yes		NR		NR	
INCIDENT MANAGEMENT ON ARTERIAL STREETS	165					
Receive information on highway-rail intersection crossing blockages for						
the purpose of managing incident response?	No		No		No	
Use of Service Patrols to Assist in Detection and Response to Incidents	INU	1	INU	1	INU	
	No		No		No	
Publicly operated service patrol vehicles	No		No		No	
Privately operated service patrol vehicles operated under public contract	Yes	ND	No	ND	No	ND
Total number of arterial miles patrolled by these services	11	NR	NR	NR	NR	NR
Miles Covered by Methods to Detect and Verify Incidents			<u>^</u>		<u>^</u>	
Free cellular phone call to a dedicated phone number other than 911	0	0	0	0	0	0
Free cellular phone call to an area radio station	0	0	0	0	0	0
Police patrols	0	0	0	0	0	0

	Clark	County	Floyd	County	Jeffersor	n County
	1999	2005	1999	2005	1999	2005
Computer algorithms linked to traffic surveillance equipment	0	0	0	0	0	0
CCTV	0	0	0	0	0	0
Private sector sources (e.g., Shadow Traffic, Smart Routes)	0	0	0	0	0	0
Other	0	0	0	0	0	0
Procedures in place for Arterial Incident Response?						
Working agreement(s)/arrangement(s) with other agencies	No		No		No	
Inter-agency incident management admin. team that meets regularly	No		No		No	
Major incident response team that responds to major incidents	No		No		No	
Set of goals/objectives for incident mgt that has been adopted by agencies in region	No		No		No	
Methods of Communication Used On-Site at an Incident						
Police						
Two-way radio	Yes		No		No	
800 MHz trunked radio	No		No		No	
Cellular telephone	Yes		No		No	
Hand-held (i.e., walkie-talkie)	Yes		No		No	
Automated data systems (i.e., CAD)	Yes		No		No	
Other	No		No		No	
Fire						
Two-way radio	Yes		No		No	
800 MHz trunked radio	No		No		No	
Cellular telephone	Yes		No		No	
Hand-held (i.e., walkie-talkie)	Yes		No		No	
Automated data systems (i.e., CAD)	Yes		No		No	
Other	No		No		No	
DOT						
Two-way radio	Yes		No		No	
800 MHz trunked radio	No		No		No	
Cellular telephone	No		No		No	
Hand-held (i.e., walkie-talkie)	No		No		No	
Automated data systems (i.e., CAD)	No		No		No	
Other	No		No		No	
Towing	1					
Two-way radio	Yes		No		No	
800 MHz trunked radio	No		No		No	
Cellular telephone	Yes		No		No	
Hand-held (i.e., walkie-talkie)	No		No		No	
Automated data systems (i.e., CAD)	No		No		No	
Other	No		No		No	

	Clark	County	Floyd	County	Jeffersor	n County
	1999	2005	1999	2005	1999	2005
Nhich police agencies typically respond to incidents on arterials?						
State Police	No		No		No	
County Police or Sheriff	No		No		No	
City Police	No		No		No	
Who provides on-site emergency medical response?						
Fire	No		No		No	
Emergency Management Service Agency	No		No		No	
Private hospital	No		No		No	
las a multi-agency contact list been developed in area containing the						
names, phone numbers, etc. for the appropriate response personnel?	Yes		NR		NR	
s the Incident Command System used to manage incident scenes?	Yes		NR		NR	
s there a legal specification by state law or formal agreement as to who						
is "in charge" at the incident scene?						
Specified by state law?	No		No		No	
Formal agreement?	Yes		No		No	
Not specified or don't know?	No		No		No	
Dn-scene command post used to manage activities of responding agencies?	Yes		NR		NR	
Are there communication linkages to a communications traffic/freeway mgt center?	Yes		NR		NR	
Plan developed and adopted by responding agencies for staging and parking						
response vehicles and equip. at incident site that minimizes lane blockage						
and facilitates the re-opening of lanes?	No		NR		NR	
Respondents protected through law or court opinion for liability claims						
for damages to vehicles or cargoes during clearance activities?	DK		NR		NR	
Are overturned tank trucks, which are intact and not leaking, uprighted						
without first off-loading?	Yes		NR		NR	
Does your state or local jurisdiction have a law that requires drivers						
involved in property-damage-only accidents to move the vehicles						
from travel lanes to a safe location to exchange info and wait for police?	No		NR		NR	
lave laws or policies regarding the removal of stalled/abandoned vehicles						
from freeway shoulders?	Yes		NR		NR	
Hours abandoned vehicles are allowed to remain on a freeway shoulder?	25-36		NR		NR	
Have policies or procedures for quick removal of vehicles?	No		NR		NR	
s Total Station equipment used to investigate major incidents?	Yes		NR		NR	

	Clark	County	Floyd County		Jefferson County	
	1999	2005	1999	2005	1999	2005
Handling of Towing Responses to Incidents						
Formal contract based on qualifications?	No		No		No	
Rotation with companies under contract?	No		No		No	
Separate lists kept for light and heavy response and for specialty recovery?	NR		NR		NR	
Rotation list with minimal qualifications?	No		No		No	
In towing qualifications, do you require towers to be certified under the						
Towing and Recovery Ass. of America's National Drivers Cert. Program?	DK		NR		NR	
DK: Don't know						
NR: No Response						
Leg: Legislation or action being planned						

	Louisv	ille City	Tot	tals
	1999	2005	1999	2005
Agency Returned Survey?	Yes		4	
ARTERIAL MANAGEMENT SECTION				
Number of arterial miles that agency owns or maintains	NR		0	
Number of arterial miles that is used for planning	NR		0	
Number of highway-rail intersections that agency maintains	NR		10	
Number of highway-rail intersections that is used for planning	NR		0	
Type of facilities used to conduct arterial management activities				
Activities housed in a free-standing dedicated building?	No		1	
Activities housed in a building shared with other activities?	No		0	
Activities conducted in a dedicated control room?	No		1	
Control room contains operator console(s)?	No		1	
Control room contains electronic wall map?	No		1	
Control room contains CCTV display(s)?	No		1	
Activities conducted in a room containing workstations or PCs that manage traffic?	No		0	
Facilities are electronically linked to other transportation mgt facilities?	No		0	
Staffing and hours of operation of arterial management activities				
Number of full-time agency staff members	NR		0	
Number of full time contractor staff members	NR		0	
Number of part-time agency staff members	NR		0	
Number of part-time contractor staff members	NR		0	
Staffed 24 hours day by agency staff or by others	NR		0	
Staffed during peak hours only by agency staff or by others	NR		0	
Staffed by others during off-peak hours	No		1	
Agency staff perform transportation management as an ancillary duty	No		0	
Agency staff dedicated to transportation management duty	No		0	
Types of operations conducted for arterial management				
Incident detection and management?	No		1	
This metropolitan area?	No		1	
Other metropolitan area?	No		0	
Monitoring and troubleshooting status of system components?	No		1	
Radio communications with other agencies?	No		1	
Exchange of electronic data with other agencies such as computer aided dispatch?	No		0	
Manual override of traffic signal timing plans	No		0	
Operating transportation mgt roadside devices (e.g., VMS, CCTV, etc.)	No		1	
Describe agency's role in traffic signal control	N	R		
Traffic Signals Operated by Agency				
Number of signalized intersections operated and owned by agency	270	NR	270	0

	Louisv	ville City	Totals	
	1999	2005	1999	2005
Number of signalized intersections operated by agency but owned by another	375	NR	375	0
Total number of signalized intersections operated by agency	645	NR	681	2
Characteristics of signalized intersections that agency operates				
Under closed loop or central system control	580	NR	615	41
Under real-time traffic adaptive control using advanced software	0	NR	0	0
Using SCOOT	No		0	Ű
Using SCATS	No		0	
•			0	
Name of software	NR	ND	00	
Allow signal preemption for emergency vehicles	20	NR	20	0
Allow signal priority for transit vehicles	0	NR	0	0
Within 200 feet of a highway-rail intersection	6	NR NR	6 6	0
Within 200 feet of a highway-rail intersection that adjust signal timing Software used to control the signals agency operates	0		0	0
software used to control the signals agency operates		<i>.</i>		
-		em software		
Date of last upgrade to traffic signal control system software?	under de	velopment		
	approx. once	e per year per		
How often do you update signal timing?	each tin	ning zone		
	Custom sof	tware due for		
		ate 1999, 580,		
Software used and number of signalized intersections under control (1999, 2005)		NR		
Controllers used to control signals				
NEMA	0	0	0	0
170/179	645	NR	645	0
2070 controller	040	0	040	0
Other	0	0	0	0
echnologies Associated with Highway-Rail Intersections	0	Ű	0	Ŭ
Total number of highway-rail intersections under electronic surveillance	NR	NR	0	0
Highway-Rail intersection capapilities			0	Ű
Video surveillance	0	0	0	0
Electronic surveillance other than video	0	0	0	0
Ability to predict train arrival electronically	0	0	0	0
Equipped with electronic traffic violator devices	0	0	0	0
Other	0	0	0	0
Real-Time Electronic Traffic Data Collection Technologies			-	5
otal number of signalized intersections covered by electronic surveillance	31	65	31	65
Number of signalized intersections with data collection technologies				
Loop detectors	30	60	30	60
Video detection cameras	1	5	1	5
Probe readers reading toll tags	0	0	0	0
Probe readers reading license plates	0	0	0	0
Other	0	0	0	0

	Louisv	ille City	То	tals
	1999	2005	1999	2005
Roadside Technologies used to Distribute Traveler Information				
Number deployed				
Highway Advisory Radio	NR	NR	1	0
In-Vehicle Signing (IVS)	NR	NR	0	0
VMS controlling parking access	NR	NR	0	0
<u>Miles covered</u>				
Highway Advisory Radio	NR	NR	11	0
In-Vehicle Signing (IVS)	NR	NR	0	0
Variable Message Signs (VMS) on Arterials				
Candidate locations for deployment of VMS where VMS has been deployed	NR	NR	10	0
Candidate locations for deployment of VMS	NR	NR	10	0
Communication Technologies				
Signalized intersections communicated with by each type of communication				
Twisted pair cable	480	NR	480	0
Coaxial cable	0	0	0	0
Fiber-optic cable	100	NR	100	0
Other (e.g., wireless, dial-up modems, leased lines, etc.)	0	0	0	0
Does agency convey information on highway-rail intersection crossing				
status to travelers via roadside media such as VMS or HAR?	No		0	
ITS Standards Used Related to Traffic Signal Control				
Advanced Transportation Controller (ATC) Software Application Interface (ITE 9603-1)	No		0	
ATC Physical Cabinet Functional Design (ITE-9603-2)	No		0	
ATC Functionality and Interface Definitions (ITE-9603-3)	No		0	
Natl. Trans. Communications for ITS Protocol (NTCIP) Class B Profile (AASHTO TS 3.3)	No		0	
NTCIP Data Collection and Monitoring Devices (AASHTO TS 3.DCM)	No		0	
NTCIP Object Definitions for Video Camera Control (AASHTO TS 3.VCC)	No		0	
NTCIP Object Definitions for Actuated Traffic Signal Controller Units (AASHTO TS 3.5)	No		0	
	Yes		1	
Would agency be willing to participate in testing of ITS Standards? Have agreements in place with other agencies to use similar hardware	res		I	
and software to aid maintenance and interoperability?	No		1	
INCIDENT MANAGEMENT ON ARTERIAL STREETS				
Receive information on highway-rail intersection crossing blockages for				
the purpose of managing incident response?	No		0	
Use of Service Patrols to Assist in Detection and Response to Incidents				
Publicly operated service patrol vehicles	No		0	
Privately operated service patrol vehicles operated under public contract	No		1	
Total number of arterial miles patrolled by these services	NR	NR	11	0
Miles Covered by Methods to Detect and Verify Incidents				
Free cellular phone call to a dedicated phone number other than 911	0	0	0	0
Free cellular phone call to an area radio station	0	0	0	0
Police patrols	0	0	0	0

	Louisv	ille City	Totals	
	1999	2005	1999	2005
Computer algorithms linked to traffic surveillance equipment	0	0	0	0
CCTV	0	0	0	0
Private sector sources (e.g., Shadow Traffic, Smart Routes)	0	0	0	0
Other	0	0	0	0
Procedures in place for Arterial Incident Response?				
Working agreement(s)/arrangement(s) with other agencies	No		0	
Inter-agency incident management admin. team that meets regularly	No		0	
Major incident response team that responds to major incidents	No		0	
Set of goals/objectives for incident mgt that has been adopted by agencies in region	No		0	
Methods of Communication Used On-Site at an Incident				
Police				
Two-way radio	No		1	
800 MHz trunked radio	No		0	
Cellular telephone	No		1	
Hand-held (i.e., walkie-talkie)	No		1	
Automated data systems (i.e., CAD)	No		1	
Other	No		0	
Fire				
Two-way radio	No		1	
800 MHz trunked radio	No		0	
Cellular telephone	No		1	
Hand-held (i.e., walkie-talkie)	No		1	
Automated data systems (i.e., CAD)	No		1	
Other	No		0	
DOT				
Two-way radio	No		1	
800 MHz trunked radio	No		0	
Cellular telephone	No		0	
Hand-held (i.e., walkie-talkie)	No		0	
Automated data systems (i.e., CAD)	No		0	
Other	No		0	
Towing	-		-	
Two-way radio	No		1	
800 MHz trunked radio	No		0	
Cellular telephone	No		1	
Hand-held (i.e., walkie-talkie)	No		0	
Automated data systems (i.e., CAD)	No		0	
Other	No		0	

	Louisv	ille City	То	tals
	1999	2005	1999	2005
Nhich police agencies typically respond to incidents on arterials?				
State Police	No		0	
County Police or Sheriff	No		0	
City Police	No		0	
Who provides on-site emergency medical response?				
Fire	No		0	
Emergency Management Service Agency	No		0	
Private hospital	No		0	
Has a multi-agency contact list been developed in area containing the				
names, phone numbers, etc. for the appropriate response personnel?	NR		1	
Is the Incident Command System used to manage incident scenes?	NR		1	
Is there a legal specification by state law or formal agreement as to who				
is "in charge" at the incident scene?				
Specified by state law?	No		0	
Formal agreement?	No		1	
Not specified or don't know?	No		0	
On-scene command post used to manage activities of responding agencies?	NR		1	
Are there communication linkages to a communications traffic/freeway mgt center?	NR		1	
Plan developed and adopted by responding agencies for staging and parking				
response vehicles and equip. at incident site that minimizes lane blockage				
and facilitates the re-opening of lanes?	NR		0	
Respondents protected through law or court opinion for liability claims				
for damages to vehicles or cargoes during clearance activities?	NR		0	
Are overturned tank trucks, which are intact and not leaking, uprighted				
without first off-loading?	NR		1	
Does your state or local jurisdiction have a law that requires drivers				
involved in property-damage-only accidents to move the vehicles				
from travel lanes to a safe location to exchange info and wait for police?	NR		0	
Have laws or policies regarding the removal of stalled/abandoned vehicles				
from freeway shoulders?	NR		1	
Hours abandoned vehicles are allowed to remain on a freeway shoulder?	NR		0	
Have policies or procedures for quick removal of vehicles?	NR		0	
Is Total Station equipment used to investigate major incidents?	NR		1	

	Louisv	ille City	Totals	
	1999	2005	1999	2005
Handling of Towing Responses to Incidents				
Formal contract based on qualifications?	No		0	
Rotation with companies under contract?	No		0	
Separate lists kept for light and heavy response and for specialty recovery?	NR		0	
Rotation list with minimal qualifications?	No		0	
In towing qualifications, do you require towers to be certified under the				
Towing and Recovery Ass. of America's National Drivers Cert. Program?	NR		0	
DK: Don't know				
NR: No Response				
Leg: Legislation or action being planned				

Appendix G Arterial Management Integration

	Clark	County	Floy	/d County
Agency Name	1999	2005	1999	2005
gency Returned Survey?	Yes		Yes	
rterial Management Section				
rterial Mgt. agencies in metropolitan area with which you share info.				
Share Timing Plans Information	None listed	None listed	None listed	None listed
Coordinate Changes to Timing Plans	None listed	None listed	None listed	None listed
Turn over Control of Signals	None listed	None listed	None listed	None listed
gencies your agency provides arterial travel times, speeds, and				
conditions information, share infrastructure or coordinates operation				
Freeway Management Agencies				
Provide Information	Kentucky Transportation Cabinet, District 5, Louisville Police, I.S.P.	None listed	None listed	None listed
Share Infrastructure	None listed	None listed	None listed	None listed
Coordinate Operation				
	None listed	None listed	None listed	None listed
Incident Management Agencies				
Provide Information	Kentucky Transportation Cabinet, District 5, Louisville Police, I.S.P.	None listed	None listed	None listed
Share Infrastructure	None listed	None listed	None listed	None listed
Coordinate Operation				
	None listed	None listed	None listed	None listed
Public Transit Operators Agencies Provide Information				
Provide mormation	None listed	River City Transit Authority	None listed	None listed
Share Infrastructure	None listed	None listed	None listed	None listed
Coordinate Operation				
Arterial Management Agencies	None listed	None listed	None listed	None listed
Provide Information	News Paterl	News Peterl	Niene Peter	Nie ze Part I
Share Infrastructure	None listed	None listed	None listed	None listed
	None listed	None listed	None listed	None listed
Coordinate Operation	None listed	None listed	None listed	None listed
teceiving real-time information via electronic means from others Freeway Management agencies from which your agency receives				
rreeway management agencies from which your agency receives				
freeway travel times, speeds, and conditions	None listed	None listed	None listed	None listed

	С	lark County	Floy	Floyd County	
Agency Name	1999	2005	1999	2005	
Public Transit operators from which your agency receives					
arterial travel times derived from vehicle probes	None listed	None listed	None listed	None listed	
Incident Management agencies from which your agency receives					
incident clearance and/or incident severity, location, and type information					
Receive information on Incident Clearance	None listed	None listed	None listed	None listed	
Receive information on Incident Severity, Location, and Type	None listed	None listed	None listed	None listed	
Toll Collection agencies from which your agency receives arterial travel					
times derived from vehicles probes	None listed	None listed	None listed	None listed	
Arterial Incident Management Section					
Agencies your agency provides incident severity, location, and type info.					
and/or shares infrastructure and/or coordinates operation					
Emergency Management Agencies					
Provide Information	None listed	None listed	None listed	None listed	
Share Infrastructure	None listed	None listed	None listed	None listed	
Coordinate Operation	None listed	None listed	None listed	None listed	
Freeway Management Agencies					
Provide Information	None listed	None listed	None listed	None listed	
Share Infrastructure	None listed	None listed	None listed	None listed	
Coordinate Operation	None listed	None listed	None listed	None listed	
Public Transit Operators					
Provide Information	None listed	None listed	None listed	None listed	
Share Infrastructure	None listed	None listed	None listed	None listed	
Coordinate Operation	None listed	None listed	None listed	None listed	
Receiving real-time information via electronic means from others					
Emergency Management agencies from which your agency receives					
arterial incident clearance and/or arterial incident severity					
Receive Arterial Incident Clearance Information	None listed	None listed	None listed	None listed	
Receive Arterial Incident Severity Information	None listed	None listed	None listed	None listed	
Arterial Management agencies from which your agency receives					
arterial travel times, speeds, and conditions	None listed	None listed	None listed	None listed	
Freeway Management agencies from which your agency receives					
freeway travel times, speeds, and conditions	None listed	None listed	None listed	None listed	

*short survey: Agency responded using a short survey. The survey did not include names of individual agencies, but only identified whether integration exists.

	Jeffer	son County	Louisv	rille City
Agency Name	1999	2005	1999	2005
Agency Returned Survey?	Yes		Yes	
Arterial Management Section				
Arterial Mgt. agencies in metropolitan area with which you share info.				
Share Timing Plans Information	short survey	None listed	None listed	None listed
Coordinate Changes to Timing Plans	short survey	None listed	None listed	None listed
Turn over Control of Signals	None listed	None listed	None listed	None listed
Agencies your agency provides arterial travel times, speeds, and				
conditions information, share infrastructure or coordinates operation				
Freeway Management Agencies				
Provide Information				
				Kentucky Transportation
	None listed	None listed	Cabinet, District 5	Cabinet, District 5
Share Infrastructure	None listed	None listed	None listed	None listed
Coordinate Operation				
			Kentucky Transportation	Kentucky Transportation
	None listed	None listed	Cabinet, District 5	Cabinet, District 5
Incident Management Agencies				
Provide Information				
			, ,	Kentucky Transportation
	None listed	None listed	Cabinet, District 5	Cabinet, District 5
Share Infrastructure	None listed	None listed	None listed	None listed
Coordinate Operation				
			Kentucky Transportation	Kentucky Transportation
	None listed	None listed	Cabinet, District 5	Cabinet, District 5
Public Transit Operators Agencies				
Provide Information				
	None listed	None listed	None listed	None listed
Share Infrastructure	None listed	None listed	None listed	None listed
Coordinate Operation	None listed	None listed	None listed	None listed
Arterial Management Agencies				
Provide Information	None listed	None listed	None listed	None listed
Share Infrastructure	None listed	None listed	None listed	None listed
Coordinate Operation	None listed	None listed	None listed	None listed
Receiving real-time information via electronic means from others				
Freeway Management agencies from which your agency receives				
				Kentucky Transportation
freeway travel times, speeds, and conditions	None listed	None listed	None listed	Cabinet, District 5

	Jeffer	son County	L	Louisville City	
Agency Name	1999	2005	1999	2005	
Public Transit operators from which your agency receives					
arterial travel times derived from vehicle probes	None listed	None listed	None listed	None listed	
Incident Management agencies from which your agency receives					
incident clearance and/or incident severity, location, and type information					
Receive information on Incident Clearance	None listed	None listed	None listed	None listed	
Receive information on Incident Severity, Location, and Type	None listed	None listed	None listed	None listed	
Toll Collection agencies from which your agency receives arterial travel					
times derived from vehicles probes	None listed	None listed	None listed	None listed	
Arterial Incident Management Section					
Agencies your agency provides incident severity, location, and type info.					
and/or shares infrastructure and/or coordinates operation					
Emergency Management Agencies					
Provide Information	None listed	None listed	None listed	None listed	
Share Infrastructure	None listed	None listed	None listed	None listed	
Coordinate Operation	None listed	None listed	None listed	None listed	
Freeway Management Agencies					
Provide Information	None listed	None listed	None listed	None listed	
Share Infrastructure	None listed	None listed	None listed	None listed	
Coordinate Operation	None listed	None listed	None listed	None listed	
Public Transit Operators					
Provide Information	None listed	None listed	None listed	None listed	
Share Infrastructure	None listed	None listed	None listed	None listed	
Coordinate Operation	None listed	None listed	None listed	None listed	
Receiving real-time information via electronic means from others					
Emergency Management agencies from which your agency receives					
arterial incident clearance and/or arterial incident severity					
Receive Arterial Incident Clearance Information	None listed	None listed	None listed	None listed	
Receive Arterial Incident Severity Information	None listed	None listed	None listed	None listed	
Arterial Management agencies from which your agency receives					
arterial travel times, speeds, and conditions	None listed	None listed	None listed	None listed	
Freeway Management agencies from which your agency receives					
freeway travel times, speeds, and conditions	None listed	None listed	None listed	None listed	

*short survey: Agency responded using a short survey. The survey did not include names of individual agencies, but only identified whether integration exists.

Appendix H Arterial Management Information Collection and Dissemination

	Clark	County	Flo	yd County
Agency Name	1999	2005	1999	2005
Agency Returned Survey?	Yes		Yes	
Arterial Management Section				
Data collected, archived, and/or transferred to another agency				
Collected by your agency				
	Traffic volumes, Traffic			
	speeds, Lane occupancy,			
	Vehicle classification, Road conditions, Current			
	work zones	NR	NR	NR
Archived by your agency				
	Traffic volumes, Traffic			
	speeds, Lane occupancy,			
	Vehicle classification,			
	Road conditions, Current			
	work zones	NR	NR	NR
Transferred to another agency by your agency				
	Traffic volumes, Traffic			
	speeds, Lane occupancy,			
	Vehicle classification,			
	Road conditions, Current			
	work zones	NR	NR	NR
mportance of making information available to the public				
Ranked High				
	ND			
Ranked Medium	NR		NR	
	NR		NR	
Ranked Low				
	NR		NR	

	CI	Clark County		yd County
Agency Name	1999	2005	1999	2005
Groups that make requests for the data				
What is the data used for?	Universities, State DO	i personnei, MPOs	NR	
	NR		NR	
Methods used to disseminate arterial information to the public				
Technologies your agency uses to disseminate:	Internet Web sites	NR	NR	NR
Technologies your agency (through another agency or org.) uses to disseminate:	NR	NR	NR	NR
Internet web site reporting arterial conditions				
	trimarc.vprlnk.net		NR	
Telephone system for reporting arterial information to the public	NR		NR	
Organizations your agency sends information for dissemination to the public	wave-TV			
	whas-TV		NR	
Arterial Incident Management Section				
Methods used to distribute incident location and severity information				
to the public				
Technologies your agency uses to disseminate:	NR	NR	NR	NR
Technologies your agency (through another agency or org.) uses to disseminate:	NR	NR	NR	NR
Internet web site reporting incident information				
	NR		NR	
Telephone system for reporting incident information to the public	NR		NR	
Organizations your agency sends information for dissemination to the public	NR		NR	

	leff	ferson County	Louis	ville City
Agency Name	1999	2005	1999	2005
Agency Returned Survey?	Yes		Yes	
Arterial Management Section				
Data collected, archived, and/or transferred to another agency				
Collected by your agency	NR	NR	Traffic volumes, Traffic speeds, Turning movements, Phasing/cycle lengths, Road conditions, Current work zones, Scheduled work zones	Traffic volumes, Traffic speeds, Turning movements, Phasing/cycle lengths, Road conditions, Current work zones, Scheduled work zones
Archived by your agency	NR	NR	Traffic volumes, Traffic speeds, Turning movements, Phasing/cycle lengths, Road conditions, Current work zones, Scheduled work zones	Traffic volumes, Traffic speeds, Turning movements, Phasing/cycle lengths, Road conditions, Current work zones, Scheduled work zones
Transferred to another agency by your agency	NR	NR	Traffic volumes, Traffic speeds, Turning movements, Current work zones, Scheduled work zones	Traffic volumes, Traffic speeds, Turning movements, Current work zones, Scheduled work zones
Importance of making information available to the public				
Ranked High	NR	1	NR	
Ranked Medium	Traffic volumes, Turning movemen NR zones, Scheduled work zones			
Ranked Low	NR zones, Scheduled work zones Traffic speeds, Phasing/cycle len conditions			

H - 3

	Jet	Jefferson County		L	ouisville City
Agency Name	1999		2005	1999	2005
Groups that make requests for the data					-
	NR			Universities, State Do Consultants	OT personnel, MPOs,
What is the data used for?	NR			ning, Roadway impact analysis nodels, Dissemination to the	
Methods used to disseminate arterial information to the public					
Technologies your agency uses to disseminate:	NR	NR		NR	NR
Technologies your agency (through another agency or org.) uses to disseminate:	NR	NR		NR	NR
Internet web site reporting arterial conditions					-
	NR			NR	
Telephone system for reporting arterial information to the public	NR			NR	
Organizations your agency sends information for dissemination to the public	NR			NR	
Arterial Incident Management Section					
Methods used to distribute incident location and severity information					
to the public					
Technologies your agency uses to disseminate:	NR	NR		NR	NR
Technologies your agency (through another agency or org.) uses to disseminate:	NR	NR		NR	NR
Internet web site reporting incident information		•			•
	NR			NR	
Telephone system for reporting incident information to the public	NR			NR	
Organizations your agency sends information for dissemination to the public	NR			NR	

Appendix I Transit Management Components

	River City Tr	ansit Authority
	1999	2005
Agency Returned Survey?	Yes	
Number of vehicles used in revenue service		
Fixed Route Bus	301	301
Heavy or Rapid Rail	NR	NR
Light Rail	NR	NR
Demand Responsive	78	78
Commuter Rail	NR	NR
Ferry Boat	NR	NR
Have of plan to have an Automated Vehicle Location System?	Yes	
Primary and Secondary Location Technologies Used		
Primary Technologies		
GPS	No	Yes
Sign/Odometer	Yes	No
Dead-Reckoning	No	No
LORAN C	No	No
Other	No	No
Backup Technologies		
GPS	No	No
Sign/Odometer	No	No
Dead-Reckoning	No	No
LORAN C	No	No
Other	No	No
Number of Vehicles Equipped with AVL		
Fixed Route Bus	301	301
Heavy or Rapid Rail	NR	NR
Light Rail	NR	NR
Demand Responsive	NR	NR
Commuter Rail	NR	NR
Ferry Boat	NR	NR
Motor Buses Operated as Vehicle Probes		
Number of Motor Buses equipped as probes on freeways?	NR	
Number of Motor Buses equipped as probes on arterials?	NR	
Have Organized Regional Incident Management Program?	No	
Have Automated Traveler Information System?	Yes	
Services Automated Traveler Info. System Applies:		

	River City Tra	insit Authority
	1999	2005
Fixed Route	Yes	
Heavy Rail	No	
Light Rail	Yes	
Demand Responsive	No	
Commuter Rail	No	
Ferry	No	
Locations where traveler information is displayed to public	110	
Number of bus stops on fixed transit routes	NR	NR
		NR
Bus stops on fixed transit routes that display traveler info to the public	NR NR	NR NR
Number of rail stations		
Number of rail stations that display traveler information	NR	NR
Number of other locations that display traveler information to public	NR	NR
Number of vehicles the traveler information system has available		
Fixed Route Bus	NR	NR
Heavy or Rapid Rail	NR	NR
Light Rail	NR	NR
Demand Responsive	NR	NR
Commuter Rail	NR	NR
Ferry Boat	NR	NR
Deployment of Communications Technology		
Attributes of Radio System:		
Digital?	Yes	
Analog?	No	
Trunked?	No	
Regular?	Yes	
Services that use a Digital or Trunked Radio System		
Digital Only		
Fixed Route Bus	No	No
Heavy or Rapid Rail	No	No
Light Rail	No	No
Demand Responsive	No	No
Commuter Rail	No	No
Ferry Boat	No	No
Trunked Only		
Fixed Route Bus	No	No
Heavy or Rapid Rail	No	No
Light Rail	No	No
Demand Responsive	No	No
Commuter Rail	No	No

	River City Tr	ansit Authority
	1999	2005
Ferry Boat	No	No
Have of plan to have Automatic Passenger Counters (APCs)?	Yes	
Methods used to count passengers		
Treadle Mats	No	
Infrared Beams	Yes	
Primary and Secondary Location Technologies Used		
Primary Technologies		
GPS	No	Yes
Differential GPS	No	No
Signpost/Odometer	Yes	No
Dead_Reckoning	No	No
LORAN C	No	No
Other	No	No
Backup Technologies		
GPS	No	No
Differential GPS	No	No
Signpost/Odometer	No	No
Dead_Reckoning	No	No
LORAN C	No	No
Other	No	No
Number of Vehicles with APCs		
Fixed Route Bus	79	100
Heavy or Rapid Rail	NR	NR
Light Rail	NR	NR
Demand Responsive	NR	NR
Commuter Rail	NR	NR
Ferry Boat	NR	NR
Remote Real-Time Monitoring and Computer Assisted Dispatching		
Remote Real-Time Monitoring		
Fixed Route Bus	NR	NR
Heavy or Rapid Rail	NR	NR
Light Rail	NR	NR
Demand Responsive	NR	NR
Commuter Rail	NR	NR
Ferry Boat	NR	NR
Automated Dispatching or Control Software		
Fixed Route Bus	0	0
Heavy or Rapid Rail	NR	NR

	River City Tra	ansit Authority
	1999	2005
Light Rail	NR	NR
Demand Responsive	78	78
Commuter Rail	NR	NR
Ferry Boat	NR	NR
Coordinate or plan to coordinate travel request and vehicle		
dispatching for multiple agencies?	Yes	
Is there or will there be a Transportation Management Center		
(TMC) in the region that controls transit and highway modes?	NR	
Modes that TMC currently controls:		
Highways	No	No
Fixed Route Bus	No	No
Heavy or Rapid Rail	No	No
Light Rail	No	No
Demand Responsive	No	No
Commuter Rail	No	No
Ferry Boat	No	No
Other	No	No
Priority at Traffic Signals and Ramp Meter Priority	140	NO
Priority at Traffic Signals		
Fixed Route Bus	NR	NR
Light Rail	NR	NR
Demand Responsive	NR	NR
Ramp Meter Priority		
Fixed Route Bus	NR	NR
Demand Responsive	NR	NR
Number of Vehicles Equipped with Navigation Aids		
Fixed Route Bus	NR	NR
Heavy or Rapid Rail	NR	NR
Light Rail	NR	NR
Demand Responsive	NR	NR
Commuter Rail	NR	NR
Ferry Boat	NR	NR
ITS Standards Used Related to Transit Management		
TCIP On Boad Objects (TCIP-OB)	No	
TCIP Traffic Management Objects (TCIP-TM)	No	
TCIP Common Public Transportation Objects (TCIP-CPT)	No	
TCIP Passenger Information Objects (TCIP-PI)	No	

	River City Tra	ansit Authority
	1999	2005
TCIP Incident Management Objects (TCIP-IM)	No	
TCIP Fare Collection Objects (TCIP-FC)	No	
TCIP Spatial Representation Objects (TCIP-SP)	No	
TCIP Control Center Objects (TCIP-CC)	No	
TCIP Scheduling/Runcutting Objects (TCIP-SCH)	No	
Send data communication between micro computer and heavy duty		
vehicle applications (SAE J1708)	No	
Vould agency be willing to participate in testing of ITS Standards?	Yes	
lave agreements in place with other agencies to use similar hardware		
and software to aid maintenance and interoperability?	No	
lectronic Fare Payment		
lave full operational Electronic Fare Payment System?	No	
Methods of Fare Payment		
Stored value card with fare deducted for each trip		
Magnetic Stripe	No	
Smart Card	No	
Debit Card	No	
Billed by the month for trips taken		
Magnetic Stripe	No	
Smart Card	No	
Credit Card	No	
Monthly Pass		
Magnetic Stripe	No	
Smart Card	No	
/ehicles/Stations Equipped with Automated Payment Mechanism		
Magnetic Stripe Readers		
Fixed Route Bus Vehicles	NR	NR
Heavy or Rapid Rail Stations	NR	NR
Light Rail Stations	NR	NR
Demand Responsive Vehicles	NR	NR
Commuter Rail Stations	NR	NR
Ferry Boat Landings	NR	NR
Smart Card Readers		
Fixed Route Bus Vehicles	NR	NR
Heavy or Rapid Rail Stations	NR	NR
Light Rail Stations	NR	NR
Demand Responsive Vehicles	NR	NR
Commuter Rail Stations	NR	NR
Ferry Boat Landings	NR	NR

	River City Tra	River City Transit Authority						
	1999	2005						
Credit Card								
Fixed Route Bus Vehicles	NR	NR						
Heavy or Rapid Rail Stations	NR	NR						
Light Rail Stations	NR	NR						
Demand Responsive Vehicles	NR	NR						
Commuter Rail Stations	NR	NR						
Ferry Boat Landings	NR	NR						
Debit Card								
Fixed Route Bus Vehicles	NR	NR						
Heavy or Rapid Rail Stations	NR	NR						
Light Rail Stations	NR	NR						
Demand Responsive Vehicles	NR	NR						
Commuter Rail Stations	NR	NR						
Ferry Boat Landings	NR	NR						
R: No Response								

Appendix J Transit Management Integration

	River City Transit Authority						
Agency Name	1999	2005					
Agency Returned Survey?	Yes						
Transit operators in the region that use the same electronic payment system	None listed						
Toll operators from whom you accept electronic payment of transit							
fare through the use of ETC media	None listed						
Receiving real-time information via electronic means from others							
Freeway Management agencies from which your agency receives							
freeway travel times, speeds, and conditions							
Receive Information	None listed	None listed					
Share Infrastructure	None listed	None listed					
Arterial Management agencies from which your agency receives							
arterial travel times, speeds, and conditions							
Receive Information	None listed	None listed					
Share Infrastructure	None listed	None listed					
Incident Management agencies from which your agency receives							
incident severity, location, and type							
Receive Information	None listed	None listed					
Share Infrastructure	None listed	None listed					

Appendix K Transit Management Information Collection and Dissemination

K - 1

	River City Transit Authority						
Agency Name	1999	2005					
Agency Returned Survey?	Yes						
Methods used to disseminate transit information to the public							
Technologies your agency uses to disseminate:							
Transit routes, schedules and fares							
	Facsimile, E-mail or other direct PC communication, Internet Web Sites, Telephone System	direct PC communication, Kiosks, Internet Web Sites, Telephone System					
Real-time transit schedule adherence or arrival and departure times	NR	Monitors/VMS (not in vehicle), Kiosks					
Technologies employed by other organization receiving your data							
Transit routes, schedules and fares	NR	NR					
Real-time transit schedule adherence or arrival and departure times	NR	NR					
Internet web site reporting transit routes, schedules and fare, etc.							
Telephone system for reporting transit information to the public	NR 502-585-1234						
Organizations your agency sends information for dissemination to the public	NR						
Data collected, archived, and/or transferred to another agency							
Collected by your agency							
	Emergency/evacuation routes and procedures, Passenger information (e.g., surveys, O/D), Passenger count	Passenger information (e.g., surveys, O/D), Trip itinerary planning records, Passenger count, Vehicle time and location					
Archived by your agency	NR	NR					
Transferred to another agency by your agency	NR	NR					
Importance of making information available to the public							
Ranked High	NR	-					
Ranked Medium	NR						
Ranked Low	NR						
Groups that make requests for the data	Consultants, MPOs, Media (I.e., TV stations, radio stations), Federal DOT personnel, State DOT personnel						
What is the data used for?	Dissemination to the public, Roadway impact analysis, Planning, Construction impact determination, Traffic analysis						

Appendix L Emergency Management

	Total V	'ehicles	Navigation s Capabilities		AVL		CAD		CAD Equipped with Mobile Data Terminal		Vehicles Equipped with Preemption		Formal Program	Info to other	
Agency Name	1999	2005	1999	2005	1999	2005	1999	2005	1999	2005	1999	2005	Participate in F Incident Mgt P	0 5	List of agencies receiving data
Bullitt County Sheriff Department	20		0	0	0	0			NR		0		No	No	None listed
Clark County Sheriff Office	40	NR	0	NR	NR	NR	0	NR	NR	NR	0	NR	No	No	None listed
Floyd County Sheriff Department	25	NR	0	NR	0	NR	0	NR	NR	NR	0	NR	No	No	None listed
Jefferson County Sheriff Department	68	75	0	NR	0	NR	0	NR	NR	NR	0	NR	Yes	No	None listed
Kentucky Disaster & Emergency Services	20	20	0	0	NR	NR	0	0	NR	NR	0	0	No	No	None listed
Louisville Division of Fire	27	NR	0	NR	0	NR	0	NR	NR	NR	0	NR	No	No	None listed
Louisville Police Department	681	715	0	0	0	0	0	350	NR	NR	0	0	Yes	Yes	Federal Highway Administration
North Oldham County Fire Department	9	10	0	NR	0	NR	9	10	0	10	0	0	No	No	None listed
Oldham County Police Department	27	35	0	0	0	0	27	35	NR	NR	27	35	No	No	None listed
Oldham County Sheriff Department	10	NR	0	NR	0	NR	0	NR	0	NR	0	NR	No	No	None listed