




Vehicle Infrastructure Integration Proof-of-Concept Technical Description — Infrastructure

Final Report



Cover Page Photos Source: Booz Allen Stock Photos

 You will need the [Adobe Reader](#) to view the PDFs on this page.

[PDF](#) (4.8 MB)

Volume 2b

U.S. Department of Transportation
Research and Innovative Technology Administration

TABLE OF CONTENTS

- [NOTICE](#)
- [TECHNICAL REPORT AND DOCUMENTATION](#)
- [1.0 VEHICLE INFRASTRUCTURE INTEGRATION PROOF OF CONCEPT TECHNICAL OVERVIEW](#)
 - [1.1 Concept of Operations](#)

- [1.2 POC System Architecture Description](#)
- [1.3 Dedicated Short-Range Communications](#)
- [1.4 Security Subsystem](#)
 - [1.4.1 Security Subsystem Objectives](#)
 - [1.4.2 Security Architecture](#)
- [2.0 INFRASTRUCTURE NETWORK DESCRIPTION](#)
 - [2.1 Service Delivery Node](#)
 - [2.1.1 SDN Architecture](#)
 - [2.1.2 SDN Interfaces](#)
 - [2.1.3 SDN NAP](#)
 - [2.1.4 Physical SDN Setup](#)
 - [2.2 ENOC](#)
 - [2.2.1 Managed Entity](#)
 - [2.3 Roadside Equipment \(RSE\)](#)
 - [2.3.1 Electrical/Mechanical Architecture](#)
 - [2.3.2 RSE Processing Unit](#)
 - [2.3.3 RSE Software Architecture](#)
 - [2.4 Infrastructure Services](#)
 - [2.4.1 Communications Service](#)
 - [2.4.2 ILS](#)
 - [2.4.3 AMDS](#)
 - [2.4.4 PDS](#)
 - [2.4.5 MEDS](#)
 - [2.4.6 IdAM/Security Services](#)
 - [2.4.7 NMS](#)
 - [2.4.8 POS](#)
 - [2.5 Security Subsystem](#)
 - [2.5.1 IdAM](#)
 - [2.5.2 Security Services](#)
 - [2.5.3 Certificate Authority](#)
 - [2.6 DTE](#)
 - [2.6.1 Physical Layout/Map](#)
 - [2.6.2 RSE Installations](#)
 - [2.6.3 Backhaul Distribution](#)
 - [2.6.4 Backbone Network](#)
- [3.0 PUBLIC APPLICATIONS](#)
 - [3.1 Signal Timing Optimization](#)
 - [3.1.1 Signal Timing Optimization Application Objectives](#)
 - [3.1.2 Signal Timing Optimization Overall Architecture](#)
 - [3.1.3 Signal Timing Optimization Flow of Events](#)
 - [3.2 Ramp Metering](#)
 - [3.2.1 Ramp-Metering Application Objectives](#)
 - [3.2.2 Ramp-Metering Overall Architecture](#)
 - [3.2.3 Ramp-Metering Flow of Events](#)
 - [3.3 Traveler Information](#)
 - [3.3.1 Traveler Information Application Objectives and Use Cases](#)
 - [3.3.2 Traveler Information Overall Architecture](#)
 - [3.4 Weather Information](#)

- [3.4.1 Weather Information Application Objectives](#)
 - [3.4.2 Weather Information Application Overall Architecture](#)
- [3.5 Corridor Management Planning Assistance \(CMPA\)](#)
 - [3.5.1 CMPA Application Objectives](#)
 - [3.5.2 CMPA Application Overall Architecture](#)
- [3.6 Corridor Management Load Balancing \(CMLB\)](#)
 - [3.6.1 CMLB Application Objectives](#)
 - [3.6.2 CMLB Application Overall Architecture](#)
- [3.7 Public Applications Developed and Tested in the POC](#)
- [4.0 SUMMARY](#)
- [APPENDIX A: ACRONYMS](#)

Table of Figures

- [Figure 1-1: POC VII System Architecture](#)
- [Figure 1-2: Overall System Structure](#)
- [Figure 1-3: DSRC Channel Management Concept](#)
- [Figure 1-4: Identity and Access Management Conceptual Architecture](#)
- [Figure 2-1: Network Subsystem](#)
- [Figure 2-2: Network Access Point](#)
- [Figure 2-3: Overall VII Network](#)
- [Figure 2-4 : SDN Architecture](#)
- [Figure 2-5: SDN Software Architecture](#)
- [Figure 2-6: SDN Interfaces](#)
- [Figure 2-7: NAP](#)
- [Figure 2-8: Herndon SDN](#)
- [Figure 2-9: Herndon SDN Close-up](#)
- [Figure 2-10: ATT OptiMan Node](#)
- [Figure 2-11: Detroit SDN](#)
- [Figure 2-12: ENOC Workstation](#)
- [Figure 2-13: Fault Management Screen](#)
- [Figure 2-14: Network Traffic Monitoring Screen](#)
- [Figure 2-15: RSE Status Monitoring Screen](#)
- [Figure 2-16: RSE Interfaces](#)
- [Figure 2-17: RSE Assembly Mounted on Pole for Test](#)
- [Figure 2-18: RSE Electrical Architecture](#)
- [Figure 2-19: RSE Assembly Components](#)
- [Figure 2-20: MCNU and Power Supply](#)
- [Figure 2-21: RSE Mounted to Pole in DTE](#)
- [Figure 2-22: RSE Software Architecture](#)
- [Figure 2-23: Proxy Manager Architecture](#)
- [Figure 2-24: Radio Handler Architecture](#)
- [Figure 2-25: DSRC/WAVE Radio Architecture](#)
- [Figure 2-26: DSRC Radio Architecture](#)
- [Figure 2-27: DSRC Radio Mini-PCI Card](#)
- [Figure 2-28: WAVE Upper Layer Software Architecture](#)
- [Figure 2-29: HMM Service](#)
- [Figure 2-30: Publish and Subscribe Architecture](#)
- [Figure 2-31: ILS Architecture](#)

- [Figure 2-32: Large-Scale AMDS Architecture](#)
- [Figure 2-33: Local AMDS Architecture](#)
- [Figure 2-34: AMDS Proxy Components](#)
- [Figure 2-35: PDS Architecture](#)
- [Figure 2-36: Probe Data Proxy Architecture](#)
- [Figure 2-37: Probe Data Message Structure](#)
- [Figure 2-38: Probe Data Representation of a Freeway Interchange](#)
- [Figure 2-39: MEDS Architecture](#)
- [Figure 2-40: POS Architecture](#)
- [Figure 2-41: VII Network Security Architecture](#)
- [Figure 2-42: Arterial RSE Locations](#)
- [Figure 2-43: Freeway RSE Locations](#)
- [Figure 2-44: RSE Regions Used for PDC Test](#)
- [Figure 2-45: RSE Regions Used for Advisory Message Delivery and Presentation Test](#)
- [Figure 2-46: RSE Regions Used for Tolling Test](#)
- [Figure 2-47: WiMAX RSE Installation](#)
- [Figure 2-48: 3G RSE Installation](#)
- [Figure 2-49: T1 RSE Installation](#)
- [Figure 2-50: Typical RSE Field Installation](#)
- [Figure 2-51: POC Backhaul Networks](#)
- [Figure 3-1: Ramp Metering Application Architecture](#)
- [Figure 3-2: Traveler Information Application Architecture](#)
- [Figure 3-3: CMPA Application Architecture](#)

[Next](#)

[ITS Home](#) | [US DOT Home](#) | [Privacy](#) | [Feedback](#)

United States Department of Transportation - **ITS**