

U. S. DEPARTMENT OF COMMERCE

DANIEL C. ROPER, Secretary

BUREAU OF AIR COMMERCE

FRED D. FAGG, Jr., Director

CIVIL AIR REGULATIONS

**61.—SCHEDULED AIRLINE RULES
(INTERSTATE)**



Effective November 1, 1937

**UNITED STATES
GOVERNMENT PRINTING OFFICE
WASHINGTON : 1937**

CONTENTS

61.—SCHEDULED AIRLINE RULES (INTERSTATE)

	Page
61.0 Certification.....	1
61.00 Certificate required.....	1
61.01 Violation of terms.....	1
61.1 Service.....	1
61.10 Service performed and changes.....	1
61.11 Schedules.....	1
61.2 Route.....	1
61.20 Route operation and changes.....	1
61.21 Regular route.....	1
61.22 Regular stops.....	2
61.23 Alternate airports.....	2
61.24 Alternate route.....	2
61.3 Aircraft.....	2
61.30 Aircraft operation and changes.....	2
61.31 Single-engine aircraft.....	2
61.32 Multi-engine aircraft.....	2
61.33 Instruments.....	3
61.34 Equipment.....	3
61.35 Maintenance.....	3
61.4 Maintenance manual.....	5
61.40 Necessity for.....	5
61.41 Contents.....	5
61.42 Form.....	5
61.43 Delivery of copies.....	5
61.44 Record of copies.....	6
61.45 Changes.....	6
61.46 Retirement of parts program.....	6
61.5 Airmen.....	6
61.50 Airmen utilization and changes.....	6
61.51 First pilot.....	6
61.52 Second pilot.....	8
61.53 Pilot technique maintenance.....	9
61.54 Radio operator.....	9
61.55 Dispatchers.....	9
61.6 Weather.....	11
61.60 Reports.....	11
61.7 Flight operations.....	12
61.70 Prior to clearance.....	12
61.71 Dispatching rules (for clearance).....	12
61.72 Flight preparation and take-off rules.....	15
61.73 Flight course and enroute rules.....	16
61.74 Flight altitude rules.....	16
61.75 Instrument approach rules.....	17
61.76 Landing rules.....	17
61.77 Flight interruption rules.....	17
61.78 General pilot rules.....	17
61.79 Miscellaneous rules.....	19
61.8 Operations manual.....	20
61.80 Necessity for.....	20
61.81 Contents.....	20
61.82 Form.....	20
61.83 Delivery of copies.....	20
61.84 Record of copies.....	20
61.85 Changes.....	20
61.9 Reports.....	21
61.90 General.....	21
61.91 Monthly report.....	21
61.92 Mechanical interruption.....	21
61.93 Weather interruption.....	21
61.94 Mechanical record.....	21
61.95 Irregularity report.....	21

CIVIL AIR REGULATIONS

61.—SCHEDULED AIRLINE RULES (INTERSTATE)

61.0—CERTIFICATION.

61.00—Certificate Required.—No scheduled airline shall be operated in interstate air commerce for the carriage of mail, goods, or persons, or any combination thereof, unless—

(a) possessed of a valid airline certificate (or temporary permit) issued by the Secretary of Commerce, and

(b) possessed of valid competency letters (or temporary letters) relating to service, route, aircraft, maintenance, airmen, and weather, issued by the Secretary of Commerce and appended to such certificate and deemed a part thereof.

61.01—Violation of Terms.—No scheduled airline shall be operated in interstate air commerce for the carriage of mail, goods, or persons, or any combination thereof, in violation of any of the terms, conditions, specifications, limitations, or other provisions—

(a) contained in its airline certificate or temporary permit, or

(b) contained in any current competency letter or temporary letter relating to service, route, aircraft, maintenance, airmen, or weather.

61.1—SERVICE.

61.10—Service Performed and Changes.—No scheduled airline shall perform or render any service, as related to the carriage of mail, goods, or persons, or to day or night operation, until rated competent to render such service in an appropriate competency letter issued by the Secretary. When an airline operator desires to effect a change in the kind of service offered with respect to the above, application for a competency rating therefor shall be made to the Secretary in accordance with CAR 40.510.

61.11—Schedules.

61.110—OPERATIONS SCHEDULES.—Shall be set up with due regard to sufficient time for the adequate servicing of fuel and oil at intermediate stops, to prevailing winds, and of a basis of cruising speed of the aircraft at not to exceed the specified cruising power output of the engines as operated in the aircraft. All airline aircraft when being tested for ratings will be checked to determine cruising speeds that are to be approved. Block-to-block time shall be used in establishing time from stop to stop.

61.2—ROUTE.

61.20—Route Operation and Changes.—No scheduled airline shall operate over any route or part thereof until rated competent to operate thereover in an appropriate competency letter, issued by the Secretary. When an airline operator desires to effect a change in the route flown over, application for a competency rating therefor shall be made to the Secretary in accordance with CAR 40.510.

61.21—Regular Route.—The conduct of operations by a scheduled airline shall at all times be in strict accordance with the terms of its route competency letter.

61.22—Regular Stops.—Regular terminals and intermediate stops shall be used only as specified in the route competency letter.

61.23—Alternate Airports.—Regular terminals, intermediate stops or other adequate airports, may be used as alternates when used for the purpose of complying with clearance requirements, provided such alternates are listed as such in the route competency letter.

61.24—Alternate Route.—No scheduled airline shall operate over any alternate route until rated competent to operate thereover in an appropriate competency letter issued by the Secretary, and the conduct of operations by such airline shall at all times be in strict accordance with the terms of its route competency letter.

61.3—AIRCRAFT.

61.30—Aircraft Operation and Changes.—No scheduled airline shall operate any aircraft until rated competent with respect thereto in an appropriate competency letter issued by the Secretary. When an airline operator desires to effect a change in the model aircraft utilized, application for a competency rating therefor shall be made to the Secretary in accordance with CAR 40.510.

61.31—Single-Engine Aircraft.

61.310—DAY OPERATION OVER LAND.—No single-engine float seaplane shall be operated over land unless such aircraft can, at all times, reach open water suitable for a landing in the event of complete power failure.

61.311—NIGHT OPERATION OVER LAND.—No single-engine aircraft shall be operated at night with passengers.

61.312—DAY OPERATION OVER WATER.—The following rules shall govern the operation of single-engine aircraft in day operation over water:

61.3120—(a) No single-engine land aircraft shall be operated over water unless such aircraft can at all times reach land suitable for a landing in the event of a complete power failure.

61.3121—(b) No single-engine water aircraft may be operated over water unless a landing may be effected at all times within a distance of eight miles from shore, in the event of a complete power failure.

61.3122—(c) No single-engine water aircraft shall be operated over water, except during such time and seasons as permit the use of such water for landing without any hazard from floating ice or freezing water spray.

61.313—NIGHT OPERATION OVER WATER.—No single-engine aircraft shall be operated at night with passengers.

61.32—Multi-Engine Aircraft.

61.320—DAY OPERATION OVER LAND.—No multi-engine float seaplane shall be operated over land unless such aircraft can, at all times, reach open water suitable for a landing in the event of a complete power failure.

61.321—NIGHT OPERATION OVER LAND.—No multi-engine float seaplane shall be operated at night over land.

61.322—DAY OPERATION OVER WATER.—The following rules will govern the operation of multi-engine aircraft in day operation over water:

61.3220—(a) No multi-engine aircraft shall be operated over water, beyond gliding distance without the aid of power, unless completely equipped for over-water flying, as provided in CAR 40.233.

61.3221—(b) No multi-engine aircraft shall be operated over water unless such aircraft can, at all times, maintain an altitude of at least 1,000 feet above the water, with any one engine completely out of commission and with the authorized load for the route or part thereof.

61.3222—(c) No multi-engine seaplane shall be operated over water except during such time and seasons as permit the use of such water for landing without any hazard from floating ice or freezing water spray.

61.3223—(d) When one engine fails in a twin-engine aircraft operating over water, the aircraft shall be headed toward, and thereafter continuously flown toward, the shore nearest in terms of time.

61.323—NIGHT OPERATION OVER WATER.—The following rules will govern the operation of multi-engine aircraft in night operation over water:

61.3230—(a) Multi-engine water aircraft, except float seaplanes, may be operated over water at night for the carriage of mail and goods.

61.3231—(b) Same as CAR 61.3221.

61.3232—(c) No multi-engine aircraft shall be operated over water at night beyond gliding distance from shore without the aid of power, unless completely equipped for over-water flying, as provided in CAR 40.233.

61.3233—(d) Same as CAR 61.3223.

61.33—Instruments.—No scheduled airline shall operate any aircraft in scheduled airline service unless such aircraft is possessed of all instruments required by the provisions of CAR 04.52 and 04.53. Flight instruments shall be properly functioning at the time of clearance and take-off of the aircraft.

61.34—Equipment.—No scheduled airline shall operate any aircraft in scheduled airline service unless such aircraft is possessed of all equipment required by the provisions of CAR 04.52 and 04.53. Such equipment shall, at the time of clearance and take-off of the aircraft, be in a serviceable condition and ready for use.

61.35—Maintenance.

61.3500—GENERAL.—Each aircraft operated by a scheduled airline shall be maintained in a continuous condition of airworthiness, in accordance with accepted standards and practices, and the terms of the aircraft and maintenance competency letters.

61.3501—ORGANIZATION.—A maintenance organization shall be set up by the airline and it shall be responsible for the continuous condition of the airworthiness of all aircraft, engines, propellers, accessories and instruments, for the proper maintenance of adequate facilities, for the adequacy and competence of maintenance personnel and for the preparation and dissemination of such maintenance reports as are required by the Secretary.

61.3502—SUPERVISION.—All phases of maintenance duties shall be adequately supervised by qualified mechanics, mechanics in charge, crew chiefs, or foremen.

61.3503—INSPECTION.—An adequate inspection organization shall be set up by the airline and it shall be responsible for determining that all maintenance work conforms to Department of Commerce requirements as to workmanship, methods employed, and materials used, as provided in CAR 61.35. Each inspector shall hold valid mechanic's certificate for the type of inspection involved.

61.3504—WORKMANSHIP.—Workmanship shall be at least equivalent to that generally accepted as conforming to good practice as related to the airworthiness of the aircraft or auxiliary equipment.

61.3505—METHODS.—Methods employed shall conform to those generally accepted as good practice. Insofar as they apply, the methods provided for in CAR 18 shall be utilized.

61.3506—MATERIALS.—Materials used shall conform, when possible, to Army, Navy or CAR 18 specifications. In no case shall materials be used of physical properties less than those of the material used by the manufacturer of the equipment or component in question insofar as the airworthiness of such equipment or component is affected.

61.3507—MECHANICS.—An adequate staff of qualified mechanics and experienced artisans shall be employed by the airline operator and kept available for the performance of functions of maintenance and other duties which are reasonable and necessary to the safe and orderly operation involved. Each such mechanic and artisan shall be relieved of all airline duties for a period of at least 24 consecutive hours during each week of duty or equivalent thereof.

61.3508—TRAINING PROGRAM.—A training program shall be maintained so that maintenance personnel may at all times be familiar with the duties required, with particular reference to the introduction into airline service of a new or unfamiliar equipment.

61.3509—DISTRIBUTION OF PERSONNEL.—Sufficient maintenance personnel shall be stationed or provided for along the airline route and at such scheduled stops as may be deemed necessary by the Secretary to provide proper service to flight equipment and auxiliaries thereto.

61.3510—SHOPS AND FACILITIES.—At least one general overhaul and maintenance shop containing adequate working space shall be provided for by the operator. Such shop shall be properly lighted, ventilated and heated.

61.3511—STOCK.—An adequate quantity of spare parts and supplies shall be kept on hand or readily available at all times.

61.3512—ADEQUATE FACILITIES.—Adequate facilities for the proper servicing, maintenance and repair of airline aircraft and auxiliary equipment shall be available at all points along the airline deemed necessary or advisable by the Secretary.

61.3513—INFLAMMABLE MATERIAL.—Including dope, gasoline, etc., shall be kept remote from that portion of shops where sparks or open flames present fire hazards, by their proximity.

61.3514—REFUELING REQUIREMENTS.—The following rules will govern the operations incident to the refueling of airline aircraft:

61.35140—(a) Water elimination facilities shall be provided at all refueling points.

61.35141—(b) A daily check for the presence of water in fuel and storage and dispensing tanks shall be made and a record of such water checks shall be kept.

61.35142—(c) Where refueling is accomplished during conditions of rain or snow, precautions shall be taken to prevent the entrance of moisture into the fuel tanks of the aircraft.

61.35143—(d) During refueling the aircraft and the fuel dispensing apparatus shall both be grounded to a point or to points of zero electrical potential.

61.35144—(e) When refueling is accomplished at night, adequate lights shall be provided to insure proper servicing.

61.35145—(f) No smoking and no fires or flames shall be permitted in the immediate vicinity of an aircraft while refueling is being accomplished.

61.35146—(g) When practicable, the aircraft electrical switches shall be not turned on or off while refueling is being accomplished.

61.35147—(h) When passengers are permitted to remain in the cabin while refueling is being accomplished, a responsible cabin attendant shall remain in the cabin at or near the cabin door.

61.3515—ALTERATION AND REPAIRS.—Airline aircraft, including training aircraft, aircraft engines, propellers and approved components thereof, shall be altered or repaired only in conformity to the procedures provided in CAR 18. Reports of such alterations or repairs shall be submitted promptly to the Secretary through the airline maintenance inspector having supervision of the operation involved.

61.3516—RECORDS.—Current records shall be kept of the total time of service, the time since last overhaul, and time since last inspection, on all aircraft, engines, propellers and where practicable on instruments and accessories.

61.4—MAINTENANCE MANUAL.

61.40—Necessity For.—In order to properly maintain flight equipment, each operator of a scheduled airline shall prepare and maintain a maintenance manual for the use and guidance of the maintenance personnel.

61.41—Contents.—Each maintenance manual shall contain instructions for each operation covering the overhaul, check, inspection and servicing of flight equipment and other equipment auxiliary thereto, and shall also contain a copy of the current maintenance competency letter. The duties and responsibilities of each mechanic in charge, crew chief, foreman and inspector shall be clearly prescribed.

61.42—Form.—The maintenance manual shall be loose-leaf in form, and each page therein shall be numbered and dated to show the currency of all material contained therein. All copies of such manual shall at all times be kept up to date.

61.43—Delivery of Copies.—A copy of the maintenance manual shall be furnished to at least the following persons:

61.430—(a) the Secretary of Commerce,

61.431—(b) the Chief, Airline Inspection Section, Bureau of Air Commerce,

61.432—(c) each airline maintenance inspector of the Bureau of Air Commerce in charge of inspection of any part of the airline,

61.433—(d) each chief of maintenance of the airline,

61.434—(e) each chief inspector of the airline, and

61.435—(f) each mechanic of the airline in charge of all stations where servicing, inspection, checks, or overhauls is or are done.

61.44—**Record of Copies.**—Each airline operator shall keep a complete record of all persons to whom copies of its maintenance manual have been supplied.

61.45—**Changes.**—The following rules will govern changes made in the maintenance manual:

61.450—(a) Any change issuing from the Secretary pertaining to the maintenance manual shall be promptly incorporated in the maintenance manual and copy thereof sent, in the form of a new page of such manual, to each person required to hold a copy of the manual. Each amended page of the manual shall be properly dated.

61.451—(b) Upon receipt of such amended page or pages the recipient shall insert the current information in the manual.

61.452—(c) No change shall be made in any of the overhaul, check or inspection periods contained in the manual without the approval in writing of the Secretary.

61.453—(d) Any data not issuing from the Secretary may be changed by the operator, without the approval of the Secretary, provided such change is not inconsistent with any Federal regulation or competency letter or safe maintenance practice. Notice of such change shall be promptly given in accordance with CAR 61.450.

61.46—**Retirement of Parts Program.**—A retirement of parts program shall be set up by the operator based upon the experience of the operator and the best information available including recommendations from the original manufacturer of the equipment.

61.5—AIRMEN.

61.50—**Airmen Utilization and Changes.** No scheduled airline shall utilize any pilot or dispatcher until such airman has been rated competent for the particular airline operation by the Secretary. When an airline operator desires to effect a change in the airmen listed in the airmen competency letter, application for a competency rating therefor shall be made to the Secretary in accordance with CAR 40.510.

61.51—First Pilot.

61.510—**AIRCRAFT COMMANDER.**—The first pilot shall be in command of the aircraft at all times during flight, and shall be responsible for the safety of persons and goods carried, and for the conduct and safety of the members of the crew.

61.511—**AIRCRAFT COMPETENCY.**—The first pilot shall meet the appropriate minimum requirements of CAR 40 and be listed in the airmen competency letter as approved for service to be performed.

61.512—**INSTRUMENT COMPETENCY.**—The first pilot, in addition to meeting the minimum requirements for an instrument rating provided for in CAR 20.21 and the appropriate provisions of CAR 21, as the case may be, must prove satisfactorily to the operator's check pilot, at least every six months after entry into service in accordance with the training program required by CAR 61.53, his ability to pilot and navigate by instruments an aircraft of a make and model to be flown by him in the airline service. Additional checks may be required by the Secretary in his discretion.

61.513—ROUTE COMPETENCY.—The first pilot shall meet the appropriate minimum requirements of CAR 40 and be listed in the airmen competency letter as approved for the route, or part thereof, specified therein. No pilot shall be scheduled over an alternate route unless he has met the requirements of CAR 61.5141 regarding qualification over such route.

61.514—ROUTE COMPETENCY EXPIRATION.—The following rules will govern conditions of route competency expiration, as related to first pilots:

61.5140—(a) Regular Route.—After 6 consecutive months' absence from flight duty over a regular route, or part thereof, a first pilot will no longer be deemed competent for the carriage of persons in airline service over such route or part thereof.

61.5141—(b) Alternate Route.—After 12 consecutive months' absence from flight duty over an alternate route, a first pilot will no longer be deemed competent for the carriage of persons in airline service over such route.

61.515—ROUTE COMPETENCY RENEWAL.—The following rules will govern conditions of route competency renewal, as related to first pilots:

61.5150—(a) A first pilot, who has been absent from flight duty over a regular route, or part thereof, for a period of less than 12 consecutive months and whose route competency has expired in accordance with the provisions of CAR 61.5140, will be deemed competent for such route, or part thereof, upon completion of one round trip flight over the route, or part thereof, as pilot (without passengers) or as second pilot (with or without passengers), and upon notice to the Secretary of such flight with weather conditions as outlined in CAR 40.2613.

61.5151—(b) A first pilot, who has been absent from flight duty over an alternate route for a period of more than 12 consecutive months and whose route competency has expired in accordance with the provisions of CAR 61.5141, will be deemed competent for such alternate route upon compliance with the requirements of CAR 40.2611, CAR 40.2612 and CAR 40.2613, as to such alternate route.

61.516—LOGGING FLIGHT TIME.—A first pilot shall log the total actual flight time elapsing during his command of the aircraft.

61.517—LOGGING INSTRUMENT FLIGHT TIME.—Instrument time may be logged as such only when the aircraft is flown solely by reference to instruments either under actual or simulated conditions. (Over-the-top flying shall not be logged as instrument time.)

61.518—FLIGHT TIME LIMITATIONS.—The following rules will provide the limitations as to the first pilot flight time:

61.5180—(a) A first pilot may be scheduled to fly 8 hours or less during any 24 consecutive hours, without a rest period during such 8 hours. If such pilot be scheduled to fly in excess of 8 hours during any 24 consecutive hours, he shall be given an intervening rest period at or before the termination of 8 scheduled hours of flight duty. Such rest period shall equal at least twice the number of hours flown since the last preceding rest period and in no case shall such rest period be less than 8 hours. During such rest period, the pilot shall be relieved of all duty with the airline.

61.5181—(b) When a first pilot has flown in scheduled airline service in excess of 8 hours during any 24 consecutive hours, he shall receive 24 hours of rest before being assigned any duty with the airline.

61.5182—(c) A first pilot shall not fly in excess of 30 hours during any 7 consecutive days. Relief from all duty for not less than 24 consecutive hours shall be provided for and given to such pilot at least once during any 7 consecutive days.

61.5183—(d) A first pilot shall not fly in scheduled airline service as a member of the crew more than 100 hours in any one month.

61.5184—(e) A first pilot shall not fly in airline service more than 1,000 hours in any calendar year.

61.5185—(f) All first pilot flight time limitations of these regulations are applicable even though such pilot may be used as a second pilot except when first pilot is qualifying on a regular route or alternate route on which he is not qualified.

61.5186—(g) A first pilot shall not do other commercial flying while employed by an airline operator when such flying will exceed any flight time limitations specified herein.

61.519—PHYSICAL EXAMINATION.—A first pilot shall complete a satisfactory physical examination given by a medical examiner designated by the Secretary in accordance with the requirements of CAR 20.3504 and 21.252, as the case may be. Additional examinations may be required by the Secretary at his discretion.

61.52—Second Pilot.

61.520—WHEN REQUIRED.—A second pilot will be required in the following cases when passengers are carried:

61.5200—(a) When the aircraft used is of a design incorporating multi-engine features, combined with retractable landing gear or wing flaps or of a single-engine design incorporating both retractable landing gear and wing flaps, or

61.5201—(b) when the first pilot is required to fly 5 or more hours during any 24 consecutive hours without an intervening rest period equal to at least 2 hours for each hour flown since the last preceding rest period. Such rest period when required shall not be less than 8 hours, or

61.5202—(c) when the operation authorized permits instrument flying, or

61.5203—(d) when, in the opinion of the Secretary, the usual and customary duties of a first pilot in the navigation and conduct of a flight would be unduly interfered with through the necessity of performing other duties.

61.521—AIRCRAFT COMPETENCY.—A second pilot shall meet the minimum requirements prescribed in CAR 40.262.

61.522—INSTRUMENT COMPETENCY.—At least once each 6 months after entry into service as a second pilot, each second pilot shall have his log-book certified to the effect that he is capable of flying by instruments and has demonstrated such fact to a first pilot, check pilot, or to the chief pilot of the airline, which person shall so certify.

61.523—LOGGING FLIGHT TIME.—A second pilot may log 50% of the total actual flight time or he may log the full flight time during which he was the sole manipulator of the controls, provided that if such time be in excess of 50% of the total flight time, the time so flown by the second pilot shall be certified by the first pilot.

61.524—FLIGHT TIME LIMITATIONS.—A second pilot shall not fly as a member of the crew in scheduled airline service, more than 100 hours in any month.

61.53—Pilot Technique Maintenance.

61.530—RESPONSIBILITY OF OPERATOR.—In order to maintain a high standard of pilot technique, the airline operator shall be responsible for proper and periodic instruction, in their respective duties, of all first and second pilots employed by such operator. The instruction so given to first pilots shall at least include single-engine operation and approach for landing with maximum load authorized for the route or portion thereof, in each type of aircraft to be used by the pilot in scheduled airline service, and instrument approach procedures.

61.531—TRANSITION TRAINING.—If a first pilot has not flown a particular make and model of aircraft, within the previous 90 days, he shall before being scheduled in such equipment receive flight training on such aircraft, including:

61.5310—(a) 5 take-offs and landings, with one-half to three-quarters of the useful load aboard.

61.5311—(b) One landing of the 5 provided for in CAR 61.5310, with one engine fully throttled approach, effective during the day, and where night operation is authorized one landing of the 5 provided for in CAR 61.5310, with one engine fully throttled approach, effected at night.

61.532—PERSONS CARRIED DURING TRANSITION TRAINING.—During such pilot transition training, no persons other than airline personnel on airline business may be carried.

61.533—PILOT CERTIFICATION FOR EQUIPMENT.—When such tests are not conducted by a Department of Commerce airline inspector, an authorized check pilot shall certify to the pilot's capabilities on the equipment involved.

61.534—CHECK PILOTS.—Each airline operator shall provide a sufficient number of check pilots to insure that each pilot constantly meets and complies with the minimum pilot requirements pertaining to scheduled airline service. No check pilot so provided by the operator shall check any first pilots for the airline until such check pilot has been approved therefor by the Secretary. No check of pilot capabilities made in behalf of the airline operator abrogates the authority of the Secretary to make whatever pilot checks are deemed by him to be necessary in the interests of safe airline operation.

61.535—TRAINING PROGRAM.—A pilot training and instruction program satisfactory to the Secretary shall be maintained by the airline. The operator shall submit it to the Secretary within 60 days of certification of the airline.

61.54—Radio Operator.

61.540—PILOT AS OPERATOR.—The first or second pilot may serve in the capacity of a radio operator, subject to the rules of the Federal Communications Commission in respect to the grade of operator's license required.

61.55—Dispatchers.

61.550—NUMBER REQUIRED.—The airline operator shall provide an adequate number of certificated airline dispatchers, necessary for the type of operation involved, for the purpose of dispatching airline aircraft.

61.551—LOCATION.—One or more airline dispatchers shall be located at such terminal or intermediate points on the route as may be deemed by the Secretary to be necessary for the operation involved.

61.552—DISPATCHER COMPETENCY CERTIFICATE.—Each dispatcher used by the airline for the purpose of dispatching airline aircraft shall be possessed of a valid dispatcher's certificate, in accordance with the provisions of CAR 27.

61.553—ROUTE COMPETENCY.—The following rules shall govern a dispatcher's route competency:

61.55300—(a) He shall have made at least one round trip over the route, or part thereof, on which he is to serve during the previous 90 days prior to dispatching any airplane over such route or part thereof.

61.55301—(b) He shall observe and be familiar with the prevailing weather phenomena peculiar to the route, or part thereof, for which qualification is sought.

61.55302—(c) He shall be familiar with the airline operation over the route, or part thereof, for which qualification is sought.

61.55303—(d) He shall be familiar with the contents of the airline operations manual.

61.55304—(e) He shall be familiar with the airmen and weather competency letters over the route or part thereof for which qualification is sought.

61.55305—(f) He shall be familiar with the general and special rules of the airline concerning dispatch of aircraft in scheduled operations.

61.55306—(g) He shall be familiar with the aircraft used by the airline.

61.55307—(h) He shall be familiar with the provisions of the aircraft certificates and with the loading charts for the equipment used.

61.55308—(i) He shall be familiar with the maximum authorized loads, with respect to the route or part thereof, for the aircraft to be used.

61.55309—(j) He shall be familiar with the fuel and oil consumption of the aircraft, with respect to the airline operating conditions.

61.55310—(k) He shall be familiar with the available charts used to compute the air speed of the aircraft and the fuel consumption, at various altitudes and power outputs of the aircraft engines.

61.55311—(l) He shall be familiar with the local United States Weather Bureau and Bureau of Air Commerce personnel.

61.55312—(m) He shall be familiar with the radio facilities in the aircraft used.

61.55313—(n) He shall be familiar with the peculiarities and limitations of each radio range and radio marker station over the route, or part thereof, for which route competency is sought.

61.55314—(o) He shall be familiar with the effect of weather conditions upon the radio reception by the aircraft to be used.

61.55315—(p) He shall be familiar with the timetables which ordinarily apply to the airline operation.

61.55316—(g) He shall be familiar with any airway facility, additional to those mentioned in CAR 61.55313 enroute, to, or located at, alternate airports approved as such, for the route or part thereof, in the route and weather competency letter.

61.554—ROUTE COMPETENCY MAINTENANCE.—Each dispatcher, listed in the airline airmen competency letter shall make at least one round trip over the route, or part thereof, on which he dispatches airline aircraft in scheduled operations, at least once each 6 months.

61.555—A dispatcher shall not dispatch visual-contact, instrument and/or over-the-top flights, either day or night, below the respective minimums specified for such flights in the weather competency letter, except as provided in CAR 61.71094.

61.556—DISPATCHER ROUTE COMPETENCY EXPIRATION.—After 24 consecutive months' absence from dispatching duty over a route or part thereof, a dispatcher will no longer be deemed competent to dispatch aircraft in scheduled operations over such route or part thereof.

61.557—DISPATCHER TIME LIMITATIONS.—The following rules will govern the hours of duty for authorized dispatchers:

61.5570—(a) Maximum Consecutive Hours of Duty.—No dispatcher shall be on duty as such for a period of more than 10 consecutive hours.

61.5571—(b) Maximum Hours of Duty in 24 Consecutive Hours.—If a dispatcher is scheduled to be on duty as such for more than 10 hours in a period of 24 consecutive hours, he shall be given a rest period of not less than 8 hours, at or before the termination of 10 hours of dispatcher duty except in emergencies due to illness or unavoidable absence of a dispatcher due to weather during a qualification trip or other circumstances beyond the control of the operator.

61.5572—(c) Dispatcher's Time Off.—Relief from all duty with the airline for not less than 24 hours shall be provided for and given each dispatcher at least once during any consecutive 7 days, or equivalent thereto within one calendar month.

61.6—WEATHER.

61.60—Reports.—The following rules shall govern the use of weather reports by scheduled airline operators:

61.600—(a) No weather report shall be used to control flight movements unless prepared from observations made and released by the United States Weather Bureau, or by a source approved by such Bureau including pilots' flight observation reports.

61.601—(b) The weather reports used shall be the latest reports available.

61.602—(c) The last airway weather report entered upon the clearance form or attached thereto shall be not more than one hour and 15 minutes old at the time the aircraft departs on a scheduled flight, except that off-course weather reports or on-call weather reports may be entered thereupon or attached thereto if the last such report is not more than 2 hours old.

61.603—(d) Barometric pressures, corrected to sea level readings, shall be utilized exclusively.

61.604—(e) All ceiling heights, reported by pilots in flight either by radio or by entry on forms, shall be with reference to altitude above sea level.

61.605—(f) Forecasts made by Weather Bureau or company meteorologists, or both, may be used.

61.7—FLIGHT OPERATIONS.**61.70—Prior to Clearance.**

61.700—AIRCRAFT TO BE AIRWORTHY.—No scheduled airline shall operate any aircraft unless, at the time of use, the aircraft is in an airworthy condition, conforms with the terms of its current aircraft certificate and is loaded in conformity with the current loading schedule which is a part of such certificate.

61.701—ADEQUATELY SERVICED.—Before departure on any flight, the airline aircraft shall be adequately serviced. The first pilot shall be responsible for the proper servicing of the aircraft, although he may delegate the actual work of supervision to a second pilot or other airman.

61.702—ADEQUATE FUEL SUPPLY.—The following rules shall govern the minimum fuel supply to be carried by all airline aircraft:

61.7020—(a) Visual-Contact Operation (Day or Night).—No airline aircraft shall be dispatched or shall take off without fuel and oil sufficient, considering the wind and other weather conditions to be encountered during the course of the flight, at least—

- (1) to complete such flight to the point cleared to, and thereafter
- (2) to fly for a period of 45 minutes at normal cruising consumption for the flight.

61.7021—(b) Instrument or Over-the-Top Operation (Day or Night).—No airline aircraft shall be dispatched or shall take off without fuel and oil sufficient, considering the wind and other weather conditions to be encountered during the course of the flight, at least—

- (1) to complete such flight to the point cleared to, and thereafter
- (2) to fly to and land at the alternate airport designated in the clearance and most distant from the point cleared to, and thereafter
- (3) to fly for a period of 45 minutes at normal cruising consumption for the flight.

61.703—RADIO GROUND CHECK.—Immediately preceding departure from originating station it shall be determined that both day and night frequencies of the two-way radio, as well as all additional frequencies whose use are contemplated during the flight, are working satisfactorily. The method of determining this shall be by radio contact on each frequency with at least one ground station.

61.704—PASSENGERS ABOARD DURING REFUELING.—Passengers may be permitted to remain in the cabin during refueling, provided:

61.7040—(a) There is no smoking in the aircraft, and

61.7041—(b) there is no smoking on the ground in the vicinity of the aircraft, and

61.7042—(c) an employee of the operator is stationed in the entrance to the passenger cabin and remains there alert for any emergency until refueling is completed.

61.705—NOTICE OF OTHER AIRCRAFT IN FLIGHT ON ROUTE.—Prior to clearance, it shall be the responsibility of the dispatcher to ascertain from the best information available what other aircraft flights are in progress over the route to be flown, the results of which shall be made known to the pilot. After departure of the scheduled flight the dispatcher will continue to advise his flight or flights the progress of all other known aircraft in flight on the course, crossing courses, converging courses, etc.

61.71—Dispatching Rules (For Clearance).

61.7100—NECESSITY FOR DISPATCHING AUTHORIZATION.—No scheduled airline flight shall be started except on the authority of an airline dispatcher whose name appears in the airmen competency letter as qualified for the route, or part thereof, on which the flight takes off.

61.7101—DISPATCHER REPORTING FOR DUTY.—No dispatcher shall clear a flight of airline aircraft unless he has been on duty, at the station from which such clearance is effected, for a period sufficient to become familiar with existing conditions. He shall continue on duty until the aircraft has landed in completion of a trip, or until the dispatching supervision has been taken over by an adjacent airline dispatcher or by another dispatcher who has relieved him after such relief dispatcher has been on duty for a period sufficient to become familiar with existing conditions.

61.7102—CLEARANCE FORM: APPROVAL.—The clearance form used shall be approved by the Secretary. (Note: A sample form may be obtained from the Secretary which contains substantially the material that would be acceptable.)

61.7103—CLEARANCE PREPARATION AND EXECUTION.—A clearance form shall be properly prepared and executed for each flight between designated clearance points, and shall be signed by the first pilot and by an authorized dispatcher or by duly authorized station personnel of the operator after receiving current authority from the authorized dispatcher on duty only when both the first pilot and the dispatcher believe the flight may be made with safety. The original copy shall be given to the first pilot and a duplicate copy shall be kept in the station file for a period of at least 30 days.

61.7104—CLEARANCE CONTENTS.—The following rules will govern the clearance contents:

61.71040—(a) The clearance shall contain or have attached thereto all current weather reports as outlined in 61.60 over the airway or part thereof and, when available, any off-airway or on-call weather reports considered necessary or desirable by the pilot or dispatcher to insure the safety of the flight.

61.71041—(b) When available, the latest terminal and airway forecasts shall be included in or attached to the clearance and shall be considered by the dispatcher responsible and first pilot before clearance.

61.71042—(c) The dispatcher or duly authorized station personnel shall attach or enter all current reports or information pertaining to irregularities of navigational aids and facilities affecting the flight. He shall also inform the pilot, during flight, of any additional or different irregularities and the flight shall be controlled accordingly.

61.7105—CLEARANCE REQUEST REPETITION.—When a pilot requests clearance from a dispatcher authorized to clear the proposed flight and is refused such clearance, he shall not make a similar request from another dispatcher.

61.7106—CHANGE IN CLEARANCE BY RADIO.—If a change in clearance is desirable while the aircraft is in flight, the pilot may be given a change in clearance by radio by an authorized dispatcher, provided the two-way conversation appears in the radio log. If the pilot is refused such change by one dispatcher, he shall not make a similar request of another dispatcher.

61.7107—WEATHER MINIMUMS: GENERAL.—The following rules relating to weather conditions will govern the dispatching of airline aircraft. No scheduled airline aircraft shall be dispatched unless:

61.71070—(a) At the time of take-off, the ceiling and visibility at the point of departure are equal to or better than those specified for departure in the weather competency letter.

61.71071—(b) In the event of ground fog, all take-offs or landings shall be made in strict accordance with the procedure specified in the weather competency letter.

61.7108—WEATHER MINIMUMS: VISUAL-CONTACT CLEARANCE.—The following rules relating to weather conditions will govern the dispatching of airline aircraft in visual-contact operation. No scheduled airline aircraft shall be dispatched unless:

61.71080—(a) The hourly weather report and sequence and current weather forecasts shall show a trend that gives sufficient indication that the ceilings and visibilities along the entire route to be flown are and will remain at or above the minimums specified in the weather competency letter until the flight arrives at the point cleared to.

61.71081—(b) During day operation minimum visibility shall be one mile except contact flight may be made when visibility is reduced to one-half mile by local smoke, dust, haze, blowing snow or sand.

61.71082—(c) During night operation at least one beacon on the course shall be visible from the aircraft at all times.

61.7109—WEATHER MINIMUMS: INSTRUMENT OR OVER-THE-TOP CLEARANCE.—The following rules relating to weather conditions will govern the dispatching of airline aircraft in instrument and/or over-the-top operation:

61.71090—(a) No scheduled airline aircraft shall be dispatched unless the observed weather information and current weather forecasts, pertaining to the point cleared to, give sufficient indication at the time of clearance that the ceiling and visibility are or will be, when the flight would arrive at such point, at or above the minimums specified in the weather competency letter for letting-down-through.

61.71091—(b) When the observed weather information and current weather forecasts pertaining to the point cleared to give sufficient indication, at the time of clearance, that the ceilings and visibility are, and will remain until the flight would arrive at such point, at or above the minimums specified in the weather competency letter for letting-down-through, there shall be at least one designated alternate airport or intermediate field specified on the appropriate flight clearance. Such alternate airport or field shall be suitable for landing and be within the fuel and oil requirements as outlined in CAR 61.702.

61.71092—(c) If the alternate referred to in CAR 61.71091 is equipped with a radio range beacon, the weather conditions existing thereat at the time of clearance must indicate that the ceilings and visibility are, and will remain until the flight would arrive at such point, at or above the minimums specified in the weather competency letter for letting-down-through, and the hourly weather report sequence and current forecasts shall show a trend that gives sufficient indication of weather conditions continuing so until the flight would arrive thereat.

61.71093—(d) If the alternate referred to in CAR 61.71091 is not equipped with a radio range beacon, the weather conditions existing thereat at the time of clearance must be equal to, or better than, broken clouds and a ceiling of 1,000 feet and visibility of 2 miles, and the hourly weather report sequence and forecast shall show a trend that gives sufficient indication of continuing so until the flight would arrive thereat. The Secretary may, in his discretion, prescribe higher minimums.

61.71094—(e) When the ceiling or visibility at the point cleared to is below the minimum specified in the weather competency letter for landing-down-through, but the weather reports pertaining to such point at such time shall show a trend, by the hourly sequence and current forecast, that gives sufficient indication of the weather conditions improving to or above such mini-

mums upon arrival of the flight thereat, 2 designated alternate airports or intermediate fields specified in the appropriate flight clearance. Each such alternate shall be suitable for landing and be within the fuel and oil requirements, as outlined in CAR 61.702.

61.71095—(f) If any one of the alternates, referred to in CAR 61.71094, is equipped with a radio range beacon, the weather conditions existing at such alternate at the time of clearance shall not be less than the minimums provided for in CAR 61.71092.

61.71096—(g) If any one of the alternates, referred to in CAR 61.71094, is not equipped with a radio range beacon, the weather conditions existing at such alternate at the time of clearance shall not be less than the minimums provided for in CAR 61.71093.

61.7110—CLEARANCE OF FLIGHTS ON ALTERNATE ROUTES.—Clearance of flights on alternate routes shall not be permitted unless such route or routes have been approved and listed in the letter of competency, and conditions on the regular route are such that the flight would otherwise be canceled or delayed, or when for the purpose of keeping pilots qualified over such routes. When such flights are made for qualifying pilots, such flights shall be made by visual-contact with visibility not less than 5 miles as observed from the aircraft over the entire route. When flights are cleared over alternate routes due to conditions on the regular route being such that flight is considered inadvisable, the weather conditions on the alternate route shall be equal to or better than those listed in the letter of competency for the particular alternate route.

61.7111—LATE OR OFF-SCHEDULE FLIGHTS.—When variations from the regular schedules occur, the dispatcher shall take such action or issue such special orders as may be necessary and proper.

61.7112—FLIGHT HAZARDS.—No scheduled airline flight shall be dispatched, or permitted to continue in flight, when there is a known probability of its encountering any hazardous conditions in making or continuing such flight.

61.72—Flight Preparation and Take-Off Rules.

61.7200—RADIO GROUND CHECK.—Before departure from the originating terminal on any scheduled airline operation, at least one check shall be made by the pilot of the radio system to be used in flight.

61.7201—RADIO CHECK AFTER TAKE-OFF.—When a trailing antenna is used, a precautionary radio check to determine possible loss of such antenna shall be made as soon as practicable after take-off.

61.7202—CONTROL TESTS.—The pilot shall test the flight controls on the ground and determine that they are functioning properly.

61.7203—VIEW OF TRAFFIC.—Immediately prior to take-off, the pilot shall maneuver the aircraft to a position from which he can observe incoming and outgoing aircraft.

61.7204—ENGINE TESTS.—Before the take-off run, the aircraft engine or engines shall be individually tested at full throttle, except that supercharged engines shall be tested at run-up r. p. m. at the manifold pressure specified by the operator for the particular conditions involved. The engine temperatures (including oil, carburetor, and head temperatures) shall be normal and each magneto shall be individually tested.

61.72040—(a) No person other than a certificated airman may run-up the engine or engines of an airline aircraft while such engines are installed in an airline aircraft.

61.72041—(b) Engine run-ups shall be conducted in such a manner as to minimize the effect of loose gravel, cinders and like material in contacting the propeller blades, aircraft control, lift and stabilizing surfaces.

61.7205—INSTRUMENT TESTS.—Before the take-off run, as many as possible of the aircraft flight instruments, and particularly all pressure gauges and gyroscopic flight instruments, shall be tested by the pilot to determine that they are all functioning properly.

61.7206—TAKE-OFF RESTRICTIONS.—No pilot shall take-off any airline aircraft if, in his opinion, the aircraft is not airworthy. No pilot shall take-off any airline aircraft at any time when an engine is not functioning properly.

61.7207—RUNWAY UTILIZATION.—The take-off shall be started from a point which makes available the greatest length of runway, considering the direction of the wind.

61.7208—RESTRICTED-VISION TAKE-OFFS.—If a method of take-off, under conditions of restricted vision (including conditions of ground fog), is specified in the weather competency letter, it shall be strictly followed.

61.7209—BANKING AFTER TAKE-OFF.—So far as practicable, the aircraft shall not be banked immediately after take-off until at least a minimum altitude of 500 feet has been attained.

61.7210—PILOTS AT CONTROLS.—Neither pilot shall leave the controls during ascent of the aircraft immediately following take-off.

61.7211—TAKE-OFF FROM FIELDS NOT DESIGNATED AS AIRPORTS.—No scheduled airline aircraft shall take-off with passengers from any field not designated as an airport until such aircraft has been properly cleared by a dispatcher authorized to act in such an emergency and until a complete agreement has been reached by both the pilot in command of such flight and the authorized dispatcher that such clearance can be accomplished with safety.

61.73—Flight Course and Enroute Rules.

61.730—ALTERNATE ROUTES.—Scheduled airline aircraft shall not be operated over an alternate route unless authorized to do so in a route competency letter and then only in compliance with the provisions thereof.

61.731—DEVIATION FROM AIRWAY.—Scheduled airline aircraft shall not deviate from the prescribed airway except when the circumstances render such deviation necessary as an emergency safety measure. Any such deviation shall be explained by the pilot in a written report to the airline operations manager. The operations manager shall furnish a copy of such report with comments promptly to the Secretary.

61.732—DISPATCHER EMERGENCY DECISIONS.—In an emergency situation, arising during the course of the flight, which requires immediate decision and action on the part of the dispatcher, and that is known to him, the airline dispatcher shall notify and advise the pilot as to such situation. Further, the dispatcher shall determine from the pilot what final decision has been made by such pilot and shall enter it in the station radio log.

61.74—Flight Altitude Rules.

61.740—VISUAL-CONTACT DAY OR NIGHT.—Except during take-offs and landings, no scheduled airline aircraft shall be flown at an altitude less than 500 feet above the ground, or within 500 feet from any mountain, hill, or other obstruction to flight, except as may be specifically approved by the Secretary.

61.741—INSTRUMENT FLIGHTS.—Altitudes established for instrument flights by the provisions of CAR 60.—— shall be strictly adhered to during such flights. Except during take-offs, and final approaches and landings, no instrument flight shall be conducted within 1,000 feet above the ground or any obstruction.

61.742—MAXIMUM ALTITUDE OF FLIGHT OPERATIONS.—In scheduled airline aircraft carrying passengers and operating at an altitude above 15,000 feet above sea level, there shall be a competent cabin attendant provided to observe and care for the passengers. Scheduled airline flights above 15,000 feet are prohibited except for the periods of time which are necessary to clear obstructions to flight and to avoid hazardous weather conditions. Scheduled airline flights at altitudes above 18,000 feet are prohibited unless specifically permitted by the terms of the weather competency letter.

61.75—Instrument Approach Rules.

61.750—ALTITUDE MAINTENANCE ON INITIAL APPROACH.—When making an initial approach to a radio range station, on instruments or on top of overcast or clouds, an aircraft in scheduled airline operation shall not descend below the pertinent minimum altitude for initial approach specified in the weather competency letter for such station, until arrival over the radio range station has been definitely proved by the method outlined in the appropriate instrument approach procedures of the weather competency letter.

61.751.—LETTING-DOWN-THROUGH PROCEDURE.—When instrument authority is authorized standard instrument approach procedure shall be established by the operator for each radio range station used or to be used for letting-down-through, and approved by the Secretary and included in the weather competency letter. The letting-down-through methods, procedures and minimums specified, shall be strictly adhered to.

61.76—Landing Rules.

61.760—PILOTS AT CONTROLS.—The pilots shall remain at their controls during the final approach and landing.

61.761—RESTRICTED-VISION LANDING.—The method of landing under conditions of restricted vision, when authorized, will be specified in the weather competency letter and shall be strictly adhered to.

61.77—Flight Interruption Rules.

61.770—WEATHER INTERRUPTION.—If any hazardous flight condition is encountered en-route, the pilot shall broadcast information as to the course of action which he is taking and as to his reasons therefor.

61.771—MECHANICAL INTERRUPTIONS.—In the event of any mechanical failure or interruption (including failure of engine, flight instrument, radio, or other essential component of the aircraft) which may involve the safety of the flight, the pilot shall proceed to and land at the nearest place where a safe landing can be effected. (For general pilot authorization, in emergency situations, see CAR 61.7812.)

61.78—General Pilot Rules.

61.7800—COMMAND OF FLIGHT.—The first pilot shall be in command during the flight of the aircraft.

61.7801
61.7810

DEPARTMENT OF COMMERCE

61.7801—REMAINING AT CONTROLS.—The pilots shall remain at their posts while the aircraft is in flight and shall not leave the pilots' compartment except when it is necessary in attending to their regular duties or when replaced by a person authorized in CAR 61.7803. When a second pilot is required to attend passengers, he shall not, unless the first pilot deems it necessary, leave the pilots' compartment until the aircraft has ascended to its cruising altitude, or during the final stages of an approach for a landing.

61.7802—MANIPULATION OF CONTROLS.—No person, other than a first or second pilot shall manipulate the controls of an airline aircraft while in scheduled flight, provided, however, that at the discretion of the first pilot such restriction shall not apply to an authorized airline inspector of the Department of Commerce or to properly qualified company personnel.

61.7803—PILOTS' COMPARTMENT.—The door or doors between the pilots' compartment and the passenger compartment shall be kept closed when the aircraft is in flight. No person shall be admitted to such pilots' compartment while the aircraft is in scheduled flight, except at the discretion of the first pilot, an employee authorized by the operator or any of the following personnel of the Department of Commerce may be admitted

Secretary of Commerce
Assistant Secretary of Commerce
Director of Air Commerce
Assistant Director of Air Commerce
Chief, Certificate and Inspection Division
Chief, Airline Inspection Section

Supervisor, Air Traffic Control
Airline Inspectors of Operation
Airline Inspectors of Maintenance
Airline Inspectors of Radio

61.7804—RADIO HEAD-SETS.—A radio telephone head-set shall be worn by the first pilot or by a second pilot and the radio tuned to appropriate frequencies at least during the time while the aircraft is in flight or taxiing.

61.7805—TIME OF REPORTING FOR DUTY.—The pilot in command of any scheduled flight and the second pilot shall report to the operations office of the operator in sufficient time prior to the start of any scheduled flight to study and familiarize themselves with weather conditions on the route to be flown and for the plan of flight to be executed for the proposed schedule.

61.7806—LOCAL AIRPORT RULES AND INTERLINE AGREEMENTS.—Pilots shall at all times comply with accepted safety agreements or practices, including current inter-airline agreements and local airport traffic rules.

61.7807—PILOT SEAT BELTS.—Any pilot while actually manipulating or in a situation where he may have to take over the controls shall keep his seat belt fastened at all times.

61.7808—MANEUVERS.—All aircraft maneuvers not necessary to the safe and orderly progress of the flight shall be avoided.

61.7809—MAPS AND FLIGHT EQUIPMENT.—It shall be the responsibility of the pilot in command before any scheduled flight is started to have in his possession in the cockpit proper flight and navigational facility maps, including instrument approach procedures when instrument flight is authorized, and such other flight equipment as may be necessary to properly conduct the particular flight proposed.

61.7810—FLASHLIGHTS.—It shall be the responsibility of the pilot in command to see that 2 satisfactory flashlights in good working order are provided in the aircraft and accessible to both pilots.

61.7811—EMERGENCY DECISIONS.—The first pilot is authorized, in emergency situations which require immediate decision and action, to resolve upon a course of action which is required by the factors and information available to him. He may, in such situations, deviate from prescribed methods, procedures or minimums to the extent required by considerations of safety. When such emergency authority is exercised, the pilot shall keep the proper control station fully informed regarding the progress of the flight. He shall submit a written report of any such deviation to his operations manager. The operations manager shall furnish a copy of such report, with his comments, promptly to the Secretary.

61.79—Miscellaneous Rules.

61.790—DISTRIBUTION OF NOTICES.—The operator shall set up some provisions for the prompt transmission of all information pertaining to changes and irregularities of all navigational aids and facilities over his entire system. In addition where inter-airline agreements, airway traffic control regulations, and local airport traffic rules, etc., have been provided and adopted, on any portion of the route or routes, prompt notice and appropriate instructions shall be given to all personnel concerned.

61.791—AIRLINE AIRCRAFT PROVING PERIOD.

61.7910—(a) All airline aircraft of a new make or model shall have at least 100 hours of proving tests in the hands of an airline operator, under the supervision of an authorized representative of the Bureau of Air Commerce before authority for carrying passengers may be issued. At least 50 hours of such tests shall be on scheduled operation and include at least 10 hours of night operation.

61.7911—(b) In the case of major changes on aircraft previously proved, or the use of the same aircraft on a different operation, 50 hours of proving tests similar to that outlined in the preceding paragraph may be required, at least 25 hours of which shall be in scheduled operation.

61.7912—(c) During the tests specified in (a) and (b) above, passengers other than those essential to the tests are prohibited. Mail, express and/or cargo may be carried, at the discretion of the Secretary.

61.792—SMOKING RULES.—The operator may permit smoking in scheduled airline aircraft except in berths of sleeper planes and during refueling, provided:

61.7920—(a) The aircraft carries a second pilot or cabin attendant, who shall notify passengers when and where smoking is prohibited.

61.7921—(b) Sufficient ash containers of a suitable type are provided.

61.793—NO SMOKING SIGNS.—A prominent "No Smoking" sign shall be displayed in berths.

61.794—SMOKING IN PILOT COMPARTMENT.—When the operator permits smoking in the pilot compartment, suitable ash containers for the members of crew shall be provided. In no event shall smoking be permitted during take-offs, landing and refueling.

61.795—RADIO RULES.—The following rules will govern the use and operation of radio facilities by an airline operator.

61.7950—(a) Radio facilities, exclusive of the emergency equipment, in the aircraft shall be operating and ready for immediate use at all times when the aircraft is in flight.

61.7951—(b) The radio communications system required by the civil air regulations shall at all times be operated in strict accordance with the rules and regulations provided therefor by the Federal Communications Commission.

61.7952—(c) Where a communication channel serves point-to-point contacts in addition to ground to plane it is required that priority of the circuit be given to plane to ground and ground to plane communication. Where in the opinion of the Secretary the volume of point-to-point traffic is so heavy as to interfere with the primary purpose of the circuit, i. e., plane to ground and ground to plane contacts, the Secretary may require that all other traffic be removed from this circuit.

61.8—OPERATIONS MANUAL.

61.80—Necessity For.—Each operator of a scheduled airline shall prepare and maintain an operations manual for the use and guidance of the airline flight and ground personnel. If desired by the operator, such manual may be broken down into two or more parts, on a divisional basis, but the manual for each division shall be complete as pertains to such division.

61.81—Contents.—Each operations manual, including a divisional manual, shall contain—

61.810—(a) a copy of the current route and weather competency letters,
(b) a copy of all interline traffic agreements affecting the particular operation involved; and
(c) any other data or information which the operator desires to include for the efficiency or safety of the operation.

61.82—Form.—The operations manual shall be loose-leaf in form, and each page therein shall be numbered and dated to show the currency of all material contained therein. All copies of such manual shall at all times be kept up to date.

61.83—Delivery of Copies.—A copy of the operations manual shall be furnished to at least the following persons:

(a) the Secretary of Commerce;
(b) the Chief of the Airline Inspection Section, Bureau of Air Commerce;
(c) each airline inspector of the Bureau of Air Commerce in charge of inspection on any portion of the route, including any division thereof;
(d) each airline first pilot;
(e) each airline second pilot;
(f) each person authorized for dispatching duty;
(g) each airline aircraft radio operator; and at
(h) each airline terminal and scheduled intermediate stop.

61.84—Record of Copies.—Each airline operator shall keep a complete record of all persons to whom copies of its operations manual have been furnished.

61.85—Changes.—The following rules will govern changes made in the operations manual:

61.850—(a) Any change, issuing from the Secretary, pertaining to the route or weather competency letter shall be promptly incorporated in the operations manual and a copy thereof sent, in the form of a new page of such manual, to each person required to hold a copy of the manual. Each amended page of the manual shall be properly dated.

61.851—(b) Upon receipt of such new page or pages, the recipient shall insert the current information in the manual.

61.852—(c) No change shall be made in any of the terms, specifications, conditions, limitations, or other provisions appearing in the airline certificate or in any appended competency letter without the approval, in writing, of the Secretary.

61.853—(d) Any data not issuing from the Secretary may be changed by the operator, without approval of the Secretary, provided such change is not inconsistent with any Federal regulation or competency letter or safe operation practice. Notice of any such change shall be given promptly in accordance with the provisions of CAR 61.850.

61.9—REPORTS.

61.90—General.—Each scheduled domestic airline operator shall furnish the Secretary such reports as may be required by him.

61.91—Monthly Report.—A monthly operations report shall be submitted on Form No. AC 61-1 to the Secretary not later than the 20th of the next succeeding month.

61.92—Mechanical Interruption.—Two copies of mechanical interruption in flight report shall be submitted to the Secretary, through the airline maintenance inspector of the Bureau of Air Commerce who is assigned to such operation, on Form No. AC 61-2 as soon as possible, but not later than 10 days after a mechanical interruption occurs.

61.93—Weather Interruption.—A weather interruption report shall be submitted to the Secretary on Form No. AC 61-3 as soon as possible but not later than 10 days after a weather interruption occurs. A duplicate copy thereof shall be sent to the Bureau of Air Commerce airline inspector who is assigned to such operation.

61.94—Mechanical Record.—The records of the airline operator covering mechanical trouble shall be made available upon request to the Bureau of Air Commerce airline maintenance inspector who is assigned to such operation, or to any other authorized representative of the Secretary.

61.95—Irregularity Report.—All airmen, including flight and ground personnel, shall immediately report any irregularity or hazard which exists on or adjacent to any civil airway, and which in their opinion, makes for unsafe operation of aircraft in flight. Such report shall be made to the airline operations manager, who shall verify its accuracy to the best of his ability. If the report is justified, notice of the irregularity or hazard shall at once be given to the Secretary (Form).

Any and all rules or regulations made, established, and issued by the Secretary of Commerce pursuant to law as are inconsistent with the provisions of the above specified civil air regulations are hereby repealed.

