

Operator Availability Management Methods

June 1984



UMTA TECHNICAL ASSISTANCE PROGRAM



Operator Availability Management Methods

Final Report June 1984

Prepared by Booz-Allen & Hamilton, Inc. Philadelphia, Pennsylvania 19107 and MacDorman & Associates Arlington, Virginia

Prepared for Office of Methods and Support Urban Mass Transportation Administration Washington, D.C. 20590

Distributed in Cooperation with Technology Sharing Program Office of the Secretary of Transportation

DOT-I-84-23

ACKNOWLEDGEMENT

This report was prepared by Mr. Ben Porter and Mr. Doug Carter of Booz, Allen & Hamilton, Inc., and by Mr. Littleton MacDorman of MacDorman and Associates. Information to develop the three case studies came from staff at Seattle METRO, the Capital District Transit Authority (CDTA) of Albany, New York, and the Metropolitan Transit Commission (MTC) of Mineapolis, St. Paul. The technical monitor of this project for UMTA was Mr. Thomas Hillegass.

TABLE OF CONTENTS

		Page
I.	INTRODUCTION	I-1
II.	AN OVERVIEW OF OPERATOR AVAILABILITY MANAGEMENT	II-1
III.	SEATTLE METRO CASE STUDY	III-l
	Background Events Description of the Manpower Planning Process	III-2 III-5
	MBO System	III-8
IV.	TWIN CITIES CASE STUDY	IV-1
	Evolution of MTC's Approach to Managing Operator Availability	IV-2
	Setting Ideal Manpower Levels Description of MTC's Manpower Planning Process	IV-5 IV-10
	Description of MTC's Manpower Performance Reporting System	IV-15
۷.	CAPITAL DISTRICT TRANSPORTATION AUTHORITY CASE STUDY	V-1
	Evolution of CDTA's Present Approach to Managing Operator Availability	V-2
	Operator Availability Management Process	V-5
VI.	SUMMARY AND RECOMMENDATIONS	VI-l
APPENI	DIX - DOCUMENTATION OF AUTOMATED TECHNIQUES	A-1

LIST OF EXHIBITS

Exhibit No.		Following Page
II-l	Basic Variables Affecting Manpower Leveling Decisions	II-2
II-2	Organizational Responsibilities and Interfaces in Managing Operator Availability	II-4
III-l	Seattle Metro's Manpower Planning Process	III-5
III-2	1983 Service Additions	III-5
III-3	Weekly Manpower Projections Sheet	III-7
III-4	Base Operations MBO Performance	III-9
III - 5	Base Operations Organization Structure	III-10
III - 6	Weekly Operations Report	III-12
IV-l	Ideal Manpower Planning Effects on Service Effectiveness and Driver Pro- ductivity	IV-4
IV-2	MTC Operator Absenteeism	IV-5
IV-3	Ideal Manpower Planning Worksheet	IV-6
IV-4	Full-Time Driver Manpower (Actual Versus Ideal) 1982	IV-10
IV-5	Trends in Labor Productivity at MTC	IV-10
IV-6	MTC's Manpower Planning Process	IV-11
IV-7	Daily Operating Report	IV-15
V-1	1983 Operating Goals	V-3
V-2	Three-Year Trend in Lost Time at CDTA	V-4
V-3	CDTA Operator Availability Management Process	V-6

LIST OF EXHIBITS (Continued)

Exhibit No.		Following Page
V-4	Key Target Report	V-7
V-5	CDTA Service Request Flow Chart	V-8
V-6	Attendance Control Program Process	V-9
V-7	Daily Status Report	V-9
V-8	Notification Form	V-9
V-9	Record of Actions Taken - Absences/ Violations	V-10
V-10	Departmental Lost-Day Summaries	V-10
V-11	Selected Categories of Absence Summaries	V-10
V-12	Attendance Control Program	V-11
V-13	Statement of Delays	V-15
V-14	Sample Memorandum	V-16
V-15	Sample Monthly Report	V-16
A-1	Day-Off Combination Model	A-1
A-2	Weekly Manpower Summary - Manpower Planning Model	A-3
A-3	Hiring Schedule Output from Manpower Planning Model	A-3

I. INTRODUCTION

Operator availability management is the collection of techniques, procedures, and information used to maintain cost-effective transit operator staffing levels. It is but one component of labor management. Whereas labor management addresses all elements affecting labor productivity -- work rules, absenteeism, and scheduling, for example -- operator availability management addresses only the mechanics of matching operator supply with demand. It can be analogically described analysis to an inventory problem. As with an inventory, the objective is to keep manpower supply in balance with demand (i.e., work to be filled). An imbalance in either direction incurs additional cost.

The effective management of operator availability is of growing concern. As transit managers seek ways to increase productivity, operator staffing levels will become an area of investigation simply due to their contribution toward operating expenses. The task of achieving and maintaining a costeffective driver inventory is, however, a complex one. It cuts across organizational lines and demands effective planning, coordination, and control.

This report describes procedures and techniques applied in managing operator availability. While all transit systems must necessarily have some approach to this task, it is not uncommon for manpower availability management to be unstructured and somewhat enigmatic, even to those persons who may be

I-1

direct participants in the process. A fundamental objective of this report is to promote a greater understanding of the dynamics of operator availability management, chiefly through describing techniques employed by three U.S. transit systems. These systems were selected for study because they have each realized benefits from designing and implementing structured approaches to improving operator availability.

The remainder of this report is organized as follows:

- . An overview of operator availability management;
- . Seattle Metro Case Study;
- . Metropolitan Transit Commission (Twin Cities) Case Study;
- . Capital District Transportation Authority (Albany, New York) Case Study; and
- . Summary and recommendations.

Although the intent of this report is to communicate alternatives in planning and control, some technical aids discovered in the course of the study are briefly documented in the Appendix.

II. AN OVERVIEW OF OPERATOR AVAILABILITY MANAGEMENT

A basic objective in managing operator availability is to cost while meeting service effectiveness goals. minimize While these two endeavors are easily measured when separately considered, their interplay is much more difficult to estab-Transit agencies, typically under the public gun for lish. meeting scheduled service, often rely on a safe cushion of operators so that service effectiveness is maximized. The cost-effectiveness of this cushion, however, is open to debate. In an era of fiscal constraint, it is increasingly important that operators be productively utilized.

While the potential savings from improved operator availability is difficult to estimate, the need for managerial controls can easily be established. The traditional management functions of planning, organizing, directing, and coordinating cannot be accomplished if controls are not in place. There are basically two types of controls which are required:

- . Informational the collection and abstraction of data for management purposes; and
- Organizational the coordination of different functions reporting to different managers.

The complications which often arise in designing controls so necessary to operator availability management are discussed below.

II-1

1. Operator Availability Management Is Made Complex By A Number Of Interrelated Variables

The variables which affect how many operators are available for work and how much work is to be performed are the basic data needed for managing the problem. As mentioned earlier, operator availability management is akin to matching inventory to a production schedule. When inventory matches production needs, no unplanned costs are incurred. When inventory exceeds or falls below production needs, additional expenses result. Cost penalties, for instance, like those resulting from emergency purchasing, occur when too few operators are available for the work to be performed. Thus, management must constantly monitor the data contributing to the supply, or inventory function, and the production function as well.

For any point in time, the efficiency of operator availability management can be evaluated by comparing availability with demand, as shown in Exhibit II-1. This simple abstraction indicates three possible results -- manpower can be less than, equal to, or greater than demand. Each result carries with it a cost. The question is which result costs least and is also operationally feasible.

The real problem is more difficult than this simple abstraction. In reality, the comparison of operator availability to demand, and the resulting cost, must be evaluated over many points in time. Each of the variables in Exhibit II-1 are subject to change, sometimes on a daily basis (e.g., absences). As a result, a given manpower level may provide surplus operator availability on one day and a deficit on the next. Additionally, some variables, such as sick leave rates, also vary with operator availability relative to demand (e.g., decreasing when at a surplus).

II-2




EXHIBIT II-1 BASIC VARIABLES AFFECTING MANPOWER LEVELING DECISIONS Management must have oversight of these variables and understand their interrelationships in order to more intelligently make manpower planning decisions. When this full integration is not achieved, one of several situations typically results:

- . Manpower levels are inflated to meet near-maximum open run situations.
- Control systems (e.g., performance measurement systems) are inadequate in communicating whether any cost problems exist.
 - A preferred manpower level is identified and maintained, sometimes based on the relationship between unscheduled pay hours and extraboard size, but typically not inclusive of all costs (e.g., benefits).

In short, foregoing attention to any of the variables affecting the match of supply and demand, especially when service levels are variable, can have substantial cost consequences.

2. Operator Availability Management Cuts Across Organizational Lines, Further Compounding Complexity

For operator availability to be properly managed, interfaces among organizational units must be well structured. Even if fool-proof procedures are in place to monitor manpower levels and optimally define what level is needed, overall management of the problem can fail if channels of communication are not understood.


The key to structuring these interfaces is understanding the nature and timing of information being transferred from one organizational unit to another. Although organizational structures vary from one place to another, the functions which should be discharged in manpower planning are somewhat constant. Typically, there are six organizational units which have some impact on this process:

- . Service planning;
- . Scheduling;
- . Transportation administration;
- . Transportation divisions;
- . Transportation instruction; and
- . Personnel.

An example of how these functions contribute to operator availability management is shown in Exhibit II-2. As is evident, a considerable amount of information created in one organizational unit must be passed to others for them to discharge their responsibilities. At the strategic level (i.e., exploration of annual service alternatives), an operator work force plan should be established based on communication between service planning and transportation. At the tactical level (such as short-range projections of manpower needs), transportation must establish both inter- and intradepartmental communications. Communication with personnel, for example, is essential whenever the hiring plan is modified and within a timeframe which enables them to react to the change. Finally, at the operational level (e.g., daily driver assignments), driver status should be constantly monitored, and imbalances reported upward.

The following three chapters explain how informational and organizational controls have been developed in Seattle, Minneapolis/St. Paul, and Albany, New York to improve operator availability management.

EXHIBIT II-2 ORGANIZATIONAL RESPONSIBILITIES AND INTERFACES IN MANAGING **OPERATOR AVAILABILITY**



- .

III. SEATTLE METRO CASE STUDY

This chapter describes the procedures and techniques utilized by Seattle Metro Transit in managing operator availability. Metro's system of manpower planning and controls has evolved in response to two stimuli. First, Metro experienced rapid and substantial service growth over the period 1978 to 1981. Coupled with the implementation of a part-time labor agreement -- up to 50 percent of the total driver workforce -situation demanded that manpower needs be carefully this Metro's extensive use of part-timers is a planned. unique operating characteristic. Second, Metro implemented a management by objectives (i.e., MBO) system in 1978 that fostered the growth of control, or monitoring, systems. Several management objectives for the Base Operations Division (i.e., the transportation function), relate to operator availability -sick leave, late reports, pay hour to platform hour ratio, report hours (i.e., unproductive use of report crew), and number of minutes of delayed service. These objectives are integrated among three levels of base operations management. Incentives are provided at each level for reaching their objectives; automated and manual reporting systems support measurement of the objectives.

Metro's manpower planning process relies on administrative procedures as well as automated and manual techniques and systems. These procedures, techniques, and systems are presently oriented more toward control than optimization. Efficiency is promoted by tight control over the broader

parameters (e.g., manpower levels), with authority for operational decisions relative to operator management largely delegated to line management. The efficient management of operator availability at each operating base (i.e., division, garage), for instance, is promoted through the MBO system. Metro also continues to develop techniques designed to improve the efficiency of overall parameters as well as support daily operator assignment decisions.

The remainder of this chapter provides some background on events which shaped the existing approach to operator availability management, then describes the content of their program, as follows:

- . <u>Manpower Planning Process</u>, which describes the strategic, tactical, and operational activities used by Metro in managing operator availability.
 - MBO System, which describes how the Base Operations Division is structured to promote driver performance, and the systems relied upon to support control needs.

Background Events

Seattle Metro's present approach to managing operator availability has been shaped by several major events which prompted the development of structured systems and improved management techniques. Each of these can be related to some variable affecting manpower availability and are summarized below:

(1) <u>Absenteeism</u> - In 1977, the sum of Metro operator sick leave and unexecused absences stood at almost 21 days per person annually, or eight percent. Through the combined effects of the MBO system, a stricter discipline code, and a comprehensive driver performance reporting system, these two categories of absenteeism had been reduced by 50 percent by 1981.

- . Sick leave has been reduced to 8.7 from 17.8 days per person.
- . Unexcused absence and late reports have been reduced to 1.65 from 2.89 days per person
- (2) Scheduling of Part-Time Driver Assignments -Although Metro was authorized a 50 percent parttime driver level in early 1978, it was not until 1980 that substantial progress was made toward that goal. A number of factors contributed to this situation (e.g., peak service additions did not occur as planned; a manpower shortage occurred in the lag between the commencement and conclusion of labor negotiations), but the inability or resistance to creating tripper assignments continued to be a factor after the other problems subsided. Two improvements were made:
 - Communication between Base Operations and Scheduling was improved; agreement is now reached on how many trippers and full-time assignments to create prior to actual runcutting.
 - RUCUS' parameters and runcutting steps were modified to maximize its ability to produce trippers.
- Days-Off Combinations All Metro operators are (3) entitled to two consecutive days-off per week. Prior to the current labor contract, a complicated driver pick system was in effect which produced a number of open straight runs on Sundays. This caused staffing problems on Sundays and required the allocation of open trippers to extraboard operators during the week, preventing their assignment to part-timers. An "open" pick is now in effect, freeing up more trippers for part-time use. A computer program (presented in Exhibit A) is used to generate an inventory of day-off combinations from which the drivers draw, thus improving operator availability and utilization on all days.

- (4) Annual Projection of Hiring Needs In preparation for Fiscal Year 1980 (i.e., January through December), Metro went through several rounds of detailed budget reviews as service plan assumptions were changed. The Base Operations Division already had in place a manual manpower and hiring needs projection technique, inclusive of all the variables introduced in Exhibit II-1. This technique, applied on a weekly basis, was automated to increase its value as a management tool (discussed in Appendix A). It is now used for annual and interim projections of weekly hiring needs.
- (5) Interface Between Base Operations and Personnel -Metro's large and frequent service increases several times resulted in hiring crunches, at best, or manpower shortages, at worst, as Personnel attempted to respond to unanticipated hiring demands. Although the worst situations were caused by predictive errors (i.e., service additions over 100 percent greater than anticipated), there surfaced a need for a structured approach to communicating advance hiring needs. This interface has now stabilized and is supported by the following events:
 - Manpower levels are monitored weekly, respective of hiring projections; consensus on needs is reached at a weekly Base Operations staff meeting attended by all base superintendents.
 - A joint weekly meeting is held, with Personnel, Base Operations, and Instruction in attendance, to agree on short-term hiring needs.

The above five events were particularly effective in defining the timing and nature of important organizational interfaces. These administrative procedures are correlated with the functional activities and techniques of Metro's manpower planning process in the following section.

Description of the Manpower Planning Process

The manpower planning process at any transit system can be described via the service implementation process. Metro's functional activities (i.e., work tasks) and manpower planning activities as regards service implementation are summarized in Exhibit III-1. These activities, and their integration, are described below.

1. The Functional Activities Create Information Used To Guide Tactical and Strategic Operator Availability Decisions

The functional activities described in Exhibit III-1 are, for the most part, common to all transit systems. What distinguishes one system from another are the time frames within which they are accomplished and the specific techniques which are utilized. Metro's distinguishing characteristics are summarized as follows:

- Service planning produces an annual service plan for input to the budget process
 - The number of annual and budgeted (i.e., those to be operated in the current fiscal year) platform hours are part of the budget approval
 - Peak and off-peak service changes are identified -- an example for September 1983 is shown in Exhibit III-2
- Scheduling molds their runcutting process to meet specified service change objectives
 - Objectives indicate number and length of assignment types
 - Straight runs and combinations (i.e., split runs) should meet minimum threshold in contract -- presently 666 runs

EXHIBIT III-1 SEATTLE METRO'S MANPOWER PLANNING PROCESS




EXHIBIT III-2 1983 SERVICE ADDITIONS Revised 11/10/82 SEG

September .33

PROJECT	City of Peak Hours	City of Seattle Hours Off-Peak Hours	King Peak Hours	County Off-Peak Hours	Annual Hours	Rudget llours	AM	Craches MID	Md
Northgate/Kenmore	1,500	1,100	1,500	1,200	5,300	1,700	7	n	7
Woodinville P4R			8,000		8,000	2,600	9		9
Bellevue Incentive Hours			3,000	1,400	4,400	1,500	3	I	2
Renton II P&R Lot		6,000	8,000	6,000	20,000	6,600	4	e	4
Vashon Island			500		500	200	7		1-
Pacific Highway S.			5,000		5,000	1,600			2
Federal Way/South Center			4,000	2,000	6,000	2,000	8	٦	2
W. Seattle Bridge Adjust-	1,300				1,300	400	٦		2
ments U of W/Magnolia	2,000				2,000	100	2		7
Subscription Service			5,000		5,000	1,600	S		ĥ
									1
Total	4,800	7,100	35,000	10,600	57,500	18,900	26	ø	36
Cost @ \$47/Hour	\$225,600	\$3333,700 \$ï	\$ī,645,000	\$498,200 \$2,7	\$2,702,500 \$888,300	888,300			

Peak Hours - 699 Off-Peak Hours - 318

- .. Bid overtime trippers should be 1:40 in length and meet contract specifica-tions -- currently 72
- .. Maximize part-time trippers with length greater than 2:20
- RUCUS processing was modified to maximize tripper-creating opportunities
 - .. Straight runs cut first, attempt to hold out early and late trippers
 - .. Combinations formed initially with a tight spread (i.e., ll hours), then optimized with a looser spread (i.e., ll.5 hours)

Shake-up (i.e., service change) supervisor modifies RUCUS output to best match projected manpower levels

- Extraboard tripper combinations are formed from longest trippers if full-time operators are at a surplus
- Several solution sets for days-off combinations are produced for driver bids
 - .. Different solution sets assume open runs on different days to maximize preferable day-off pairs (a union relations consideration)
 - .. As driver bid progresses, the solution sets are narrowed to one

Board assignment will be enhanced in near future with automated aids

- BOSS (Base Operations System) implementation next year
 - .. Absence information of all types to be kept on real time basis
 - .. Tripper assignment to extraboard will be automated; combinations will be defined through a cost optimization routine

- Board planners are kept informed of surplus/deficits at other bases
- Training and excused leave used as safety valves
- Daily dispatching is responsible for report crew assignment
 - Early report operators are split (i.e., assigned an afternoon report) if they receive no assignment or a tripper
 - List is maintained for operators desiring to work on their day off.
- 2. <u>The Manpower Planning Activities Provide A Framework</u> For Evaluating Annual Strategies And For Defining Short-Term Modifications

Metro's manpower planning activities emanate from three basic elements:

- (1) The budget process defines an initial hiring plan based on service plans, attrition and absentee assumptions, and training class lengths and capacities.
- (2) The weekly Base Operations staff meeting is the focal point for tactical decisions on operator availability.
 - Interim projections are made for hiring needs, vacation schedule changes (note: Metro has three systemwide picks, confounding prediction of operators off on vacation)
 - Transfers of operators among bases are facilitated via weekly manpower projections (Exhibit III-3)
 - Driver levels by type are projected for the service change (i.e., shake-up) date
 - Decisions are reached on allocation of new trainees to specific divisions

EXHIBIT III-3 WEEKLY MANPOWER PROJECTIONS SHEET

	AT	NS	EB	SB	RY	TOTAL
PT	103	225	2.3.9	243	82	892
FT	334	213	177	266	139	1129
TOTAL	437	438	416	509	221	2021
OPEN TRIP	4/12	11/5	3/8	5/12	1/1	24/38
VACATION	10	13	8	8	5	44
AVE VAR	2.2	-2.6	13.6	3	16	17.8

DAILY SUMMARY

	SAT	SUN	MON	TUE	WED	THURS	FRI
AT	11	12	5	2	3	1	R
NS	5	9	2	-2	-5	-2	-6
EB	3	9	12	15	17	13	11
SB	7	2	Ø	3	2	E	3
RY	4	6)	Ð	2	3	2
TOTAL	30	38	20	18	19	23	9

- (3) The Weekly Personnel/Instruction/Operations meeting is a critical interface in specifying shortterm hiring needs and identifying applicant inventory
 - Screening of part-time drivers for full-time positions is of major importance
 - 85 percent must come from part-time
 - Screening, based on performance, takes six weeks to accomplish
 - Application-to-qualification period for full-timers spans 2.5 months
 - Part-timers are most frequent hires, a 40person "ready to go" inventory is maintained

Metro's MBO system acts as a managerial control on the results of the above activities. If a manager's performance is declining due to manpower planning problems, the MBO system provides an incentive to take action. The organizational interfaces defined above provide a vehicle for this feedback. The MBO system's design is described in the following section as it relates to the Base Operations organization structure.

MBO System

Managers in Metro's Base Operations Division acknowledge that the MBO system has a significant influence on operator availability. Three factors explain why this is so:

- Five of the six objectives quantifiably address aspects of operator availability management;
- The organization structure secures direct accountability for performance in managing operator availability; and

Procedures and information systems achieve topdown integration in monitoring performance.

The results of this system's application have been impressive. Metro has achieved considerable improvement in operator availability as well as overall operator performance, as shown in Exhibit III-4. Three additional objectives -- the pay hour to platform hour ratio, report operator hours, and cancelled trips -- were included in the system in 1982. These provide more emphasis on the efficiency side of the performance equation. The factors which appear to contribute most to the MBO system's success in improving operator availability are explained below.

1. <u>The Performance Indicators Used As MBOs Measure Both The</u> <u>Efficiency And Effectiveness Of Operator Availability</u> <u>Management</u>

The five Base Operations performance indicators relevant to operator availability, and their meaning, are as follows:

- (1) <u>Sick days</u> per operator per year is a measure of manpower availability and directly reflects the level of additional manpower required to operate a schedule.
- (2) Late reports and unexcused absences per operator per year measures a less predictable aspect of manpower availability and reflects upon management control.
- (3) <u>Minutes of service delay</u> is an effectiveness indicator which measures the resilience of the manpower plan in meeting scheduled service.
- (4) Pay hour to platform hour ratio is an efficiency indicator measuring productive use of the work force.
- (5) <u>Report operator hours</u> is an efficiency indicator measuring the extent to which report operators were available for work but not utilized.

EXHIBIT III-4 SEATTLE METRO BASE OPERATIONS MBO PERFORMANCE

Incidents per Operator per Year	<u>1977</u>	<u>1978</u>	<u>1979</u>	<u>1980</u>	<u>1981</u>
Sick Leave	17.80	11.70	10.10	9.30	8.70
Late Reports and Unexcused	2.89	2.79	2.31	2.30	1.65
Accidents (Preventable)	0.68	0.57	0.48	0.35	0.32
Complaints	5.60	4.40	3.10	2.30	2.40


These performance indicators adequately measure Base Operation's performance, even though responsibility for some is not wholly attributable to this department. Some overlap exists, for instance, between the pay hour to platform hour ratio and report operator hours. Further, the former of the two is largely attributable to scheduled pay hours, and can vary considerably on a monthly basis. Nonetheless, the results of Base Operations management actions are manifested in the measures, and they are accepted as a standard of performance. Their basis of success at Metro, however, is not in what they measure; rather, success can be attributed to the way they are integrated with the organization structure.

2. The Evaluation And Compensation System Recognizes That Each Manager's Performance Is Contingent On That Of His Subordinates

The success of the transportation function, especially as regards operator availability, is highly dependent upon management's working relationship with operators. The Base Operations Division at Metro employs a decentralized organization structure, as shown in Exhibit III-5, to promote consistent and familiar working relationships. Accountability is unambiguous. Base superintendents are afforded some latitude in managing their resources, as well as an opportunity to delegate authority. Each Base Chief directly manages a group of operators and one or more dispatchers, and is empowered to terminate as well as discipline operators. Thus, three of the five management objectives can be traced directly to firstline supervisors.

Base Operations management personnel are evaluated based on their performance. With the exception of base chiefs, some

EXHIBIT III-5 SEATTLE METRO BASE OPERATIONS ORGANIZATION STRUCTURE



portion of their compensation is based on performance. Everyone, for instance, receives applicable cost-of-living increases. Superior performance, based on a 12-step progression, may pay an additional eight percent above salary plus COLA. Conversely, unsatisfactory performance may result in a six percent pay cut.

Each manager's, even each operator's, performance is tracked by several reporting systems. These systems add the third leg to the milkstool in rounding out the MBO system.

3. Three Reporting Systems Assist In Measuring Performance At The Strategic, Tactical, And Operational Levels

The data driving all three systems originate from the operating bases. Each system is briefly described below.

(1) <u>The Accident/Incident System Tracks All Aspects</u> Of Operator Performance

This automated system also provides an audit trail for the performance of each base chief and base superintendent, as related to the following:

- Absence incidents by every category of time away from work
- . Accidents
- . Complaints and infractions
- Outcome of discipline hearings
- . Record of operator contact

(2) <u>The Transit Operator Payroll System Provides A</u> Breakdown Of Operator Pay Hours

This automated, exception-based system reports pay hours on a monthly basis by operating

base. It supports the calculation of the pay hour/platform hour ratio, and reports operator hours.

(3) The Weekly Operations Report Provides Basic Information On Operator Availability

This manual report, shown in Exhibit III-6, summarizes daily activity at each operating base. It is the primary document for monitoring manpower levels and service cancellations.

When Metro's Base Operations System (BOSS) is implemented, the information reported through these three separate systems will become more integrated. Absence information, for instance, will be maintained on a real-time basis. This will enable automatic extraboard assignment as well as reduce the number of manual forms now required to record operator assignment. Additionally, an interesting component of BOSS will be an optimization routine used to determine minimum cost tripper combinations. This technique is briefly described in the Appendix.

* * * * *

Seattle Metro has realized improvements in operator availability management largely through management and procedural innovations. Although some major contributing factors are unique to Seattle's operating environment (e.g., part-time labor, driver performance code), there are at least three items which are of generic applicability:

Decentralization of the transportation organization and integration of the MBO program.

EXHIBIT 111-6	OPERATIONS REPORT
	WEEKLY

1	INVESTIGATOR REPORTS Received Processed Perding Over 15 Days R. D. A. S SERVICE CONTROL Received Processed	Over 15 Days BASE INITIATED Freessed Processed	tryed Ling LTT PAT a n: 	Date Rt/Nun
иі. Li urisation status auresticit и List 962 и List 962 и List 962 и List 962 и List 962 и List 962 151 151 151 151 151 151 151 151 151 151 151 151 151 151 151 151 151 252 53 53 53 222 226 226 226 226 226 226 226 и 226 226 226 226 226 226 226	HOMTUEVEDTHUFRISAT 0 0 0 0 0 0 0 HOMTUEWEDTHUFRISAT 0 $ 0$ 0 0 0 0 0 $ 0$ 0 0 0 0 0 $ 0$ 0 0 0 0 0 $ 0$ 0 0 0 0 0 $ 0$ 0 0 0 0 0 $ 0$ 0 0 0 0 0 $ 0$ 0 0 0 0 0 $ 0$ 0 0 0 0 0 $ 0$ 0 0 0 0 0 $ 0$ 0 <t< td=""><td>- 10-000 - 20 - 20 - 20 - 20 - 20 - 20 -</td><td>How TUE WED THU FRI SAT SI 3 0 1 1</td><td>HON THE WED THU THI SAT SAT SAT SAT SAT SAT SAT SAT SAT SAT</td></t<>	- 10-000 - 20 - 20 - 20 - 20 - 20 - 20 -	How TUE WED THU FRI SAT SI 3 0 1 1	HON THE WED THU THI SAT
Regular Operators Regular Operators Extra Board Report New Operators Report T Total Operators Reports Part-Time New Operators Reports Part Fine New Operators Reports Part Part Part Part Part Part Part Part	Operators on Suspension/ Infraction Code Attrition/Term. Code / Infraction Code ?.(PT-FT) Infraction Code a the number Termination Code: S = resign. BASE PLANNER Vacation Sick/Infurv	Detailed Industrial Injury Fersonal Holiday Excused Other Pleces of Work Assigned Of BASE DISPATCHER Sick Sick Industrial Excused Late Report Unexcused Double Assignment Not Qualified Change for Base Other	ACCIDENTS Traffic Passenger Rud <u>CA30S</u> Received (Of/Other) Frofin, 2 Add Over 15 Days	COMPLAINTS Received Processed Processed Processed Over 15 Days

SAT - S 5 11 121 111 SAT S.T 0 Artion Taken Action Taken SAT 1VS 00 F SAT SAT 0 0 (# of occurances/ # cpr/week) x 52 = # of occurances/op/yr - 17 IRI IRI O E A E FRI I.H.I I.R. -600 1 DHI 0 E 00000 THU THU THU 至 003-WED THU HCN TUE VED VED On ao KED VED VED VED 409 גין בא/פס/ גין/פס/ גין/פס/ גין/פס/ TLE TUE TUE TUE 語のおお E do do Reason Rezson NO O O O NOH NCH HOH XOX NON Yeard 1 - 356 - 530 - 53 Unit ra Unit P. +

- Monitoring systems which support performance evaluation of managers as well as drivers.
- . Interdepartmental communications which stress accountability for and timing of information.

By attacking these elements of the larger picture, more detailed aspects of operator availability management are addressed through the creativity of individual managers within their realm of responsibility.

IV. TWIN CITIES CASE STUDY

This case study describes the procedures and techniques utilized by the Metropolitan Transit Commission (MTC), in Minneapolis, St. Paul, to manage operator availability. MTC's experience over the five years with events affecting operator utilization mirror those of many U.S. transit systems. The need for control over operator manpower levels, for instance, became evident to MTC during periods of increases in transit service. MTC faced two problems associated with service expansion -- matching operator supply and demand on a daily basis, and accurately projecting operator wages and benefits as the workforce continued to grow. Now, however, MTC's primary concern is how to properly downsize their workforce. The need for control is lower, but not absent, because the range of decisions required in matching operator supply and demand are fewer. Coordination between Personnel and Transportation, for instance, is less critical because of no current or even projected hiring needs.

MTC's manpower planning and monitoring process is centered on a technique which they entitle Ideal Manpower Planning. Essentially, a short-term projection of manpower needs is performed on a quarterly basis. The efficiency and effectiveness of the resulting manpower levels are closely monitored, and reported on a monthly basis to MTC managers, the Commission Chairman and an Operations Committee. There is no formal setting of targets for performance as regards operator utilization. Rather, the visibility of performance is used as a vehicle to promote improvements in resource utilization.

IV-1

The remainder of this case study provides some background on the evolution of MTC's approach to operator availability management, how the "ideal" manpower calculation is derived and incorporated into the overall manpower planning process, and how data describing the results of operator availability are collected and incorporated into the decision-making process.

Evolution of MTC's Approach to Managing Operator Availability

The approach now employed by MTC sprang from the operational problems caused by a simple and insensitive methodology previously applied in projecting manpower levels and the annual transit operator budget. A number of variables impact the need for and supply of operators at any given point in time -- service levels, vacation schedules, absenteeism, attrition and so forth. MTC had relied on a very simple formula which resulted in consistent shortage of operators. Essentially, both operator requirements and the annual budget were estimated via a driver-to-work ratio (e.g., 1.5 drivers per peak vehicle).

Under steady-state conditions, a simple formula such as the one applied by MTC would yield acceptable results. In the period between 1976 and mid-1980, however, several variables affecting manpower supply and demand were undergoing less than subtle changes. Absenteeism, for instance, climbed from 6.1 percent to almost 9.3 percent over this period. Changes in peak period service and the newly allowed (ca. 1978) use of part-time operators also served to skew MTC's driver to work ratio. In combination, these events produced a consistent undersupply of transit operators. While unscheduled overtime remained at a constant but high -- about 11 percent -- level,

IV-2

MTC began to experience an unacceptably high number of missed trips. In fact, daily missed trips due to operator unavailability almost tripled in magnitude between Winter 1976 and Spring 1979, reaching a high of over 100 daily trips. Effectively, absenteeism, unscheduled overtime, and missed trips became a vicious circle, with each problem exacerbating the others.

MTC took five steps to bring this situation under control, as follows:

(1) <u>An "Ideal" Manpower Level Was Developed for Each</u> Operating Division

Almost every transit system having multiple operating facilities exhibits different operator supply and demand characteristics among those facilities. MTC developed a straightforward methodology for forecasting operator requirements, initially, on a monthly basis. This methodology, which is fully described in a following section (Setting Ideal Manpower Levels), relies upon the following data to produce a manpower estimate specific to each division:

- . Scheduled runs for full-time drivers on weekdays, Saturdays and Sundays
- . Open trippers to be operated per day
- . Part-time driver levels
- . Ability to fill short overtime pieces
- . Expected attrition
- . Vacation schedules
- . Expected absence rates


"Ideal" manpower levels were tested at one division in June 1979 and eventually established at the remaining three divisions by mid-1980. MTC found it necessary to hire an additional 137 full-time drivers over this period, or an increase of 10.8 percent. As would be expected, the incidence of missed trips dropped substantially, as shown in Exhibit IV-1. Further, because of the overtime expense incurred prior to implementation of the "ideal" levels, MTC actually experienced an improvement in the overall pay hour to platform hour ratio, also shown in Exhibit IV-1. The net effect of the action was a moderate reduction in total cost (i.e., the savings in payhours per platform hour slightly exceeded the increased benefits cost at MTC) and better schedule adherence.

(2) <u>An Interdepartmental Committee Was Established to</u> Coordinate Manpower Planning Needs

This committee was used as a vehicle to reach consensus on the timing and number of trainees required to maintain scheduled service. It was composed of respresentatives from planning and scheduling, research, personnel and transportation. Although the committee is no longer active in a formal sense, it did play an important role in improving coordination among the actors in the manpower planning process. Additionally, decisions as to where new drivers would be assigned, and thus would have to train, were communicated through this committee. Most members of this committee still meet to plan the requirements for periodic driver sign-ups.

(3) A Daily Operating Report Was Developed to Track Operator Utilization and Service Effectiveness on a Division Basis

This daily report provides information to management on the basic elements of operator supply and demand, as well as the results of the match between supply and demand --, operators available but not used and operators assigned at overtime. The daily operating report is incorporated into MTC's overall performance monitoring system, discussed in a subsequent section. EXHIBIT IV - 1 IDEAL MANPOWER PLANNING EFFECTS ON SERVICE EFFECTIVENESS AND DRIVER PRODUCTIVITY



SOURCE: Smith, et al. "An Approach to Ideal Manpower Planning," Transit Journal, American Public Transit Association (Fall, 1980)

(4) <u>The Effectiveness of Extraboard Assignment Was</u> Periodically Evaluated


The purpose of these evaluations is to monitor, in an operational sense, how effective ideal manpower levels have been in reducing uncheduled cost. They are performed by MTC's Research Staff, and thus potentially have the added value of an objective third party.

(5) An Operator Performance Code Was Developed to Promote Better Attendance

MTC's operator absenteeism rate climbed to a high of 9.3 percent in 1980 from 6.1 percent in 1976. MTC had hypothesized that absenteeism had been growing because of understaffing -- little opportunity existed for requested leave, but unpaid sick leave could be taken and "rewarded" through the ample opportunities for overtime work. In fact, however, absenteeism continued to grow after ideal manpower planning was in place, as shown in Exhibit IV-2. As a result, MTC began preparation of an attendance policy incorporating progressively stiffer discipline for poor attendance. Preparation, and thus knowledge, of this began in the summer of 1981, and the new policy became effective in December of that year. The tremendous reduction in absenteeism during 1982 verifies this program's success.

Setting Ideal Manpower Levels

The manpower leveling methodology employed by MTC is designed to determine requirements for three driver categories -- drivers bidding regular assignments, extraboard drivers and part time drivers. They are considered "ideal" levels because they represent the minimum number of drivers required, on average, to meet scheduled demand. That is, they account for scheduled work, absences, vacations and other work normally



left open (e.g., peak period trippers) but assigned to the extraboard in some fashion (e.g., in combinations or at overtime). The process follows these four steps:

- . A complete run cut is performed
- . Regular driver requirements are determined
- Trippers are classified into three categories by the division superintendents
- . Extraboard driver requirements are estimated

Each of these four steps are explained below. An example of the working document used in calculating ideal manpower levels is given in Exhibit IV-3.

(1) <u>MTC's RUCUS System Is Used to Produce Scheduled</u> Driver Assignments

A run cut is completed for each division from six to eight weeks prior to implementation of scheduled service. Constraints on the runcutting process include a weekly 60 percent minimum for straight runs, a maximum spread of 12 hours and spread premium payment for work extending beyond 10.5 consecutive hours. All regular runs (i.e., straight runs and split runs) must be picked. There is no bidding of overtime trippers.

(2) <u>Regular Driver Requirements Are Calculated Based</u> on Weekly Run Requirements

Regular drivers operate straight and split runs. The number of regular drivers required is a function of how many runs are scheduled over the schedule cycle -- seven days in MTC's case -and how many days one driver works during the cycle, normally five. In the example provided by Exhibit IV-3, MTC has 905 runs operating during the schedule cycle, thus requiring 181 regular

EXHIBIT IV - 3 IDEAL MANPOWER PLANNING WORKSHEET

	1913 1 1913 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	5	Total Weekingments Keepingments .45515.914 Requirements	۲. ۲. ۲. ۲. ۲. ۲. ۲. ۲. ۲. ۲. ۲. ۲. ۲. ۲	194 177 Runz Regular Runz	r.• 282 Dr.	
D OPERATION	Effective Zed	Tues. Hed. Thur. 140.40	6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	01. Tues Ved. Thur Fri. 21 157 157 157 157 24 24 24 24 24	Swing: 11 + 106 Ex. Dr.+387 Dr. P.M. /4 the Piece Runs	Iotal Weekday /5 Saturday 795 Sunday 40
PRDPOSED TOEAL SCHEDULED OPERATION	Division Accasted	r sat. sun. P	ners	22 106 10	Readrivers Set. Sun. BunsWorked 79 41 Days Off 202 146 RegOrivers 281 14	1517 Reg Runs + 24 Swing: 1911 Dvertime A.M. 19 P.M. Division Percentage of One Piece Runs	Dhe Piece Weekday 24 Saturday 79 Sunday 40
	Runs Fore Rte Nis Sat Sun Hol Fc. 2 : 2 2	· · · · · · · · · · · · · · · · · · ·	8 9 2 2 10 10 2 2 2 11 11		1) a 1 1 2 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		

operators. The allowable number of regular operator days off is calculated simply as the difference between total regular operator requirements (i.e., 181) and the number of scheduled runs on any given day. When regular drivers bid a run, they select their days off based on this distribution.

(3) <u>Trippers Are Classified As To Whether They Are</u> <u>Assigned At Overtime, To Part Time Drivers Or As</u> <u>Combinations To The Extraboard</u>

In addition to straight and split runs, a number of short pieces of work are contained in the schedule which do not fit within contractually legal runs. These assignments, called trippers, can be assigned in one of the three ways given above. Each method of assignment usually has a unique cost impact. Trippers assigned to part-timers always cost the least; overtime trippers cost less than tripper combinations up to a point, generally around six platform hours considering MTC's wage and benefits cost structure.

MTC follows a three step process to "ideally" assign these trippers in one of the three ways defined above. Their actual daily assignment can and does differ as manpower availability varies through the week. The ideal assignment, however, provides an important component of forecasting manpower levels cognizant of part time drivers and the level of overtime work which is operationally feasible. The three steps which MTC employees utilize to determine ideal tripper assignments are:

- Overtime tripper levels are initially determined by the scheduling section
 - each division's capacity to absorb overtime trippers is derived from historical daily assignment data
 - initial estimates are refined via contact with transportation division managers

- remaining AM and PM trippers are eligible for assignment to part time or combinations
- Tripper combinations are developed with the objective of minimizing non-productive pay
 - initial targets for combinations and part time trippers are set by the scheduling section
 - critical trippers (i.e., those where the system can least accept a missed or late trip) are screened out for eventual assignment to part time operators
 - distant routes in areas with unclear street signage, thus requiring familiarity
 - .. other assignments where driver consistency is a plus (e.g., school work)
 - remaining trippers are considered for combinations. (MTC's labor agreement specifies a maximum percentage of split runs; split runs exceeding this limit must be assigned to the extraboard.)
 - .. maximum spread time is overriding concern
 - select combinations paying closest to eight hours
- Part time trippers consist of those falling through from the above two screens
 - part time drivers can work up to 30 hours per week, two pieces per day
 - work consists of "most difficult" trippers from above and tripper combinations exceeding the target

(4) Extraboard Driver Requirements Are Calculated From Daily Tripper Combinations, Absence Estimates And Vacation Levels

The number of tripper combinations on weekdays, Saturdays and Sundays form the basic demand set for the extraboard. Added to this are estimates of drivers needed to be "on-call" (or stand by) and estimates of drivers on sick leave or absent for other reasons. The weekly requirement for the extraboard drivers is then determined, and drivers on vacation are added in. These basic steps are described below:

- The number of drivers on call, for planning purposes, is worked out jointly between the Scheduling section and each division. Parameters affecting this decision include:
 - the amount of call time (i.e., unscheduled guarantee) paid during the period of the last driver pick
 - changes in absence rates

The number of drivers sick and on other leave is determined from the previous quarter and the same quarter of the previous year.

- this number is expressed in terms of full time equivalents
- each part time driver set equal to 60 percent of a full time driver

The total number of extraboard drivers required over the week is calculated in the same manner as for regular drivers (see Exhibit IV-3)


- total weekly requirements are calculated (i.e., extraboard requirements for Saturday, plus Sunday, plus five times the weekday requirement, or 455 in the case of this example)

- weekly requirements are divided by five to yield the total number of extraboard drivers required over the week (i.e., in the example 455 + 5 = 91)
- The number of drivers on vacation is added to total extraboard requirements
 - weekly vacation levels are known from vacation sign-up (i.e., 15 in the example)
- variations in vacation levels within a sign-up period are made to coincide with variations in service levels


The ideal manpower planning methodology offers a simple and straightforward means of developing targets for manpower levels. It has proved to be, however, somewhat insensitive to significant changes in MTC's attrition and absenteeism rates. Both of these factors affecting manpower availability declined markedly in calendar year 1982. As a result, while actual manpower levels fell below the calculated ideal (as shown in Exhibit IV-4), MTC experienced an increase in both the "net" pay hour to platform hour ratio and the "gross" ratio (as shown in Exhibit IV-5). The net figure includes driving and non-driving, but working, time. The gross figure includes net pay hours, plus paid leave hours, and includes other fringe benefit cost expressed in terms of pay hours. Prior to deceleration in attrition and absence, the ideal process has consistently yielded positive results.

Description of MTC's Manpower Planning Process

The description which follows addresses the timing and content of functional activities (i.e, work tasks) and manpower planning activities in the context of the service







implementation process. The Ideal Manpower Plan, discussed in the previous section, is one component of the overall manpower planning process. The remaining components, and their integration, include procedures which yield flexibility to vary manpower availability in response to variations in demand.

The manpower planning process followed at MTC is depicted in Exhibit IV-6. As mentioned previously, MTC has been reducing service levels for some time. As a result, some of the activities have become less of a priority than they heretofore had been. Any activities addressing hiring, for instance, are dormant for the time being. The purpose of the following discussion is to describe all these activities as they normally would occur.

1. THE FUNCTIONAL ACTIVITIES CREATE INFORMATION USED TO GUIDE OPERATOR AVAILABILITY DECISIONS, AND INCLUDE PROCEDURES TO ADJUST AVAILABILITY IN RESPONSE TO NEED

While most of the service implementation components at MTC are common to any transit system, some are uncommon or have unique functional activities associated with them. Each of these functional activities are briefly described below within the context of six steps progressing toward daily service implementation:

(1) <u>Service Planning Develops Estimates of Vehicle</u> Miles to Be Operated Per Month

- . These become the basis for the driver wage budget
- . They also act as a guide to scheduling for the amount of service to be added or deleted

IV-11

REPORTS STATUS BY CONTROL CENTER ASSIGN CALL OPERATORS COMPILE DAILY OPERATING REPORT DISPATCHING POLLING" OF EACH BASE's OPERATING DAILY SURPLUS/DEFICIT BY DIVISION EXPLORE BALANCING OPTIONS TRANSPORTATION MANAGERS • . • MEETING PROJECT ASSIGNMENT (1 DAY TIMEFRAME) TRANSFER OPERATORS AS REOUIRED ASSIGN OPEN PIECES -BOARD SHORT TERM HIRING PLAN BY DIVISION **OPERATIONS COMMITTEE** MONTHLY PERFORMANCE REVIEW --INTERNAL BOARD EVERY 4 WEEKS DEVELOP DAYS OFF COMBINATION FOR EXTRA OPERATORS MTC's MANPOWER PLANNING PROCESS MANPOWER BOARD 4 . . 4 OR MORE TIMES PER YEAR DEVELOP AVAIL ABLE OFF DAYS SET EXTRABOARD CALL OPERATOR LEVELS AT EACH BIDS, HOLIDAY PICKS SHAKE-UP (6 WEEK TIMEFRAME) FOR REGULAR OPERATORS ADMINISTER OPERATOR ADMINISTER SHAKE UP MEETING DIVISION e. . DE VELOP SCHEDULED ASSIGNMENTS IDEAL LEVELSBY DIVISION (2 MONTH TIMEFRAME) SCHEDULING **PROJECT** • DEFINE MILES OPERATED PER MONTH SERVICE PLANNING (UP TO 1 YEAR TIMEFRAME) ANNUAL BUDGET PLAN ŧ •

ADMINISTER VACATION HOLD DOWN BIDS

VACATION BIDS (TWICE PER YEAR)

FUNCTIONAL ACTIVITIES

MANPOWER PLANNING ACTIVITIES

EXHIBIT IV-6

(2) Scheduling Develops Daily Driver Assignments

- MTC has five operating divisions, each of which belongs to one city division
- Depending on projected operator availability, scheduling may alter the division assignment of open trippers or entire routes to yield a better balance
 - if routes are moved, a city-wide pick must be held
 - if only open trippers are moved, no pick is required
 - MTC can alter the schedule at their discretion
 - a minimum of four driver picks are required per year
 - presently have six picks
 - no picks can last more than 16 weeks
- (3) Shake-up (i.e., Service Change) Planning Is Guided By Ideal Manpower Levels And Attempts to Balance Manpower Among Divisions
 - . Vacation bids are made twice per year to reduce the impact of drivers moving among divisions
 - Vacation hold-downs and holiday picks are made at every shake-up to increase predictability in assigning work

(4) An Extraboard Pick Is Held Every Four Weeks, Providing Interim Means to Match Operator Availability to Demand

The extraboard assignments are rescheduled every four weeks to reflect interim changes in manpower availability (arising from monthly changes in vacations, absenteeism, etc.) and chosen by seniority in the fourweekly "pick". Also develops days-off combinations for extra operators.

- Hold-downs for long-term illnesses are made weekly
- Allowed days off for extraboard drivers can be recalculated every four weeks
- This allows MTC to adjust extraboard driver supply to variations in demand among weekdays, Saturday and Sunday (e.g., in response to high seniority drivers being off on weekends)

(5) <u>Board Assignment Can Temporarily Transfer Opera-</u> tors Among Divisions On A 24-Hour Basis

- Tripper assignment may be modified from "ideal" by moving open trippers among divisions to adjust for manpower surplus/deficits without having to move drivers
- Excused leave used as a safety valve in manpower surplus situations (i.e., encourages use of requested day-off as a means of reducing surplus)

(6) <u>Daily Dispatching Is Responsible For Assigning</u> <u>Call Operators</u>

- . Call operators are split if they did not receive a full day's assignment initially
 - Shop transfers of buses, road calls used to take up slack

2. THE MANPOWER PLANNING ACTIVITIES FOCUS ON MAINTAINING IDEAL MANPOWER LEVELS

Ideal manning is generally considered the benchmark against which MTC evaluates manpower levels. As explained earlier, ideal levels are recast with each driver pick, or shake-up. In MTC's downsizing mode, this comparison addresses management of attrition and service levels. Prior to commencement of service decreases, the ideal levels were used to validate and update the annual hiring plan. In any case, there are four points of review where actual and projected manpower levels are compared against the ideal:

- (1) The Transportation Managers Meeting Reviews the Effectiveness And Efficiency of Current Manpower Levels
 - Data summarized from dispatching activities and payroll provide input on effectiveness (e.g., missed or late pull-outs) and efficiency (e.g., pay hour to platform hour ratio, call time)
 - Meetings are held at least monthly and are basis of decision for transferring extraboard operators or, depending on extremes, initiating a new shake-up
- (2) <u>A Separate Manpower Planning Meeting Was Held</u> Weekly When MTC Had Frequent Hires
 - Purpose was to coordinate needs and make hiring recommendations; transportation, scheduling, personnel and research attended
 - . Now held only in advance of driver picks
- (3) <u>The Shake-Up Meeting Makes Final Decisions On</u> <u>Allocation of Drivers to Each Division In Advance</u> <u>of The Pick</u>
 - . Division managers and scheduling attend
 - Evaluate if each division is to be at surplus or deficit when service is implemented, take action as appropriate

(4) Monthly Performance Reviews Jointly Evaluate Ideal Manpower Levels, Service Effectiveness And Efficiency, And Performance Against Budget

- Data base is identical to that used in other interim meetings, but is presented in summary fashion for the monthly review
- Performance data is reported for all activities to all MTC managers, along with an in-depth review of one area (e.g., changes or trends in the pay hour to platform hour ratio)
 - Summary performance is reported to the Board and the Operations Committee of the Board

The data which support the manpower planning process originate from daily dispatching activities. The way in which this data is organized is described in the following section.


Description of MTC's Manpower Performance Reporting System

MTC relies upon a manual, integrated system of reports to track all the variables affecting operator availability. The consistency of this data base allows the sections which touch upon manpower planning -- transportation, scheduling and research -- to evaluate performance based upon a common view of reality. Six reports are utilized to describe operator availability on a daily, weekly and monthly basis. Each of these are briefly described below:

(1) <u>The Daily Operating Report Serves As A Basic Data</u> <u>Source For All Reports Describing Operator Avail-</u> <u>ability</u>

A sample Daily Operating Report, compiled at the division level, is shown in Exhibit IV-7. This report is filled out for both the AM and PM

	REPORT
EXHIBIT IV	OPERATING
	DAILY



Ø

periods, and addresses the following basic items of operator availability data:

- Amount of work performed
 - regular service
 - unscheduled service
 - foreign service (i.e., trips operated for another division)
 - lost service
 - late service
 - off peak service variations
 - Drivers
 - total assigned to division
 - allocation of scheduled drivers working, including those not used
 - drivers working overtime
 - drivers scheduled off
 - drivers off scheduled duty
 - drivers lost to attrition
- (2) The Weekly Operations Summary Describes Current Manpower Levels, Attrition and Students In-Training
 - . Compares actual full-time equivalent manpower levels to the ideal, by division
 - . Summarizes attrition to date, by division
 - Summarizes students in training and expected turn-in date
 - . Describes service losses by day per division

(3) <u>The Daily Operations Data Board Worksheet Is Used</u> to Monitor The "Idealness" of Ideal Manpower Levels

This report also compares actual to ideal manpower levels and also reports the following descriptive statistics, by division:

- . Daily statistics
 - absenteeism (percent and raw)
 - accidents
 - drivers assigned at overtime (percent and raw)
 - Weekly statistics
 - payhour to platform hour ratio
 - unscheduled absences
 - lost trips

(4) <u>The Monthly Operating Report Summary Tallies</u> <u>Operator Demand and Supply Information for Each</u> <u>Division</u>

This report is a primary input to the ideal manpower calculation, and is summarized from the daily operating report. It provides the following information, by day:

- . Service operated
 - regular
 - charter
 - extra
- . Driver availability
 - number not available less than required (i.e., deficit in rspect to work)
 - foreign work

- . operated by the division
- .. operated for the division
- lost trips

Driver days-off and absenteeism

- scheduled off
- request off
- missed
- sick and workers comp
- miscellaneous

Total overtime

(5) <u>The Management Level Monthly Performance Report</u> <u>Provides Descriptive Indicators For Several Oper</u>ator Availability-Related Variables

This report encompasses all areas of transportation and maintenance, and is transmitted to a number of MTC managers. Performance for the month is summarized at the system and division level. The wide distribution of this report makes performance a very visible commodity, and probably provides an informal incentive to improve performance. The operator availabilityrelated indicators it reports are as follows:

Driver levels

- in comparison to ideal
 - number of part time drivers
- average daily percent of overtime drivers

Payhour to platform hour ratio

- net (i.e., excluding paid leave and fringe)
- gross (i.e., all inclusive)

Service reliability

- missed trips
- late pull-outs

 average daily incidents resulting in lost mileage

Absenteeism

- scheduled
- on business
- on leave
- held off
 - late/no-show

Attrition

(6) <u>The Chairman's Monthly Performance Report Pro-</u> vides Graphical Trend Data For The Current and Past Fiscal Year

This report is distributed to the chairman and members of the Operations Committee, and contains an abstraction of data distributed through the management-level report. It contains the following information related to manpower availability:

- . Average daily missed trips
- . Average daily late pull-outs
- . Payhour to platform hour ratio, actual compared to budget
- . Actual versus ideal manpower
 - full time
 - part time
 - Driver absenteeism

* * * * *

MTC's use of the Ideal manpower planning process provided two important benefits. First, it provided a structure by which several departments could interact in managing operators availability. Second it became a means by which performance could be monitored -- a benchmark. The Ideal process became an established tool because it was effective for planning purposes, was flexible so as not to constrain operational considerations and included a feedback mechanism which described resulting effectiveness.

V. CAPITAL DISTRICT TRANSPORTATION AUTHORITY CASE STUDY

This chapter describes the procedures employed by the Capital District Transportation Authority (CDTA) in managing operator availability. The procedures, which have been refined over the last several years, are embodied in a series of policies and activities which cut across functional lines of the organization. The dominant feature of CDTA's operator availability management is controlled decision-making, relying heavily upon performance achievement in respect to a plan.

Typical of many medium-sized properties today, maintaining the balance between operator supply and demand at CDTA is less critical than in previous years because current economic conditions have not been conducive to service growth. Such service stabilization has reduced hiring requirements to replacement of those operators lost through attrition. This situation, of course, was not always true at CDTA.

1970, and todayserves nearly was created in CDTA riders in Albany, Schenectady, and 12 million bus Troy annually at an operating cost of approximately \$13 million. It currently employs 258 bus operators who drive about 5.3. million miles of scheduled service per year. These bus operators are represented in the collective bargaining process with the Authority by two divisions of the Amalgamated Transit Union -- Local 1321 in Albany and Troy, and Local 1283 in Schenectady.

V-1

Like many transit agencies who transitioned service from private ownership to public operations in the 1970s, CDTA modified and expanded the service according to the financial resources it could garner through federal, state, and local support. During its formative years, CDTA Board Members and their special committees were deeply involved in the operational functions on the agency, including service level changes, hirings, procurements, and salary review decisions. As the Authority continued to grow, Board Members continued to have substantial involvement in the daily operations, even as additional and competent staff in planning, finance, and public information were brought on-board. As a result, the of distinction lack between executive and staff responsibilities constrained the flexibility often required in operations decision-making.

The remainder of this chapter describes the evolution of CDTA's existing approach to operators availability management, then documents the activities which it encompasses.

Evolution of CDTA's Present Approach to Managing Operator Availability

Recognizing the problems introduced above, CDTA conducted a management improvement study in 1978-1979 in selected areas and functions of the organization. Among the study's topics were several procedures impacting operator availability management procedures:

- . Separation of policy and operating functions;
- . Personnel planning;
- . Service change and innovation;
- . Automated data processing;
- . Scheduling; and
- . Biddable tripper/extra list mix.

The study findings confirmed much of what was already known or suspected by CDTA. Options for change were described and recommendations were made that offered direction for operational improvement.

In light of increasing expenditures and the impending cessation of federal operating assistance, the CDTA retained the present Executive Director and together took actions that would improve organizational performance. Coupled with the functions of budgeting, service scheduling, and dispatching, CDTA now utilizes four procedural activities to manage their operator work force availability. These activities are both interactive and communicative.

(1) Objectives Are Established At Each Operating. Division In Support Of Authority Goals

At the beginning of each year, the Executive Director requests each department head to establish measurable objectives that are supportive of CDTA's goal and overall mission, as shown in Exhibit V-1. The goals established by the Executive Director are similar each year because they are, by design, of a continuing nature. However, emphasis may be placed on different areas each year because of the previous year's performance. In 1983, emphasis was placed on:

- Loss control, particularly in all aspects of safety;
- . Productivity (i.e., improve output per unit of input);
- Performance measurement (i.e., improve monitoring and measurement procedures); and
- . Training (i.e., improve the skills of all employees).

V-3

EXHIBIT V-1 CAPITAL DISTRICT TRANSPORTATION AUTHORITY 1983 OPERATING GOALS

- Productivity To maximize the effective economic use of available resources, particularly human effort
- 2. Economy To provide public transportation that is economical to use and at the lowest feasible level of public support
- 3. Safety To provide public transportation that is increasingly safe
- 4. Effectiveness To provide quality public transportation that is available and dependable
- 5. Responsiveness To provide public transportation that is responsive to public needs
- 6. Public Policy To foster an improved public policy toward public transportation
- 7. Management To develop and maintain a desire for excellence at all levels of the organization

(2) <u>An Attendance Control Program Was Established To</u> <u>Reduce Absenteeism</u>

The Attendance Control Program has been successful in reducing operator-lost days (i.e., days lost in transportation) between September 1980 and February 1983 by approximately 43 percent. Exhibit V-2 shows the favorable trend achieved at CDTA through implementation of the program. While maintenance absenteeism has increased over the three-year time period, transportation absences show a marked decrease.

The thrust of this program is based on attentive, day-to-day review of each operator's absence record. Reviews of performance are made each day by Division Superintendents and the Transportation Manager with corrective actions taken, as necessary, for excessive absence frequency and/or duration. Monthly records are prepared by the Transportation Manager for review by the Executive Director. The Job Status Committee, consisting of the Executive Director, the Transportation and Maintenance Managers, the Director of Personnel, and the Coordinator for Employee Relations meet monthly to review each absence-problem employee and determine appropriate actions to be taken in each case.


(3) <u>A Monthly Reporting of Operator Needs Is Required</u> From Each Operating Division

Division superintendents provide monthly projections of manpower needs indicating whether they expect a surplus or deficiency in personnel in the upcoming month. These reports are consolidated and evaluated monthly by the Transportation Manager and quarter-annually by the Executive Director.

Decisions made that affect the operator availability process are not totally based on division superintendent estimates, but rather on a combination of factors that also include:

- . Absenteeism trends;
- . Service cuts that occurred as a result of operator unavailability;
- . Public comments and complaints.

EXHIBIT V-2 THREE YEAR TREND IN LOST TIME AT CDTA



Unscheduled costs and, in particular, unscheduled overtime; and

Future changes in service policies.

(4) <u>All Service Change Requests Must Be Evaluated By</u> The Staff Services Committee

All service change or modification requests that are received by CDTA are analyzed and evaluated by the Staff Services Committee. This committee recommends actions to a Special Services Committee composed of CDTA Board members. The Special Services Committee may require additional analyses by the staff committee or recommend to the Board that the change or modification be implemented on a trial basis.

Most non-fare service changes will require an analysis of operator requirements through the runcutting process, unless such changes are so minor that they can be accommodated within the capacity of the present operator work force. Types of service changes which may require work force-size analyses and which may affect the balance of supply and demand of operators include:

- . Scheduled service frequency;
- . Route location;
- . Bus running and layover times;
- . Vehicle operating speeds;
- . Establish/eliminate route services; and
- . Establish special services.

Operator Availability Management Process

The operator availability management process may be defined by basic procedures that occur in six areas of activity. These areas include:

- Management-by-objectives;
- . Budgeting;

- . Service evaluation;
- . Attendance controls;
- . Operator requirements; and
- . Scheduling and dispatching.

The interrelationships of these activities are shown in Exhibit V-3. They are described through two dimensions -- activity responsibilities and activity frequency -- in the sections that follow .


(1) The MBO System Serves To Focus Management's Attention On Problem Areas of Operator Performance and Productivity

While the goals of the CDTA are broad and continuing, the Executive Director provides overall direction to Department Managers in December of each year by identifying areas in need of improvement. During the following month, the Transportation staff meets several times to develop objectives, first by operating division and then collectively by department. The previous year's objectives are reviewed together with their results.

This year, the CDTA Transportation Department established two principal, related objectives:

- Reduce operating costs in selected areas, namely:
 - reduce operator lost time; and
 - reduce passenger accidents.
- . Improve the quality of line service through improved reliability and efficiency.

The objective of reducing operator lost time included setting performance targets for reducing sickness, on-the-job injuries, and misses by percent over the previous year. Lowering lost work days effectively reduces the requirements for extraboard operators to fill the open work



CDTA OPERATOR AVAILABILITY MANAGEMENT PROCESS

resulting from absences. Improving the quality of line service may be evaluated, in part, by the number of cut runs and trips which affect headway and service reliability. This objective places renewed effort to have no cuts due to operator unavailability. The achievement of improved performance, as described by these examples, will impact the process of maintaining balance in the number of available operators and productive work.

(2) The Operator Budget Is Prepared By The Comptroller Based on Monthly Pay Hour Projections

Each year, the Comptroller prepares an operating budget for adoption by the Authority's Board of Directors. The operator labor cost component of the budget is targeted on a monthly basis using straight time and overtime projections developed by the Planning and Development Department. These projections are based on planned service and the number of expected platform hours that are incurred by schedule type. Platform hours by schedule type are received from the Transportation Department's scheduling func-The platform hours are summarized on a tion. monthly basis and factored to produce driver straight time and overtime hours. The current factors that have been developed are:

- . Straight pay hours = 1.06 * Platform hours

- Overtime pay hours = 0.17 * Platform hours

Each month, the Comptroller produces a Key Target Report, as shown in Exhibit V-4, that compares the differences in actual versus targeted (or budgeted) operating statistics. This monthly report is reviewed by the Executive Director and the Board. Once every six months, staff makes a formal presentation of the cumulative results and receives comments and direction regarding actions that should be taken to reverse or retard adverse situations.

The effect of these procedures on operator availability management is directly related to the Board's actions. For example, the Board may

		CE % 6.86 -2.57 ******	-0.89	*****		-1.15		-0.91	****	-0.90	-9.89	-2.51	-24.29 -2.72	*****
	TE	D1FFERENCE 399964 -341657 **********	-10970			-6040		-1443	*****	-47435	-4125 -51560	-10604	-1013	******
	VEAR-TO-DAŢE		1232613	******		525169		158504	******	5298941	41700 5340641	422796	4170 426966	******
	~	ACTUAL 6231918 12958731 ************	1221643	*****	442929 76200	519129		157061	******	5251506	37575 5289081	412192	3157 415349	******
1983	Ξ	DIFFERENCE 85912 13192 ************	5980	***************************************		-736		-504	************************	8113	-3792 4321	823-	-366 -904	***************************************
JANUARY, 14	THIS MONTH	TARGET 578027 1310104 ********	120727			51536		15352		519335	4170 523505	41481	417 41898	
MONTH OF J		ACTUAL 663939 1323296 ********	126707	*****	43444 7356	20800	14005 843	14848	*****	527448	378 527826	40943	4099,4	*****
Σ		ACTUAL TARGET DIFFERENCE ACTUAL TARGET PERATING REVENUE 663939 578027 85912 6231918 5831954 PERATING COST 1323296 1310104 13192 12958731 13300388 PERATING COST 1323296 1310104 13192 12958731 13300388 PERATING COST 1323296 1310104 13192 12958731 13300388 PERATING COST 13247452 13109993 13192 1277104 1145963	UEL USE	*********************************	RIVERS' HOURS STRAIGHT TIME OVERTINE	TOTAL	ACTIANICS' HOURS STRAIGHT TIME OVERTIME	TÜTAL	*************	11 LES OF SERVICE ROUTE	CHARTER TOTAL	NURS OF SERVICE ROUTE	LHAKIEN TOTAL	***************************************


EXHIBIT V – 4 CAPITAL DISTRICT TRANSPORTATION AUTHORITY KEY TARGET REPORT

desire to reduce the growth rate of driver overtime hours. Such action may require staff to find another way to accomplish the overtime work that could include the hiring of additional operators and/or reducing absenteeism. The reduction of absences increases the available hours of operators for productive work.

(3) The Staff Services Committee Evaluates The Change In Operator Requirements Due To Potential Change Or Modification In Service

Once every four to six weeks, the Staff Services Committee meets to consider and analyze all service change and modification requests. The requests may be initiated by the public, members of the Board, elected officials, or by the CDTA staff itself. Staff requests, for example, may emanate from the Transportation Departments and include problems encountered in operations such as passenger overloads or traffic congestion. They may also result from CDTA's Route Evaluation Process which is managed by the Planning and Development Department. This process uses daily passenger counts on each route taken from operator's records together with cost and operating statistics to produce measures and indicators that allow rank ordering of route service performance. Based on the analysis of information, the committee can make recommendations to the Executive Director and the Board for their actions. This process is shown in Exhibit V-5.

The impact of any decision to revise the service plan directly affects the scheduling function. Since one member of the Staff Services Committee is the Supervisor of Schedules, his responsibility is to assess the impact of requested service revisions on the scheduled runcuts as well as the requirements for operators. The cost of changing services (as well as the benefits) are analyzed with the Committee's recommendation presented to a Special Services Committee of the Board who takes further action regarding the service change request. Although the question of operator availability may not



always be explicitly addressed by the Board in minor service changes, the Supervisor of Schedules does determine the change in operator requirements through the runcutting process. CDTA is currently in the process of retaining outside assistance to install an automated runcutting mechanism to speed-up the process and assist the Authority to make more informed decisions.

(4) <u>The Attendance Control Program Regulates The Need</u> for Additional Operators

The CDTA Attendance Control Program impacts the management of operator availability through its effectiveness in reducing absenteeism. Since the level of service has remained stable during the past few years, the reduction of absences has acted to fill the gap left by normal attrition of operators by requiring less operators to fill the open work. Exhibit V-6 provides a graphic display of the processes used in the program, beginning with the collection of basic absence information on a daily basis.

- Dispatching provides the basic information for the process
 - Absences are reported in a Daily Status Report, as shown in Exhibit V-7.
 - Absence data are collected by individual and type.

Division Superintendents issue written notifications to each absentee .

- Daily report information is entered into each operator's work record.
- Notification forms, as shown in Exhibit V-8, issued to operators on the occasion of each absence.
- If operator has lost 15 or more days due to non-company-controlled absence, corrective action is taken by the




EXHIBIT V – 7 CAPITAL DISTRICT TRANSPORTATION AUTHORITY Transportation Department

DAILY STATUS REPORT

DAY FRIDAY

DATE 3-25-83

CREW	OPERATOR LAST FIRST	ID	DAYS OFF	CODE	LAST DAY WORKED	Time Date Off Off	DATE OK
14-C		9878	SUN-SAT	A-13	1-13-83	1-14-83	
9A4		7054	SUN-SAT	A-1	1-31-83	1-31-83	
913		3498	SUN-THY	A-10	2-22-83	2-28-83	3-28-5
3084		7249	SUN-SAT	A-13	3-4-83	3-4-83	3-28-83
33-C		8525	SUN-SAT	A-1	3-17-83	3-17-8.3	
916		7351	WEDThu	A-13	3-18-83	3-19-83	
15-A		7326	SUN-SAT	A-13	3-18-83	3-21-83	3-28-83
4-A		8448	Sun-Sat.	A-13	3-23-83	3-24-83	
1084		6912	SUN-SAT	A-18	3-24-83	3-25-53	
1804			Sun-Set				
99H		1683	Sun Str	A22	3-25-83	3-25-83	
954			Sundit				
8-C		9526	SUN-SAF	A-20 8	3-25-83	3-25-13	3-28-83

TD-5	
(REV	4-1-82)

EXHIBIT V – 8 CAPITAL DISTRICT TRANSPORTATION AUTHORITY

Transportation Department

NOTIFICATION FORM

NAME:			ID NO.		DATE OF OCCURRENCE
DIVIS	ION:				
	Rules a				or a violation of Company scheduled. This Notifi-
			ATTENDANCE		
		Absence (Extension of Da	ys Off)		Absence (Miss)
		VIOLATION	OF RULES/REGUL	ATIC	DNS
		Failed to display ID			Radio Procedures
		Uniform			Off Route Operation
		Ahead of Schedule			Destination Signs
		Smoking			Other
		FIRST NOTIFICATION	SECOND NOTIFI		
		Your absence has been no			violation has been noted.
		respect to the above.	corrective action	one	and improve your record in
		You are notified that a	hearing has been	n sc	heduled at the office of
			on (day)		, (date)
		at (time), for	r the following	rea	son:
	SIGNED			_	DATE:
Dist.:	-	inal - Operator			
		- ATU Rep - File			

Division Superintendent with a Record of Actions Taken, as shown in Exhibit V-9. Such actions may include:

- .. Informal counseling
- .. Verbal warning
- .. Written warning
- .. Suspension
- .. Termination

Monthly absence reports serve as a means for tracking performance objectives

- Departmental lost-day summaries are prepared each month by operating division and type, as shown in Exhibit V-10.
- Selected categories of absence summaries are prepared, as shown in Exhibit V-ll, by operating divisions as comparative reminders of the objectives first established in January.
- Annual summaries by individual and absence type are prepared by the Transportation Manager which serve as a guide in the establishment of annual objectives. These are also reviewed with the Union representative to identify problem situations.

A Job Status Committee focuses on the identification and disposition of special absence cases

Special problem absences such as extended illness due to disability or compensable injury are carefully handled by the Transportation Manager in coordination with the Executive Director, the Coordinator for Employee Relations, and the Director of Personnel through the Job Status Committee. This committee reviews each special problem on a case-by-case basis with appropriate action follow-ups by the Transportation Manager and/or the Personnel Director. Such follow-ups with employees may include:

EXHIBIT V – 9 CAPITAL DISTRICT TRANSPORTATION AUTHORITY
Transportation Department
RECORD OF ACTIONS TAKEN Absences/Violations
NAME: ID NO SEN. DATE:
DIVISION: DATE ACTION TAKEN:
Action has been taken as a result of:
MISS ABSENCE (Extension of Days Off) ABSENCE (Overall poor record)
PREVENTABLE ACCIDENT(s) VIOLATION OF RULES/REGULATIONS
OTHER (Explain under "Remarks")
Type of Action Taken:
TD-5 Issued: YES NO FIRST SECOND THIRD
Hearing Held: YES NO If Hearing held; Union present? YES
Date of Hearing:
Individual received: COUNSELING VERBAL WARNING RE-TRAINING
DISCIPLINARY LETTER SUSPENSION (No. of days)
FINAL WRITTEN WARNING BEFORE TERMINATION
REMARKS: (Provide all facts relative to the above)
Signed: DATE:
Dist: Origina: - Manager of Transportation
Copy - Coordinator of Employee Relations Copy - Division File
Copy - Overator's File

EXHIBIT V - 10

TO: Administrative Assistant (B. Voss)

FROM: TRANSPORTATION Department MONTH: - FEBRUARY 1983

TOTAL LOST PERSON-DAYS FOR MONTH WERE AS FOLLOWS:

CATEGORY		ALBANY	SCHEN.	TROY	TOTAL
Excu	sed Absences				
A-4	Excused	7	4	10	21
A-7	Family Death	4	-		4
A-17	Birthday	8	1		9
A-18	Personal Day	19	9	10	38
Unexc	cused Absences				
A-5	Miss, failed to report	5	4	6	15
A-8	Family sickness				
A-9	Family emergency	2	1	2	5
A-12	Refused suitable work				
A-13	Sickness, not yet eligible for disability benefits	51	15	13	79
A-15	Transportation/unable to report	6	3	2	11
A-19	Late and did not work all day				
A-22	Unexcused absence		3		3
Disab	<u>vility</u>				
A-2		57	40	52	149
Compe	nsation				
A-1		59	40	33	132
Suspe	nsion				
В		6	3		9
TOTAL	S	224	123	128	475
		De RY			
Revised 6-	82	Signa	ture of Dep	partment	Head

EXHIBIT V - 11 CAPITAL DISTRICT TRANSPORTATION AUTHORITY Transportation Department

MEMORANDUM

- TO: Manager of Transportation
- FROM: Assistant to Manager of Transportation QVing
- DATE: March 4, 1983
- RE: Systemwide Attendance Comparison February 1 - 28, 1983

SELECTED CATEGORIES

		Feb. 1	982			Feb.	1983		%-
	A	S	T	SYS	A	S	T	SYS	SYS
Single Sick Days	49	17	36	102	51	15	13	79	- 23
Miss	5	8	7	20	5	4	6	15	- 25
Compensation	28	37		65	59	40	33	132	+103

OVERALL STATISTICS

DIVISION	Feb. 1982 Total Days	Feb. 1983 Total Days	+ &
Albany	238	224	- 6
Schenectady	141	123	- 13
Troy	129	128	- 1
System	508	475	- 6

- Weekly communications;
- Physical examinations;
- Interview immediately upon return to work; and
- Counseling and/or warning letters.
- Perfect attendance is recognized by top management

The Director of Personnel issues a report to the Executive Director of employees who achieved perfect attendance for the prior year. The Executive Director, in turn, sends a personal congratulatory letter to the employee's home, has posted a notice of congratulations to the employee in all work areas, and institutes the featuring of these employees in the company newsletter.

The CDTA Attendance Control Program has been quite effective in reducing absenteeism, as demonstrated in Exhibit V-12. This absence reduction over the past three years has played a major role in reducing operator requirements. The number of operators required in February 1983 was 18 less than the previous year for essentially the same level of service.

(5) The Estimation Of Operator Requirements Lends Structure To Monthly Manpower Planning

Division superintendents prepare a monthly report of operator manpower requirements for the succeeding month. This estimate is compared to the existing work force size and is found by determining each of the following:

- The number of regular and relief operators needed to cover the upcoming scheduled runs;
- The number of vacation floaters needed to cover upcoming peak vacations;

EXHIBIT V - 12 CAPITAL DISTRICT TRANSPORTATION AUTHORITY Capital District Transportation System Capital District Transportation System No. 1 Capital District Transportation System No. 2

OPERATING RESULTS

PERFORMANCE	INDICATOR:	Attendance
PERFORMANCE	INDICATOR:	Attendance

PERIOD COVERED: February, 1983

FIGURES ARE:

Person-Days Lost to Absence

ALBANY TROY DIVISION DIVISION

TOTAL

SCHENECTADY

DIVISION

TRANSPORTATION DEPARTMENT	224	128	123	475
MAINTENANCE DEPARTMENT	126	45	24	195
ALL OTHER DEPARTMENTS	32	0	0	32
TOTAL	382	173	147	702

NOTES: Compare these results to past performance:

	Feb. <u>1981</u>	Feb. <u>1982</u>	Feb. 1983
Transportation Dept.	741	502	475
Maintenance Dept.	165	230	195
All Others	19	_23	32
Total:	925	761	702

Overall, we are about 7.8% better than last year. We still have room for improvement, however. This represents <u>about</u> 23 lost days per employee per year!

- The number of extraboard operators needed to cover operators who may wish to take days off as personal leave in lieu of available sick leave (a contract provision);
- . The number of extraboard operators to cover miscellaneous absences such as misses and illnesses;
- . The number of extraboard operators needed to cover peak tripper requirements; and
- . The number of extraboard operators needed to cover extraboard days-off.

A consolidation of these reports is prepared by the Transportation Manager and, together with the Supervisor of Schedules, evaluates the net surplus or deficiency of operators. The estimates do not explicitly project or estimate unexpected separations of operators (i.e., attrition losses). Appropriate actions are taken, if necessary, to hire, transfer, or lay-off operators accordingly. Operators may be laid-off by CDTA for lack of work, but retain the right of first recall to fill vacancies.

At least once quarter-annually, the Executive Director reviews the status of operator requirements with the Transportation Manager to determine what actions need to be taken, if any, to optimize operator availability. In the course of the review, consideration is given to the issues of absenteeism trends, future service modifications, runs and trips that were previously cut due to the unavailability of operators, and public complaints received at the CDTA. The appropriate level of operators is finally determined by the Executive Director who considers all of the above factors plus the amount of unscheduled overtime pay that is being experienced.

CDTA's manpower planning process, coupled with the Attendance Control Program, has resulted in a 6.5 percent reduction of the operator work force during the last year, while service levels have remained nearly constant.

(6) The Scheduling and Dispatching Functions Provide the Needed Flexibility to Balance Operator Supply and Demand

The most active functions at CDTA in terms of managing operator availability are scheduling and dispatching. These functions can exert significant influence on the efficiencies of transit operator performance and productivity within the broader parameters (e.g., manpower levels) already established. Their respective activities are summarized below..

- Scheduling translates the scope of transit services into work force assignments through the runcutting process.
- Picks (i.e., driver selections of work) are held three times per year -- in January, June, and September.
 - Total operator requirements may be varied by Scheduling in respect to available manpower, by increasing or decreasing the number of biddable overtime trippers.
 - .. There are no restrictions on the number of bids which may be posted for pick.
 - .. Those trippers which are not posted for bid by regular operators are left open to be chosen by or assigned to the extraboard on a daily basis.
 - .. This flexibility tends to act as a balancing mechanism during periods of operator shortages.
 - In the event of operator surpluses, "special runs" may be created to keep operators productively employed. Such runs, paying eight hours, may be created for short-term bids (i.e., hold-downs) through combinations of trip assignments, janitorial duties,

charters, service crew assignments (assigning buses to operators), distributing schedules, and performing vault truck operations. In the event of driver shortages, the Schenectady Division labor agreement permits supervisors and dispatchers to fill-in for operational assignments.

Dispatching addresses the daily management of operator availability, and is the responsibility of the dispatcher whose job it is to see that all runs are filled and work is covered. In discharging this responsibility, the following activities are performed:

- Communicating with other divisions to determine shortage or availability of operators. Work may be transferred to other divisions in the event of operator shortages.
- Administering hold-down and personnel leave procedures.
 - hold-downs for vacations are posted and selected at the three regular pick times.
 - vacation hold-down positions not selected are worked from the extraboard
 - vacation hold-down operators, known as slated extra men, revert to the extra list when they are not needed (e.g., during uneven vacation schedules)
 - .. Runs which are expected to be open for seven consecutive days or longer may be posted for hold-down on a weekly basis. The slate for such hold-downs are closed on Fridays at 4:30 p.m. prior to the week in which they take effect.

- Preparing Statement of Delays and Cuts, as shown in Exhibit V-13, and transmitting it through the Transportation Manager to the Executive Director, where it is summarized on a monthly basis for systemwide distribution.
- Maintaining a list of available operators who have indicated their desire to work on scheduled days off -- minimum guarantee for work day-off operators, provided they are called in to work is two hours of work at either regular or overtime rates, whichever shall apply.

The dispatcher is aided by labor agreement provisions which enable flexibility in the event that operators are unavailable to staff charters, trippers, and service crew work. Qualified garage and shop employees, for instance, may operate vehicles in revenue service so long as such operation does not interfere with their regular work schedule. Payment for such work is at the top operator's wage rate and all overtime is paid at time and one-half. Operators do not have the authority to pass such work to garage or shop employees.

Additionally, the dispatcher retains some flexibility in sequencing the report times of extra operators. This enables him to alter the match between operator supply and demand throughout the day. The efficiency with which this is accomplished affects the amount of non-productive time paid. At CDTA, this time includes unscheduled guarantee pay (i.e., time to make-up a 40-hour week) and unscheduled spread premium (i.e., time paid after being held in excess of 11 hours).

All extra operators are required to report up to three times daily between the hours of 4:00 a.m. and 6:00 p.m., as determined by CDTA. If extra operators make all required reports but receive no work assignments, they are guaranteed six hours of pay in an 11-hour period following their first report time. They are also guaranteed a 40-pay hour week, assuming they have

EXHIBIT V - 13 CAPITAL DISTRICT TRANSPORTATION AUTHORITY Transportation Department

STATEMENT OF DELAYS

DIVISION	l:	ALBANY		DATE: FRI	., MARCH 18, 1983
LINE	BUS NO	. LOCAT	ION OPERATO	REASON R FOR DELAY	MIN. DELAY SERVICE
8-03	481	Swan/Li	v. St. Jean	involved in accident	12:57-1:10P 13 min.
BUS CHAM	IGES:	CODE C			
2-60		to 471	no radio		
14-03 15-01		to 435 to 507	failed Silent Ala		
15-01	515	10 507	broken fatch on e	ngine compartment door	
	LOAD:	CODE B			
10-01-49	97 West	tbound at Lark	& Washington at 4	:32 pm.	

TOTALS

No. bus changes	3
No. min. delay	13
Full trips cut	· 0
Half trips cut	. 0

RECEIVED

MAR 2 1 1983

MGR. - TRANS. C D T A

TOTAL

DENNIS P. DEE, MGR. OF TRANSPORTATION

cc: Executive Director Mgr. Maintenance Public Relations Supv. Schedules Maint. Specialist made all reports and completed work as assigned. All hours worked by extra operators after the ll-hour period following their first report are paid at the rate of time and one-half.

To guard against the unscheduled guarantee and spread, the Scheduling Supervisor monitors the daily distribution of absences. During the past year, he has realigned the reporting times of extra operators to more closely match the occurrence of open work. A memorandum, as shown in Exhibit V-14, provided the basis for this realignment of the reporting times of the extra operators. A monthly report, as shown in Exhibit V-15, is issued by the Supervisor of Schedules which reports the differences between current results and those of the same period in the previous year.

EXHIBIT V - 14 CAPITAL DISTRICT TRANSPORTATION AUTHORITY <u>Transportation</u> Department

MEMORANDUM

TO: MANAGER OF TRANSPORTATION

FROM: SUPERVISOR-SCHEDULES QK

DATE: OCTOBER 1, 1982

RE: MAY 23, 1982 REALIGNMENT OF A.M. ROLL CALL REPORTS

I recommended in a Memorandum dated March 19, 1982 the following changes be made in the A.M. roll call report times for the extra men for the May 1982 pick of runs.

ROLL CALL REPORTS PRIOR TO MAY 1982

ROLL CALL REPORTS EFFECTIVE MAY 1982

4:00	AM	Report	: •	-	1 Operator	4:00 AM	Report	-	1 Operator
4:30	AM	Report	; •	-	2 Operators	4:40 AM	Report	-	1 Operator
5:30	AM	Roll C	all ·	-	13 Operators	5:30 AM	Roll Call	-	3 Operators
						6:15 AM	Roll Call	-	6 Operators
6:45	AM	Roll C	all ·	-	Balance	6:45 AM	Roll Call	-	Balance

I have made a comparison of September 1981 and September 1982 starting the week of Labor Day when our summer vacation ended. This time provides for a good period of analysis because of the large number of roll call operators available, in comparison to the summer months when there are very few roll call operators.

SEPTEMBER 1981

Number of days in the test period	17
Number of roll call operators	262
Spread time overtime hours	492.75
Average spread hours per day	29.98
Average spread hours per operator	1.88
SEPTEMBER 1982	
Number of days in the test period	18
Number of roll call operators	283


Spread time overtime hours	272.00
Average spread hours per day	15.11
Average spread hours per operator	0.96


EXHIBIT V = 15 CAPITAL DISTRICT TRANSPORTATION AUTHORITY

Average Spread lime Overtime Hours Per Day Per Operator	1.48	1.42	90° -
Average Spread lime Overtime Hours Per Day	28.6	15.1	-13.5
Spread Time Overtime Hours Per Month	572.75	303.00	-269.75
Average Roll Call Operators Per Day	19	10	6 -
Roll Call Operators Per Monțh	385	213	-172
Weekdays Per Month	20	20	0
klonth	February 1982	February 1983	Comparison















VI. SUMMARY AND RECOMMENDATIONS

The previous three chapters have presented different by which operator availability can systems effectively be managed. The virtue of these systems is their simplicity. Each establishes broad parameters at a high (or strategic) in the organization, within which short-term level (or tactical) decisions and corrections are made. Even though each system accomplished this in a different manner, there were several important points of commonality:

- A plan of action existed which was accepted by each participant in the process;
- Procedures were developed and accountability was identified to control organizational interfaces; and
- A means existed to report and evaluate progress against the plan.

These three principles should be a part of any transit system's approach to operator availability management. In the case studies just described, the value of the management process was much more evident than the application of any technique. This is a valid conclusion and should hold in any case. A contributing reason to the lack of innovative techniques, however, is the fact that they are conceptually complex and not presently or readily available.

As regards UMTA's role in pursuing greater management productivity, there are several automated tools and techniques which could be of value to operator availability management.

VI-1

Generally, these tools either improve management's predictive ability, or automate time-consuming activities. These are briefly described in the balance of this chapter.

Recommendations for Further Study

The opportunity to apply automated tools to operator availability management has been greatly increased by the affordability and capability of microcomputers and their peripheral equipment. The recommendations which follow are designed to take advantage of these capabilities and to productively support decision-making as regards operator availability. They are divided into three groups -predictive models, optimization techniques, and data base systems.

1. A Predictive Model Should Be Developed To Link The Budgeting Process With Management Of The Manpower Inventory

A tool of this nature could be central to developing an annual manpower plan and would simultaneously accomplish several objectives. First, it should describe the cost impacts of any parameters, including seasonal ones, affecting the manpower inventory (e.g., service levels, attrition) or cost rates. Thus, it supports a more programmatic approach to budgeting. Second, it should be capable of at least roughing out a hiring schedule. Third, it should be capable of determining the timing and extent of layoffs, where required, and accurately estimating the cost of such actions, or their postponement. Ideally, the model would run on a daily or weekly basis to capture the level of detail required to simulate an operational environment. Additionally, it could be expanded to model individual facilities in a multi-divisional setting.

2. Optimization Techniques Are Applicable Only To Issues In Extraboard Assignment

In assigning the extraboard, a dispatcher must relate a fixed supply to a demand set which is highly variable in nature. In almost all cases, assignments are made by informed judgement. The opportunity for mathematical improvement over such an assignment may or may not be large. It could, however, improve the dispatcher's productivity and certainly would not increase cost.

There are several situations where optimization techniques are applicable:

- . Minimizing cost of tripper assignments;
- . Developing day-off combinations to maximize certain desirable days off; and
- . Developing assignment times for the report crew.

3. Data Base Systems Could Be Developed To Maintain Real-Time Absence Status And Thus Increase Predictability

The primary reason why unscheduled extraboard costs are incurred is due to the unpredictability of manpower availability. There are, however, many categories of lost time that should be known well in advance of their occurrence. Their visibility is mainly a function of good recordkeeping -vacations, personal holidays, long-term illnesses, and so

forth represent lost time whose status only needs to be modified on an exception basis. A system could be developed to capture all these data, providing not only good information on absences to support other analyses, but also could serve as a front-end to payroll and could potentially support an automated extraboard assignment.

APPENDIX

DOCUMENTATION OF AUTOMATED TECHNIQUES

Three automated techniques utilized by Seattle Metro are briefly described in this appendix. While their development was based on Metro's unique needs, they are potentially of use to other transit systems as well. The three techniques include:

- . Day-Off Combination Model
- . Manpower Planning Model
- . Least-Cost Tripper Assignment Model

Each of these are briefly described below.

1. The Day-Off Combinations Model Computes Consecutive Day-Off Combinations In Response To Daily Driver Demand

A consecutive days-off constraint greatly increases the complexity of determining how many operators can be off work on a given day. The program utilized by Metro was originally developed for calculating extraboard days-off. It has since been modified and is used for establishing days-off solution sets for driver bids.

The output from this interactive program is shown in Exhibit A-1. Execution is as follows:

- (1) User enters daily demand.
- (2) Initial results are displayed. Note that noninteger values are calculated when weekly driver demand is not a multiple of five.

A-1

EXHIBIT A-1 OUTPUT FROM DAY OFF COMBINATIONS MODEL

manpowr 22:47:09 C:MANPOWR .COM

input manpower needed for each day mo tu wd th fr sa su 20 20 20 20 20 15 17

manpower used for each day drivers days off are: mo tu wd th fr sa su sa-su su-mo mo-tu tu-wd wd-th th-fr fr-sa total

20 20 20 20 20 15 17 7.2 2.2 4.2 2.2 4.2 2.2 4.2 26.4 do you want all combinations of vacant runs (y=1,n=2)1

how many vacant runs do you want ?2

manpower used	for each day	drivers days off are:
mo tu wd th	fr sa su sa-su	su-mo mo-tu tu-wd wd-th th-fr fr-sa total

18 20 20 20 15 17 6.0 3.0 5.0 1.0 5.0 1.0 5.0 26.0 19 19 20 20 15 17 7.0 2.0 5.0 2.0 4.0 2.0 4.0 26.0 19 20 20 15 17 6.0 3.0 4.0 2.0 5.0 1.0 5.0 26.0 19 20 20 19 20 15 17 7.0 2.0 5.0 1.0 5.0 2.0 4.0 26.0 19 20 20 19 15 17 7.0 2.0 5.0 1.0 5.0 2.0 4.0 26.0 19 20 20 20 19 15 17 6.0 3.0 4.0 2.0 4.0 2.0 5.0 26.0 19 20 20 20 14 17 7.0 2.0 5.0 1.0 5.0 1.0 5.0 26.0 20 20 20 20 15 17 7.0 2.0 4.0 2.0 4.0 2.0 4.0 2.0 20 19 20 20 15 17 7.0 2.0 4.0 3.0 3.0 3.0 3.0 26.0 20 19 20 20 15 17 7.0 2.0 4.0 3.0 3.0 3.0 4.0 2.0 4.0 26.0 </th
19201920201517 6.0 3.0 4.0 2.0 5.0 1.0 5.0 26.0 19202019201517 7.0 2.0 5.0 1.0 5.0 2.0 4.0 26.0 19202020191517 6.0 3.0 4.0 2.0 4.0 2.0 4.0 26.0 192020201417 7.0 2.0 5.0 1.0 5.0 1.0 5.0 26.0 192020201516 7.0 3.0 4.0 2.0 4.0 2.0 4.0 26.0 201820201517 7.0 2.0 5.0 3.0 3.0 3.0 3.0 26.0 201820201517 7.0 2.0 4.0 3.0 3.0 3.0 26.0 201920201517 7.0 2.0 4.0 3.0 3.0 3.0 3.0 26.0 201920201517 7.0 2.0 4.0 3.0 3.0 3.0 3.0 26.0 201920201517 7.0 2.0 4.0 3.0 3.0 3.0 4.0 26.0 201920201417 8.0 1.0 5.0 2.0 4.0
19201920201517 6.0 3.0 4.0 2.0 5.0 1.0 5.0 26.0 192020191517 7.0 2.0 5.0 1.0 5.0 2.0 4.0 26.0 19202020191517 6.0 3.0 4.0 2.0 4.0 2.0 4.0 2.0 5.0 26.0 192020201417 7.0 2.0 5.0 1.0 5.0 1.0 5.0 26.0 192020201516 7.0 3.0 4.0 2.0 4.0 2.0 4.0 26.0 20182020201517 8.0 1.0 5.0 3.0 3.0 3.0 3.0 26.0 201920201517 7.0 2.0 4.0 3.0 4.0 2.0 4.0 26.0 201920201517 7.0 2.0 4.0 3.0 3.0 3.0 3.0 26.0 201920201517 8.0 1.0 5.0 2.0 4.0 3.0 3.0 3.0 4.0 26.0 201920201417 8.0 1.0 5.0 2.0 4.0 2.0 4.0 2.0 4.0 2.0 4.0 2.0 4.0
192020191517 6.0 3.0 4.0 2.0 4.0 2.0 5.0 26.0 19202020201417 7.0 2.0 5.0 1.0 5.0 1.0 5.0 26.0 19202020201516 7.0 3.0 4.0 2.0 4.0 2.0 4.0 26.0 20182020201517 8.0 1.0 5.0 3.0 3.0 3.0 3.0 26.0 20191920201517 8.0 1.0 5.0 2.0 4.0 2.0 4.0 26.0 20191920201517 7.0 2.0 4.0 3.0 3.0 3.0 26.0 2019201517 8.0 1.0 5.0 2.0 4.0 3.0 3.0 3.0 26.0 201920191517 7.0 2.0 4.0 3.0 3.0 3.0 4.0 26.0 201920201417 8.0 1.0 5.0 2.0 4.0 3.0 3.0 4.0 26.0 201920201417 8.0 1.0 5.0 2.0 4.0 3.0 3.0 3.0 3.0 26.0 201920201516<
$\begin{array}{cccccccccccccccccccccccccccccccccccc$
19 20 20 20 15 16 7.0 3.0 4.0 2.0 4.0 2.0 4.0 26.0 20 18 20 20 15 17 8.0 1.0 5.0 3.0 3.0 3.0 3.0 26.0 20 19 19 20 20 15 17 7.0 2.0 4.0 3.0 3.0 3.0 3.0 26.0 20 19 19 20 20 15 17 7.0 2.0 4.0 3.0 4.0 2.0 4.0 26.0 20 19 20 15 17 8.0 1.0 5.0 2.0 4.0 3.0 3.0 3.0 26.0 20 19 20 20 19 15 17 7.0 2.0 4.0 3.0 3.0 3.0 26.0 20 19 20 20 14 17 8.0 1.0 5.0 2.0 4.0 2.0 4.0 26.0 20 1
20 18 20 20 15 17 8.0 1.0 5.0 3.0 3.0 3.0 3.0 20 20 15 17 7.0 2.0 4.0 3.0 4.0 2.0 4.0 20 20 4.0 20 20 4.0 20 20 4.0 20 20 4.0 26.0 20 19 20 15 17 7.0 2.0 4.0 3.0 4.0 2.0 4.0 26.0 20 19 20 19 15 17 8.0 1.0 5.0 2.0 4.0 3.0 3.0 3.0 26.0 20 19 20 20 19 15 17 7.0 2.0 4.0 3.0 3.0 4.0 26.0 20 19 20 20 14 17 8.0 1.0 5.0 2.0 4.0 2.0 4.0 26.0 20 19 20 20 14 17 8.0 1.0 5.0 2.0 4.0
20192015178.01.05.02.04.03.03.026.02019201915177.02.04.03.03.03.04.026.02019202014178.01.05.02.04.02.04.026.02019202015168.02.04.03.03.03.03.026.0202018202015176.03.03.03.05.01.05.026.0
20192015178.01.05.02.04.03.03.026.02019201915177.02.04.03.03.03.04.026.02019202014178.01.05.02.04.02.04.026.02019202015168.02.04.03.03.03.03.026.0202018202015176.03.03.03.05.01.05.026.0
201920201915177.02.04.03.03.03.04.026.0201920202014178.01.05.02.04.02.04.026.0201920202015168.02.04.03.03.03.03.026.0202018202015176.03.03.03.05.01.05.026.0
201920202014178.01.05.02.04.02.04.026.0201920202015168.02.04.03.03.03.03.026.0202018202015176.03.03.03.05.01.05.026.0
201920202015168.02.04.03.03.03.03.026.0202018202015176.03.03.03.05.01.05.026.0
20 20 18 20 20 15 17 6.0 3.0 3.0 3.0 5.0 1.0 5.0 26.0
20 20 19 20 19 15 17 6.0 3.0 3.0 3.0 4.0 2.0 5.0 26.0
20 20 19 20 20 14 17 7.0 2.0 4.0 2.0 5.0 1.0 5.0 26.0
20 20 19 20 20 15 16 7.0 3.0 3.0 3.0 4.0 2.0 4.0 26.0
20 20 20 18 20 15 17 8.0 1.0 5.0 1.0 5.0 3.0 3.0 26.0
20 20 20 19 19 15 17 7.0 2.0 4.0 2.0 4.0 3.0 4.0 26.0
20 20 20 19 20 14 17 8.0 1.0 5.0 1.0 5.0 2.0 4.0 26.0
20 20 20 19 20 15 16 8.0 2.0 4.0 2.0 4.0 3.0 3.0 26.0
20 20 20 20 18 15 17 6.0 3.0 3.0 3.0 3.0 3.0 5.0 26.0
20 20 20 20 19 14 17 7.0 2.0 4.0 2.0 4.0 2.0 5.0 26.0
20 20 20 20 19 15 16 7.0 3.0 3.0 3.0 3.0 3.0 4.0 26.0
20 20 20 20 20 13 17 8.0 1.0 5.0 1.0 5.0 1.0 5.0 26.0
20 20 20 20 14 16 8.0 2.0 4.0 2.0 4.0 2.0 4.0 26.0
20 20 20 20 20 15 15 8.0 3.0 3.0 3.0 3.0 3.0 3.0 26.0

- (3) User indicates whether all vacant run combinations (i.e., the two consecutive days that the weekly driver is off) should be included in calculations. If answer is affirmative, the program will alter daily demand to accommodate every possible combination of the number of vacant runs (consecutive days-off combinations) specified.
- (4) User enters vacant run assumptions. In the example's case, two vacant runs are entered to achieve a weekly multiple of five runs. Any number of vacant runs, however, could be entered. Valid results in any case can be achieved only if weekly driver demand is a multiple of five.
- (5) The model provides day-off combinations for each permutation of daily demand and vacant run assumptions.

The model employs a matrix reduction technique to achieve its results. The seven-by-seven matrix uses seven day-off combinations set equal to each day's demand. It currently operates on an Altos microcomputer (discussed more completely in the following paragraphs), and was developed by Jim Keller of the Computer Services Division.

2. The Manpower Planning Model Computes Weekly Hiring Needs In Response To Availability And Demand Variables

This model estimates weekly manpower variances and hiring needs based on the following variables:

- Annual absence rates
 - Industrial injury
 - Personal holiday
 - Detailed to other duties
 - Sick leave
 - Military leave
 - Other leave
- . Annual attrition rates
- . Tolerance for manpower deficit before hiring

- . Training class attrition
- . Class size
- . Training period in weeks
- . Starting driver population and drivers in training
- . Weekly operator vacation levels
- . Weekly scheduled and unscheduled work estimates

Examples of the model's output are given in Exhibits A-2 Manpower variance and hiring calculations are based and A-3. on weekday work. The model is not, as presently configured, sensitive to seasonal absence rates. Two versions were developed -- one is written in FORTRAN and designed to run on an IBM mainframe; a similar model was written in APPLE BASIC. No documentation is currently available. Both versions replicate methodology developed by Dan Graczyk, Manager of Base Operations, and the APPLE version was written by Clarke Isackson, also of Base Operations.

3. The Tripper Cost Minimization Model Uses An Assignment Algorithm To Calculate Least-Cost Tripper Combinations

Tripper assignment is a daily problem at many transit systems. A number of pieces of work exist which can be combined to form extraboard assignments. A prototype model developed by Metro, to be implemented next year within the Base Operations System (BOSS), examines all open trippers to establish least-cost extraboard assignments (exclusive of open full-time runs). The assignment algorithm sees each possible tripper combination as a cell in the matrix. A cost is assigned to each cell based on total pay minutes. The assignment algorithm selects one cell from each row (or column) in

	MMARY	MODEL
IT A-2	WER SU	NING
EXHIBIT	MANPO	ER PLA
	WEEKLY MANPOWER SUMMARY	MANPOWER PLANNING MODEL

227	FI	683 36 52	171		1143	1140		9055		17		114		4 L		£ -
	PT	662 0	862		172	782			16			159	-103		-163	
220	FT	683 56 52	111		1146	1143		95 PF	- #) # \ 4	173	1 156	787	16	4 0	56	E)
	Ы	662 2	862		756 21	172			15	~	5 C.		-112		-112	
213	FT	693 96 52	171		1149	1146		516		172	1 154	192	21	6 4	61	-3
	Γd	862 C	862		761 0	156			15	~		734	-128		-128	
206	FT	683 36 52	171		1152	1149		516		172	149	800	29	4 0	69	7
	ЪТ	862	862		766	761			16	~		736	-124		-124	
130	FT	683 36 52	171		1155	1152		9996		173	159	262	22	4 0	62	2
-	ЪТ	862 N	862		171	766			16	~	0 0	743	-119		-119	
123	FΤ	683 36 52	111		1158	1155		9655		173	144	807	3€	40	16	19
1	ΡŢ	862 ij	862		176	111			16	~	60 M	748	-114		-114	
116	FT	683 56 52	171		1161	1156		19 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	F V	174	145	196	27	9 0	67	12
1	ΡŢ	862	862		181	776			16	٢		153	-1 64		- 1 (19	
109	f T	693 56 52 52	171		1164	1161		199. 1909: 1		32	1 1	961	30	4 ()	10	5 t
1	ΡŢ	862	662		786 5 0	761			16	-	3 4 0	758	6J [-		+L I-	
1 42	FT	663 56 52	171		1167 1	1164		9000	14	175	1	161	5.0	4 1)	Ę Ľ	1(
-	ΡŢ	362	662		161	766			16	2		763	66-		66-	
PE R 1 00	UORK	RUNS & COMLOS TRIPFERS Extras & Leases Reforts	TOTAL WORK	NUMBER OF OPERATORS	START ATTRITION QUALIFIED	thalance	- ABSENCES	INDUSTRIAL VACATIONS HOLIDAY	SICK SICK	RDO	DTHER	** NUMBER AVAILANLE	** HALANCE	OT TRIPPERS	**** VARIANCE	FULL-IIME EQUIV VAR

EXHIBIT A-3 HIRING SCHEDULE OUTPUT FROM MANPOWER PLANNING MODEL

UT D I NG

***** HIRING SCHEDULE ****											
PERIOD	PT FT	PT FT PT FT PT FT PT FT	PT F1	PT F1	PT 102	PT 109	PT 116	PT 123	PT 102 PT 109 PT 116 PT 23 PT 130 PT 296 PT FT	PT 236	PT 213
HIRE AS FOLLOWS	0 0		0)	0 3		0	2	0 4		21 0	
PERIOD	PT 220	PT ²²⁰ FT PT ²²⁷ F PT ³⁴⁶ F PT ³¹³ F	PT 346	PT 313		PT 327	PT 03	PT 410	P1 ³² F1 P1 ³² T1 P1 ⁴ 0 ³ T P1 ⁴ L ⁰ T P1 ⁴ L ¹ T P1 ⁴² ⁴ T P1 ⁵ ^L ¹ T	PT *24	PTSLIT
HIRE AS FOLLOUS	2 1 4	41 n ú ú í n 27 0	c	27 0	3	35 0	21 0	21 0	n u 35 0 21 0 21 0 21 (21 0 21 1	21 0	21 19
PERIOD	508 PT FT	PT 508 PT 515 PT 529 PT 529	P1.522	PT 529	1391d	PT ⁶¹² FT	PT 619	PT ⁶²⁶ FT	P16 ^{f5} T P1 ⁶¹² T P1 ⁶¹⁹ T P1 ⁶²⁶ T P1 ⁷⁰³ T P1 ⁷¹⁰ T P1 ⁷¹ T	PT 710	P1 717
HIRE AS FOLLOWS	0 0	r c J 8 24 7 C 8	24 1	C B	-	21 8	0 0	0 2	0 0 21 8 0 0 0 0 0 0 0 0 0 0	0 0	

the matrix. It was developed from an article in the <u>Asso-</u> <u>ciation of Computing Machinery</u>, entitled "An Extension of the Munkres Algorithm for the Assignment Problem." Jim Keller of Metro's Computer Services Division was responsible for adapting the algorithm to Metro's use.

1

NOTICE

This document is disseminated under the sponsorship of the Department of Transportation in the interest of information exchange. The United States Government assumes no liability for its contents or use thereof.

This report is being distributed through the U.S. Department of Transportation's Technology Sharing Program.

DOT-I-84-23



TECHNOLOGY SHARING A PROGRAM OF THE U.S. DEPARTMENT OF TRANSPORTATION