# Austin-San Marcos, TX MSA

# 1997

Issued February 2000

EC97TCF-MA-TX(1)

## **1997 Economic Census**

*Transportation* 1997 Commodity Flow Survey

U.S. Department of Transportation BUREAU OF TRANSPORTATION STATISTICS U.S. Department of Commerce Economics and Statistics Administration U.S. CENSUS BUREAU



#### ACKNOWLEDGMENTS

This report was prepared in the Service Sector Statistics Division under the direction of **Thomas E. Zabelsky,** Assistant Chief for Current Service and Transportation Programs. Planning, implementation, and compiling of this report were under the supervision of John L. Fowler, Chief, Commodity Flow Survey Branch, assisted by Wanda Dougherty, Debra Corbett, Bruce Dembroski, Shirley Gray, Michael Jones, Stephanie Kelley, Mabel Ocasio, Bonnie Opalko, Joyce Price, Barbara Selinske, Eli Serrano, and Michael Sprung. Sample design and statistical methodology were developed under the general direction of **Howard** Hogan and Carl A. Konschnik, former Assistant Chiefs, and Ruth E. Detlefsen, current Assistant Chief, Research and Methodology. Sample design and estimation were under the supervision of Patrick Cantwell, former Chief, and Jock Black, current Chief, Program Research and Development Branch, assisted by William C. Davie Jr., David L. Kinyon, Jacklyn R. Jonas, and M. Cristina Cruz. Frame construction, sample control, imputation, and quality control procedures were developed under the supervision of Carol King, Chief, Statistical Methods Branch, assisted by James Hunt.

The processing system and computer programs were developed and implemented by the OAO programming group, led by **Jacques Wilmore** and assisted by **Harold N. Bobbitt** and **Robert J. Jeffrey. Steve G. McCraith,** Chief, Quinquennial Surveys Branch, Economic Statistical Methods and Programming Division and **Joseph F. Keehan** provided general support.

Coordination of data collection efforts was under the direction of **Judith N. Petty**, Chief, National Processing Center, assisted by **Matthew Aulbach**, **Linda Broadus**, **Grant Goodwin**, **Carlene Bottorff**, **Teresa Branstetter**, and **Jack Miller**. The staff of the Administrative and Customer Services Division, **Walter C. Odom,** Chief, performed planning, design, composition, editorial review, and printing planning and procurement for the publications, Internet products, and report forms. **Margaret A. Smith** provided publication coordination and editing.

We also acknowledge the contributions of the following Department of Transportation (DOT) representatives in the overall planning and design of the survey: **Rolf Schmitt**, Associate Director for Transportation Studies, Bureau of Transportation Statistics, assisted by **Susan Lapham**, **Russ Capelle, Ronald J. Duych**, and **Felix Ammah-Tagoe.** 

The Oak Ridge National Laboratory's Center for Transportation Analysis, under the former and current direction of **Mike Bronzini** and **David Greene**, respectively, provided all mileage data for this report, using its transportation network modeling system, under the supervision of **Frank Southworth** and assisted by **Shih-Miao Chin, Bruce Peterson, Jane Rollow,** and **Angela Gibson.** 

Special acknowledgment is also due to the many businesses whose cooperation was essential to the publication of these data.

# Austin-San Marcos, TX MSA

## 1997

EC97TCF-MA-TX(1)

Issued February 2000

## **1997 Economic Census**

*Transportation* 1997 Commodity Flow Survey





U.S. Department of Commerce William M. Daley, Secretary

> Robert L. Mallett, Deputy Secretary

Economics and Statistics Administration Robert J. Shapiro, Under Secretary for Economic Affairs

U.S. CENSUS BUREAU Kenneth Prewitt, Director



U.S. Department of Transportation Rodney E. Slater, Secretary

Mortimer L. Downey, Deputy Secretary

BUREAU OF TRANSPORTATION STATISTICS Dr. Ashish Sen, Director Rick Kowalewski, Deputy Director

> **Rolf R. Schmitt,** Associate Director for Transportation Studies



#### Economics and Statistics Administration

**Robert J. Shapiro,** Under Secretary for Economic Affairs



U.S. CENSUS BUREAU Kenneth Prewitt, Director

William G. Barron, Deputy Director

**Paula J. Schneider,** Principal Associate Director for Programs

**Frederick T. Knickerbocker,** Associate Director for Economic Programs

**Thomas L. Mesenbourg,** Assistant Director for Economic Programs

**Carole A. Ambler,** Chief, Service Sector Statistics Division



# BUREAU OF TRANSPORTATION STATISTICS

Dr. Ashish Sen, Director Rick Kowalewski, Deputy Director

**Rolf R. Schmitt,** Associate Director for Transportation Studies

#### CONTENTS

	roduction to the Economic Census	1 3
ТА	BLES	
1. 2.	Shipment Characteristics by Mode of Transportation for Metropolitan Area of Origin: 1997 Inbound Shipment Characteristics by Mode of Transportation	9
3.	for Metropolitan Area of Destination: 1997 Shipment Characteristics by Mode of Transportation and Distance Shipped for Metropolitan Area of Origin: 1997	9 10
4.	Shipment Characteristics by Mode of Transportation and Shipment Size for Metropolitan Area of Origin: 1997	12
5.	Shipment Characteristics by Commodity Group for Metropolitan Area of Origin: 1997	14
6.	Shipment Characteristics by Commodity Group and Mode of Transportation for Metropolitan Area of Origin: 1997	15
7.	Outbound Shipment Characteristics by Destination for Metropolitan Area: 1997	18
8.	Inbound Shipment Characteristics by Origin for Metropolitan Area: 1997	20
AP	PENDIXES	
A. B. C. D.	Comparability With the 1993 Commodity Flow Survey Reliability of the Estimates Sample Design, Data Collection, and Estimation Standard Classification of Transported Goods Code Information	A–1 B–1 C–1 D–1
E.	Sample Report Forms and Instructions	E-1

# Introduction to the Economic Census

#### PURPOSES AND USES OF THE ECONOMIC CENSUS

The economic census is the major source of facts about the structure and functioning of the Nation's economy. It provides essential information for government, business, industry, and the general public. Title 13 of the United States Code (Sections 131, 191, and 224) directs the Census Bureau to take the economic census every 5 years, covering years ending in 2 and 7.

The economic census furnishes an important part of the framework for such composite measures as the gross domestic product estimates, input/output measures, production and price indexes, and other statistical series that measure short-term changes in economic conditions. Specific uses of economic census data include the following:

- Policymaking agencies of the Federal Government use the data to monitor economic activity and assess the effectiveness of policies.
- State and local governments use the data to assess business activities and tax bases within their jurisdictions and to develop programs to attract business.
- Trade associations study trends in their own and competing industries, which allows them to keep their members informed of market changes.
- Individual businesses use the data to locate potential markets and to analyze their own production and sales performance relative to industry or area averages.

#### **BASIS OF REPORTING**

The economic census is conducted on an establishment basis. A company operating at more than one location is required to file a separate report for each store, factory, shop, or other location. Each establishment is assigned a separate industry classification based on its primary activity and not that of its parent company.

#### AVAILABILITY OF ADDITIONAL DATA

#### **Reports in Print and Electronic Media**

All results of the 1997 Economic Census are available on the Census Bureau Internet site (www.census.gov) and on compact discs (CD-ROM) for sale by the Census Bureau. Unlike previous censuses, only selected highlights are published in printed reports. For more information, including a description of electronic and printed reports being issued, see the Internet site, or write to U.S. Census Bureau, Washington, DC 20233-8300, or call Customer Services at 301-457-4100.

#### **HISTORICAL INFORMATION**

The economic census has been taken as an integrated program at 5-year intervals since 1967 and before that for 1954, 1958, and 1963. Prior to that time, individual components of the economic census were taken separately at varying intervals.

The economic census traces its beginnings to the 1810 Decennial Census, when questions on manufacturing were included with those for population. Coverage of economic activities was expanded for the 1840 Decennial Census and subsequent censuses to include mining and some commercial activities. The 1905 Manufactures Census was the first time a census was taken apart from the regular decennial population census. Censuses covering retail and wholesale trade and construction industries were added in 1930, as were some covering service trades in 1933. Censuses of construction, manufacturing, and the other business service censuses were suspended during World War II.

The 1954 Economic Census was the first census to be fully integrated: providing comparable census data across economic sectors, using consistent time periods, concepts, definitions, classifications, and reporting units. It was the first census to be taken by mail, using lists of firms provided by the administrative records of other Federal agencies. Since 1963, administrative records also have been used to provide basic statistics for very small firms, reducing or eliminating the need to send them census questionnaires.

The range of industries covered in the economic censuses expanded between 1967 and 1992. The census of construction industries began on a regular basis in 1967, and the scope of service industries, introduced in 1933, was broadened in 1967, 1977, and 1987. While a few transportation industries were covered as early as 1963, it was not until 1992 that the census broadened to include all of transportation, communications, and utilities. Also new for 1992 was coverage of financial, insurance, and real estate industries. With these additions, the economic census and the separate census of governments and census of agriculture collectively covered roughly 98 percent of all economic activity. Printed statistical reports from the 1992 and earlier censuses provide historical figures for the study of longterm time series and are available in some large libraries. All of the census reports printed since 1967 are still available for sale on microfiche from the Census Bureau. CD-ROMs issued from the 1987 and 1992 Economic Censuses contain databases including nearly all data published in print, plus additional statistics, such as ZIP Code statistics, published only on CD-ROM.

#### SOURCES FOR MORE INFORMATION

More information about the scope, coverage, classification system, data items, and publications for each of the economic censuses and related surveys is published in the *Guide to the 1997 Economic Census and Related Statistics* at www.census.gov/econguide. More information on the methodology, procedures, and history of the censuses will be published in the *History of the 1997 Economic Census* at www.census.gov/econ/www/history.html.

## 1997 Commodity Flow Survey

#### GENERAL

The 1997 Commodity Flow Survey (CFS) is undertaken through a partnership between the Bureau of the Census, U.S. Department of Commerce, and the Bureau of Transportation Statistics, U.S. Department of Transportation. This survey produces data on the movement of goods in the United States. It provides information on commodities shipped, their value, weight, and mode of transportation, as well as the origin and destination of shipments of manufacturing, mining, wholesale, and selected retail establishments. The CFS was last conducted in 1993. See the Comparability With the 1993 Commodity Flow Survey table (Appendix A) for a comparison between the 1997 and 1993 surveys. The data from the CFS are used by public policy analysts and for transportation planning and decision-making to assess the demand for transportation facilities and services, energy use, and safety risk and environmental concerns.

This report presents data on Metropolitan Area (MA) and Remainder of State (ROS) shipment characteristics. Additional reports include data for the United States, Census Regions, Divisions, states, hazardous material shipments, as well as selected data on exports.

#### **METROPOLITAN AREA AND REMAINDER OF STATE**

Data are provided for 86 selected Metropolitan Areas (MA) and Remainder of States (ROS). The Census Bureau and Bureau of Transportation Statistics (BTS) selected these MAs based on population counts from the 1996 Current Population Survey (CPS). For the purposes of the Commodity Flow Survey (CFS), these MAs are confined within state boundaries.

#### **Please note:**

This report presents data for selected major metropolitan areas (MAs) confined within state boundaries. Data are also presented for Remainder of State (ROS). ROS is defined as the portion of a state not included in any of the selected major MAs. A list of counties comprising each MA and ROS is provided on the CFS Internet site at: www.census.gov/econ/www/cfsmain.html.

#### **METROPOLITAN AREA DEFINITIONS**

The general concept of a MA is that of a core area containing a large population nucleus, together with adjacent communities that have a high degree of economic and social integration with that core. The Federal Office of Management and Budget (OMB), designates and defines MAs following a set of official standards. (The MA standards for the 1990s were published in the Federal Register on March 30, 1990 B Vol. 55, No. 62, pp. 12154-12160.) The MA classification is provided for use by Federal agencies in the production, analysis, and publication of data.

Included among MAs are metropolitan statistical areas (MSAs), consolidated metropolitan statistical areas (CMSAs), and primary metropolitan statistical areas (PMSAs). In additional, New England county metropolitan areas (NECMAs) are an alternative set of areas defined for the six New England states.

#### **METROPOLITAN STATISTICAL AREAS**

An MSA consists of one or more counties that contain a city of 50,000 or more inhabitants, or contain a Census Bureau defined urbanized area (UA) and have a total population of at least 100,000 (75,000 in New England). Counties containing the principal concentration of population the largest city and surrounding densely settled area are components of the MSA. Additional counties qualify to be included by meeting a specified level of commuting to the counties containing the population concentration and by meeting certain other requirements of metropolitan character, such as a specified minimum population density or percentage of the population that is urban. MSAs in New England are defined in terms of cities and towns, following rules concerning commuting and population density.

# CONSOLIDATED METROPOLITAN STATISTICAL AREAS

An area that meets the requirements to qualify as an MSA and also has a population of 1 million or more becomes a CMSA if component parts of the area are recognized as PMSAs.

#### PRIMARY METROPOLITAN STATISTICAL AREAS

Subareas may be defined within an area that meets the requirements to qualify as an MSA and also has a population of 1 million or more. The definition of these subareas called PMSAs requires meeting specified statistical criteria and have the support of local opinion. A PMSA consists of

a large urbanized county or a cluster of counties (cities and towns in New England) that demonstrate strong internal economic and social links in addition to close ties with the central core of the larger area. Upon the recognition of PMSAs, the entire area of which they are parts becomes a CMSA. All territory within a CMSA is also within some PMSA.

#### NEW ENGLAND COUNTY METROPOLITAN AREAS

NECMAs are county based alternatives to the city- and town-based MSAs and CMSAs in the six New England states. The county composition of a NECMA reflects the geographic extent of the corresponding MSAs or CMSAs. NECMAs are not defined for individual PMSAs.

#### MODES

Single modes for these reports are aggregated as follows:

Truck (includes shipments which went by private truck, for-hire truck only, or a combination of private truck and for-hire truck).

Rail.

All other single modes (includes water, air, and pipe-line).

# STANDARD CLASSIFICATION OF TRANSPORTED GOODS (SCTG) CODES

The SCTG codes for the Metropolitan Area and Remainder of State Reports are aggregated into nine commodity groupings. The following describes the two-digit SCTGs included in each commodity grouping:

SCTG group	SCTG title and two-digit codes	SCTG group	SCTG title and two-digit codes
01-05 01 02	Agricultural products and fish Live animals and live fish Cereal grains	22 23 24	Fertilizer and fertilizer materials Chemical products and preparations, n.e.c. Plastics and rubber
03 04 05	Agricultural products, except live animals, cereal grains and forage products Animal feed and feed ingredients, cereal, straw, and eggs and other products of animal origin, n.e.c. Meat, fish, seafood, and preparations	25-30 25 26 27 28	Wood products and textiles and leather Logs and other wood in the rough Wood products Pulp, newsprint, paper, and paperboard Paper or paperboard articles
06-09 06	Grains, alcohol, and tobacco products Milled grain products and preparations and bakery products	29 30	Printed products Textiles, leather, and articles
07 08 09	Prepared foodstuffs, n.e.c. and fats and oils Alcoholic beverages Tobacco products	31-34 31 32	Base metal and machinery Nonmetallic mineral products Base metal in primary or semifinished forms and in finished basic shapes
10-14 10	Stone, nonmetallic minerals, and metallic ores Monumental or building stone	33 34	Articles of base metal Machinery
11 12	Natural sands Gravel and crushed stone	35-38	Electronics, motorized vehicles, and precision instruments
13 14	Nonmetallic minerals, n.e.c. Metallic ores	35 36	Electronic and other electrical equipment and components, and office equipment Vehicles
15-20 15	Coal and petroleum products Coal	37 38	Transportation equipment, n.e.c. Precision instruments and apparatus
17 18	Gasoline and aviation turbine fuel	39-43	Furniture and miscellaneous manufactured products
19	Products of petroleum refining, n.e.c. and coal products	39	Furniture, mattresses and mattress supports, lamps, lighting fittings, and illuminated signs
20	Basic chemical	40 41	Miscellaneous manufactured products Waste and scrap
21-24 21	Pharmaceutical and chemical products Pharmaceutical products	43	Mixed freight

#### **INDUSTRY COVERAGE**

The 1997 CFS covers business establishments in mining, manufacturing, wholesale trade, and selected retail industries. The survey also covers selected auxiliary establishments (e.g., warehouses) of in-scope multiunit and retail companies. The survey coverage excludes establishments classified as farms, forestry, fisheries, governments, construction, transportation, foreign establishments, services, and most establishments in retail.

The industries covered, as defined in the 1987 Standard Industrial Classification Manual (SIC), are listed in the following table:

SIC code	Title
10, ex. 108	Metal mining (excluding metal mining services)
12, ex. 124	Coal mining (excluding coal mining services)
13	Oil and gas extraction <sup>1</sup>
14, ex. 148	Mining and quarrying of nonmetallic minerals, except fuels (excluding nonmetallic minerals services)
20	Food and kindred products
21	Tobacco products
22	Textile mill products
23	Apparel and other finished products made from fabrics and similar materials
24	Lumber and wood products, except furniture
25	Furniture and fixtures
26	Paper and allied products
27, ex. 279	Printing, publishing, and allied industries (excluding service industries for the printing trade)
28	Chemicals and allied products
29	Petroleum refining and related industries
30	Rubber and miscellaneous plastics products
31	Leather and leather products
32	Stone, clay, glass, and concrete products
33	Primary metal industries
34	Fabricated metal products, except machinery and transportation equipment
35	Industrial and commercial machinery and computer equipment
36	Electronic and other electrical equipment and components, except computer equipment
37	Transportation equipment
38	Measuring, analyzing, and controlling instruments; photographic, medical and optical goods; watches and clocks
39	Miscellaneous manufacturing industries
50	Wholesale trade-durable goods
51	Wholesale trade-nondurable goods
596	Catalog and mail-order houses

<sup>1</sup>We included establishments classified in SIC 13, Oil and Gas Extraction, in the initial coverage of the 1997 CFS. However, because of unresolved industry-wide reporting issues, we have removed shipments from these establishments from our 1997 CFS tabulations. The data collected from these establishments will be used as input to a special report at a later date.

Similarly, because establishments in SIC 13 are responsible for the overwhelming number of shipments classified in SCTG 16, Crude Petroleum, we have removed all shipments with SCTG 16 from the 1997 CFS publication results.

#### TRANSPORTATION—COMMODITY FLOW SURVEY

The CFS captures data on shipments originating from selected types of business establishments located in the 50 states and the District of Columbia. The data do not cover shipments originating from business establishments located in Puerto Rico and other U.S. possessions and territories. Shipments traversing the U.S. from a foreign location to another foreign location (e.g., from Canada to Mexico) are not included, nor are shipments from a foreign location to a U.S. location. Imported products are included in the CFS at the point that they left the importer's domestic location for shipment to another location. Shipments that are shipped through a foreign territory with both the origin and destination in the U.S. are included in the CFS data. The mileages calculated for these shipments exclude the international segments (e.g., shipments from New York to Michigan through Canada do not include any mileages for Canada). Export shipments are included, with the domestic destination defined as the port of exit from the U.S.

The "Industry Coverage" section of the text lists the SIC groups covered by the CFS. Other industry areas that are not covered, but may have significant shipping activity, include agriculture, government, and retail (other than warehouses and SIC 5961, Catalog and Mail-Order Houses). For agriculture specifically, this means that the CFS did not cover shipments of agricultural products from the farm site to the processing centers or terminal elevators (most likely short-distance local movements), but does cover the shipments of these products from the initial processing centers or terminal elevators.

#### MILEAGE CALCULATIONS

To compute shipment mileages for the 1997 CFS, The Center for Transportation Analysis (CTA) at Oak Ridge National Laboratory (ORNL) developed an integrated, intermodal transportation network modeling system. A secure data site was setup at ORNL to process census-supplied files containing data elements for individual CFS shipment records. Each record contained the ZIP Code of shipment origin and destination, and the mode or mode sequence reported. Each record also contained information on the type of commodity moved, its weight, dollar value and whether containerized or a hazardous material. Export shipments were also identified on the records, along with data on U.S. port of exit and foreign destination city and country. Encrypted data files were transmitted and returned from ORNL after processing, with turnaround of most files on a week-by-week basis. In this manner many shipment-specific data problems encountered by ORNL in their routing procedures were reported back to census in a timely fashion, allowing census to call back some shippers and thereby confirm, correct, or recover missing or otherwise unusable data. The ORNL system computed mileages, by mode, for all single modes and for any reported

multimodal sequence. This was done for any origindestination pair of domestic ZIP Code locations, and for any internal ZIP Code of origin, via U.S. export port, to foreign (export) destination. Mileages between origindestination ZIP Code centroids were computed by finding the minimum impedance path over mathematical representations of the highway, rail, waterway, air, and pipeline networks and then summing the lengths of individual links on these paths. Impedance is computed as a weighted combination of distance, time, and cost factors.

The ORNL multimodal network database is composed of individual modal-specific networks representing each of the major transportation modes—highway, rail, waterway, air, and pipeline. The links of these specific modal networks are the representation of line-haul transportation facilities. The nodes represent intersections and interchanges, and the access points to the transportation network. To simulate local access, test links are created from each five-digit ZIP Code centroid to nearby nodes on the network. For the truck network, local access is assumed to exist everywhere. For the other modes this is not true. Before any test links are created for these modes, a search procedure is used to determine if and where such networks are most likely to provide access to the ZIP Code. For shipments involving more than one mode, such as truck-rail or rail-water shipments, intermodal transfer links are added to the network database for the purpose of connecting the individual modal networks together for routing purposes. An intermodal terminals database and a number of terminal transfer models were developed at ORNL to identify likely transfer points for different classes of freight. A measure of link impedance was calculated for each access, line-haul, and intermodal transfer link traversed by a shipment. These impedances were mode specific and are based on various link characteristics. For example, the set of link characteristics for the highway network included speed impacting factors, such as the presence of divided or undivided roadway, the degree of access control, rural or urban setting, type of pavement, number of lanes, degree of urban congestion, and length of the link. Link impedance measures are also assigned to the local access links. Intermodal transfer link impedances are estimated in terms of the time it takes to move goods through such a transfer. In the case of rail and air freight, intercarrier transfer penalties are also considered in order to obtain proper route selections. A minimum path algorithm is used to find the minimum impedance path between a shipment's origin ZIP Code centroid and destination ZIP Code centroid. The cumulative length of the local access plus line-haul links on this path provides the estimated shipment distance. When rail was involved these shipment distances may be averaged over more than one path between an origin-destination pair.

#### **Mileage Data for Pipeline Shipments**

In the tables, we do not show ton-miles or average miles per shipment for pipeline shipments. For most of these shipments, the respondents reported the shipment destination as a pipeline facility on the main pipeline network. Therefore, for the majority of these shipments, the resulting mileage represented only the access distance through feeder pipelines to the main pipeline network, and not the actual distance through the main pipeline network. Pipeline shipments are included in the U.S. totals for ton-miles and average miles per shipment.

#### **DISCLOSURE RULES**

In accordance with Federal law governing Census Bureau reports, no data are published that would disclose the operations of an individual firm or establishment.

#### **EXPLANATION OF TERMS**

**Average miles per shipment.** For the 1993 CFS, we excluded shipments of STCC 27, Printed Matter, from our calculation of average miles per shipment. We made this decision after determining that respondents in the 1993 CFS shipping newspapers, magazines, catalogs, etc., had used widely varying definitions of the term "shipment."

For the 1997 CFS, we made numerous efforts throughout our data collection and editing to produce consistent results from establishments shipping SCTG 29, Printed Products. As a result, we have included printed products in the average miles per shipment calculations for the 1997 CFS.

**Commodity.** Products that an establishment produces, sells, or distributes. This does not include items that are considered as excess or byproducts of the establishment's operation. Respondents reported the description and the five-digit SCTG code for the major commodity contained in the shipment, defined as the commodity with the greatest weight in the total shipment.

**Distance shipped.** In some tables, shipment data are presented for various "distance shipped" intervals. Shipments were categorized into these "distance shipped" intervals based on the great circle distance between their origin and destination ZIP Code centroids. All other distance-related data in this and other tables (i.e., tonmiles and average miles per shipment) are based on the mileage calculations produced by Oak Ridge National Laboratories. (See the "Mileage Calculations" section for more details.)

**Great circle distance.** The shortest distance between two points on the earth's surface.

**Mode of transportation.** The type of transportation used for moving the shipment to its domestic destination. For exports, the domestic destination was the port of exit.

#### **Mode Definitions**

In the instructions to the respondent, we defined the possible modes as follows:

TRANSPORTATION—COMMODITY FLOW SURVEY

- Parcel delivery/courier/U.S. Postal Service. Delivery services, parcels, packages, and other small shipments that typically weigh less than 100 pounds. Includes bus parcel delivery service.
- 2. **Private truck.** Trucks operated by a temporary or permanent employee of an establishment or the buyer/receiver of the shipment.
- 3. **For-hire truck.** Trucks that carry freight for a fee collected from the shipper, recipient of the shipment, or an arranger of the transportation.
- 4. Railroad. Any common carrier or private railroad.
- 5. **Shallow draft vessels.** Barges, ships, or ferries operating primarily on rivers and canals; in harbors, the Great Lakes, the Saint Lawrence Seaway; the Intracoastal Waterway, the Inside Passage to Alaska, major bays and inlets; or in the ocean close to the shoreline.
- 6. **Deep draft vessel.** Barges, ships, or ferries operating primarily in the open ocean. Shipping on the Great Lakes and the Saint Lawrence Seaway is classified with shallow draft vessels.
- 7. **Pipeline.** Movements of oil, petroleum, gas, slurry, etc., through pipelines that extend to other establishments or locations beyond the shipper's establishment. Aqueducts for the movement of water are not included.
- 8. **Air.** Commercial or private aircraft, and all air service for shipments that typically weigh more than 100 pounds. Includes air freight and air express.
- 9. Other mode. Any mode not listed above.
- 10. **Unknown.** The shipment was not carried by a parcel delivery/courier/U.S. Postal Service, and the respondent could not determine what mode of transportation was used.

In the tables, we have used additional terms for mode, which we define as follows:

- 1. Air (includes truck and air). Shipments that used air or a combination of truck and air.
- 2. **Single modes.** Shipments using only one of the above-listed modes, except parcel or other and unknown.
- 3. **Multiple modes.** Parcel, U.S. Postal Service or courier shipments or shipments for which two or more of the following modes of transportation were used:

Private truck For-hire truck Rail Shallow draft vessel Deep draft vessel Pipeline We did not allow for multiple modes in combination with "parcel, U.S. Postal Service or courier," "unknown," or "other." By their nature, these shipments may already include various kinds of multiplemode activity. For example, if the respondent reported a shipment's mode of transportation as parcel and air, we treated the shipment as parcel only.

- 4. **Other multiple modes.** Shipments using any other mode combinations not specifically listed in the tables.
- 5. **Other and unknown modes.** Shipments for which modes were not reported, or were reported by the respondent as "Other" or "Unknown."
- 6. **Truck.** Shipments using for-hire truck only, private truck only, or a combination of for-hire truck and private truck.
- 7. **Water.** Shipments using shallow draft vessel only, deep draft vessel only, or Great Lakes vessel only. Combinations of these modes, such as shallow draft vessel and Great Lakes vessel are included as "Other multiple modes."
- 8. **Great Lakes.** In the tables in this publication, "Great Lakes" appears as a single mode. ORNL's transportation network and mileage calculation system allowed for separate mileage calculations for Great Lakes between the origin and destination ZIP Codes (see the "Mileage Calculations" section for more details).

### **Other Definitions and Terms**

**Shipment.** A shipment (or delivery) is an individual movement of commodities from an establishment to a customer or to another location of the originating company (including a warehouse, distribution center, retail or wholesale outlet). A shipment uses one or more modes of transportation including parcel delivery, U.S. Postal Service, courier, private truck, for-hire truck, rail, water, pipeline, air, and other modes.

#### **Standard Classification of Transported Goods**

**(SCTG).** The commodities shown in this report are classified using the SCTG coding system. The SCTG coding system was developed jointly by agencies of the United States and Canadian governments based on the Harmonized System to address statistical needs in regard to products transported.

**Ton-miles.** The weight times the mileage for a shipment. The respondents reported shipment weight in pounds, as described below. Mileage was calculated as the distance between the shipment origin and destination ZIP Codes. For shipments by truck, rail, or shallow draft vessels, the mileage excludes international segments. For example, mileages from Alaska to the continental United States

#### TRANSPORTATION—COMMODITY FLOW SURVEY

exclude any mileages through Canada (see the "Mileage Calculations" section for more details). Aggregated poundmiles were converted to ton-miles. The ton-miles data are displayed in millions.

**Tons shipped.** The total weight of the entire shipment. Respondents reported the weight in pounds. Aggregated pounds were converted to short-tons (2,000 pounds). The tons data are displayed in thousands.

**Total modal activity.** The overall activity (e.g., ton-miles) of a specific mode of transportation, whether used in a single-mode shipment, or as part of a multiple-mode shipment. For example, the total modal activity for private truck is the total ton-miles carried by private truck in single-mode shipments, combined with the total ton-miles carried by private truck in all multiple-mode shipments that include private truck (private truck and for-hire truck, private truck and rail, private truck and air, etc.)

**Value of shipments.** The dollar value of the entire shipment. This was defined as the net selling value, f.o.b. plant, exclusive of freight charges and excise taxes. The value data are displayed in millions of dollars.

#### **ABBREVIATIONS AND SYMBOLS**

The following abbreviations and symbols are used in the tables for this publication:

- D Denotes figures withheld to avoid disclosing data for individual companies.
- Represents zero or less than 1 unit of measure.
- S Data do not meet publication standards due to high sampling variability or other reasons.
- CFS Commodity Flow Survey.
- lb Pounds.
- n.e.c. Not elsewhere classified.
- NA Not applicable.
- n.o.s. Not otherwise specified.

#### **OTHER TRANSPORTATION DATA**

Users of transportation data may be especially interested in the following reports:

#### Economic Census: Transportation Sector covers

establishments that provide passenger and freight transportation to the general public, government, or other businesses.

Published data include kind of business, geographic location, total operating revenue, annual and first quarter payroll, and number of employees for pay period including March 12.

Vehicle Inventory and Use Survey covers state and U.S. level statistics on the physical and operational characteristics of the Nation's truck, van, minivan, and sport utility vehicle population. Some of the types of data collected include number of vehicles, major use, body type, annual miles, model year, vehicle size, fuel type, operator classification, engine size, range of operation, weeks operated, products carried, and hazardous materials carried. This survey shows comparative statistics reflecting percent changes in number of vehicles between 1997 and 1992 for most characteristics.

**Transportation Annual Survey** covers firms with paid employees that provide commercial motor freight transportation and public warehousing services. Data collected include operating revenue and operating revenue by source, total expenses and expenses percentage of motor carrier freight revenue by commodity type, size of shipments handled, length of haul, and vehicle fleet inventory.

All results of the 1997 Economic Census are available on the Census Bureau Internet site *http://www.census.gov* and on compact discs (CD-ROM).

For more information on any Census Bureau product, including a description of electronic and printed reports being issued, see the web site or call Customer Services at 301-457-4100.

## Table 1. Shipment Characteristics by Mode of Transportation for Metropolitan Area of Origin: 1997

[For explanation of terms and meaning of abbreviations and symbols, see introductory text. Detail may not add to total because of rounding]

	Value		Tons		Ton-miles		
Mode of transportation	Number (million dollars)	Percent	Number (thousands)	Percent	Number (millions)	Percent	Average miles per shipment
All modes	31 777	100.0	27 058	100.0	2 156	100.0	492
Single modes	s	s	25 917	95.8	1 737	80.6	297
Truck <sup>1</sup> Rail All other single modes	S 21 1 396	S 4.4	25 692 213 12	95.0 .8 _	1 653 69 15	76.6 3.2 .7	265 494 1 308
Multiple modes	s	s	1 013	3.7	394	18.3	958
Parcel, U.S. Postal Service or courier All other multiple modes	S 64	S .2	66 947	.2 3.5	50 344	2.3 16.0	962 377
Other and unknown modes	371	1.2	128	.5	25	1.1	226

Represents data cell equal to zero or less than 1 unit of measure.
 D Denotes figures withheld to avoid disclosing data for individual companies.
 S Data do not meet publication standards because of high sampling variability or other reasons. Some unpublished estimates can be derived from other data published in this table. However, figures obtained in this manner are subject to these same limitations.

1"Truck" as a single mode includes shipments which went by private truck only, for-hire truck only, or a combination of private truck and for-hire truck.

### Table 2. Inbound Shipment Characteristics by Mode of Transportation for Metropolitan Area of Destination: 1997

[For explanation of terms and meaning of abbreviations and symbols, see introductory text. Detail may not add to total because of rounding]

	Value		Tons		Ton-miles		
Mode of transportation	Number (million dollars)	Percent	Number (thousands)	Percent	Number (millions)	Percent	Average miles per shipment
All modes	19 477	100.0	29 757	100.0	2 828	100.0	545
Single modes	13 874	71.2	29 235	98.2	2 463	87.1	181
Truck <sup>1</sup> Rail All other single modes	10 907 96 2 871	56.0 .5 14.7	28 879 309 S	97.0 1.0 S	2 251 156 S	79.6 5.5 S	131 662 1 369
Multiple modes	4 734	24.3	s	s	183	6.5	997
Parcel, U.S. Postal Service or courier All other multiple modes	4 341 S	22.3 S	82 S	.3 S	70 S	2.5 S	997 1 061
Other and unknown modes	869	4.5	257	.9	182	6.4	444

Represents data cell equal to zero or less than 1 unit of measure.
 D Denotes figures withheld to avoid disclosing data for individual companies.
 S Data do not meet publication standards because of high sampling variability or other reasons. Some unpublished estimates can be derived from other data published in this table. However, figures obtained in this manner are subject to these same limitations.

1"Truck" as a single mode includes shipments which went by private truck only, for-hire truck only, or a combination of private truck and for-hire truck.

# Table 3. Shipment Characteristics by Mode of Transportation and Distance Shipped for Metropolitan Area of Origin: 1997

[For explanation of terms and meaning of abbreviations and symbols, see introductory text. Detail may not add to total because of rounding]

Mode of transportation and distance shipped	Value		Tons		Ton-miles		
(based on Great Circle Distance)	Number (million dollars)	Percent	Number (thousands)	Percent	Number (millions)	Percen	
All modes	31 777	100.0	27 058	100.0	2 156	100.	
ess than 50 miles	3 138	9.9	22 133	81.8	315	14.	
0 to 99 miles	633 S	2.0 S	1 101 2 521	4.1 9.3	99 570	4. 26.	
50 to 499 miles	946 942	3.0 3.0	593 125	2.2 .5	236 92	11. 4.	
50 to 999 miles		16.2	164	.6	176		
,000 to 1,499 miles	S	S	331	1.2	491	22.	
500 to 1,999 miles	S S	S	89 S	.3 S	170 S	7.	
Single modes	s	s	25 917	100.0	1 737	100.	
ess than 50 miles	2 777	13.0	22 065				
0 to 99 miles	579	2.7	1 097	85.1 4.2	314 99	18. 5.	
00 to 249 miles	S 743	S 3.5	1 670 454	6.4 1.8	342 170	19. 9.	
00 to 749 miles	425	2.0	120	.5	88	5.	
50 to 999 miles	3 488	16.3	154	.6	166	9.	
000 to 1,499 miles	S S	S S	274 83	1.1 .3	400 158	23. 9.	
000 miles or more	2	-	S	S	S		
Truck <sup>1</sup>	s	s	25 692	100.0	1 653	100.	
ess than 50 miles	2 777	13.9	22 061	85.9	314	19.	
0 to 99 miles	569 S	2.8 S	1 097 1 473	4.3 5.7	99 289	6. 17.	
50 to 499 miles	S S	S	454 118	1.8 .5	170 86	10. 5.	
		15.7					
/50 to 999 miles	3 125 S	S	136 270	.5 1.1	143 394	8.0 23.0	
,500 to 1,999 miles	S S	S	83 S	.3 S	158 S	9.	
Rail	21	100.0	213	100.0	69	100.0	
ess than 50 miles	s	S	s	S	S		
0 to 99 miles	-	-	-	-	-		
00 to 249 miles	18 S	88.0 S	196 S	91.7 S	52 S	74.	
00 to 749 miles	S	S	S	S	S	5	
50 to 999 miles	S S	S S	S	S S	S S		
,000 to 1,499 miles	S	S	S S S	S	S		
2,000 miles or more	-	-	-	-	-	-	
All other single modes	1 396	100.0	12	100.0	15	100.0	
ess than 50 miles	- S	- S	- S	- S	- S		
00 to 249 miles	S S	S	2	14.9 .5	1 S	5.	
00 to 749 miles	59	4.3	S	 S	S		
50 to 999 miles	S	S	3	27.8	5	34.	
,000 to 1,499 miles	505 72	36.2 5.2	4 S S	35.8 S	6 S	38.	
,000 miles or more	1	-	S	S	S	5	
Multiple modes	s	s	1 013	100.0	394	100.0	
ess than 50 miles	306	3.0	12	1.2	-	-	
0 to 99 miles	54 S	.5 S	792	.2 78.3	220	55.	
50 to 499 miles	202 S	2.0 S	S 4	S .4	S 3		
50 to 999 miles	s	s	9		9	2.	
,000 to 1,499 miles	S	S	S	.9 S	S		
,500 to 1,999 miles	288 S	2.9 S	6 S	.6 S	12 S	2.	
Parcel, U.S. Postal Service or courier	s	s	66	100.0	50	100.	
ess than 50 miles	306	3.1	12	18.1	_		
0 to 99 miles	54 S	.5 S	2 15	2.6 23.1	-4	7.	
50 to 499 miles	194	2.0	4	5.8	2	3.	
00 to 749 miles	S	S	4	6.7	3	6.	
50 to 999 miles	S S	S	9 14	13.5 20.7	9 19	18. 38.	
,500 to 1,999 miles	288 S	2.9 S	6	9.1 .4	12 S	22.	
All other multiple modes	64	100.0	947	100.0	344	100.	
ess than 50 miles	_		_	_	_	100.	
0 to 99 miles	47	-		-	-	62.	
00 to 249 miles	47 S	72.8 S	777 S	82.1 S	216 S	62.	
00 to 749 miles	-	-	-	-	-		
50 to 999 miles	S S	S S	S S	S S	S S		
500 to 1,999 miles	-	-	-	_	-		
,000 miles or more	S	S	S	S	S	:	

See footnotes at end of table.

## Table 3. Shipment Characteristics by Mode of Transportation and Distance Shipped for Metropolitan Area of Origin: 1997-Con.

[For explanation of terms and meaning of abbreviations and symbols, see introductory text. Detail may not add to total because of rounding]

Made of transmission and distance objected	Value		Tc	ons	Ton-miles		
Mode of transportation and distance shipped (based on Great Circle Distance)	Number (million dollars)	Percent	Number (thousands)	Percent	Number (millions)	Percent	
Other and unknown modes	371	100.0	128	100.0	25	100.0	
Less than 50 miles	55 S 92 1 S	14.9 S 24.8 .3 S	ទ ទ ទ ទ ទ ទ ទ	S S S S S	ន ទទ ទ ទ ទ	S S S S S S	
750 to 999 miles	S S S	\$ \$ 5	\$ \$ 5	S S -	S S -	S S -	

Represents data cell equal to zero or less than 1 unit of measure.
 D Denotes figures withheld to avoid disclosing data for individual companies.
 S Data do not meet publication standards because of high sampling variability or other reasons. Some unpublished estimates can be derived from other data published in this table. However, figures obtained in this manner are subject to these same limitations.

1"Truck" as a single mode includes shipments which went by private truck only, for-hire truck only, or a combination of private truck and for-hire truck.

# Table 4. Shipment Characteristics by Mode of Transportation and Shipment Size for Metropolitan Area of Origin: 1997

[For explanation of terms and meaning of abbreviations and symbols, see introductory text. Detail may not add to total because of rounding]

[For explanation of terms and meaning of abbreviations and symbols, see introduct	Value		Tc		Ton-r	Ton-miles	
Mode of transportation	Number (million dollars)	Percent	Number (thousands)	Percent	Number (millions)	Percent	Average miles per shipment
All modes	31 777	100.0	27 058	100.0	2 156	100.0	492
Less than 50 lb	S S S 576 S	S S S 1.8 S	52 65 375 101 107	.2 .2 1.4 .4 .4	28 S S 18 S	1.3 S .8 S	557 497 558 178 444
1,000 to 9,999 lb. 10,000 to 49,999 lb. 50,000 to 99,999 lb. 100,000 lb or more	5 589 3 813 272 107	17.6 12.0 .9 .3	1 037 16 586 6 625 S	3.8 61.3 24.5 S	180 1 040 535 76	8.4 48.2 24.8 3.5	197 62 82 S
Single modes	S	S	25 917	100.0	1 737	100.0	297
Less than 50 lb 50 to 99 lb 100 to 499 lb 500 to 749 lb 750 to 999 lb	1 082 S 505 S	5.1 S S 2.4 S	30 53 348 98 101	.1 .2 1.3 .4 .4	S S 17 S	S S 1.0 S	S 431 545 170 466
1,000 to 9,999 lb . 10,000 to 49,999 lb . 50,000 to 99,999 lb . 100,000 lb or more .	S 3 736 221 107	S 17.5 1.0 .5	1 022 16 416 5 740 S	3.9 63.3 22.1 S	172 951 263 76	9.9 54.7 15.2 4.4	190 59 46 S
Truck <sup>1</sup> Less than 50 lb	<b>S</b> 690	S 2.5	25 692	100.0	1 653 S	100.0 S	265 S
Less trait 50 iD 50 to 99 lb 100 to 499 lb 500 to 749 lb 750 to 999 lb	590 S S 381 S	3.5 S S 1.9 S	28 52 348 97 101	.1 .2 1.4 .4 .4	3 S S 16 S	000 000 00 00	412 544 162 466
1,000 to 9,999 lb 10,000 to 49,999 lb 50,000 to 99,999 lb 100,000 lb or more	S 3 725 212 S	S 18.7 1.1 S	1 015 16 415 5 663 S	4.0 63.9 22.0 S	163 950 244 26	9.9 57.5 14.8 1.6	176 58 44 S
Rail	21	100.0	213	100.0	69	100.0	494
Less than 50 lb 50 to 99 lb 100 to 499 lb 500 to 749 lb 750 to 999 lb	8 8 9 1 9	S S S - S	s s s s	S S S S	S S S S S S S	S S S S S S S S S S S S S S S S S S S	1 427 1 524 1 231  912
1 000 to 9,999 lb . 10,000 to 49,999 lb . 50,000 to 99,999 lb . 100,000 lb or more .	- - S 11	- - S 54.0	- 77 136	- - 36.2 63.8	- 19 50	_ 27.5 72.5	_ 247 396
All other single modes	1 396	<b>100.0</b> 28.1	12 1	100.0	15	100.0	<b>1 308</b> 1 295
Less than 50 lb 50 to 99 lb 100 to 499 lb 500 to 749 lb 750 to 999 lb	392 S 78 124 14	20.1 S 5.6 8.9 1.0	S 1 S	12.0 S 5.0 10.0 S	2 5 5 5 5 5	11.7 S S S S	1 295 1 599 974 949 791
1,000 to 9,999 lb 10,000 to 49,999 lb 50,000 to 99,999 lb 100,000 lb or more	S S - -	S S - -	7 S -	59.4 S –	9 S -	61.1 S -	1 323 1 583 
Multiple modes	S	S	1 013	100.0	394	100.0	958
Less than 50 lb 50 to 99 lb 100 to 499 lb 500 to 749 lb 750 to 999 lb	S 370 S S S	S 3.7 S S S	22 12 24 S S	2.2 1.2 2.4 S S	21 9 19 S -	5.2 2.3 4.8 S	989 780 792 512 S
1,000 to 9,999 lb 10,000 to 49,999 lb 50,000 to 99,999 lb 100,000 lb or more	S S 51 -	S S .5 –	S S S	S S -	S S 271	S S 68.7	2 199 904 309 –
Parcel, U.S. Postal Service or courier	S	S	66	100.0	50	100.0	962
Less than 50 lb 50 to 99 lb 100 to 499 lb 500 to 749 lb 750 to 999 lb	S 370 S S S	S 3.7 S S S	22 12 24 S S	33.3 18.2 37.0 S S	21 9 19 S –	41.1 18.5 38.0 S .2	989 780 792 512 S
1,000 to 9,999 lb	S - - -	S - - -	S - - -	S - -	S - - -	S - -	2 199 
All other multiple modes	64	100.0	947	100.0	344	100.0	377
Less than 50 lb	S - - - -	S - - - -	\$ - - -	S - - -	S - - -	S - - -	1 265 
1,000 to 9,999 lb	- S 51 -	- S 80.4 -	- S 881 -	– S 93.0 –	S 271	S 78.7 	904 309 –

See footnotes at end of table.

## Table 4. Shipment Characteristics by Mode of Transportation and Shipment Size for Metropolitan Area of Origin: 1997-Con.

[For explanation of terms and meaning of abbreviations and symbols, see introductory text. Detail may not add to total because of rounding]

	Valu	Value		Tons		Ton-miles		
Mode of transportation	Number (million dollars)	Percent	Number (thousands)	Percent	Number (millions)	Percent	Average miles per shipment	
Other and unknown modes	371	100.0	128	100.0	25	100.0	226	
Less than 50 lb	20	10.9 S 5.3 S S	1 1 3 1 S	.5 .5 2.1 .5 S	-	.3 S 1.3 S	231 S S 138 S	
1,000 to 9,999 lb	S S -	S S -	15 S S –	12.0 S S -	S S S -	S S -	575 S 149	

Represents data cell equal to zero or less than 1 unit of measure.
 D Denotes figures withheld to avoid disclosing data for individual companies.
 S Data do not meet publication standards because of high sampling variability or other reasons. Some unpublished estimates can be derived from other data published in this table. However, figures obtained in this manner are subject to these same limitations.

1"Truck" as a single mode includes shipments which went by private truck only, for-hire truck only, or a combination of private truck and for-hire truck.

## Table 5. Shipment Characteristics by Commodity Group for Metropolitan Area of Origin: 1997

SCTG		Value		То	ns	Ton-		
codes	Commodity code group description	Number (million dollars)	Percent	Number (thousands)	Percent	Number (millions)	Percent	Average miles per shipment
	Total	31 777	100.0	27 058	100.0	2 156	100.0	492
01-05 06-09 10-14 15-20 21-24 25-30	Agricultural products and fish Grains, alcohol, and tobacco products Stone, Nonmetallic minerals, and metallic ores Coal and petroleum products Pharmaceutical and chemical products Wood products, and textiles and leather	72 240	S 3.6 .2 .8 2.6 3.1	727 1 077 12 571 S 788 572	2.7 4.0 46.5 S 2.9 2.1	S 228 249 S 357 82	S 10.6 11.5 S 16.6 3.8	S 70 S 250 751
31-34 35-38 39-43 -	Base metal and machinery Electronics, motorized vehicles, and precision instruments Furniture and miscellaneous manufactured products . Commodity unknown	25 279	5.1 79.6 4.1 S	7 600 S 547 S	28.1 S 2.0 S	538 S 232 S	25.0 S 10.7 S	268 828 655 502

[For explanation of terms and meaning of abbreviations and symbols, see introductory text. Detail may not add to total because of rounding]

Represents data cell equal to zero or less than 1 unit of measure.
 D Denotes figures withheld to avoid disclosing data for individual companies.
 S Data do not meet publication standards because of high sampling variability or other reasons. Some unpublished estimates can be derived from other data published in this table. However, figures obtained in this manner are subject to these same limitations.

Note: Data exclude shipments of SCTG 16, Crude Petroleum. See the section "Industry Coverage" for additional information.

## Table 6. Shipment Characteristics by Commodity Group and Mode of Transportation for Metropolitan Area of Origin: 1997

[For explanation of terms and meaning of abbreviations and symbols, see introductory text. Detail may not add to total because of rounding]

Commodity code group, description, and mode of transportation	Value		Tons		Ton-miles		
	Number (million dollars)	Percent	Number (thousands)	Percent	Number (millions)	Percent	Average mile per shipmer
ALL COMMODITIES							
All modes	31 777	100.0	27 058	100.0	2 156	100.0	49
Single modes	s	s	25 917	95.8	1 737	80.6	29
Truck1	S 21	s	25 692 213	95.0 .8	1 653 69	76.6 3.2	26 49
All other single modes	1 396	4.4	12	-	15	.7	1 30
Multiple modes	S	S	1 013	3.7	394	18.3	95
Parcel, U.S. Postal Service or courier	S 64	S .2	66 947	.2 3.5	50 344	2.3 16.0	96 37
Other and unknown modes	371	1.2	128	.5	25	1.1	22
SCTG 01-05, AGRICULTURAL PRODUCTS AND FISH							
All modes	s	s	727	100.0	s	s	
Single modes	s	s	725	99.8	s	s	
Truck <sup>1</sup>	s s	s s	703 S	96.7 S	s s	S S	20
All other single modes	-	-	-	-	-	-	20
Multiple modes	s	s	s	S	s	s	1 07
Parcel, U.S. Postal Service or courier	S _	S -	S _	S _	S -	S _	1 07
Other and unknown modes	s	s	s	s	s	s	2
SCTG 06-09, GRAINS, ALCOHOL, AND TOBACCO PRODUCTS							
All modes	1 143	100.0	1 077	100.0	228	100.0	7
Single modes	1 139	99.6	1 076	99.9	227	99.7	
Truck <sup>1</sup>	1 139	99.6	1 076	99.9	227	99.7	
All other single modes	-	-	-	-	-	-	
Multiple modes	S	s	S	S	s	s	30
Parcel, U.S. Postal Service or courier	S -	S _	S _	S _	S _	S -	30
Other and unknown modes	s	s	s	s	s	s	
SCTG 10-14, STONE, NONMETALLIC MINERALS, AND METALLIC ORES							
All modes	72	100.0	12 571	100.0	249	100.0	
Single modes	72	99.5	12 521	99.6	242	97.3	
Truck <sup>1</sup>	72	99.5	12 521	99.6	242	97.3	
All other single modes	-	-	-	-	-	-	
Multiple modes	-	-	-	-	-	-	-
Parcel, U.S. Postal Service or courier	-	_	-	-	-	-	
Other and unknown modes	s	s	s	s	s	s	11
SCTG 15-20, COAL AND PETROLEUM PRODUCTS							
All modes	240	100.0	s	s	s	s	
Single modes	233	97.0	s	s	s	s	2
Truck <sup>1</sup>	233	97.0	s	s	s	s	2
All other single modes	-	=	-	-	-	=	
Multiple modes	S	s	S	s	S	s	
Parcel, U.S. Postal Service or courier	S -	S -	S -	S -	S -	S -	
Other and unknown modes	s	s	s	s	s	s	

# Table 6. Shipment Characteristics by Commodity Group and Mode of Transportation for Metropolitan Area of Origin: 1997–Con.

[For explanation of terms and meaning of abbreviations and symbols, see introductory text. Detail may not add to total because of rounding]

Commodity code group, description, and mode of transportation	Value		Tons		Ton-mile	s	
Commodity code group, description, and mode of transportation	Number (million dollars)	Percent	Number (thousands)	Percent	Number (millions)	Percent	Average mile per shipmer
SCTG 21-24, PHARMACEUTICAL AND CHEMICAL PRODUCTS							
All modes	842	100.0	788	100.0	357	100.0	25
Single modes	722	85.8	779	98.9	349	97.7	:
Fruck <sup>1</sup>	630	74.8	713	90.6	327	91.4	
Rail	S 89	S 10.5	S S	S S	S S	S S	85 1 22
Multiple modes	101	12.0	6	.7	s	s	46
Parcel, U.S. Postal Service or courier	100 S	11.9 S	5 S	.7 S	2 S	.7 S	46 5 80
Other and unknown modes	s	s	s	s	s	s	2
SCTG 25-30, WOOD PRODUCTS, AND TEXTILES AND LEATHER							
All modes	970	100.0	572	100.0	82	100.0	75
Single modes	576	59.4	553	96.7	s	s	7
Fruck <sup>1</sup>	569	58.7	552	96.7	s	s	Ę
Rail	s	s	_	-	-	1	1 16
Multiple modes	385	39.7	16	2.8	13	15.9	1 15
Parcel, U.S. Postal Service or courier	385	39.7	16	2.8	13	15.9	1 15
Other and unknown modes	s	s	3	.5	_	.3	63
SCTG 31-34, BASE METAL AND MACHINERY							
All modes	1 614	100.0	7 600	100.0	538	100.0	26
Single modes	1 106	68.5	6 655	87.6	243	45.0	
Truck <sup>1</sup> Rail All other single modes	1 082 S S	67.0 S S	6 652 S -	87.5 S -	242 S S	45.0 S S	6 78
Multiple modes	470	29.1	922	12.1	288	53.5	72
Parcel, U.S. Postal Service or courier	S 54	S 3.4	10 912	.1 12.0	S 281	S 52.2	74 30
Other and unknown modes	37	2.3	23	.3	s	s	
SCTG 35-38, ELECTRONICS, MOTORIZED VEHICLES, AND PRECISION INSTRUMENTS							
All modes	25 279	100.0	s	s	s	s	83
Single modes	s	s	s	s	s	s	7
Truck <sup>1</sup>	s	s	s	s	s	s	74
Rail	1 203	4.8	ŝ	s	s	s	1 15
Multiple modes	s	s	25	6.6	21	6.0	1 03
Parcel, U.S. Postal Service or courier	s -	s -	25 _	6.6	21	6.0	1 03
Other and unknown modes	271	1.1	s	s	s	s	34
SCTG 39-43, FURNITURE AND MISCELLANEOUS MANUFACTURED PRODUCTS							
All modes	1 313	100.0	547	100.0	232	100.0	6
Single modes	1 035	78.8	503	92.0	168	72.6	39
Fruck <sup>1</sup> Rail All other single modes	957 S S	72.9 S S	376 125 2	68.9 22.8 .3	121 S 2	52.3 S 1.0	33 1 53
Multiple modes	253	19.3	s	s	s	s	94
Parcel, U.S. Postal Service or courier	244 S	18.6 S	8 S	1.4 S	5 S	2.2 S	94 1 68
		~	Ŭ I	~	~	~	

See footnotes at end of table.

## Table 6. Shipment Characteristics by Commodity Group and Mode of Transportation for Metropolitan Area of Origin: 1997-Con.

[For explanation of terms and meaning of abbreviations and symbols, see introductory text. Detail may not add to total because of rounding]

	Va	lue	То	ons	Ton-		
Commodity code group, description, and mode of transportation	Number (million dollars)	Percent	Number (thousands)	Percent	Number (millions)	Percent	Average miles per shipment
COMMODITY UNKNOWN							
All modes	s	s	s	s	s	s	502
Single modes	s	s	s	s	s	s	S
Truck <sup>1</sup>	11	17.2	S	S	S	S	S
Rail All other single modes	s	s	s	S	S	s	601
Multiple modes	s	s	s	S	s	s	1 553
Parcel, U.S. Postal Service or courier All other multiple modes	S -	S -	S -	S -	S -	S -	1 553 -
Other and unknown modes	s	S	s	S	s	s	S

Represents data cell equal to zero or less than 1 unit of measure.
 D Denotes figures withheld to avoid disclosing data for individual companies.
 S Data do not meet publication standards because of high sampling variability or other reasons. Some unpublished estimates can be derived from other data published in this table. However, figures obtained in this manner are subject to these same limitations.

1"Truck" as a single mode includes shipments which went by private truck only, for-hire truck only, or a combination of private truck and for-hire truck.

Note: Data exclude shipments of SCTG 16, Crude Petroleum. See the section "Industry Coverage" for additional information.

## Table 7. Outbound Shipment Characteristics by Destination for Metropolitan Area: 1997

	Value		Tons		Ton-miles		
State, metropolitan area, and remainder of state destination	Number (million dollars)	Percent	Number (thousands)	Percent	Number (millions)	Percer	
Total	31 777	100.0	27 058	100.0	2 156	100.	
Nabama	49	.2	23	-	18	.8	
Alaska	s	S	s	s	s	:	
krizona Phoenix-Mesa, AZ MSA Remainder of Arizona	<b>s</b> s	<b>S</b> S	<b>8</b> 6 2		8 7 1	-4	
rkansas	s	s	30	.1	16		
California Los Angeles-Riverside-Orange County, CA CMSA Sacramento-Yolo, CA CMSA	6 277 S S	<b>19.8</b> S	118 57 S	.4 .2 S	<b>187</b> 81 S	<b>8.</b> 3.	
San Diego, CA MSA	166 S 42	.5 S .1	S S S 4	S S -	S S 6	3.	
Colorado	<b>73</b> 54 19	.2 .2 -	<b>16</b> 14 2		<b>15</b> 13 2		
Connecticut	<b>18</b> 2 15		<b>S</b> S	<b>S</b> S	<b>S</b> S S	ę	
Delaware	s	s	s	s	s		
District of Columbia Washington, DC-MD-VA-WV PMSA (DC part)	S S	S S	<b>S</b> S	S S	s s		
Iorida Jacksonville, FL MSA	<b>394</b> 12	1.2	30 S	.1 S	36 S	1.	
Miami-Fort Lauderdale, FL CMSA Orlando, FL MSA Tampa-St Petersburg-Clearwater, FL MSA	94 34 17	.3 .1	12 S S S	S S	16 S S	-	
Vest Pain Beach-Boca Raton, FL MSA Remainder of Florida	S 44	- S .1	S 4	s -	S 4	1.	
Georgia	<b>213</b> 191 22	.6 -	<b>25</b> S 1	- S -	24 S 1	1.	
ławali	s	S	s	s	s		
daho	22	-	S	S	S	5	
llinois Chicago-Gary-Kenosha, IL-IN-WI CMSA (IL part) St Louis, MO-IL MSA (IL part) Remainder of Illinois	<b>390</b> 369 S 14	<b>1.2</b> 1.2 S -	<b>39</b> 35 S S	.1 .1 S S	<b>45</b> 41 S S	<b>2</b> . 1.	
ndiana Gary, IN PMSA Indianapolis, IN MSA	<b>s</b> S 76	<b>S</b> .2	18 S S	- S S	20 S S		
Remainder of Indiana	S	.2 S	4	-	5		
bwa	33	.1	2	-	2		
(ansas Kansas City, MO-KS MSA (KS part). Remainder of Kansas	<b>S</b> S	<b>S</b> S	<b>S</b> S	<b>S</b> S	<b>S</b> S		
Kentucky Louisville, KY-IN MSA (KY part) Remainder of Kentucky	<b>s</b> s	<b>S</b> S	11 S 8	- S -	11 S 9		
<b>.ouisiana</b> New Orleans, LA MSA. Remainder of Louisiana	<b>211</b> 25 186	.7 _ .6	<b>248</b> 30 219	<b>.9</b> .1 .8	<b>109</b> 16 93	<b>5</b> . 4	
<i>f</i> laine	s	s	s	s	s	:	
<b>/laryland</b> Baltimore, MD PMSA Remainder of Maryland	<b>s</b> 27 S	<b>s</b> 	<b>15</b> S S	- s s	23 S S	1.1	
Assachusetts	156	.5	21	_	42	1.1	
Boston-Worcester-Lawrence-Lowell-Brockton, MA-NH NECMA (MA part) Remainder of Massachusetts.	153 3	.5	21 21 S	- S	41 S	1.	
lichigan Detroit-Ann Arbor-Flint, MI CMSA Grand Rapids-Muskegon-Holland, MI MSA Remainder of Michigan	<b>632</b> 482 S 13	<b>2.0</b> 1.5 S	<b>S</b> S S	<b>s</b> s	<b>s</b> s s		
Innesota	5 68 5	<b>S</b> .2 S	<b>S</b> S	<b>S</b> S	<b>S</b> S		
	18	_	s	s	s	5	
Alissouri	207	.7	52	.2	41	1.	
Kansas City, MO-KS MSA (MO part) St Louis, MO-IL MSA (MO part) Remainder of Missouri	11 128 68	- .4 .2	S 21 S	s s	S 17 S		
Iontana	14	-	s	s	s	:	
lebraska	18	-	s	s	s	5	
Vevada Las Vegas, NV-AZ MSA (NV part) Remainder of Nevada	<b>S</b> 5	s s	<b>5</b> 4 S	- - s	7 5 S	.3	
	3		0	5	5		

[For explanation of terms and meaning of abbreviations and symbols, see introductory text. Detail may not add to total because of rounding]

See footnotes at end of table.

## Table 7. Outbound Shipment Characteristics by Destination for Metropolitan Area: 1997-Con.

	Val	ue	Tc	ins	Ton-miles		
State, metropolitan area, and remainder of state destination	Number (million dollars)	Percent	Number (thousands)	Percent	Number (millions)	Percent	
New Jersey. New York-Northern New Jersey-Long Island, NY-NJ-CT-PA CMSA (NJ	S	S	10	-	16	.8	
part)	S	S	7	_	s	s	
Philadelphia, PA-NJ PMSA (NJ part) Remainder of New Jersey	S S	\$ \$ \$	S S	S	S S	S S	
New Mexico	s	s	9	-	7	.3	
New York Buffalo-Niagara Falls, NY MSA	S S	<b>S</b>	<b>S</b>	S	S S	S S	
New York-Northern New Jersey-Long Island, NY-NJ-CT-PA CMSA (NY part)	S	S	S	S	s	S	
Rochester, NY MSA Remainder of New York	S S	S S	- S	- S	- s	S	
North Carolina	s	s	35	.1	46	2.2	
Charlotte-Gastonia-Rock Hill, NC-SC MSA (NC part) Greensboro-Winston-Salem-High Point, NC MSA	S 7	S _	S -	S _	S –	S –	
Raleigh-Durham-Chapel Hill, NČ MSA Remainder of North Carolina	S S	S S	S S	S	S S	S	
North Dakota	s	S	-	-	-	-	
Ohio	s	s	20	-	25	1.1	
Cincinnati-Hamilton, OH-KY-IN CMSA (OH part) Cleveland-Akron, OH CMSA	S	S S S S S	S -	S	S -	S	
Columbus, OH MSA Dayton-Springfield, OH MSA	S S	S S	S S S	S S S	S S		
Remainder of Ohio	S	S	S	S	S	-	
OklahomaOK MSA	<b>72</b> 21	.2	<b>S</b>	S S	S S	<b>S</b> .2	
Remainder of Oklahoma	51	.2	11	-	5	.2	
Oregon Portland-Salem, OR-WA CMSA (OR part)	<b>44</b> 33	.1	<b>s</b>	S	S S	S S	
Remainder of Oregon	S S	.1 S	S	S	S S	S	
Pennsylvania	378	1.2	25	-	40	1.9	
Philadelphia-Wilmington-Atlantic City, PA-NJ-DE-MD CMSA (PA part) Pittsburgh, PA MSA	89 S	.3 S	9 S	S	15 S	.7 S S	
Remainder of Pennsylvania	234	.7	S	S	S	S	
Rhode Island	S	S	S	S	s	S	
South Carolina	S	S	S	S	s	s	
South Dakota	10	-	S	S	s	S	
Tennessee Memphis TN-AR-MS MSA (TN part)	140 S	.4 S	<b>19</b> 15	-	<b>14</b> 10	.6	
Nashville, TN MSA Remainder of Tennessee	S S S	SSS	S	S	S S	.5 S S	
Texas Austin-San Marcos, TX MSA	<b>9 606</b> 2 985	<b>30.2</b> 9.4	<b>26 044</b> 21 166	<b>96.3</b> 78.2	1 087 279	<b>50.4</b> 12.9	
Dallas-Fort Worth, TX CMSA Houston-Galveston-Brazoria, TX CMSA	533 S	1.7 S	684 828	2.5 3.1	166 175	7.7	
San Antonio, TX MSA	418 S	1.3 S	1 029 2 336	3.8 8.6	53 414	2.4 19.2	
			c.				
Utah Salt Lake City-Ogden, UT MSA	<b>S</b> 26	<b>s</b> - s	<b>S</b> S	S S	S S	S S	
Remainder of Utah	S	5					
Vermont	8	-	S	S	S	S	
Virginia Norfolk-Virginia Beach-Newport News, VA-NC MSA (VA part)	S S	<b>S</b>	S S	S S	S S	S S	
Washington, DC-MD-VA-WV PMSA (VA part) Remainder of Virginia	14 S	S	- S	S	s	S	
Washington	128	.4	18	_	38	1.8	
Seattle-Tacoma-Bremerton, WA CMSA Remainder of Washington	75 S	.2 S	13 S	– S	28 S	1.3 S	
West Virginia	9	_	_	_	_	_	
-			-	_	_	_	
Wisconsin. Milwaukee-Racine, WI CMSA Remainder of Wisconsin	<b>S</b> S	<b>ទ</b> ទ	<b>S</b>	<b>S</b>	S S	<b>S</b>	
	1			i i i i i i i i i i i i i i i i i i i	1		

Represents data cell equal to zero or less than 1 unit of measure.
 D Denotes figures withheld to avoid disclosing data for individual companies.
 S Data do not meet publication standards because of high sampling variability or other reasons. Some unpublished estimates can be derived from other data published in this table. However, figures obtained in this manner are subject to these same limitations.

Note: Exports are included in the geographic destination containing the port of exit or border crossing (final domestic destination).

## Table 8. Inbound Shipment Characteristics by Origin for Metropolitan Area: 1997

Ton-miles Value Tons State, metropolitan area, remainder of state of origin Numbe Number Number (million dollars) (thousands) Percent Percent (millions) Percent Total ..... 19 477 100.0 29 757 100.0 2 828 100.0 Alabama ..... 107 .5 54 .2 42 1.5 s s s s s s Alaska ..... Arizona 170 .9 s s S S s S Phoenix-Mesa, AZ MSA 168 .9 S S S Remainder of Arizona ..... Arkansas..... 138 .7 199 .7 92 3.3 **5.8** 2.9 S California .... 3 006 105 163 **15.4** 4.5 .4 .2 S Los Angeles-Riverside-Orange County, CA CMSA.... Sacramento-Yolo, CA CMSA... San Diego, CA MSA.... San Francisco-Oakland-San Jose, CA CMSA.... 876 81 58 2 37 S S 3 .6 10.3 2.3 S .1 S 2 000 65 S Remainder of California..... 15 **128** 100 **S** 6 5 **S** .2 S s s Colorado .7 Denver-Boulder-Greeley, CO CMSA .5 .1 6 S s Remainder of Colorado ..... 28 Connecticut 46 .2 1 S 1 s S 1 s 41 .2 s s s s s s Delaware ..... **District of Columbia** \_ Washington, DC-MD-VA-WV PMSA (DC part) \_ \_ Iorida Jacksonville, FL MSA Miami-Fort Lauderdale, FL CMSA Orlando, FL MSA Tampa-St Petersburg-Clearwater, FL MSA West Palm Beach-Boca Raton, FL MSA Benginder of Eloride 199 1.0 S s s s s Florida SSSSS SSSSS SSSSS SSSSS 30 S S .1 S .5 28 S 107 Remainder of Florida ..... 1.2 .6 S **33** 11 S **1.2** .4 S 225 33 12 S .1 124 S s s s s s s s Hawaji ..... s s s s s s Idaho ..... 370 **69** 31 **.2** .1 **74** 36 **2.6** 1.3 Illinois . **1.9** 1.5 Chicago-Gary-Kenosha, IL-IN-WI CMSA (IL part) S Louis, MO-IL MSA (IL part) Remainder of Illinois 290 10 70 3 S 3 S s s .4 **34** S 3 Indiana ..... 185 1.0 .1 S 41 1.4 Gary, IN PMSA S 3 Gary, IN PMSA ......Indianapolis, IN MSA ..... S .1 Remainder of Indiana ..... 115 .6 16 19 lowa ..... 88 .4 27 \_ 28 1.0 **1.4** S 1.0 Kansas 46 .2 58 .2 S 40 Kansas City, MO-KS MSA (KS part)..... Remainder of Kansas S 43 S 29 .2 .1 32 Kentucky. Louisville, KY-IN MSA (KY part) Remainder of Kentucky. **S** .3 **S** 8 s s s S **S** 7 S .2 43 **79** S 78 Louisiana ..... New Orleans, LA MSA.... Remainder of Louisiana .... 104 .5 213 2.8 .7 S .7 102 .5 212 2.8 Maine ..... 26 .1 s s s s **S** S s 2 Marvland ... laryland . Baltimore, MD PMSA . Remainder of Maryland . S S S s s S S s s 332 .3 Massachusetts 1.7 5 9 \_ Boston-Worcester-Lawrence-Lowell-Brockton, MA-NH NECMA (MA Part) Remainder of Massachusetts 4 .3 318 1.6 9 1 14 Michigan ..... Detroit-Ann Arbor-Flint, MI CMSA ..... Grand Rapids-Muskegon-Holland, MI MSA ..... 74 S S **2.6** S S .7 **191** 49 1.0 60 .2 SS S 72 .4 .4 Remainder of Michigan ..... 15 20 69 **s** .4 S s **S** 12 S Minnesota. 362 1.9 s Minneapolis-St Paul, MN-WI MSA (MN part)..... Remainder of Minnesota 10 S 182 .c s S Ś 78 .4 58 .2 37 1.3 Mississippi ..... Missouri 236 1.2 61 .2 52 1.9 Issouri Kansas City, MO-KS MSA (MO part) St Louis, MO-IL MSA (MO part) Remainder of Missouri 8 S .3 S 165 .8 .2 9 s 30 Ś s s s s s s Montana ..... s s s s Nebraska..... 17 s s 11 s s s Nevada .... Las Vegas, NV-AZ MSA (NV part) Remainder of Nevada S S S s s S š š š Š New Hampshire..... 188 1.0 s s s s

[For explanation of terms and meaning of abbreviations and symbols, see introductory text. Detail may not add to total because of rounding]

See footnotes at end of table.

## Table 8. Inbound Shipment Characteristics by Origin for Metropolitan Area: 1997-Con.

	Value	e	То	ns	Ton-miles		
State, metropolitan area, remainder of state of origin	Number (million dollars)	Percent	Number (thousands)	Percent	Number (millions)	Percent	
New Jersey New York-Northern New Jersey-Long Island, NY-NJ-CT-PA CMSA (NJ	133	.7	11	-	19	.7	
part)	89	.5	8	-	14	.5	
Philadelphia, PA-NJ PMSA (NJ part) Remainder of New Jersey	S S	.5 S S	3 S	s	5 S	.5 .2 S	
New Mexico	12	-	5	-	3	.1	
New York	544	2.8	28	-	49	1.7	
Buffalo-Niagara Falls, NY MSA New York-Northern New Jersey-Long Island, NY-NJ-CT-PA CMSA (NY part)	S 229	S 1.2	S 10	S _	S 18	S .6	
Rochester, NY MSA Remainder of New York	55 216	.3 1.1	1 S	ŝ	2 S	S	
North Carolina	230	1.2	42	.1	52	1.8	
Charlotte-Gastonia-Rock Hill, NC-SC MSA (NC part) Greensboro-Winston-Salem-High Point, NC MSA	19 22	.1 .1	23		2	1	
Raleigh-Durham-Chapel Hill, NC MSA	102	.5	4	-	6	.2	
Remainder of North Carolina	88	.4	33	.1	41	1.4	
North Dakota	13	-	S	S	S	S	
Ohio Cincinnati-Hamilton, OH-KY-IN CMSA (OH part)	262 S	1.3 S	69 4	.2	<b>88</b> 5	<b>3.1</b>	
Cleveland-Akron, OH CMSA	81	.4	4 19	-	26	.2 .9 .3 S S	
Columbus, OH MSA Dayton-Springfield, OH MSA	52 24	.3 .1	7 S	s	9 S	.3	
Remainder of Ohio	33	.2	S	S	S	S	
Oklahoma	127	.7	174	.6	78	2.8	
Oklahoma City, OK MSA Remainder of Oklahoma	26 101	.1 .5	8 166	_ .6	3 75	.1 2.7	
Oregon	233	1.2	s	s	s	s	
Portland-Salem, OR-WA CMSA (OR part)	215	1.1	S	S	S 25	<b>S</b> .9	
Remainder of Oregon	18	-	12	-	25	.9	
Pennsylvania	S	S	31	.1	49	1.7	
Philadelphia-Wilmington-Atlantic City, PA-NJ-DE-MD CMSA (PA part) Pittsburgh, PA MSA	63 18	.3	S 6	S –	S 8	S .3 .9	
Pittsburgh, PA MSA Remainder of Pennsylvania	ŝ	S	16	-	26	.9	
Rhode Island	S	S	S	s	S	S	
South Carolina	240	1.2	11	-	12	.4	
South Dakota	7	-	S	S	s	S	
Tennessee	149	.8	18	-	15	.5	
Memphis TN-AR-MS MSA (TN part) Nashville, TN MSA	50 24	.3 .1	S 3	S	S 2	S	
Remainder of Tennessee	75	.4	10	-	9	.3	
Texas	8 509	43.7	28 004	94.1	1 157	40.9	
Austin-San Marcos, TX MSA	2 985 1 936	15.3 9.9	21 166 843	71.1 2.8	279 165	9.9 5.8	
Dallas-Fort Worth, TX CMSA Houston-Galveston-Brazoria, TX CMSA	1 020	5.2	741	2.5	125	4.4	
San Antonio, TX MSA Remainder of Texas	1 345 1 223	6.9 6.3	S 1 995	S 6.7	S 329	S 11.6	
Utah	20	.1	s	s	s	s	
Salt Lake City-Ogden, UT MSA	16	-	1	-	1	-	
Remainder of Utah	4	-	S	S	S	S	
Vermont	s	S	1	-	1	-	
Virginia	169	.9	29	.1	41	1.4	
Norfolk-Virginia Beach-Newport News, VA-NC MSA (VA part) Washington, DC-MD-VA-WV PMSA (VA part)	14 9	_	S S	S S	S S	S S	
Remainder of Virginia	145	.7	27		37	1.3	
Washington	275	1.4	19	-	47	1.7	
Washington	72	.4	S	S	S	S	
Remainder of Washington	203	1.0	13	-	34	1.2	
West Virginia	13	-	6	-	9	.3	
Wisconsin.	164	.8	42	.1	51	1.8	
Milwaukee-Racine, WI CMSA	41 123	.2 .6	1 41	- .1	1 50	1.8	
Wyoming	s	s	s	s	s	s	
۰۰۰۰ ،		5	5	5	, <b>3</b>		

[For explanation of terms and meaning of abbreviations and symbols, see introductory text. Detail may not add to total because of rounding]

Represents data cell equal to zero or less than 1 unit of measure.
 D Denotes figures withheld to avoid disclosing data for individual companies.
 S Data do not meet publication standards because of high sampling variability or other reasons. Some unpublished estimates can be derived from other data published in this table. However, figures obtained in this manner are subject to these same limitations.

Note: Exports are included in the geographic destination containing the port of exit or border crossing (final domestic destination).

# Appendix A. Comparability With the 1993 Commodity Flow Survey

The Commodity Flow Survey (CFS) restores a data program on commodity flows that the Census Bureau conducted as a part of its 5-year economic census program from 1963 through 1977. The CFS was first conducted in 1993. For the 1997 CFS, the Census Bureau incorporated improvements identified from the evaluation of previous surveys and additional research. The following table shows a comparison of the 1993 and 1997 surveys.

Item	1993	1997
1. Industry coverage	Manufacturers (minor exceptions)	Manufacturers (minor exceptions)
	Mining (except mining services and oil and gas extraction)	Mining (except mining services)
	All wholesale	All wholesale
	Video tape distributers	
	Catalog mail-order houses	Catalog mail-order houses
	Auxiliaries (e.g., warehouses)	Auxiliaries (e.g., warehouses)
2. Commodity classification system	Standard Transportation Commodity Classification (STCC), developed by the American Association of Railroads (AAR).	Standard Classification of Transported Goods (SCTG).
3. Sample size	Approximately 200,000 establishments were selected from a universe of about 800,000 in-scope establishments on the 1992 Standard Statistical Establishment List (SSEL).	Approximately 100,000 establishments were selected from a universe of about 800,000 in-scope establishments on the 1995 Standard Statistical Establishment List (SSEL).
4. Survey methodology	Respondents took a sample of their individual outbound shipments for a 2-week period during each of the four calendar quarters of 1993.	Respondents took a sample of their individual outbound shipments for a 1-week period during each of the four calendar quarters of 1997.
	Respondents reported key characteristics for each sampled shipment.	Respondents reported key characteristics for each sampled shipment.
5. Reported mode of transportation	Rail	Rail
·	For-hire truck	For-hire truck
	Private truck	Private truck
	Air	Air
	Inland water and/or Great Lakes	Shallow draft vessel
	Deep sea water	Deep draft vessel
	Pipeline	Pipeline
	Parcel, U.S. Postal Service, or courier	Parcel, U.S. Postal Service, or courier
	Other	Other
	Unknown	Unknown

Item	1993	1997
6. Data items requested on questionnaire	For <b>each</b> shipment:	For <b>each</b> shipment:
	Total value	Total value
	Total weight	Total weight
	Major commodity (STCC)	Major commodity (SCTG)
	All modes of transportation	All modes of transportation
	Multiple origins (respondents specifically requested to report all shipment origins for the sampled establishment and report the appropriate origin for each shipment; assumed to always be the mailing address if no other origins listed).	different physical location address).
	Destination	Destination
	Containerized (Y/N)	Containerized (Y/N)
	Hazardous material (Y/N)	Hazardous material (UN/NA codes)
	Export (Y/N)	Export (Y/N)
	If export, mode of export, foreign country, and city of destination.	If export, mode of export, foreign country, and city of destination.

## Appendix B. Reliability of the Estimates

An estimate based on a sample survey potentially contains two types of errors—sampling and nonsampling. Sampling error occurs because characteristics differ among sampling units and because only a subset of the entire population is measured in a sample survey. Nonsampling error encompasses all other factors that contribute to the total error of a sample survey estimate. The accuracy of a survey result may be affected by these two types of errors.

Sampling and nonsampling errors are often measured by the quantities, bias and variance. The bias of an estimator of an unknown population value is the difference, averaged over all possible samples of the same size and design, between the estimator and the unknown population value. Any systematic error, or inaccuracy that affects all samples of a specified design in a similar way, may bias the resulting estimates. Variance is the squared difference, averaged over all possible samples of the same size and design, between an estimator and its average value. Descriptions of sampling and nonsampling errors for the 1997 Commodity Flow Survey (CFS) are provided in the following sections.

#### SAMPLING ERROR

Because the estimates are based on a sample, exact agreement with the results that would be obtained from a complete enumeration of all the shipments made in 1997 from all establishments included on the CFS sampling frame is not expected. However, because probability sampling was used at each stage of selection, it is possible to estimate the sampling variability of the survey estimates. For CFS estimates, sampling variability arises from each of the three stages of sampling. (See Appendix C for a description of the sample design.)

The particular sample used in this survey is one of a large number of samples of the same size and design that could have been selected. If all possible samples had been surveyed, under the same conditions, an estimate of an unknown population value could have been obtained from each sample. The estimates obtained from these samples give rise to a distribution of estimates for the unknown population value. A statistical measure of the variability among these estimates is the standard error, which can be approximated from any one sample. The coefficient of variation (or relative standard error) of an estimate is the standard error of the estimate divided by the estimate. Measures of sampling variability, such as the standard error or coefficient of variation, are estimated from the sample and are also subject to sampling variability. (Technically, we should refer to the estimated standard error or the estimated coefficient of variation of an estimator. However, we have omitted this detail for the sake of brevity.) It is important to note that the standard error and coefficient of variation only measure sampling variability. They do not measure any biases in the estimates. All coefficients of variation are expressed as percents. Standard errors for the corresponding percentage estimates are also provided.

An estimate of an unknown population value and its approximate standard error can be used to construct a confidence interval. A confidence interval is a range about a given estimator that has a specified probability, or confidence, of containing the unknown population value. If, for each possible sample, an estimate of an unknown population value and the estimate's approximate standard error were obtained, then:

- 1. For approximately 90 percent of the possible samples, the interval from 1.65 standard errors below to 1.65 standard errors above the estimate would include the unknown population value.
- 2. For approximately 95 percent of the possible samples, the interval from two standard errors below to two standard errors above the estimate would include the unknown population value.

#### NONSAMPLING ERROR

Nonsampling error encompasses all other factors that contribute to the total error of a sample survey estimate and may also occur in censuses. It is often helpful to think of nonsampling error as arising from deficiencies or mistakes in the survey process. In the CFS, nonsampling error can be attributed to many sources: (1) nonresponse, (2) response errors, (3) differences in the interpretation of the questions, (4) mistakes in coding or keying the data obtained, and (5) other errors of collection, response, coverage, and processing. Although no direct measurement of the potential biases because of nonsampling error has been obtained, precautionary steps were taken in all phases of the collection, processing, and tabulation of the data in an effort to minimize its influence.

A potentially large source of bias in the estimates is due to nonresponse. Nonresponse is defined as the inability to obtain all the intended measurements or responses from all the selected establishments. Four levels of nonresponse can occur in the CFS: item, shipment, quarter (reporting week), and establishment. Item nonresponse occurs either when a question is unanswered or the response to the question fails computer or analyst edits. Item nonresponse is corrected by imputation. (Imputation is the procedure by which a missing value is replaced by a predicted value obtained from an appropriate model.) Shipment, quarter, and establishment nonresponse are used to describe the inability to obtain sufficient information about a sampled shipment, quarter, or establishment, respectively, that prevents it from contributing to tabulations. Shipment and quarter nonresponse are corrected during the estimation procedure by reweighting. Reweighting allocates characteristics to the nonrespondents in proportion to the characteristics observed for the respondents. The amount of bias introduced by this nonresponse adjustment procedure depends on the extent to which the nonrespondents differ, characteristically, from the respondents. Establishment nonresponse is corrected during the estimation procedure by the SIC-level adjustment weight. (See Appendix C for a description of the estimation procedure.) In most cases of establishment nonresponse, none of the four questionnaires have been

returned to the Census Bureau, after several attempts to elicit a response. Approximately 67 percent of the sampled establishments provided at least one quarter of data that contributed to tabulations.

Some possible sources of bias that are attributed to respondent-conducted sampling include misunderstanding the definition of a shipment, constructing an incomplete frame of shipments from which to sample, ordering the shipment sampling frame by selected shipment characteristics, and selecting shipment records by a method other than the one specified in the questionnaire's instructions. We often contacted respondents who reported shipments having atypically large value or weight when compared to the rest of their reported shipments. Upon contact, if we are able to collect information on all of a given respondent's large shipments made either for a particular reporting week or for the entire guarter, then we identify these large shipments as certainty shipments. (See Appendix C for a description of how certainty shipments are used in the estimation process.)

## Table B-1. Measures of Reliability for Shipment Characteristics by Mode of Transportation for Metropolitan Area of Origin: 1997

[For explanation of terms and meaning of abbreviations and symbols, see introductory text]

	Value		To	ons	Ton-	A	
Mode of transportation	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Average miles per shipment— coefficient of variation
All modes	38.4	-	23.6	-	21.4	-	21.6
Single modes	s	s	24.1	1.7	18.4	4.5	33.7
Truck Rail All other single modes	S 38.5 43.6	S  2.5	24.4 34.2 32.1	1.7 .4 -	19.2 34.9 35.2	3.6 1.9 .7	39.5 28.0 7.9
Multiple modes	s	s	43.5	1.7	42.8	4.6	9.3
Parcel, U.S. Postal Service or courier All other multiple modes	S 48.7	S .2	20.8 45.8	.3 1.7	23.9 47.9	1.0 5.0	9.2 34.5
Other and unknown modes	35.6	.7	44.7	.2	41.3	.6	26.1

Represents data cell equal to zero or less than 1 unit of measure.
 D Denotes figures withheld to avoid disclosing data for individual companies.
 S Data do not meet publication standards because of high sampling variability or other reasons. Some unpublished estimates can be derived from other data published in this table. However, figures obtained in this manner are subject to these same limitations.

Note: For description of development and uses of measures of reliability, see Appendix B, Reliability of the Estimates.

## Table B-2. Measures of Reliability for Inbound Shipment Characteristics by Mode of Transportation for Metropolitan Area of Destination: 1997

[For explanation of terms and meaning of abbreviations and symbols, see introductory text]

	Val	ue	To	ns	Ton-	miles	
Mode of transportation	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Average miles per shipment— coefficient of variation
All modes	8.2	-	23.2	-	8.6	-	10.8
Single modes	8.4	2.3	23.7	1.1	7.4	3.0	11.6
Truck Rail All other single modes	7.3 42.3 41.4	4.7 .3 3.7	24.1 37.6 S	2.0 1.4 S	8.4 30.5 S	3.8 2.0 S	16.2 23.2 4.4
Multiple modes	11.7	1.7	s	S	47.5	2.3	6.4
Parcel, U.S. Postal Service or courier All other multiple modes	8.2 S	1.8 S	10.4 S	.1 S	5.7 S	.2 S	6.4 34.6
Other and unknown modes	36.6	1.4	43.5	.3	46.1	2.4	14.2

Represents data cell equal to zero or less than 1 unit of measure.
 D Denotes figures withheld to avoid disclosing data for individual companies.
 S Data do not meet publication standards because of high sampling variability or other reasons. Some unpublished estimates can be derived from other data published in this table. However, figures obtained in this manner are subject to these same limitations.

Note: For description of development and uses of measures of reliability, see Appendix B, Reliability of the Estimates.

## Table B-3. Measures of Reliability for Shipment Characteristics by Mode of Transportation and Distance Shipped for Metropolitan Area of Origin: 1997

[For explanation of terms and meaning of abbreviations and symbols, see introductory text]

Mode of name and states altyped         Contrast of states altyped and states altyped attrast of number altyped attras	Ton-miles		
Less hurses         152         5         240         7.4         246           100 b 2 de mise.         383         10         363         10         364         365	ndard error o percentag		
90 b 30 mile         17         24,7         23,3         24,1           250 b 30 mile         38,4         1,5         17,5         2,3         2,4           250 b 30 mile         38,4         1,5         17,5         1,2         1,5,2           250 b 30 mile         38,4         1,5         17,5         1,2         1,5,2           250 b 30 mile         38,4         1,5         17,5         1,2         1,5,2           250 b 30 mile         38,5         5         5         5         5         5           250 b 30 mile         35,5         1,5         1,1         1,1,4         1,1,5         1,1	-		
S         S	3. 1.		
Solo 1.48 miles         B8.4         5         17.9         2         18.2           1000 1.48 miles         38.2         5.9         34.3         5         34.5         34.4           1000 1.48 miles         38.2         5.9         34.23         5         34.4         34.4           1000 1.48 miles         5         5         5         5         5         5         35           Store mode         6         5	4.		
1.000         1.600         1.600         1.600         1.600         1.600         1.600         1.600         1.600         1.600         1.600         1.600         1.600         1.600         1.600         1.600         1.600         1.600         7.6         2.60         3.60         7.4         2.07         1.600         1.600         1.600         7.6         2.60 <th2.60< td=""><td>1.</td></th2.60<>	1.		
5.00 b 1.98 miles         S         4.75         4         4.59           So miles         5         5         24.1         -         18.4           Less fan 50 miles         16.5         1.9         24.6         2.4         2.4.2           50 b 5 miles         16.5         1.9         24.6         2.4         2.4.2           50 b 5 miles         16.5         1.9         24.6         2.4         2.4.2           50 b 7 miles         44.4         1.6         17.7         2.6.1         2.5.6           50 b 7 miles         44.4         1.6         1.6.2         2.1         1.6.6           50 b 7 miles         4.6.7         6.5         3.3.6         4.6.5         4.6.9           1.000 b 1.48 miles         4.6.7         6.5         2.4.4         -         19.2           Less fan 50 miles         16.5         2.0         2.4.4         -         19.2           Less fan 50 miles         16.5         2.0         2.4.4         .4.8         3.3.4           70 to 98 miles         2.4         .4.3         2.4.4         .4.8         3.4.4           2.000 miles moles         5         5         3.4.2         -         3.4.4	3.		
Single modes         S         S         24.1         -         16.4           Less tars 50 miles         16.5         8.1         26.0         7.4         22.7           100 10 20 miles         40.0         1.1         27.7         1.1         22.6           250 0.49 miles         40.0         1.1         27.7         1.1         22.6           250 0.49 miles         40.0         1.3         27.7         1.1         22.6           250 0.49 miles         46.7         6.6         33.6         4.4         4.6.3           200 0.1 systematics         8         5         24.4         -         10.2           200 0.1 systematics         16.5         2.0         24.1         7.3         24.2           100 0.2 systematics         8         5         25.7         1.2         25.5           100 0.2 systematics         8         5         25.5         1.0.3         24.4         -         10.2           100 0.2 systematics         8         5         25.5         1.2         10.0.3         24.2         5         34.4           100 0.2 systematics         8         5         25.5         22.5         22.5         22.5         22.	3. 2.		
Less har 50-miles         165         6         200         72         207           100 to 240 miles         163         10         11         277         11         285           100 to 240 miles         44.0         0         182         2         185           100 to 240 miles         6         3         5         24.6         24.8         21.1           100 to 1.960 miles         6         5         34.6         4         44.9         3         34.6         4         34.9           100 to 1.960 miles         6         5         34.6         4         34.9         34.8         4         34.9           100 to 1.960 miles         6         5         3         24.4         -         19.2           100 to 240 miles         6         5         77         24.5         24.2         24.2           100 to 240 miles         5         5         5         12         28.0         7         24.5         24.2         24.2         24.2         24.2         24.2         24.2         24.2         24.2         24.2         24.2         24.2         24.2         24.2         24.4         24.3         24.4         24.3         24.			
30 to 8 miles         163         1.9         2.44         2.4         2.4.2           30 to 9 240 miles         44.5         1.1         2.17         2.15         2.15           50 to 7 30 miles         44.5         1.6         1.27         2.15         2.15           50 to 7 30 miles         44.5         1.6         1.27         2.15         2.15           50 to 7 30 miles         4.67         6.6         2.3.6         5         2.2.8           1,000 to 1.490 miles         3.1.8         -         S         S         3.4.6         4.5.5         5.5 <td< td=""><td>-</td></td<>	-		
100 b 240 miles         5         5         216         2.8         21.6           00 b 24 miles         44.6         .6         11.2         12         11.5           00 b 24 miles         .6         1.6         12.7         12         11.5           00 b 24 miles         .6         1.6         1.2         12         11.5           00 b 24 miles         .6         5         23.8         .2         14.4         .2         11.5         12.5	4.		
350 to 740 miles       44.6       .6       18.2       2       18.6         1000 to 1400 miles       .66       23.6       .5       23.8         1000 to 1400 miles       .66       23.6       .5       23.8         1000 to 1400 miles       .66       23.6       .5       23.8         1000 to 1400 miles       .66       .6       24.6       .6       .6         1000 to 1400 miles       .66       .6       .6       .6       .6       .6         1000 to 1400 miles       .6<	2.		
1 000 1: 499 miles       S       S       A36       A       A37         200 1: 499 miles       31.6       -       45.6       46.8       46.9         200 1: 499 miles       16.5       8.9       24.1       7.3       26.7         200 1: 499 miles       16.5       8.9       24.4       -       19.2         100 1: 499 miles       16.5       8.9       24.4       -       22.5         200 1: 499 miles       5       5       5       27.7       12       22.5         200 1: 499 miles       5<	1.		
1.000 in 1.990 miles       S	3.		
Tuck         S         S         24.4         -         19.2           Less han 50 miles         16.5         8.9         24.1         7.3         26.7           100 to 240 miles         5         5         5         22.7         2.1         22.5           100 to 240 miles         5         5         5         22.7         2.1         22.5           100 to 140 miles         5         10.5         2         19.0         24.4         5         22.7           100 to 140 miles         5         5         10.5         2         19.0         24.4         5         22.7           100 to 140 miles         5         5         5         5         5         5         24.4           100 to 140 miles         5	3. 3.		
Leas han 50 miles         16.5         8.3         28.4         7.3         26.7           100 b 249miles         115         2.5         25.5         25.5         25.5<			
50 to 90 miles       16.7       2.0       24.6       2.4.4       2.4.2         50 to 90 miles       S       S       2.5.7       1.7       22.5         500 to 749 miles       S       S       2.5.7       1.7       22.5         500 to 749 miles       S       S       2.7       2.2.5       2.7         750 to 90 miles       S       S       3.4.2       5       2.3.7         150 to 199 miles       S       S       3.4.2       -       34.9         2.000 miles or more       S       S       S       S       S       S         Rail       38.5       -       34.2       -       34.9         Less than 50 miles or more       S       S       S       S       S         100 to 249 miles       S       S       S       S       S       S         100 to 249 miles       S	-		
100 to 249 miles       S       S       S       22.5       2.7       22.5         300 to 749 miles       S       S       S       11.1       28.5         300 to 749 miles       S       S       11.1       28.5       23.7         1.000 to 1.499 miles       S       S       44.4       .8       34.4         2.000 miles or more       S       S       44.4       .8       34.4         2.000 miles or more       S       S       44.0       .4       47.3         2.000 miles or more       S       S       S       .44.0       .4       .44.7         2.000 miles or more       S       S       S       S       .5       .5       .5         5 to 19 9 miles       S       S       S       S       S       .5       .5       .5         5 to 19 9 miles       S       S       S       S       S       .5	4. 1.		
S00 to 749 miles         S         S         S         18.5         2         19.0           1000 to 1490 miles         38.5         7.7         24.2         5         23.7           1000 to 1490 miles or more         S         S         44.1         5         24.2           2.000 miles or more         S         S         S         44.0         47.3           2.000 miles or more         S         S         S         S         S           Rail	2.		
1.500 to 1.999 miles       S	1.		
1,500 to 1,999 miles       S	3.		
Rail         38.5         -         34.2         -         34.9           Less than 50 miles         S <td< td=""><td>3. 3.</td></td<>	3. 3.		
Less than 50 miles         S			
50 to 99 miles       -	-		
100 to 249 miles       45.5       13.9       38.0       14.5       37.6         250 to 499 miles       S       S       S       S       S       S       S         750 to 999 miles       S       S       S       S       S       S       S       S         750 to 999 miles       S			
Sou to 749 miles         S	14.		
2,000 miles or more       -			
2,000 miles or more       -			
2,000 miles or more       -			
Less than 50 miles         -			
50 to 99 miles       S	-		
250 to 499 miles       S       48.7       2       S         500 to 749 miles       37.8       2.7       S       S       S         500 to 749 miles       37.8       2.7       S       S       S       S         500 to 749 miles       37.8       2.7       S			
500 to 749 miles       37.8       2.7       S       S       S         750 to 999 miles       48.6       6.8       49.4       7.2       49.2         1,000 to 1,499 miles       41.7       2.5       S       S       S         1,000 to 1,999 miles       41.7       2.5       S	10.		
1.000 to 1,499 miles       48.6       6.8       49.4       7.2       49.2         1,500 to 1,999 miles       41.7       2.5       S       S       S         2,000 miles or more       42.4       .4       S       S       S         Multiple modes       S       S       43.5       -       42.8         Less than 50 miles       23.6       2.7       45.4       3.3       32.4         50 to 99 miles       23.0       .7       34.1       .9       32.6         250 to 499 miles       43.2       1.9       S       S       S         500 to 749 miles       S       S       3.0       30.4         750 to 999 miles       S       S       S       S       S         1,000 to 1,499 miles       S       S       S       S       S         500 to 749 miles       S       S       S       S       S       S         1,000 to 1,499 miles       S       S       S       S       S       S         1,000 to 1,499 miles       S       S       S       S       S       S       S       S       S       S       S       S       S       S       S			
1,500 to 1,999 miles       41,7       2.5       S       S       S         2,000 miles or more       42.4       .4       S       S       S         Multiple modes       S       S       42.4       .4       S       S       S         Less than 50 miles       23.6       2.7       45.4       3.3       32.4         50 to 99 miles       23.0       .7       34.1       .9       32.6         100 to 249 miles       .5       S       30.9       .34       47.1         250 to 499 miles       .5       S       30.9       .34       31.3         250 to 499 miles       S       S       30.9       .34       31.3         250 to 499 miles       S       S       30.9       .34       31.3         1,000 to 1,499 miles       S <td< td=""><td>7.</td></td<>	7.		
Multiple modes         S         43.5         -         42.8           Less than 50 miles         23.6         2.7         45.4         3.3         32.4           50 to 99 miles         23.0         .7         34.1         .9         32.6           100 to 249 miles         43.2         1.9         S         S         S           250 to 499 miles         43.2         1.9         S         S         S           500 to 749 miles         .5         S         30.9         3.0         30.4           750 to 999 miles         .5         S         .5         .5         S         S           1,000 to 1,499 miles         .5         S         .5         .5         .5         .5           2,000 niles or more         .5         .5         .5         .5         .5         .5           2,000 niles or more         .5         .5         .5         .5         .5         .5           2,000 niles or more         .5         .5         .5         .5         .5         .5           2,000 niles or more         .5         .5         .5         .5         .5         .5           2,000 niles or more         .5	6.		
Less than 50 miles       23.6       2.7       45.4       3.3       32.4         50 to 99 miles       23.0       .7       34.1       .9       32.6         100 to 249 miles       43.2       1.9       S       S       S         500 to 749 miles       43.2       1.9       S       S       S         500 to 749 miles       5       S       S       S       S         750 to 999 miles       S       S       S       30.9       3.0       30.4         750 to 999 miles       S       S       S       S       S       S       S       S         750 to 999 miles       S       S       S       S       S       S       S       S         1,000 to 1,499 miles       S <td< td=""><td></td></td<>			
50 to 99 miles       23.0       .7       34.1       .9       32.6         100 to 249 miles	-		
100 to 249 miles       S       S       46.6       14.0       47.1         250 to 499 miles       1.9       S       S       S       S         500 to 749 miles       S       S       30.9       3.0       30.4         750 to 999 miles       S       S       S       30.9       3.4       31.3         1,000 to 1,499 miles       S       S       S       S       S       S         1,000 to 1,499 miles       S       S       S       S       S       S       S         1,000 to 1,499 miles       S			
500 to 749 miles       S       S       30.9       3.0       30.4         750 to 999 miles       S       S       30.9       3.4       31.3         1,000 to 1,499 miles       S       S       S       S       S       S         1,000 to 1,499 miles       33.3       1.7       36.3       2.5       36.8         2,000 miles or more       S       S       S       S       S         Parcel, U.S. Postal Service or courier       S       S       S       S       S         Less than 50 miles       23.6       2.8       45.4       3.5       32.4         50 to 999 miles       23.0       .8       34.1       .9       32.6         250 to 499 miles       S       S       S       S       32.6         250 to 499 miles       44.9       1.9       25.8       1.7       26.5	12.		
1,000 to 1,499 miles     S     S     S     S     S       1,500 to 1,999 miles     33.3     1.7     36.3     2.5     36.8       2,000 miles or more     S     S     S     S     S       Parcel, U.S. Postal Service or courier     S     S     S     S     S       Less than 50 miles     23.6     2.8     45.4     3.5     32.4       50 to 99 miles     23.0     .8     34.1     .9     32.6       100 to 249 miles     S     S     S     20.8     5.8       250 to 499 miles     44.9     1.9     25.8     1.7     26.5	3.		
1,500 to 1,999 miles       33.3       1.7       36.3       2.5       36.8         2,000 miles or more       S       S       S       S       S       S         Parcel, U.S. Postal Service or courier       S       S       2.00       -       23.9         Less than 50 miles       23.6       2.8       45.4       3.5       32.4         50 to 99 miles       23.0       .8       34.1       .9       32.6         100 to 249 miles       S       S       20.8       5.8       32.5         250 to 499 miles       44.9       1.9       25.8       1.7       26.5	3.		
Parcel, U.S. Postal Service or courier         S         S         20.8         -         23.9           Less than 50 miles         23.6         2.8         45.4         3.5         32.4           50 to 99 miles         23.0         .8         34.1         .9         32.6           100 to 249 miles         S         S         20.8         5.8         32.5           250 to 499 miles         44.9         1.9         25.8         1.7         26.5	3. 4.		
Less than 50 miles			
50 to 99 miles         23.0         .8         34.1         .9         32.6           100 to 249 miles         S         S         20.8         5.8         32.5           250 to 499 miles         44.9         1.9         25.8         1.7         26.5	-		
100 to 249 miles         S         S         20.8         5.8         32.5           250 to 499 miles         1.9         25.8         1.7         26.5			
	4.		
	3.		
750 to 999 miles	3.		
1,000 to 1,499 miles         S         S         32.6         3.6         31.7           1,500 to 1,999 miles         33.3         1.8         36.3         2.3         36.8	3. 4.		
2,000 miles or more         S         S         47.8         .2         S           All other multiple modes         48.7         -         45.8         -         47.9	_		
An other multiple modes     46.7     -     45.6     -     47.9       Less than 50 miles     -     -     -     -     -	-		
50 to 99 miles         -         -         -         -         -         -         -         -         100 to 249 miles         48.0         7.9         47.4         8.8         48.0	6.		
S         S         S         S         S	0.		
500 to 749 miles			
S         S			
1,500 to 1,999 miles			

See footnotes at end of table.

## Table B-3. Measures of Reliability for Shipment Characteristics by Mode of Transportation and Distance Shipped for Metropolitan Area of Origin: 1997-Con.

[For explanation of terms and meaning of abbreviations and symbols, see introductory text]

Made of transportation and distance abinned	Val	ue	То	ns	Ton-miles		
Mode of transportation and distance shipped (based on Great Circle Distance)	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	
Other and unknown modes	35.6	-	44.7	-	41.3	-	
Less than 50 miles	23.3 S 34.4 46.2 S	11.0 S 9.3 .9 S	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	ន ទ ទ ទ ទ ទ	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	S S S S S	
750 to 999 miles	S S -	S S -	S S -	S S -	S S -	S S -	

Represents data cell equal to zero or less than 1 unit of measure.
 D Denotes figures withheld to avoid disclosing data for individual companies.
 S Data do not meet publication standards because of high sampling variability or other reasons. Some unpublished estimates can be derived from other data published in this table. However, figures obtained in this manner are subject to these same limitations.

Note: For description of development and uses of measures of reliability, see Appendix B, Reliability of the Estimates.

## Table B-4. Measures of Reliability for Shipment Characteristics by Mode of Transportation and Shipment Size for Metropolitan Area of Origin: 1997

[For explanation of terms and meaning of abbreviations and symbols, see introductory text]

For explanation of terms and meaning of abbreviations and symbols, see introduct	Valı	e	Tons		Ton-miles		A
Mode of transportation	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Average miles per shipment – coefficient of variation
All modes	38.4	-	23.6	-	21.4	-	21.6
Less than 50 lb 50 to 99 lb 100 to 499 lb 500 to 749 lb 750 to 999 lb	S S 14.6 S	S S 1.0 S	10.9 28.0 33.1 28.2 34.1	.2 .2 .8 .4 .2	23.7 S S 36.3 S	.4 S S 1.0 S	21.5 23.5 24.3 37.0 30.7
1,000 to 9,999 lb 10,000 to 49,999 lb 50,000 to 99,999 lb 100,000 lb or more	49.1 34.9 27.3 49.5	3.1 6.4 .8 .8	34.0 24.5 38.8 S	2.4 4.5 5.4 S	28.5 17.0 28.9 30.9	2.7 5.7 5.8 1.6	22.7 38.1 29.9 S
Single modes	<b>S</b> 25.4	<b>S</b> 3.0	<b>24.1</b> 18.3	1	18.4 S	- s	33.7 S
50 to 99 lb 500 to 999 lb 500 to 749 lb 500 to 749 lb	18.8 S	5.0 S 1.4 S	33.3 34.6 28.4 33.4	.1 .1 .9 .4 .2	S S 38.0 S	5 5 5 1.1 5	30.7 27.5 39.0 32.7
1,000 to 9,999 lb . 10,000 to 49,999 lb . 50,000 to 99,999 lb . 100,000 lb or more .	S 35.9 26.7 49.5	\$ 6.9 1.0 1.0	34.4 24.7 42.3 S	2.5 4.2 5.1 S	27.8 16.6 25.3 30.9	3.1 5.9 4.5 1.6	23.9 38.3 49.5 S
Truck	S	S	24.4	-	19.2	-	39.5
Less than 50 lb	33.5 S S 14.8 S	2.3 S 1.5 S	18.8 33.9 34.6 29.0 33.5	.1 .1 .9 .4 .2	S S 41.0 S	S S 1.1 S	S 33.8 27.7 41.3 32.9
1,000 to 9,999 lb 10,000 to 49,999 lb 50,000 to 99,999 lb 100,000 lb or more	S 36.0 28.2 S	S 8.5 1.0 S	34.7 24.7 42.9 S	2.5 4.4 5.2 S	30.0 16.6 26.1 44.9	3.0 6.5 4.7 .6	23.9 38.4 38.9 S
Rail	38.5	-	34.2	-	34.9	-	28.0
Less than 50 lb 50 to 99 lb 100 to 499 lb 500 to 749 lb 750 to 999 lb	S S S S	S S S S S	000 - 00 000 - 00	S S - S	\$ \$ \$ \$ \$ \$	s s s s	31.6 31.6 31.6 31.6 31.6
1,000 to 9,999 lb 10,000 to 49,999 lb 50,000 to 99,999 lb 100,000 lb or more	- S 42.5	– – S 11.9	- 47.5 38.7	- 10.6 11.9	- 47.5 41.1	 10.5 12.6	 25.8 32.2
All other single modes	43.6	-	32.1	-	35.2	-	7.9
Less than 50 lb. 50 to 99 lb. 100 to 499 lb. 500 to 749 lb. 750 to 999 lb.	34.5 S 32.6 49.4 47.3	11.1 S 2.4 2.9 1.0	30.0 S 35.8 48.0 S	9.1 S 3.3 4.6 S	29.7 S S S S	9.3 S S S S	7.1 14.1 19.7 24.1 30.0
1,000 to 9,999 lb	S S - -	S S -	44.1 S –	12.7 S _ _	49.9 S –	13.5 S –	20.9 31.6 
Multiple modes	S	S	43.5	-	42.8	-	9.3
Less than 50 lb	S 22.2 S S S	S 3.6 S S S	15.1 18.6 33.4 S S	9.8 7.2 8.9 S S	21.9 22.4 40.0 S 47.1	10.9 6.5 7.9 S	8.8 13.9 13.5 48.9 S
1,000 to 9,999 lb	S S 46.5 -	S S 1.4	\$ \$ \$ \$	S S S	S S 45.1	S S 18.4 -	31.6 30.7 25.9
Parcel, U.S. Postal Service or courier	s	s	20.8	-	23.9	-	9.2
Less than 50 lb	S 22.2 S S S	S 3.6 S S S	15.1 18.6 33.4 S S	4.7 4.1 6.3 S S	21.9 22.4 40.0 S 47.1	5.1 3.5 6.1 S .1	8.8 13.9 13.5 48.9 S
1,000 to 9,999 lb	S - - -	S - -	S - - -	S - -	S - - -	S - - -	31.6 _ _ _
All other multiple modes	48.7	-	45.8	-	47.9	-	34.5
Less than 50 lb 50 to 99 lb 100 to 499 lb 500 to 749 lb 750 to 999 lb	S - - -	S - - -	S - - -	S - - -	S - - -	S - - - -	31.6 
1,000 to 9,999 lb	S 46.5	S 9.3	S 45.8 	S 9.9	S 45.1 	S 9.4	30.7 25.9

See footnotes at end of table.

## Table B-4. Measures of Reliability for Shipment Characteristics by Mode of Transportation and Shipment Size for Metropolitan Area of Origin: 1997-Con.

[For explanation of terms and meaning of abbreviations and symbols, see introductory text]

	Valı	Value		Tons		Ton-miles		
Mode of transportation	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Average miles per shipment – coefficient of variation	
Other and unknown modes	35.6	-	44.7	-	41.3	-	26.1	
Less than 50 lb	34.0 S 32.4 S S	3.7 S 9.2 S S	26.7 44.4 27.0 29.4 S	1.1 .4 8.3 2.4 S	22.1 S 43.3 S S	1.1 S 8.0 S S	25.3 S 33.3 S	
1,000 to 9,999 lb 10,000 to 49,999 lb 50,000 to 99,999 lb 100,000 lb or more	S S S -	S S -	28.2 S S -	11.5 S S -	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	S S -	28.6 S 29.9	

Represents data cell equal to zero or less than 1 unit of measure.
 D Denotes figures withheld to avoid disclosing data for individual companies.
 S Data do not meet publication standards because of high sampling variability or other reasons. Some unpublished estimates can be derived from other data published in this table. However, figures obtained in this manner are subject to these same limitations.

Note: For description of development and uses of measures of reliability, see Appendix B, Reliability of the Estimates.

## Table B-5. Measures of Reliability for Shipment Characteristics by Commodity Group for Metropolitan Area of Origin: 1997

[For explanation of terms and meaning of abbreviations and symbols, see introductory text]

SCTG codes	Commodity code group description	Value		Tons		Ton-miles		A
		Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Average miles per shipment— coefficient of variation
	Total	38.4	-	23.6	-	21.4	-	21.6
01-05 06-09 10-14 15-20 21-24 25-30	Agricultural products and fish Grains, alcohol, and tobacco products Stone, Nonmetallic minerals, and metallic ores Coal and petroleum products Pharmaceutical and chemical products Wood products, and textiles and leather	S 34.0 27.3 36.0 19.4 15.0	S 3.4 1.0 2.1 2.3	45.1 42.0 41.3 S 38.2 41.9	2.6 1.6 10.9 S 1.3 4.3	S 30.1 33.0 S 37.0 47.9	S 2.6 4.2 S 5.3 2.2	S 47.1 S 30.9 14.8
31-34 35-38 39-43 _	Base metal and machinery Electronics, motorized vehicles, and precision instruments Furniture and miscellaneous manufactured products Commodity unknown	18.6 48.0 18.1 S	2.8 12.3 4.3 S	34.9 S 25.6 S	6.4 S 3.1 S	34.2 S 29.1 S	6.1 S 6.2 S	39.2 16.7 24.7 42.3

Represents data cell equal to zero or less than 1 unit of measure.
 D Denotes figures withheld to avoid disclosing data for individual companies.
 S Data do not meet publication standards because of high sampling variability or other reasons. Some unpublished estimates can be derived from other data published in this table. However, figures obtained in this manner are subject to these same limitations.

Note: For description of development and uses of measures of reliability, see Appendix B, Reliability of the Estimates.

# Table B-6. Measures of Reliability for Shipment Characteristics by Commodity Group and Mode of Transportation for Metropolitan Area of Origin: 1997

[For explanation of terms and meaning of abbreviations and symbols, see introductory text]

Ļ	Val	ue	То	ns	Ton-r	miles	Average mile
Commodity code group, description, and mode of transportation	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	per shipment- coefficient c variatio
ALL COMMODITIES							
All modes	38.4	-	23.6	-	21.4	-	21.6
Single modes	s	S	24.1	1.7	18.4	4.5	33.
ruck <sup>1</sup>	S 38.5 43.6	S _ 2.5	24.4 34.2 32.1	1.7 .4 -	19.2 34.9 35.2	3.6 1.9 .7	39. 28. 7.
Multiple modes	s	S	43.5	1.7	42.8	4.6	9.
Parcel, U.S. Postal Service or courier	S 48.7	S .2	20.8 45.8	.3 1.7	23.9 47.9	1.0 5.0	9 34
Other and unknown modes	35.6	.7	44.7	.2	41.3	.6	26
CTG 01-05, AGRICULTURAL PRODUCTS AND FISH							
All modes	s	S	45.1	-	s	s	:
Single modes	s	s	45.2	.7	s	s	
ruck <sup>1</sup> tail II other single modes	S S	S S	44.7 S -	.9 S -	S S	S S	31
Multiple modes	s	S	s	S	s	s	29
arcel, U.S. Postal Service or courier	S _	S -	S -	S -	S _	s –	29
Other and unknown modes	s	s	s	s	s	s	31
CTG 06-09, GRAINS, ALCOHOL, AND TOBACCO PRODUCTS							
All modes	34.0	-	42.0	-	30.1	-	47.1
Single modes	34.1	1.8	42.1	2.6	30.3	10.3	
ruck <sup>1</sup>	34.1	1.8	42.1 _	2.6	30.3	10.3 _	
Il other single modes	-	- s	- s	-	-	-	
Multiple modes	<b>s</b> s	s S	s S	<b>s</b>	<b>s</b> s	<b>s</b> s	<b>28</b> 28
Il other multiple modes	-	-	-	-	-	-	
Other and unknown modes	S	S	S	S	S	S	30
CTG 10-14, STONE, NONMETALLIC MINERALS, AND METALLIC ORES							
All modes	27.3	-	41.3	-	33.0	-	S
Single modes	27.5	10.5	41.4	10.5	33.1	10.4	
ruck <sup>1</sup> iail	27.5	10.5	41.4 -	10.5 _	33.1 -	10.4 -	
II other single modes	_	-	-	_	_	_	_
arcel, U.S. Postal Service or courier	_	-	-	-	-	-	
II other multiple modes Other and unknown modes	s	S	S	S	S	s	31
CTG 15-20, COAL AND PETROLEUM PRODUCTS							
All modes	36.0	-	s	s	s	s	
Single modes	37.1	3.0	s	S	s	s	14
ruck <sup>1</sup>	37.1 _	3.0	S -	S -	S _	s _	14
II other single modes	- S	- S	- s	- S	- S	- S	
arcel, U.S. Postal Service or courier	<b>3</b> S	s s	s s	<b>s</b>	s s	s	
Il other multiple modes	- S	- s	- s	- s	- S	- S	20
Other and unknown modes I See footnotes at end of table.	5	5	5	5	5	5	30

# TRANSPORTATION-CFS

# Table B-6. Measures of Reliability for Shipment Characteristics by Commodity Group and Mode of Transportation for Metropolitan Area of Origin: 1997–Con.

[For explanation of terms and meaning of abbreviations and symbols, see introductory text]

[For explanation of terms and meaning of abbreviations and symbols, see	e introductory text] Val	ue	То	ns	Ton-r	miles	
Commodity code group, description, and mode of transportation	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Average miles per shipment— coefficient of variation
SCTG 21-24, PHARMACEUTICAL AND CHEMICAL PRODUCTS							
All modes	19.4	-	38.2	-	37.0	-	30.9
Single modes	21.4	5.7	38.5	6.0	37.3	4.5	s
Truck <sup>1</sup>	22.0	7.0	36.5	5.4	37.1	4.8	S
Rail	S 47.5	S 5.4	S S	S S	S S	S S	30.1 21.9
Multiple modes	38.9	5.9	38.9	6.0	s	S	45.0
Parcel, U.S. Postal Service or courier	39.2 S	5.9 S	44.1 S	6.0 S	42.3 S	4.7 S	45.0 31.1
Other and unknown modes	s	S	s	S	s	s	31.2
SCTG 25-30, WOOD PRODUCTS, AND TEXTILES AND LEATHER							
All modes	15.0	-	41.9	-	47.9	-	14.8
Single modes	16.3	7.7	43.5	4.3	s	S	32.2
Truck <sup>1</sup> Rail	16.8	8.0	43.5	4.3	S	S -	33.9
All other single modes	S	S	45.0	-	45.4	.2	17.7
Multiple modes	27.7	7.8	28.4	4.3	30.8	11.6	10.6
Parcel, U.S. Postal Service or courier	27.7	7.8	28.4 _	4.3	30.8 _	11.6 -	10.6
Other and unknown modes	s	S	42.6	.5	47.4	.3	30.2
SCTG 31-34, BASE METAL AND MACHINERY							
All modes	18.6	-	34.9	-	34.2	-	39.2
Single modes	15.7	6.2	37.7	3.4	30.9	11.3	S
Truck <sup>1</sup> Rail All other single modes	15.4 S S	6.3 S S	37.7 S 48.6	3.4 S -	30.9 S S	11.2 S S	S 31.6 25.5
Multiple modes	47.0	6.2	45.0	3.5	43.3	12.2	17.7
Parcel, U.S. Postal Service or courier	S 46.0	S 1.2	39.8 45.5	.9 3.8	S 44.7	S 13.8	17.8 25.9
Other and unknown modes	28.8	.7	38.2	.2	S	S	S
SCTG 35-38, ELECTRONICS, MOTORIZED VEHICLES, AND PRECISION INSTRUMENTS							
All modes	48.0	-	s	s	s	s	16.7
Single modes	S	S	s	S	S	S	23.1
Truck <sup>1</sup> Rail	S -	S _	S -	S _	S -	S -	26.0
All other single modes	49.7	3.8	S	S	S	S	7.9
Multiple modes Parcel, U.S. Postal Service or courier	<b>s</b> S	<b>s</b>	<b>45.8</b> 45.8	<b>7.8</b> 7.8	<b>45.4</b> 45.4	<b>9.4</b> 9.4	<b>9.5</b> 9.5
All other multiple modes	-	-	- S	-	-	-	_
Other and unknown modes	49.0	2.1	5	S	S	S	46.9
SCTG 39-43, FURNITURE AND MISCELLANEOUS MANUFACTURED PRODUCTS							
All modes	18.1	-	25.6	-	29.1	-	24.7
Single modes	23.7	7.3	26.8	5.6	29.6	10.2	45.1
Truck <sup>1</sup> Rail	25.5 S	8.0 S S	25.9 48.0	5.8 7.1	29.3 S	9.5 S 2.7	S 29.0
All other single modes	S 25.9	6.1	42.0 S	.7 S	44.6 S	2.7 S	19.8 <b>14.6</b>
Parcel, U.S. Postal Service or courier	27.9	6.2	28.1	2.6	26.5	6.7	15.2
All other multiple modes	S 20 7	S	S	S	S 40.7	S 34	31.6
Other and unknown modes	39.7	5.9	45.5	4.5	40.7	3.4	45.9

See footnotes at end of table.

# Table B-6. Measures of Reliability for Shipment Characteristics by Commodity Group and Mode of Transportation for Metropolitan Area of Origin: 1997-Con.

[For explanation of terms and meaning of abbreviations and symbols, see introductory text]

	Val	ue	То	ns	Ton-i	Average miles	
Commodity code group, description, and mode of transportation	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Average miles per shipment— coefficient of variation
COMMODITY UNKNOWN							
All modes	s	s	s	s	s	s	42.3
Single modes	S	S	s	S	S	S	S
Truck <sup>1</sup>	39.0	17.7	S	S	S	S	S
All other single modes	S	S	S	S	S	S	30.0
Multiple modes	S	S	S	S	S	S	24.2
Parcel, U.S. Postal Service or courier All other multiple modes	S -	S -	S -	S -	S -	S -	24.2
Other and unknown modes	s	S	s	s	s	s	S

Represents data cell equal to zero or less than 1 unit of measure.
 D Denotes figures withheld to avoid disclosing data for individual companies.
 S Data do not meet publication standards because of high sampling variability or other reasons. Some unpublished estimates can be derived from other data published in this table. However, figures obtained in this manner are subject to these same limitations.

Note: For description of development and uses of measures of reliability, see Appendix B, Reliability of the Estimates.

# Table B–7. Measures of Reliability for Outbound Shipment Characteristics by Destination for Metropolitan Area: 1997

[For explanation of terms and meaning of abbreviations and symbols, see introductory text]

_	Val	ue	То	ns	Ton-miles		
State, metropolitan area, and remainder of state destination	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error o percentage	
Total	38.4	-	23.6	-	21.4	-	
Alabama	30.9	.1	44.2	.2	43.1	3.	
Alaska	s	S	S	S	s	S	
Arizona	<b>s</b> s	<b>S</b> S	<b>31.2</b> 41.8 48.9		<b>31.7</b> 41.6 49.1	.3 .3	
Arkansas	s	s	38.5	-	39.3	.2	
California	49.8	4.7	39.5	.4	41.3	2.0	
Los Angeles-Riverside-Orange County, CA CMSASacramento-Yolo, CA CMSA	S S	S S	37.5 S	.1 S	38.7 S	3. 5 5 5 2	
San Diego, CA MSA San Francisco-Oakland-San Jose, CA CMSA	42.5 S	.4 S	S S	S S	S S		
Remainder of California	32.5	.2	42.4	-	43.5		
Colorado Denver-Boulder-Greeley, CO CMSA Remainder of Colorado	<b>24.9</b> 27.3 34.2	<b>.2</b> .2 –	<b>39.4</b> 45.4 39.8		<b>39.1</b> 44.8 39.3	.3 .(	
	<b>28.0</b> 49.9	-	S	S	s S	s	
Hartford, CT NECMA Remainder of Connecticut	49.9 30.7	-	S S	S S	S S		
Delaware	s	s	S	S	s	5	
District of Columbia	<b>s</b> S	<b>S</b>	<b>s</b> S	<b>s</b> S	<b>s</b> S	S	
Florida Jacksonville, FL MSA	<b>48.4</b> 27.0	.4	18.7 S	.1 S	19.9 S	1.0 S	
Miami-Fort Lauderdale, FL CMSA Orlando, FL MSA	36.3 36.4	.2 .2	46.9 S	.1 S	47.2 S	1.1	
Tampa-St Petersburg-Clearwater, FL MSA	49.6 S	- - S	S	S	S		
Remainder of Florida	37.5	.1	41.3	-	45.5	-	
Georgia	<b>44.6</b> 49.4	<b>.3</b> .2	48.5 S	.1 S	<b>48.7</b>	<b>3</b> .	
Remainder of Georgia	27.8	-	40.2	-	39.2	-	
Hawaii	S	s	S	S	s	S	
Idaho	39.7	.1	S	S	S	S	
Illinois Chicago-Gary-Kenosha, IL-IN-WI CMSA (IL part) St Louis, MO-IL MSA (IL part) Remainder of Illinois	<b>46.0</b> 47.7 S 28.7	.5 .4 S	<b>45.0</b> 44.9 S S	.1 S S	<b>45.6</b> 45.9 S S	1.7 1.6 S	
Indiana	20.7 S	s	48.8	-	47.6		
Gary, IN PMSA Indianapolis, IN MSA	S 40.5	S	S	S	S	.5 S S S	
Remainder of Indiana	S	.3 S	45.0	-	45.8	.3	
owa	48.8	.2	48.4	-	46.3	-	
Kansas Kansas City, MO-KS MSA (KS part) . Remainder of Kansas	<b>s</b> s	<b>s</b> S S	<b>S</b> S	<b>S</b> S	<b>ទ</b> ទ ទ	<b>9</b> 99 99	
Kentucky Louisville, KY-IN MSA (KY part)	<b>S</b>	<b>S</b>	<b>43.8</b> S	- S	<b>43.2</b>	.2	
Remainder of Kentucky	S	S	49.6	-	49.1	.1	
Louisiana New Orleans, LA MSA	<b>41.2</b> 29.6	.5 .1	<b>43.6</b> 46.7	.6	<b>45.4</b> 45.7	2.0	
Remainder of Louisiana	46.2	.4	43.7	.6	46.2	1.7	
Maine	S	S	S	S	S	S	
Maryland	<b>S</b> 23.6	S -	44.5 S	S	<b>43.6</b> S	.3	
Remainder of Maryland	S	S	S	S	S	5	
Massachusetts	<b>42.4</b> 42.9	<b>.3</b> .3	<b>38.1</b> 38.3	.2 .2	<b>38.2</b> 38.3	<b>1.2</b> 1.2	
Remainder of Massachusetts	35.0	_	S	s s	S	5	
Michigan . Detroit-Ann Arbor-Flint, MI CMSA	<b>48.3</b> 41.3	<b>.4</b> .4	S S	S	<b>S</b>	<b>S</b> 000000000000000000000000000000000000	
Grand Rapids-Muskegon-Holland, MI MSA	S 49.1	S _	S 40.5	S _	S 40.9	-	
Minnesota . Minneapolis-St Paul, MN-WI MSA (MN parl)	<b>S</b> 44.6 S	<b>s</b> - s	<b>S</b> S	<b>s</b> S	<b>s</b> s	<b>S</b> 000000000000000000000000000000000000	
	27.0	-	s	s	s	s	
	26.9	.3	36.0	-	35.7	.7	
Kansas City, MO-KS MSA (MO part) St Louis, MO-IL MSA (MO part) Remainder of Missouri.	32.6 44.9 28.5	- .2 .2	S S S S S S S S	S - S	S 34.9 S		
Montana	38.6		s	s	s	s	
Nebraska	34.2	_	s	s	s	s	
Nevada	s	s	25.8	-	27.0	.1	
Las Vegas, NV-AZ MSA (NV part)	Š	Š	31.8				

See footnotes at end of table.

# Table B-7. Measures of Reliability for Outbound Shipment Characteristics by Destination for Metropolitan Area: 1997-Con.

[For explanation of terms and meaning of abbreviations and symbols, see introductory text]

	Va	ue	То	ns	Ton-	miles
State, metropolitan area, and remainder of state destination	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage
New Hampshire	46.6	-	44.3	-	44.4	-
New Jersey. New York-Northern New Jersey-Long Island, NY-NJ-CT-PA CMSA (NJ part)	<b>s</b>	<b>s</b> s	<b>37.7</b> 49.8	-	<b>38.0</b> S	.2 S
Philadelphia, PA-NJ PMSA (NJ part) Remainder of New Jersey	S S	S S	S S	S S	S S	S
New Mexico	S	s	44.8	-	46.5	.1
New York Buffalo-Niagara Falls, NY MSA New York-Northern New Jersey-Long Island, NY-NJ-CT-PA CMSA (NY	<b>s</b>	<b>S</b>	s S	<b>S</b>	<b>s</b> S	<b>S</b>
part) Rochester, NY MSA Remainder of New York	\$ \$ \$	\$ \$ \$	S 47.7 S	S - S	S 47.8 S	9 - 5
North Carolina Charlotte-Gastonia-Rock Hill, NC-SC MSA (NC part) Greensboro-Winston-Salem-High Point, NC MSA Raleigh-Durham-Chapel Hill, NC MSA Remainder of North Carolina	<b>S</b> 33.1 S S	<b>s</b> 5 5 5 5	<b>36.9</b> S 41.9 S S	- S - S	37.0 S 42.0 S S	.6 S S S
North Dakota	s	s	44.5	-	44.2	-
Ohio Cincinnati-Hamilton, OH-KY-IN CMSA (OH part) Cleveland-Akron, OH CMSA Columbus, OH MSA. Dayton-Springfield, OH MSA Remainder of Ohio	<b>9</b> 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	<b>s</b> ଡ ଡ ଡ ଡ ଡ ଡ ଡ ଡ ଡ ଡ ଡ ଡ ଡ ଡ ଡ ଡ ଡ ଡ ଡ	<b>47.6</b> S 41.1 S S S	.1 S S S S	<b>48.2</b> S 41.2 S S S	.6 - - S S S S
Oklahoma Oklahoma City, OK MSA Remainder of Oklahoma	<b>29.4</b> 35.2 34.5	<b>.2</b> .1 .1	<b>S</b> S 36.6	<b>s</b> S -	<b>S</b> S 39.6	<b>S</b> .1
Oregon Portland-Salem, OR-WA CMSA (OR part) Remainder of Oregon	<b>35.6</b> 37.6 S	<b>.2</b> .2 S	<b>S</b> S	<b>s</b> S S	<b>s</b> S S	<b>S</b> S
Pennsylvania Philadelphia-Wilmington-Atlantic City, PA-NJ-DE-MD CMSA (PA part) Pittsburgh, PA MSA Remainder of Pennsylvania	<b>35.1</b> 49.0 S 46.8	.6 .2 S .3	<b>35.3</b> 38.9 S S	- - S S	<b>35.4</b> 38.8 S S	.6 .3 S S
Rhode Island	S	s	S	s	s	S
South Carolina	S	s	S	s	s	s
South Dakota	39.5	-	S	s	s	s
Tennessee Memphis TN-AR-MS MSA (TN parl) Nashville, TN MSA Remainder of Tennessee	<b>37.1</b> S S S	. <b>3</b> S S S	<b>40.2</b> 47.7 S S	- - S S	<b>39.0</b> 47.5 S S	.2 .2 S
Texas . Austin-San Marcos, TX MSA . Dallas-Fort Worth, TX CMSA . Houston-Galveston-Brazoria, TX CMSA . San Antonio, TX MSA . Remainder of Texas .	<b>30.4</b> 15.1 13.4 S 18.6 S	<b>7.5</b> 5.4 1.0 S 1.4 S	<b>24.4</b> 29.1 32.0 33.0 36.3 24.0	<b>1.9</b> 7.5 .9 1.3 2.3 2.8	<b>19.7</b> 29.6 35.3 35.7 32.8 20.8	<b>5.5</b> 3.1 2.0 1.7 .9 3.0
Utah . Salt Lake City-Ogden, UT MSA Remainder of Utah	<b>S</b> 33.4 S	<b>S</b> .1 S	<b>S</b> S	<b>s</b> S S	<b>s</b> S S	<b>s</b>
Vermont	40.1	-	S	S	s	S
Virginia Norfolk-Virginia Beach-Newport News, VA-NC MSA (VA part) Washington, DC-MD-VA-WV PMSA (VA part) Remainder of Virginia	<b>S</b> S 38.6 S	<b>s</b> S - S	<b>S</b> S 40.4 S	<b>s</b> S - S	<b>S</b> 8 40.4 8	<b>s</b> s s
Washington	<b>29.2</b> 38.6 S	.2 .1 S	<b>39.8</b> 36.0 S	- - S	<b>39.6</b> 35.9 S	. <b>8</b> .5 S
West Virginia	43.4	-	42.0	-	42.6	-
Wisconsin Milwaukee-Racine, WI CMSA Remainder of Wisconsin .	<b>s</b> S	<b>s</b> s s	<b>S</b> S	<b>s</b> s s	<b>s</b> S S	<b>s</b>
Wyoming	S	s	S	s	S	s

Represents data cell equal to zero or less than 1 unit of measure.
 D Denotes figures withheld to avoid disclosing data for individual companies.
 S Data do not meet publication standards because of high sampling variability or other reasons. Some unpublished estimates can be derived from other data published in this table. However, figures obtained in this manner are subject to these same limitations.

Note: For description of development and uses of measures of reliability, see Appendix B, Reliability of the Estimates.

# Table B–8. Measures of Reliability for Inbound Shipment Characteristics by Origin for Metropolitan Area: 1997

[For explanation of terms and meaning of abbreviations and symbols, see introductory text]

	Va	ue	То	ns	Ton-	niles
State, metropolitan area, remainder of state	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage
Total	8.2	-	23.2	-	8.6	-
Alabama	16.2	-	15.2	.1	15.3	.3
Alaska	S	s	S	S	s	S
Arizona Phoenix-Mesa, AZ MSA Remainder of Arizona	<b>32.9</b> 33.4 49.8	.4 .4 	<b>s</b> S	<b>S</b> S	<b>s</b> s	<b>S</b> S
Arkansas	16.8	_	32.9	.4	32.4	.8
California	14.1	2.1	23.5	.2	24.2	1.5
Los Angeles-Riverside-Orange County, CA CMSASacramento-Yolo, CA CMSA	25.6 30.8	.9	21.7 S	.1 S	21.9 S	3. S
San Diego, CA MSA San Francisco-Oakland-San Jose, CA CMSA	39.0 18.2	.2 2.0	26.3 34.7	-	26.3 34.6	-
Remainder of California	25.7	2.0	54.7 S	S	54.0 S	8. S
Colorado	19.7	.2	S	S	s	5
Denver-Boulder-Greeley, CO CMSA	29.3 48.5	.2	45.2 S	S	45.6 S	
Connecticut	35.0	_	26.9	-	26.8	-
Hartford, CT NECMA Remainder of Connecticut	25.6 38.8	-	S 31.5	S	S 31.4	5
Delaware	S	s	S	s	s	s
District of Columbia	-	_	-	-		-
Washington, DC-MD-VA-WV PMSA (DC part)	=	=	-	-		-
Florida	22.9	<b>.2</b> S	<b>S</b>	S	S	s
Jacksonville, FL MSA Miami-Fort Lauderdale, FL CMSA	S 35.8		48.3 S	S	48.7 S	5
Orlando, FL MSA Tampa-St Petersburg-Clearwater, FL MSA	S 29.5	S –	S S	S S	S S S	
West Palm Beach-Boca Raton, FL MSA	S 41.0	S .2	S S S S S S S	S S S S S	S S	
Georgia	29.3	.4	34.3	-	38.6	.5
Atlanta, GA MSA	32.9	.3	21.2	– S	20.8	-
Remainder of Georgia	s s	S S	S	s	S	s
Hawaii			s		s	
daho	S	S	S	S	S	S
Illinois Chicago-Gary-Kenosha, IL-IN-WI CMSA (IL part)	<b>19.2</b> 22.5	<b>.4</b> .4	<b>27.9</b> 31.9	<b>.2</b> .2	<b>27.8</b> 32.1	.7 .6
St Louis, MO-IL MSA (IL part)	48.0 39.2	- .1	47.7 S	- S	47.8 S	-
ndiana	27.1	.2	46.1	-	46.3	.5
Gary, IN PMSA Indianapolis, IN MSA	SS	S S	S 40.1	S	S 40.4	S
Remainder of Indiana	26.1	.2	37.1	_	38.8	.4
owa	25.5	.1	34.7	-	35.3	.4
Kansas	19.2	-	39.0	.1	42.4	.6
Kansas City, MO-KS MSA (KS part) Remainder of Kansas	16.4 24.9		S 40.2	S –	5 44.5	S
Kentucky	s	s	s	S	s	s
Louisville, KY-IN MSA (KY part)	S 39.6	S –	S 26.7	S _	S 27.0	5
Louisiana	35.0	.2	43.7	.3	42.7	1.3
New Orleans, LA MSA Remainder of Louisiana	35.5 36.1	-	S 44.1	S .3	S 43.2	S 1.3
Maine	37.3		S	S	S	S
Maryland	57.5 S	S	34.7	5	34.6	-
Baltimore, MD PMSA	<b>3</b> S S	S S	S	S	S	5
Remainder of Maryland				5	S	
Massachusetts Boston-Worcester-Lawrence-Lowell-Brockton, MA-NH NECMA (MA	41.9	.4	27.5	-	27.5	.1
part) Remainder of Massachusetts	43.1 40.3	.4	29.8 41.1	-	29.7 40.9	.1 -
Nichigan	19.9	.2	49.5	.2	47.2	1.0
Detroit-Ann Arbor-Flint, MI CMSA Grand Rapids-Muskegon-Holland, MI MSA	47.4 44.0	2	S	S	S	
Remainder of Michigan	30.6	.1	45.0	-	44.4	.4
	36.5	1.1	S	S	S	S
Minneapolis-St Paul, MN-WI MSA (MN part) Remainder of Minnesota	24.1 S	.3 S	28.4 S	s	28.1 S	.1 S
Mississippi	26.4	.1	30.7	.2	30.7	
Missouri	25.9	.4	44.9	.5	48.4	1.2
Kansas City, MO-KS MSA (MO part) St Louis, MO-IL MSA (MO part)	42.5 35.3	.1 .4	46.0 27.0		45.5 26.2	-
Remainder of Missouri	17.7	-	S	S	S	S
Nontana	S	s	S	S	s	S
Nebraska	38.7	-	S	s	s	s
Nevada Las Vegas, NV-AZ MSA (NV part)	46.0	_	S	S	s	S
	S	S	S	S	S	S

See footnotes at end of table.

# Table B-8. Measures of Reliability for Inbound Shipment Characteristics by Origin for Metropolitan Area: 1997-Con.

[For explanation of terms and meaning of abbreviations and symbols, see introductory text]

-	Va	lue	То	ns	Ton-	miles
State, metropolitan area, remainder of state	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage
New Hampshire	38.2	.4	s	S	s	s
New Jersey New York-Northern New Jersey-Long Island, NY-NJ-CT-PA CMSA (NJ part) Philadelphia, PA-NJ PMSA (NJ part)	22.5 21.4 S S	<b>.1</b> .1 S	<b>25.9</b> 33.5 43.8	-	<b>26.2</b> 33.7 44.0	.2 .2
Remainder of New Jersey	S 44.7	s _	S 46.4	s _	S 46.1	S
New York	16.3	.5 S	33.2	-	33.9	.6
Buffalo-Niagara Falls, NY MSA New York-Northern New Jersey-Long Island, NY-NJ-CT-PA CMSA (NY part) Bechaeter, NY MSA	S 19.6 36.0	.2 .1	S 31.7 42.1	S -	S 31.7 40.6	S .1
Rochester, NY MSA	38.5	.5	S	S	S	S
North Carolina. Charlotte-Gastonia-Rock Hill, NC-SC MSA (NC part). Greensboro-Winston-Salem-High Point, NC MSA Raleigh-Durham-Chapel Hill, NC MSA Remainder of North Carolina	<b>25.0</b> 39.5 24.7 41.7 24.1	.4 - .3 .1	<b>39.5</b> 45.5 29.9 34.8 48.6	.1 - - .1	<b>37.9</b> 45.8 29.9 34.9 46.6	.7   .7
North Dakota	47.1	-	S	S	s	S
Ohio Cincinnati-Hamilton, OH-KY-IN CMSA (OH part) Cleveland-Akron, OH CMSA Columbus, OH MSA. Dayton-Springfield, OH MSA	<b>21.7</b> S 27.9 26.0 44.4	<b>.3</b> S .1 –	<b>32.3</b> 37.3 35.2 45.4 S	.1 - - S	<b>32.0</b> 37.3 35.0 45.3 S	1.1 - .3 .2 S S
Remainder of Ohio	26.9 <b>34.0</b>	2	S 30.7	S .9	S 31.7	S 1.0
Oklahoma City, OK MSA	23.2 42.2	2	34.9 31.4	_ .8	34.2 32.3	 1.0
Oregon Portland-Salem, OR-WA CMSA (OR part) Remainder of Oregon	<b>32.7</b> 36.3 30.9	. <b>4</b> .4 –	<b>S</b> 45.4	<b>S</b> -	<b>S</b> 43.7	<b>S</b> .5
Pennsylvania. Philadelphia-Wilmington-Atlantic City, PA-NJ-DE-MD CMSA (PA part) Pittsburgh, PA MSA Remainder of Pennsylvania	<b>S</b> 35.1 48.6 S	<b>S</b> .1 - S	<b>17.2</b> S 35.2 27.1	.1 S -	<b>18.3</b> S 35.3 27.7	.4 S .1 .2
Rhode Island	S	S	S	S	s	S
South Carolina	46.9	.6	41.7	-	41.1	.1
South Dakota	43.0	-	S	S	S	S
Tennessee . Memphis TN-AR-MS MSA (TN part) . Nashville, TN MSA . Remainder of Tennessee .	<b>30.5</b> 42.4 29.6 37.8	.1 2	<b>27.0</b> S 47.9 38.1	- S -	<b>28.3</b> S 48.1 38.1	.2 S - .1
Texas . Austin-San Marcos, TX MSA . Dallas-Fort Worth, TX CMSA . Houston-Galveston-Brazoria, TX CMSA . San Antonio, TX MSA . Remainder of Texas .	<b>10.5</b> 15.1 18.4 16.2 27.9 30.2	<b>3.8</b> 2.1 1.7 1.2 1.9 1.6	<b>24.7</b> 29.1 15.0 7.3 S 23.4	<b>3.5</b> 9.2 1.3 1.1 S 3.8	<b>16.5</b> 29.6 15.4 6.8 S 20.3	<b>4.8</b> 2.6 1.1 .5 S 2.3
Utah Salt Lake City-Ogden, UT MSA Remainder of Utah	<b>34.8</b> 45.1 34.3	- - -	<b>S</b> 42.6 S	<b>s</b> 	<b>S</b> 42.5 S	s s
Vermont	S	s	44.0	-	44.7	-
Virginia Norfolk-Virginia Beach-Newport News, VA-NC MSA (VA part) Washington, DC-MD-VA-WV PMSA (VA part) Remainder of Virginia	<b>21.2</b> 42.4 39.3 25.5	.2 - .2	<b>33.2</b> S S 36.6	- S -	<b>33.9</b> S S 37.5	<b>.6</b> S S .6
Washington	<b>29.6</b> 26.3 39.1	<b>.5</b> .1 .5	<b>37.5</b> S 31.7	- S -	<b>38.6</b> S 34.4	.7 S .4
West Virginia	25.1	-	36.6	-	36.0	.1
Wisconsin Milwaukee-Racine, WI CMSA Remainder of Wisconsin	<b>23.0</b> 44.6 31.7	<b>.2</b> .1 .2	<b>34.0</b> 25.9 35.0	- - -	<b>32.6</b> 25.8 33.5	.4 
Wyoming	S	S	s	S	S	s

Represents data cell equal to zero or less than 1 unit of measure.
 D Denotes figures withheld to avoid disclosing data for individual companies.
 S Data do not meet publication standards because of high sampling variability or other reasons. Some unpublished estimates can be derived from other data published in this table. However, figures obtained in this manner are subject to these same limitations.

Note: For description of development and uses of measures of reliability, see Appendix B, Reliability of the Estimates.

# Appendix C. Sample Design, Data Collection, and Estimation

#### INTRODUCTION

The primary goal for the 1997 Commodity Flow Survey (CFS) is to estimate shipping volumes (value, tons, and ton-miles) by commodity and mode of transportation at varying levels of geographic detail. A detailed description of the sample design for the 1997 CFS is provided below.

#### SAMPLE DESIGN

The sample for the 1997 CFS is selected using a stratified three-stage design in which the first-stage sampling units are establishments, the second-stage sampling units are groups of four 1-week periods (reporting weeks) within the survey year, and the third-stage sampling units are shipments.

#### **First Stage**

To create the first-stage sampling frame, we extracted a subset of establishment records from the 1995 Standard Statistical Establishment List (SSEL). The SSEL is a database, maintained by the Bureau of the Census, that contains a record for each establishment with employees. (An establishment is a single physical location where business transactions take place.) Establishments having nonzero payroll in 1994 and classified in the mining, manufacturing, wholesale, or selected retail industries, as defined by the 1987 Standard Industrial Classification (SIC) Manual, are included on the sampling frame. Auxiliary establishments (e.g. warehouses and central administrative offices) with shipping activity are also included. Auxiliary establishments are establishments that are primarily involved in rendering support services for other establishments within the same company, instead of for the public, government, or other business firms. All other establishments contained on the sampling frame are referred to as nonauxiliary establishments. For each establishment we extracted sales, payroll, number of employees, name and address information, as well as a primary identifier. We also computed a measure of size for each establishment. The measure of size for a particular establishment is designed to approximate the establishment's total value of shipments for 1994.

To reduce the amount of sampling variability and because estimates are desired for each commodity, we used a stratified design with a certainty component for each three-digit SIC. To accomplish this, each establishment on the sampling frame is classified into a three-digit SIC grouping. For each group of establishments, a boundary (or cutoff) that divides the certainty establishments from the noncertainty establishments is determined using the Lavallee-Hidiroglou algorithm. If an establishment's measure of size is greater than the cutoff, the establishment is selected "with certainty". Establishments selected "with certainty" were assured of being selected and represented only themselves (i.e., have a selection probability of one and a sampling weight of one). No certainty cutoffs are set for auxiliary establishments because they only make up a small portion of the estimated total value of shipments for all establishments on the sampling frame.

Establishments not selected with certainty makeup the noncertainty universe. We stratify the noncertainty universe by SIC recode, National Transportation Analysis Region (NTAR), and a flag used to differentiate auxiliary establishments from nonauxiliary establishments. Each SIC recode is constructed from a group of related three-digit SIC codes. The NTARs, developed by the Department of Transportation as combinations of Bureau of Economic Analysis (BEA) Areas, collectively provide a mutually exclusive and exhaustive coverage of the United States. Finally, the auxiliary stratification came about because establishments with different types of operation may have different shipping practices. We refer to a particular SIC recode-NTAR-auxiliary flag combination as a primary stratum.

We further stratify the noncertainty establishments within each primary stratum using the measure of size previously described. We refer to these measure-of-size strata as substrata of the primary strata. The measure of size stratification increases the efficiency of the sample design. The Dalenius-Hodges cumulative rule is used to set the substratum boundaries. We then use Neyman allocation to determine the sample size required within each substratum to meet a coefficient of variation constraint on the primary stratum total measure of size. Within each substratum, a simple random sample of establishments is selected without replacement.

To arrive at the final sample size, we allocated additional establishments to some of the strata so that the probability of selecting any establishment is no less than 1 in 100. In total, the first-stage sample comprises 102,739 establishments.

#### **Second Stage**

The frame for the second stage of sampling consists of 52 one-week reporting periods (reporting weeks) during the interval from December 29, 1996, to December 26,

1997. Each establishment selected for the 1997 CFS was systematically assigned to report for a group of four reporting weeks throughout the survey year. The four reporting weeks in a given group are separated by 12 weeks. For example, an establishment might be requested to report data for the 5th, 18th, 31st, and 44th weeks of the survey year.

#### Third Stage

For each of the four reporting weeks in which an establishment is asked to report, we request the respondent to construct a sampling frame that consists of all shipments made by their establishment in each particular reporting week. For any particular reporting week, if an establishment makes 40 or fewer shipments during that week, we ask the respondent to provide information about all of their establishment's shipments from that week, i.e., no sampling is required. For establishments making more than 40 shipments in a given reporting week, we ask the respondent to select a systematic sample of these shipments and to provide us with information only about the selected shipments. The size of a particular respondent's sample for a given reporting week should be between 20 and 40 shipments, depending on the total number of shipments the establishment made during that reporting week.

#### DATA COLLECTION

Each establishment selected into the CFS sample is mailed a questionnaire for each of its four reporting weeks. For a given establishment, we request the respondent to provide the following information about their establishment's shipments: domestic destination or port of exit, commodity, value, weight, mode(s) of transportation, the date on which the shipment was made, and an indication of whether the shipment was an export, hazardous material, or containerized. For shipments that include more than one commodity, respondents are instructed to report the commodity that makes up the greatest percentage of the shipment's weight. For exports, we also ask the respondent to provide the mode of export and the foreign destination city and country.

We used two versions of the questionnaire to collect data from the sampled establishments—the CFS-1000 and the CFS-2000. Each establishment received the CFS-1000 in each of its first three reporting weeks. However, for the fourth reporting week, a subsample of approximately 25,000 establishments received the CFS-2000, while the remaining establishments received the CFS-1000. The CFS-2000 requests the respondent to provide additional information about their establishment's access to on-site and off-site shipping facilities, as well as transportation equipment. See Appendix E for a copy of each questionnaire.

#### **ESTIMATION**

Each shipment has associated with it a single tabulation weight, that is used in computing all estimates to which

the shipment contributes. The tabulation weight is a product of seven different weights. A description of each weight follows.

CFS respondents provide data for a sample of shipments made by their respective establishments in the survey year. For each establishment, we produce an estimate of that establishment's total value of shipments for the entire survey year. To do this, we use four different weights, the shipment weight, the shipment nonresponse weight, the quarter weight, and the quarter nonresponse weight.

Like establishments, we identify shipments as either certainty or noncertainty. (See the Nonsampling Error section in Appendix B for a description of how certainty shipments are identified.) For noncertainty shipments, the shipment weight is defined as the ratio of the total number of noncertainty shipments (as reported by the respondent) made by an establishment in a reporting week to the number of sampled noncertainty shipments for the same week. This weight uses the data from the sampled shipments to represent all the establishment's shipments made in the reporting week. However, some respondents fail to provide sufficient information about a sampled shipment. For example, a respondent may not be able to provide value, weight, or a destination ZIP Code for some of the sampled shipments. If these data items cannot be imputed, then these shipments would not contribute to tabulations and are deemed "unusable." (A usable shipment is one that has valid entries for value, weight, and origin and destination ZIP Codes.) To account for these "unusable" shipments, we apply the shipment nonresponse weight. For noncertainty shipments from a particular establishment's reporting week, this weight is equal to the ratio of the number of sampled shipments for the reporting week to the number of "usable" shipments for the same week. The shipment weight and shipment nonresponse weight for certainty shipments from a particular establishment's reporting week are both equal to one.

The guarter weight inflates an establishment's estimate for a particular reporting week to an estimate for the corresponding quarter. For noncertainty shipments, the quarter weight is equal to 13. The guarter weight for most certainty shipments is also equal to 13. However, if a respondent is able to provide information about all large (or certainty) shipments made in the quarter containing the reporting week, then the quarter weight for each of these shipments would be one. For each establishment, the quarterly estimates are added to produce an estimate of the establishment's value of shipments for the entire survey year. Whenever an establishment does not provide the Census Bureau with a response for each of its four reporting weeks, we compute a quarter nonresponse weight. The quarter nonresponse weight for a particular establishment is defined as the ratio of the number of

quarters for which the establishment was in business in the survey year to the total number of quarters (reporting weeks) for which we received usable shipment data from the establishment.

Using these four component weights, we compute an estimate of each establishment's value of shipments for the entire survey year. We then multiply this estimate by a weight that adjusts the estimate using value of shipments and sales data obtained from other Census Bureau surveys and preliminary results of the 1997 Economic Census. This weight, called the establishment-level adjustment weight, attempts to correct for any sampling or nonsampling errors that occur during the sampling of shipments by the respondent. The adjusted value of shipments estimate for an establishment is then weighted by the establishment weight. This weight is equal to the inverse of the establishment's probability of being selected into the sample.

A final adjustment weight, called the SIC-level adjustment weight, uses preliminary results of the 1997 Economic Census to account for establishments from which we did not receive a response (including establishments from which we did not receive any usable shipment data) and for changes in the population of establishments between the time the first-stage sampling frame was constructed (1995) and the year in which the data were collected (1997). Separate SIC-level adjustment weights are determined for nonauxiliary and auxiliary establishments.

# Appendix D. Standard Classification of Transported Goods Code Information

The commodities shown in this report are classified using the Standard Classification of Transported Goods (SCTG) coding system. The SCTG coding system was created jointly by agencies of the United States and Canadian governments based on the Harmonized System (HS) of product classification which is used worldwide. The purpose of the SCTG coding system was to specifically address statistical needs in regard to products transported.

In the past, Commodity Flow Survey (CFS) data have been collected and reported using product classifications found in the Standard Transportation Commodity Classification (STCC) system. These classifications were developed in the early 1960s by the American Association of Railroads (AAR) to analyze commodity movements by rail. The original purpose of the STCC was for identification of commodities for purposes of assigning rates for Interstate Commerce Commission (ICC) regulated rail carriers. The STCC continues to be used by the AAR as a tariff mechanism.

At the time that the Commodity Transportation Survey (CTS) (the CTS—the predecessor of the CFS) was first conducted in 1963, STCC codes were still useful for analyzing most important aspects of the U.S. transportation system. Since then, many changes have taken place that have gradually made the STCC code less useful for tracking domestic product movements across all modes (although it remains perfectly functional for tracking rail-only movements). These include the deregulation of trucking, the enactment of North American Free Trade Agreement (NAFTA), changes in logistics practices, the emergence of plastics and composite materials to replace metals and glass, the obsolescence of many categories of wood products, and the very rapid recent development of high-tech electronic goods. Because the CFS is a shipper survey, the CFS collects information about shipments moving on all modes. As a consequence, STCC classifications frequently provide inadequate detail for identifying products that are significant for modes, such as truck and air. It is for these reasons that the Bureau of Transportation Statistics (BTS) has sponsored the development of a new product code to collect and report CFS data.

In 1997 the CFS provided respondents with a listing of SCTG codes and descriptions at the five-digit level to use in assigning a commodity code for each shipment. For shipments of more than one commodity, we instructed respondents to use the five-digit code for the major commodity, defined as the commodity of greatest total weight in the shipment.

Additional information on the SCTG system can be found on the Internet through the BTS web page at *http://www.bts.gov.* Comments or questions on the SCTG should be directed to *http://cfs@bts.gov.* 

# Appendix E. Sample Report Forms and Instructions

The sample report forms and instructions are shown on the following pages.

**Note:** The CFS-2000 was sent to a subsample of establishments to obtain additional information about the use of transportation equipment and facilities.

#### 1997 COMMODITY FLOW SURVEY CENSUS OF TRANSPORTATION

U.S. DEPARTMENT OF COMMERCE BUREAU OF THE CENSUS

**Reporting period:** 

**Please return by:** 

**RETURN TO** 

#### BUREAU OF THE CENSUS 1201 East 10th Street Jeffersonville IN 47132-0001

	(Please correct any error in name, address, and ZIP Code)
<b>BEFORE COMPLETING YOUR REPORT,</b> please read the accompanying instruction guide. If book figures are not available for requested data, please provide estimates. If you have any questions, please call 1–800–772–7851. Through this survey, we are requesting data on a representative sample of your outbound shipments, to help us produce key statistics used by transportation planners and managers. We greatly appreciate your assistance in this program.	Item C Is this establishment's physical location the same as the address shown in the label? (PO boxes or rural routes are not physical locations.) 1 ☐ Yes 2 ☐ No — Enter physical location below. Number and street
Item A Is the establishment name shown in the mailing address correct?	City, town, village, etc. State ZIP Code
1 ☐ Yes 2 ☐ No — Enter correct name. ₹	<ul> <li>NOTE — The rest of this questionnaire requests information about shipments (or deliveries) from the establishment located at the address in the mailing label.</li> <li>If you entered a different address in item C — <i>Please complete the form for shipments originating from the location listed in item C</i>.</li> <li>Item D Please enter the total number of outbound shipments (or deliveries), including customer pick-up, for the one-week reporting period shown above. If book figures</li> </ul>
Item B       Mark (X) the ONE box which best describes this establishment during the one-week period shown above.         1       In operation         2       Temporarily or seasonally inactive	are not available, please provide your best estimate. This number should reflect all shipments and deliveries leaving this location during the one-week reporting period. Please see Instruction Guide for a definition of "shipment."
3 Ceased operation — <i>Give date</i> — >	DO NOT PROCEED UNTIL YOU HAVE COMPLETED ITEM D.
that receive this questionnaire to answer the questions ar	ited States Code, requires businesses and other organizations ad return the report to the Census Bureau. By the same law, a seen only by Census Bureau employees and may be used aspondents' files are immune from legal process.

#### Item E SAMPLING INSTRUCTIONS

Our goal in this section is to identify a sample of your shipments that you will provide data on. Through the use of a sample, we can avoid asking you for information on all of your shipments, while still obtaining statistically accurate information.

#### **FINDING YOUR SELECTION RATE**

If you reported 40 or fewer shipments in item D, please enter "1" as your selection rate in the box below, then go directly to item F and enter the information for each of your shipments.

If you reported 41 or more shipments in item D, we will now ask you to select and report on a sample of your shipments. Following the steps below will result in a sample of 20 to 40 shipments to report on in item F.

	ln t	he ta	ble at	right, identify	Number of shipments e in item D	ntered		Selection rate	
	the	selec	tion i	rate that to the number	1— 40			1	
	VOU	ı ente	ered i	n item D, and	41— 80			2	
	ent	er it i	n the	box below.	81— 100			3	
					101— 200			5	
					201— 400			10	
					401— 800			20	
	Please	onto	r vou	r	801— 1600			40	
	selectio				1601— 3200			80	
					3201— 6400			160	
					6401—12800			320	
					More than 12800	с	all C	ensus at 1–800–772–7851	
								CONTINUE ON NEXT PA	GE
ten	m F SHIP		CHA	RACTERISTICS	1			1	
Line No.	Shipment ID Number (c) (b)		Shipment weight in pounds	Commod code fro SCTG Mar	m	Commodity description	If a hazardous material, enter the "UN" or "NA" number		
a)	(b)	β	Day	(d)	(e)	(f)		(g)	(h)
0	123-5	4	26	4,235	140	3 5 1 2 0		Electrical transformers	
00	402H	4	26	125,300	626,500	  1 <sub> </sub> 7 <sub> </sub> 1 <sub> </sub> 0	0 <sub>1</sub> 0	Gasoline	1 <sub>1</sub> 2 <sub>1</sub> 0 <sub>1</sub> 3
1							I		
2									
3									
4									
5									+ + + + +
6									+
									+
7									
7 8									

#### **SELECTING YOUR SAMPLE OF SHIPMENTS**

- 1. Use the file or combination of files that best reflects your full range of outbound shipping activities.
- 2. Begin with the first shipment. Count the shipments until you reach your selection rate. Select this shipment to report on in item F.
- **3.** Continue counting with the next shipment. Count this shipment as 1 and continue until you reach the selection rate again. Select this shipment to report on in item F.
- **4.** Repeat step 3 until you reach the last shipment for the one-week period. If the last shipment is counted as the selection rate, select this shipment to report on in item F. If the last shipment is not counted as the selection rate, do not report this shipment. 1

exa eac rec rep one	Once you for each a	selected shipment.	Exam	ple of shipmer ples of comple g a file of ship	eted lines for tw ments or have	ra ev sl	the selection ate is 2, select very other ipment. 2 Select 1 2 Select 1 co item F and enter the ipments are provided of tions about how to sele 00–772–7851.	requested information on lines "0" and "00" be	n elow.	
Containerized? (XV) (j) (j)			ipmen		Mode(s) of transport to U.S. destination Enter all that apply in order used. Use codes below.	Export? (Y/N)	airport, or border c	oments only) enter the U.S. port, rossing of exit. n)	Export mode	Line No.
(i)		City	State	ZIP Code	(k)	(1)	City	Country	(n)	(o)
N	Los Angele	S	C <sub>I</sub> A	9 <sub>1</sub> 0 <sub>1</sub> 0 <sub>1</sub> 4 <sub>1</sub> 0	2, 4, 3	N				0
N	New York		N <sub>1</sub> Y	$1_{ }0_{ }4_{ }5_{ }4$	5	Y	London	England	6	00
										1
										2
										3
										4
										5
										6
										7
										8
										9
	<b>5</b> — Shallow <b>6</b> — Deep dra			<b>7</b> — Pipeline <b>8</b> — Air	9 — 0 0 — U					
FORM (	CFS-1000 (11-1-96)			P	LEASE CONTIN	UE O	N PAGE 4.		P	age 3

FORM CFS-1000 (11-1-96)

lte	m F SHI	PMEN	ІТ СН	ARACTERISTICS — Cont	inued			
Line No.	Shipment ID Number	da	ment ate c)	Shipment value (excluding shipping costs) in whole dollars	Shipment weight in pounds	Commodity code from SCTG Manual	Commodity description	If a hazardous material, enter the "UN" or "NA" number
(a)	(b)	Š	Day	(d)	(e)	(f)	(g)	(h)
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
24								
25								
26								
27								
28								
29								
30 31								
31								
33								
34								
	l Mode of tra for column	anspo s (k) a	rt code nd (n)	es 1 — Parcel o Postal S	delivery, courier, or U.S. Service	2 — P 3 — F	rivate truck <b>4</b> — Railroad or-hire truck <i>Continued</i> —	$\rightarrow$

Page 4

FORM CFS-1000 (11-1-96)

Containerized? (Y/N)	U.S. destination <b>(Complete for all shipn</b> (j)	nent	ts.)	Mode(s) of transport to U.S. destination Enter all that apply in order used. Use	Export? (Y/N)	Foreign des (for export ship <b>Note:</b> In column (j) airport, or border cru (m	nents only) enter the U.S. port, ossing of exit.	Export mode	Line No.
SC (i)		ate	ZIP Code	used. Use codes below. (k)	() Exp	City	Country	– <u>—</u> (n)	(o)
								(11)	10
									11
									12
									13
									14
									15
									16
									17
									18
									19
									20
									21
									22
									23
									24
									25
									26
									20
									27
$\left  - \right $									
$\left  \right $									29
$\left  - \right $									30
$\left  \right $									31
$\left  \right $		1							32
$\left  - \right $									33
$\vdash$	5 — Shallow draft vessel	1	<b>7</b> — Pipe	eline 9–		er mode			34
FORM	6 — Deep draft vessel CFS-1000 (11-1-96)		8 — Air	0 – PLEASE CONTIN	- Unkr			Pa	 age 5

lte	m F SHI	PMEN	тсн	ARACTERISTICS — Con	tinued					
Line No.	Shipment ID Number		ment ate c) Dav	Shipment value (excluding shipping costs) in whole dollars	Shipment weigh in pounds	t	Commodity code from SCTG Manual	Commodity de	scription	If a hazardous material, enter the "UN" or "NA" number
(a)	(b)	2		(d)	(e)		(f)	(g)		(h)
35										
36										
37										
38										
39										
40										
Mo for	de of trans columns (k	port c and	odes (n)	1 — Parcel o Postal S	lelivery, courier, or L Service	J.S.		Private truck For-hire truck	<b>4</b> — Railroad <i>Continued</i> —	
	<b>2.</b>	Are the form	to ite to ite diata be to ite	leave more than one sit physical location? ords for outbound ship ocation maintained in a files (e.g., separate file nodity, or for each shipp location? <i>m G1 or item G2:</i> e easier to receive a sep ire for each file or each ite?	ments number s for ving	Iten	should r establish An estim Total val	k reporting period. The present all products ment for the one-wee hate is acceptable. ue in whole dollars st three months did the rest of the months did the rest of the months did the rest of the	leaving this ek period. iis location	
			D							
lter		TIFIC								
Nai	me of perso	on to c	ontact	t regarding this report – <i>Pl</i>	ease print	Tele	phone number	– Include area code	Date	
Sig	nature					Title	1			
$\overline{)}$										

FORM CFS-1000 (11-1-96)

Page 6

Containerized? (Y/N)	U.S. destinati <b>(Complete for all sh</b> (j)	on <b>iipmen</b> t	ts.)	Mode(s) of transport to U.S. destination Enter all that apply in order used. Use	Export? (Y/N)	Foreign des (for export ship <b>Note:</b> In column (j) airport, or border cr (m	ments only) enter the U.S. port, ossing of exit.	Export mode	Line No.
(i)	City	State	ZIP Code	codes below. (k)	ш (I)	City	Country	ш (n)	(o)
(1)					(17				
								_	35
									36
									37
									38
								1	
								-	39
					011-0				40
	<ul> <li>5 — Shallow draft vessel</li> <li>6 — Deep draft vessel</li> </ul>		<b>7</b> — Pipeli <b>8</b> — Air	ine 9— 0—	Unkn	r mode Iown			
		THA	NK YOU FC	R COMPLETI	NG Y	OUR REPORT			
FORM (	FS-1000 (11-1-96)							P	age 7

FORM **CFS-2000** 

#### 1997 COMMODITY FLOW SURVEY CENSUS OF TRANSPORTATION

U.S. DEPARTMENT OF COMMERCE BUREAU OF THE CENSUS

**Reporting period:** 

**Please return by:** 

RETURN TO

#### BUREAU OF THE CENSUS 1201 East 10th Street Jeffersonville IN 47132-0001

	(Please correct any error in name, address, and ZIP Code)
<b>BEFORE COMPLETING YOUR REPORT,</b> please read the accompanying instruction guide. If book figures are not available for requested data, please provide estimates. If you have any questions, please call 1–800–772–7851. Through this survey, we are requesting data on a representative sample of your outbound shipments, to help us produce key statistics used by transportation planners and managers. We greatly appreciate your assistance in this program.	Item C       Is this establishment's physical location the same as the address shown in the label? (PO boxes or rural routes are not physical locations.)         1 □ Yes       2 □ No — Enter physical location below. ✓         Number and street
Item A Is the establishment name shown in the mailing address correct?	City, town, village, etc. State ZIP Code
1 ☐ Yes 2 ☐ No — Enter correct name. ₹	<ul> <li>NOTE — The rest of this questionnaire requests information about shipments (or deliveries) from the establishment located at the address in the mailing label.</li> <li>If you entered a different address in item C — <i>Please complete the form for shipments originating from the location listed in item C</i>.</li> <li>Item D Please enter the total number of outbound shipments (or deliveries), including customer pick-up, for the</li> </ul>
	one-week reporting period shown above. If book figures are not available, please provide your best estimate.
Item B       Mark (X) the ONE box which best describes this establishment during the one-week period shown above.         1       In operation         2       Temporarily or seasonally inactive	This number should reflect all shipments and deliveries leaving this location during the one-week reporting period. <i>Please see</i> <i>Instruction Guide for a definition of</i> <i>"shipment."</i>
	DO NOT PROCEED UNTIL YOU HAVE COMPLETED ITEM D.
that receive this guestionnaire to answer the guestions a	nited States Code, requires businesses and other organizations nd return the report to the Census Bureau. By the same law, e seen only by Census Bureau employees and may be used espondents' files are immune from legal process.

#### Item E SAMPLING INSTRUCTIONS

Our goal in this section is to identify a sample of your shipments that you will provide data on. Through the use of a sample, we can avoid asking you for information on all of your shipments, while still obtaining statistically accurate information.

#### **FINDING YOUR SELECTION RATE**

If you reported 40 or fewer shipments in item D, please enter "1" as your selection rate in the box below, then go directly to item F and enter the information for each of your shipments.

If you reported 41 or more shipments in item D, we will now ask you to select and report on a sample of your shipments. Following the steps below will result in a sample of 20 to 40 shipments to report on in item F.

	ln t	he ta	ble at	right, identify	Number of shipments e in item D	ntered		Selection rate		
				rate that o the number	1— 40			1		
	γοι	u ente	ered i	n item D, and	41— 80			2		
	ent	er it i	n the	box below.	81— 100			3		
					101— 200			5		
					201— 400			10		
				·	401— 800			20		
	Please	ente	r vou	r	801— 1600			40		
	selectio	on ra	te. —	→	1601— 3200			80		
					3201— 6400			160		
					6401—12800			320		
					More than 12800	с	all Ce	ensus at 1–800–772–7851		
								CONTINUE C	ON NEXT PA	GE. —
lte	m F SHIPI	MENT	СНА	RACTERISTICS						
Line No.	Shipment ID Number	da (i	ment ate c)	Shipment value (excluding shipping costs) in whole dollars	Shipment weight in pounds	Commoo code fro SCTG Ma	, m	Commodity des	cription	If a hazardou material, enter the "UN" or "NA" number
(a)	(b)	Month	Day	(d)	(e)	(f)		(g)		(h)
0	123-5	4	26	4,235	140	3 5 1 2	2 <sub> </sub> 0	Electrical transform	ers	
00	40911	4	26	125,300	626,500	1 <sub>1</sub> 7 <sub>1</sub> 1	0 <sub>1</sub> 0	Gasoline		1 <sub>1</sub> 2 <sub>1</sub> 0 <sub>1</sub>
	402H	<b>_</b>								
1	4021						1			
1 2	4021									
	4021									
2										
2 3										
2 3 4										
2 3 4 5										
2 3 4 5 6										
2 3 4 5 6 7										

#### **SELECTING YOUR SAMPLE OF SHIPMENTS**

- 1. Use the file or combination of files that best reflects your full range of outbound shipping activities.
- 2. Begin with the first shipment. Count the shipments until you reach your selection rate. Select this shipment to report on in item F.
- **3.** Continue counting with the next shipment. Count this shipment as 1 and continue until you reach the selection rate again. Select this shipment to report on in item F.
- 4. Repeat step 3 until you reach the last shipment for the one-week period. If the last shipment is counted as the selection rate, select this shipment to report on in item F. If the last shipment is not counted as the selection rate, do not report this shipment. 1

exa eac rec rep one	Once you for each s	have selected you selected shipment.	Exam	ect	eted lines for tw ments or have	eed 1 ro sh ques	to item F and enter the ipments are provided of tions about how to select	requested informatio on lines "0" and "00" b	n elow.	
Containerized? (Y/N)	(C	U.S. destinatic <b>omplete for all shi</b> (j)		its.)	Mode(s) of transport to U.S. destination Enter all that apply in order used. Use	Export? (Y/N)	airport, or border c	oments only) enter the U.S. port,	Export mode	Line No.
(i)		City	State	ZIP Code	codes below. (k)	(I)	City	Country	(n)	(0)
N	Los Angeles	s	C	9,0,0,4,0	2, 4, 3	N				0
N	New York			1,0,4,5,4	5	Y	London	England	6	00
	New TOIR			10434	5	1	London			
										1
										2
										3
										4
										5
										6
						L				7
<u> </u>									-	
										8
	<b>5</b> — Shallow	droft voors		<b>7</b> — Pipeline		)+h =				9
$\overline{\ }$	6 — Deep dra			<b>8</b> — Air	9 — 0 0 — 0	Inkno	wn			

FORM CFS-2000 (6-9-97)

EASE CONTINUE ON PAGE 4.

lte	m F SHI	PMEN	тсн	ARACTERISTICS — Cont	inued			
Line No.	Shipment ID Number	da	ment ate	Shipment value (excluding shipping costs) in whole dollars	Shipment weight in pounds	Commodity code from SCTG Manual	Commodity description	If a hazardous material, enter the "UN" or "NA" number
(a)	(b)	Mo	Day	(d)	(e)	(f)	(g)	(h)
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
24								
25 26								
20								
28								
29								
30								
31								
32								
33								
34								
	Mode of tra for column	inspo s (k) a	rt code nd (n)	es 1 — Parcel o Postal S	delivery, courier, or U.S. Service	2 — Pi 3 — Fe	rivate truck <b>4</b> — Railroad or-hire truck <i>Continued</i> —	$\rightarrow$

Page 4

# TRANSPORTATION-COMMODITY FLOW SURVEY

FORM CFS-2000 (6-9-97)

<u> </u>									
Containerized?	U.S. destinat <b>(Complete for all sl</b> (j)	ion hipment	ts.)	Mode(s) of transport to U.S. destination Enter all that apply in order used. Use	Export? (Y/N)	Foreign des (for export shipr <b>Note:</b> In column (j) e airport, or border cro (m	nents only) enter the U.S. port, ossing of exit.	Export mode	Line No.
ය≿ ⑴	City	State	ZIP Code	codes below. (k)	Ш (I)	City	Country	ш (n)	(o)
									10
									11
									12
									13
									14
									15
									16
									17
									18
									19
								_	20
									21
									22
									23
									24
									25
									26
									27
									28
									29
									30
									31
									32
									33
 	<b>5</b> — Shallow draft vessel		<b>7</b> — Pipe	eline <b>9</b> -		r mode			34
	6 — Deep draft vessel		<b>8</b> — Air		- Unkr	nown			

FORM CFS-2000 (6-9-97)

#### PLEASE CONTINUE ON PAGE 6.

lte	m F SHI	MEN	тсн	ARACTERISTICS — Co	ontinued				
Line No.	Shipment ID Number		ate c)	Shipment value (excluding shipping costs) in whole dollars	Shipment weight in pounds	Commodity code from SCTG Manual	Commodity description	If a hazardous material, enter the "UN" or "NA" number	
(a)	(b)	Σ	Day	(d)	(e)	(f)	(g)	(h)	
35									
36									
37									
38									
39									
40									
	de of trans columns (k			1 — Parce Posta	el delivery, courier, or U.S. Il Service		Private truck <b>4</b> — Railroad For-hire truck <i>Continued</i> —	<b>&gt;</b>	
Iter In c exi	Tota	I valu ILAB	e in v BILITY ck "Y	es" or "No" for each t 1997. For each "Yes'	SITE SHIPPING FACILIT	indicate whet es" or "No" in c	her or not this type of facility column (c) to indicate whether or		
			hippi	ng facility	Was a shipping facility on your premises dur	y of this type	Did you <b>use</b> this facility on yo premises for <b>outbound ship</b> during 1997?	our ments	
			(a)		(b)		(c)		
	<b>1.</b> Rail sid	ing			1 □ Yes 2 □ No	*	1 □ Yes 2 □ No		
	<b>2.</b> Dock or	n the	Great	t Lakes	1 □ Yes 2 □ No	<b>→</b>	1 □ Yes 2 □ No		
	1 ☐ Yes     1 ☐ Yes       3. Dock on inland water     2 ☐ No								
	<b>4.</b> Dock or	n dee	p sea	water	1 □ Yes 2 □ No	<b>→</b>	1 □ Yes 2 □ No		
	<b>5.</b> Airport/ handlin	landi g you	ng sti ir shi	rip capable of pments	1 □ Yes 2 □ No	<b>→</b>	1		
$\sim$	<b>6.</b> Pipeline	e term	ninal		1 □ Yes 2 □ No	→	1		
Page	6						FORM C	FS-2000 (6-9-97)	

Page 6

$\left( \right)$										
Containerized? (Y/N)		estination <b>or all shipmen</b> (j)	ts.)	trans U desti <i>Enter</i> apply	e(s) of port to .S. nation all that in order I. Use	Export? (Y/N)	airport, or border c	oments only) enter the U.S. port,	Export mode	Line No.
(i)	City	State	ZIP Code		below. k)	ш (I)	City	Country	(n)	(o)
					,					35
										+
		1								36
										37
									_	38
										39
										40
	<b>5</b> — Shallow draft vesse <b>6</b> — Deep draft vessel	el	7 — Pipeli 8 — Air	ne		Othe Unkn	r mode		•	
ltem		-		0-	UTIKI	own				
faci colu	olumn (b), check "Yes" o lity of that type for <b>outb</b> umn (c), and the mode of pe of shipping facility	ound shipme f transport use Did you use facility for o	this type of o utbound during 1997?	997. Fo at facilit	y in colu Distand type th	Yes", umn ( ce to at yo t in n	enter the miles to tha d). The modes are liste the off-site facility of t ou used most in 1997 niles – estimates are	t off-site facility in ed below. his Mode of transpo to reach that fac <i>(Enter a code fro</i> <i>list below)</i>	ility	
	(a)		(b)				(c)	(d)		
<b>1.</b> F	ail siding		Yes → No							
<b>2.</b> C	ock on the Great Lakes	1 🗌 \ 2 🗌 M	∕es —→ No							
<b>3.</b> D	ock on inland water	1 🗌 Y 2 🗌 M	∕es → No							
<b>4.</b> C	ock on deep sea water	1 🗌 Y 2 🗌 M	∕es —→ No							
c	hirport/landing strip apable of handling our shipments	1 🗌 Y 2 🗌 M	∕es → No							
<b>6.</b> P	ipeline terminal	1 🗌 \ 2 🗌 N	∕es —→ No							
	<b>1 –</b> Trailer on Flat Car (TC <b>2</b> – Private Truck		<b>3 –</b> For-Hire Tru <b>4 –</b> Rail	ıck			<b>5 –</b> Water <b>6 –</b> Pipeline	<b>7 –</b> Air <b>8 –</b> Other		
FORM	CFS-2000 (6-9-97)		PLEASE	CONT	INUE (	DN P	AGE 8.			Page

Item K USE AND AVAILABILITY OF TRANSPORTATION I	EQUIPMENT	
During 1997, did this location use any of the following types of equip rail cars reported in number 1 below, enter the approximate percenta rail car. These percentages should add to 100%. If you had no rail sh	ment for outbound shipments? Please che age of your total outbound rail shipments t ipments, leave the percentages blank.	ck "Yes" or "No." For hat used that type of
Equipment	Was this type of equipment used for outbound shipments during 1993?	Percentage of total rail shipments
(a)	(b)	(c)
1. Rail cars that:	1 □ Yes>	
a. Your company owned/leased	2 🗆 No	
<b>b.</b> A common carrier owned/leased	$1 \square Yes \longrightarrow$ $2 \square No$	
c. Another party owned/leased (e.g. receiver)	1 □ Yes	
<ul> <li>2. Trucks with 6 or more tires or truck-tractors that:</li> <li>a. Your company owned</li> </ul>	1 ☐ Yes 2 ☐ No	
		+/////
<b>b.</b> Your company leased, with driver	1 □ Yes 2 □ No	
<b>c.</b> Your company leased, without driver	1 □ Yes 2 □ No	
<b>3.</b> Truck trailers that your company owned or leased	1 □ Yes 2 □ No	
<b>4.</b> Aircraft that your company owned or leased	1 ☐ Yes 2 ☐ No	$\langle / / / / / / / / / / / / / / / / / / /$
5. Barges that your company owned or leased	1 □ Yes 2 □ No	$\mathbb{Z}^{1}$
<b>6.</b> Other equipment that your company owned or leased – <i>Specin</i>	fy <del>∠</del> 1 □ Yes 2 □ No	
Item L TRANSPORTATION DECISIONS	·	
During 1997, who generally decided on the mode of transporta	, , ,	k the appropriate box.
1 Your company 2 Receiver of shipr	nent 3 🗌 Other	
Remarks		
· · · · · · · · · · · · · · · · · · ·		
Item M CERTIFICATION		
Name of person to contact regarding this report – <i>Please print</i>	Telephone number – Include area code	Date
Signature	Title	

FORM CFS-2000 (6-9-97)

Page 8

# Instructions for Completing the Commodity Flow Survey

TIPS FOR COMPLETING THE CFS QUESTIONNAIRE

Please read all instructions.

You may use estimates if book figures are not readily available.

If you have questions about completing the survey, a Census Bureau representative will be glad to assist you. You can call us at 1-800-772-7851.

Some instructions are included on the questionnaire itself. However, due to space limitations, most of the instructions and definitions are included in separate reference materials. These include this instruction guide, and a listing of commodity codes to be used for classifying individual shipments in this survey.

# **PART I – GENERAL INFORMATION**

# Frequently Asked Questions About the Commodity Flow Survey (CFS)

# Why are you conducting the CFS?

The CFS produces valuable measures of the demands on the nation's transportation system.

The results of the CFS are used by transportation policy makers to analyze future transportation needs.

# Who reports in the CFS?

The CFS covers a sample of establishments in the mining, manufacturing, wholesale, and selected retail industries.

# Why is my participation important?

Your establishment was selected as part of a sample designed to represent a wide range of industries and geographic regions.

Your report helps ensure quality results.

# Is this survey mandatory?

Yes. The CFS is mandatory under the authority of Title 13, United States Code (USC).

## Will my data be kept confidential?

Yes. The same law that requires your participation, Title 13, USC, also guarantees your data will be kept strictly confidential.

The reports you provide the Census Bureau cannot be used for purposes of taxation, regulation, or investigation.

Your report is used only to develop summary data that do not reveal the activities of individual firms or establishments.

# How often must I report?

You will be sent four questionnaires in all: one during each quarter of 1997.

The CFS will not be conducted again until 2002.

CFS-1100 (11-7-96)

Page 2

# **PART II – INSTRUCTIONS FOR COMPLETING YOUR QUESTIONNAIRE**

#### Items A – C

Please enter the information requested on your establishment's name, operational status, and physical location.

#### Item D

Enter in the space provided your total number of outbound shipments **for the one week reporting period** on the front of the questionnaire.

Please include in this count any materials picked up by the customer ("customer pick-up").

#### What we mean by a "shipment":

For the purposes of this survey, a shipment is a single movement of goods, commodities, products, etc. from your location to a customer or to another location of your company.

"Commodities" refer to items that your location produces, sells, or distributes, *not* to items that are considered by-products of your location's operation.

#### What we don't mean by a "shipment":

Do *not* include as shipments items such as inter-office memos, payroll checks, business correspondence, etc.

Do *not* include as shipments items such as refuse, scrap paper, waste, and recyclable materials **unless** your location is in the business of selling or providing these materials to others.

#### A special note about "shipments":

A full, or partial, truckload should be counted as a single shipment only if all the commodities on the truck are destined for one location.

If a truck makes multiple deliveries on a route, **please count each stop as one shipment.** 

#### Item E: Sampling Instructions

If you reported 40 or fewer shipments in Item D, complete Item F (Shipment Characteristics) for all of your shipments covered by the one-week reporting period.

If you reported more than 40 shipments in Item D, follow the instructions in Item E in order to select a sample of shipments on which to report in Item F.

#### By asking you to select a sample of your shipments for the one-week reporting period, we avoid asking you for information on all your shipments, while still obtaining statistically accurate information.

Reminder: The files you are sampling from should reflect the full range of your location's shipping activities in terms of modes of transportation used, commodities shipped, and destinations.

**We're here to answer your questions!** If you have questions about the sampling process (or any part of the questionnaire) please call us at 1-800-772-7851.

CFS-1100 (11-7-96)

Page 3

# PART II – INSTRUCTIONS FOR COMPLETING YOUR QUESTIONNAIRE – Continued

#### Item F: Shipment Characteristics


• Shipment ID Number (column b) – Enter the invoice number, shipment number, or some other unique identification number that your establishment could use to find this particular shipping document if questions arise regarding your report. • Shipment Date (column c) – Enter the month and day of the shipment. If shipment date is not available, use the invoice/shipping document date. Use numbers only. • Shipment Value (column d) – Enter the dollar value, in whole dollars, of the entire shipment. The value should not include freight charges or excise taxes (i.e., report the net selling value, f.o.b. plant). If the value is not readily available from your records, please estimate. • Shipment Weight (column e) – Enter the weight of the total shipment in whole pounds. If weight is not readily available from your records, please estimate. Commodity Code (column f) – Please use the list of Standard Classification of Transported Goods (SCTG) Codes in the enclosed SCTG Manual to select the proper code. For shipments with more than one commodity, enter only the code for the commodity with the greatest weight. • Commodity Description (column g) – Enter a brief description of the commodity shipped. For shipments with more than one commodity, describe only the commodity with the greatest weight. Do not use trade names, catalog numbers, or other codes not familiar to persons outside your business. SHIPMENT CHARACTERISTICS Item F Shipment Shipment value Shipment date . (excluding Commodity Shipment weight code from ID shipping costs) Commodity description e No. in pounds Number in whole SCTG Manual (c) dollar

Line		Month	Day	dollars			
(a)	(b)	2		(d)	(e)	(f)	(g)
0	123-5	4	26	4,235	140	3 <sub>1</sub> 6 <sub>1</sub> 1 <sub>2</sub> 0	Electrical transformers
00	123-6	4	26	125,300	626,500	1 <sub> </sub> 7 <sub> </sub> 1 <sub> </sub> 0 <sub> </sub> 0	Gasoline
1							
2							
3							
4							
	Mode of tra for columns	nspoi s (k) a	rt code nd (n)	es 1 — Parcel deli Postal Ser		<b>2</b> — Private tru <b>3</b> — For-hire tru	

CFS-1100 (11-7-96)

# PART II – INSTRUCTIONS FOR COMPLETING YOUR QUESTIONNAIRE – Continued

Item F: Shipment Characteristics - Continued



- Containerized (column i) Indicate whether or not the shipment was containerized by entering "Y" or "N" (yes or no). Containerized means that the shipment left your establishment in an intermodal container or stackable tank without permanently attached wheels. These containers typically vary from 20 to 53 feet in length, and are carried on truck chassis, trains, and ships.
- U.S. Destination: City, State, and ZIP Code (column j) For domestic shipments, enter the city, state, and 5-digit ZIP Code of the buyer/receiver as it appears on the shipping document. Use the "ship to" address. Use the two letter state abbreviation shown in Part IV.

For **export shipments**, report the U.S. **port of exit** as the destination city. The port of exit is the port or airport from which the shipment left the country. In case of land shipments into Mexico or Canada, it is the border crossing.

 Mode(s) of Transport (column k) – Enter the code(s) for all modes of transport used for the shipment to its U.S. destination (i.e., the destination reported in column j). Codes are located on the bottom of pages 2, 3, 4, and 5 of the questionnaire. Enter in the sequence used, all that apply. See Part III for definitions of each mode.

**For Customer Pick-up:** Report the mode(s) of transportation used, if known. Otherwise, report mode as "0" (unknown).

**For Export Shipments:** List only the mode(s) of transport used to reach the port, airport, or border crossing of exit.

$\overline{}$					~				
If a hazardous material, enter the "UN" or "NA"	Containerized? (Y/N)	U.S. destinati	U.S. destination						
(h) (i)		City	State ZIP Code		below. (k)				
	N	Los Angeles	C <sub> </sub> A	9 <sub>0</sub> 0 <sub>4</sub> 0	2, 4, 3				
	N	New York	NIY	1 0 4 5 4	5				

CFS-1100 (11-7-96)

Page 5

# PART II – INSTRUCTIONS FOR COMPLETING YOUR QUESTIONNAIRE – Continued

Item F: Shipment Characteristics - Continued

• Export Shipment (column I) – Indicate whether or not the shipment is intended for export outside of the United States, by entering a "Y" or "N" (yes or no). For purposes of this survey, shipments to Puerto Rico and U.S. territories and possessions are considered exports. Foreign Destination: City and Country (column m) --- If the shipment is an export, enter the foreign city and country of destination. For U.S. Destination (column j), enter the U.S. port , airport, or border crossing of exit. In column (k), enter the mode of transport used to the U.S. destination. • Export Mode (column n) – If the shipment is an export, enter the code for the mode of transport by which the shipment left the country. Codes are located at the bottom of pages 2, 3, 4, and 5 of the questionnaire. Foreign destination  $(N/\lambda)$ (for export shipments only) Export mode Note: In column (j) enter the U.S. port, No. airport, or border crossing of exit. Export? Line (m) City Country (I) (n) (o) 0 Ν Y London England 6 00 1 2 3 4 5

## ltems G – I

Please enter the information requested.

#### Item J: Certification

Please enter the name and telephone number of the person to contact in the event that we have a question about your report.

CFS-1100 (11-7-96)

# PART III – MODE DEFINITIONS

**Parcel delivery/Courier/U.S. Postal Service** – Delivery services that carry letters, parcels, packages, and other small shipments that typically weigh less than 100 pounds. Includes bus parcel delivery service.

**Private truck** – Trucks operated by a temporary or permanent employee of this establishment or the buyer/receiver of the shipment.

**For-hire truck** – Trucks that carry freight for a fee collected from the shipper, recipient of the shipment, or an arranger of the transportation.

Railroad- Any common carrier or private railroad.

**Shallow draft vessel** – Barges, ships, or ferries operating primarily on rivers and canals; in harbors, the Great Lakes, the Saint Lawrence Seaway; the Intracoastal Waterway, the Inside Passage to Alaska, major bays and inlets; or in the ocean close to the shoreline.

**Deep draft vessel** – Barges, ships, or ferries operating primarily in the open ocean. Shipping on the Great Lakes and the Saint Lawrence Seaway is classified with shallow draft vesels.

**Pipeline** – Movements of oil, petroleum, gas, slurry, etc. through pipelines that extend to other establishments or locations beyond the shipper's establishment. Aqueducts for the movement of water are not included.

**Air** – Commercial or private aircraft, and all air service for shipments that typically weigh more than 100 pounds. Includes air freight and air express.

Other mode - Any mode not listed above.

**Unknown** – The shipment was not carried by a parcel delivery/courier/U.S. Postal service, and you cannot determine what mode of transportation is used.

**Note:** Commodities that are "shipped" under their own power, such as boats, barges, ferries, ships, aircraft, trucks, and trains **should be classified with the appropriate mode above.** Commodities shipped under their own power for which an appropriate mode is not listed (e.g., buses, recreational vehicles) should be listed as "**other**" mode.

CFS-1100 (11-7-96)

Page 7

# **PART IV -- STATE ABBREVIATION LIST**

State	Abbrev.	State	Abbrev.
Alabama	AL	Montana	MT
Alaska	AK	Nebraska	NE
Arizona	AZ	Nevada	NV
Arkansas	AR	New Hampshire	NH
California	CA	New Jersey	NJ
Colorado	CO	New Mexico	NM
Connecticut	СТ	New York	NY
Delaware	DE	North Carolina	NC
Dist. of Col.	DC	North Dakota	ND
Florida	FL	Ohio	ОН
Georgia	GA	Oklahoma	ОК
Hawaii	HI	Oregon	OR
ldaho	ID	Pennsylvania	PA
Illinois	IL	Rhode Island	RI
Indiana	IN	South Carolina	SC
lowa	IA	South Dakota	SD
Kansas	KS	Tennessee	TN
Kentucky	KY	Texas	ТХ
Louisiana	LA	Utah	UT
Maine	ME	Vermont	VT
Maryland	MD	Virginia	VA
Massachusetts	MA	Washington	WA
Michigan	MI	West Virginia	WV
Minnesota	MN	Wisconsin	WI
Mississippi	MS	Wyoming	WY
Missouri	MO		

NOTICE - We estimate that it will take an average of 2 hours to complete this form. This includes time to read instructions, assemble and review information, and record answers on the form. If you have any comments regarding this estimate or any other aspect of this survey, send them to the Associate Director for Administration, Attn: Paperwork Reduction Project 0607-0189, Room 3104, Federal Building 3, Bureau of the Census, Washington, DC 20233-0001. Respondents are not required to respond to any information collection unless it displays a valid approval number in the top right corner on the front of the questionnaire.

Page 8

E–24 APPENDIX E

## TRANSPORTATION-COMMODITY FLOW SURVEY

FORM CFS-1100 (11-4-96)