

Alabama: 2002

Issued December 2004

EC02TCF-AL

2002 Economic Census

Transportation

2002 Commodity Flow Survey



U.S. Department of Transportation
BUREAU OF TRANSPORTATION STATISTICS

U.S. Department of Commerce
Economics and Statistics Administration
U.S. CENSUS BUREAU



ACKNOWLEDGMENTS

This report was prepared in the Service Sector Statistics Division under the direction of **Thomas E. Zabelsky**, Assistant Division Chief for Current Service and Transportation Programs. Planning, implementation, and compiling of this report were under the supervision of **John L. Fowler**, Chief, Commodity Flow Survey Branch, assisted by **Bruce Dembroski, Marilyn Quiles Amaya, Debra Corbett, Shirley Gray, Stephanie Groth, Michael Jones, Mabel Ocasio, Bonnie Opalko, Joyce Price,** and **Barbara Selinske.**

Sample design and statistical methodology were developed under the direction of **Ruth E. Detlefsen**, Assistant Division Chief, Research and Methodology. Sample design and estimation were developed under the supervision of **Jock Black**, Chief, Program Research and Development Branch, assisted by **William C. Davie Jr., Jacklyn R. Jonas, Brett Moore, M. Cristina Cruz,** and **Michael Beaghen.** Frame construction, status change, editing, and imputation procedures were developed under the supervision of **Carol King**, Chief, Statistical Methods Branch, assisted by **David Kinyon, Anthony Myers,** and **Quatracia Williams.**

The processing system and computer programs were developed and implemented by the Economic Statistical Methods and Programming Division, under the direction of **Barry F. Sessamen**, Assistant Division Chief for Post Collection, assisted by **Steven G. McCraith**, Chief, Census Related Surveys Branch, **Joy McLaughlin, John Nelson, Duc-Mong Nguyen,** and **Edna Vega.**

The Systems Support Division provided the table composition system. **Robert Joseph Brown**, Table Image Processing System (TIPS) Senior Software Engineer, was responsible for the design and development of the TIPS, under the supervision of **Robert J. Bateman**, Assistant Division Chief, Information Systems.

Coordination of data collection efforts was under the direction of National Processing Center, **Judith N. Petty**, Chief, assisted by **Carlene Bottorff, Linda Broadus, Sandra Hurst, Debbie Woods, Debbie Hamilton,** and **Michael Lutz.**

Margaret A. Smith and **Michael T. Browne** of the Administrative and Customer Services Division, **Walter C. Odom**, Chief, provided publications and printing management, graphics design and composition, and editorial review for print and electronic media. General direction and production management were provided by **James R. Clark**, Assistant Division Chief, and **Susan L. Rappa**, Chief, Publications Services Branch.

The Bureau of Transportation Statistics (BTS) of the Department of Transportation played a major role in all aspects of the Commodity Flow Survey. **Jack Wells**, Chief Economist, assisted with program planning and oversight. Survey methodology, design, and implementation were conducted under the direction of **Michael P. Cohen**, Assistant Director for Survey Programs assisted by BTS staff: **Mike Margreta, Ronald J. Duych, Joy Sharp, Julie Smith, Irwin Silberman, Promod Chandhok, Hossain Sanjani,** and **Scott Dennis.** **Felix Ammah-Tagoe** and **Adhi Dipo** of MacroSys Research and Technology assisted BTS in various aspects of the survey. **Frank Southworth, Shih-Miao Chin,** and **Bruce Peterson** of Oak Ridge National Laboratory, provided support to BTS staff in performing the mileage calculations for the survey.

Special acknowledgment is also due to the many businesses whose cooperation has contributed to the publication of these data.

2002 Economic Census
Transportation
2002 Commodity Flow Survey



**U.S. Department of
Transportation**
Norman Y. Mineta,
Secretary

Kirk K. Van Tine,
Deputy Secretary

**BUREAU OF TRANSPORTATION
STATISTICS**

Rick Kowalewski,
Deputy Director



U.S. Department of Commerce
Donald L. Evans,
Secretary
Theodore W. Kassinger,
Deputy Secretary

Economics and Statistics Administration
Kathleen B. Cooper,
Under Secretary for
Economic Affairs

U.S. CENSUS BUREAU
Charles Louis Kincannon,
Director



**Economics
and Statistics
Administration**

Kathleen B. Cooper,
Under Secretary
for Economic Affairs



U.S. CENSUS BUREAU
Charles Louis Kincannon,
Director

Hermann Habermann,
Deputy Director and
Chief Operating Officer

Vacant,
Principal Associate
Director for Programs

Frederick T. Knickerbocker,
Associate Director
for Economic Programs

Thomas L. Mesenbourg,
Assistant Director
for Economic Programs

Mark E. Wallace,
Chief, Service Sector
Statistics Division



**BUREAU OF TRANSPORTATION
STATISTICS**

Rick Kowalewski,
Deputy Director

Mary J. Hutzler,
Associate Director
for Statistical Programs

William J. Chang,
Associate Director for
Information Systems

CONTENTS

Introduction to the Economic Census	v
2002 Commodity Flow Survey	ix
 Tables	
1a. Shipment Characteristics by Mode of Transportation for State of Origin: 2002	1
1b. Shipment Characteristics by Mode of Transportation for State of Origin: Percent of Total for 2002 and 1997	1
2. Shipment Characteristics by Total Modal Activity for State of Origin: 2002	2
3. Shipment Characteristics by Mode of Transportation and Distance Shipped for State of Origin: 2002	3
4. Shipment Characteristics by Mode of Transportation and Shipment Weight for State of Origin: 2002	6
5a. Shipment Characteristics by Two-Digit Commodity for State of Origin: 2002	9
5b. Shipment Characteristics by Two-Digit Commodity for State of Origin: Percent of Total for 2002 and 1997	10
6. Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for State of Origin: 2002	11
7. Outbound Shipment Characteristics by State of Destination for State of Origin: 2002	26
8. Inbound Shipment Characteristics by State of Origin for State of Destination: 2002	27
9. Shipment Characteristics by Mode of Transportation for State of Origin: 2002 and 1997	30
10. Shipment Characteristics by Commodity Group for State of Origin: 2002 and 1997	30
 Appendixes	
A. Comparability With the 1997 Commodity Flow Survey	A-1
B. Reliability of the Estimates	B-1
C. Sample Design, Data Collection, and Estimation	C-1
D. Standard Classification of Transported Goods Code Information	D-1

Introduction to the Economic Census

PURPOSES AND USES OF THE ECONOMIC CENSUS

The economic census is the major source of facts about the structure and functioning of the Nation's economy. It provides essential information for government, business, industry, and the general public. Title 13 of the United States Code (Sections 131, 191, and 224) directs the Census Bureau to take the economic census every 5 years, covering years ending in "2" and "7".

The economic census furnishes an important part of the framework for such composite measures as the gross domestic product estimates, input/output measures, production and price indexes, and other statistical series that measure short-term changes in economic conditions. Specific uses of economic census data include the following:

- Policymaking agencies of the federal government use the data to monitor economic activity and to assess the effectiveness of policies.
- State and local governments use the data to assess business activities and tax bases within their jurisdictions and to develop programs to attract business.
- Trade associations study trends in their own and competing industries, which allows them to keep their members informed of market changes.
- Individual businesses use the data to locate potential markets and to analyze their own production and sales performance relative to industry or area averages.

BASIS OF REPORTING

The economic census is conducted on an establishment basis. A company operating at more than one location is required to file a separate report for each store, factory, shop, or other location. Each establishment is assigned a separate industry classification based on its primary activity and not that of its parent company.

AVAILABILITY OF ADDITIONAL DATA

All results of the 2002 Economic Census are available on the Census Bureau Internet site (www.census.gov) and on compact discs and digital versatile discs (CD-ROMs and DVD-ROMs) for sale by the Census Bureau. The American FactFinder system at the Web site allows selective retrieval and downloading of the data. For more information, including a description of reports being issued, see the Web site, write to the U.S. Census Bureau, Washington, DC 20233-8300, or call Customer Services at 301-763-4636.

HISTORICAL INFORMATION

The economic census has been taken as an integrated program at 5-year intervals since 1967 and before that for 1954, 1958, and 1963. Prior to that time, individual components of the economic census were taken separately at varying intervals.

The economic census traces its beginnings to the 1810 Decennial Census, when questions on manufacturing were included with those for population. Coverage of economic activities was expanded for the 1840 Decennial Census and subsequent censuses to include mining and some commercial activities. The 1905 Manufactures Census was the first time a census was taken apart from the regular decennial population census. Censuses covering retail and wholesale trade and construction industries were added in 1930, as were some service trades in 1933.

Censuses of construction, manufacturing, and the other business service censuses were suspended during World War II.

The 1954 Economic Census was the first census to be fully integrated, providing comparable census data across economic sectors and using consistent time periods, concepts, definitions, classifications, and reporting units. It was the first census to be taken by mail, using lists of firms provided by the administrative records of other Federal agencies. Since 1963, administrative records also have been used to provide basic statistics for very small firms, reducing or eliminating the need to send them census report forms.

The range of industries covered in the economic censuses expanded between 1967 and 2002. The census of construction industries began on a regular basis in 1967, and the scope of service industries, introduced in 1933, was broadened in 1967, 1977, and 1987. While a few transportation industries were covered as early as 1963, it was not until 1992 that the census broadened to include all of transportation, communications, and utilities. Also new for 1992 was coverage of financial, insurance, and real estate industries. With these additions, the economic census and the separate census of governments and census of agriculture collectively covered roughly 98 percent of all economic activity. New for 2002 is coverage of four industries classified in the Agriculture, Forestry, and Fishing sector under the SIC system: landscape agricultural services, landscaping services, veterinary services, and pet care services.

Printed statistical reports from the 1997 and earlier censuses provide historical figures for the study of long-term time series and are available in some large libraries. CD-ROMs issued from the 1987, 1992, and 1997 Economic Censuses contain databases including all or nearly all data published in print, plus additional statistics, such as ZIP Code statistics, published only on CD-ROM.

SOURCES FOR MORE INFORMATION

More information about the scope, coverage, classification system, data items, and publications for each of the economic censuses and related surveys is published in the Guide to the 2002 Economic Census at www.census.gov/epcd/ec02/guide.html. More information on the methodology, procedures, and history of the censuses will be published in the History of the 2002 Economic Census at www.census.gov/econ/www/history.html.

2002 Commodity Flow Survey

GENERAL

The 2002 Commodity Flow Survey (CFS) is undertaken through a partnership between the U.S. Census Bureau, U.S. Department of Commerce, and the Bureau of Transportation Statistics (BTS), U.S. Department of Transportation. This survey produces data on the movement of goods in the United States. It provides information on commodities shipped, their value, weight, and mode of transportation, as well as the origin and destination of shipments of manufacturing, mining, wholesale, and select retail establishments. The data from the CFS are used by public policy analysts and for transportation planning and decision making to assess the demand for transportation facilities and services, energy use, and safety risk and environmental concerns. The CFS was last conducted in 1997.

This report contains background information on the 2002 Commodity Flow Survey and then presents detailed tabular results on shipment characteristics by mode of transportation, commodity, distance shipped, and shipment weight. In Appendix A, key characteristics of the 2002 CFS are compared to those of the 1993 and 1997 surveys. Appendix B focuses on the reliability of the estimates and discusses sampling and nonsampling errors. Tables containing estimates of sampling variability corresponding to each table on shipment characteristics are also included in Appendix B.

This report presents data at the state level. Additional reports will include data for the United States, census regions, divisions, and selected metropolitan areas, as well as selected data on exports and hazardous material shipments.

INDUSTRY COVERAGE

The 2002 CFS covers business establishments with paid employees that are located in the United States and are classified using the 1997 North American Industry Classification System (NAICS) in mining, manufacturing, wholesale trade, and select retail trade industries, namely, electronic shopping and mail-order houses. Establishments classified in services, transportation, construction, and most retail industries are excluded from the survey. Farms, fisheries, foreign establishments, and most government-owned establishments are also excluded.

The survey also covers auxiliary establishments (i.e., warehouses and managing offices) of multi-establishment companies, which have nonauxiliary establishments that are in-scope to the CFS or are classified in retail trade. The coverage of managing offices has been expanded in the 2002 CFS, compared to the 1997 CFS. For the 1997 CFS, the number of in-scope managing offices was reduced to a large extent based on the results of the 1992 Economic Census. A managing office was considered in-scope to the 1997 CFS only if it had sales or end-of-year inventories in the 1992 Census. However, research conducted prior to the 2002 CFS showed that not all managing offices with shipping activity in the 1997 CFS indicated sales or inventories in the 1997 Economic Census. Therefore, the 1997 Economic Census results were not used in the determination of scope for managing offices in the 2002 CFS.

For the 1993 CFS and the 1997 CFS, establishments were classified based on the 1987 Standard Industrial Classification System (SIC). Though an attempt was made to maintain similar coverage between the 1997 CFS and the 2002 CFS, there were some changes in industry coverage due to the conversion from SIC to NAICS. Most notably, coverage of the logging industry changed from an in-scope Manufacturing SIC code (SIC 2411) to an out-of-scope Agriculture, Forestry, Fishing, and Hunting NAICS code (NAICS 1133). Also, coverage of the publishing industry changed from in-scope Manufacturing SIC codes (SIC 2711, 2721, 2731, 2741, and part of 2771) to out-of-scope Information NAICS codes (NAICS 5111 and 51223).

See Appendix A for a comparison between the 2002, 1997, and 1993 surveys. Also see Appendix C for a more detailed discussion on industry coverage and the sample design. The NAICS industries covered in the 2002 CFS are listed in the following table:

NAICS code	Description
212	Mining (Except Oil and Gas)
311	Food Manufacturing
312	Beverage and Tobacco Product Manufacturing
313	Textile Mills
314	Textile Product Mills
315	Apparel Manufacturing
316	Leather and Allied Product Manufacturing
321	Wood Product Manufacturing
322	Paper Manufacturing
323	Printing and Related Support Activities
324	Petroleum and Coal Products Manufacturing
325	Chemical Manufacturing
326	Plastics and Rubber Products Manufacturing
327	Nonmetallic Mineral Product Manufacturing
331	Primary Metal Manufacturing
332	Fabricated Metal Product Manufacturing
333	Machinery Manufacturing
334	Computer and Electronic Product Manufacturing
335	Electrical Equipment, Appliance, and Component Manufacturing
336	Transportation Equipment Manufacturing
337	Furniture and Related Product Manufacturing
339	Miscellaneous Manufacturing
421	Wholesale Trade, Durable Goods
422	Wholesale Trade, Nondurable Goods
4541	Electronic Shopping and Mail-Order Houses
49310	Warehousing and Storage
551114	Corporate, Subsidiary, and Regional Managing Offices

SHIPMENT COVERAGE

The CFS captures data on shipments originating from select types of business establishments located in the 50 states and the District of Columbia. The data do not cover shipments originating from business establishments located in Puerto Rico and other U.S. possessions and territories. Shipments traversing the U.S. from a foreign location to another foreign location (e.g., from Canada to Mexico) are not included, nor are shipments from a foreign location to a U.S. location. Imported products are included in the CFS at the point that they left the importer's domestic location for shipment to another location. Shipments that are shipped through a foreign territory with both the origin and destination in the U.S. are included in the CFS data. The mileages calculated for these shipments exclude the international segments (e.g., shipments from New York to Michigan through Canada do not include any mileages for Canada). Export shipments are included, with the domestic destination defined as the U.S. port, airport, or border crossing of exit from the U.S.

The "Industry Coverage" section of the text lists the NAICS groups covered by the CFS. Other industry areas that are not covered, but may have significant shipping activity, include agriculture and government. For agriculture, specifically, this means that the CFS does not cover shipments of agricultural products from the farm site to the processing centers or terminal elevators (most likely short-distance local movements), but does cover the shipments of these products from the initial processing centers or terminal elevators onward.

MILEAGE CALCULATIONS

To estimate the distance traveled by each freight shipment sampled for the 2002 Commodity Flow Survey, the BTS Mileage Calculation Team used routing algorithms and an integrated, intermodal transportation network developed and updated expressly for this purpose by the Oak Ridge

National Laboratory (ORNL). The BTS Team worked at a secure data site within the Census Bureau. Each record contained the ZIP Code shipment origin and destination, and the mode or modal sequence required by the routing algorithm for distance estimation. Each record also contained information on type of commodity moved, its weight, dollar value, and hazardous materials status. For export shipments, data on the U.S. port of exit were also identified, along with foreign destination city and country. Processing of shipment records began in the fall of 2002, with completion in October 2003.

One essential exercise was editing and imputing both absent and invalid geographic data elements, specifically origin and destination ZIP Codes, prior to estimating the distance traveled for each freight shipment. For this purpose, the BTS Mileage Calculation Team developed and maintained databases of domestic city/state names and foreign city/country names. The missing data elements, along with other related data problems found by the BTS Team, were either: (1) imputed because of high probability of accurate correction by the BTS Team, such as imputing a missing destination ZIP Code, given a destination city and state; or (2) reported back to the Census Bureau, allowing for call-backs to shippers for clarification/correction.

For a domestic shipment, the mileage is calculated between the center of the geographic area (centroid) of the U.S. origin ZIP Code and the centroid of the destination ZIP Code. The mileage for the shipments within a ZIP Code is calculated by means of a formula that approximates the longest distance within the boundaries of that ZIP Code. The mileage for an export shipment is calculated between a shipment's centroid of U.S. origin ZIP Code and its foreign destination country (city in the case of Canada and Mexico), via a U.S. port of exit (POE), be it seaport, airport, or border crossing. However, only the portion of mileage that falls within the U.S. is included in the CFS estimates. That is to say, once the export reaches the POE, the POE is considered the final domestic destination, the domestic route is finished, and any following mileage is not counted from the POE. These mileages are computed using routing algorithms that find the minimum impedance path over mathematical representations of the U.S. and North American highway, railway and waterway networks, and a transglobal representation of U.S. originating air freight and deep-sea transport networks. Shipment mileages were estimated for each record by summing over the distances of links contained within each minimum impedance path. Impedance was computed as a weighted combination of distance, time, and cost factors.

The ORNL multimodal network database is composed of mode-specific subnetworks representing each of the major transportation modes, such as highway, railway, waterway, and airway (pipeline network was not available due to security reasons). The links of these networks represent line-haul transportation facilities. Network nodes represent intersections and interchanges, along with the access points to the transportation network. To simulate local access, test links are created from each five-digit ZIP Code centroid to nearby nodes on the network. For the truck network, local access is assumed to exist everywhere. For the other modes this is not true. Before any test links are created for these modes, a search procedure is used to determine if and where such networks are most likely to provide access to the ZIP Code. For shipments involving more than one mode, such as truck-rail or rail-water shipments, intermodal transfer links are added to the network database to connect the individual modal networks together for routing purposes. An intermodal terminals database and a number of terminal transfer models were developed at ORNL to identify likely transfer points for different classes of freight. A measure of link impedance was calculated for each access, line-haul, and intermodal transfer link traversed by a shipment. These impedances were mode specific and are based on various link characteristics. For example, the set of links characterizing the highway network included speed impacting factors, such as the presence of a divided or undivided roadway, the degree of access control, the rural or urban setting, the number of lanes, the degree of urban congestion, and the length of the link. Link impedance measures were also assigned to the local access links. Intermodal transfer link impedances are estimated in terms of the time it takes to move goods through a transfer facility. In the case of rail and air freight, intercarrier transfer penalties were also considered to obtain proper route selections. A shortest path algorithm is used to find the minimum impedance path between a shipment's origin ZIP Code centroid and destination ZIP Code centroid. The cumulative length of

the local access plus line-haul links on this path provides the estimated distances used in CFS mileage computations. When rail and air freight were involved, these shipment distances were often averaged over more than one path between an origin-destination pair.

Mileage Data for Pipeline Shipments

For pipeline shipments, ton-miles and average miles per shipment are not shown in the tables. For most of these shipments, the respondents reported the shipment destination as a pipeline facility on the main pipeline network. Therefore, for the majority of these shipments, the resulting mileage represented only the access distance through feeder pipelines to the main pipeline network, and not the actual distance through the main pipeline network. Pipeline shipments are included in the U.S. totals for ton-miles and average miles per shipment.

For security purposes, there is no pipeline network available in the public domain with which to route petroleum-based products. Hence, any modal distance, either single or multi, involving pipeline was considered as solely pipeline mileage from origin ZIP to destination ZIP and calculated to equal great circle distance (GCD). Note: Great circle distance is defined as the shortest distance between two points on the earth's surface, taking into account the earth's curvature.

EXPLANATION OF TERMS

Value of shipments. The dollar value of the entire shipment. This was defined as the net selling value, f.o.b. plant, exclusive of freight charges and excise taxes. The value data are displayed in millions of dollars.

The total value of shipments, as measured by the CFS, and the U.S. gross domestic product (GDP) while similar in size provide different measures of economic activity in the United States and are not directly comparable. GDP is the value of all goods produced and services performed by labor and capital located in the United States. In 2002, the U.S. GDP was estimated at \$10.4 trillion (measured in current U.S. dollars). The value of shipments, as measured by the CFS, is the market value of goods shipped from manufacturing, mining, wholesale, and mail order retail establishments, as well as warehouses and managing offices of multiunit establishments.

Three important differences can be identified between GDP and value of shipments:

1. GDP captures goods produced by all establishments located in the United States, while the CFS measures goods shipped from a subset of all goods-producing establishments.
2. GDP measures the value of goods produced and of services performed. CFS measures the value of goods shipped.
3. GDP counts only the value-added at each step in the production of a product. CFS captures the value of shipments of materials used to produce or manufacture a product, as well as the value of shipments of the finished product itself. This means that the value of the materials used to produce a particular product contributes multiple times to the value.

Commodity. Products that an establishment produces, sells, or distributes. This does not include items that are considered as excess or byproducts of the establishment's operation. Respondents reported the description and the five-digit Standard Classification of Transported Goods (SCTG) code for the major commodity contained in the shipment, defined as the commodity with the greatest weight in the total shipment.

Average miles per shipment. For the 1993 CFS, we excluded shipments of Standard Transportation Commodity Classification (STCC) 27, Printed Matter, from our calculation of average miles per shipment. We made this decision after determining that respondents in the 1993 CFS shipping newspapers, magazines, catalogs, etc., had used widely varying definitions of the term "shipment."

For the 1997 and 2002 CFS, we made numerous efforts throughout our data collection and editing to produce consistent results from establishments shipping SCTG 29, Printed Products. As a result, we have included printed products in the average miles per shipment estimates for 1997 and 2002.

Distance shipped. In Table 3, shipment data are presented for various “distance shipped” intervals. Shipments were categorized into these “distance shipped” intervals based on the great circle distance between their origin and destination ZIP Code centroids. All other distance-related data in this and other tables (i.e., ton-miles and average miles per shipment) are based on the mileage calculations. (See the “Mileage Calculations” section for more details.)

Great circle distance. The shortest distance between two points on the surface of a sphere over the surface of that sphere.

Mode of transportation. The type of transportation used for moving the shipment to its domestic destination. For exports, the domestic destination was the port of exit.

Mode Definitions

In the instructions to the respondent, we defined the possible modes as follows:

1. **Parcel delivery/courier/U.S. Postal Service.** Delivery services that carry letters, parcels, packages, and other small shipments that typically weigh less than 100 pounds. Includes bus parcel delivery service.
2. **Private truck.** Trucks operated by a temporary or permanent employee of an establishment or the buyer/receiver of the shipment.
3. **For-hire truck.** Trucks that carry freight for a fee collected from the shipper, recipient of the shipment, or an arranger of the transportation.
4. **Railroad.** Any common carrier or private railroad.
5. **Shallow draft vessels.** Barges, ships, or ferries operating primarily on rivers and canals; in harbors, the Great Lakes, the Saint Lawrence Seaway; the Intra-coastal Waterway, the Inside Passage to Alaska, major bays and inlets; or in the ocean close to the shoreline.
6. **Deep draft vessel.** Barges, ships, or ferries operating primarily in the open ocean. Shipping on the Great Lakes and the Saint Lawrence Seaway is classified with shallow draft vessels.
7. **Pipeline.** Movements of oil, petroleum, gas, slurry, etc., through pipelines that extend to other establishments or locations beyond the shipper’s establishment. Aqueducts for the movement of water are not included.
8. **Air.** Commercial or private aircraft, and all air service for shipments that typically weigh more than 100 pounds. Includes air freight and air express.
9. **Other mode.** Any mode not listed above.
10. **Unknown.** The shipment was not carried by a parcel delivery/courier/U.S. Postal Service, and the respondent could not determine what mode of transportation was used.

In the tables, we have used additional terms for mode, which we define as follows:

1. **Air (includes truck and air).** Shipments that used air or a combination of truck and air.
2. **Single modes.** Shipments using only one of the above-listed modes, except parcel or other and unknown.
3. **Multiple modes.** Shipments for which two or more of the following modes of transportation were used:
 - Private truck
 - For-hire truck
 - Rail
 - Shallow draft vessel
 - Deep draft vessel
 - Pipeline

In addition, Parcel, U.S. Postal Service, or Courier shipments are considered multiple modes because this category includes all parcel shipments whether on the ground or via air tendered

to a parcel or express carrier. In defining this mode, we did not combine these shipments with any other reported mode because by their nature, Parcel, U.S. Postal Service or Courier are already multimodal. For example, if the respondent reported a shipment's mode of transportation as "parcel" and "air," we treated the shipment as parcel only. Also in the CFS reports, the "Truck and Rail" and "Rail and Water" combinations included under "Multiple Modes" may not reflect all the movement of trailers or containers by rail and at least one other mode of transportation. Since the shipper may not always know the modal combinations used to transport the goods, some shipments moving by more than one mode may be reported as a single mode shipment. This may result in underestimation of multimodal shipments in the CFS.

4. **Other multiple modes.** Shipments using any other mode combinations not specifically listed in the tables.
5. **Other and unknown modes.** Shipments for which modes were not reported, or were reported by the respondent as "Other" or "Unknown."
6. **Truck.** Shipments using for-hire truck only, private truck only, or a combination of for-hire truck and private truck.
7. **Water.** Shipments using shallow draft vessel only, deep draft vessel only, or Great Lakes vessel only. Combinations of these modes, such as shallow draft vessel and Great Lakes vessel are included as "Other multiple modes." (Note: By definition, "shallow draft," "Great Lakes," and "deep draft" are mutually exclusive.)
8. **Great Lakes.** In the tables in this publication, "Great Lakes" appears as a single mode. ORNL's transportation network and mileage calculation system allowed for separate mileage calculations for Great Lakes between the origin and destination ZIP Codes.

Other Definitions and Terms

Shipment. A shipment is a single movement of goods, commodities, or products from an establishment to a single customer or to another establishment owned or operated by the same company as the originating establishment (e.g., a warehouse, distribution center, or retail or wholesale outlet). Full or partial truckloads are counted as a single shipment only if all commodities on the truck are destined for the same location. If a truck makes multiple deliveries on a route, the goods delivered at each stop are counted as one shipment. Interoffice memos, payroll checks, or business correspondence are not considered shipments. Shipments such as refuse, scrap paper, waste, or recyclable materials are not considered shipments unless the establishment is in the business of selling or providing these materials.

Standard Classification of Transported Goods (SCTG). The commodities shown in this report are classified using the SCTG coding system. The SCTG coding system was developed jointly by agencies of the United States and Canadian governments based on the Harmonized Commodity Description and Coding System (Harmonized System) to address statistical needs in regard to products transported. See Appendix D for more details.

Ton-miles. The shipment weight multiplied by the mileage traveled by the shipment. The respondents reported shipment weight in pounds. Aggregated pound-miles were converted to ton-miles. Mileage was calculated as the distance between the shipment origin and destination ZIP Codes. For shipments by truck, rail, or shallow draft vessels, the mileage excludes international segments. For example, mileages from Alaska to the continental United States exclude any mileages through Canada (see the "Mileage Calculations" section for more details). For trucks making multiple stops, the ton-miles are calculated for each delivery, and each drop-off point is treated as a final destination. Ton-miles estimates are displayed in millions.

Tons shipped. The total weight of the entire shipment. Respondents reported the weight in pounds. Aggregated pounds were converted to short-tons (2,000 pounds). For freight shipped to distribution centers for subsequent reshipment, the tonnage is counted each time the goods are transported.

Total modal activity (Table 2 only). The overall activity (e.g., ton-miles) of a specific mode of transportation, whether used in a single-mode shipment, or as part of a multiple-mode shipment. For example, the total modal activity for private truck is the total ton-miles carried by private truck in single-mode shipments, combined with the total ton-miles carried by private truck in all multiple-mode shipments that include private truck (private truck and for-hire truck, private truck and rail, private truck and air, etc.)

ABBREVIATIONS AND SYMBOLS

The following abbreviations and symbols are used in the tables for this publication:

–	Represents an estimate equal to zero or less than 1 unit of measure.
D	Denotes estimates withheld to avoid disclosing data of individual companies.
S	Estimate does not meet publication standards because of high sampling variability or poor response quality.
CFS	Commodity Flow Survey.
lb	Pounds.
n.e.c.	Not elsewhere classified.
NA	Not applicable.

OTHER TRANSPORTATION DATA

Users of transportation data may be especially interested in the following reports:

Vehicle Inventory and Use Survey covers state and U.S. level statistics on the physical and operational characteristics of the nation's truck, van, minivan, and sport utility vehicle population. Some of the types of data collected include number of vehicles, major use, body type, annual miles, model year, vehicle size, fuel type, operator classification, engine size, range of operation, weeks operated, products carried, and hazardous materials carried. This survey shows comparative statistics reflecting percent changes in number of vehicles between 2002 and 1997 for most characteristics.

Service Annual Survey covers firms with paid employees that provide commercial motor freight transportation and public warehousing services. Data collected include operating revenue and operating revenue by source, percentage of motor carrier freight revenue by commodity type, size of shipments handled, length of haul, and vehicle fleet inventory.

For more information on any Census Bureau product, including a description of electronic and printed reports being issued, see the Web site or call Customer Services at 301-763-INFO (4636).

Table 1a. Shipment Characteristics by Mode of Transportation for State of Origin: 2002

[Estimates are based on data from the 2002 Commodity Flow Survey. Because of rounding, estimates may not be additive]

Mode of transportation	Value		Tons		Ton-miles ¹		Average miles per shipment
	2002 (million dollars)	Percent	2002 (thousands)	Percent	2002 (millions)	Percent	
Total	127 727	100.0	216 383	100.0	60 813	100.0	389
Single modes	114 779	89.9	206 455	95.4	60 157	98.9	186
Truck ²	101 595	79.5	152 285	70.4	30 505	50.2	161
For-hire truck	57 169	44.8	83 913	38.8	24 625	40.5	477
Private truck	44 213	34.6	68 306	31.6	5 869	9.7	82
Rail	11 530	9.0	49 082	22.7	27 321	44.9	714
Water	S	S	S	S	S	S	S
Shallow draft	S	S	S	S	S	S	S
Great Lakes	-	-	-	-	-	-	-
Deep draft	S	S	8	-	3	-	214
Air (includes truck and air)	1 246	1.0	S	S	S	S	1 453
Pipeline ³	S	S	S	S	S	S	S
Multiple modes	9 056	7.1	573	.3	329	.5	732
Parcel, U.S. Postal Service or courier	8 877	6.9	229	.1	131	.2	732
Truck and rail	146	.1	56	-	100	.2	1 234
Truck and water	S	S	S	S	S	S	2 348
Rail and water	S	S	S	S	S	S	307
Other multiple modes	-	-	-	-	-	-	-
Other and unknown modes	3 892	3.0	9 354	4.3	327	.5	S

- Represents data cell equal to zero or less than 1 unit of measure.
S Estimate does not meet publication standards because of high sampling variability or poor response quality.

¹Ton-miles estimates are based on estimated distances traveled along a modeled transportation network. See "Mileage Calculations" section for additional information.

²"Truck" as a single mode includes shipments that were made by only private truck, only for-hire truck, or a combination of private truck and for-hire truck.

³Estimates for pipeline exclude shipments of crude petroleum.

Note: Value-of-shipments estimates have not been adjusted for price changes. Appendix B tables provide estimated measures of sampling variability. The Introduction and appendixes give information on confidentiality protection, sampling error, nonsampling error, sample design, and definitions. Links to this information on the Internet may be found at www.census.gov/cfs.

Note: Coverage for the 2002 Commodity Flow Survey (CFS) differs from the previous surveys due to a change from the 1987 Standard Industrial Classification System to the 1997 North American Industry Classification System and other survey improvements. Therefore, data users are urged to use caution when comparing 2002 CFS estimates with estimates from prior years.

Table 1b. Shipment Characteristics by Mode of Transportation for State of Origin: Percent of Total for 2002 and 1997

[Estimates are based on data from the 2002 and 1997 Commodity Flow Surveys. Because of rounding, estimates may not be additive]

Mode of transportation	Value (percent)		Tons (percent)		Ton-miles ¹ (percent)	
	2002	1997	2002	1997	2002	1997
Total	100.0	100.0	100.0	100.0	100.0	100.0
Single modes	89.9	90.1	95.4	96.2	98.9	95.3
Truck ²	79.5	79.9	70.4	75.8	50.2	53.5
For-hire truck	44.8	43.6	38.8	37.0	40.5	39.0
Private truck	34.6	35.9	31.6	38.5	9.7	14.0
Rail	9.0	7.4	22.7	15.8	44.9	37.0
Water	S	.7	S	4.2	S	4.8
Shallow draft	S	.7	S	4.2	S	4.8
Great Lakes	-	-	-	-	-	-
Deep draft	S	-	-	-	-	-
Air (includes truck and air)	1.0	2.0	S	-	S	-
Pipeline ³	S	.1	S	S	S	S
Multiple modes	7.1	6.0	.3	S	.5	1.3
Parcel, U.S. Postal Service or courier	6.9	5.6	.1	.1	.2	.3
Truck and rail1	.4	-	S	S	1.1
Truck and water	S	S	S	S	S	S
Rail and water	S	-	S	-	S	-
Other multiple modes	-	-	-	-	-	-
Other and unknown modes	3.0	3.9	4.3	3.0	.5	3.3

- Represents data cell equal to zero or less than 1 unit of measure.
S Estimate does not meet publication standards because of high sampling variability or poor response quality.

¹Ton-miles estimates are based on estimated distances traveled along a modeled transportation network. See "Mileage Calculations" section for additional information.

²"Truck" as a single mode includes shipments that were made by only private truck, only for-hire truck, or a combination of private truck and for-hire truck.

³Estimates for pipeline exclude shipments of crude petroleum.

Note: Value-of-shipments estimates have not been adjusted for price changes. Appendix B tables provide estimated measures of sampling variability. The Introduction and appendixes give information on confidentiality protection, sampling error, nonsampling error, sample design, and definitions. Links to this information on the Internet may be found at www.census.gov/cfs.

Note: Coverage for the 2002 Commodity Flow Survey (CFS) differs from the previous surveys due to a change from the 1987 Standard Industrial Classification System to the 1997 North American Industry Classification System and other survey improvements. Therefore, data users are urged to use caution when comparing 2002 CFS estimates with estimates from prior years.

Table 2. Shipment Characteristics by Total Modal Activity for State of Origin: 2002

[Estimates are based on data from the 2002 Commodity Flow Survey. Because of rounding, estimates may not be additive]

Mode of transportation ¹	Ton-miles ²		Average miles per shipment
	2002 (millions)	Percent	
Total	60 813	100.0	389
Truck	30 505	50.2	161
Rail	27 321	44.9	714
Shallow draft	S	S	S
Great Lakes	-	-	-
Deep draft	3	-	214
Air	S	S	1 453
Parcel, U.S. Postal Service or courier	S	S	S
Pipeline ³	S	S	S
Other and unknown modes	327	.5	S

- Represents data cell equal to zero or less than 1 unit of measure.

S Estimate does not meet publication standards because of high sampling variability or poor response quality.

¹Estimates represent activity for a given mode across single and multiple mode shipments. For example, "Truck" ton-miles includes total ton-miles for shipments moving only by truck plus ton-miles for truck segments of multiple mode shipments.

²Ton-miles estimates are based on estimated distances traveled along a modeled transportation network. See "Mileage Calculations" section for additional information.

³Estimates exclude shipments of crude petroleum (SCTG 16).

Note: The Introduction and appendixes give information on confidentiality protection, sampling error, nonsampling error, sample design, and definitions. Links to this information on the Internet may be found at www.census.gov/cfs.

Note: Coverage for the 2002 Commodity Flow Survey (CFS) differs from the previous surveys due to a change from the 1987 Standard Industrial Classification System to the 1997 North American Industry Classification System and other survey improvements. Therefore, data users are urged to use caution when comparing 2002 CFS estimates with estimates from prior years.

Table 3. Shipment Characteristics by Mode of Transportation and Distance Shipped for State of Origin: 2002

[Estimates are based on data from the 2002 Commodity Flow Survey. Because of rounding, estimates may not be additive]

Mode of transportation and distance shipped ¹ (based on Great Circle Distance)	Value		Tons		Ton-miles ²	
	2002 (million dollars)	Percent	2002 (thousands)	Percent	2002 (millions)	Percent
Total	127 727	100.0	216 383	100.0	60 813	100.0
Less than 50 miles	25 788	20.2	91 899	42.5	2 049	3.4
50 to 99 miles	13 799	10.8	21 285	9.8	2 030	3.3
100 to 249 miles	25 524	20.0	48 119	22.2	10 435	17.2
250 to 499 miles	25 599	20.0	26 318	12.2	12 968	21.3
500 to 749 miles	18 484	14.5	14 557	6.7	11 096	18.2
750 to 999 miles	8 124	6.4	7 083	3.3	7 456	12.3
1,000 to 1,499 miles	4 433	3.5	S	S	S	S
1,500 to 1,999 miles	4 487	3.5	2 944	1.4	7 059	11.6
2,000 miles or more	1 488	1.2	638	.3	1 661	2.7
Single modes	114 779	100.0	206 455	100.0	60 157	100.0
Less than 50 miles	23 234	20.2	83 090	40.2	1 976	3.3
50 to 99 miles	12 779	11.1	21 167	10.3	2 018	3.4
100 to 249 miles	22 819	19.9	47 639	23.1	10 307	17.1
250 to 499 miles	23 492	20.5	26 074	12.6	12 847	21.4
500 to 749 miles	16 059	14.0	14 400	7.0	10 980	18.3
750 to 999 miles	7 122	6.2	7 036	3.4	7 410	12.3
1,000 to 1,499 miles	4 104	3.6	S	S	S	S
1,500 to 1,999 miles	4 035	3.5	2 903	1.4	6 967	11.6
2,000 miles or more	1 136	1.0	620	.3	1 608	2.7
Truck³	101 595	100.0	152 285	100.0	30 505	100.0
Less than 50 miles	22 829	22.5	77 328	50.8	1 587	5.2
50 to 99 miles	12 550	12.4	19 707	12.9	1 824	6.0
100 to 249 miles	20 956	20.6	25 752	16.9	4 969	16.3
250 to 499 miles	19 447	19.1	13 527	8.9	5 768	18.9
500 to 749 miles	13 943	13.7	9 025	5.9	6 409	21.0
750 to 999 miles	5 506	5.4	3 663	2.4	3 647	12.0
1,000 to 1,499 miles	2 877	2.8	1 330	.9	1 816	6.0
1,500 to 1,999 miles	2 505	2.5	1 425	.9	3 141	10.3
2,000 miles or more	983	1.0	528	.3	1 344	4.4
For-hire truck	57 169	100.0	83 913	100.0	24 625	100.0
Less than 50 miles	6 166	10.8	29 917	35.7	644	2.6
50 to 99 miles	5 262	9.2	12 583	15.0	1 166	4.7
100 to 249 miles	10 301	18.0	15 813	18.8	3 043	12.4
250 to 499 miles	14 045	24.6	11 137	13.3	4 773	19.4
500 to 749 miles	10 756	18.8	7 920	9.4	5 609	22.8
750 to 999 miles	5 164	9.0	3 425	4.1	3 415	13.9
1,000 to 1,499 miles	2 751	4.8	1 262	1.5	1 725	7.0
1,500 to 1,999 miles	2 112	3.7	1 371	1.6	3 019	12.3
2,000 miles or more	612	1.1	485	.6	S	S
Private truck	44 213	100.0	68 306	100.0	5 869	100.0
Less than 50 miles	16 659	37.7	47 380	69.4	941	16.0
50 to 99 miles	7 284	16.5	7 122	10.4	658	11.2
100 to 249 miles	10 456	23.6	9 906	14.5	1 918	32.7
250 to 499 miles	5 396	12.2	2 388	3.5	995	17.0
500 to 749 miles	3 186	7.2	1 104	1.6	799	13.6
750 to 999 miles	341	.8	238	.3	232	4.0
1,000 to 1,499 miles	127	.3	68	.1	91	1.5
1,500 to 1,999 miles	S	S	S	S	S	S
2,000 miles or more	S	S	S	S	S	S
Rail	11 530	100.0	49 082	100.0	27 321	100.0
Less than 50 miles	242	2.1	4 386	8.9	373	1.4
50 to 99 miles	228	2.0	1 455	3.0	194	.7
100 to 249 miles	1 530	13.3	20 846	42.5	5 081	18.6
250 to 499 miles	3 573	31.0	10 148	20.7	5 267	19.3
500 to 749 miles	1 934	16.8	5 282	10.8	4 487	16.4
750 to 999 miles	S	S	S	S	S	S
1,000 to 1,499 miles	S	S	S	S	S	S
1,500 to 1,999 miles	1 279	11.1	S	S	S	S
2,000 miles or more	S	S	90	.2	260	1.0
Water	S	S	S	S	S	S
Less than 50 miles	S	S	S	S	S	S
50 to 99 miles	S	S	S	S	S	S
100 to 249 miles	S	S	S	S	S	S
250 to 499 miles	S	S	S	S	S	S
500 to 749 miles	S	S	S	S	S	S
750 to 999 miles	S	S	S	S	S	S
1,000 to 1,499 miles	S	S	S	S	S	S
1,500 to 1,999 miles	S	S	S	S	S	S
2,000 miles or more	S	S	S	S	S	S
Shallow draft	S	S	S	S	S	S
Less than 50 miles	S	S	S	S	S	S
50 to 99 miles	S	S	S	S	S	S
100 to 249 miles	S	S	S	S	S	S
250 to 499 miles	S	S	S	S	S	S
500 to 749 miles	S	S	S	S	S	S
750 to 999 miles	S	S	S	S	S	S
1,000 to 1,499 miles	S	S	S	S	S	S
1,500 to 1,999 miles	S	S	S	S	S	S
2,000 miles or more	S	S	S	S	S	S

See footnotes at end of table.

Table 3. Shipment Characteristics by Mode of Transportation and Distance Shipped for State of Origin: 2002—Con.

[Estimates are based on data from the 2002 Commodity Flow Survey. Because of rounding, estimates may not be additive]

Mode of transportation and distance shipped ¹ (based on Great Circle Distance)	Value		Tons		Ton-miles ²	
	2002 (million dollars)	Percent	2002 (thousands)	Percent	2002 (millions)	Percent
Single modes—Con.						
Great Lakes	—	—	—	—	—	—
Less than 50 miles	—	—	—	—	—	—
50 to 99 miles	—	—	—	—	—	—
100 to 249 miles	—	—	—	—	—	—
250 to 499 miles	—	—	—	—	—	—
500 to 749 miles	—	—	—	—	—	—
750 to 999 miles	—	—	—	—	—	—
1,000 to 1,499 miles	—	—	—	—	—	—
1,500 to 1,999 miles	—	—	—	—	—	—
2,000 miles or more	—	—	—	—	—	—
Deep draft	S	S	8	100.0	3	100.0
Less than 50 miles	—	—	—	—	—	—
50 to 99 miles	—	—	—	—	—	—
100 to 249 miles	S	S	S	S	S	S
250 to 499 miles	—	2.1	6	76.2	3	87.1
500 to 749 miles	—	—	—	—	—	—
750 to 999 miles	—	—	—	—	—	—
1,000 to 1,499 miles	—	—	—	—	—	—
1,500 to 1,999 miles	—	—	—	—	—	—
2,000 miles or more	—	—	—	—	—	—
Air (includes truck and air)	1 246	100.0	S	S	S	S
Less than 50 miles	—	—	—	—	—	—
50 to 99 miles	S	S	S	S	S	S
100 to 249 miles	S	S	S	S	S	S
250 to 499 miles	S	S	S	S	S	S
500 to 749 miles	155	12.4	S	S	3	6.0
750 to 999 miles	S	S	S	S	S	S
1,000 to 1,499 miles	33	2.6	—	1.2	1	1.7
1,500 to 1,999 miles	S	S	S	S	S	S
2,000 miles or more	68	5.4	S	S	5	11.6
Pipeline⁴	S	S	S	S	S	S
Less than 50 miles	S	S	S	S	S	S
50 to 99 miles	S	S	S	S	S	S
100 to 249 miles	S	S	S	S	S	S
250 to 499 miles	—	—	—	—	—	—
500 to 749 miles	—	—	—	—	—	—
750 to 999 miles	S	S	S	S	S	S
1,000 to 1,499 miles	—	—	—	—	—	—
1,500 to 1,999 miles	—	—	—	—	—	—
2,000 miles or more	—	—	—	—	—	—
Multiple modes	9 056	100.0	573	100.0	329	100.0
Less than 50 miles	709	7.8	17	3.0	1	.2
50 to 99 miles	633	7.0	26	4.6	2	.7
100 to 249 miles	2 012	22.2	S	S	S	S
250 to 499 miles	1 649	18.2	54	9.4	26	8.0
500 to 749 miles	2 095	23.1	52	9.1	39	12.0
750 to 999 miles	916	10.1	26	4.5	26	7.9
1,000 to 1,499 miles	307	3.4	6	1.0	8	2.5
1,500 to 1,999 miles	403	4.4	38	6.7	85	26.0
2,000 miles or more	333	3.7	13	2.3	41	12.5
Parcel, U.S. Postal Service or courier	8 877	100.0	229	100.0	131	100.0
Less than 50 miles	709	8.0	17	7.6	1	.4
50 to 99 miles	632	7.1	26	11.4	2	1.8
100 to 249 miles	1 986	22.4	60	26.1	13	10.1
250 to 499 miles	1 637	18.4	43	18.7	19	14.7
500 to 749 miles	2 061	23.2	42	18.2	30	22.9
750 to 999 miles	907	10.2	19	8.3	19	14.3
1,000 to 1,499 miles	307	3.5	6	2.6	8	6.2
1,500 to 1,999 miles	336	3.8	12	5.1	25	19.5
2,000 miles or more	303	3.4	5	2.0	13	10.0
Truck and rail	146	100.0	56	100.0	100	100.0
Less than 50 miles	—	—	—	—	—	—
50 to 99 miles	S	S	S	S	S	S
100 to 249 miles	—	—	—	—	—	—
250 to 499 miles	S	S	S	S	S	S
500 to 749 miles	S	S	S	S	S	S
750 to 999 miles	S	S	S	S	S	S
1,000 to 1,499 miles	—	—	—	—	—	—
1,500 to 1,999 miles	67	45.9	26	47.0	60	60.0
2,000 miles or more	S	S	7	12.5	20	20.1
Truck and water	S	S	S	S	S	S
Less than 50 miles	—	—	—	—	—	—
50 to 99 miles	—	—	—	—	—	—
100 to 249 miles	S	S	S	S	S	S
250 to 499 miles	S	S	S	S	S	S
500 to 749 miles	S	S	S	S	S	S
750 to 999 miles	S	S	S	S	S	S
1,000 to 1,499 miles	—	—	—	—	—	—
1,500 to 1,999 miles	—	—	—	—	—	—
2,000 miles or more	S	S	S	S	S	S

See footnotes at end of table.

Table 3. Shipment Characteristics by Mode of Transportation and Distance Shipped for State of Origin: 2002—Con.

[Estimates are based on data from the 2002 Commodity Flow Survey. Because of rounding, estimates may not be additive]

Mode of transportation and distance shipped ¹ (based on Great Circle Distance)	Value		Tons		Ton-miles ²	
	2002 (million dollars)	Percent	2002 (thousands)	Percent	2002 (millions)	Percent
Multiple modes—Con.						
Rail and water	S	S	S	S	S	S
Less than 50 miles	—	—	—	—	—	—
50 to 99 miles	—	—	—	—	—	—
100 to 249 miles	S	S	S	S	S	S
250 to 499 miles	—	—	—	—	—	—
500 to 749 miles	—	—	—	—	—	—
750 to 999 miles	—	—	—	—	—	—
1,000 to 1,499 miles	—	—	—	—	—	—
1,500 to 1,999 miles	—	—	—	—	—	—
2,000 miles or more	—	—	—	—	—	—
Other multiple modes	—	—	—	—	—	—
Less than 50 miles	—	—	—	—	—	—
50 to 99 miles	—	—	—	—	—	—
100 to 249 miles	—	—	—	—	—	—
250 to 499 miles	—	—	—	—	—	—
500 to 749 miles	—	—	—	—	—	—
750 to 999 miles	—	—	—	—	—	—
1,000 to 1,499 miles	—	—	—	—	—	—
1,500 to 1,999 miles	—	—	—	—	—	—
2,000 miles or more	—	—	—	—	—	—
Other and unknown modes	3 892	100.0	9 354	100.0	327	100.0
Less than 50 miles	1 845	47.4	8 792	94.0	72	22.1
50 to 99 miles	387	10.0	92	1.0	9	2.7
100 to 249 miles	693	17.8	139	1.5	29	8.7
250 to 499 miles	459	11.8	191	2.0	94	28.8
500 to 749 miles	330	8.5	105	1.1	76	23.3
750 to 999 miles	S	S	21	.2	20	6.2
1,000 to 1,499 miles	22	.6	S	S	S	S
1,500 to 1,999 miles	S	S	S	S	S	S
2,000 miles or more	S	S	S	S	S	S

— Represents data cell equal to zero or less than 1 unit of measure.

S Estimate does not meet publication standards because of high sampling variability or poor response quality.

¹Shipments are grouped into distance categories based on Great Circle Distance (GCD). GCD is the shortest distance between 2 points on the surface of a sphere over the surface of that sphere.

²Ton-miles estimates are based on estimated distances traveled along a modeled transportation network. See "Mileage Calculations" section for additional information.

³"Truck" as a single mode includes shipments that were made by only private truck, only for-hire truck, or a combination of private truck and for-hire truck.

⁴Estimates for pipeline exclude shipments of crude petroleum.

Note: Value-of-shipments estimates have not been adjusted for price changes. Appendix B tables provide estimated measures of sampling variability. The Introduction and appendixes give information on confidentially protection, sampling error, nonsampling error, sample design, and definitions. Links to this information on the Internet may be found at www.census.gov/cfs.

Note: Coverage for the 2002 Commodity Flow Survey (CFS) differs from the previous surveys due to a change from the 1987 Standard Industrial Classification System to the 1997 North American Industry Classification System and other survey improvements. Therefore, data users are urged to use caution when comparing 2002 CFS estimates with estimates from prior years.

Table 4. Shipment Characteristics by Mode of Transportation and Shipment Weight for State of Origin: 2002

[Estimates are based on data from the 2002 Commodity Flow Survey. Because of rounding, estimates may not be additive]

Mode of transportation and shipment weight	Value		Tons		Ton-miles ¹		Average miles per shipment
	2002 (million dollars)	Percent	2002 (thousands)	Percent	2002 (millions)	Percent	
Total	127 727	100.0	216 383	100.0	60 813	100.0	389
Less than 50 lb	10 199	8.0	225	.1	79	.1	522
50 to 99 lb	3 168	2.5	202	—	39	—	193
100 to 499 lb	9 800	7.7	1 452	.7	254	.4	187
500 to 749 lb	2 532	2.0	765	.4	120	.2	159
750 to 999 lb	1 915	1.5	718	.3	103	.2	143
1,000 to 9,999 lb	26 738	20.9	10 377	4.8	2 630	4.3	239
10,000 to 49,999 lb	53 864	42.2	70 473	32.6	23 032	37.9	319
50,000 to 99,999 lb	6 806	5.3	57 159	26.4	4 325	7.1	73
100,000 lb or more	12 705	9.9	75 013	34.7	30 231	49.7	528
Single modes	114 779	100.0	206 455	100.0	60 157	100.0	186
Less than 50 lb	3 930	3.4	107	—	19	—	180
50 to 99 lb	2 268	2.0	162	—	21	—	125
100 to 499 lb	7 980	7.0	1 351	.7	202	.3	151
500 to 749 lb	2 185	1.9	748	.4	115	.2	156
750 to 999 lb	1 734	1.5	712	.3	101	.2	141
1,000 to 9,999 lb	25 112	21.9	9 915	4.8	2 517	4.2	239
10,000 to 49,999 lb	52 570	45.8	68 256	33.1	22 791	37.9	328
50,000 to 99,999 lb	6 774	5.9	57 014	27.6	4 307	7.2	73
100,000 lb or more	12 225	10.7	68 191	33.0	30 085	50.0	548
Truck²	101 595	100.0	152 285	100.0	30 505	100.0	161
Less than 50 lb	3 489	3.4	105	—	15	—	122
50 to 99 lb	2 143	2.1	161	.1	20	—	120
100 to 499 lb	7 708	7.6	1 348	.9	198	.6	148
500 to 749 lb	2 176	2.1	746	.5	113	.4	153
750 to 999 lb	1 734	1.7	712	.5	101	.3	141
1,000 to 9,999 lb	24 624	24.2	9 878	6.5	2 482	8.1	238
10,000 to 49,999 lb	51 935	51.1	67 653	44.4	21 828	71.6	320
50,000 to 99,999 lb	6 388	6.3	56 152	36.9	3 822	12.5	68
100,000 lb or more	1 397	1.4	15 530	10.2	1 925	6.3	147
For-hire truck	57 169	100.0	83 913	100.0	24 625	100.0	477
Less than 50 lb	1 436	2.5	11	—	6	—	487
50 to 99 lb	693	1.2	14	—	8	—	574
100 to 499 lb	2 599	4.5	179	.2	113	.5	598
500 to 749 lb	999	1.7	107	.1	70	.3	658
750 to 999 lb	625	1.1	88	.1	56	.2	628
1,000 to 9,999 lb	11 786	20.6	3 175	3.8	1 592	6.5	566
10,000 to 49,999 lb	34 783	60.8	43 283	51.6	18 639	75.7	445
50,000 to 99,999 lb	3 534	6.2	28 398	33.8	2 735	11.1	97
100,000 lb or more	715	1.3	8 658	10.3	1 404	5.7	198
Private truck	44 213	100.0	68 306	100.0	5 869	100.0	82
Less than 50 lb	2 015	4.6	93	.1	9	.1	76
50 to 99 lb	1 450	3.3	147	.2	12	.2	80
100 to 499 lb	5 073	11.5	1 165	1.7	84	1.4	74
500 to 749 lb	1 176	2.7	639	.9	43	.7	68
750 to 999 lb	1 108	2.5	624	.9	45	.8	72
1,000 to 9,999 lb	12 836	29.0	6 702	9.8	890	15.2	114
10,000 to 49,999 lb	17 018	38.5	24 309	35.6	3 179	54.2	132
50,000 to 99,999 lb	2 854	6.5	27 755	40.6	1 087	18.5	39
100,000 lb or more	S	S	6 873	10.1	521	8.9	S
Rail	11 530	100.0	49 082	100.0	27 321	100.0	714
Less than 50 lb	S	S	S	S	S	S	S
50 to 99 lb	S	S	S	S	S	S	288
100 to 499 lb	S	S	S	S	S	S	1 575
500 to 749 lb	S	S	S	S	S	S	288
750 to 999 lb	—	—	—	—	—	—	—
1,000 to 9,999 lb	S	S	8	—	5	—	S
10,000 to 49,999 lb	611	5.3	S	S	S	S	1 643
50,000 to 99,999 lb	366	3.2	762	1.6	485	1.8	635
100,000 lb or more	10 465	90.8	47 784	97.4	25 871	94.7	664
Water	S	S	S	S	S	S	S
Less than 50 lb	—	—	—	—	—	—	—
50 to 99 lb	—	—	—	—	—	—	—
100 to 499 lb	—	—	—	—	—	—	—
500 to 749 lb	—	—	—	—	—	—	—
750 to 999 lb	—	—	—	—	—	—	—
1,000 to 9,999 lb	S	S	S	S	S	S	1
10,000 to 49,999 lb	S	S	S	S	S	S	S
50,000 to 99,999 lb	S	S	S	S	S	S	1
100,000 lb or more	S	S	S	S	S	S	220
Shallow draft	S	S	S	S	S	S	S
Less than 50 lb	—	—	—	—	—	—	—
50 to 99 lb	—	—	—	—	—	—	—
100 to 499 lb	—	—	—	—	—	—	—
500 to 749 lb	—	—	—	—	—	—	—
750 to 999 lb	—	—	—	—	—	—	—
1,000 to 9,999 lb	S	S	S	S	S	S	1
10,000 to 49,999 lb	S	S	S	S	S	S	1
50,000 to 99,999 lb	S	S	S	S	S	S	1
100,000 lb or more	S	S	S	S	S	S	220

See footnotes at end of table.

Table 4. Shipment Characteristics by Mode of Transportation and Shipment Weight for State of Origin: 2002—Con.

[Estimates are based on data from the 2002 Commodity Flow Survey. Because of rounding, estimates may not be additive]

Mode of transportation and shipment weight	Value		Tons		Ton-miles ¹		Average miles per shipment
	2002 (million dollars)	Percent	2002 (thousands)	Percent	2002 (millions)	Percent	
Single modes—Con.							
Great Lakes	—	—	—	—	—	—	—
Less than 50 lb	—	—	—	—	—	—	—
50 to 99 lb	—	—	—	—	—	—	—
100 to 499 lb	—	—	—	—	—	—	—
500 to 749 lb	—	—	—	—	—	—	—
750 to 999 lb	—	—	—	—	—	—	—
1,000 to 9,999 lb	—	—	—	—	—	—	—
10,000 to 49,999 lb	—	—	—	—	—	—	—
50,000 to 99,999 lb	—	—	—	—	—	—	—
100,000 lb or more	—	—	—	—	—	—	—
Deep draft	\$	\$	8	100.0	3	100.0	214
Less than 50 lb	—	—	—	—	—	—	—
50 to 99 lb	—	—	—	—	—	—	—
100 to 499 lb	—	—	—	—	—	—	—
500 to 749 lb	—	—	—	—	—	—	—
750 to 999 lb	—	—	—	—	—	—	—
1,000 to 9,999 lb	—	—	—	—	—	—	—
10,000 to 49,999 lb	\$	\$	\$	\$	\$	\$	213
50,000 to 99,999 lb	—	—	—	—	—	—	—
100,000 lb or more	—	2.1	6	76.2	3	87.1	451
Air (includes truck and air)	1 246	100.0	\$	\$	\$	\$	1 453
Less than 50 lb	416	33.4	2	7.3	4	9.0	1 470
50 to 99 lb	124	10.0	1	2.8	1	2.4	1 177
100 to 499 lb	\$	\$	2	7.1	3	6.7	1 263
500 to 749 lb	\$	\$	1	4.1	2	5.3	1 734
750 to 999 lb	\$	\$	\$	\$	\$	\$	1 491
1,000 to 9,999 lb	\$	\$	\$	\$	\$	\$	1 274
10,000 to 49,999 lb	\$	\$	\$	\$	\$	\$	2 699
50,000 to 99,999 lb	—	—	—	—	—	—	—
100,000 lb or more	\$	\$	\$	\$	\$	\$	551
Pipeline³	\$	\$	\$	\$	\$	\$	\$
Less than 50 lb	—	—	—	—	\$	\$	\$
50 to 99 lb	—	—	—	—	\$	\$	\$
100 to 499 lb	\$	\$	\$	\$	\$	\$	\$
500 to 749 lb	—	—	—	—	\$	\$	\$
750 to 999 lb	—	—	—	—	\$	\$	\$
1,000 to 9,999 lb	—	—	—	—	\$	\$	\$
10,000 to 49,999 lb	\$	\$	\$	\$	\$	\$	\$
50,000 to 99,999 lb	\$	\$	13	2.3	\$	\$	\$
100,000 lb or more	\$	\$	\$	\$	\$	\$	\$
Multiple modes	9 056	100.0	573	100.0	329	100.0	732
Less than 50 lb	5 839	64.5	105	18.3	59	18.0	744
50 to 99 lb	882	9.7	38	6.5	18	5.4	480
100 to 499 lb	1 652	18.2	70	12.3	48	14.7	677
500 to 749 lb	\$	\$	12	2.0	4	1.2	305
750 to 999 lb	\$	\$	4	.7	2	.6	463
1,000 to 9,999 lb	\$	\$	\$	\$	\$	\$	864
10,000 to 49,999 lb	146	1.6	60	10.4	109	33.0	1 957
50,000 to 99,999 lb	\$	\$	\$	\$	\$	\$	662
100,000 lb or more	\$	\$	\$	\$	\$	\$	307
Parcel, U.S. Postal Service or courier	8 877	100.0	229	100.0	131	100.0	732
Less than 50 lb	5 838	65.8	105	45.9	59	45.3	744
50 to 99 lb	882	9.9	38	16.4	18	13.5	480
100 to 499 lb	1 648	18.6	70	30.7	48	36.6	669
500 to 749 lb	\$	\$	12	5.1	4	2.9	303
750 to 999 lb	\$	\$	4	1.8	2	1.4	463
1,000 to 9,999 lb	\$	\$	\$	\$	\$	\$	987
10,000 to 49,999 lb	—	—	—	—	—	—	—
50,000 to 99,999 lb	—	—	—	—	—	—	—
100,000 lb or more	—	—	—	—	—	—	—
Truck and rail	146	100.0	56	100.0	100	100.0	1 234
Less than 50 lb	—	—	—	—	—	—	—
50 to 99 lb	—	—	—	—	—	—	—
100 to 499 lb	\$	\$	\$	\$	\$	\$	\$
500 to 749 lb	—	—	—	—	—	—	—
750 to 999 lb	—	—	—	—	—	—	—
1,000 to 9,999 lb	\$	\$	\$	\$	\$	\$	2 155
10,000 to 49,999 lb	141	96.8	52	92.5	97	97.2	2 002
50,000 to 99,999 lb	\$	\$	\$	\$	\$	\$	662
100,000 lb or more	—	—	—	—	—	—	—
Truck and water	\$	\$	\$	\$	\$	\$	2 348
Less than 50 lb	\$	\$	\$	\$	\$	\$	1 466
50 to 99 lb	—	—	—	—	—	—	—
100 to 499 lb	\$	\$	\$	\$	\$	\$	4 615
500 to 749 lb	\$	\$	\$	\$	\$	\$	1 115
750 to 999 lb	—	—	—	—	—	—	—
1,000 to 9,999 lb	\$	\$	\$	\$	\$	\$	416
10,000 to 49,999 lb	\$	\$	\$	\$	\$	\$	1 539
50,000 to 99,999 lb	—	—	—	—	—	—	—
100,000 lb or more	—	—	—	—	—	—	—

See footnotes at end of table.

Table 4. Shipment Characteristics by Mode of Transportation and Shipment Weight for State of Origin: 2002—Con.

[Estimates are based on data from the 2002 Commodity Flow Survey. Because of rounding, estimates may not be additive]

Mode of transportation and shipment weight	Value		Tons		Ton-miles ¹		Average miles per shipment
	2002 (million dollars)	Percent	2002 (thousands)	Percent	2002 (millions)	Percent	
Multiple modes—Con.							
Rail and water	S	S	S	S	S	S	307
Less than 50 lb	—	—	—	—	—	—	—
50 to 99 lb	—	—	—	—	—	—	—
100 to 499 lb	—	—	—	—	—	—	—
500 to 749 lb	—	—	—	—	—	—	—
750 to 999 lb	—	—	—	—	—	—	—
1,000 to 9,999 lb	—	—	—	—	—	—	—
10,000 to 49,999 lb	—	—	—	—	—	—	—
50,000 to 99,999 lb	—	—	—	—	—	—	—
100,000 lb or more	S	S	S	S	S	S	307
Other multiple modes	—	—	—	—	—	—	—
Less than 50 lb	—	—	—	—	—	—	—
50 to 99 lb	—	—	—	—	—	—	—
100 to 499 lb	—	—	—	—	—	—	—
500 to 749 lb	—	—	—	—	—	—	—
750 to 999 lb	—	—	—	—	—	—	—
1,000 to 9,999 lb	—	—	—	—	—	—	—
10,000 to 49,999 lb	—	—	—	—	—	—	—
50,000 to 99,999 lb	—	—	—	—	—	—	—
100,000 lb or more	—	—	—	—	—	—	—
Other and unknown modes	3 892	100.0	9 354	100.0	327	100.0	S
Less than 50 lb	431	11.1	13	.1	S	S	S
50 to 99 lb	18	.5	3	—	S	S	S
100 to 499 lb	S	S	31	.3	S	S	164
500 to 749 lb	27	.7	6	—	S	S	S
750 to 999 lb	2	—	1	—	S	S	151
1,000 to 9,999 lb	1 602	41.2	462	4.9	112	34.4	237
10,000 to 49,999 lb	1 148	29.5	S	S	132	40.5	S
50,000 to 99,999 lb	S	S	S	S	S	S	113
100,000 lb or more	S	S	6 542	69.9	60	18.5	S

— Represents data cell equal to zero or less than 1 unit of measure.

S Estimate does not meet publication standards because of high sampling variability or poor response quality.

¹Ton-miles estimates are based on estimated distances traveled along a modeled transportation network. See "Mileage Calculations" section for additional information.

²"Truck" as a single mode includes shipments that were made by only private truck, only for-hire truck, or a combination of private truck and for-hire truck.

³Estimates for pipeline exclude shipments of crude petroleum.

Note: Value-of-shipments estimates have not been adjusted for price changes. Appendix B tables provide estimated measures of sampling variability. The Introduction and appendixes give information on confidentiality protection, sampling error, nonsampling error, sample design, and definitions. Links to this information on the Internet may be found at www.census.gov/cfs.

Note: Coverage for the 2002 Commodity Flow Survey (CFS) differs from the previous surveys due to a change from the 1987 Standard Industrial Classification System to the 1997 North American Industry Classification System and other survey improvements. Therefore, data users are urged to use caution when comparing 2002 CFS estimates with estimates from prior years.

Table 5a. Shipment Characteristics by Two-Digit Commodity for State of Origin: 2002

[Estimates are based on data from the 2002 Commodity Flow Survey. Because of rounding, estimates may not be additive]

SCTG code	Commodity description	Value		Tons		Ton-miles ¹		Average miles per shipment
		2002 (million dollars)	Percent	2002 (thousands)	Percent	2002 (millions)	Percent	
	Total²	127 727	100.0	216 383	100.0	60 813	100.0	389
01	Live animals and live fish	S	S	S	S	S	S	534
02	Cereal grains	-	-	-	-	-	-	-
03	Other agricultural products	S	S	S	S	S	S	63
04	Animal feed and products of animal origin, n.e.c.	1 281	1.0	S	S	907	1.5	S
05	Meat, fish, seafood, and their preparations	3 665	2.9	2 329	1.1	1 539	2.5	S
06	Milled grain products and preparations, and bakery products	S	S	S	S	S	S	68
07	Other prepared foodstuffs and fats and oils	7 786	6.1	9 650	4.5	1 860	3.1	S
08	Alcoholic beverages	886	.7	777	.4	17	-	22
09	Tobacco products	S	S	S	S	22	-	S
10	Monumental or building stone	S	S	S	S	S	S	11
11	Natural sands	103	-	S	S	S	S	69
12	Gravel and crushed stone	194	.2	21 508	9.9	2 231	3.7	53
13	Nonmetallic minerals n.e.c.	53	-	4 355	2.0	675	1.1	S
14	Metallic ores and concentrates	S	S	S	S	S	S	132
15	Coal	700	.5	19 844	9.2	3 023	5.0	77
17	Gasoline and aviation turbine fuel	3 516	2.8	12 767	5.9	395	.6	30
18	Fuel oils	1 535	1.2	6 712	3.1	226	.4	30
19	Coal and petroleum products, n.e.c.	860	.7	4 461	2.1	1 023	1.7	S
20	Basic chemicals	1 810	1.4	8 470	3.9	2 334	3.8	S
21	Pharmaceutical products	6 813	5.3	128	-	29	-	792
22	Fertilizers	S	S	S	S	S	S	953
23	Chemical products and preparations, n.e.c.	757	.6	438	.2	S	S	555
24	Plastics and rubber	6 756	5.3	3 147	1.5	1 217	2.0	230
25	Logs and other wood in the rough	S	S	S	S	S	S	53
26	Wood products	3 290	2.6	15 155	7.0	3 019	5.0	217
27	Pulp, newsprint, paper, and paperboard	4 324	3.4	7 181	3.3	4 809	7.9	298
28	Paper or paperboard articles	464	.4	S	S	S	S	148
29	Printed products	S	S	S	S	S	S	683
30	Textiles, leather, and articles of textiles or leather	10 173	8.0	2 527	1.2	996	1.6	770
31	Nonmetallic mineral products	S	S	24 976	11.5	S	S	212
32	Base metal in primary or semifinished forms and in finished basic shapes	6 895	5.4	12 107	5.6	6 030	9.9	324
33	Articles of base metal	4 938	3.9	2 745	1.3	1 216	2.0	370
34	Machinery	3 861	3.0	503	.2	229	.4	236
35	Electronic and other electrical equipment and components and office equipment	6 071	4.8	858	.4	446	.7	556
36	Motorized and other vehicles (including parts)	10 147	7.9	1 620	.7	763	1.3	103
37	Transportation equipment, n.e.c.	S	S	38	-	26	-	1 545
38	Precision instruments and apparatus	1 575	1.2	130	-	S	S	333
39	Furniture, mattresses and mattress supports, lamps, lighting fittings, and illuminated signs	2 228	1.7	593	.3	358	.6	1 029
40	Miscellaneous manufactured products	4 113	3.2	S	S	613	1.0	686
41	Waste and scrap	64	-	S	S	S	S	140
43	Mixed freight	12 055	9.4	4 314	2.0	662	1.1	171
--	Commodity unknown	508	.4	228	.1	S	S	278

- Represents data cell equal to zero or less than 1 unit of measure.
S Estimate does not meet publication standards because of high sampling variability or poor response quality.

¹Ton-miles estimates are based on estimated distances traveled along a modeled transportation network. See "Mileage Calculations" section for additional information.

²Estimates exclude shipments of crude petroleum (SCTG 16).

Note: Value-of-shipments estimates have not been adjusted for price changes. Appendix B tables provide estimated measures of sampling variability. The Introduction and appendixes give information on confidentiality protection, sampling error, nonsampling error, sample design, and definitions. Links to this information on the Internet may be found at www.census.gov/cfs.

Note: Coverage for the 2002 Commodity Flow Survey (CFS) differs from the previous surveys due to a change from the 1987 Standard Industrial Classification System to the 1997 North American Industry Classification System and other survey improvements. Therefore, data users are urged to use caution when comparing 2002 CFS estimates with estimates from prior years.

Table 5b. Shipment Characteristics by Two-Digit Commodity for State of Origin: Percent of Total for 2002 and 1997

[Estimates are based on data from the 2002 and 1997 Commodity Flow Surveys. Because of rounding, estimates may not be additive]

SCTG code	Commodity description	Value (percent)		Tons (percent)		Ton-miles ¹ (percent)	
		2002	1997	2002	1997	2002	1997
	Total²	100.0	100.0	100.0	100.0	100.0	100.0
01	Live animals and live fish	S	.2	S	—	S	.2
02	Cereal grains	—	S	—	S	—	S
03	Other agricultural products	S	.8	S	.8	S	.4
04	Animal feed and products of animal origin, n.e.c.	1.0	1.4	S	3.4	1.5	1.6
05	Meat, fish, seafood, and their preparations	2.9	3.1	1.1	.9	2.5	2.1
06	Milled grain products and preparations, and bakery products	S	.5	S	.2	S	.2
07	Other prepared foodstuffs and fats and oils	6.1	2.9	4.5	2.1	3.1	2.0
08	Alcoholic beverages7	.6	.4	.2	—	—
09	Tobacco products	S	.9	S	—	—	—
10	Monumental or building stone	S	S	S	S	S	S
11	Natural sands	—	—	S	S	S	S
12	Gravel and crushed stone2	.2	9.9	17.3	3.7	4.7
13	Nonmetallic minerals n.e.c.	—	S	2.0	1.4	1.1	2.4
14	Metallic ores and concentrates	S	S	S	S	S	S
15	Coal5	1.3	9.2	14.8	5.0	10.3
17	Gasoline and aviation turbine fuel	2.8	3.4	5.9	6.0	.6	1.1
18	Fuel oils	1.2	.8	3.1	1.7	.4	.5
19	Coal and petroleum products, n.e.c.7	.8	2.1	2.2	1.7	3.2
20	Basic chemicals	1.4	3.4	3.9	3.6	3.8	7.2
21	Pharmaceutical products	5.3	1.8	—	—	—	—
22	Fertilizers	S	.4	S	1.1	S	1.9
23	Chemical products and preparations, n.e.c.6	2.9	.2	.6	S	S
24	Plastics and rubber	5.3	3.9	1.5	.8	2.0	2.2
25	Logs and other wood in the rough	S	.3	S	3.1	S	1.0
26	Wood products	2.6	3.3	7.0	5.0	5.0	6.0
27	Pulp, newsprint, paper, and paperboard	3.4	4.6	3.3	4.3	7.9	14.6
28	Paper or paperboard articles4	1.0	S	.5	S	.4
29	Printed products	S	.9	S	.1	S	.2
30	Textiles, leather, and articles of textiles or leather	8.0	10.8	1.2	1.0	1.6	2.1
31	Nonmetallic mineral products	S	1.8	11.5	7.9	S	5.5
32	Base metal in primary or semifinished forms and in finished basic shapes	5.4	7.5	5.6	5.4	9.9	12.0
33	Articles of base metal	3.9	4.9	1.3	2.0	2.0	6.3
34	Machinery	3.0	5.1	.2	.4	.4	.8
35	Electronic and other electrical equipment and components and office equipment	4.8	10.5	.4	.3	.7	.8
36	Motorized and other vehicles (including parts)	7.9	4.8	.7	.5	1.3	1.1
37	Transportation equipment, n.e.c.	S	.9	—	.1	—	.5
38	Precision instruments and apparatus	1.2	.5	—	—	—	—
39	Furniture, mattresses and mattress supports, lamps, lighting fittings, and illuminated signs	1.7	1.7	.3	.2	.6	.8
40	Miscellaneous manufactured products	3.2	7.1	S	1.4	1.0	2.1
41	Waste and scrap	—	.4	S	1.0	S	.6
43	Mixed freight	9.4	3.2	2.0	1.0	1.1	.7
--	Commodity unknown4	S	.1	S	S	S

— Represents data cell equal to zero or less than 1 unit of measure.

S Estimate does not meet publication standards because of high sampling variability or poor response quality.

¹Ton-miles estimates are based on estimated distances traveled along a modeled transportation network. See "Mileage Calculations" section for additional information.

²Estimates exclude shipments of crude petroleum (SCTG 16).

Note: Value-of-shipments estimates have not been adjusted for price changes. Appendix B tables provide estimated measures of sampling variability. The Introduction and appendixes give information on confidentially protection, sampling error, nonsampling error, sample design, and definitions. Links to this information on the Internet may be found at www.census.gov/cfs.

Note: Coverage for the 2002 Commodity Flow Survey (CFS) differs from the previous surveys due to a change from the 1987 Standard Industrial Classification System to the 1997 North American Industry Classification System and other survey improvements. Therefore, data users are urged to use caution when comparing 2002 CFS estimates with estimates from prior years.

Table 6. Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for State of Origin: 2002

[Estimates are based on data from the 2002 Commodity Flow Survey. Because of rounding, estimates may not be additive]

SCTG code, description, and mode of transportation	Value		Tons		Ton-miles ¹		Average miles per shipment
	2002 (million dollars)	Percent	2002 (thousands)	Percent	2002 (millions)	Percent	
ALL COMMODITIES							
Total²	127 727	100.0	216 383	100.0	60 813	100.0	389
Single modes	114 779	89.9	206 455	95.4	60 157	98.9	186
Truck ³	101 595	79.5	152 285	70.4	30 505	50.2	161
For-hire truck	57 169	44.8	83 913	38.8	24 625	40.5	477
Private truck	44 213	34.6	68 306	31.6	5 869	9.7	82
Rail	11 530	9.0	49 082	22.7	27 321	44.9	714
Water	\$	\$	\$	\$	\$	\$	\$
Shallow draft	\$	\$	\$	\$	\$	\$	\$
Great Lakes	-	-	-	-	-	-	-
Deep draft	\$	\$	8	-	3	-	214
Air (includes truck and air)	1 246	1.0	\$	\$	\$	\$	1 453
Pipeline ⁴	\$	\$	\$	\$	\$	\$	\$
Multiple modes	9 056	7.1	573	.3	329	.5	732
Parcel, U.S. Postal Service or courier	8 877	6.9	229	.1	131	.2	732
Truck and rail	146	.1	56	-	100	.2	1 234
Truck and water	\$	\$	\$	\$	\$	\$	2 348
Rail and water	\$	\$	\$	\$	\$	\$	307
Other multiple modes	-	-	-	-	-	-	-
Other and unknown modes	3 892	3.0	9 354	4.3	327	.5	\$
SCTG 01, LIVE ANIMALS AND LIVE FISH							
Total	\$	\$	\$	\$	\$	\$	534
Single modes	\$	\$	\$	\$	\$	\$	534
Truck ³	\$	\$	\$	\$	\$	\$	534
For-hire truck	\$	\$	\$	\$	\$	\$	591
Private truck	\$	\$	\$	\$	\$	\$	57
Rail	-	-	-	-	-	-	-
Water	-	-	-	-	-	-	-
Shallow draft	-	-	-	-	-	-	-
Great Lakes	-	-	-	-	-	-	-
Deep draft	-	-	-	-	-	-	-
Air (includes truck and air)	-	-	-	-	-	-	-
Pipeline ⁴	-	-	-	-	\$	\$	\$
Multiple modes	-	-	-	-	-	-	-
Parcel, U.S. Postal Service or courier	-	-	-	-	-	-	-
Truck and rail	-	-	-	-	-	-	-
Truck and water	-	-	-	-	-	-	-
Rail and water	-	-	-	-	-	-	-
Other multiple modes	-	-	-	-	-	-	-
Other and unknown modes	-	-	-	-	-	-	-
SCTG 02, CEREAL GRAINS							
Total	-	-	-	-	-	-	-
Single modes	-	-	-	-	-	-	-
Truck ³	-	-	-	-	-	-	-
For-hire truck	-	-	-	-	-	-	-
Private truck	-	-	-	-	-	-	-
Rail	-	-	-	-	-	-	-
Water	-	-	-	-	-	-	-
Shallow draft	-	-	-	-	-	-	-
Great Lakes	-	-	-	-	-	-	-
Deep draft	-	-	-	-	-	-	-
Air (includes truck and air)	-	-	-	-	-	-	-
Pipeline ⁴	-	-	-	-	\$	\$	\$
Multiple modes	-	-	-	-	-	-	-
Parcel, U.S. Postal Service or courier	-	-	-	-	-	-	-
Truck and rail	-	-	-	-	-	-	-
Truck and water	-	-	-	-	-	-	-
Rail and water	-	-	-	-	-	-	-
Other multiple modes	-	-	-	-	-	-	-
Other and unknown modes	-	-	-	-	-	-	-

See footnotes at end of table.

Table 6. Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for State of Origin: 2002—Con.

[Estimates are based on data from the 2002 Commodity Flow Survey. Because of rounding, estimates may not be additive]

SCTG code, description, and mode of transportation	Value		Tons		Ton-miles ¹		Average miles per shipment
	2002 (million dollars)	Percent	2002 (thousands)	Percent	2002 (millions)	Percent	
SCTG 03, OTHER AGRICULTURAL PRODUCTS							
Total	\$	\$	\$	\$	\$	\$	63
Single modes	\$	\$	\$	\$	\$	\$	68
Truck ³	\$	\$	\$	\$	\$	\$	55
For-hire truck	\$	\$	\$	\$	\$	\$	68
Private truck	\$	\$	\$	\$	\$	\$	44
Rail	-	-	-	-	-	-	-
Water	\$	\$	\$	\$	\$	\$	788
Shallow draft	\$	\$	\$	\$	\$	\$	788
Great Lakes	-	-	-	-	-	-	-
Deep draft	-	-	-	-	-	-	-
Air (includes truck and air)	-	-	-	-	-	-	-
Pipeline ⁴	-	-	-	-	\$	\$	\$
Multiple modes	-	-	-	-	-	-	-
Parcel, U.S. Postal Service or courier	-	-	-	-	-	-	-
Truck and rail	-	-	-	-	-	-	-
Truck and water	-	-	-	-	-	-	-
Rail and water	-	-	-	-	-	-	-
Other multiple modes	-	-	-	-	-	-	-
Other and unknown modes	\$	\$	\$	\$	\$	\$	7
SCTG 04, ANIMAL FEED AND PRODUCTS OF ANIMAL ORIGIN, N.E.C.							
Total	1 281	100.0	\$	\$	907	100.0	\$
Single modes	1 249	97.5	\$	\$	898	99.0	\$
Truck ³	1 171	91.4	\$	\$	737	81.2	\$
For-hire truck	475	37.1	\$	\$	66	6.6	246
Private truck	\$	\$	\$	\$	\$	\$	49
Rail	\$	\$	\$	\$	\$	\$	405
Water	-	-	-	-	-	-	-
Shallow draft	-	-	-	-	-	-	-
Great Lakes	-	-	-	-	-	-	-
Deep draft	-	-	-	-	-	-	-
Air (includes truck and air)	-	-	-	-	-	-	-
Pipeline ⁴	-	-	-	-	\$	\$	\$
Multiple modes	\$	\$	\$	\$	\$	\$	205
Parcel, U.S. Postal Service or courier	\$	\$	\$	\$	\$	\$	205
Truck and rail	-	-	-	-	-	-	-
Truck and water	-	-	-	-	-	-	-
Rail and water	-	-	-	-	-	-	-
Other multiple modes	-	-	-	-	-	-	-
Other and unknown modes	\$	\$	\$	\$	\$	\$	37
SCTG 05, MEAT, FISH, SEAFOOD, AND THEIR PREPARATIONS							
Total	3 665	100.0	2 329	100.0	1 539	100.0	\$
Single modes	3 646	99.5	2 322	99.7	1 539	100.0	\$
Truck ³	3 592	98.0	2 288	98.2	1 434	93.2	\$
For-hire truck	2 812	76.7	1 848	79.3	1 294	84.1	710
Private truck	778	21.2	440	18.9	\$	\$	\$
Rail	\$	\$	\$	\$	\$	\$	3 068
Water	-	-	-	-	-	-	-
Shallow draft	-	-	-	-	-	-	-
Great Lakes	-	-	-	-	-	-	-
Deep draft	-	-	-	-	-	-	-
Air (includes truck and air)	-	-	-	-	-	-	-
Pipeline ⁴	-	-	-	-	\$	\$	\$
Multiple modes	-	-	-	-	-	-	-
Parcel, U.S. Postal Service or courier	-	-	-	-	-	-	-
Truck and rail	-	-	-	-	-	-	-
Truck and water	-	-	-	-	-	-	-
Rail and water	-	-	-	-	-	-	-
Other multiple modes	-	-	-	-	-	-	-
Other and unknown modes	\$	\$	\$	\$	\$	\$	\$

See footnotes at end of table.

Table 6. **Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for State of Origin: 2002—Con.**

[Estimates are based on data from the 2002 Commodity Flow Survey. Because of rounding, estimates may not be additive]

SCTG code, description, and mode of transportation	Value		Tons		Ton-miles ¹		Average miles per shipment
	2002 (million dollars)	Percent	2002 (thousands)	Percent	2002 (millions)	Percent	
SCTG 06, MILLED GRAIN PRODUCTS AND PREPARATIONS, AND BAKERY PRODUCTS							
Total	\$	\$	\$	\$	\$	\$	68
Single modes	\$	\$	\$	\$	\$	\$	71
Truck ³	\$	\$	\$	\$	\$	\$	67
For-hire truck	\$	\$	\$	\$	\$	\$	109
Private truck	\$	\$	\$	\$	\$	\$	32
Rail	\$	\$	\$	\$	\$	\$	335
Water	—	—	—	—	—	—	—
Shallow draft	—	—	—	—	—	—	—
Great Lakes	—	—	—	—	—	—	—
Deep draft	—	—	—	—	—	—	—
Air (includes truck and air)	—	—	—	—	—	—	—
Pipeline ⁴	—	—	—	—	\$	\$	\$
Multiple modes	—	—	—	—	—	—	—
Parcel, U.S. Postal Service or courier	—	—	—	—	—	—	—
Truck and rail	—	—	—	—	—	—	—
Truck and water	—	—	—	—	—	—	—
Rail and water	—	—	—	—	—	—	—
Other multiple modes	—	—	—	—	—	—	—
Other and unknown modes	\$	\$	\$	\$	\$	\$	7
SCTG 07, OTHER PREPARED FOODSTUFFS AND FATS AND OILS							
Total	7 786	100.0	9 650	100.0	1 860	100.0	\$
Single modes	7 718	99.1	9 332	96.7	1 857	99.8	\$
Truck ³	7 398	95.0	8 480	87.9	1 523	81.9	\$
For-hire truck	2 439	31.3	2 357	24.4	904	48.6	578
Private truck	4 959	63.7	6 124	63.5	619	33.3	\$
Rail	320	4.1	851	8.8	334	17.9	392
Water	—	—	—	—	—	—	—
Shallow draft	—	—	—	—	—	—	—
Great Lakes	—	—	—	—	—	—	—
Deep draft	—	—	—	—	—	—	—
Air (includes truck and air)	—	—	—	—	—	—	—
Pipeline ⁴	—	—	—	—	\$	\$	\$
Multiple modes	\$	\$	\$	\$	\$	\$	428
Parcel, U.S. Postal Service or courier	\$	\$	\$	\$	\$	\$	428
Truck and rail	—	—	—	—	—	—	—
Truck and water	—	—	—	—	—	—	—
Rail and water	—	—	—	—	—	—	—
Other multiple modes	—	—	—	—	—	—	—
Other and unknown modes	\$	\$	\$	\$	\$	\$	\$
SCTG 08, ALCOHOLIC BEVERAGES							
Total	886	100.0	777	100.0	17	100.0	22
Single modes	885	99.9	777	100.0	17	100.0	22
Truck ³	885	99.9	777	100.0	17	100.0	22
For-hire truck	—	—	—	—	—	—	—
Private truck	882	99.5	774	99.5	17	99.7	22
Rail	—	—	—	—	—	—	—
Water	—	—	—	—	—	—	—
Shallow draft	—	—	—	—	—	—	—
Great Lakes	—	—	—	—	—	—	—
Deep draft	—	—	—	—	—	—	—
Air (includes truck and air)	—	—	—	—	—	—	—
Pipeline ⁴	—	—	—	—	\$	\$	\$
Multiple modes	\$	\$	\$	\$	\$	\$	34
Parcel, U.S. Postal Service or courier	\$	\$	\$	\$	\$	\$	34
Truck and rail	—	—	—	—	—	—	—
Truck and water	—	—	—	—	—	—	—
Rail and water	—	—	—	—	—	—	—
Other multiple modes	—	—	—	—	—	—	—
Other and unknown modes	\$	\$	\$	\$	\$	\$	2

See footnotes at end of table.

Table 6. **Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for State of Origin: 2002—Con.**

[Estimates are based on data from the 2002 Commodity Flow Survey. Because of rounding, estimates may not be additive]

SCTG code, description, and mode of transportation	Value		Tons		Ton-miles ¹		Average miles per shipment
	2002 (million dollars)	Percent	2002 (thousands)	Percent	2002 (millions)	Percent	
SCTG 09, TOBACCO PRODUCTS							
Total	\$	\$	\$	\$	22	100.0	\$
Single modes	\$	\$	\$	\$	22	98.8	\$
Truck ³	\$	\$	\$	\$	22	98.8	\$
For-hire truck	163	11.5	20	20.3	15	66.1	1 006
Private truck	\$	\$	\$	\$	\$	\$	35
Rail	-	-	-	-	-	-	-
Water	-	-	-	-	-	-	-
Shallow draft	-	-	-	-	-	-	-
Great Lakes	-	-	-	-	-	-	-
Deep draft	-	-	-	-	-	-	-
Air (includes truck and air)	-	-	-	-	-	-	-
Pipeline ⁴	-	-	-	-	\$	\$	\$
Multiple modes	\$	\$	\$	\$	-	1.2	426
Parcel, U.S. Postal Service or courier	\$	\$	\$	\$	-	1.2	426
Truck and rail	-	-	-	-	-	-	-
Truck and water	-	-	-	-	-	-	-
Rail and water	-	-	-	-	-	-	-
Other multiple modes	-	-	-	-	-	-	-
Other and unknown modes	-	-	-	-	-	-	-
SCTG 10, MONUMENTAL OR BUILDING STONE							
Total	\$	\$	\$	\$	\$	\$	11
Single modes	\$	\$	\$	\$	\$	\$	11
Truck ³	\$	\$	\$	\$	\$	\$	11
For-hire truck	-	-	-	-	-	-	-
Private truck	\$	\$	\$	\$	\$	\$	11
Rail	-	-	-	-	-	-	-
Water	-	-	-	-	-	-	-
Shallow draft	-	-	-	-	-	-	-
Great Lakes	-	-	-	-	-	-	-
Deep draft	-	-	-	-	-	-	-
Air (includes truck and air)	-	-	-	-	-	-	-
Pipeline ⁴	-	-	-	-	\$	\$	\$
Multiple modes	-	-	-	-	-	-	-
Parcel, U.S. Postal Service or courier	-	-	-	-	-	-	-
Truck and rail	-	-	-	-	-	-	-
Truck and water	-	-	-	-	-	-	-
Rail and water	-	-	-	-	-	-	-
Other multiple modes	-	-	-	-	-	-	-
Other and unknown modes	-	-	-	-	-	-	-
SCTG 11, NATURAL SANDS							
Total	103	100.0	\$	\$	\$	\$	69
Single modes	103	100.0	\$	\$	\$	\$	69
Truck ³	87	84.6	13 096	58.9	\$	\$	40
For-hire truck	45	43.6	4 304	19.4	\$	\$	88
Private truck	\$	\$	\$	\$	\$	\$	29
Rail	\$	\$	\$	\$	\$	\$	199
Water	-	-	-	-	-	-	-
Shallow draft	-	-	-	-	-	-	-
Great Lakes	-	-	-	-	-	-	-
Deep draft	-	-	-	-	-	-	-
Air (includes truck and air)	-	-	-	-	-	-	-
Pipeline ⁴	-	-	-	-	\$	\$	\$
Multiple modes	-	-	-	-	-	-	-
Parcel, U.S. Postal Service or courier	-	-	-	-	-	-	-
Truck and rail	-	-	-	-	-	-	-
Truck and water	-	-	-	-	-	-	-
Rail and water	-	-	-	-	-	-	-
Other multiple modes	-	-	-	-	-	-	-
Other and unknown modes	-	-	-	-	-	-	-

See footnotes at end of table.

Table 6. Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for State of Origin: 2002—Con.

[Estimates are based on data from the 2002 Commodity Flow Survey. Because of rounding, estimates may not be additive]

SCTG code, description, and mode of transportation	Value		Tons		Ton-miles ¹		Average miles per shipment
	2002 (million dollars)	Percent	2002 (thousands)	Percent	2002 (millions)	Percent	
SCTG 12, GRAVEL AND CRUSHED STONE							
Total	194	100.0	21 508	100.0	2 231	100.0	53
Single modes	194	100.0	21 507	100.0	2 231	100.0	53
Truck ³	161	83.1	17 423	81.0	841	37.7	46
For-hire truck	S	S	S	S	S	S	93
Private truck	79	40.6	13 076	60.8	467	20.9	27
Rail	30	15.7	3 830	17.8	1 252	56.1	324
Water	S	S	S	S	S	S	544
Shallow draft	S	S	S	S	S	S	544
Great Lakes	-	-	-	-	-	-	-
Deep draft	-	-	-	-	-	-	-
Air (includes truck and air)	-	-	-	-	-	-	-
Pipeline ⁴	-	-	-	-	S	S	S
Multiple modes	-	-	-	-	-	-	-
Parcel, U.S. Postal Service or courier	-	-	-	-	-	-	-
Truck and rail	-	-	-	-	-	-	-
Truck and water	-	-	-	-	-	-	-
Rail and water	-	-	-	-	-	-	-
Other multiple modes	-	-	-	-	-	-	-
Other and unknown modes	S	S	S	S	S	S	27
SCTG 13, NONMETALLIC MINERALS N.E.C.							
Total	53	100.0	4 355	100.0	675	100.0	S
Single modes	53	99.8	4 354	100.0	674	100.0	S
Truck ³	37	68.8	3 801	87.3	S	S	S
For-hire truck	24	44.4	2 077	47.7	S	S	S
Private truck	13	24.4	1 723	39.6	30	4.4	17
Rail	S	S	553	12.7	331	49.1	600
Water	-	-	-	-	-	-	-
Shallow draft	-	-	-	-	-	-	-
Great Lakes	-	-	-	-	-	-	-
Deep draft	-	-	-	-	-	-	-
Air (includes truck and air)	-	-	-	-	-	-	-
Pipeline ⁴	-	-	-	-	S	S	S
Multiple modes	S	S	S	S	S	S	430
Parcel, U.S. Postal Service or courier	S	S	S	S	S	S	430
Truck and rail	-	-	-	-	-	-	-
Truck and water	-	-	-	-	-	-	-
Rail and water	-	-	-	-	-	-	-
Other multiple modes	-	-	-	-	-	-	-
Other and unknown modes	S	S	S	S	S	S	22
SCTG 14, METALLIC ORES AND CONCENTRATES							
Total	S	S	S	S	S	S	132
Single modes	S	S	S	S	S	S	132
Truck ³	S	S	S	S	S	S	132
For-hire truck	S	S	S	S	S	S	132
Private truck	-	-	-	-	-	-	-
Rail	-	-	-	-	-	-	-
Water	-	-	-	-	-	-	-
Shallow draft	-	-	-	-	-	-	-
Great Lakes	-	-	-	-	-	-	-
Deep draft	-	-	-	-	-	-	-
Air (includes truck and air)	-	-	-	-	-	-	-
Pipeline ⁴	-	-	-	-	S	S	S
Multiple modes	-	-	-	-	-	-	-
Parcel, U.S. Postal Service or courier	-	-	-	-	-	-	-
Truck and rail	-	-	-	-	-	-	-
Truck and water	-	-	-	-	-	-	-
Rail and water	-	-	-	-	-	-	-
Other multiple modes	-	-	-	-	-	-	-
Other and unknown modes	-	-	-	-	-	-	-

See footnotes at end of table.

Table 6. Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for State of Origin: 2002—Con.

[Estimates are based on data from the 2002 Commodity Flow Survey. Because of rounding, estimates may not be additive]

SCTG code, description, and mode of transportation	Value		Tons		Ton-miles ¹		Average miles per shipment
	2002 (million dollars)	Percent	2002 (thousands)	Percent	2002 (millions)	Percent	
SCTG 15, COAL							
Total	700	100.0	19 844	100.0	3 023	100.0	77
Single modes	509	72.7	14 624	73.7	2 904	96.1	77
Truck ³	88	12.6	2 701	13.6	198	6.5	71
For-hire truck	85	12.1	2 627	13.2	190	6.3	70
Private truck	S	S	S	S	S	S	103
Rail	398	56.8	11 330	57.1	2 658	87.9	142
Water	S	S	S	S	S	S	105
Shallow draft	S	S	S	S	S	S	105
Great Lakes	-	-	-	-	-	-	-
Deep draft	-	-	-	-	-	-	-
Air (includes truck and air)	-	-	-	-	-	-	-
Pipeline ⁴	-	-	-	-	S	S	S
Multiple modes	S	S	S	S	S	S	307
Parcel, U.S. Postal Service or courier	-	-	-	-	-	-	-
Truck and rail	-	-	-	-	-	-	-
Truck and water	-	-	-	-	-	-	-
Rail and water	S	S	S	S	S	S	307
Other multiple modes	-	-	-	-	-	-	-
Other and unknown modes	S	S	S	S	S	S	7
SCTG 17, GASOLINE AND AVIATION TURBINE FUEL							
Total	3 516	100.0	12 767	100.0	395	100.0	30
Single modes	3 515	100.0	12 765	100.0	394	100.0	30
Truck ³	3 514	99.9	12 764	100.0	394	100.0	30
For-hire truck	1 631	46.4	6 259	49.0	212	53.6	S
Private truck	1 883	53.6	6 506	51.0	183	46.4	34
Rail	-	-	-	-	-	-	-
Water	S	S	S	S	S	S	1
Shallow draft	S	S	S	S	S	S	1
Great Lakes	-	-	-	-	-	-	-
Deep draft	-	-	-	-	-	-	-
Air (includes truck and air)	-	-	-	-	-	-	-
Pipeline ⁴	-	-	-	-	S	S	S
Multiple modes	-	-	-	-	-	-	-
Parcel, U.S. Postal Service or courier	-	-	-	-	-	-	-
Truck and rail	-	-	-	-	-	-	-
Truck and water	-	-	-	-	-	-	-
Rail and water	-	-	-	-	-	-	-
Other multiple modes	-	-	-	-	-	-	-
Other and unknown modes	S	S	S	S	S	S	51
SCTG 18, FUEL OILS							
Total	1 535	100.0	6 712	100.0	226	100.0	30
Single modes	1 534	100.0	6 710	100.0	226	100.0	30
Truck ³	1 401	91.3	6 132	91.4	216	95.3	30
For-hire truck	767	50.0	3 392	50.5	101	44.7	S
Private truck	634	41.3	2 739	40.8	114	50.5	32
Rail	S	S	S	S	S	S	75
Water	S	S	S	S	S	S	2
Shallow draft	S	S	S	S	S	S	2
Great Lakes	-	-	-	-	-	-	-
Deep draft	-	-	-	-	-	-	-
Air (includes truck and air)	-	-	-	-	-	-	-
Pipeline ⁴	-	-	-	-	S	S	S
Multiple modes	-	-	-	-	-	-	-
Parcel, U.S. Postal Service or courier	-	-	-	-	-	-	-
Truck and rail	-	-	-	-	-	-	-
Truck and water	-	-	-	-	-	-	-
Rail and water	-	-	-	-	-	-	-
Other multiple modes	-	-	-	-	-	-	-
Other and unknown modes	S	S	S	S	S	S	13

See footnotes at end of table.

Table 6. Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for State of Origin: 2002—Con.

[Estimates are based on data from the 2002 Commodity Flow Survey. Because of rounding, estimates may not be additive]

SCTG code, description, and mode of transportation	Value		Tons		Ton-miles ¹		Average miles per shipment
	2002 (million dollars)	Percent	2002 (thousands)	Percent	2002 (millions)	Percent	
SCTG 19, COAL AND PETROLEUM PRODUCTS, N.E.C.							
Total	860	100.0	4 461	100.0	1 023	100.0	S
Single modes	827	96.1	4 434	99.4	1 018	99.5	S
Truck ³	706	82.0	3 566	79.9	420	41.1	S
For-hire truck	437	50.8	2 919	65.4	379	37.1	S
Private truck	S	S	646	14.5	42	4.1	26
Rail	121	14.1	868	19.5	597	58.4	674
Water	—	—	—	—	—	—	—
Shallow draft	—	—	—	—	—	—	—
Great Lakes	—	—	—	—	—	—	—
Deep draft	—	—	—	—	—	—	—
Air (includes truck and air)	—	—	—	—	—	—	—
Pipeline ⁴	—	—	—	—	S	S	S
Multiple modes	—	—	—	—	—	—	—
Parcel, U.S. Postal Service or courier	—	—	—	—	—	—	—
Truck and rail	—	—	—	—	—	—	—
Truck and water	—	—	—	—	—	—	—
Rail and water	—	—	—	—	—	—	—
Other multiple modes	—	—	—	—	—	—	—
Other and unknown modes	S	S	S	S	S	S	62
SCTG 20, BASIC CHEMICALS							
Total	1 810	100.0	8 470	100.0	2 334	100.0	S
Single modes	1 759	97.2	8 412	99.3	2 295	98.3	S
Truck ³	1 245	68.7	S	S	S	S	S
For-hire truck	839	46.3	779	9.2	196	8.4	230
Private truck	406	22.4	S	S	S	S	48
Rail	436	24.1	2 595	30.6	1 372	58.8	556
Water	S	S	S	S	S	S	326
Shallow draft	S	S	S	S	S	S	573
Great Lakes	—	—	—	—	—	—	—
Deep draft	S	S	S	S	S	S	213
Air (includes truck and air)	—	—	—	—	—	—	—
Pipeline ⁴	S	S	S	S	S	S	S
Multiple modes	S	S	S	S	S	S	1 041
Parcel, U.S. Postal Service or courier	S	S	S	S	S	S	222
Truck and rail	S	S	S	S	S	S	2 040
Truck and water	—	—	—	—	—	—	—
Rail and water	—	—	—	—	—	—	—
Other multiple modes	—	—	—	—	—	—	—
Other and unknown modes	S	S	S	S	S	S	S
SCTG 21, PHARMACEUTICAL PRODUCTS							
Total	6 813	100.0	128	100.0	29	100.0	792
Single modes	3 477	51.0	106	82.8	16	57.1	239
Truck ³	3 477	51.0	106	82.8	16	57.1	239
For-hire truck	2 165	31.8	28	22.0	13	44.7	334
Private truck	1 241	18.2	76	59.4	3	10.6	92
Rail	—	—	—	—	—	—	—
Water	—	—	—	—	—	—	—
Shallow draft	—	—	—	—	—	—	—
Great Lakes	—	—	—	—	—	—	—
Deep draft	—	—	—	—	—	—	—
Air (includes truck and air)	—	—	—	—	—	—	—
Pipeline ⁴	—	—	—	—	S	S	S
Multiple modes	3 337	49.0	22	17.2	12	42.9	858
Parcel, U.S. Postal Service or courier	3 333	48.9	22	17.1	12	41.0	858
Truck and rail	—	—	—	—	—	—	—
Truck and water	S	S	S	S	S	S	4 615
Rail and water	—	—	—	—	—	—	—
Other multiple modes	—	—	—	—	—	—	—
Other and unknown modes	—	—	—	—	—	—	—

See footnotes at end of table.

Table 6. Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for State of Origin: 2002—Con.

[Estimates are based on data from the 2002 Commodity Flow Survey. Because of rounding, estimates may not be additive]

SCTG code, description, and mode of transportation	Value		Tons		Ton-miles ¹		Average miles per shipment
	2002 (million dollars)	Percent	2002 (thousands)	Percent	2002 (millions)	Percent	
SCTG 22, FERTILIZERS							
Total	\$	\$	\$	\$	\$	\$	953
Single modes	\$	\$	\$	\$	\$	\$	953
Truck ³	\$	\$	\$	\$	\$	\$	929
For-hire truck	\$	\$	\$	\$	\$	\$	931
Private truck	\$	\$	\$	\$	\$	\$	902
Rail	\$	\$	\$	\$	\$	\$	2 699
Water	—	—	—	—	—	—	—
Shallow draft	—	—	—	—	—	—	—
Great Lakes	—	—	—	—	—	—	—
Deep draft	—	—	—	—	—	—	—
Air (includes truck and air)	—	—	—	—	—	—	—
Pipeline ⁴	—	—	—	—	\$	\$	\$
Multiple modes	—	—	—	—	—	—	—
Parcel, U.S. Postal Service or courier	—	—	—	—	—	—	—
Truck and rail	—	—	—	—	—	—	—
Truck and water	—	—	—	—	—	—	—
Rail and water	—	—	—	—	—	—	—
Other multiple modes	—	—	—	—	—	—	—
Other and unknown modes	—	—	—	—	—	—	—
SCTG 23, CHEMICAL PRODUCTS AND PREPARATIONS, N.E.C.							
Total	757	100.0	438	100.0	\$	\$	555
Single modes	729	96.3	433	99.0	\$	\$	571
Truck ³	729	96.3	433	99.0	\$	\$	571
For-hire truck	\$	\$	332	75.9	\$	\$	794
Private truck	104	13.7	101	23.1	\$	\$	40
Rail	—	—	—	—	—	—	—
Water	—	—	—	—	—	—	—
Shallow draft	—	—	—	—	—	—	—
Great Lakes	—	—	—	—	—	—	—
Deep draft	—	—	—	—	—	—	—
Air (includes truck and air)	\$	\$	\$	\$	\$	\$	321
Pipeline ⁴	—	—	—	—	\$	\$	\$
Multiple modes	\$	\$	\$	\$	\$	\$	206
Parcel, U.S. Postal Service or courier	\$	\$	\$	\$	\$	\$	193
Truck and rail	\$	\$	\$	\$	\$	\$	2 136
Truck and water	\$	\$	\$	\$	\$	\$	422
Rail and water	—	—	—	—	—	—	—
Other multiple modes	—	—	—	—	—	—	—
Other and unknown modes	\$	\$	\$	\$	\$	\$	106
SCTG 24, PLASTICS AND RUBBER							
Total	6 756	100.0	3 147	100.0	1 217	100.0	230
Single modes	6 418	95.0	3 080	97.9	1 148	94.4	172
Truck ³	5 968	88.3	2 490	79.1	846	69.5	169
For-hire truck	3 974	58.8	1 772	56.3	742	61.0	464
Private truck	\$	\$	\$	\$	104	8.5	\$
Rail	\$	\$	\$	\$	\$	\$	478
Water	—	—	—	—	—	—	—
Shallow draft	—	—	—	—	—	—	—
Great Lakes	—	—	—	—	—	—	—
Deep draft	—	—	—	—	—	—	—
Air (includes truck and air)	\$	\$	\$	\$	\$	\$	953
Pipeline ⁴	—	—	—	—	\$	\$	\$
Multiple modes	318	4.7	34	1.1	48	4.0	636
Parcel, U.S. Postal Service or courier	240	3.5	\$	\$	5	.4	633
Truck and rail	78	1.1	23	.7	41	3.4	1 838
Truck and water	\$	\$	\$	\$	\$	\$	927
Rail and water	—	—	—	—	—	—	—
Other multiple modes	—	—	—	—	—	—	—
Other and unknown modes	\$	\$	\$	\$	\$	\$	\$

See footnotes at end of table.

Table 6. Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for State of Origin: 2002—Con.

[Estimates are based on data from the 2002 Commodity Flow Survey. Because of rounding, estimates may not be additive]

SCTG code, description, and mode of transportation	Value		Tons		Ton-miles ¹		Average miles per shipment
	2002 (million dollars)	Percent	2002 (thousands)	Percent	2002 (millions)	Percent	
SCTG 25, LOGS AND OTHER WOOD IN THE ROUGH							
Total	\$	\$	\$	\$	\$	\$	53
Single modes	\$	\$	\$	\$	\$	\$	53
Truck ³	\$	\$	\$	\$	\$	\$	37
For-hire truck	\$	\$	\$	\$	\$	\$	49
Private truck	\$	\$	\$	\$	\$	\$	\$
Rail	\$	\$	\$	\$	\$	\$	1 004
Water	—	—	—	—	—	—	—
Shallow draft	—	—	—	—	—	—	—
Great Lakes	—	—	—	—	—	—	—
Deep draft	—	—	—	—	—	—	—
Air (includes truck and air)	—	—	—	—	—	—	—
Pipeline ⁴	—	—	—	—	\$	\$	\$
Multiple modes	—	—	—	—	—	—	—
Parcel, U.S. Postal Service or courier	—	—	—	—	—	—	—
Truck and rail	—	—	—	—	—	—	—
Truck and water	—	—	—	—	—	—	—
Rail and water	—	—	—	—	—	—	—
Other multiple modes	—	—	—	—	—	—	—
Other and unknown modes	—	—	—	—	—	—	—
SCTG 26, WOOD PRODUCTS							
Total	3 290	100.0	15 155	100.0	3 019	100.0	217
Single modes	3 187	96.9	15 136	99.9	3 015	99.8	207
Truck ³	2 885	87.7	14 106	93.1	2 103	69.6	196
For-hire truck	1 761	53.5	\$	\$	1 817	60.2	226
Private truck	1 125	34.2	2 002	13.2	286	9.5	177
Rail	\$	\$	\$	\$	\$	\$	881
Water	—	—	—	—	—	—	—
Shallow draft	—	—	—	—	—	—	—
Great Lakes	—	—	—	—	—	—	—
Deep draft	—	—	—	—	—	—	—
Air (includes truck and air)	\$	\$	\$	\$	\$	\$	1 183
Pipeline ⁴	—	—	—	—	\$	\$	\$
Multiple modes	\$	\$	\$	\$	\$	\$	\$
Parcel, U.S. Postal Service or courier	\$	\$	\$	\$	\$	\$	\$
Truck and rail	—	—	—	—	—	—	—
Truck and water	—	—	—	—	—	—	—
Rail and water	—	—	—	—	—	—	—
Other multiple modes	—	—	—	—	—	—	—
Other and unknown modes	\$	\$	\$	\$	\$	\$	235
SCTG 27, PULP, NEWSPRINT, PAPER, AND PAPERBOARD							
Total	4 324	100.0	7 181	100.0	4 809	100.0	298
Single modes	4 263	98.6	7 172	99.9	4 806	100.0	296
Truck ³	2 475	57.2	3 880	54.0	2 285	47.5	266
For-hire truck	2 139	49.5	3 558	49.5	2 072	43.1	631
Private truck	336	7.8	322	4.5	\$	\$	\$
Rail	1 787	41.3	3 292	45.8	2 521	52.4	822
Water	—	—	—	—	—	—	—
Shallow draft	—	—	—	—	—	—	—
Great Lakes	—	—	—	—	—	—	—
Deep draft	—	—	—	—	—	—	—
Air (includes truck and air)	\$	\$	\$	\$	\$	\$	1 347
Pipeline ⁴	—	—	—	—	\$	\$	\$
Multiple modes	\$	\$	\$	\$	\$	\$	390
Parcel, U.S. Postal Service or courier	\$	\$	\$	\$	\$	\$	390
Truck and rail	—	—	—	—	—	—	—
Truck and water	—	—	—	—	—	—	—
Rail and water	—	—	—	—	—	—	—
Other multiple modes	—	—	—	—	—	—	—
Other and unknown modes	\$	\$	\$	\$	\$	\$	132

See footnotes at end of table.

Table 6. Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for State of Origin: 2002—Con.

[Estimates are based on data from the 2002 Commodity Flow Survey. Because of rounding, estimates may not be additive]

SCTG code, description, and mode of transportation	Value		Tons		Ton-miles ¹		Average miles per shipment
	2002 (million dollars)	Percent	2002 (thousands)	Percent	2002 (millions)	Percent	
SCTG 28, PAPER OR PAPERBOARD ARTICLES							
Total	464	100.0	S	S	S	S	148
Single modes	459	99.0	S	S	S	S	144
Truck ³	459	99.0	S	S	S	S	144
For-hire truck	S	S	S	S	S	S	511
Private truck	S	S	S	S	S	S	69
Rail	—	—	—	—	—	—	—
Water	—	—	—	—	—	—	—
Shallow draft	—	—	—	—	—	—	—
Great Lakes	—	—	—	—	—	—	—
Deep draft	—	—	—	—	—	—	—
Air (includes truck and air)	—	—	—	—	—	—	—
Pipeline ⁴	—	—	—	—	S	S	S
Multiple modes	S	S	S	S	S	S	251
Parcel, U.S. Postal Service or courier	S	S	S	S	S	S	251
Truck and rail	—	—	—	—	—	—	—
Truck and water	—	—	—	—	—	—	—
Rail and water	—	—	—	—	—	—	—
Other multiple modes	—	—	—	—	—	—	—
Other and unknown modes	S	S	S	S	S	S	42
SCTG 29, PRINTED PRODUCTS							
Total	S	S	S	S	S	S	683
Single modes	S	S	S	S	S	S	456
Truck ³	S	S	S	S	S	S	384
For-hire truck	S	S	S	S	S	S	640
Private truck	S	S	S	S	S	S	304
Rail	—	—	—	—	—	—	—
Water	—	—	—	—	—	—	—
Shallow draft	—	—	—	—	—	—	—
Great Lakes	—	—	—	—	—	—	—
Deep draft	—	—	—	—	—	—	—
Air (includes truck and air)	S	S	S	S	S	S	971
Pipeline ⁴	—	—	—	—	S	S	S
Multiple modes	S	S	S	S	S	S	780
Parcel, U.S. Postal Service or courier	S	S	S	S	S	S	780
Truck and rail	—	—	—	—	—	—	—
Truck and water	—	—	—	—	—	—	—
Rail and water	—	—	—	—	—	—	—
Other multiple modes	—	—	—	—	—	—	—
Other and unknown modes	108	1.3	10	1.8	S	S	S
SCTG 30, TEXTILES, LEATHER, AND ARTICLES OF TEXTILES OR LEATHER							
Total	10 173	100.0	2 527	100.0	996	100.0	770
Single modes	9 748	95.8	2 492	98.6	979	98.3	689
Truck ³	9 747	95.8	2 492	98.6	978	98.3	681
For-hire truck	6 991	68.7	1 497	59.3	792	79.5	778
Private truck	2 756	27.1	994	39.4	187	18.7	541
Rail	—	—	—	—	—	—	—
Water	—	—	—	—	—	—	—
Shallow draft	—	—	—	—	—	—	—
Great Lakes	—	—	—	—	—	—	—
Deep draft	—	—	—	—	—	—	—
Air (includes truck and air)	1	—	S	S	S	S	2 456
Pipeline ⁴	—	—	—	—	S	S	S
Multiple modes	329	3.2	22	.9	15	1.5	887
Parcel, U.S. Postal Service or courier	315	3.1	14	.5	9	1.0	883
Truck and rail	S	S	S	S	S	S	688
Truck and water	S	S	S	S	S	S	1 458
Rail and water	—	—	—	—	—	—	—
Other multiple modes	—	—	—	—	—	—	—
Other and unknown modes	S	S	S	S	2	.2	236

See footnotes at end of table.

Table 6. Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for State of Origin: 2002—Con.

[Estimates are based on data from the 2002 Commodity Flow Survey. Because of rounding, estimates may not be additive]

SCTG code, description, and mode of transportation	Value		Tons		Ton-miles ¹		Average miles per shipment
	2002 (million dollars)	Percent	2002 (thousands)	Percent	2002 (millions)	Percent	
SCTG 31, NONMETALLIC MINERAL PRODUCTS							
Total	\$	\$	24 976	100.0	\$	\$	212
Single modes	\$	\$	23 293	93.3	\$	\$	216
Truck ³	\$	\$	11 764	47.1	\$	\$	186
For-hire truck	\$	\$	7 868	31.5	\$	\$	392
Private truck	529	9.3	\$	\$	\$	\$	155
Rail	\$	\$	\$	\$	\$	\$	983
Water	\$	\$	\$	\$	\$	\$	235
Shallow draft	\$	\$	\$	\$	\$	\$	235
Great Lakes	-	-	-	-	-	-	-
Deep draft	-	-	6	-	3	-	451
Air (includes truck and air)	\$	\$	\$	\$	\$	\$	1 065
Pipeline ⁴	-	-	-	-	\$	\$	\$
Multiple modes	\$	\$	\$	\$	\$	\$	519
Parcel, U.S. Postal Service or courier	\$	\$	\$	\$	\$	\$	513
Truck and rail	\$	\$	\$	\$	\$	\$	2 402
Truck and water	-	-	-	-	-	-	-
Rail and water	-	-	-	-	-	-	-
Other multiple modes	-	-	-	-	-	-	-
Other and unknown modes	\$	\$	\$	\$	\$	\$	\$
SCTG 32, BASE METAL IN PRIMARY OR SEMIFINISHED FORMS AND IN FINISHED BASIC SHAPES							
Total	6 895	100.0	12 107	100.0	6 030	100.0	324
Single modes	6 778	98.3	12 077	99.8	6 007	99.6	297
Truck ³	5 638	81.8	9 338	77.1	3 192	52.9	271
For-hire truck	4 660	67.6	7 588	62.7	2 717	45.1	405
Private truck	979	14.2	1 750	14.5	475	7.9	103
Rail	1 109	16.1	2 647	21.9	2 730	45.3	948
Water	\$	\$	\$	\$	\$	\$	903
Shallow draft	\$	\$	\$	\$	\$	\$	903
Great Lakes	-	-	-	-	-	-	-
Deep draft	-	-	-	-	-	-	-
Air (includes truck and air)	\$	\$	\$	\$	\$	\$	1 737
Pipeline ⁴	-	-	-	-	\$	\$	\$
Multiple modes	\$	\$	16	.1	\$	\$	505
Parcel, U.S. Postal Service or courier	\$	\$	7	-	3	-	502
Truck and rail	\$	\$	\$	\$	\$	\$	1 935
Truck and water	-	-	-	-	-	-	-
Rail and water	-	-	-	-	-	-	-
Other multiple modes	-	-	-	-	-	-	-
Other and unknown modes	12	.2	13	.1	2	-	114
SCTG 33, ARTICLES OF BASE METAL							
Total	4 938	100.0	2 745	100.0	1 216	100.0	370
Single modes	4 305	87.2	2 671	97.3	1 186	97.5	241
Truck ³	4 291	86.9	2 662	97.0	1 174	96.6	238
For-hire truck	2 731	55.3	1 880	68.5	967	79.6	498
Private truck	1 559	31.6	782	28.5	207	17.0	146
Rail	\$	\$	\$	\$	\$	\$	1 256
Water	-	-	-	-	-	-	-
Shallow draft	-	-	-	-	-	-	-
Great Lakes	-	-	-	-	-	-	-
Deep draft	-	-	-	-	-	-	-
Air (includes truck and air)	11	.2	-	-	\$	\$	1 483
Pipeline ⁴	-	-	-	-	\$	\$	\$
Multiple modes	\$	\$	20	.7	14	1.2	590
Parcel, U.S. Postal Service or courier	\$	\$	20	.7	14	1.2	591
Truck and rail	\$	\$	\$	\$	\$	\$	93
Truck and water	-	-	-	-	-	-	-
Rail and water	-	-	-	-	-	-	-
Other multiple modes	-	-	-	-	-	-	-
Other and unknown modes	63	1.3	54	2.0	16	1.3	\$

See footnotes at end of table.

Table 6. Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for State of Origin: 2002—Con.

[Estimates are based on data from the 2002 Commodity Flow Survey. Because of rounding, estimates may not be additive]

SCTG code, description, and mode of transportation	Value		Tons		Ton-miles ¹		Average miles per shipment
	2002 (million dollars)	Percent	2002 (thousands)	Percent	2002 (millions)	Percent	
SCTG 34, MACHINERY							
Total	3 861	100.0	503	100.0	229	100.0	236
Single modes	2 949	76.4	392	77.9	182	79.7	S
Truck ³	2 647	68.6	316	62.7	102	44.4	S
For-hire truck	1 801	46.6	240	47.7	93	40.9	412
Private truck	846	21.9	76	15.0	8	3.6	27
Rail	263	6.8	76	15.1	80	35.0	1 055
Water	—	—	—	—	—	—	—
Shallow draft	—	—	—	—	—	—	—
Great Lakes	—	—	—	—	—	—	—
Deep draft	—	—	—	—	—	—	—
Air (includes truck and air)	S	S	S	S	S	S	1 108
Pipeline ⁴	—	—	—	—	S	S	S
Multiple modes	370	9.6	15	2.9	12	5.3	S
Parcel, U.S. Postal Service or courier	362	9.4	S	S	4	1.7	S
Truck and rail	S	S	S	S	S	S	2 782
Truck and water	—	—	—	—	—	—	—
Rail and water	—	—	—	—	—	—	—
Other multiple modes	—	—	—	—	—	—	—
Other and unknown modes	541	14.0	S	S	34	14.9	185
SCTG 35, ELECTRONIC AND OTHER ELECTRICAL EQUIPMENT AND COMPONENTS AND OFFICE EQUIPMENT							
Total	6 071	100.0	858	100.0	446	100.0	556
Single modes	4 532	74.7	765	89.2	377	84.6	325
Truck ³	3 643	60.0	743	86.6	345	77.5	S
For-hire truck	3 109	51.2	561	65.4	321	72.1	532
Private truck	S	S	S	S	S	S	S
Rail	S	S	S	S	S	S	82
Water	—	—	—	—	—	—	—
Shallow draft	—	—	—	—	—	—	—
Great Lakes	—	—	—	—	—	—	—
Deep draft	—	—	—	—	—	—	—
Air (includes truck and air)	S	S	S	S	S	S	1 503
Pipeline ⁴	—	—	—	—	S	S	S
Multiple modes	1 300	21.4	26	3.1	23	5.2	755
Parcel, U.S. Postal Service or courier	1 293	21.3	23	2.6	16	3.7	755
Truck and rail	S	S	S	S	S	S	1 953
Truck and water	—	—	—	—	—	—	—
Rail and water	—	—	—	—	—	—	—
Other multiple modes	—	—	—	—	—	—	—
Other and unknown modes	239	3.9	S	S	S	S	S
SCTG 36, MOTORIZED AND OTHER VEHICLES (INCLUDING PARTS)							
Total	10 147	100.0	1 620	100.0	763	100.0	103
Single modes	7 937	78.2	1 128	69.6	684	89.7	S
Truck ³	4 958	48.9	912	56.3	457	60.0	S
For-hire truck	2 158	21.3	272	16.8	230	30.1	687
Private truck	2 800	27.6	640	39.5	227	29.8	S
Rail	2 978	29.4	216	13.3	227	29.7	980
Water	—	—	—	—	—	—	—
Shallow draft	—	—	—	—	—	—	—
Great Lakes	—	—	—	—	—	—	—
Deep draft	—	—	—	—	—	—	—
Air (includes truck and air)	S	S	S	S	S	S	949
Pipeline ⁴	—	—	—	—	S	S	S
Multiple modes	S	S	S	S	S	S	239
Parcel, U.S. Postal Service or courier	S	S	S	S	S	S	239
Truck and rail	—	—	—	—	—	—	—
Truck and water	—	—	—	—	—	—	—
Rail and water	—	—	—	—	—	—	—
Other multiple modes	—	—	—	—	—	—	—
Other and unknown modes	S	S	S	S	S	S	S

See footnotes at end of table.

Table 6. Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for State of Origin: 2002—Con.

[Estimates are based on data from the 2002 Commodity Flow Survey. Because of rounding, estimates may not be additive]

SCTG code, description, and mode of transportation	Value		Tons		Ton-miles ¹		Average miles per shipment
	2002 (million dollars)	Percent	2002 (thousands)	Percent	2002 (millions)	Percent	
SCTG 37, TRANSPORTATION EQUIPMENT, N.E.C.							
Total	S	S	38	100.0	26	100.0	1 545
Single modes	S	S	37	96.5	23	89.6	1 373
Truck ³	S	S	37	95.9	23	88.6	1 157
For-hire truck	S	S	36	95.1	23	88.0	1 237
Private truck	S	S	S	S	S	S	538
Rail	-	-	-	-	-	-	-
Water	-	-	-	-	-	-	-
Shallow draft	-	-	-	-	-	-	-
Great Lakes	-	-	-	-	-	-	-
Deep draft	-	-	-	-	-	-	-
Air (includes truck and air)	S	S	S	S	S	S	1 986
Pipeline ⁴	-	-	-	-	S	S	S
Multiple modes	S	S	S	S	S	S	1 657
Parcel, U.S. Postal Service or courier	S	S	S	S	S	S	1 657
Truck and rail	-	-	-	-	-	-	-
Truck and water	-	-	-	-	-	-	-
Rail and water	-	-	-	-	-	-	-
Other multiple modes	-	-	-	-	-	-	-
Other and unknown modes	-	-	-	-	-	-	-
SCTG 38, PRECISION INSTRUMENTS AND APPARATUS							
Total	1 575	100.0	130	100.0	S	S	333
Single modes	1 310	83.2	125	95.9	S	S	S
Truck ³	1 301	82.6	125	95.9	S	S	S
For-hire truck	1 066	67.7	S	S	S	S	745
Private truck	S	S	S	S	4	12.2	S
Rail	-	-	-	-	-	-	-
Water	-	-	-	-	-	-	-
Shallow draft	-	-	-	-	-	-	-
Great Lakes	-	-	-	-	-	-	-
Deep draft	-	-	-	-	-	-	-
Air (includes truck and air)	S	S	S	S	S	S	1 192
Pipeline ⁴	-	-	-	-	S	S	S
Multiple modes	S	S	4	3.4	3	8.7	736
Parcel, U.S. Postal Service or courier	S	S	4	3.4	3	8.7	736
Truck and rail	-	-	-	-	-	-	-
Truck and water	-	-	-	-	-	-	-
Rail and water	-	-	-	-	-	-	-
Other multiple modes	-	-	-	-	-	-	-
Other and unknown modes	S	S	S	S	S	S	S
SCTG 39, FURNITURE, MATTRESSES AND MATTRESS SUPPORTS, LAMPS, LIGHTING FITTINGS, AND ILLUMINATED SIGNS							
Total	2 228	100.0	593	100.0	358	100.0	1 029
Single modes	2 090	93.8	586	98.8	347	96.8	992
Truck ³	1 920	86.2	581	98.0	343	95.8	576
For-hire truck	677	30.4	178	30.0	136	37.9	709
Private truck	1 243	55.8	403	68.0	207	57.9	522
Rail	S	S	S	S	S	S	853
Water	-	-	-	-	-	-	-
Shallow draft	-	-	-	-	-	-	-
Great Lakes	-	-	-	-	-	-	-
Deep draft	-	-	-	-	-	-	-
Air (includes truck and air)	S	S	S	S	S	S	1 558
Pipeline ⁴	-	-	-	-	S	S	S
Multiple modes	S	S	S	S	S	S	1 126
Parcel, U.S. Postal Service or courier	S	S	S	S	S	S	1 126
Truck and rail	-	-	-	-	-	-	-
Truck and water	-	-	-	-	-	-	-
Rail and water	-	-	-	-	-	-	-
Other multiple modes	-	-	-	-	-	-	-
Other and unknown modes	S	S	S	S	S	S	1 354

See footnotes at end of table.

Table 6. **Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for State of Origin: 2002—Con.**

[Estimates are based on data from the 2002 Commodity Flow Survey. Because of rounding, estimates may not be additive]

SCTG code, description, and mode of transportation	Value		Tons		Ton-miles ¹		Average miles per shipment
	2002 (million dollars)	Percent	2002 (thousands)	Percent	2002 (millions)	Percent	
SCTG 40, MISCELLANEOUS MANUFACTURED PRODUCTS							
Total	4 113	100.0	S	S	613	100.0	686
Single modes	3 106	75.5	1 914	80.2	581	94.7	577
Truck ³	3 064	74.5	1 913	80.2	581	94.7	552
For-hire truck	2 535	61.6	1 768	74.1	534	87.1	690
Private truck	530	12.9	145	6.1	47	7.6	202
Rail	—	—	—	—	—	—	—
Water	—	—	—	—	—	—	—
Shallow draft	—	—	—	—	—	—	—
Great Lakes	—	—	—	—	—	—	—
Deep draft	—	—	—	—	—	—	—
Air (includes truck and air)	S	S	—	—	—	—	S
Pipeline ⁴	—	—	—	—	S	S	S
Multiple modes	695	16.9	24	1.0	16	2.7	732
Parcel, U.S. Postal Service or courier	695	16.9	24	1.0	16	2.7	732
Truck and rail	—	—	—	—	—	—	—
Truck and water	—	—	—	—	—	—	—
Rail and water	—	—	—	—	—	—	—
Other multiple modes	—	—	—	—	—	—	—
Other and unknown modes	S	S	S	S	S	S	726
SCTG 41, WASTE AND SCRAP							
Total	64	100.0	S	S	S	S	140
Single modes	63	98.8	S	S	S	S	135
Truck ³	63	98.8	S	S	S	S	135
For-hire truck	S	S	S	S	S	S	164
Private truck	S	S	S	S	S	S	93
Rail	—	—	—	—	—	—	—
Water	—	—	—	—	—	—	—
Shallow draft	—	—	—	—	—	—	—
Great Lakes	—	—	—	—	—	—	—
Deep draft	—	—	—	—	—	—	—
Air (includes truck and air)	—	—	—	—	—	—	—
Pipeline ⁴	—	—	—	—	S	S	S
Multiple modes	S	S	S	S	S	S	4 803
Parcel, U.S. Postal Service or courier	—	—	—	—	—	—	—
Truck and rail	—	—	—	—	—	—	—
Truck and water	S	S	S	S	S	S	4 803
Rail and water	—	—	—	—	—	—	—
Other multiple modes	—	—	—	—	—	—	—
Other and unknown modes	S	S	S	S	S	S	27
SCTG 43, MIXED FREIGHT							
Total	12 055	100.0	4 314	100.0	662	100.0	171
Single modes	11 715	97.2	4 272	99.0	653	98.6	95
Truck ³	11 712	97.2	4 272	99.0	652	98.4	88
For-hire truck	S	S	75	1.7	32	4.8	473
Private truck	10 447	86.7	4 194	97.2	620	93.6	80
Rail	—	—	—	—	—	—	—
Water	—	—	—	—	—	—	—
Shallow draft	—	—	—	—	—	—	—
Great Lakes	—	—	—	—	—	—	—
Deep draft	—	—	—	—	—	—	—
Air (includes truck and air)	3	—	S	S	S	S	1 538
Pipeline ⁴	—	—	—	—	S	S	S
Multiple modes	239	2.0	13	.3	6	.9	578
Parcel, U.S. Postal Service or courier	239	2.0	13	.3	6	.9	578
Truck and rail	—	—	—	—	—	—	—
Truck and water	—	—	—	—	—	—	—
Rail and water	—	—	—	—	—	—	—
Other multiple modes	—	—	—	—	—	—	—
Other and unknown modes	S	S	S	S	3	.5	S

See footnotes at end of table.

Table 6. Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for State of Origin: 2002—Con.

[Estimates are based on data from the 2002 Commodity Flow Survey. Because of rounding, estimates may not be additive]

SCTG code, description, and mode of transportation	Value		Tons		Ton-miles ¹		Average miles per shipment
	2002 (million dollars)	Percent	2002 (thousands)	Percent	2002 (millions)	Percent	
COMMODITY UNKNOWN							
Total	508	100.0	228	100.0	S	S	278
Single modes	483	95.1	228	99.9	S	S	S
Truck ³	455	89.6	141	61.8	S	S	S
For-hire truck	S	S	89	39.0	20	26.2	193
Private truck	S	S	52	22.8	S	S	S
Rail	S	S	S	S	S	S	148
Water	—	—	—	—	—	—	—
Shallow draft	—	—	—	—	—	—	—
Great Lakes	—	—	—	—	—	—	—
Deep draft	—	—	—	—	—	—	—
Air (includes truck and air)	—	—	—	—	—	—	—
Pipeline ⁴	—	—	—	—	S	S	S
Multiple modes	S	S	—	.1	—	.1	S
Parcel, U.S. Postal Service or courier	S	S	—	.1	—	.1	S
Truck and rail	—	—	—	—	—	—	—
Truck and water	—	—	—	—	—	—	—
Rail and water	—	—	—	—	—	—	—
Other multiple modes	—	—	—	—	—	—	—
Other and unknown modes	S	S	S	S	S	S	4

— Represents data cell equal to zero or less than 1 unit of measure.
S Estimate does not meet publication standards because of high sampling variability or poor response quality.

¹Ton-miles estimates are based on estimated distances traveled along a modeled transportation network. See "Mileage Calculations" section for additional information.

²Estimates exclude shipments of crude petroleum (SCTG 16).

³"Truck" as a single mode includes shipments that were made by only private truck, only for-hire truck, or a combination of private truck and for-hire truck.

⁴Estimates for pipeline exclude shipments of crude petroleum.

Note: Value-of-shipments estimates have not been adjusted for price changes. Appendix B tables provide estimated measures of sampling variability. The Introduction and appendixes give information on confidentiality protection, sampling error, nonsampling error, sample design, and definitions. Links to this information on the Internet may be found at www.census.gov/cfs.

Note: Coverage for the 2002 Commodity Flow Survey (CFS) differs from the previous surveys due to a change from the 1987 Standard Industrial Classification System to the 1997 North American Industry Classification System and other survey improvements. Therefore, data users are urged to use caution when comparing 2002 CFS estimates with estimates from prior years.

Table 7. Outbound Shipment Characteristics by State of Destination for State of Origin: 2002

[Estimates are based on data from the 2002 Commodity Flow Survey. Because of rounding, estimates may not be additive]

State of destination	Value		Tons		Ton-miles ¹	
	2002 (million dollars)	Percent	2002 (thousands)	Percent	2002 (millions)	Percent
Total	127 727	100.0	216 383	100.0	60 813	100.0
NEW ENGLAND STATES						
Connecticut	284	.2	S	S	270	.4
Maine	44	—	S	S	S	S
Massachusetts	856	.7	S	S	S	S
New Hampshire	98	—	45	—	57	—
Rhode Island	S	S	S	S	S	S
Vermont	S	S	S	S	S	S
MIDDLE ATLANTIC STATES						
New Jersey	1 023	.8	856	.4	806	1.3
New York	2 031	1.6	611	.3	671	1.1
Pennsylvania	1 533	1.2	960	.4	854	1.4
EAST NORTH CENTRAL STATES						
Illinois	2 483	1.9	1 730	.8	1 313	2.2
Indiana	2 463	1.9	1 689	.8	1 035	1.7
Michigan	2 403	1.9	1 112	.5	822	1.4
Ohio	2 702	2.1	2 219	1.0	1 522	2.5
Wisconsin	995	.8	1 269	.6	1 189	2.0
WEST NORTH CENTRAL STATES						
Iowa	S	S	282	.1	250	.4
Kansas	668	.5	506	.2	396	.7
Minnesota	889	.7	580	.3	641	1.1
Missouri	1 196	.9	947	.4	569	.9
Nebraska	272	.2	276	.1	274	.4
North Dakota	S	S	S	S	S	S
South Dakota	24	—	18	—	21	—
SOUTH ATLANTIC STATES						
Delaware	48	—	12	—	11	—
District of Columbia	S	S	S	S	S	S
Florida	7 268	5.7	11 715	5.4	4 657	7.7
Georgia	14 777	11.6	20 142	9.3	4 642	7.6
Maryland	1 011	.8	546	.3	476	.8
North Carolina	3 125	2.4	2 300	1.1	1 259	2.1
South Carolina	3 036	2.4	4 618	2.1	2 155	3.5
Virginia	1 346	1.1	792	.4	550	.9
West Virginia	129	.1	104	—	67	.1
EAST SOUTH CENTRAL STATES						
Alabama	40 388	31.6	122 747	56.7	7 500	12.3
Kentucky	1 795	1.4	1 659	.8	645	1.1
Mississippi	5 931	4.6	9 495	4.4	1 589	2.6
Tennessee	6 786	5.3	6 455	3.0	1 438	2.4
WEST SOUTH CENTRAL STATES						
Arkansas	1 204	.9	1 036	.5	489	.8
Louisiana	3 266	2.6	6 871	3.2	3 437	5.7
Oklahoma	S	S	497	.2	422	.7
Texas	6 663	5.2	7 229	3.3	6 406	10.5
MOUNTAIN STATES						
Arizona	362	.3	107	—	186	.3
Colorado	1 502	1.2	213	.1	293	.5
Idaho	S	S	S	S	S	S
Montana	S	S	S	S	S	S
Nevada	144	.1	S	S	S	S
New Mexico	89	—	66	—	102	.2
Utah	149	.1	184	—	341	.6
Wyoming	S	S	S	S	S	S
PACIFIC STATES						
Alaska	S	S	S	S	S	S
California	4 306	3.4	2 601	1.2	6 326	10.4
Hawaii	31	—	S	S	S	S
Oregon	360	.3	S	S	S	S
Washington	551	.4	209	.1	570	.9

— Represents data cell equal to zero or less than 1 unit of measure.
S Estimate does not meet publication standards because of high sampling variability or poor response quality.

¹Ton-miles estimates are based on estimated distances traveled along a modeled transportation network. See "Mileage Calculations" section for additional information.

Note: Value-of-shippments estimates have not been adjusted for price changes. Appendix B tables provide estimated measures of sampling variability. The Introduction and appendixes give information on confidentiality protection, sampling error, nonsampling error, sample design, and definitions. Links to this information on the Internet may be found at www.census.gov/cfs.

Note: Coverage for the 2002 Commodity Flow Survey (CFS) differs from the previous surveys due to a change from the 1987 Standard Industrial Classification System to the 1997 North American Industry Classification System and other survey improvements. Therefore, data users are urged to use caution when comparing 2002 CFS estimates with estimates from prior years.

Table 8. Inbound Shipment Characteristics by State of Origin for State of Destination: 2002

[Estimates are based on data from the 2002 Commodity Flow Survey. Because of rounding, estimates may not be additive]

State of origin	Value		Tons		Ton-miles ¹	
	2002 (million dollars)	Percent	2002 (thousands)	Percent	2002 (millions)	Percent
Total	124 308	100.0	225 432	100.0	73 913	100.0
NEW ENGLAND STATES						
Connecticut	358	.3	43	—	49	—
Maine	213	.2	S	S	S	S
Massachusetts	S	S	158	—	188	.3
New Hampshire	235	.2	12	—	16	—
Rhode Island	70	—	10	—	12	—
Vermont	58	—	S	S	S	S
MIDDLE ATLANTIC STATES						
New Jersey	1 231	1.0	177	—	169	.2
New York	1 378	1.1	471	.2	500	.7
Pennsylvania	1 843	1.5	717	.3	603	.8
EAST NORTH CENTRAL STATES						
Illinois	3 543	2.8	2 714	1.2	1 696	2.3
Indiana	2 094	1.7	3 989	1.8	2 799	3.8
Michigan	2 759	2.2	942	.4	692	.9
Ohio	3 286	2.6	1 593	.7	1 038	1.4
Wisconsin	999	.8	831	.4	843	1.1
WEST NORTH CENTRAL STATES						
Iowa	940	.8	950	.4	985	1.3
Kansas	533	.4	226	.1	200	.3
Minnesota	884	.7	4 160	1.8	4 899	6.6
Missouri	1 503	1.2	S	S	S	S
Nebraska	869	.7	S	S	S	S
North Dakota	S	S	S	S	S	S
South Dakota	59	—	16	—	20	—
SOUTH ATLANTIC STATES						
Delaware	109	—	56	—	52	—
District of Columbia	S	S	S	S	S	S
Florida	4 299	3.5	3 087	1.4	1 336	1.8
Georgia	10 673	8.6	10 348	4.6	2 508	3.4
Maryland	529	.4	178	—	145	.2
North Carolina	3 606	2.9	1 258	.6	632	.9
South Carolina	2 244	1.8	2 231	1.0	959	1.3
Virginia	1 468	1.2	1 201	.5	677	.9
West Virginia	275	.2	351	.2	232	.3
EAST SOUTH CENTRAL STATES						
Alabama	40 388	32.5	122 747	54.4	7 500	10.1
Kentucky	2 468	2.0	S	S	S	S
Mississippi	5 206	4.2	7 410	3.3	1 429	1.9
Tennessee	9 723	7.8	S	S	S	S
WEST SOUTH CENTRAL STATES						
Arkansas	1 582	1.3	1 414	.6	621	.8
Louisiana	3 802	3.1	3 058	1.4	1 337	1.8
Oklahoma	559	.4	733	.3	588	.8
Texas	6 398	5.1	3 650	1.6	2 587	3.5
MOUNTAIN STATES						
Arizona	S	S	S	S	S	S
Colorado	552	.4	4 023	1.8	6 316	8.5
Idaho	49	—	S	S	S	S
Montana	S	S	S	S	S	S
Nevada	103	—	S	S	S	S
New Mexico	42	—	S	S	S	S
Utah	167	.1	S	S	S	S
Wyoming	100	—	11 760	5.2	18 345	24.8
PACIFIC STATES						
Alaska	S	S	S	S	S	S
California	3 328	2.7	1 187	.5	2 707	3.7
Hawaii	S	S	S	S	S	S
Oregon	237	.2	118	—	318	.4
Washington	281	.2	101	—	278	.4

— Represents data cell equal to zero or less than 1 unit of measure.
S Estimate does not meet publication standards because of high sampling variability or poor response quality.

¹Ton-miles estimates are based on estimated distances traveled along a modeled transportation network. See "Mileage Calculations" section for additional information.

Note: Value-of-shippments estimates have not been adjusted for price changes. Appendix B tables provide estimated measures of sampling variability. The Introduction and appendixes give information on confidentially protection, sampling error, nonsampling error, sample design, and definitions. Links to this information on the Internet may be found at www.census.gov/cfs.

Note: Coverage for the 2002 Commodity Flow Survey (CFS) differs from the previous surveys due to a change from the 1987 Standard Industrial Classification System to the 1997 North American Industry Classification System and other survey improvements. Therefore, data users are urged to use caution when comparing 2002 CFS estimates with estimates from prior years.

Discussion of Survey Changes and Comparing Estimates

The following tables provide comparisons of the 2002 and 1997 Commodity Flow Survey (CFS) estimates.

Data users are urged to use caution in comparing estimates from different survey years due to the changes that have occurred in sample design, industry coverage, methodology, commodity classification coding systems, geography, and sample sizes. Appendix A presents change in these areas by survey year.

INDUSTRY COVERAGE CHANGES

Changes to the 2002 CFS include moving the industry coverage from a Standard Industrial Classification (SIC) based definition in the 1997 CFS to a North American Industry Classification System (NAICS) based definition for the 2002 survey. For the 2002 CFS, this meant that selected industries previously covered in the 1997 CFS using the SIC definitions, were now out-of-scope to the 2002 CFS industry coverage based on the NAICS definitions. The major industries not covered by the 2002 CFS that were included in the 1997 CFS are Logging (NAICS 11331); Newspaper Periodical, Book, and Database Publishers (NAICS 5111); and Music Publishers (NAICS 51223).

To make the 1997 CFS estimates comparable with the 2002 CFS, the 1997 CFS estimates have been revised by removing shipments from establishments in the following industries:

- SIC 2411 Logging
- SIC 2711 Newspapers: Publishing, or Publishing and Printing
- SIC 2721 Periodicals: Publishing, or Publishing and Printing
- SIC 2731 Books: Publishing, or Publishing and Printing
- SIC 2741 Miscellaneous Publishing
- SIC 2771 Greeting Cards

We were not able to adjust the 1997 CFS estimates to account the NAICS coverage changes when only part of a SIC moved out-of-scope. For example, a wholesale industry in-scope to the 1997 CFS—SIC 5171 (Petroleum Bulk Stations and Terminals)—included Heating Oil Sold Via Retail Method, which is now classified as Retail (NAICS 454311) and is out-of-scope of the 2002 CFS. The majority of the industry remains in-scope to the 2002 CFS industry coverage, therefore we made no adjustment to the 1997 CFS estimates.

No adjustments have been made to the 1993 CFS estimates.

Detailed information about NAICS can be found at www.census.gov/epcd/www/naics.html.

AUXILIARY ESTABLISHMENT COVERAGE CHANGES

The 2002 CFS improved the coverage of auxiliary establishments. Auxiliary establishments are defined as warehouses and managing offices of multiestablishment companies, which have non-auxiliary establishments that are in-scope to CFS or are classified in retail trade. For the 1997 CFS sampling, managing offices had to have sales or inventory levels of greater than zero in order to be considered for selection. However, research conducted prior to the 2002 CFS showed that not all managing offices with shipping activity in the 1997 CFS indicated sales or inventories in the 1997 Economic Census. Therefore, to provide a more comprehensive coverage of auxiliaries, for the 2002 CFS managing offices were subjected to sampling, regardless of sales or inventories.

COMPARISON DATA AND STATISTICAL VALIDITY

Changes from the 1997 to 2002 CFS include a decrease in sample size, from approximately 100,000 establishments for the 1997 CFS to about 50,000 establishments for the 2002 survey.

One consequence of the decreased sample size was a substantial increase in the sampling variability for estimates of period-to-period change produced at full detail levels for mode and commodity. Because of the increased variability in many of these categories, one cannot conclude with a high degree of confidence that changes were significant. For a more detailed discussion of sampling variability, see Appendix B. We have provided period-to-period comparisons at the following, higher levels of aggregation for mode of transportation and commodity since the impact of increased sampling variability is less at those levels. For consistency, these aggregation levels are also now used in our Metropolitan Area and Export tables, where appropriate.

Table 9. Shipment Characteristics by Mode of Transportation for State of Origin: 2002 and 1997

[Estimates are based on data from the 2002 and 1997 Commodity Flow Surveys. Because of rounding, estimates may not be additive]

Mode of transportation	Value			Tons			Ton-miles ¹			Average miles per shipment		
	2002 (million dollars)	1997 (million dollars)	Percent change	2002 (thousands)	1997 (thousands)	Percent change	2002 (millions)	1997 (millions)	Percent change	2002	1997	Percent change
Total	127 727	99 847	27.9	216 383	209 353	3.4	60 813	44 206	37.6	389	309	25.9
Single modes	114 779	89 956	27.6	206 455	201 457	2.5	60 157	42 148	42.7	186	170	9.4
Truck ²	101 595	79 788	27.3	152 285	158 593	-4.0	30 505	23 645	29.0	161	158	1.9
Rail	11 530	7 398	55.8	49 082	33 142	48.1	27 321	16 365	66.9	714	761	-6.2
Water	S	678	S	S	8 704	S	S	2 111	S	S	256	S
Air (includes truck and air)	1 246	1 973	-36.9	S	24	S	S	21	S	1 453	996	45.8
Pipeline ³	S	119	S	S	S	S	S	S	S	S	S	S
Multiple modes	9 056	6 024	50.3	573	S	S	329	594	-44.7	732	584	25.5
Parcel, U.S. Postal Service or courier ..	8 877	5 586	58.9	229	203	12.8	131	116	13.1	732	583	25.5
Truck and rail	146	436	-66.6	56	S	S	100	469	-78.7	1 234	1 217	1.4
All other multiple modes	S	S	S	S	S	S	S	10	S	2 302	1 554	48.1
Other and unknown modes ...	3 892	3 867	.6	9 354	6 383	46.5	327	1 463	-77.7	S	89	S

- Represents data cell equal to zero or less than 1 unit of measure.
S Estimate does not meet publication standards because of high sampling variability or poor response quality.

¹Ton-miles estimates are based on estimated distances traveled along a modeled transportation network. See "Mileage Calculations" section for additional information.
²Truck² as a single mode includes shipments that were made by only private truck, only for-hire truck, or a combination of private truck and for-hire truck.

³Estimates for pipeline exclude shipments of crude petroleum.

Note: Value-of-shipments estimates have not been adjusted for price changes. Appendix B tables provide estimated measures of sampling variability. The Introduction and appendixes give information on confidentiality protection, sampling error, nonsampling error, sample design, and definitions. Links to this information on the Internet may be found at www.census.gov/cfs.

Note: Coverage for the 2002 Commodity Flow Survey (CFS) differs from the previous surveys due to a change from the 1987 Standard Industrial Classification System to the 1997 North American Industry Classification System and other survey improvements. Therefore, data users are urged to use caution when comparing 2002 CFS estimates with estimates from prior years.

Table 10. Shipment Characteristics by Commodity Group for State of Origin: 2002 and 1997

[Estimates are based on data from the 2002 and 1997 Commodity Flow Surveys. Because of rounding, estimates may not be additive]

SCTG code	Commodity description	Value			Tons			Ton-miles ¹			Average miles per shipment		
		2002 (million dollars)	1997 (million dollars)	Percent change	2002 (thousands)	1997 (thousands)	Percent change	2002 (millions)	1997 (millions)	Percent change	2002	1997	Percent change
	Total²	127 727	99 847	27.9	216 383	209 353	3.4	60 813	44 206	37.6	389	309	25.9
01-05	Agricultural products and fish	5 644	5 836	-3.3	13 395	14 228	-5.9	4 260	2 078	105.0	S	90	S
06-09	Grains, alcohol, and tobacco products	10 446	4 914	112.6	11 971	5 328	124.7	2 030	992	104.7	S	118	S
10-14	Stones, nonmetallic minerals, and metallic ores	394	S	S	48 721	53 136	-8.3	5 327	4 113	29.5	61	61	1.0
15-19	Coal and petroleum products	6 612	6 231	6.1	43 783	51 928	-15.7	4 666	6 668	-30.0	42	44	-5.2
20-24	Basic chemicals, chemical, and pharmaceutical products	18 969	12 297	54.3	19 585	12 732	53.8	11 421	5 687	100.8	680	365	86.2
25-30	Logs, wood products, and textile and leather	26 493	20 878	26.9	27 056	29 364	-7.9	9 218	10 717	-14.0	496	501	-1.1
31-34	Base metal and machinery ..	21 377	19 228	11.2	40 331	32 787	23.0	20 724	10 854	90.9	283	216	31.1
35-38	Electronic, motorized vehicles, and precision instruments	18 826	16 699	12.7	2 646	1 906	38.8	1 270	1 077	17.9	234	408	-42.7
39-43	Furniture, mixed freight and misc. manufactured prod. ..	18 459	12 348	49.5	8 666	7 599	14.0	1 819	1 894	-4.0	462	349	32.4
--	Commodity unknown	508	S	S	228	S	S	S	S	S	278	130	113.7

- Represents data cell equal to zero or less than 1 unit of measure.
S Estimate does not meet publication standards because of high sampling variability or poor response quality.

¹Ton-miles estimates are based on estimated distances traveled along a modeled transportation network. See "Mileage Calculations" section for additional information.
²Estimates exclude shipments of crude petroleum (SCTG 16).

Note: Value-of-shipments estimates have not been adjusted for price changes. Appendix B tables provide estimated measures of sampling variability. The Introduction and appendixes give information on confidentiality protection, sampling error, nonsampling error, sample design, and definitions. Links to this information on the Internet may be found at www.census.gov/cfs.

Note: Coverage for the 2002 Commodity Flow Survey (CFS) differs from the previous surveys due to a change from the 1987 Standard Industrial Classification System to the 1997 North American Industry Classification System and other survey improvements. Therefore, data users are urged to use caution when comparing 2002 CFS estimates with estimates from prior years.

Appendix A.

Comparability With the 1993 and 1997 Commodity Flow Surveys

The following tables show a comparison of the key characteristics among the 1993, 1997, and 2002 Commodity Flow Surveys.

Industry Coverage

1993	1997	2002
Based on 1987 SIC	Based on 1987 SIC	Based on 1997 NAICS ¹
Manufacturing (excluding Printing Trade Services (SIC 279))	Manufacturing (excluding Printing Trade Services (SIC 279))	Manufacturing (excluding Prepress Services (NAICS 323122))
Mining (except mining services (SICs 108, 124, 138, 148) and oil and gas extraction (SICs 131 and 132))	Mining (except mining services (SICs 108, 124, 138, 148) and oil and gas extraction (SICs 131 and 132))	Mining (except support activities (NAICS 213) and oil and gas extraction (NAICS 211))
Wholesale (merchants and manufacturers' sales branches and government-owned liquor stores)	Wholesale (merchants and manufacturers' sales branches and government-owned liquor stores)	Wholesale (merchants and manufacturers' sales branches and government-owned liquor stores)
Retail catalog and mail order houses	Retail catalog and mail order houses	Retail electronic shopping and mail order houses
Auxiliaries (e.g., warehouses)	Auxiliaries (e.g., warehouses)	Auxiliaries ² (e.g., warehouses)

¹Because of changes in the classification of establishments between SIC and NAICS, establishments classified in the following industries were covered in the 1993 and 1997 surveys, but not in the 2002 survey: NAICS 11331, Logging; NAICS 5111, Newspaper, Periodical, Book, and Database Publishers; and NAICS 51223, Music Publishers. Detailed information about NAICS can be found on the Census Bureau Web site at: <http://www.census.gov/epcd/www/naics.html>.

²Coverage of auxiliaries has been expanded for the 2002 CFS. In comparison, for the 1997 CFS, the number of in-scope managing offices was reduced to a large extent based on the results of the 1992 Economic Census. For the 1997 CFS, a managing office was considered in-scope only if it had sales or end-of-year inventories in the 1992 Census. Research conducted prior to the 2002 CFS showed that not all managing offices with shipping activity in the 1997 CFS indicated sales or inventories in the 1997 Economic Census. Therefore, the 1997 Economic Census results were not used to determine scope for managing offices in the 2002 CFS. For the 2002 survey, the inclusion of an increased number of auxiliaries (intermediary distribution centers) which support the operations of retail stores (most of which are, themselves out-of-scope) has more of an impact on the estimates of value and tonnage and less on ton-miles.

Commodity Classification System

1993	1997	2002
Standard Transportation Commodity Classification (STCC), developed by the Association of American Railroads (AAR)	Standard Classification of Transported Goods (SCTG)	Standard Classification of Transported Goods (SCTG)

Sample Size

1993	1997	2002
Approximately 200,000 establishments selected from a universe of about 790,000 in-scope establishments.	Approximately 100,000 establishments selected from a universe of about 770,000 in-scope establishments.	Approximately 50,000 establishments selected from a universe of about 760,000 in-scope establishments.

Survey Methodology

1993	1997	2002
Respondents reported for a sample of their individual outbound shipments for a 2-week period during each of the four calendar quarters of the reference year.	Respondents reported for a sample of their individual outbound shipments for a 1-week period during each of the four calendar quarters of the reference year.	Respondents reported for a sample of their individual outbound shipments for a 1-week period during each of the four calendar quarters of the reference year.
Respondents reported key characteristics for each sampled shipment	Respondents reported key characteristics for each sampled shipment.	Respondents reported key characteristics for each sampled shipment.

Reported Mode of Transportation

1993	1997	2002
For-hire truck	For-hire truck	For-hire truck
Private truck	Private truck	Private truck
Rail	Rail	Rail
Air	Air	Air
Inland Water	Shallow draft vessel	Shallow draft vessel
Deep Sea Water	Deep draft vessel	Deep draft vessel
Pipeline	Pipeline	Pipeline
Parcel, U.S. Postal Service, or courier	Parcel, U.S. Postal Service, or courier	Parcel, U.S. Postal Service, or courier
Other	Other	Other
Unknown	Unknown	Unknown

Data Items Requested

1993	1997	2002
For each shipment:	For each shipment:	For each shipment:
Total value	Total value	Total value
Total weight	Total weight	Total weight
Commodity that contributes the most to the shipment's weight (STCC)	Commodity that contributes the most to the shipment's weight (SCTG)	Commodity that contributes the most to the shipment's weight (SCTG)
All known modes of transportation	All known modes of transportation	All known modes of transportation
Single origin (assumed to be the mailing address unless the respondent provided a different physical location address)	Single origin (assumed to be the mailing address unless the respondent provided a different physical location address)	Single origin (assumed to be the mailing address unless the respondent provided a different physical location address)
Destination	Destination	Destination
Containerized (Y/N)	Containerized (Y/N)	
Hazardous material (Y/N)	Hazardous material (UN/NA) code	Hazardous material (UN/NA) code
Export (Y/N)	Export (Y/N)	Export (Y/N)
If export: mode of export, foreign city and country of destination; U.S. port, airport, or border crossing of exit.	If export: mode of export, foreign city and country of destination; U.S. port, airport, or border crossing of exit.	If export: mode of export, foreign city and country of destination; U.S. port, airport, or border crossing of exit.

Appendix B.

Reliability of the Estimates

The estimates in this publication may differ from the actual, unknown population values. Statisticians define this difference as the total error of the estimate. When describing the accuracy of survey results, it is convenient to discuss total error as the sum of sampling error and nonsampling error. Sampling error is the average difference between the estimate and the result that would be obtained from a complete enumeration of the sampling frame conducted under the same survey conditions. Nonsampling error encompasses all other factors that contribute to the total error of a sample survey estimate.

The sampling error of the estimates in this publication can be estimated from the selected sample because the sample was selected using probability sampling. Common measures related to sampling error are the sampling variance, the standard error, and the coefficient of variation (CV). The sampling variance is the squared difference, averaged over all possible samples of the same size and design, between the estimator and its average value. The standard error is the square root of the sampling variance. The CV expresses the standard error as a percentage of the estimate to which it refers. This publication presents these measures in Appendix B.

Nonsampling errors are difficult to measure and can be introduced through inadequacies in the questionnaire, nonresponse, inaccurate reporting by respondents, errors in the application of survey procedures, incorrect recording of answers, and errors in data entry and processing. No measures of nonsampling error are presented in this publication, however, every effort is made to minimize their effect on the estimates. Data users should take into account both the measures of sampling error and the potential effects of nonsampling error when using these estimates.

More detailed descriptions of sampling and nonsampling errors for the 2002 CFS are provided in the following sections.

Sampling Error

Because the estimates are based on a sample, exact agreement with results that would be obtained from a complete enumeration of all shipments made in 2002 from all establishments included on the sampling frame using the same enumeration procedures is not expected. However, because probability sampling was used at each stage of selection, it is possible to estimate the sampling variability of the survey estimates. For CFS estimates, sampling variability arises from each of the three stages of sampling. (See Appendix C for a description of the sample design.)

The particular sample used in this survey is one of a large number of samples of the same size that could have been selected using the same design. If all possible samples had been surveyed under the same conditions, an estimate of a population parameter of interest could have been obtained from each sample. These samples give rise to a distribution of estimates for the population parameter. A statistical measure of the variability among these estimates is the standard error, which can be approximated from any one sample. The *standard error* is defined as the square root of the variance. The *coefficient of variation* (or relative standard error) of an estimator is the standard error of the estimator divided by the estimator. Note that measures of sampling variability, such as the standard error and coefficient of variation, are estimated from the sample and are also subject to sampling variability. (Technically, we should refer to the *estimated* standard error or the *estimated* coefficient of variation of an estimator. However, for the sake of brevity, we have omitted this detail.) It is important to note that the standard error only measures sampling variability. It does not measure systematic biases of the sample. The Census Bureau recommends that individuals using estimates contained in this report incorporate this information into their analyses, as sampling error could affect the conclusions drawn from these estimates.

An estimate from a particular sample and the standard error associated with the estimate can be used to construct a confidence interval. A *confidence interval* is a range about a given estimator that has a specified probability of containing the result of a complete enumeration of the sampling frame conducted under the same survey conditions. Associated with each interval is a percentage of confidence, which is interpreted as follows. If, for each possible sample, an estimate of a population parameter and its approximate standard error were obtained, then:

1. For approximately 90 percent of the possible samples, the interval from 1.645 standard errors below to 1.645 standard errors above the estimate would include the result as obtained from a complete enumeration of the sampling frame conducted under the same survey conditions.
2. For approximately 95 percent of the possible samples, the interval from 1.96 standard errors below to 1.96 standard errors above the estimate would include the result as obtained from a complete enumeration of the sampling frame conducted under the same survey conditions.

To illustrate the computation of a confidence interval for an estimate of total value of shipments, assume that an estimate of total value is \$10,750 million and the coefficient of variation for this estimate is 1.8 percent, or 0.018. First obtain the standard error of the estimate by multiplying the value of shipments estimate by its coefficient of variation. For this example, multiply \$10,750 million by 0.018. This yields a standard error of \$193.5 million. The upper and lower bounds of the 90-percent confidence interval are computed as \$10,750 million plus or minus 1.645 times \$193.5 million. Consequently, the 90-percent confidence interval is \$10,432 million to \$11,068 million. If corresponding confidence intervals were constructed for all possible samples of the same size and design, approximately 9 out of 10 (90 percent) of these intervals would contain the result obtained from a complete enumeration.

Nonsampling Error

Nonsampling error encompasses all other factors that contribute to the total error of a sample survey estimate and may also occur in censuses. It is often helpful to think of nonsampling error as arising from deficiencies or mistakes in the survey process. In the CFS, nonsampling error can be attributed to many sources: inability to obtain information about all units in the sample; response errors; differences in the interpretation of the questions; mistakes in coding or keying the data obtained; and other errors of collection, response, coverage, and processing. Although no direct measurement of the potential biases due to nonsampling error has been obtained, precautionary steps were taken in all phases of the collection, processing, and tabulation of the data in an effort to minimize their influence. The Census Bureau recommends that individuals using estimates in this report incorporate this information into their analyses, as nonsampling error could affect the conclusions drawn from these estimates.

A potential source of bias in the estimates is nonresponse. Nonresponse is defined as the inability to obtain all the intended measurements or responses from all units in the sample. Four levels of nonresponse can occur in the CFS: item, shipment, quarter (reporting week), and establishment. Item nonresponse occurs either when a question is unanswered or the response to the question fails computer or analyst edits. Nonresponse to the shipment value or weight items is corrected by imputation, which is the procedure by which a missing value is replaced by a predicted value obtained from an appropriate model. (See Appendix C for a description of the imputation procedure.) Shipment, quarter, and establishment nonresponse are used to describe the inability to obtain any of the substantive measurements about a sampled shipment, quarter, or establishment, respectively. Shipment and quarter nonresponse are corrected by reweighting. Reweighting allocates characteristics to the nonrespondents in proportion to the characteristics observed for the respondents. The amount of bias introduced by this nonresponse adjustment procedure depends on the extent to which the nonrespondents differ, characteristically, from the respondents. Establishment nonresponse is corrected during the estimation procedure by the industry-level adjustment weight. (See Appendix C for a description of the estimation procedure.) In most cases of establishment nonresponse, none of the four questionnaires have been returned to the Census Bureau, after several attempts to elicit a response. Approximately 63 percent of the establishments provided at least one quarter of data that contributed to tabulation.

Some possible sources of bias that are attributed to respondent-conducted sampling include misunderstanding the definition of a shipment, constructing an incomplete frame of shipments from which to sample, ordering the shipment sampling frame by selected shipment characteristics, and selecting shipment records by a method other than the one specified in the questionnaire's instructions. We often contact respondents who reported shipments having an untypically large value or weight when compared to the rest of their reported shipments. Upon contact, if we are able to collect information on all of a given respondent's large shipments made either for a particular reporting week or for the entire quarter, then we identify these large shipments as certainty shipments. (See Appendix C for a description of how certainty shipments are used in the estimation process.)

DEFINITION OF TERMS

Confidentiality

Title 13 of the United States Code authorizes the Census Bureau to conduct censuses and surveys. Section 9 of the same Title requires that any information collected from the public under the authority of Title 13 be maintained as confidential. Section 214 of Title 13 and Sections 3559 and 3571 of Title 18 of the United States Code provide for the imposition of penalties of up to 5 years in prison and up to \$250,000 in fines for wrongful disclosure of confidential census information. In accordance with Title 13, no estimates are published that would disclose the operations of an individual firm.

The Census Bureau's internal Disclosure Review Board sets the confidentiality rules for all data releases. A checklist approach is used to ensure that all potential risks to the confidentiality of the data are considered and addressed.

Disclosure Limitation

Disclosure is the release of data that have been deemed confidential. It generally reveals information about a specific individual or establishment or permits deduction of sensitive information about a particular individual or establishment. Disclosure limitation is the process used to protect the confidentiality of the survey data provided by an individual or firm. Using disclosure limitation procedures, the Census Bureau modifies or removes the characteristics that put confidential information at risk for disclosure. Although it may appear that a table shows information about a specific individual or business, the Census Bureau has taken steps to disguise or suppress the original data while making sure the results are still useful. The techniques used by the Census Bureau to protect confidentiality in tabulations vary, depending on the type of data.

Unpublished Estimates

Some unpublished estimates can be derived directly from this report by subtracting published estimates from their respective totals. However, the estimates obtained by such subtraction would be subject to poor response, high sampling variability, or other factors that may make them potentially misleading.

Individuals who use estimates in this report to create new estimates should cite the Census Bureau as the source of only the original estimates.

Table B-1a. Estimated Measures of Reliability for Shipment Characteristics by Mode of Transportation for State of Origin: 2002

[Estimates are shown as percents and are based on data from the 2002 Commodity Flow Survey]

Mode of transportation	Value		Tons		Ton-miles		Average miles per shipment—coefficient of variation
	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	
Total	6.0	—	9.6	—	15.8	—	14.8
Single modes	7.4	1.8	10.3	1.4	15.9	.2	10.9
Truck	7.6	2.8	11.1	4.0	13.5	5.7	13.5
For-hire truck	5.0	1.2	16.4	4.0	17.0	4.8	7.2
Private truck	11.8	2.6	11.7	3.9	12.7	2.5	14.9
Rail	22.5	1.6	22.6	4.4	25.3	5.6	14.3
Water	S	S	S	S	S	S	S
Shallow draft	S	S	S	S	S	S	S
Great Lakes	—	—	—	—	—	—	—
Deep draft	S	S	23.8	—	12.9	—	31.6
Air (includes truck and air)	38.0	.3	S	S	S	S	6.9
Pipeline	S	S	S	S	S	S	S
Multiple modes	16.3	1.4	48.8	.2	27.8	.1	9.9
Parcel, U.S. Postal Service or courier	16.8	1.4	16.8	—	16.6	—	9.9
Truck and rail	24.3	—	24.2	—	24.3	—	26.1
Truck and water	S	S	S	S	S	S	28.6
Rail and water	S	S	S	S	S	S	31.6
Other multiple modes	—	—	—	—	—	—	—
Other and unknown modes	20.3	.7	28.0	1.4	18.8	.1	S

— Represents data cell equal to zero or less than 1 unit of measure.
S Estimate does not meet publication standards because of high sampling variability or poor response quality.

Note: The Introduction and appendixes give information on confidentiality protection, sampling error, nonsampling error, sample design, and definitions. Links to this information on the Internet may be found at www.census.gov/cfs.

Table B-1b. Estimated Standard Errors of Percentage for Shipment Characteristics by Mode of Transportation for State of Origin: Percent of Total for 2002 and 1997

[Estimates are shown as percents and are based on data from the 2002 and 1997 Commodity Flow Surveys]

Mode of transportation	Value (percent)		Tons (percent)		Ton-miles (percent)	
	2002	1997	2002	1997	2002	1997
Total	—	—	—	—	—	—
Single modes	1.8	1.1	1.4	1.0	.2	.9
Truck	2.8	1.9	4.0	3.3	5.7	4.1
For-hire truck	1.2	1.5	4.0	2.7	4.8	2.8
Private truck	2.6	1.8	3.9	2.4	2.5	2.2
Rail	1.6	.8	4.4	2.5	5.6	3.5
Water	S	.2	S	1.3	S	1.3
Shallow draft	S	.2	S	1.3	S	1.3
Great Lakes	—	—	—	—	—	—
Deep draft	S	—	—	—	—	—
Air (includes truck and air)3	.4	S	—	S	—
Pipeline	S	—	S	S	S	S
Multiple modes	1.4	.7	.2	S	.1	.4
Parcel, U.S. Postal Service or courier	1.4	.7	—	—	—	—
Truck and rail	—	—	—	S	—	.4
Truck and water	S	S	S	S	S	S
Rail and water	S	—	S	—	S	—
Other multiple modes	—	—	—	—	—	—
Other and unknown modes7	.6	1.4	.9	.1	.8

— Represents data cell equal to zero or less than 1 unit of measure.
S Estimate does not meet publication standards because of high sampling variability or poor response quality.

Note: The Introduction and appendixes give information on confidentiality protection, sampling error, nonsampling error, sample design, and definitions. Links to this information on the Internet may be found at www.census.gov/cfs.

Table B-2. **Estimated Measures of Reliability for Shipment Characteristics by Total Modal Activity for State of Origin: 2002**

[Estimates are shown as percents and are based on data from the 2002 Commodity Flow Survey]

Mode of transportation	Ton-miles		Average miles per shipment—coefficient of variation
	Coefficient of variation of number	Standard error of percentage	
Total	15.8	—	14.8
Truck	13.5	5.7	13.5
Rail	25.3	5.6	14.3
Shallow draft	S	S	S
Great Lakes	—	—	—
Deep draft	12.9	—	31.6
Air	S	S	6.9
Parcel, U.S. Postal Service or courier	S	S	S
Pipeline	S	S	S
Other and unknown modes	18.8	.1	S

— Represents data cell equal to zero or less than 1 unit of measure.

S Estimate does not meet publication standards because of high sampling variability or poor response quality.

Note: The Introduction and appendixes give information on confidentiality protection, sampling error, nonsampling error, sample design, and definitions. Links to this information on the Internet may be found at www.census.gov/cfs.

Table B-3. Estimated Measures of Reliability for Shipment Characteristics by Mode of Transportation and Distance Shipped for State of Origin: 2002

[Estimates are shown as percents and are based on data from the 2002 Commodity Flow Survey]

Mode of transportation and distance shipped (based on Great Circle Distance)	Value		Tons		Ton-miles	
	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage
Total	6.0	—	9.6	—	15.8	—
Less than 50 miles	8.2	1.8	11.2	3.5	13.5	.8
50 to 99 miles	14.1	1.8	17.7	1.7	16.9	.7
100 to 249 miles	13.5	1.6	18.3	3.3	16.4	3.2
250 to 499 miles	11.1	1.4	15.9	.9	18.3	2.9
500 to 749 miles	10.9	.9	18.1	1.1	18.6	1.8
750 to 999 miles	12.0	.5	33.8	.8	36.4	2.5
1,000 to 1,499 miles	23.0	.6	S	S	S	S
1,500 to 1,999 miles	20.9	.8	32.5	.6	35.3	3.4
2,000 miles or more	27.7	.4	36.6	.2	36.2	1.6
Single modes	7.4	—	10.3	—	15.9	—
Less than 50 miles	9.6	2.1	12.1	3.5	14.2	.8
50 to 99 miles	16.2	1.9	17.8	2.0	17.1	.7
100 to 249 miles	15.7	1.7	18.5	3.3	16.7	3.3
250 to 499 miles	12.8	1.6	15.8	.8	18.3	2.9
500 to 749 miles	13.5	1.0	18.4	1.1	18.9	1.9
750 to 999 miles	15.1	.5	34.1	.9	36.6	2.6
1,000 to 1,499 miles	24.6	.7	S	S	S	S
1,500 to 1,999 miles	22.7	1.0	33.0	.6	35.8	3.5
2,000 miles or more	35.9	.5	37.1	.2	37.0	1.6
Truck	7.6	—	11.1	—	13.5	—
Less than 50 miles	9.6	2.4	13.6	3.5	18.1	1.0
50 to 99 miles	16.6	2.0	17.8	1.8	17.3	.7
100 to 249 miles	16.3	2.2	14.6	1.5	14.9	2.2
250 to 499 miles	16.3	1.7	12.7	.9	11.9	1.4
500 to 749 miles	14.7	1.0	16.3	1.1	15.9	1.7
750 to 999 miles	8.7	.4	18.3	.5	18.1	2.2
1,000 to 1,499 miles	20.3	.6	33.3	.2	31.9	1.0
1,500 to 1,999 miles	25.4	.9	32.6	.2	34.2	2.1
2,000 miles or more	37.4	.5	45.1	.2	45.7	1.7
For-hire truck	5.0	—	16.4	—	17.0	—
Less than 50 miles	20.4	2.3	27.0	5.4	24.6	.8
50 to 99 miles	33.3	2.7	28.8	3.0	28.4	.7
100 to 249 miles	12.0	1.6	21.4	2.1	20.6	1.9
250 to 499 miles	8.3	2.1	16.2	1.5	14.9	1.7
500 to 749 miles	11.3	1.4	18.7	1.7	18.2	2.0
750 to 999 miles	9.2	.7	19.1	1.2	19.0	3.0
1,000 to 1,499 miles	21.2	1.1	35.5	.3	34.0	1.2
1,500 to 1,999 miles	16.6	.7	33.3	.4	35.1	2.3
2,000 miles or more	26.2	.3	49.9	.3	S	S
Private truck	11.8	—	11.7	—	12.7	—
Less than 50 miles	10.2	4.3	15.9	4.0	22.9	3.3
50 to 99 miles	11.0	2.1	12.6	2.0	12.7	1.8
100 to 249 miles	24.0	3.6	21.3	2.5	22.1	3.7
250 to 499 miles	48.2	3.1	18.2	.5	19.8	1.8
500 to 749 miles	29.6	1.2	19.1	.4	19.0	2.3
750 to 999 miles	16.0	.2	20.3	—	19.6	.6
1,000 to 1,499 miles	31.7	.1	28.5	—	28.3	.7
1,500 to 1,999 miles	S	S	S	S	S	S
2,000 miles or more	S	S	S	S	S	S
Rail	22.5	—	22.6	—	25.3	—
Less than 50 miles	26.6	.8	31.6	3.8	33.4	.7
50 to 99 miles	18.9	1.7	31.1	2.4	30.8	.4
100 to 249 miles	24.8	3.2	43.3	7.2	34.5	5.9
250 to 499 miles	25.3	3.8	31.0	3.1	30.1	3.6
500 to 749 miles	18.1	4.8	29.8	2.2	29.5	3.6
750 to 999 miles	S	S	S	S	S	S
1,000 to 1,499 miles	S	S	S	S	S	S
1,500 to 1,999 miles	37.2	3.1	S	S	S	S
2,000 miles or more	S	S	38.5	—	40.1	.5
Water	S	S	S	S	S	S
Less than 50 miles	S	S	S	S	S	S
50 to 99 miles	—	—	—	—	—	—
100 to 249 miles	S	S	S	S	S	S
250 to 499 miles	S	S	S	S	S	S
500 to 749 miles	S	S	S	S	S	S
750 to 999 miles	—	—	—	—	—	—
1,000 to 1,499 miles	—	—	—	—	—	—
1,500 to 1,999 miles	—	—	—	—	—	—
2,000 miles or more	—	—	—	—	—	—
Shallow draft	S	S	S	S	S	S
Less than 50 miles	S	S	S	S	S	S
50 to 99 miles	—	—	—	—	—	—
100 to 249 miles	S	S	S	S	S	S
250 to 499 miles	S	S	S	S	S	S
500 to 749 miles	S	S	S	S	S	S
750 to 999 miles	—	—	—	—	—	—
1,000 to 1,499 miles	—	—	—	—	—	—
1,500 to 1,999 miles	—	—	—	—	—	—
2,000 miles or more	—	—	—	—	—	—

See footnotes at end of table.

Table B-3. Estimated Measures of Reliability for Shipment Characteristics by Mode of Transportation and Distance Shipped for State of Origin: 2002—Con.

[Estimates are shown as percents and are based on data from the 2002 Commodity Flow Survey]

Mode of transportation and distance shipped (based on Great Circle Distance)	Value		Tons		Ton-miles	
	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage
Single modes—Con.						
Great Lakes	—	—	—	—	—	—
Less than 50 miles	—	—	—	—	—	—
50 to 99 miles	—	—	—	—	—	—
100 to 249 miles	—	—	—	—	—	—
250 to 499 miles	—	—	—	—	—	—
500 to 749 miles	—	—	—	—	—	—
750 to 999 miles	—	—	—	—	—	—
1,000 to 1,499 miles	—	—	—	—	—	—
1,500 to 1,999 miles	—	—	—	—	—	—
2,000 miles or more	—	—	—	—	—	—
Deep draft	S	S	23.8	—	12.9	—
Less than 50 miles	—	—	—	—	—	—
50 to 99 miles	—	—	—	—	—	—
100 to 249 miles	S	S	S	S	S	S
250 to 499 miles	—	.2	—	5.5	—	4.9
500 to 749 miles	—	—	—	—	—	—
750 to 999 miles	—	—	—	—	—	—
1,000 to 1,499 miles	—	—	—	—	—	—
1,500 to 1,999 miles	—	—	—	—	—	—
2,000 miles or more	—	—	—	—	—	—
Air (includes truck and air)	38.0	—	S	S	S	S
Less than 50 miles	—	—	—	—	—	—
50 to 99 miles	S	S	S	S	S	S
100 to 249 miles	S	S	S	S	S	S
250 to 499 miles	S	S	S	S	S	S
500 to 749 miles	34.3	6.5	S	S	43.6	8.7
750 to 999 miles	S	S	S	S	S	S
1,000 to 1,499 miles	39.2	6.4	35.2	2.6	34.1	3.7
1,500 to 1,999 miles	S	S	S	S	S	S
2,000 miles or more	35.3	6.0	S	S	47.4	11.4
Pipeline	S	S	S	S	S	S
Less than 50 miles	S	S	S	S	S	S
50 to 99 miles	S	S	S	S	S	S
100 to 249 miles	S	S	S	S	S	S
250 to 499 miles	—	—	—	—	—	—
500 to 749 miles	—	—	—	—	—	—
750 to 999 miles	S	S	S	S	S	S
1,000 to 1,499 miles	—	—	—	—	—	—
1,500 to 1,999 miles	—	—	—	—	—	—
2,000 miles or more	—	—	—	—	—	—
Multiple modes	16.3	—	48.8	—	27.8	—
Less than 50 miles	29.3	3.3	28.0	2.1	36.6	.1
50 to 99 miles	35.1	3.6	35.1	2.6	33.1	.4
100 to 249 miles	21.7	2.8	S	S	S	S
250 to 499 miles	19.4	2.0	16.3	4.2	20.0	3.4
500 to 749 miles	21.0	4.2	18.4	5.0	19.5	4.0
750 to 999 miles	29.4	2.1	23.2	2.0	22.5	2.1
1,000 to 1,499 miles	35.4	.7	19.9	.5	18.6	.8
1,500 to 1,999 miles	13.2	.8	19.6	3.5	19.7	5.4
2,000 miles or more	36.0	1.8	26.5	1.7	26.6	3.5
Parcel, U.S. Postal Service or courier	16.8	—	16.8	—	16.6	—
Less than 50 miles	29.3	3.6	28.0	1.9	36.6	.2
50 to 99 miles	35.1	3.7	35.3	2.6	33.3	.6
100 to 249 miles	22.1	2.8	31.2	3.8	32.4	2.4
250 to 499 miles	19.7	2.1	15.4	1.9	14.4	1.3
500 to 749 miles	21.7	4.3	22.6	3.3	24.2	2.8
750 to 999 miles	29.7	2.2	32.1	2.0	32.0	2.5
1,000 to 1,499 miles	35.4	.7	19.9	.4	18.6	1.1
1,500 to 1,999 miles	14.9	.8	43.2	1.3	44.2	4.6
2,000 miles or more	38.6	1.8	26.9	.9	26.9	3.2
Truck and rail	24.3	—	24.2	—	24.3	—
Less than 50 miles	—	—	—	—	—	—
50 to 99 miles	S	S	S	S	S	S
100 to 249 miles	—	—	—	—	—	—
250 to 499 miles	S	S	S	S	S	S
500 to 749 miles	S	S	S	S	S	S
750 to 999 miles	S	S	S	S	S	S
1,000 to 1,499 miles	—	—	—	—	—	—
1,500 to 1,999 miles	28.5	11.9	32.4	12.0	31.9	11.9
2,000 miles or more	S	S	48.8	10.1	49.5	10.1
Truck and water	S	S	S	S	S	S
Less than 50 miles	—	—	—	—	—	—
50 to 99 miles	—	—	—	—	—	—
100 to 249 miles	S	S	S	S	S	S
250 to 499 miles	S	S	S	S	S	S
500 to 749 miles	S	S	S	S	S	S
750 to 999 miles	S	S	S	S	S	S
1,000 to 1,499 miles	—	—	—	—	—	—
1,500 to 1,999 miles	—	—	—	—	—	—
2,000 miles or more	S	S	S	S	S	S

See footnotes at end of table.

Table B-3. Estimated Measures of Reliability for Shipment Characteristics by Mode of Transportation and Distance Shipped for State of Origin: 2002—Con.

[Estimates are shown as percents and are based on data from the 2002 Commodity Flow Survey]

Mode of transportation and distance shipped (based on Great Circle Distance)	Value		Tons		Ton-miles	
	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage
Multiple modes—Con.						
Rail and water	S	S	S	S	S	S
Less than 50 miles	—	—	—	—	—	—
50 to 99 miles	—	—	—	—	—	—
100 to 249 miles	S	S	S	S	S	S
250 to 499 miles	—	—	—	—	—	—
500 to 749 miles	—	—	—	—	—	—
750 to 999 miles	—	—	—	—	—	—
1,000 to 1,499 miles	—	—	—	—	—	—
1,500 to 1,999 miles	—	—	—	—	—	—
2,000 miles or more	—	—	—	—	—	—
Other multiple modes	—	—	—	—	—	—
Less than 50 miles	—	—	—	—	—	—
50 to 99 miles	—	—	—	—	—	—
100 to 249 miles	—	—	—	—	—	—
250 to 499 miles	—	—	—	—	—	—
500 to 749 miles	—	—	—	—	—	—
750 to 999 miles	—	—	—	—	—	—
1,000 to 1,499 miles	—	—	—	—	—	—
1,500 to 1,999 miles	—	—	—	—	—	—
2,000 miles or more	—	—	—	—	—	—
Other and unknown modes	20.3	—	28.0	—	18.8	—
Less than 50 miles	27.5	6.5	30.0	11.5	25.9	6.1
50 to 99 miles	28.8	2.2	33.7	3.0	33.4	1.4
100 to 249 miles	39.8	4.5	27.8	5.1	28.2	5.3
250 to 499 miles	23.3	3.0	32.2	4.5	32.6	6.1
500 to 749 miles	28.3	2.1	39.1	1.5	40.0	5.5
750 to 999 miles	S	S	46.6	.7	46.3	2.3
1,000 to 1,499 miles	39.4	.3	S	S	S	S
1,500 to 1,999 miles	S	S	S	S	S	S
2,000 miles or more	S	S	S	S	S	S

— Represents data cell equal to zero or less than 1 unit of measure.

S Estimate does not meet publication standards because of high sampling variability or poor response quality.

Note: The Introduction and appendixes give information on confidentiality protection, sampling error, nonsampling error, sample design, and definitions. Links to this information on the Internet may be found at www.census.gov/cfs.

Table B-4. Estimated Measures of Reliability for Shipment Characteristics by Mode of Transportation and Shipment Weight for State of Origin: 2002

[Estimates are shown as percents and are based on data from the 2002 Commodity Flow Survey]

Mode of transportation and shipment weight	Value		Tons		Ton-miles		Average miles per shipment—coefficient of variation
	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	
Total	6.0	—	9.6	—	15.8	—	14.8
Less than 50 lb	9.6	1.0	13.0	—	15.2	—	15.2
50 to 99 lb	16.0	.4	15.2	—	15.2	—	10.6
100 to 499 lb	7.9	.8	14.2	.1	12.5	.1	13.0
500 to 749 lb	12.8	.3	23.3	—	19.4	—	29.0
750 to 999 lb	17.1	.3	22.2	—	18.0	—	28.4
1,000 to 9,999 lb	16.7	2.7	10.7	1.0	14.4	1.1	8.5
10,000 to 49,999 lb	8.9	1.7	8.8	2.2	15.0	4.0	12.5
50,000 to 99,999 lb	13.9	.7	17.0	3.4	18.5	1.3	26.2
100,000 lb or more	20.6	1.6	16.9	3.9	23.1	5.9	16.1
Single modes	7.4	—	10.3	—	15.9	—	10.9
Less than 50 lb	15.0	.5	22.2	—	26.4	—	14.9
50 to 99 lb	22.4	.4	18.0	—	27.0	—	14.2
100 to 499 lb	9.5	.8	15.5	.1	15.7	—	17.9
500 to 749 lb	12.4	.3	23.7	—	19.0	—	29.6
750 to 999 lb	16.3	.3	22.5	—	18.5	—	29.5
1,000 to 9,999 lb	18.1	2.9	12.0	1.1	15.3	1.1	8.8
10,000 to 49,999 lb	9.0	1.9	9.8	2.6	15.3	4.1	11.9
50,000 to 99,999 lb	13.8	.8	16.9	3.6	18.4	1.3	26.2
100,000 lb or more	20.5	1.7	19.5	4.9	23.2	5.9	14.8
Truck²	7.6	—	11.1	—	13.5	—	13.5
Less than 50 lb	13.0	.4	22.3	—	31.3	—	24.8
50 to 99 lb	22.5	.4	18.1	—	28.0	—	14.7
100 to 499 lb	10.5	.9	15.5	.2	15.9	.1	18.2
500 to 749 lb	12.4	.3	23.7	—	19.2	—	29.5
750 to 999 lb	16.3	.3	22.5	.1	18.6	—	29.6
1,000 to 9,999 lb	18.3	2.9	12.0	1.1	15.5	1.0	8.9
10,000 to 49,999 lb	9.1	2.7	9.9	2.6	15.2	2.0	12.1
50,000 to 99,999 lb	14.1	.8	17.3	3.8	17.9	1.4	25.0
100,000 lb or more	29.5	.4	26.6	1.8	21.6	1.5	36.2
For-hire truck	5.0	—	16.4	—	17.0	—	7.2
Less than 50 lb	20.1	.5	19.8	—	32.8	—	11.6
50 to 99 lb	41.6	.4	18.1	—	25.7	—	12.1
100 to 499 lb	20.9	1.1	22.9	.1	18.7	.1	6.6
500 to 749 lb	16.3	.3	15.0	—	16.8	—	9.7
750 to 999 lb	20.5	.2	16.2	—	17.3	—	9.5
1,000 to 9,999 lb	15.9	3.0	15.5	.7	20.1	.9	9.0
10,000 to 49,999 lb	7.4	2.4	14.0	3.0	17.8	1.7	12.3
50,000 to 99,999 lb	14.8	1.0	22.0	3.1	23.6	1.3	26.2
100,000 lb or more	18.1	.2	36.9	2.1	23.8	1.4	33.4
Private truck	11.8	—	11.7	—	12.7	—	14.9
Less than 50 lb	19.7	1.1	24.8	—	41.2	—	26.7
50 to 99 lb	19.2	.7	19.5	—	39.8	—	17.3
100 to 499 lb	18.5	2.4	19.3	.4	26.8	.4	17.2
500 to 749 lb	23.4	.7	27.2	.2	32.0	.3	19.1
750 to 999 lb	19.7	.5	24.6	.2	26.4	.2	23.4
1,000 to 9,999 lb	29.2	4.1	17.4	2.1	19.7	3.1	9.6
10,000 to 49,999 lb	14.0	4.6	11.8	3.2	15.2	3.1	17.3
50,000 to 99,999 lb	26.1	1.4	22.8	5.3	20.4	2.8	29.3
100,000 lb or more	S	S	40.1	3.3	29.1	2.8	S
Rail	22.5	—	22.6	—	25.3	—	14.3
Less than 50 lb	S	S	S	S	S	S	S
50 to 99 lb	S	S	S	S	S	S	31.6
100 to 499 lb	S	S	S	S	S	S	30.8
500 to 749 lb	S	S	S	S	S	S	31.6
750 to 999 lb	—	—	—	—	—	—	—
1,000 to 9,999 lb	S	S	46.5	—	47.9	—	S
10,000 to 49,999 lb	12.0	1.9	S	S	S	S	13.8
50,000 to 99,999 lb	39.3	1.3	40.3	1.1	31.8	1.6	13.0
100,000 lb or more	24.4	2.7	23.3	1.8	26.0	2.8	14.5
Water	S	S	S	S	S	S	S
Less than 50 lb	—	—	—	—	—	—	—
50 to 99 lb	—	—	—	—	—	—	—
100 to 499 lb	—	—	—	—	—	—	—
500 to 749 lb	—	—	—	—	—	—	—
750 to 999 lb	—	—	—	—	—	—	—
1,000 to 9,999 lb	S	S	S	S	S	S	29.8
10,000 to 49,999 lb	S	S	S	S	S	S	S
50,000 to 99,999 lb	S	S	S	S	S	S	29.8
100,000 lb or more	S	S	S	S	S	S	45.9
Shallow draft	S	S	S	S	S	S	S
Less than 50 lb	—	—	—	—	—	—	—
50 to 99 lb	—	—	—	—	—	—	—
100 to 499 lb	—	—	—	—	—	—	—
500 to 749 lb	—	—	—	—	—	—	—
750 to 999 lb	—	—	—	—	—	—	—
1,000 to 9,999 lb	S	S	S	S	S	S	29.8
10,000 to 49,999 lb	S	S	S	S	S	S	29.8
50,000 to 99,999 lb	S	S	S	S	S	S	29.8
100,000 lb or more	S	S	S	S	S	S	46.1

See footnote at end of table.

Table B-4. Estimated Measures of Reliability for Shipment Characteristics by Mode of Transportation and Shipment Weight for State of Origin: 2002—Con.

[Estimates are shown as percents and are based on data from the 2002 Commodity Flow Survey]

Mode of transportation and shipment weight	Value		Tons		Ton-miles		Average miles per shipment—coefficient of variation
	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	
Single modes—Con.							
Great Lakes	—	—	—	—	—	—	—
Less than 50 lb	—	—	—	—	—	—	—
50 to 99 lb	—	—	—	—	—	—	—
100 to 499 lb	—	—	—	—	—	—	—
500 to 749 lb	—	—	—	—	—	—	—
750 to 999 lb	—	—	—	—	—	—	—
1,000 to 9,999 lb	—	—	—	—	—	—	—
10,000 to 49,999 lb	—	—	—	—	—	—	—
50,000 to 99,999 lb	—	—	—	—	—	—	—
100,000 lb or more	—	—	—	—	—	—	—
Deep draft	S	S	23.8	—	12.9	—	31.6
Less than 50 lb	—	—	—	—	—	—	—
50 to 99 lb	—	—	—	—	—	—	—
100 to 499 lb	—	—	—	—	—	—	—
500 to 749 lb	—	—	—	—	—	—	—
750 to 999 lb	—	—	—	—	—	—	—
1,000 to 9,999 lb	—	—	—	—	—	—	—
10,000 to 49,999 lb	S	S	S	S	S	S	31.6
50,000 to 99,999 lb	—	—	—	—	—	—	—
100,000 lb or more	—	.2	—	5.5	—	4.9	33.3
Air (includes truck and air)	38.0	—	S	S	S	S	6.9
Less than 50 lb	35.5	10.6	33.5	11.6	42.1	12.2	8.3
50 to 99 lb	29.6	4.5	27.3	4.5	27.9	4.1	12.5
100 to 499 lb	S	S	45.6	11.2	42.0	10.3	17.3
500 to 749 lb	S	S	40.7	5.9	38.0	9.2	31.0
750 to 999 lb	S	S	S	S	S	S	30.0
1,000 to 9,999 lb	S	S	S	S	S	S	25.4
10,000 to 49,999 lb	S	S	S	S	S	S	31.6
50,000 to 99,999 lb	—	—	—	—	—	—	—
100,000 lb or more	S	S	S	S	S	S	31.6
Pipeline³	S	S	S	S	S	S	S
Less than 50 lb	—	—	—	—	S	S	S
50 to 99 lb	—	—	—	—	S	S	S
100 to 499 lb	S	S	S	S	S	S	S
500 to 749 lb	—	—	—	—	S	S	S
750 to 999 lb	—	—	—	—	S	S	S
1,000 to 9,999 lb	—	—	—	—	S	S	S
10,000 to 49,999 lb	S	S	S	S	S	S	S
50,000 to 99,999 lb	S	S	49.9	7.6	S	S	S
100,000 lb or more	S	S	S	S	S	S	S
Multiple modes	16.3	—	48.8	—	27.8	—	9.9
Less than 50 lb	21.1	5.9	24.6	6.8	21.4	6.3	10.2
50 to 99 lb	18.3	1.5	16.2	2.2	14.4	1.2	13.3
100 to 499 lb	23.5	3.5	16.8	4.8	25.2	5.5	13.2
500 to 749 lb	S	S	31.7	1.9	42.1	.5	20.3
750 to 999 lb	S	S	33.3	.6	37.5	.4	41.9
1,000 to 9,999 lb	S	S	S	S	S	S	29.5
10,000 to 49,999 lb	23.8	.8	20.7	6.9	22.9	8.6	12.9
50,000 to 99,999 lb	S	S	S	S	S	S	31.6
100,000 lb or more	S	S	S	S	S	S	31.6
Parcel, U.S. Postal Service or courier	16.8	—	16.8	—	16.6	—	9.9
Less than 50 lb	21.1	5.7	24.6	4.0	21.4	5.1	10.2
50 to 99 lb	18.3	1.6	16.2	1.7	14.4	1.8	13.3
100 to 499 lb	23.5	3.7	17.0	2.9	25.8	4.8	13.8
500 to 749 lb	S	S	31.8	2.3	42.5	1.8	20.4
750 to 999 lb	S	S	33.3	.6	37.5	.8	41.9
1,000 to 9,999 lb	S	S	S	S	S	S	29.8
10,000 to 49,999 lb	—	—	—	—	—	—	—
50,000 to 99,999 lb	—	—	—	—	—	—	—
100,000 lb or more	—	—	—	—	—	—	—
Truck and rail	24.3	—	24.2	—	24.3	—	26.1
Less than 50 lb	—	—	—	—	—	—	—
50 to 99 lb	—	—	—	—	—	—	—
100 to 499 lb	S	S	S	S	S	S	S
500 to 749 lb	—	—	—	—	—	—	—
750 to 999 lb	—	—	—	—	—	—	—
1,000 to 9,999 lb	S	S	S	S	S	S	31.6
10,000 to 49,999 lb	24.6	2.0	23.8	3.8	25.4	3.3	13.4
50,000 to 99,999 lb	S	S	S	S	S	S	31.6
100,000 lb or more	—	—	—	—	—	—	—
Truck and water	S	S	S	S	S	S	28.6
Less than 50 lb	S	S	S	S	S	S	31.6
50 to 99 lb	—	—	—	—	—	—	—
100 to 499 lb	S	S	S	S	S	S	31.6
500 to 749 lb	S	S	S	S	S	S	31.6
750 to 999 lb	—	—	—	—	—	—	—
1,000 to 9,999 lb	S	S	S	S	S	S	31.3
10,000 to 49,999 lb	S	S	S	S	S	S	29.4
50,000 to 99,999 lb	—	—	—	—	—	—	—
100,000 lb or more	—	—	—	—	—	—	—

See footnote at end of table.

Table B-4. Estimated Measures of Reliability for Shipment Characteristics by Mode of Transportation and Shipment Weight for State of Origin: 2002—Con.

[Estimates are shown as percents and are based on data from the 2002 Commodity Flow Survey]

Mode of transportation and shipment weight	Value		Tons		Ton-miles		Average miles per shipment—coefficient of variation
	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	
Multiple modes—Con.							
Rail and water	S	S	S	S	S	S	31.6
Less than 50 lb	—	—	—	—	—	—	—
50 to 99 lb	—	—	—	—	—	—	—
100 to 499 lb	—	—	—	—	—	—	—
500 to 749 lb	—	—	—	—	—	—	—
750 to 999 lb	—	—	—	—	—	—	—
1,000 to 9,999 lb	—	—	—	—	—	—	—
10,000 to 49,999 lb	—	—	—	—	—	—	—
50,000 to 99,999 lb	—	—	—	—	—	—	—
100,000 lb or more	S	S	S	S	S	S	31.6
Other multiple modes	—	—	—	—	—	—	—
Less than 50 lb	—	—	—	—	—	—	—
50 to 99 lb	—	—	—	—	—	—	—
100 to 499 lb	—	—	—	—	—	—	—
500 to 749 lb	—	—	—	—	—	—	—
750 to 999 lb	—	—	—	—	—	—	—
1,000 to 9,999 lb	—	—	—	—	—	—	—
10,000 to 49,999 lb	—	—	—	—	—	—	—
50,000 to 99,999 lb	—	—	—	—	—	—	—
100,000 lb or more	—	—	—	—	—	—	—
Other and unknown modes	20.3	—	28.0	—	18.8	—	S
Less than 50 lb	44.4	4.6	47.1	.8	S	S	S
50 to 99 lb	36.8	.2	43.5	—	S	S	S
100 to 499 lb	S	S	48.5	.2	S	S	23.3
500 to 749 lb	48.8	.5	45.0	—	S	S	S
750 to 999 lb	47.1	—	43.9	—	S	S	30.1
1,000 to 9,999 lb	42.5	8.2	41.8	9.6	31.8	8.4	27.4
10,000 to 49,999 lb	27.4	6.9	S	S	30.4	7.7	S
50,000 to 99,999 lb	S	S	S	S	S	S	30.9
100,000 lb or more	S	S	40.2	16.9	34.6	6.3	S

— Represents data cell equal to zero or less than 1 unit of measure.
 S Estimate does not meet publication standards because of high sampling variability or poor response quality.

Note: The Introduction and appendixes give information on confidentiality protection, sampling error, nonsampling error, sample design, and definitions. Links to this information on the Internet may be found at www.census.gov/cfs.

Table B-5a. Estimated Measures of Reliability for Shipment Characteristics by Two-Digit Commodity for State of Origin: 2002

[Estimates are shown as percents and are based on data from the 2002 Commodity Flow Survey]

SCTG code	Commodity description	Value		Tons		Ton-miles		Average miles per shipment—coefficient of variation
		Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	
	Total	6.0	—	9.6	—	15.8	—	14.8
01	Live animals and live fish	S	S	S	S	S	S	30.8
02	Cereal grains	—	—	—	—	—	—	—
03	Other agricultural products	S	S	S	S	S	S	31.3
04	Animal feed and products of animal origin, n.e.c.	44.8	.5	S	S	46.4	.8	S
05	Meat, fish, seafood, and their preparations	20.4	.7	22.1	.3	37.8	1.1	S
06	Milled grain products and preparations, and bakery products	S	S	S	S	S	S	33.7
07	Other prepared foodstuffs and fats and oils	9.7	.7	12.0	.7	21.0	1.2	S
08	Alcoholic beverages	33.9	.2	34.7	.2	39.8	—	8.1
09	Tobacco products	S	S	S	S	38.4	—	S
10	Monumental or building stone	S	S	S	S	S	S	31.6
11	Natural sands	33.0	—	S	S	S	S	22.7
12	Gravel and crushed stone	31.1	—	15.5	.9	17.8	.9	15.7
13	Nonmetallic minerals n.e.c.	18.8	—	18.9	.4	40.0	.6	S
14	Metallic ores and concentrates	S	S	S	S	S	S	28.6
15	Coal	10.2	—	9.7	.9	23.0	1.4	7.9
17	Gasoline and aviation turbine fuel	18.9	.5	20.4	1.1	19.0	.2	22.5
18	Fuel oils	23.3	.2	23.7	.5	23.1	—	23.4
19	Coal and petroleum products, n.e.c.	30.5	.2	19.3	.4	24.6	.5	S
20	Basic chemicals	27.2	.3	48.4	2.5	30.2	1.8	S
21	Pharmaceutical products	15.6	1.1	32.0	—	22.5	—	20.1
22	Fertilizers	S	S	S	S	S	S	24.3
23	Chemical products and preparations, n.e.c.	46.1	.3	46.8	.1	S	S	24.8
24	Plastics and rubber	13.5	.8	17.0	.3	15.7	.6	34.2
25	Logs and other wood in the rough	S	S	S	S	S	S	32.1
26	Wood products	18.1	.5	43.4	3.2	33.9	2.4	21.4
27	Pulp, newsprint, paper, and paperboard	8.1	.3	9.5	.5	7.2	1.9	39.9
28	Paper or paperboard articles	43.1	.2	S	S	S	S	38.5
29	Printed products	S	S	S	S	S	S	18.3
30	Textiles, leather, and articles of textiles or leather	18.4	1.6	18.8	.3	20.1	.6	4.5
31	Nonmetallic mineral products	S	S	43.5	3.7	S	S	38.9
32	Base metal in primary or semifinished forms and in finished basic shapes	21.0	.8	32.0	1.5	28.1	2.4	12.9
33	Articles of base metal	24.9	.9	22.6	.4	29.1	1.0	17.6
34	Machinery	10.8	.4	12.2	—	13.6	—	45.1
35	Electronic and other electrical equipment and components and office equipment	13.9	.8	15.8	—	19.3	.3	20.2
36	Motorized and other vehicles (including parts)	19.3	1.8	24.9	.2	25.7	.4	27.9
37	Transportation equipment, n.e.c.	S	S	46.5	—	48.2	—	19.2
38	Precision instruments and apparatus	29.2	.4	44.5	—	S	S	41.5
39	Furniture, mattresses and mattress supports, lamps, lighting fittings, and illuminated signs	26.8	.5	30.5	.1	30.2	.2	11.4
40	Miscellaneous manufactured products	17.4	.7	S	S	19.1	.2	14.5
41	Waste and scrap	48.5	—	S	S	S	S	49.5
43	Mixed freight	19.6	1.7	18.7	.6	19.1	.4	26.1
--	Commodity unknown	47.3	.2	41.6	—	S	S	23.8

— Represents data cell equal to zero or less than 1 unit of measure.
 S Estimate does not meet publication standards because of high sampling variability or poor response quality.

Note: The Introduction and appendixes give information on confidentiality protection, sampling error, nonsampling error, sample design, and definitions. Links to this information on the Internet may be found at www.census.gov/cfs.

Table B-5b. Estimated Standard Errors for Shipment Characteristics by Two-Digit Commodity for State of Origin: Percent of Total for 2002 and 1997

[Estimates are shown as percents and are based on data from the 2002 and 1997 Commodity Flow Surveys]

SCTG code	Commodity description	Value (percent)		Tons (percent)		Ton-miles ¹ (percent)	
		2002	1997	2002	1997	2002	1997
	Total	-	-	-	-	-	-
01	Live animals and live fish	S	-	S	-	S	-
02	Cereal grains	-	S	-	S	-	S
03	Other agricultural products	S	.3	S	.3	S	.2
04	Animal feed and products of animal origin, n.e.c.5	.3	S	.9	.8	.5
05	Meat, fish, seafood, and their preparations7	.4	.3	.2	1.1	.3
06	Milled grain products and preparations, and bakery products	S	.1	S	-	S	-
07	Other prepared foodstuffs and fats and oils7	.7	.7	.6	1.2	.5
08	Alcoholic beverages2	.1	.2	-	-	-
09	Tobacco products	S	.2	S	-	S	-
10	Monumental or building stone	S	S	S	S	S	S
11	Natural sands	-	-	S	S	S	S
12	Gravel and crushed stone	-	-	.9	4.3	.9	1.2
13	Nonmetallic minerals n.e.c.	-	S	.4	.4	.6	.6
14	Metallic ores and concentrates	S	S	S	S	S	S
15	Coal	-	.2	.9	2.5	1.4	1.9
17	Gasoline and aviation turbine fuel5	.8	1.1	1.9	.2	.2
18	Fuel oils2	.2	.5	.3	-	.2
19	Coal and petroleum products, n.e.c.2	.2	.4	.7	.5	.7
20	Basic chemicals3	1.0	2.5	1.7	1.8	2.4
21	Pharmaceutical products	1.1	.6	-	-	-	-
22	Fertilizers	S	.1	S	.4	S	.8
23	Chemical products and preparations, n.e.c.3	.8	.1	.3	S	S
24	Plastics and rubber8	.5	.3	.2	.6	.7
25	Logs and other wood in the rough	S	.1	S	.9	S	.3
26	Wood products5	.3	3.2	.4	2.4	.6
27	Pulp, newsprint, paper, and paperboard3	.7	.5	.9	1.9	2.2
28	Paper or paperboard articles2	.2	S	.1	S	.1
29	Printed products	S	.1	S	-	S	-
30	Textiles, leather, and articles of textiles or leather	1.6	1.1	.3	.1	.6	.2
31	Nonmetallic mineral products	S	.3	3.7	1.0	S	.8
32	Base metal in primary or semifinished forms and in finished basic shapes8	.6	1.5	.9	2.4	2.2
33	Articles of base metal9	.6	.4	.5	1.0	1.4
34	Machinery4	.5	-	-	-	.2
35	Electronic and other electrical equipment and components and office equipment8	1.2	-	-	.3	.1
36	Motorized and other vehicles (including parts)	1.8	.6	.2	-	.4	.2
37	Transportation equipment, n.e.c.	S	.3	-	-	-	.2
38	Precision instruments and apparatus4	.2	-	-	S	-
39	Furniture, mattresses and mattress supports, lamps, lighting fittings, and illuminated signs5	.2	.1	-	.2	.1
40	Miscellaneous manufactured products7	1.6	S	.4	2	.6
41	Waste and scrap	-	.1	S	.3	S	.2
43	Mixed freight	1.7	.5	.6	.3	.4	.2
--	Commodity unknown2	S	-	S	S	S

- Represents data cell equal to zero or less than 1 unit of measure.

S Estimate does not meet publication standards because of high sampling variability or poor response quality.

Note: The Introduction and appendixes give information on confidentiality protection, sampling error, nonsampling error, sample design, and definitions. Links to this information on the Internet may be found at www.census.gov/cfs.

Table B-6. Estimated Measures of Reliability for Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for State of Origin: 2002

[Estimates are shown as percents and are based on data from the 2002 Commodity Flow Survey]

SCTG code, description, and mode of transportation	Value		Tons		Ton-miles		Average miles per shipment—coefficient of variation
	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	
ALL COMMODITIES							
Total	6.0	—	9.6	—	15.8	—	14.8
Single modes	7.4	1.8	10.3	1.4	15.9	.2	10.9
Truck	7.6	2.8	11.1	4.0	13.5	5.7	13.5
For-hire truck	5.0	1.2	16.4	4.0	17.0	4.8	7.2
Private truck	11.8	2.6	11.7	3.9	12.7	2.5	14.9
Rail	22.5	1.6	22.6	4.4	25.3	5.6	14.3
Water	S	S	S	S	S	S	S
Shallow draft	S	S	S	S	S	S	S
Great Lakes	—	—	—	—	—	—	—
Deep draft	S	S	23.8	—	12.9	—	31.6
Air (includes truck and air)	38.0	.3	S	S	S	S	6.9
Pipeline	S	S	S	S	S	S	S
Multiple modes	16.3	1.4	48.8	.2	27.8	.1	9.9
Parcel, U.S. Postal Service or courier	16.8	1.4	16.8	—	16.6	—	9.9
Truck and rail	24.3	—	24.2	—	24.3	—	26.1
Truck and water	S	S	S	S	S	S	28.6
Rail and water	S	S	S	S	S	S	31.6
Other multiple modes	—	—	—	—	—	—	—
Other and unknown modes	20.3	.7	28.0	1.4	18.8	.1	S
SCTG 01, LIVE ANIMALS AND LIVE FISH							
Total	S	S	S	S	S	S	30.8
Single modes	S	S	S	S	S	S	30.8
Truck	S	S	S	S	S	S	30.8
For-hire truck	S	S	S	S	S	S	31.6
Private truck	S	S	S	S	S	S	33.5
Rail	—	—	—	—	—	—	—
Water	—	—	—	—	—	—	—
Shallow draft	—	—	—	—	—	—	—
Great Lakes	—	—	—	—	—	—	—
Deep draft	—	—	—	—	—	—	—
Air (includes truck and air)	—	—	—	—	—	—	—
Pipeline	—	—	—	—	S	S	S
Multiple modes	—	—	—	—	—	—	—
Parcel, U.S. Postal Service or courier	—	—	—	—	—	—	—
Truck and rail	—	—	—	—	—	—	—
Truck and water	—	—	—	—	—	—	—
Rail and water	—	—	—	—	—	—	—
Other multiple modes	—	—	—	—	—	—	—
Other and unknown modes	—	—	—	—	—	—	—
SCTG 02, CEREAL GRAINS							
Total	—	—	—	—	—	—	—
Single modes	—	—	—	—	—	—	—
Truck	—	—	—	—	—	—	—
For-hire truck	—	—	—	—	—	—	—
Private truck	—	—	—	—	—	—	—
Rail	—	—	—	—	—	—	—
Water	—	—	—	—	—	—	—
Shallow draft	—	—	—	—	—	—	—
Great Lakes	—	—	—	—	—	—	—
Deep draft	—	—	—	—	—	—	—
Air (includes truck and air)	—	—	—	—	—	—	—
Pipeline	—	—	—	—	S	S	S
Multiple modes	—	—	—	—	—	—	—
Parcel, U.S. Postal Service or courier	—	—	—	—	—	—	—
Truck and rail	—	—	—	—	—	—	—
Truck and water	—	—	—	—	—	—	—
Rail and water	—	—	—	—	—	—	—
Other multiple modes	—	—	—	—	—	—	—
Other and unknown modes	—	—	—	—	—	—	—

See footnote at end of table.

Table B-6. Estimated Measures of Reliability for Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for State of Origin: 2002—Con.

[Estimates are shown as percents and are based on data from the 2002 Commodity Flow Survey]

SCTG code, description, and mode of transportation	Value		Tons		Ton-miles		Average miles per shipment—coefficient of variation
	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	
SCTG 03, OTHER AGRICULTURAL PRODUCTS							
Total	S	S	S	S	S	S	31.3
Single modes	S	S	S	S	S	S	30.7
Truck	S	S	S	S	S	S	32.9
For-hire truck	S	S	S	S	S	S	32.3
Private truck	S	S	S	S	S	S	29.6
Rail	-	-	-	-	-	-	-
Water	S	S	S	S	S	S	31.6
Shallow draft	S	S	S	S	S	S	31.6
Great Lakes	-	-	-	-	-	-	-
Deep draft	-	-	-	-	-	-	-
Air (includes truck and air)	-	-	-	-	-	-	-
Pipeline	-	-	-	-	S	S	S
Multiple modes	-	-	-	-	-	-	-
Parcel, U.S. Postal Service or courier	-	-	-	-	-	-	-
Truck and rail	-	-	-	-	-	-	-
Truck and water	-	-	-	-	-	-	-
Rail and water	-	-	-	-	-	-	-
Other multiple modes	-	-	-	-	-	-	-
Other and unknown modes	S	S	S	S	S	S	31.6
SCTG 04, ANIMAL FEED AND PRODUCTS OF ANIMAL ORIGIN, N.E.C.							
Total	44.8	-	S	S	46.4	-	S
Single modes	45.3	2.1	S	S	46.6	1.5	S
Truck	47.4	3.7	S	S	47.5	6.0	S
For-hire truck	38.1	12.9	S	S	S	S	32.5
Private truck	S	S	S	S	S	S	47.7
Rail	S	S	S	S	S	S	27.0
Water	-	-	-	-	-	-	-
Shallow draft	-	-	-	-	-	-	-
Great Lakes	-	-	-	-	-	-	-
Deep draft	-	-	-	-	-	-	-
Air (includes truck and air)	-	-	-	-	-	-	-
Pipeline	-	-	-	-	S	S	S
Multiple modes	S	S	S	S	S	S	31.6
Parcel, U.S. Postal Service or courier	S	S	S	S	S	S	31.6
Truck and rail	-	-	-	-	-	-	-
Truck and water	-	-	-	-	-	-	-
Rail and water	-	-	-	-	-	-	-
Other multiple modes	-	-	-	-	-	-	-
Other and unknown modes	S	S	S	S	S	S	26.5
SCTG 05, MEAT, FISH, SEAFOOD, AND THEIR PREPARATIONS							
Total	20.4	-	22.1	-	37.8	-	S
Single modes	20.5	.5	22.1	.3	37.8	-	S
Truck	19.5	.8	21.3	.7	33.7	2.4	S
For-hire truck	28.5	7.7	28.6	7.1	37.4	4.2	9.1
Private truck	26.8	7.8	36.1	7.4	S	S	S
Rail	S	S	S	S	S	S	31.6
Water	-	-	-	-	-	-	-
Shallow draft	-	-	-	-	-	-	-
Great Lakes	-	-	-	-	-	-	-
Deep draft	-	-	-	-	-	-	-
Air (includes truck and air)	-	-	-	-	-	-	-
Pipeline	-	-	-	-	S	S	S
Multiple modes	-	-	-	-	-	-	-
Parcel, U.S. Postal Service or courier	-	-	-	-	-	-	-
Truck and rail	-	-	-	-	-	-	-
Truck and water	-	-	-	-	-	-	-
Rail and water	-	-	-	-	-	-	-
Other multiple modes	-	-	-	-	-	-	-
Other and unknown modes	S	S	S	S	S	S	S

See footnote at end of table.

Table B-6. Estimated Measures of Reliability for Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for State of Origin: 2002—Con.

[Estimates are shown as percents and are based on data from the 2002 Commodity Flow Survey]

SCTG code, description, and mode of transportation	Value		Tons		Ton-miles		Average miles per shipment—coefficient of variation
	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	
SCTG 06, MILLED GRAIN PRODUCTS AND PREPARATIONS, AND BAKERY PRODUCTS							
Total	S	S	S	S	S	S	33.7
Single modes	S	S	S	S	S	S	33.4
Truck	S	S	S	S	S	S	34.0
For-hire truck	S	S	S	S	S	S	30.8
Private truck	S	S	S	S	S	S	31.6
Rail	S	S	S	S	S	S	31.6
Water	—	—	—	—	—	—	—
Shallow draft	—	—	—	—	—	—	—
Great Lakes	—	—	—	—	—	—	—
Deep draft	—	—	—	—	—	—	—
Air (includes truck and air)	—	—	—	—	—	—	—
Pipeline	—	—	—	—	S	S	S
Multiple modes	—	—	—	—	—	—	—
Parcel, U.S. Postal Service or courier	—	—	—	—	—	—	—
Truck and rail	—	—	—	—	—	—	—
Truck and water	—	—	—	—	—	—	—
Rail and water	—	—	—	—	—	—	—
Other multiple modes	—	—	—	—	—	—	—
Other and unknown modes	S	S	S	S	S	S	31.6
SCTG 07, OTHER PREPARED FOODSTUFFS AND FATS AND OILS							
Total	9.7	—	12.0	—	21.0	—	S
Single modes	9.9	.8	10.7	1.9	21.0	.1	S
Truck	11.7	3.3	11.6	5.7	27.5	9.1	S
For-hire truck	37.4	9.1	36.1	7.0	32.5	10.4	17.1
Private truck	16.1	9.4	18.2	8.9	30.9	9.0	S
Rail	45.0	2.9	46.2	4.9	44.2	9.1	26.8
Water	—	—	—	—	—	—	—
Shallow draft	—	—	—	—	—	—	—
Great Lakes	—	—	—	—	—	—	—
Deep draft	—	—	—	—	—	—	—
Air (includes truck and air)	—	—	—	—	—	—	—
Pipeline	—	—	—	—	S	S	S
Multiple modes	S	S	S	S	S	S	30.0
Parcel, U.S. Postal Service or courier	S	S	S	S	S	S	30.0
Truck and rail	—	—	—	—	—	—	—
Truck and water	—	—	—	—	—	—	—
Rail and water	—	—	—	—	—	—	—
Other multiple modes	—	—	—	—	—	—	—
Other and unknown modes	S	S	S	S	S	S	S
SCTG 08, ALCOHOLIC BEVERAGES							
Total	33.9	—	34.7	—	39.8	—	8.1
Single modes	34.0	—	34.7	—	39.8	—	8.1
Truck	34.0	—	34.7	—	39.8	—	8.1
For-hire truck	—	—	—	—	—	—	—
Private truck	33.8	.2	34.5	.2	39.7	.2	8.2
Rail	—	—	—	—	—	—	—
Water	—	—	—	—	—	—	—
Shallow draft	—	—	—	—	—	—	—
Great Lakes	—	—	—	—	—	—	—
Deep draft	—	—	—	—	—	—	—
Air (includes truck and air)	—	—	—	—	—	—	—
Pipeline	—	—	—	—	S	S	S
Multiple modes	S	S	S	S	S	S	31.6
Parcel, U.S. Postal Service or courier	S	S	S	S	S	S	31.6
Truck and rail	—	—	—	—	—	—	—
Truck and water	—	—	—	—	—	—	—
Rail and water	—	—	—	—	—	—	—
Other multiple modes	—	—	—	—	—	—	—
Other and unknown modes	S	S	S	S	S	S	31.6

See footnote at end of table.

Table B-6. Estimated Measures of Reliability for Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for State of Origin: 2002—Con.

[Estimates are shown as percents and are based on data from the 2002 Commodity Flow Survey]

SCTG code, description, and mode of transportation	Value		Tons		Ton-miles		Average miles per shipment—coefficient of variation
	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	
SCTG 09, TOBACCO PRODUCTS							
Total	S	S	S	S	38.4	—	S
Single modes	S	S	S	S	38.6	2.1	S
Truck	S	S	S	S	38.6	2.1	S
For-hire truck	22.6	17.6	32.0	19.2	40.1	14.2	18.0
Private truck	S	S	S	S	S	S	36.0
Rail	—	—	—	—	—	—	—
Water	—	—	—	—	—	—	—
Shallow draft	—	—	—	—	—	—	—
Great Lakes	—	—	—	—	—	—	—
Deep draft	—	—	—	—	—	—	—
Air (includes truck and air)	—	—	—	—	—	—	—
Pipeline	—	—	—	—	S	S	S
Multiple modes	S	S	S	S	43.0	2.1	34.1
Parcel, U.S. Postal Service or courier	S	S	S	S	43.0	2.1	34.1
Truck and rail	—	—	—	—	—	—	—
Truck and water	—	—	—	—	—	—	—
Rail and water	—	—	—	—	—	—	—
Other multiple modes	—	—	—	—	—	—	—
Other and unknown modes	—	—	—	—	—	—	—
SCTG 10, MONUMENTAL OR BUILDING STONE							
Total	S	S	S	S	S	S	31.6
Single modes	S	S	S	S	S	S	31.6
Truck	S	S	S	S	S	S	31.6
For-hire truck	—	—	—	—	—	—	—
Private truck	S	S	S	S	S	S	31.6
Rail	—	—	—	—	—	—	—
Water	—	—	—	—	—	—	—
Shallow draft	—	—	—	—	—	—	—
Great Lakes	—	—	—	—	—	—	—
Deep draft	—	—	—	—	—	—	—
Air (includes truck and air)	—	—	—	—	—	—	—
Pipeline	—	—	—	—	S	S	S
Multiple modes	—	—	—	—	—	—	—
Parcel, U.S. Postal Service or courier	—	—	—	—	—	—	—
Truck and rail	—	—	—	—	—	—	—
Truck and water	—	—	—	—	—	—	—
Rail and water	—	—	—	—	—	—	—
Other multiple modes	—	—	—	—	—	—	—
Other and unknown modes	—	—	—	—	—	—	—
SCTG 11, NATURAL SANDS							
Total	33.0	—	S	S	S	S	22.7
Single modes	33.0	—	S	S	S	S	22.7
Truck	37.1	8.0	47.3	13.2	S	S	34.4
For-hire truck	36.6	15.2	40.5	18.2	S	S	22.2
Private truck	S	S	S	S	S	S	34.9
Rail	S	S	S	S	S	S	31.6
Water	—	—	—	—	—	—	—
Shallow draft	—	—	—	—	—	—	—
Great Lakes	—	—	—	—	—	—	—
Deep draft	—	—	—	—	—	—	—
Air (includes truck and air)	—	—	—	—	—	—	—
Pipeline	—	—	—	—	S	S	S
Multiple modes	—	—	—	—	—	—	—
Parcel, U.S. Postal Service or courier	—	—	—	—	—	—	—
Truck and rail	—	—	—	—	—	—	—
Truck and water	—	—	—	—	—	—	—
Rail and water	—	—	—	—	—	—	—
Other multiple modes	—	—	—	—	—	—	—
Other and unknown modes	—	—	—	—	—	—	—

See footnote at end of table.

Table B-6. Estimated Measures of Reliability for Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for State of Origin: 2002—Con.

[Estimates are shown as percents and are based on data from the 2002 Commodity Flow Survey]

SCTG code, description, and mode of transportation	Value		Tons		Ton-miles		Average miles per shipment—coefficient of variation
	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	
SCTG 12, GRAVEL AND CRUSHED STONE							
Total	31.1	—	15.5	—	17.8	—	15.7
Single modes	31.1	—	15.5	—	17.8	—	15.7
Truck	37.5	7.8	21.3	7.6	24.1	13.8	17.3
For-hire truck	S	S	S	S	S	S	43.8
Private truck	21.3	9.8	26.2	8.8	28.3	11.5	16.8
Rail	34.6	7.5	34.0	7.2	30.2	13.1	22.0
Water	S	S	S	S	S	S	31.6
Shallow draft	S	S	S	S	S	S	31.6
Great Lakes	—	—	—	—	—	—	—
Deep draft	—	—	—	—	—	—	—
Air (includes truck and air)	—	—	—	—	—	—	—
Pipeline	—	—	—	—	S	S	S
Multiple modes	—	—	—	—	—	—	—
Parcel, U.S. Postal Service or courier	—	—	—	—	—	—	—
Truck and rail	—	—	—	—	—	—	—
Truck and water	—	—	—	—	—	—	—
Rail and water	—	—	—	—	—	—	—
Other multiple modes	—	—	—	—	—	—	—
Other and unknown modes	S	S	S	S	S	S	31.6
SCTG 13, NONMETALLIC MINERALS N.E.C.							
Total	18.8	—	18.9	—	40.0	—	S
Single modes	18.9	.2	18.9	—	40.0	.1	S
Truck	25.4	11.9	23.3	12.9	S	S	S
For-hire truck	36.9	10.4	36.9	11.9	S	S	S
Private truck	31.7	10.2	34.1	12.4	36.1	16.4	23.2
Rail	S	S	47.1	12.9	45.8	15.1	26.4
Water	—	—	—	—	—	—	—
Shallow draft	—	—	—	—	—	—	—
Great Lakes	—	—	—	—	—	—	—
Deep draft	—	—	—	—	—	—	—
Air (includes truck and air)	—	—	—	—	—	—	—
Pipeline	—	—	—	—	S	S	S
Multiple modes	S	S	S	S	S	S	31.6
Parcel, U.S. Postal Service or courier	S	S	S	S	S	S	31.6
Truck and rail	—	—	—	—	—	—	—
Truck and water	—	—	—	—	—	—	—
Rail and water	—	—	—	—	—	—	—
Other multiple modes	—	—	—	—	—	—	—
Other and unknown modes	S	S	S	S	S	S	31.6
SCTG 14, METALLIC ORES AND CONCENTRATES							
Total	S	S	S	S	S	S	28.6
Single modes	S	S	S	S	S	S	28.6
Truck	S	S	S	S	S	S	28.6
For-hire truck	S	S	S	S	S	S	28.6
Private truck	—	—	—	—	—	—	—
Rail	—	—	—	—	—	—	—
Water	—	—	—	—	—	—	—
Shallow draft	—	—	—	—	—	—	—
Great Lakes	—	—	—	—	—	—	—
Deep draft	—	—	—	—	—	—	—
Air (includes truck and air)	—	—	—	—	—	—	—
Pipeline	—	—	—	—	S	S	S
Multiple modes	—	—	—	—	—	—	—
Parcel, U.S. Postal Service or courier	—	—	—	—	—	—	—
Truck and rail	—	—	—	—	—	—	—
Truck and water	—	—	—	—	—	—	—
Rail and water	—	—	—	—	—	—	—
Other multiple modes	—	—	—	—	—	—	—
Other and unknown modes	—	—	—	—	—	—	—

See footnote at end of table.

Table B-6. Estimated Measures of Reliability for Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for State of Origin: 2002—Con.

[Estimates are shown as percents and are based on data from the 2002 Commodity Flow Survey]

SCTG code, description, and mode of transportation	Value		Tons		Ton-miles		Average miles per shipment—coefficient of variation
	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	
SCTG 15, COAL							
Total	10.2	—	9.7	—	23.0	—	7.9
Single modes	22.0	12.7	20.7	12.3	24.1	5.6	8.3
Truck	26.2	2.3	25.9	2.5	25.7	9.0	9.3
For-hire truck	27.9	2.4	27.3	2.6	27.7	7.7	9.3
Private truck	S	S	S	S	S	S	31.6
Rail	23.2	12.6	22.6	12.4	25.9	13.8	22.2
Water	S	S	S	S	S	S	31.6
Shallow draft	S	S	S	S	S	S	31.6
Great Lakes	—	—	—	—	—	—	—
Deep draft	—	—	—	—	—	—	—
Air (includes truck and air)	—	—	—	—	—	—	—
Pipeline	—	—	—	—	S	S	S
Multiple modes	S	S	S	S	S	S	31.6
Parcel, U.S. Postal Service or courier	—	—	—	—	—	—	—
Truck and rail	—	—	—	—	—	—	—
Truck and water	—	—	—	—	—	—	—
Rail and water	S	S	S	S	S	S	31.6
Other multiple modes	—	—	—	—	—	—	—
Other and unknown modes	S	S	S	S	S	S	27.9
SCTG 17, GASOLINE AND AVIATION TURBINE FUEL							
Total	18.9	—	20.4	—	19.0	—	22.5
Single modes	18.9	—	20.4	—	19.0	—	22.6
Truck	18.9	—	20.4	—	19.0	—	22.6
For-hire truck	34.0	8.4	36.9	8.6	27.1	7.2	S
Private truck	21.5	8.4	20.4	8.6	17.4	7.2	13.4
Rail	—	—	—	—	—	—	—
Water	S	S	S	S	S	S	31.6
Shallow draft	S	S	S	S	S	S	31.6
Great Lakes	—	—	—	—	—	—	—
Deep draft	—	—	—	—	—	—	—
Air (includes truck and air)	—	—	—	—	—	—	—
Pipeline	—	—	—	—	S	S	S
Multiple modes	—	—	—	—	—	—	—
Parcel, U.S. Postal Service or courier	—	—	—	—	—	—	—
Truck and rail	—	—	—	—	—	—	—
Truck and water	—	—	—	—	—	—	—
Rail and water	—	—	—	—	—	—	—
Other multiple modes	—	—	—	—	—	—	—
Other and unknown modes	S	S	S	S	S	S	31.6
SCTG 18, FUEL OILS							
Total	23.3	—	23.7	—	23.1	—	23.4
Single modes	23.3	—	23.7	—	23.1	.2	24.6
Truck	23.0	7.1	24.1	7.1	23.5	2.6	35.7
For-hire truck	35.2	6.9	36.6	7.2	22.2	6.8	S
Private truck	21.7	5.9	23.3	6.1	31.1	5.8	37.9
Rail	S	S	S	S	S	S	31.6
Water	S	S	S	S	S	S	30.5
Shallow draft	S	S	S	S	S	S	30.5
Great Lakes	—	—	—	—	—	—	—
Deep draft	—	—	—	—	—	—	—
Air (includes truck and air)	—	—	—	—	—	—	—
Pipeline	—	—	—	—	S	S	S
Multiple modes	—	—	—	—	—	—	—
Parcel, U.S. Postal Service or courier	—	—	—	—	—	—	—
Truck and rail	—	—	—	—	—	—	—
Truck and water	—	—	—	—	—	—	—
Rail and water	—	—	—	—	—	—	—
Other multiple modes	—	—	—	—	—	—	—
Other and unknown modes	S	S	S	S	S	S	31.1

See footnote at end of table.

Table B-6. Estimated Measures of Reliability for Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for State of Origin: 2002—Con.

[Estimates are shown as percents and are based on data from the 2002 Commodity Flow Survey]

SCTG code, description, and mode of transportation	Value		Tons		Ton-miles		Average miles per shipment—coefficient of variation
	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	
SCTG 19, COAL AND PETROLEUM PRODUCTS, N.E.C.							
Total	30.5	—	19.3	—	24.6	—	S
Single modes	28.8	1.4	19.3	.4	24.5	.2	S
Truck	32.4	7.1	24.6	7.8	26.2	11.3	S
For-hire truck	38.0	9.8	31.5	9.7	25.9	10.5	S
Private truck	S	S	41.1	5.0	40.7	3.2	44.4
Rail	32.8	7.4	35.8	7.6	37.3	11.2	16.3
Water	—	—	—	—	—	—	—
Shallow draft	—	—	—	—	—	—	—
Great Lakes	—	—	—	—	—	—	—
Deep draft	—	—	—	—	—	—	—
Air (includes truck and air)	—	—	—	—	—	—	—
Pipeline	—	—	—	—	S	S	S
Multiple modes	—	—	—	—	—	—	—
Parcel, U.S. Postal Service or courier	—	—	—	—	—	—	—
Truck and rail	—	—	—	—	—	—	—
Truck and water	—	—	—	—	—	—	—
Rail and water	—	—	—	—	—	—	—
Other multiple modes	—	—	—	—	—	—	—
Other and unknown modes	S	S	S	S	S	S	30.3
SCTG 20, BASIC CHEMICALS							
Total	27.2	—	48.4	—	30.2	—	S
Single modes	28.1	1.9	48.8	1.0	30.7	.8	S
Truck	30.6	6.9	S	S	S	S	S
For-hire truck	26.7	7.4	34.3	6.4	23.4	9.3	30.6
Private truck	46.7	4.6	S	S	S	S	47.2
Rail	27.1	6.6	28.4	10.1	26.2	9.8	36.8
Water	S	S	S	S	S	S	31.5
Shallow draft	S	S	S	S	S	S	29.8
Great Lakes	—	—	—	—	—	—	—
Deep draft	S	S	S	S	S	S	31.6
Air (includes truck and air)	—	—	—	—	—	—	—
Pipeline	S	S	S	S	S	S	S
Multiple modes	S	S	S	S	S	S	32.0
Parcel, U.S. Postal Service or courier	S	S	S	S	S	S	29.8
Truck and rail	S	S	S	S	S	S	28.0
Truck and water	—	—	—	—	—	—	—
Rail and water	—	—	—	—	—	—	—
Other multiple modes	—	—	—	—	—	—	—
Other and unknown modes	S	S	S	S	S	S	S
SCTG 21, PHARMACEUTICAL PRODUCTS							
Total	15.6	—	32.0	—	22.5	—	20.1
Single modes	12.8	13.3	38.2	11.2	27.3	13.0	20.9
Truck	12.8	13.3	38.2	11.2	27.3	13.0	20.9
For-hire truck	17.3	10.9	20.5	9.9	28.6	10.9	26.2
Private truck	27.8	7.4	49.9	12.5	35.7	3.6	25.1
Rail	—	—	—	—	—	—	—
Water	—	—	—	—	—	—	—
Shallow draft	—	—	—	—	—	—	—
Great Lakes	—	—	—	—	—	—	—
Deep draft	—	—	—	—	—	—	—
Air (includes truck and air)	—	—	—	—	—	—	—
Pipeline	—	—	—	—	S	S	S
Multiple modes	40.8	13.3	42.4	11.2	40.5	13.0	17.7
Parcel, U.S. Postal Service or courier	40.8	13.3	42.6	11.1	40.8	12.8	17.7
Truck and rail	—	—	—	—	—	—	—
Truck and water	S	S	S	S	S	S	31.6
Rail and water	—	—	—	—	—	—	—
Other multiple modes	—	—	—	—	—	—	—
Other and unknown modes	—	—	—	—	—	—	—

See footnote at end of table.

Table B-6. Estimated Measures of Reliability for Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for State of Origin: 2002—Con.

[Estimates are shown as percents and are based on data from the 2002 Commodity Flow Survey]

SCTG code, description, and mode of transportation	Value		Tons		Ton-miles		Average miles per shipment—coefficient of variation
	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	
SCTG 22, FERTILIZERS							
Total	S	S	S	S	S	S	24.3
Single modes	S	S	S	S	S	S	24.3
Truck	S	S	S	S	S	S	24.6
For-hire truck	S	S	S	S	S	S	24.1
Private truck	S	S	S	S	S	S	31.5
Rail	S	S	S	S	S	S	29.0
Water	-	-	-	-	-	-	-
Shallow draft	-	-	-	-	-	-	-
Great Lakes	-	-	-	-	-	-	-
Deep draft	-	-	-	-	-	-	-
Air (includes truck and air)	-	-	-	-	-	-	-
Pipeline	-	-	-	-	S	S	S
Multiple modes	-	-	-	-	-	-	-
Parcel, U.S. Postal Service or courier	-	-	-	-	-	-	-
Truck and rail	-	-	-	-	-	-	-
Truck and water	-	-	-	-	-	-	-
Rail and water	-	-	-	-	-	-	-
Other multiple modes	-	-	-	-	-	-	-
Other and unknown modes	-	-	-	-	-	-	-
SCTG 23, CHEMICAL PRODUCTS AND PREPARATIONS, N.E.C.							
Total	46.1	-	46.8	-	S	S	24.8
Single modes	48.2	3.4	47.4	1.4	S	S	25.3
Truck	48.2	3.4	47.4	1.4	S	S	25.3
For-hire truck	S	S	49.3	14.5	S	S	24.1
Private truck	42.9	16.1	45.7	14.4	S	S	42.6
Rail	-	-	-	-	-	-	-
Water	-	-	-	-	-	-	-
Shallow draft	-	-	-	-	-	-	-
Great Lakes	-	-	-	-	-	-	-
Deep draft	-	-	-	-	-	-	-
Air (includes truck and air)	S	S	S	S	S	S	31.6
Pipeline	-	-	-	-	S	S	S
Multiple modes	S	S	S	S	S	S	46.5
Parcel, U.S. Postal Service or courier	S	S	S	S	S	S	49.1
Truck and rail	S	S	S	S	S	S	31.6
Truck and water	S	S	S	S	S	S	31.6
Rail and water	-	-	-	-	-	-	-
Other multiple modes	-	-	-	-	-	-	-
Other and unknown modes	S	S	S	S	S	S	31.6
SCTG 24, PLASTICS AND RUBBER							
Total	13.5	-	17.0	-	15.7	-	34.2
Single modes	14.0	1.2	17.6	1.4	15.7	1.7	45.8
Truck	16.0	4.8	16.7	7.1	16.5	9.5	46.7
For-hire truck	18.5	9.4	21.9	10.0	20.0	8.7	9.9
Private truck	S	S	S	S	31.8	5.1	S
Rail	S	S	S	S	S	S	25.6
Water	-	-	-	-	-	-	-
Shallow draft	-	-	-	-	-	-	-
Great Lakes	-	-	-	-	-	-	-
Deep draft	-	-	-	-	-	-	-
Air (includes truck and air)	S	S	S	S	S	S	26.5
Pipeline	-	-	-	-	S	S	S
Multiple modes	32.7	1.3	20.9	.6	31.3	1.2	24.6
Parcel, U.S. Postal Service or courier	47.6	1.4	S	S	49.9	.2	18.3
Truck and rail	37.3	.9	37.1	.6	40.2	1.4	23.5
Truck and water	S	S	S	S	S	S	31.6
Rail and water	-	-	-	-	-	-	-
Other multiple modes	-	-	-	-	-	-	-
Other and unknown modes	S	S	S	S	S	S	S

See footnote at end of table.

Table B-6. Estimated Measures of Reliability for Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for State of Origin: 2002—Con.

[Estimates are shown as percents and are based on data from the 2002 Commodity Flow Survey]

SCTG code, description, and mode of transportation	Value		Tons		Ton-miles		Average miles per shipment—coefficient of variation
	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	
SCTG 25, LOGS AND OTHER WOOD IN THE ROUGH							
Total	S	S	S	S	S	S	32.1
Single modes	S	S	S	S	S	S	32.1
Truck	S	S	S	S	S	S	37.0
For-hire truck	S	S	S	S	S	S	31.6
Private truck	S	S	S	S	S	S	S
Rail	S	S	S	S	S	S	31.6
Water	—	—	—	—	—	—	—
Shallow draft	—	—	—	—	—	—	—
Great Lakes	—	—	—	—	—	—	—
Deep draft	—	—	—	—	—	—	—
Air (includes truck and air)	—	—	—	—	—	—	—
Pipeline	—	—	—	—	S	S	S
Multiple modes	—	—	—	—	—	—	—
Parcel, U.S. Postal Service or courier	—	—	—	—	—	—	—
Truck and rail	—	—	—	—	—	—	—
Truck and water	—	—	—	—	—	—	—
Rail and water	—	—	—	—	—	—	—
Other multiple modes	—	—	—	—	—	—	—
Other and unknown modes	—	—	—	—	—	—	—
SCTG 26, WOOD PRODUCTS							
Total	18.1	—	43.4	—	33.9	—	21.4
Single modes	18.8	2.8	43.5	.6	34.0	.5	21.2
Truck	17.6	3.7	46.2	3.6	34.4	6.8	20.3
For-hire truck	29.6	8.0	S	S	38.9	8.3	25.4
Private truck	21.1	8.2	32.7	10.1	22.7	7.9	20.4
Rail	S	S	S	S	S	S	11.1
Water	—	—	—	—	—	—	—
Shallow draft	—	—	—	—	—	—	—
Great Lakes	—	—	—	—	—	—	—
Deep draft	—	—	—	—	—	—	—
Air (includes truck and air)	S	S	S	S	S	S	26.8
Pipeline	—	—	—	—	S	S	S
Multiple modes	S	S	S	S	S	S	S
Parcel, U.S. Postal Service or courier	S	S	S	S	S	S	S
Truck and rail	—	—	—	—	—	—	—
Truck and water	—	—	—	—	—	—	—
Rail and water	—	—	—	—	—	—	—
Other multiple modes	—	—	—	—	—	—	—
Other and unknown modes	S	S	S	S	S	S	48.2
SCTG 27, PULP, NEWSPRINT, PAPER, AND PAPERBOARD							
Total	8.1	—	9.5	—	7.2	—	39.9
Single modes	7.5	.9	9.5	.1	7.2	—	39.8
Truck	10.1	4.6	8.1	4.7	7.6	4.5	43.5
For-hire truck	10.3	5.1	10.2	5.1	10.2	4.5	5.8
Private truck	41.5	2.9	41.3	2.2	S	S	S
Rail	15.7	4.9	20.6	4.8	16.9	4.5	5.3
Water	—	—	—	—	—	—	—
Shallow draft	—	—	—	—	—	—	—
Great Lakes	—	—	—	—	—	—	—
Deep draft	—	—	—	—	—	—	—
Air (includes truck and air)	S	S	S	S	S	S	28.2
Pipeline	—	—	—	—	S	S	S
Multiple modes	S	S	S	S	S	S	36.5
Parcel, U.S. Postal Service or courier	S	S	S	S	S	S	36.5
Truck and rail	—	—	—	—	—	—	—
Truck and water	—	—	—	—	—	—	—
Rail and water	—	—	—	—	—	—	—
Other multiple modes	—	—	—	—	—	—	—
Other and unknown modes	S	S	S	S	S	S	31.6

See footnote at end of table.

Table B-6. Estimated Measures of Reliability for Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for State of Origin: 2002—Con.

[Estimates are shown as percents and are based on data from the 2002 Commodity Flow Survey]

SCTG code, description, and mode of transportation	Value		Tons		Ton-miles		Average miles per shipment—coefficient of variation
	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	
SCTG 28, PAPER OR PAPERBOARD ARTICLES							
Total	43.1	—	S	S	S	S	38.5
Single modes	43.8	4.2	S	S	S	S	40.2
Truck	43.8	4.2	S	S	S	S	40.2
For-hire truck	S	S	S	S	S	S	29.3
Private truck	S	S	S	S	S	S	45.8
Rail	—	—	—	—	—	—	—
Water	—	—	—	—	—	—	—
Shallow draft	—	—	—	—	—	—	—
Great Lakes	—	—	—	—	—	—	—
Deep draft	—	—	—	—	—	—	—
Air (includes truck and air)	—	—	—	—	—	—	—
Pipeline	—	—	—	—	S	S	S
Multiple modes	S	S	S	S	S	S	35.3
Parcel, U.S. Postal Service or courier	S	S	S	S	S	S	35.3
Truck and rail	—	—	—	—	—	—	—
Truck and water	—	—	—	—	—	—	—
Rail and water	—	—	—	—	—	—	—
Other multiple modes	—	—	—	—	—	—	—
Other and unknown modes	S	S	S	S	S	S	31.9
SCTG 29, PRINTED PRODUCTS							
Total	S	S	S	S	S	S	18.3
Single modes	S	S	S	S	S	S	28.0
Truck	S	S	S	S	S	S	30.9
For-hire truck	S	S	S	S	S	S	20.4
Private truck	S	S	S	S	S	S	41.7
Rail	—	—	—	—	—	—	—
Water	—	—	—	—	—	—	—
Shallow draft	—	—	—	—	—	—	—
Great Lakes	—	—	—	—	—	—	—
Deep draft	—	—	—	—	—	—	—
Air (includes truck and air)	S	S	S	S	S	S	31.7
Pipeline	—	—	—	—	S	S	S
Multiple modes	S	S	S	S	S	S	18.5
Parcel, U.S. Postal Service or courier	S	S	S	S	S	S	18.5
Truck and rail	—	—	—	—	—	—	—
Truck and water	—	—	—	—	—	—	—
Rail and water	—	—	—	—	—	—	—
Other multiple modes	—	—	—	—	—	—	—
Other and unknown modes	32.8	18.9	31.5	17.2	S	S	S
SCTG 30, TEXTILES, LEATHER, AND ARTICLES OF TEXTILES OR LEATHER							
Total	18.4	—	18.8	—	20.1	—	4.5
Single modes	19.7	2.3	19.3	1.0	20.5	.8	9.1
Truck	19.7	2.3	19.3	1.0	20.5	.8	9.8
For-hire truck	28.1	6.2	28.1	5.8	26.1	5.2	7.8
Private truck	18.4	5.8	26.1	5.9	27.1	5.3	22.3
Rail	—	—	—	—	—	—	—
Water	—	—	—	—	—	—	—
Shallow draft	—	—	—	—	—	—	—
Great Lakes	—	—	—	—	—	—	—
Deep draft	—	—	—	—	—	—	—
Air (includes truck and air)	44.4	—	S	S	S	S	25.8
Pipeline	—	—	—	—	S	S	S
Multiple modes	34.7	1.4	41.5	.4	41.5	.7	6.6
Parcel, U.S. Postal Service or courier	33.6	1.3	20.0	.2	16.5	.2	6.9
Truck and rail	S	S	S	S	S	S	31.6
Truck and water	S	S	S	S	S	S	30.8
Rail and water	—	—	—	—	—	—	—
Other multiple modes	—	—	—	—	—	—	—
Other and unknown modes	S	S	S	S	44.1	.1	38.4

See footnote at end of table.

Table B-6. Estimated Measures of Reliability for Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for State of Origin: 2002—Con.

[Estimates are shown as percents and are based on data from the 2002 Commodity Flow Survey]

SCTG code, description, and mode of transportation	Value		Tons		Ton-miles		Average miles per shipment—coefficient of variation
	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	
SCTG 31, NONMETALLIC MINERAL PRODUCTS							
Total	S	S	43.5	—	S	S	38.9
Single modes	S	S	46.2	4.2	S	S	36.6
Truck	S	S	37.4	11.4	S	S	34.7
For-hire truck	S	S	49.4	11.6	S	S	13.5
Private truck	43.8	6.9	S	S	S	S	24.9
Rail	S	S	S	S	S	S	26.4
Water	S	S	S	S	S	S	31.6
Shallow draft	S	S	S	S	S	S	31.6
Great Lakes	—	—	—	—	—	—	—
Deep draft	—	—	—	.1	—	.2	33.3
Air (includes truck and air)	S	S	S	S	S	S	29.8
Pipeline	—	—	—	—	S	S	S
Multiple modes	S	S	S	S	S	S	46.6
Parcel, U.S. Postal Service or courier	S	S	S	S	S	S	28.7
Truck and rail	S	S	S	S	S	S	31.6
Truck and water	—	—	—	—	—	—	—
Rail and water	—	—	—	—	—	—	—
Other multiple modes	—	—	—	—	—	—	—
Other and unknown modes	S	S	S	S	S	S	S
SCTG 32, BASE METAL IN PRIMARY OR SEMIFINISHED FORMS AND IN FINISHED BASIC SHAPES							
Total	21.0	—	32.0	—	28.1	—	12.9
Single modes	21.4	1.2	32.1	.2	28.2	.6	11.5
Truck	25.4	3.8	38.3	4.6	39.1	8.3	11.7
For-hire truck	25.4	4.2	39.6	3.1	38.8	5.2	8.2
Private truck	32.7	2.8	34.4	3.5	45.7	4.5	18.7
Rail	20.0	4.1	30.3	4.5	37.8	8.3	19.9
Water	S	S	S	S	S	S	31.6
Shallow draft	S	S	S	S	S	S	31.6
Great Lakes	—	—	—	—	—	—	—
Deep draft	—	—	—	—	—	—	—
Air (includes truck and air)	S	S	S	S	S	S	28.8
Pipeline	—	—	—	—	S	S	S
Multiple modes	S	S	45.3	.1	S	S	33.3
Parcel, U.S. Postal Service or courier	S	S	38.5	—	40.4	—	33.6
Truck and rail	S	S	S	S	S	S	29.9
Truck and water	—	—	—	—	—	—	—
Rail and water	—	—	—	—	—	—	—
Other multiple modes	—	—	—	—	—	—	—
Other and unknown modes	37.6	—	38.7	—	40.9	—	27.5
SCTG 33, ARTICLES OF BASE METAL							
Total	24.9	—	22.6	—	29.1	—	17.6
Single modes	21.5	2.6	22.7	.6	29.5	1.1	20.6
Truck	21.6	2.6	22.9	.7	30.0	1.9	20.2
For-hire truck	19.4	6.8	24.3	5.2	31.2	4.2	9.3
Private truck	33.0	6.5	34.4	5.3	45.6	4.6	26.7
Rail	S	S	S	S	S	S	29.9
Water	—	—	—	—	—	—	—
Shallow draft	—	—	—	—	—	—	—
Great Lakes	—	—	—	—	—	—	—
Deep draft	—	—	—	—	—	—	—
Air (includes truck and air)	47.0	.1	48.7	—	S	S	21.5
Pipeline	—	—	—	—	S	S	S
Multiple modes	S	S	31.2	.5	35.3	1.0	15.1
Parcel, U.S. Postal Service or courier	S	S	31.7	.5	35.3	1.0	15.0
Truck and rail	S	S	S	S	S	S	31.6
Truck and water	—	—	—	—	—	—	—
Rail and water	—	—	—	—	—	—	—
Other multiple modes	—	—	—	—	—	—	—
Other and unknown modes	27.1	.7	27.7	.5	37.3	.9	S

See footnote at end of table.

Table B-6. Estimated Measures of Reliability for Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for State of Origin: 2002—Con.

[Estimates are shown as percents and are based on data from the 2002 Commodity Flow Survey]

SCTG code, description, and mode of transportation	Value		Tons		Ton-miles		Average miles per shipment—coefficient of variation
	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	
SCTG 34, MACHINERY							
Total	10.8	—	12.2	—	13.6	—	45.1
Single modes	13.9	6.4	16.7	8.3	16.7	7.3	S
Truck	17.7	9.3	22.3	10.4	20.6	12.8	S
For-hire truck	20.7	5.8	25.0	7.9	21.3	11.5	11.8
Private truck	26.2	5.7	26.1	5.0	35.5	2.2	27.1
Rail	41.4	4.5	41.1	7.1	41.7	11.0	25.9
Water	—	—	—	—	—	—	—
Shallow draft	—	—	—	—	—	—	—
Great Lakes	—	—	—	—	—	—	—
Deep draft	—	—	—	—	—	—	—
Air (includes truck and air)	S	S	S	S	S	S	31.1
Pipeline	—	—	—	—	S	S	S
Multiple modes	40.0	2.8	41.5	1.2	41.1	1.6	S
Parcel, U.S. Postal Service or courier	41.5	2.9	S	S	34.8	.6	S
Truck and rail	S	S	S	S	S	S	29.8
Truck and water	—	—	—	—	—	—	—
Rail and water	—	—	—	—	—	—	—
Other multiple modes	—	—	—	—	—	—	—
Other and unknown modes	38.5	5.7	S	S	45.7	6.6	45.9
SCTG 35, ELECTRONIC AND OTHER ELECTRICAL EQUIPMENT AND COMPONENTS AND OFFICE EQUIPMENT							
Total	13.9	—	15.8	—	19.3	—	20.2
Single modes	17.4	7.4	18.5	5.5	22.8	6.1	38.9
Truck	15.4	8.2	18.2	5.4	19.4	6.2	S
For-hire truck	19.2	9.2	17.8	8.7	19.7	6.4	20.6
Private truck	S	S	S	S	S	S	S
Rail	S	S	S	S	S	S	31.6
Water	—	—	—	—	—	—	—
Shallow draft	—	—	—	—	—	—	—
Great Lakes	—	—	—	—	—	—	—
Deep draft	—	—	—	—	—	—	—
Air (includes truck and air)	S	S	S	S	S	S	12.5
Pipeline	—	—	—	—	S	S	S
Multiple modes	42.5	7.6	36.2	3.2	37.5	2.9	18.6
Parcel, U.S. Postal Service or courier	42.8	7.6	40.8	3.3	40.6	2.9	18.9
Truck and rail	S	S	S	S	S	S	29.9
Truck and water	—	—	—	—	—	—	—
Rail and water	—	—	—	—	—	—	—
Other multiple modes	—	—	—	—	—	—	—
Other and unknown modes	44.9	1.6	S	S	S	S	S
SCTG 36, MOTORIZED AND OTHER VEHICLES (INCLUDING PARTS)							
Total	19.3	—	24.9	—	25.7	—	27.9
Single modes	22.0	9.7	22.7	10.5	25.3	9.0	S
Truck	24.3	9.8	29.4	11.9	29.9	10.6	S
For-hire truck	31.1	6.7	42.4	9.0	45.7	10.0	14.3
Private truck	35.3	9.3	38.5	11.4	48.6	10.7	S
Rail	47.8	10.1	47.8	8.7	49.4	10.9	26.0
Water	—	—	—	—	—	—	—
Shallow draft	—	—	—	—	—	—	—
Great Lakes	—	—	—	—	—	—	—
Deep draft	—	—	—	—	—	—	—
Air (includes truck and air)	S	S	S	S	S	S	29.9
Pipeline	—	—	—	—	S	S	S
Multiple modes	S	S	S	S	S	S	11.9
Parcel, U.S. Postal Service or courier	S	S	S	S	S	S	11.9
Truck and rail	—	—	—	—	—	—	—
Truck and water	—	—	—	—	—	—	—
Rail and water	—	—	—	—	—	—	—
Other multiple modes	—	—	—	—	—	—	—
Other and unknown modes	S	S	S	S	S	S	S

See footnote at end of table.

Table B-6. Estimated Measures of Reliability for Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for State of Origin: 2002—Con.

[Estimates are shown as percents and are based on data from the 2002 Commodity Flow Survey]

SCTG code, description, and mode of transportation	Value		Tons		Ton-miles		Average miles per shipment—coefficient of variation
	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	
SCTG 37, TRANSPORTATION EQUIPMENT, N.E.C.							
Total	S	S	46.5	—	48.2	—	19.2
Single modes	S	S	46.6	3.3	46.8	7.6	18.0
Truck	S	S	46.9	12.0	47.1	13.1	22.2
For-hire truck	S	S	47.0	15.2	47.1	13.8	22.5
Private truck	S	S	S	S	S	S	31.1
Rail	—	—	—	—	—	—	—
Water	—	—	—	—	—	—	—
Shallow draft	—	—	—	—	—	—	—
Great Lakes	—	—	—	—	—	—	—
Deep draft	—	—	—	—	—	—	—
Air (includes truck and air)	S	S	S	S	S	S	24.2
Pipeline	—	—	—	—	—	—	S
Multiple modes	S	S	S	S	S	S	28.5
Parcel, U.S. Postal Service or courier	S	S	S	S	S	S	28.5
Truck and rail	—	—	—	—	—	—	—
Truck and water	—	—	—	—	—	—	—
Rail and water	—	—	—	—	—	—	—
Other multiple modes	—	—	—	—	—	—	—
Other and unknown modes	—	—	—	—	—	—	—
SCTG 38, PRECISION INSTRUMENTS AND APPARATUS							
Total	29.2	—	44.5	—	S	S	41.5
Single modes	33.9	8.0	46.1	10.5	S	S	S
Truck	33.9	11.7	46.1	14.6	S	S	S
For-hire truck	38.4	10.7	S	S	S	S	21.2
Private truck	S	S	S	S	48.8	5.4	S
Rail	—	—	—	—	—	—	—
Water	—	—	—	—	—	—	—
Shallow draft	—	—	—	—	—	—	—
Great Lakes	—	—	—	—	—	—	—
Deep draft	—	—	—	—	—	—	—
Air (includes truck and air)	S	S	S	S	S	S	27.9
Pipeline	—	—	—	—	S	S	S
Multiple modes	S	S	42.4	9.8	47.6	9.7	19.0
Parcel, U.S. Postal Service or courier	S	S	42.4	9.8	47.6	9.7	19.0
Truck and rail	—	—	—	—	—	—	—
Truck and water	—	—	—	—	—	—	—
Rail and water	—	—	—	—	—	—	—
Other multiple modes	—	—	—	—	—	—	—
Other and unknown modes	S	S	S	S	S	S	S
SCTG 39, FURNITURE, MATTRESSES AND MATTRESS SUPPORTS, LAMPS, LIGHTING FITTINGS, AND ILLUMINATED SIGNS							
Total	26.8	—	30.5	—	30.2	—	11.4
Single modes	26.2	2.5	30.4	.4	29.7	1.0	12.1
Truck	26.0	4.0	30.6	.7	29.7	1.1	9.2
For-hire truck	23.3	14.4	31.2	15.2	32.1	15.2	13.1
Private truck	35.7	13.3	36.7	15.2	39.2	14.7	21.5
Rail	S	S	S	S	S	S	41.4
Water	—	—	—	—	—	—	—
Shallow draft	—	—	—	—	—	—	—
Great Lakes	—	—	—	—	—	—	—
Deep draft	—	—	—	—	—	—	—
Air (includes truck and air)	S	S	S	S	S	S	26.2
Pipeline	—	—	—	—	S	S	S
Multiple modes	S	S	S	S	S	S	17.2
Parcel, U.S. Postal Service or courier	S	S	S	S	S	S	17.2
Truck and rail	—	—	—	—	—	—	—
Truck and water	—	—	—	—	—	—	—
Rail and water	—	—	—	—	—	—	—
Other multiple modes	—	—	—	—	—	—	—
Other and unknown modes	S	S	S	S	S	S	30.8

See footnote at end of table.

Table B-6. Estimated Measures of Reliability for Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for State of Origin: 2002—Con.

[Estimates are shown as percents and are based on data from the 2002 Commodity Flow Survey]

SCTG code, description, and mode of transportation	Value		Tons		Ton-miles		Average miles per shipment—coefficient of variation
	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	
SCTG 40, MISCELLANEOUS MANUFACTURED PRODUCTS							
Total	17.4	—	S	S	19.1	—	14.5
Single modes	19.9	5.2	44.6	4.8	18.9	2.0	15.0
Truck	20.5	5.5	44.6	4.8	19.0	2.0	16.0
For-hire truck	21.6	4.5	48.1	4.4	18.9	4.4	12.9
Private truck	25.2	3.3	34.7	3.8	49.5	3.5	36.2
Rail	—	—	—	—	—	—	—
Water	—	—	—	—	—	—	—
Shallow draft	—	—	—	—	—	—	—
Great Lakes	—	—	—	—	—	—	—
Deep draft	—	—	—	—	—	—	—
Air (includes truck and air)	S	S	45.9	.2	39.5	.1	S
Pipeline	—	—	—	—	S	S	S
Multiple modes	29.9	5.6	22.5	2.6	36.0	2.2	14.5
Parcel, U.S. Postal Service or courier	29.9	5.6	22.5	2.6	36.0	2.2	14.5
Truck and rail	—	—	—	—	—	—	—
Truck and water	—	—	—	—	—	—	—
Rail and water	—	—	—	—	—	—	—
Other multiple modes	—	—	—	—	—	—	—
Other and unknown modes	S	S	S	S	S	S	27.5
SCTG 41, WASTE AND SCRAP							
Total	48.5	—	S	S	S	S	49.5
Single modes	48.6	.3	S	S	S	S	48.0
Truck	48.6	.3	S	S	S	S	48.0
For-hire truck	S	S	S	S	S	S	44.2
Private truck	S	S	S	S	S	S	29.0
Rail	—	—	—	—	—	—	—
Water	—	—	—	—	—	—	—
Shallow draft	—	—	—	—	—	—	—
Great Lakes	—	—	—	—	—	—	—
Deep draft	—	—	—	—	—	—	—
Air (includes truck and air)	—	—	—	—	—	—	—
Pipeline	—	—	—	—	S	S	S
Multiple modes	S	S	S	S	S	S	31.6
Parcel, U.S. Postal Service or courier	—	—	—	—	—	—	—
Truck and rail	—	—	—	—	—	—	—
Truck and water	S	S	S	S	S	S	31.6
Rail and water	—	—	—	—	—	—	—
Other multiple modes	—	—	—	—	—	—	—
Other and unknown modes	S	S	S	S	S	S	31.6
SCTG 43, MIXED FREIGHT							
Total	19.6	—	18.7	—	19.1	—	26.1
Single modes	20.1	1.4	18.8	.5	19.4	.5	29.5
Truck	20.1	1.5	18.8	.5	19.4	.7	26.5
For-hire truck	S	S	33.7	.9	35.4	3.3	15.5
Private truck	22.5	4.8	19.2	1.0	21.0	3.9	23.1
Rail	—	—	—	—	—	—	—
Water	—	—	—	—	—	—	—
Shallow draft	—	—	—	—	—	—	—
Great Lakes	—	—	—	—	—	—	—
Deep draft	—	—	—	—	—	—	—
Air (includes truck and air)	42.5	—	S	S	S	S	26.4
Pipeline	—	—	—	—	S	S	S
Multiple modes	33.6	.9	31.7	.1	22.1	.4	12.1
Parcel, U.S. Postal Service or courier	33.6	.9	31.7	.1	22.1	.4	12.1
Truck and rail	—	—	—	—	—	—	—
Truck and water	—	—	—	—	—	—	—
Rail and water	—	—	—	—	—	—	—
Other multiple modes	—	—	—	—	—	—	—
Other and unknown modes	S	S	S	S	47.4	.3	S

See footnote at end of table.

Table B-6. **Estimated Measures of Reliability for Shipment Characteristics by Two-Digit Commodity and Mode of Transportation for State of Origin: 2002—Con.**

[Estimates are shown as percents and are based on data from the 2002 Commodity Flow Survey]

SCTG code, description, and mode of transportation	Value		Tons		Ton-miles		Average miles per shipment—coefficient of variation
	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	
COMMODITY UNKNOWN							
Total	47.3	—	41.6	—	S	S	23.8
Single modes	49.2	8.1	41.6	.4	S	S	S
Truck	49.0	7.7	26.9	12.9	S	S	S
For-hire truck	S	S	38.6	12.7	35.7	15.8	31.4
Private truck	S	S	35.8	15.3	S	S	S
Rail	S	S	S	S	S	S	31.6
Water	—	—	—	—	—	—	—
Shallow draft	—	—	—	—	—	—	—
Great Lakes	—	—	—	—	—	—	—
Deep draft	—	—	—	—	—	—	—
Air (includes truck and air)	—	—	—	—	—	—	—
Pipeline	—	—	—	—	S	S	S
Multiple modes	S	S	41.6	.4	37.8	.8	S
Parcel, U.S. Postal Service or courier	S	S	41.6	.4	37.8	.8	S
Truck and rail	—	—	—	—	—	—	—
Truck and water	—	—	—	—	—	—	—
Rail and water	—	—	—	—	—	—	—
Other multiple modes	—	—	—	—	—	—	—
Other and unknown modes	S	S	S	S	S	S	31.6

— Represents data cell equal to zero or less than 1 unit of measure.
 S Estimate does not meet publication standards because of high sampling variability or poor response quality.

Note: The Introduction and appendixes give information on confidentiality protection, sampling error, nonsampling error, sample design, and definitions. Links to this information on the Internet may be found at www.census.gov/cfs.

Table B-7. Estimated Measures of Reliability for Outbound Shipment Characteristics by State of Destination for State of Origin: 2002

[Estimates are shown as percents and are based on data from the 2002 Commodity Flow Survey]

State of destination	Value		Tons		Ton-miles	
	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage
Total	6.0	—	9.6	—	15.8	—
NEW ENGLAND STATES						
Connecticut	25.9	—	S	S	46.8	.2
Maine	39.4	—	S	S	S	S
Massachusetts	31.2	.2	S	S	S	S
New Hampshire	28.9	—	36.8	—	34.7	—
Rhode Island	S	S	S	S	S	S
Vermont	S	S	S	S	S	S
MIDDLE ATLANTIC STATES						
New Jersey	17.2	.2	21.3	.1	20.4	.3
New York	19.7	.3	26.3	.1	27.0	.3
Pennsylvania	12.8	.1	16.7	—	17.1	.3
EAST NORTH CENTRAL STATES						
Illinois	14.4	.2	20.5	.1	23.7	.3
Indiana	10.6	.2	17.5	.2	18.7	.5
Michigan	21.4	.3	32.7	.1	28.0	.2
Ohio	17.2	.3	27.0	.3	27.7	.8
Wisconsin	20.1	.1	43.6	.3	44.4	1.6
WEST NORTH CENTRAL STATES						
Iowa	S	S	32.5	—	31.8	.2
Kansas	22.5	.1	33.8	.1	35.0	.2
Minnesota	29.1	.2	37.6	—	35.8	.3
Missouri	21.3	.2	18.7	.1	16.0	.2
Nebraska	28.9	—	37.1	—	38.2	.2
North Dakota	S	S	S	S	S	S
South Dakota	36.0	—	47.6	—	47.3	—
SOUTH ATLANTIC STATES						
Delaware	47.8	—	47.2	—	46.8	—
District of Columbia	S	S	S	S	S	S
Florida	15.6	.6	26.5	1.0	33.5	1.7
Georgia	10.1	1.1	37.8	3.2	28.4	2.6
Maryland	23.9	.2	28.2	—	32.0	.5
North Carolina	14.5	.3	12.0	.1	13.5	.4
South Carolina	18.0	.3	46.3	.6	49.5	1.0
Virginia	37.5	.3	17.8	—	18.8	.2
West Virginia	34.0	—	36.5	—	33.7	—
EAST SOUTH CENTRAL STATES						
Alabama	5.5	1.6	9.8	3.5	11.4	1.7
Kentucky	13.7	.2	21.0	.1	17.8	.3
Mississippi	27.8	1.4	24.5	.9	17.8	.7
Tennessee	26.4	1.0	17.7	.4	15.3	.5
WEST SOUTH CENTRAL STATES						
Arkansas	22.9	.2	20.5	—	18.7	.1
Louisiana	21.2	.4	33.0	.9	47.8	2.8
Oklahoma	S	S	46.6	.1	48.0	.4
Texas	19.8	.7	39.4	1.0	46.5	2.3
MOUNTAIN STATES						
Arizona	31.2	—	18.3	—	18.5	—
Colorado	35.6	.5	25.3	—	26.6	.2
Idaho	S	S	S	S	S	S
Montana	S	S	S	S	S	S
Nevada	16.5	—	S	S	S	S
New Mexico	24.4	—	39.4	—	44.2	—
Utah	37.2	—	42.2	—	40.8	.2
Wyoming	S	S	S	S	S	S
PACIFIC STATES						
Alaska	S	S	S	S	S	S
California	20.7	.8	35.4	.6	38.2	3.4
Hawaii	42.0	—	S	S	S	S
Oregon	42.5	.1	S	S	S	S
Washington	42.8	.2	43.4	—	43.4	.3

— Represents data cell equal to zero or less than 1 unit of measure.
 S Estimate does not meet publication standards because of high sampling variability or poor response quality.

Note: The Introduction and appendixes give information on confidentiality protection, sampling error, nonsampling error, sample design, and definitions. Links to this information on the Internet may be found at www.census.gov/cfs.

Table B–8. Estimated Measures of Reliability for Inbound Shipment Characteristics by State of Origin for State of Destination: 2002

[Estimates are shown as percents and are based on data from the 2002 Commodity Flow Survey]

State of origin	Value		Tons		Ton-miles	
	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage	Coefficient of variation of number	Standard error of percentage
Total	2.7	–	8.6	–	10.4	–
NEW ENGLAND STATES						
Connecticut	33.7	–	31.9	–	32.3	–
Maine	33.2	–	S	S	S	S
Massachusetts	S	S	40.2	–	39.2	–
New Hampshire	17.7	–	22.8	–	23.5	–
Rhode Island	17.1	–	37.5	–	38.5	–
Vermont	21.9	–	S	S	S	S
MIDDLE ATLANTIC STATES						
New Jersey	22.3	.2	22.9	–	22.1	–
New York	18.8	.2	41.6	–	41.0	.2
Pennsylvania	16.2	.2	20.8	–	21.0	.1
EAST NORTH CENTRAL STATES						
Illinois	12.7	.3	14.0	.2	14.0	.7
Indiana	13.7	.2	33.8	.5	42.3	1.3
Michigan	27.8	.6	34.0	.2	31.3	.8
Ohio	14.1	.4	18.7	.1	18.1	.3
Wisconsin	12.1	.1	25.1	.1	26.8	.5
WEST NORTH CENTRAL STATES						
Iowa	25.9	.2	36.7	.2	38.0	.5
Kansas	23.8	.1	33.3	–	35.9	.1
Minnesota	21.3	.2	39.4	.7	38.7	2.6
Missouri	24.0	.3	S	S	S	S
Nebraska	47.0	.3	S	S	S	S
North Dakota	S	S	S	S	S	S
South Dakota	24.9	–	30.8	–	31.1	–
SOUTH ATLANTIC STATES						
Delaware	32.8	–	35.4	–	36.2	–
District of Columbia	S	S	S	S	S	S
Florida	20.6	.8	20.2	.3	23.4	.7
Georgia	11.1	.9	14.0	.9	16.3	.6
Maryland	41.3	.2	49.0	–	48.2	.1
North Carolina	26.5	.8	13.6	–	16.6	.2
South Carolina	17.2	.3	24.4	.3	26.1	.3
Virginia	16.5	.2	29.3	.1	28.3	.3
West Virginia	17.2	–	36.6	–	33.8	.1
EAST SOUTH CENTRAL STATES						
Alabama	5.5	1.7	9.8	4.2	11.4	2.1
Kentucky	19.7	.4	S	S	S	S
Mississippi	11.4	.5	18.0	.9	16.7	.7
Tennessee	10.4	.8	S	S	S	S
WEST SOUTH CENTRAL STATES						
Arkansas	20.0	.2	15.8	–	16.1	.2
Louisiana	35.7	1.1	23.0	.3	28.4	.7
Oklahoma	24.1	.1	37.7	.2	36.7	.4
Texas	36.5	1.7	16.8	.3	14.5	.4
MOUNTAIN STATES						
Arizona	S	S	S	S	S	S
Colorado	30.6	.1	38.1	.6	38.7	3.2
Idaho	40.0	–	S	S	S	S
Montana	S	S	S	S	S	S
Nevada	37.6	–	S	S	S	S
New Mexico	40.3	–	S	S	S	S
Utah	27.3	–	S	S	S	S
Wyoming	18.8	–	28.0	1.7	27.9	5.6
PACIFIC STATES						
Alaska	S	S	S	S	S	S
California	21.5	.6	47.6	.3	46.3	1.1
Hawaii	S	S	S	S	S	S
Oregon	36.4	–	28.9	–	29.0	.2
Washington	28.7	–	46.9	–	46.4	.2

– Represents data cell equal to zero or less than 1 unit of measure.
 S Estimate does not meet publication standards because of high sampling variability or poor response quality.

Note: The Introduction and appendixes give information on confidentiality protection, sampling error, nonsampling error, sample design, and definitions. Links to this information on the Internet may be found at www.census.gov/cfs.

Table B-9. Estimated Measures of Reliability for Shipment Characteristics by Mode of Transportation for State of Origin: 2002 and 1997

[Estimates are shown as percents and are based on data from the 2002 and 1997 Commodity Flow Surveys]

Mode of transportation	Value			Tons			Ton-miles			Average miles per shipment		
	Coefficient of variation of number		Standard error of percent change	Coefficient of variation of number		Standard error of percent change	Coefficient of variation of number		Standard error of percent change	Coefficient of variation of number		Standard error of percent change
	2002	1997		2002	1997		2002	1997		2002	1997	
Total	6.0	5.1	10.1	9.6	10.6	14.8	15.8	6.4	23.4	14.8	5.0	19.6
Single modes	7.4	5.9	12.1	10.3	11.3	15.6	15.9	6.8	24.7	10.9	8.4	15.0
Truck	7.6	6.5	12.8	11.1	15.3	18.2	13.5	5.5	18.9	13.5	9.3	16.7
Rail	22.5	12.8	40.3	22.6	10.6	36.9	25.3	15.2	49.3	14.3	8.5	15.6
Water	S	32.1	S	S	28.5	S	S	33.7	S	S	30.6	S
Air (includes truck and air)	38.0	22.1	27.7	S	30.1	S	S	39.6	S	6.9	6.6	13.9
Pipeline	S	45.9	S	S	S	S	S	S	S	S	S	S
Multiple modes	16.3	10.5	29.1	48.8	S	S	27.8	25.2	20.8	9.9	7.6	15.6
Parcel, U.S. Postal Service or courier ..	16.8	12.1	32.9	16.8	12.9	23.9	16.6	13.0	23.8	9.9	7.6	15.6
Truck and rail	24.3	27.2	12.2	24.2	S	S	24.3	32.6	8.7	26.1	19.3	32.9
All other multiple modes	S	S	S	S	S	S	S	46.7	S	28.9	40.0	73.0
Other and unknown modes ...	20.3	17.5	26.9	28.0	27.0	57.0	18.8	24.0	6.8	S	22.2	S

- Represents data cell equal to zero or less than 1 unit of measure.
S Estimate does not meet publication standards because of high sampling variability or poor response quality.

Note: The Introduction and appendixes give information on confidentiality protection, sampling error, nonsampling error, sample design, and definitions. Links to this information on the Internet may be found at www.census.gov/cfs.

Table B-10. Estimated Measures of Reliability for Shipment Characteristics by Commodity Group for State of Origin: 2002 and 1997

[Estimates are shown as percents and are based on data from the 2002 and 1997 Commodity Flow Surveys]

SCTG code	Commodity description	Value			Tons			Ton-miles			Average miles per shipment		
		Coefficient of variation of number		Standard error of percent change	Coefficient of variation of number		Standard error of percent change	Coefficient of variation of number		Standard error of percent change	Coefficient of variation of number		Standard error of percent change
		2002	1997		2002	1997		2002	1997		2002	1997	
	Total	6.0	5.1	10.1	9.6	10.6	14.8	15.8	6.4	23.4	14.8	5.0	19.6
01-05	Agricultural products and fish	20.6	10.8	22.5	39.6	22.8	43.1	42.3	16.4	92.9	S	24.5	S
06-09	Grains, alcohol, and tobacco products	12.9	13.9	40.3	19.3	19.5	61.7	21.9	20.9	61.9	S	30.3	S
10-14	Stones, nonmetallic minerals, and metallic ores	20.3	S	S	21.9	35.8	38.5	34.3	20.4	51.7	17.0	27.4	32.5
15-19	Coal and petroleum products	16.5	13.9	22.9	13.1	10.1	13.9	13.9	15.2	14.4	18.3	14.3	22.0
20-24	Basic chemicals, chemical, and pharmaceutical products	9.8	8.8	20.3	27.4	23.7	55.7	38.6	24.7	92.0	14.0	14.3	37.2
25-30	Logs, wood products, and textile and leather	28.3	9.4	37.8	24.5	15.9	26.9	12.9	14.5	16.7	10.2	11.3	15.1
31-34	Base metal and machinery ..	25.1	3.3	28.2	34.3	4.9	42.6	47.7	11.2	93.5	15.2	8.4	22.8
35-38	Electronic, motorized vehicles, and precision instruments	12.1	11.7	19.0	16.8	11.1	27.9	18.5	13.5	27.0	36.2	13.3	22.1
39-43	Furniture, mixed freight and misc. manufactured prod. ..	12.3	18.6	33.4	21.3	12.2	28.0	11.8	12.5	16.5	10.1	9.5	18.3
--	Commodity unknown	47.3	S	S	41.6	S	S	S	S	S	23.8	36.9	93.8

- Represents data cell equal to zero or less than 1 unit of measure.
S Estimate does not meet publication standards because of high sampling variability or poor response quality.

Note: The Introduction and appendixes give information on confidentiality protection, sampling error, nonsampling error, sample design, and definitions. Links to this information on the Internet may be found at www.census.gov/cfs.

Appendix C.

Sample Design, Data Collection, and Estimation

INTRODUCTION

The primary goal for the 2002 Commodity Flow Survey (CFS) is to estimate *shipping volumes* (value, tons, and ton-miles) by *commodity* and *mode of transportation* at varying levels of geographic detail. A secondary objective is to estimate the volume of shipments moving from one geographic area to another (i.e., flows of commodities between states, regions, etc.) by mode and commodity. A detailed description of the sample design for the 2002 CFS is provided below.

SAMPLE DESIGN

The sample for the 2002 Commodity Flow Survey (CFS) was selected using a stratified three-stage design in which the first-stage sampling units were establishments, the second-stage sampling units were groups of four 1-week periods (reporting weeks) within the survey year, and the third-stage sampling units were shipments.

First Stage

Sampling frame

To create the first-stage sampling frame, we extracted a subset of establishment records from the Business Register (formerly the Standard Statistical Establishment List) as of September 2001. The Business Register is a database of all known establishments located in the United States or its territories. (An establishment is a single physical location where business transactions take place or services are performed.) Establishments located in the United States, having nonzero payroll in 2000, and classified in mining (except oil and gas extraction), manufacturing, wholesale, or electronic shopping and mail order retail industries, as defined by the 1997 North American Industry Classification System (NAICS), were included on the sampling frame. *Auxiliary establishments* (e.g. warehouses and central administrative offices) with shipping activity were also included on the sampling frame. Auxiliary establishments are establishments that are primarily involved in rendering support services for other establishments within the same company, instead of for the public, government, or other business firms. All other establishments included on the sampling frame are referred to as *nonauxiliary establishments*.

Some portion of establishments classified in the Retail Trade sector in the 1997 Economic Census was expected to be classified in the Wholesale Trade sector in the 2002 Economic Census. Because we wanted complete coverage of the Wholesale Trade sector as defined for the 2002 Economic Census, the 2002 CFS sampling frame also included establishments that were classified in particular retail industries (automotive parts and accessories, tires, floor coverings, building materials, nursery and garden, and office supplies) in the 1997 Economic Census and had characteristics indicating that they were likely to be classified as wholesale in the 2002 Economic Census. Of the establishments selected for the 2002 CFS from this set of establishments, only those that were classified as wholesale in the 2002 Economic Census were used in the production of estimates for this report.

Establishments classified in forestry, fishing, utilities, construction, transportation, services, and all other retail industries were not included on the sampling frame. Farms and government-owned entities (except government-owned liquor stores) were also excluded from the sampling frame. The resulting frame comprised approximately 760,000 establishments.

For each establishment we extracted sales, payroll, number of employees, a six-digit NAICS code, name and address, and a primary identifier. We also computed a measure of size for each establishment. The measure of size was designed to approximate an establishment's annual total value of shipments for the year 2000.

All of the establishments included on the sampling frame had state, county, and place geographic codes. We used these codes to assign each establishment to one of the 273 metropolitan areas (MAs) defined as a combination of the metropolitan statistical areas (MSAs) and consolidated metropolitan statistical areas (CMSAs). Establishments not located in an MA were assigned to MA 9999.

Stratification

We stratified the sampling frame by geography and industry. Geographic strata were defined by a combination of the 50 states, the District of Columbia, and the top 50 metropolitan areas (MAs) based on their population in Census 2000. If a particular MA was not one of the 50 largest, then it was collapsed with the remaining MAs and non-MAs within the state in which the particular MA resided. We refer to these collapsed strata as Rest of State (ROS) strata. When an MA crossed state boundaries, we considered the size of each part of the MA relative to the MAs total measure of size when determining whether or not to create strata in each state in which the MA was defined. The industry strata were determined as follows. Within each of the geographic strata, we started with a total of 45 industry groups based on 1997 NAICS: three mining (four-digit NAICS); 21 manufacturing (three-digit NAICS); 18 wholesale (four-digit NAICS); 1 retail (NAICS 4541); and 2 auxiliary (NAICS 4931 and 5511). We then implemented a rule that states a particular industry stratum will be defined within a geographic stratum if it contributes at least 2 percent to its corresponding state total measure of size or it contributes at least 2 percent to the national total measure of size for the industry. Industry groups not meeting these criteria were combined into at most 12 new collapsed industry strata using a clustering algorithm. Because of potential differences in shipping patterns between auxiliary and nonauxiliary establishments, we created two industry strata of auxiliary establishments in every geographic stratum. We refer to a particular geographic-by-industry combination as a *primary stratum*. Also note that a separate stratum was created at the national level for those Retail Trade sector establishments that we included in our sample.

Sample size and allocation

To reduce the sampling variability of the estimates, we used a stratified design with a certainty component. Within each primary stratum, a boundary (or cutoff) that divides the certainty establishments from the noncertainty establishments was determined using the Lavallee-Hidiroglou algorithm. If an establishment's measure of size was greater than the cutoff, the establishment was selected with certainty. Establishments selected with certainty were sure to be selected and represent only themselves (i.e., had a selection probability of one and a sampling weight of one).

Because the 2002 sample was about half the size of the 1997 CFS sample, we were concerned about the ability of the sample to capture less frequent types of shipments (e.g., air, water, rail, and hazardous materials). After considering several different alternatives, we felt the best approach was to identify those establishments which made the bulk of these types of shipments in 1997 and then select them with certainty. To identify these establishments, we proceeded as follows.

We identified all establishments in the 1997 CFS sample that reported shipments made by air, water, or rail. We also identified those establishments that reported shipments of hazardous materials. For each of these establishments, we computed the percentage of the establishment's total value and tonnage accounted for by each of these types of shipments. Next, we matched these establishments to the sampling frame for the 2002 CFS and identified each establishment with measure of size less than the certainty boundary. For both value and tons, we then looked to see what percent of the total volume of shipments for each type of shipment was captured by selecting with certainty the top 50, top 100, or all establishments. We considered the top 50 establishments as those establishments making the largest volume of each type of shipment (air, water, rail, hazardous). Once these establishments were identified, we grouped them into one file and unduplicated them. This procedure added a total of about 500 certainty establishments.

Establishments not selected with certainty made up the noncertainty frame. We further stratified the noncertainty establishments within each primary stratum using the measure of size previously described. We refer to these measure-of-size strata as *substrata* of the primary strata. The measure of size stratification increased the efficiency of the sample design. The Dalenius-Hodges

cumulative \sqrt{f} rule was used to set the substratum boundaries. We then used optimum allocation to determine the sample size required within each substratum to meet a coefficient of variation constraint on an estimate of the total measure of size for the primary stratum. Within each substratum, a simple random sample of establishments was selected without replacement.

To arrive at the final sample size, we allocated additional establishments to some of the strata so that the minimum substratum sample size was two and the probability of selecting any establishment was no less than 1 in 100. In total, the first-stage sample comprised 51,005 establishments.

Second Stage

The frame for the second stage of sampling consisted of 52-weeks from January 6, 2002 to January 4, 2003. Each establishment selected into the 2002 CFS sample was systematically assigned to report for four reporting weeks—one in each quarter of the reference year. Each of the 4-weeks was in the same relative position of the quarter. For example, an establishment might have been requested to report data for the 5th, 18th, 31st, and 44th weeks of the reference year. In this instance, each reporting week corresponds to the 5th week of each quarter. Prior to assignment of weeks to establishments, we sorted the selected sample by primary stratum (state x metropolitan area x industry) and measure-of-size.

Third Stage

For each of the four reporting weeks in which an establishment was asked to report, we requested the respondent to construct a sampling frame consisting of all shipments made by the establishment in the reporting week. Each respondent was asked to count or estimate the total number of shipments comprising the sampling frame and to record this number on the questionnaire. For each assigned reporting week, if an establishment made *more than 40* shipments during that week, we asked the respondent to select a systematic sample of the establishment's shipments and to provide us with information only about the selected shipments. If an establishment made *40 or fewer* shipments during that week, we asked the respondent to provide information about *all* of the establishment's shipments made during that week; i.e., no sampling was required.

DATA COLLECTION

Each establishment selected into the CFS sample was mailed a questionnaire for each of its four reporting weeks. We mailed each establishment a questionnaire once every quarter of 2002. For a given establishment, we requested that the respondent provide the following information about each of the establishment's reported shipments: shipment identification number, the date on which the shipment was made, value, weight, commodity, mode(s) of transportation, domestic destination or port of exit, an indication of whether the shipment was an export, and the United Nations or North America (UN/NA) number for hazardous material shipments. For a shipment that included more than one commodity, the respondent was instructed to report the commodity that made up the greatest percentage of the shipment's *weight*. For an export shipment, we also asked the respondent to provide the mode of export and the foreign destination city and country. See Appendix E for a copy of the questionnaire.

IMPUTATION OF SHIPMENT VALUE OR WEIGHT

To correct for nonresponse to *either* the value *or* weight item for a given shipment reported in the CFS, the missing value or value that failed edit is replaced by a predicted value obtained from an appropriate model. Such a shipment is considered a "recipient" if its commodity code is valid and the other item is reported greater than zero and passed edit. The recipient's item that is missing or failed edit is imputed as follows. First, a "donor" shipment is randomly selected from shipments that were reported in the CFS with:

- The same commodity code as the recipient.
- Both value and weight items reported greater than zero and passed edit.
- Origin and value for the item reported by the recipient similar to those of the recipient.

Then, the donor's value and weight data are used to calculate a ratio, which is applied to the recipient's reported item, to impute the item that is missing or failed edit. If no donor is found, the median ratio for all shipments reported in the survey with the same commodity code as the recipient and with both value and weight items reported greater than zero is applied to the recipient's reported item. For either the value or weight item, about 3 percent of the shipment records input to the calculation of estimates have imputed data for the item.

ESTIMATION

Estimated totals (e.g., value of shipments, tons, ton-miles) are produced as the sum of weighted shipment data (reported or imputed). Percent change and percent-of-total estimates are derived using the appropriate estimated totals. Estimates of average miles per shipment are computed by dividing an estimate of the total miles traveled by the estimated number of shipments. The annualized growth rate \hat{A} for estimates from year y_1 to y_2 is computed as:

$$\hat{A} = 100 * \left(\left(\frac{\hat{X}_{y_2}}{\hat{X}_{y_1}} \right)^{1/(y_2 - y_1)} - 1 \right)$$

where \hat{X}_{y_1} and \hat{X}_{y_2} are estimates of the value of shipments, tons, ton-miles, or average miles per shipment for years y_1 and y_2 , respectively. The annualized growth rate measures the annual rate of change between estimates from any 2 years by assuming a constant yearly rate of change.

Each *shipment* has associated with it a single *tabulation weight*, which was used in computing all estimates to which the shipment contributes. The tabulation weight is a product of seven different component weights. A description of each component weight follows.

CFS respondents provided data for a sample of shipments made by their respective establishments in the survey year. For each establishment, we produced an estimate of that establishment's total value of shipments for the entire survey year. To do this, we used four different weights, the *shipment weight*, the *shipment nonresponse weight*, the *quarter weight*, and the *quarter nonresponse weight*.

Like establishments, we identified shipments as either certainty or noncertainty. (See the Nonsampling Error section in Appendix B for a description of how certainty shipments were identified.) For noncertainty shipments, the *shipment weight* was defined as the ratio of the total number of shipments (as reported by the respondent) made by an establishment in a reporting week to the number of sampled shipments for the same week. This weight uses data from the sampled shipments to represent all the establishment's shipments made in the reporting week. However, a respondent may have failed to provide sufficient information about a particular sampled shipment. For example, a respondent may not have been able to provide value, weight, or a destination for one of the sampled shipments. If this data item could not be imputed, then this shipment did not contribute to tabulations and was deemed unusable. (A *usable shipment* is one that has valid entries for value, weight, and origin and destination ZIP Codes.) To account for these unusable shipments, we applied the *shipment nonresponse weight*. For noncertainty shipments from a particular establishment's reporting week, this weight is equal to the ratio of the number of sampled shipments for the reporting week to the number of usable shipments for the same week. The shipment weight for certainty shipments from a particular establishment's reporting week is equal to one.

The *quarter weight* inflates an establishment's estimate for a particular reporting week to an estimate for the corresponding quarter. For noncertainty shipments, the quarter weight is equal to 13. The quarter weight for most certainty shipments is also equal to 13. However, if a respondent was able to provide information about all large (or certainty) shipments made in the quarter containing the reporting week, then the quarter weight for each of these shipments was one. For each establishment, the quarterly estimates were added to produce an estimate of the establishment's value of shipments for the entire survey year. Whenever an establishment did not provide the Census Bureau with a response for each of its four reporting weeks, we computed a quarter nonresponse

weight. The *quarter nonresponse weight* for a particular establishment is defined as the ratio of the number of quarters for which the establishment was in business in the survey year to the total number of quarters (reporting weeks) for which we received usable shipment data from the establishment.

Using these four component weights, we computed an estimate of each establishment's value of shipments for the entire survey year. We then multiplied this estimate by a factor that adjusts the estimate using value of shipments and sales data obtained from other surveys and censuses conducted by the Census Bureau. This weight, the *establishment-level adjustment weight*, attempts to correct for any sampling or nonsampling errors that occur during the sampling of shipments by the respondent.

The adjusted value of shipments estimate for an establishment was then weighted by the *establishment weight*. This weight is equal to the reciprocal of the establishment's probability of being selected into the sample.

A final adjustment weight, the *industry-level adjustment weight*, uses information from other surveys and censuses conducted by the Census Bureau to account for establishments from which we did not receive a response (including establishments from which we did not receive any usable shipment data) and for changes in the population of establishments between the time the first-stage sampling frame was constructed (2001) and the year in which the data were collected (2002). Separate industry-level adjustment weights were determined for nonauxiliary and auxiliary establishments.

Appendix D.

Standard Classification of Transported Goods Code Information

The commodities shown in this report are classified using the Standard Classification of Transported Goods (SCTG) coding system. The SCTG coding system was created jointly by agencies of the United States and Canadian governments based on the Harmonized System of product classification that is used worldwide. The purpose of the SCTG coding system was to specifically address statistical needs in regard to products transported.

In 1993, Commodity Flow Survey (CFS) data were collected and reported using product classifications found in the Standard Transportation Commodity Classification (STCC) system. These classifications were developed in the early 1960s by the American Association of Railroads (AAR) to analyze commodity movements by rail. The original purpose of the STCC was for identification of commodities for purposes of assigning rates for Interstate Commerce Commission (ICC) regulated rail carriers. The STCC continues to be used by the AAR as a tariff mechanism.

At the time that the Commodity Transportation Survey (CTS) (the CTS—the predecessor of the CFS) was first conducted in 1963, STCC codes were still useful for analyzing most important aspects of the U.S. transportation system. Since then, many changes have taken place that have gradually made the STCC code less useful for tracking domestic product movements across all modes (although it remains perfectly functional for tracking rail-only movements). These include the deregulation of trucking, the enactment of North American Free Trade Agreement (NAFTA), changes in logistics practices, the emergence of plastics and composite materials to replace metals and glass, the obsolescence of many categories of wood products, and the very rapid recent development of high-tech electronic goods. Because the CFS is a shipper survey, the CFS collects information about shipments moving on all modes. As a consequence, STCC classifications frequently provide inadequate detail for identifying products that are significant for modes, such as truck and air. It is for these reasons that the Bureau of Transportation Statistics (BTS) has sponsored the development of a new product code to collect and report CFS data.

In 1997 and 2002, the CFS provided respondents with a listing of SCTG codes and descriptions at the five-digit level to use in assigning a commodity code for each shipment. For shipments of more than one commodity, we instructed respondents to use the five-digit code for the major commodity, defined as the commodity of greatest total weight in the shipment. For the data presented on this report, we aggregated the SCTG codes to the two-digit level.

