

# **1967** CENSUS OF TRANSPORTATION

Volume II

## TRUCK INVENTORY and USE SURVEY




July 1970

U.S. DEPARTMENT OF COMMERCE Maurice H. Stans, Secretary

Rocco C. Siciliano, Under Secretary Harold C. Passer, Assistant Secretary for Economic Affairs

BUREAU OF THE CENSUS George Hay Brown, Director





#### **BUREAU OF THE CENSUS**

George Hay Brown, Director Robert F. Drury, Deputy Director

Walter F. Ryan, Associate Director

Dino S. Villa, Acting Deputy Associate Director

#### TRANSPORTATION DIVISION

Donald E. Church, Chief

ACKNOWLEDGMENTS—The 1967 Census of Transportation was conducted under the general direction of Donald E. Church, Chief, and Walter F. Buhl, Assistant Chief of the Transportation Division. Within this Division responsibility was shared by the following individuals who contributed significantly to the entire program: Jerome Litzky, Chief, Survey Programs Branch; Kathryn C. Farmer, Chief, Operations Management Branch; Max E. Van Horn, coordination of data processing; John C. Deshaies, Chief analyst; Evelyn S. Davis, publication program specialist.

Advice on sampling and other technical statistical aspects was provided in the Statistical Research Division by Max Bershad, Assistant Chief.

Planning, procedures, programing, and control operations were performed in the Systems Division under the direction of Sol Dollack, Chief, and Betty S. Mitchell, Assistant Division Chief; Don L. Coffey, Chief, Methods, Procedures, and Quality Control Branch; Harold V. Edwards and Chester C. Fulton, processing procedures; Evelyn G. Jett, Mary E. Brady, and Mary E. Childs, EAM procedures; Desmond J. Carron, Chief, Programing Branch; Edna J. Foust, planning and programing; James R. Pepal, Chief, Processing Coordination Branch; and Percy R. Moore, processing coordinator.

Mailing and data correction operations were performed in Processing Division under the direction of M. Douglas Fahey, Chief, and E. Richard Bourdon, Assistant Division Chief; Dorothy L. Brown, Chief, Input Branch; Willie A. McMurry, Chief, Punch Section; and Gladys L. Tinsley, punch supervisor.

Clerical, check-in and data punching, data transmission, and control operations were performed in Jeffersonville Census Operations Division under the direction of Joseph F. Arbena, Chief, and staff.

In the Administrative and Publications Services Division, editorial supervision and report planning was provided by Geraldine Censky.

#### Library of Congress Card No. 76-607509

#### **Suggested Citation**

U.S. Bureau of the Census, Census of Transportation, 1967

#### Volume II: TRUCK INVENTORY AND USE SURVEY

U.S. Government Printing Office, Washington, D.C., 1970

For sale by the Superintendent of Documents, U.S. Government Printing Office, Washington, D.C. 20402, or any Department of Commerce field office. Price \$0.00.

## Preface

The census of transportation, together with the censuses of business, manufactures, and mineral industries, comprise the economic census program of the Bureau of the Census. This program is required by law under Title 13 of the United States Code, sections 131 and 224. The present economic census collects statistics for the year 1967. Future censuses are scheduled by law for 5-year intervals.

A large segment of transportation data is available from regulatory and other government agencies, and private organizations. For that reason, the statutory provisions concerning the census of transportation directed the Bureau to collect the kinds of data that were not publicly available from other sources. The objective was to avoid duplication and fill important gaps in transportation information.

The census of transportation was undertaken for the first time on a National basis in 1963. The 1967 census was taken under three separate surveys—National Travel, Truck Inventory and Use, and Commodity Transportation, each on a sample basis. The surveys are independent of each other and the results are published in three distinct series of reports.

## **1967** Census of Transportation Publication Program

The 1967 Census of Transportation is comprised of three major surveys. Each survey, described below, was conducted separately and independently.

#### National Travel Survey

The National Travel Survey is concerned with the volume and characteristics of travel by residents of the United States during the year 1967. The survey consists of a nationwide probability sample of about 18,000 households who reported quarterly by mail. The data show the estimated number of households in which some one took one or more trips, persons who took at least one trip. person-trips, person-nights, and person-miles. Data are shown by such travel characteristics as means of transport, purpose of trip, duration of trip, distance, size of party, type of lodging, origin and destination regions, and by such household characteristics as family income level, occupation and education of household head, and age of traveler.

Final data are included in volume I of the 1967 Census of Transportation.

#### **Truck Inventory and Use Survey**

This survey presents data on the Nation's truck resources, other than vehicles owned by Federal, State, and local government agencies. The survey consists of a probability sample of motor truck licenses in each of the 50 States and the District of Columbia. The data show the number of trucks and tractor-trailer combinations, truck-miles, and average miles per truck, by such characteristics as major use, body type, body size, vehicle-size class, year

model, type of fuel, range of operation, vehicle type and axle arrangement, products carried, and maintenance.

Final data for each of the 50 States, the District of Columbia, the nine geographic divisions, and the United States as a whole, are contained in volume II of the 1967 Census of Transportation.

#### **Commodity Transportation Survey**

This survey presents data on the transportation and geographic distribution of commodities shipped intercity by the industrial sector of the United States. A probability sample of about 1.4 million bills of lading or other shipping documents was selected from the files of approximately 13,000 manufacturers throughout the country representing the universe of about 100,000 plants with total employment of 20 or more employees. The data are classified by (1) shipper groups and shipper classes, (2) geographic areas, such as production areas, geographic divisions, and selected States, and (3) commodity groups. Data are shown for tons and ton-miles by means of transport, length of haul, commodity, weight, origin and destination areas, size of plant based on total employment, and availability of transport facilities. Percentage distributions of shipments by means of transport, distance shipped, and availability of transportation facilities are also presented for smaller manufacturing establishments.

Final data are presented in volume III of the 1967 Census of Transportation which includes separate sections for shipper groups, geographic areas, and commodity groups.

#### SCOPE OF SURVEY

The Truck Inventory and Use Survey was undertaken specifically to obtain data on the characteristics and use of commercial and private trucks in the 50 States and the District of Columbia. The number of private and commercial truck registrations (or licenses) has long been a measure of the Nation's truck inventory and the growth of trucking resources. All vehicles must be licensed as a prerequisite for operation on public roads and truck registration data, issued annually by State motor vehicle authorities, have been compiled and published by the Bureau of Public Roads for many years.<sup>1</sup> However, since registration records do not supply essential information about the characteristics and uses of vehicles, the Bureau of the Census was authorized to obtain information needed to fill this gap. Truck registrations for 1967, as published by the Bureau of Public Roads, were adopted as the best measure of Total truck inventory -- the "universe." The results of the Census Bureau survey, based on a sample of truck registrations, were used to distribute that universe by the various classifications shown in the tables of this report.

Some classes of property-carrying vehicles are not included in this survey. Probably the largest class of those excluded consists of vehicles owned by Federal, State, and local government agencies. Another class, usually called off-highway vehicles, includes vehicles such as logging trucks that operate solely on company property, farm trucks that are not driven off the farm, and material-handling equipment used around a factory. These off-highway vehicles are not required to be licensed. They were excluded principally because no feasible method has been found to locate and enumerate them. The remaining major class of vehicle not counted in this survey was the trailing unit (semitrailer or full trailer).

#### "TRUCK" AS A UNIT OF MEASURE

The term "truck" in this report is used in its commonly accepted sense as being a property-carrying motor vehicle used on public highways and streets. In a technical sense, a truck may be a single-unit truck or it may be a combination. The latter consists of a power unit (a truck-tractor) and one or two trailing units (most commonly a semitrailer). The most frequently used combination is popularly referred to as a tractor-semitrailer or a tractor-trailer.

#### "TRUCK-MILES" AS A UNIT OF MEASURE

The owner of each truck in the sample was asked to report the total miles that the specified vehicle had been driven during the preceding 12 months. These estimated mileages are attributed to the *State of registration*, irrespective of the area in which the vehicle was actually operated. This assignment of aggregate miles to State of registration, doubtless, is one of the major causes of State-to-State differences in average miles per truck.

#### SURVEY METHOD

The Truck Inventory and Use Survey at the national level was based on a stratified probability sample of about 120,000 trucks<sup>2</sup> drawn from roughly 15 million registrations on file with motor vehicle departments in the 50 States and the District of Columbia.

The first stratification of the national sample was at the State level, and consisted of three strata based on the total number of trucks registered annually. A sample of about 1,500 truck licenses or registrations was drawn in the small States, 3,000 in the intermediate, and 4,500 in the largest States. (See appendix A for a listing of States by sample size.)

The second stratification was based on vehicle size as shown by the motor vehicle registration record. Two vehicle size strata were used—"small" and "large."<sup>3</sup> The dividing line between small and large trucks differed from State to State, depending upon the basis used for indicating vehicle size in the registration records. Customary random sampling procedures were used to draw the sample from each of the two strata in each State. (See appendix A for further description of the second stratification.)

The samples were drawn shortly after the close of the annual reregistration data in each State in order to have a "live" list of license numbers and related mailing addresses. Since the timing of the reregistration cycle differs from State to State, two inventory dates were used-April 1 and July 1, 1967.

A copy of form TC-200 was mailed to the owner of each truck drawn in the sample. The vehicle was identified on the form, prior to mailing, by inserting in item 1 (vehicle identification), the vehicle make, year model, registered weight, and license number shown on the motor vehicle registration record. The owner was requested to reply only for the identified truck or combination irrespective or other vehicles he may have owned at the inventory date. The sample was expanded back to the State level by multiplying each truck by the reciprocal of the sampling rate used to select it from the universe of State vehicle registration records.

#### **COMPARISONS WITH 1963 REPORT**

Although the basic purpose and scope of the 1963 and 1967 surveys were essentially identical, some changes were introduced in 1967 that unavoidably make comparisons difficult.

<sup>&</sup>lt;sup>1</sup>See *Highway Statistics*, table MV-1, published annually by the Bureau of Public Roads. Because registration practices and the timing of reregistration cycles differ greatly among the States, the Bureau of Public Roads adjusts information obtained from the various State authorities to achieve maximum comparability among States.

<sup>&</sup>lt;sup>2</sup>Technically, the licenses or registrations sampled were those for single-unit trucks and for truck-tractors. Registrations for trailers or other nonpowered property-carrying highway vehicles were either not sampled, or (if not recognized in advance) were treated as "out of scope" in the subsequent processing. <sup>3</sup>The terms "small" and "large" were used only in connection with stratification

and should not be confused with the vehicle size classes shown in the tabulations.

Some questions asked in 1963 were dropped in 1967, and a few new items were added. On the basis of the 1963 experience, it was also found that many of the types of facts needed for large trucks were not needed for small trucks, such as pickups and panels. Furthermore, the wording or sequence of a few questions in 1963 appeared to have been misleading, especially with regard to occupational use and number of axles. In order to simplify and reduce the reporting effort and clarify the intent of several questions, substantial modifications were made in the sequence of items, appearance of the form, and the precise wording of some questions.

Analyses indicate that many of the differences between 1963 and 1967 appear to be attributable to technical factors of the type mentioned above, although some may reflect significant changes in the "real world." Some of the differences also may be explained by sampling variability, discussed below.

A special study will be undertaken to analyze more deeply the major significant changes from 1963 to 1967, based on special retabulations of the 1963 tapes to achieve comparability, insofar as feasible, with 1967 published data.

A new series of tables was introduced in 1967 based on truck-miles and since 1963 data were not tabulated for truck-miles, comparisons between the two years for this item cannot be made.

#### **DEFINITIONS OF MAJOR TERMS**

Most of the terms shown in the tables are self-explanatory; however, some require further definition as follows:

*Size class* is the standard classification used for all States and consists of the following:

Light.--Gross vehicle weight of 10,000 pounds or less, Medium.--Gross vehicle weight of 10,001 to 20,000 pounds, Light-heavy.--Gross vehicle weight of 20,001 to 26,000 pounds, Heavy-heavy.--Gross vehicle weight of 26,001 pounds or more.

Trucks in States that require motor vehicle registration by gross vehicle weight (that is, the sum of the total weight of the vehicle and the maximum weight it is designed to carry) were assigned to a size-class category on that basis. Trucks in States that require motor vehicle registration on any other basis, such as empty weight, tons-rated capacity, or axle weight, or on more than one basis, were assigned to a size-class category on the basis of the characteristics of the truck as reported by the truck owner. See appendix A for a list of States showing registration requirements and the method used for classifying trucks in non-GVW States into one of the four size-class categories.

Major use is based on the answer to the question, "How was the vehicle mostly used during the past 12 months?" Each of the 10 use categories (see item 7 of the survey form, appendix B) conforms with the generally accepted meaning of the terms, although two of them were defined in detail. Those two were "personal transportation" and "for-hire transportation." Since "short-term lease" (see item 6 of the survey form) could not be assigned to any single one of the 10 major use categories, it was treated as an additional use category.

*Truck fleet size* is based on the number of trucks (single-unit trucks plus truck-tractors) operated by a truck owner from a *single* base of operation as reported in items 4 and 5 of the

survey form in appendix B. The fleet is an *operational* unit and is necessarily smaller than the total fleet that an owner has, if he operates from more than one base. The data shown in the fleet section of tables are based on the number of trucks found in fleets of specified size and *not the number of fleets*.

Range of operation is classified into three categories:

- Local.—Range is the local area (in or around the city and suburbs, or within a short distance of the farm, factory, mine, or place the vehicle is stationed).
- Short range.—Range is mostly beyond the local area, over the road, but usually not more than 200 miles one way to the most distant stop from the place the vehicle is stationed.
- Long range.—Range is mostly over-the-road trips that usually are more than 200 miles one way to the most distant stop from the place the vehicle is stationed.

Truck-miles are based on the answer to item 10a of the survey form in appendix B, "What were the total miles this vehicle was driven during the past 12 months; (if less than 12 months, estimate probable miles for year)." Mileage was reported for about 90 percent of the total vehicles. A computer program was used to estimate and assign a reasonable annual mileage to each of the vehicles for which this item was not reported. The imputed figure for each of these vehicles was based on the average miles reported for similar vehicles in the same State of registration. The similarity was based on the following combination of characteristics: Major use class, type of vehicle, area of operation, and age (based on year model).

#### SAMPLING VARIABILITY

**Definition.**—The percentage distributions shown in this report are based on a sample and are, therefore, subject to sampling variability. The term "sampling variability" refers to the differences that would be expected between results of a sample survey and the results that would have been obtained from a complete enumeration of all vehicles. The chances are about 2 out of 3 that the reported figures (column 1 in the illustration below) will not differ from the figures that would have been obtained from a complete count by more than the sampling variability (column 2).

Item	Percent of total trucks (1)	Sampling varia- bility (percent) (2)
MAJOR USE		
Personal transportation Agriculture Construction	33.6 24.1 9.3	0.3 .2 .2

For example, 33.6 percent of all trucks in the illustration above (column 1) are used for personal transportation. This figure is based on the sample. Column 2 shows that the estimated sampling variability for that item is 0.3 percent. Therefore, if a complete count (rather than a sample) had been taken, the chances are about 2 out of 3 that the figure would not have been larger than 33.9 or smaller than 33.3 (that is, 33.6  $\pm$  0.3) in a complete enumeration. The<sup>b</sup> chances are about 19 out of 20 that the results of a complete enumeration would not differ from the sample by more than twice the estimated sampling variability shown. Again taking "personal transportation" as an example, the chances are 19 out of 20 that the figure (33.6) would not be more than 34.2 or less than 33.0 (33.6  $\pm$  0.6) in a complete enumeration.

Sampling variability tables are shown for the United States, each geographic division, and each State preceding the general tables for each area.

Difference between two items.—The question sometimes arises about the sampling variability of the difference between two specified percentages. The variability of the difference, for most pairs of percentages, will be close to the square root of the sum of squares of the sampling variability of the two items. (When the two percentages are negatively correlated, the variability of the difference will be larger; and when positively correlated, will be smaller.)

To illustrate by a simple example: Assume that item "A" is 10.2 percent and item "B" is 7.1 percent of the total, and the question is raised as to what the difference would have been if a complete count had been taken. Assume that the sampling variability for item "A" was 0.4 and for item "B" was 0.8. The square root of the sum of the squared sampling variabilities of the two items would be  $\sqrt{(0.4)^2 + (0.8)^2}$  which is  $\pm 0.9$ .

As indicated in the example, the difference shown by the sample was 3.1 percent and the variability was 0.9. This would be interpreted to mean that the chances are about 2 out of 3 that the difference between "A" and "B" as shown by a complete enumeration would be between 2.2 percent and 4.0 percent (3.1  $\pm$  0.9); and the chances are 19 out 20 that the difference would be between 1.3 percent and 4.9 percent (3.1  $\pm$  1.8).

This procedure applies equally to differences between items within a single division as well as to differences between similar items in different divisions.

Variability for items not shown.—The sampling variability tables in this report are confined to selected major items covered in the survey with respect to estimates of the percentage distributions of *number of trucks*. The sampling variability of subitems tends to be substantially larger than for the major items with which they are associated. Sampling variability of estimates of truckmiles was not computed, but would be larger than the variability shown for the corresponding estimate of the number of trucks.

#### **NON-SAMPLING ERRORS**

Systematic quality-control techniques were used to minimize processing errors, and the rate of response was high. Replies were received for 96 percent of the trucks drawn in the sample. The response rate was almost as high for most of the major questions. The general quality of response also was good, as judged by the consistency among answers to various items on the form and the apparent reasonableness of replies.

However, the classification of vehicles into major occupational uses apparently proved to be difficult for owners of pickup trucks and other general-purpose vehicles. For example, pickup trucks often are used concurrently for two or more purposes and may not have any single major purpose: A farmer may use a pickup truck in place of an automobile (i.e., personal transportation) and to do odd hauling or chores around the farm (i.e., agriculture); or an electrician may use it to go from home to shop or to job site (i.e., personal transportation) and to transport tools and supplies needed at the site (i.e., services).

## Connecticut

## Contents

į

			Page
		Summary of Findings	326
		Sampling Variability Table	326
TABLE	1.	ALL TRUCKS: Percent Distribution of Major Use Classes, by	
		Vehicle and Operational Characteristics: 1967	327
	2.	ALL TRUCKS: Percent Distribution of Size Classes, by Vehicle	
		and Operational Characteristics: 1967	328
	3.	ALL TRUCKS: Percent Distribution of Annual Mileage Classes,	
		by Vehicle and Operational Characteristics: 1967	329
	4.	TRUCKS EXCEPT PICKUP AND PANEL: Percent Distribution of	
		Ranges of Operation, by Vehicle and Operational Characteristics:	
		1967	330
	5	TRUCKS EXCEPT PICKUP AND PANEL: Percent Distribution of	
	υ.	Truck Types and Axle Arrangements, by Vehicle and Operational	
			001
		Characteristics: 1967	33 I

#### SUMMARY OF FINDINGS

Pickup and panel trucks constitute about 61 percent of the trucks in Connecticut, These vehicles account for 63 percent of the trucks used for utilities and services, 49 percent of the trucks used for construction, and 43 percent of those used for agricultural purposes. Platforms (including cattle racks) are the next largest class of trucks, accounting for 13 percent of the total. These trucks, like pickups and panels, are multipurpose vehicles and are used for a wide variety of purposes.

With respect to annual vehicle miles, about 42 percent of the trucks in Connecticut were driven less than 6,000 miles as compared with about 4 percent that were driven 30,000 miles or more. Twenty-three percent of the heavy-heavy trucks were driven 30,000 miles or more while less than 2 percent of the light trucks fell within this category.

#### SAMPLING VARIABILITY OF DATA

Data are based on a probability sample and are subject to sampling variability. The term "sampling variability" refers to the differences that would be expected between results of a sample survey and results that would have been obtained from a complete enumeration of all vehicles. A more complete description of sampling variability is included in the "Introduction" to this report. Estimates of sampling variability for this State are as follows:

Item	Percent of total trucks <sup>1</sup> (1)	Sampling varia- bility <sup>2</sup> (2)	Item	Percent of total trucks <sup>1</sup> (1)	Sampling varia- bility <sup>2</sup> (2)
MAJOR USE Personal transportation. Agriculture. Construction. Manufacturing. Wholesale and retail. Utilities and services. For hire. All other.	30.0 11.8 15.4 2.7 16.4 11.6 4.0 8.1	1.6 .6 1.8	Purchased used Leased and not reported TRUCK FLEET SIZE 1 truck. 2 to 5 trucks 6 to 19 trucks 20 trucks or more	49.6 48.9 1.5 44.2 21.6 12.3 10.2 11.7	2.0 2.1 - 2.0 2.2 1.4 1.4
BODY TYPE Pickup and panel Platform and cattle rack Vans Utility Dump Tank All other SIZE CLASS	60.5 12.9 8.3 2.7 6.1 3.9 5.6 72.1	1.6 1.2 .5 .9 .8 .5 -	Not reported. VEHICLE TYPE <sup>3</sup> Single-unit trucks. 2 axle. 3 axle. 3 axle. 4 or more axles. RANGE OF OPERATION <sup>3</sup>	87.9 76.0 11.9 12.1 3.0 9.1	- 1.6 1.5 - .5 1.1
Light. Medium. Light-heavy. Heavy-heavy. ANNUAL MILES Leas than 6,000 miles	72.1 15.0 3.4 9.5 41.9 17.2 30.5 6.2 4.2		Local Short range	82.5 14.6 .5 2.4 85.5 10.3 4.2	2.0 1.8 .1 1.4 .7
YEAR MODEL 1966 and 1967 1964 and 1965 1960 to 1963 Pre-1960	18.7 13.6 23.0 44.7	1.4 1.4 1.5	MAINTENANCE <sup>3</sup> Self or own repair shop Dealer or factory branch Independent garage All others and not reported	48.7 20.6 27.3 3.4	2.6 2.3 2.5

<sup>1</sup>As estimated from the sample.
<sup>2</sup>See "Introduction" for discussion of sampling variability.
<sup>3</sup>"Percent of total trucks" is based on percent of total trucks except pickups and panels; all other percentages are based on tctal trucks including pickups and panels.

### TRUCK INVENTORY AND USE SURVEY

### **CONNECTICUT 327**

## TABLE 1. ALL TRUCKS: Percent Distribution of Major Use Classes, by Vehicle and Operational Characteristics: 1967

			Major use class <sup>1</sup>						
Vehicle and operational characteristics	Total	Personal trans- portation	Agri- culture	Construc- tion	Wholesale and retail trade	Utilities and services	For hire		
Total trucks	100.0	100.0	100.0	100.0	100.0	100.0	100•0		
BODY TYPE									
Pickup and panel Platform and cattle rack. All vans Utility trucks Dump trucks Tank trucks All other	60.5 12.9 8.3 2.7 6.1 3.9 5.6	93.6 2.4 .7 1.6 1.7	42.9 33.3 4.4 14.6 2.2 2.6	19.4 1.9 3.1 16.4 .7	37.8 12.1 20.2 2.9 .8 17.8 8.4	63.4 8.8 3.3 14.6 1.7 2.3 5.9	5.6 11.2 52.1 - 10.7 3.4 17.0		
SIZE CLASS									
Light Medium. Light-heavy Heavy-heavy.	72.1 15.0 3.4 9.5	99.8 .2 - -	66.6 28.9 3.1 1.4	16.1 4.0	53.2 24.3 7.4 15.1	81.2 11.6 2.5 4.7	5.6 34.6 13.0 46.8		
ANNUAL MILES									
Less than 6,000 miles 6,000 to 9,999 miles 10,000 to 19,999 miles 20,000 to 29,999 miles 30,000 miles or more	41.9 17.2 30.5 6.2 4.2	56.3 14.5 26.2 3.0 -	72.8 7.2 16.4 .3 3.3	18.2 41.8 7.4	27.7 23.3 27.1 12.6 9.3	20.7 20.5 47.6 8.1 3.1	17.0 10.7 30.1 17.6 24.6		
TRUCK FLEET SIZE									
1 truck 2 to 5 trucks 6 to 19 trucks 20 trucks or more Not reported <sup>2</sup>	44.2 21.6 12.3 10.2 11.7	79.2 3.0 - 17.8	40.4 34.9 10.2 14.5	33.9 13.7 16.4	21.0 36.5 19.4 16.8 6.3	27.2 21.1 22.7 26.2 2.8	14.7 20.9 36.8 24.8 2.8		
YEAR MODEL									
1966 and 1967         1964 and 1965         1962 and 1963         1960 and 1961         1958 and 1959         Pre-1958	18.6 13.6 12.6 10.2 5.1 39.9	13.8 10.8 9.1 8.4 5.3 52.6	9.5 10.5 1.2 4.6 7.1 67.1	14.4 17.1 17.3 4.6	28,2 15,7 15,0 12,6 5,3 23,2	22.7 19.8 18.6 5.9 2.8 30.2	18.1 17.5 12.4 13.6 7.8 30.6		
ACQUISITION									
Purchased new Purchased used Leased or not reported	49.6 48.9 1.5	26.1 71.5 2.4	31.4 66.0 2.6	44.3	75.6 22.8 1.6	64.3 35.7 -	69.3 30.1 .6		
<sup>1</sup> The distribution of tr Total trucks Personal transportation. Agriculture Construction		use class is (thousands) 155 47 18 24	(percent) 100.0 30.0 11.8	Utilities and s For hire	etail trade	(thousands) 25 18 6 13	(percent) 16.4 11.6 4.0 8.1		

1

			Vehicle s	size class <sup>1</sup>	
Vehicle and operational characteristics	Total	Light	Medium	Light-heavy	Heavy-heavy
Total trucks	100.0	100.0	100•0	100.0	100.0
MAJOR USE					
Personal transportation Agriculture Construction Manufacturing	30.0 11.8 15.4 2.7	41.6 10.9 13.1 1.9	0.3 22.7 16.6 3.5	10.8 18.2 4.0	1.7 30.2 7.5
Wholesale and retail trade Utilities and services For hire All other	16.4 11.6 4.0 8.1	12.1 13.1 .3 7.0	26.7 8.9 9.3 12.0	35.8 8.7 15.5 7.0	26.1 5.6 20.0 8.9
BODY TYPE					
Pickup and panel Platform and cattle rack All vans Utility trucks	60.5 12.9 8.3 2.7	83.9 7.3 1.8 2.8	34.9 25.7 3.2	.6 20.8 24.2 3.3	16.8 26.4
Dump trucks Tank trucks	6.1 3.9 5.6	1.2 3.0	17.6 10.9 7.7	18.2 16.8 16.1	20.2 19.5 17.1
ANNUAL MILES					
Less than 6,000 miles 6,000 to 9,999 miles 10,000 to 19,999 miles 20,000 to 29,999 miles 30,000 miles or more	41.9 17.2 30.5 6.2 4.2	43.2 18.5 31.7 5.1 1.5	53.5 13.6 22.0 5.6 5.3	24.3 17.5 43.9 10.1 4.2	19,3 12,4 30,5 14,6 23,2
YEAR MODEL					
1966 and 1967	18.6 13.6 12.6 10.2 5.1 39.9	19.5 13.4 12.5 9.8 4.7 40.1	15.0 8.5 10.4 11.4 4.8 49.9	24.9 23.6 14.8 6.6 9.4 20.7	15.6 19.9 16.8 12.6 7.0 28.1
ACQUISITION					
Purchased new Purchased used Leased or not reported	49.6 48.9 1.5	46.8 ·51.8 1.4	48.6 49.2 2.2	68.2 31.0 .8	66.2 32.7 1.1

## TABLE 2.ALL TRUCKS: Percent Distribution of Size Classes,<br/>by Vehicle and Operational Characteristics: 1967

<sup>1</sup>The distribution of trucks by vehicle size class is--

(	thousands)	(percent)		(thousands)	(percent)
Total trucks	155	100.0	Light-heavy		3.4
Light	112	72.1	Heavy-heavy	15	9.5
Medium	23	15.0			

### TRUCK INVENTORY AND USE SURVEY

### TABLE 3. ALL TRUCKS: Percent Distribution of Annual Mileage Classes, by Vehicle and Operational Characteristics: 1967

		Annual mileage class <sup>1</sup>					
Vehicle and operational characteristics	Total	Less than 6,000 miles	6,000 to 9,999 miles	10,000 to 19,999 miles	20,000 to 29,999 miles	30,000 miles or more	
Total trucks	100.0	100.0	100.0	100.0	100.0	100.0	
MAJOR USE							
Personal transportation Agriculture Construction Manufacturing	30.0 11.8 15.4 2.7	40.2 20.5 11.1 1.4	25.4 4.9 16.3 3.6	25.8 6.3 21.1 3.3	14.7 .7 18.3 3.6	9.2 8.7 7.5	
Wholesale and retail trade Utilities and services For hire All other	16.4 11.6 4.0 8.1	10.9 5.6 1.6 8.7	22.3 13.9 2.5 11.1	14.6 18.1 4.0 6.8	33.0 15.0 11.3 3.4	37.6 8.7 24.8 3.5	
BODY TYPE		· · · · · · · · · · · · · · · · · · ·					
Pickup and panel Platform and cattle rack All vans Utility trucks	60.5 12.9 8.3 2.7	62.3 17.8 4.6 .3	65.6 10.0 3.5 7.6	65.0 8.4 7.3 1.8	44.1 11.3 28.4 3.6	11.6 9.2 45.7 11.6	
Dump trucks Tank trucks All other	6.1 3.9 5.6	8.0 3.5 3.5	4.5 4.6 4.2	4.4 3.7 9.4	4.7 3.6 4.3	7.5 9.8 4.6	
SIZE CLASS							
Light Medium. Light-heavy. Heavy-heavy.	72.1 15.0 3.4 9.5	74.4 19.1 1.9 4.6	77.7 11.9 3.4 7.0	74.8 10.8 4.9 9.5	58.8 13.6 5.5 22.1	23.1 19.1 3.5 54.3	
YEAR MODEL							
1966 and 1967	18.6 13.6 12.6 10.2 5.1 39.9	4.0 5.3 9.2 3.9 7.1 70.5	23.2 17.3 10.5 12.8 6.6 29.6	28.9 20.2 17.6 17.8 2.2 13.3	38.1 23.4 16.4 5.8 2.1 14.2	42.8 17.9 12.7 14.5 4.6 7.5	
ACQUISITION							
Purchased new Purchased used Leased or not reported	49.6 48.9 1.5	26.9 70.6 2.5	62.4 37.6 -	62.7 36.3 1.0	77.2 22.0 .8	90.2 9.2 .6	

<sup>1</sup>The distribution of trucks by annual mileage class is--

	(thousands)	(percent)		(thousands)	(percent)
Total trucks	. 155	100.0	10,000 to 19,999 miles	47	30,5
Less than 6,000 miles	. 65	41.9	20,000 to 29,999 miles	10	6.2
6.000 to 9.999 miles	. 27	17.2	30,000 miles or more	6	4.2

### **330 CONNECTICUT**

### TRUCK INVENTORY AND USE SURVEY

augus - processes and and and and an an an an analysis and and an and a spreading of the press second second and an an an an analysis and the second second and and an and an an an analysis and the second second

## TABLE 4. TRUCKS EXCEPT PICKUP AND PANEL: Percent Distribution of Ranges of Operation, by Vehicle and Operational Characteristics: 1967

and the constant of the second se

		Range of operation +			
Vehicle and operational characteristics	Total	Local	Short range		
Total trucks	100.0	100.0	190.0		
MAJOR USE	r				
Agriculture Construction Manufacturing Wholesale and retail trade	17.1 19.8 4.0 26.0	16.4 21.0 3.1 27.3	15.6 15.6 8.4 20.8		
Utilities and services For hire	10.8 9.7 12.6	11.7 6.6 13.9	7.2 24.8 7.6		
BODY TYPE					
Platform and cattle rack All vans Dump trucks Tank trucks	32.6 21.5 15.5 10.2	35.4 16.3 16.6 10.8	22.4 48.1 2.8 8.0		
Utility trucks. Multistop and walk-in. All other.	6.8 4.1 9.3	6.8 4.2 9.9	8.0 4.4 6.3		
ANNUAL MILES					
Less than 6,000 miles. 6,000 to 9,999 miles. 10,000 to 19,999 miles. 20,000 to 29,999 miles. 30,000 miles or more.	40.0 14.9 27.1 8.9 9.1	44.3 17.1 27.5 7.2 3.9	14.0 4.8 26.5 17.6 37.1		
YEAR MODEL					
1966 and 1967.         1964 and 1965.         1962 and 1963.         1960 and 1961.         1958 and 1959.         Pre-1958.	16.8 12.3 12.1 10.9 6.0 41.9	14.9 10.7 11.4 10.5 5.1 47.4	28.8 20.4 16.0 14.8 8.4 11.6		
ACQUISITION					
Purchased new Purchased used Leased or not reported	54.4 43.8 1.8	51.0 47.1 1.9	75.9 22.4 1.7		
TYPE OF FUEL					
Casoline Diesel and LPG Not reported	85.5 10.3 4.2	90.0 7.1 2.9	69.4 25.7 4.9		

See footnote at end of table.

61.0

50.3

8,9

Total trucks....

Local.....

Short range.....

100.0

82.5

14.6

## TABLE 4. TRUCKS EXCEPT PICKUP AND PANEL: Percent Distribution of Ranges of Operation, by Vehicle and Operational Characteristics: 1967--Continued

and the second		Range of operation <sup>1</sup>		
Vehicle and operational characteristics	Total	Local	Short range	
MAINTENANCE				
Self or own repair shop Dealer or factory branch Independent garage	48.7 20.6 27.3 3.4	51.2 17.8 28.8 2.2	41.7 38.1 18.8 1.4	
AREA OF OPERATION				
Only in one State In more than one State Not reported	89.8 4.6 5.6	94.5 1.2 4.3	66.6 19.6 13.8	

TABLE 5. TRUCKS EXCEPT PICKUP AND PANEL:	Percent Distribution of Truck Types
and Axle Arrangements. by Vehicle and Ope	erational Characteristics: 1967

Long range.....

Not reported....

.5 2.4

.3 1.5

			Vehicle type	and axle arrangem	ent <sup>1</sup>	
Vehicle and operational characteristics	Total	Si	ngle-unit trucks	Combinations		
		Total	2-axle	3-axle	Total <sup>2</sup>	4-axle
Total trucks	100.0	100.0	100.0	100.0	100.0	100.0
MAJOR USE						
Agriculture	17.1	19.3	21.0	7.8	1.4	1.0
Construction	19.8	19.9	17.7	33.0	19.4	16.1
Manufacturing	4.0	3.3	3.3	3.4	9.2	15.0
Wholesale and retail trade	26.0	26.2	27.1	20,1	24.3	24.7
Utilities and services	10.8	12.2	11.4	16.6	1.0	2.1
For hire	9.7	6.4	6.4	5.9	34.0	37.6
All other	12.6	12.7	13.1	13.2	10.7	3.5
BODY TYPE						
Platform and cattle rack	32.6	33.9	35.9	20.5	24.3	21.5
All vans	21.5	18.1	18.5	14.0	48.6	43.9
Dump trucks	15.5	16.8	15.1	28.0	5.8	4.3
Tank trucks	10.2	10.0	9.6	11.7	12.6	17.1
Utility trucks	6.8	7.8	8.9	.4	-	
Multistop and walk-in	4.1	4.5	5,0	.9	1.9	4.3
All other	9.3	8.9	7.0	24.5	6.8	8.9

See footnotes at end of table.

Time t

## TABLE 5. TRUCKS EXCEPT PICKUP AND PANEL: Percent Distribution of Truck Types and Axle Arrangements, by Vehicle and Operational Characteristics: 1967--Continued

		Vehicle type and axle arrangement <sup>1</sup>					
Vehicle and operational characteristics	Total	S	ingle-unit trucks	Combinations			
		Total	2-axle	3-axle	Totai <sup>2</sup>	4-axie	
ANNUAL MILES			-				
Less than 6,000 miles 6,000 to 9,999 miles 10,000 to 19,999 miles 20,000 to 29,999 miles 30,000 miles or more	40.0 14.9 27.1 8.9 9.1	42.3 16.3 28.6 7.9 4.9	44.1 16.7 26.8 7.3 5.1	30.5 13.3 39.9 10.8 5.5	23.3 5.4 16.0 16.5 38.8	10.7 4.3 12.9 21.5 50.6	
YEAR MODEL							
1966 and 1967	16.8 12.3 12.1 10.9 6.0 41.9	16.2 12.0 11.7 10.6 6.3 43.2	15.9 11.3 11.4 10.2 6.4 44.8	17.6 15.7 13.2 12.2 4.3 37.0	21.9 16.0 16.0 13.6 5.3 27.2	19.3 19.3 10.7 19.3 7.4 24.0	
ACQUISITION							
Purchased new Purchased used Leased or not reported	54.4 43.8 1.8	52.9 45.2 1.9	51.0 47.6 1.4	64.5 29.5 6.0	65.5 34.0 .5	75.2 23.6 1.2	
TYPE OF FUEL							
Gasoline Diesel and LPG Not reported	85.5 10.3 4.2	90.9 5.5 3.6	93.7 3.1 3.2	72.9 20.1 7.0	46.1 46.1 7.8	35.4 63.4 1.2	
MAINTENANCE							
Self or own repair shop Dealer or factory branch Independent garage All others and not reported	48.7 20.6 27.3 3.4	46.2 20.6 29.9 3.3	45.5 20.5 30.7 3.3	50.7 20.6 24.1 4.6	67.0 21.4 9.2 2.4	64.5 24.7 7.5 3.3	
AREA OF OPERATION							
Only in one State In more than one State Not reported	89.8 4.6 5.6	93.2 2.0 4.8	92.9 1.9 5.2	94.5 2.4 3.1	65.0 24.3 10.7	69.8 26.8 3.4	

<sup>1</sup>See illustrations of vehicle type and axle arrangement in item 15 of survey form (appendix B). The distribution of trucks (excluding pickups and panels) by vehicle type and axle arrangement is--

	(thousands)	(percent)		(thousands)	(percent)
Total trucks	61.0	100.0	Combinations		
			3 axles (item 15-3)	1.8	3.0
Single-unit			4 axles (item 15-4)	3.3	5.5
2 axles (item 15-1)	. 46.4	76.0	5 axles (item 15-6),	.9	1.5
3 axles (item 15-2)	7.3	11.9	All other (item 15-5,7,8)	1.3	2.1

 $^2 {\rm Includes}$  combinations not shown separately.

## **APPENDIXES**

## Appendix A

## Survey Method and Classification by Vehicle Size

#### **Survey Method**

The first stratification of the national sample was at the State level, and consisted of three strata based on the total number of trucks registered annually. The States assigned to each of the three strata are listed below.

Montana

Nebraska

New Hamoshire

New Mexico

North Dakota

Rhode Island South Carolina

South Dakota

West Virginia

Tennessee

Vermont

Virginia

Wyoming

Utah

Nevada

Oregon

About 1,500 truck registrations:

Alabama Alaska Arizona Arkansas Colorado Connecticut Delaware Dist. of Columbia Hawaii Idaho lowa Kentucky Louisiana Maine Maryland Massachusetts Mississippi

About 3,000 truck registrations:

Florida	Montana
Georgia	New Jersey
Indiana	North Carolina
Kansas	Oklahoma
Michigan	Washington
Minnesota	Wisconsin

About 4,500 truck registrations:

California	Ohio
Illinois	Pennsylvania
New York	Texas

The second stratificatior in each State was based on vehicle size as shown by the motor vehicle registration records, and consisted of two vehicle-size strata – "small" and "large." In the States where the sample size was about 1,500, roughly 400 registration records were drawn from the small-truck strata and 1,100 registration records from the large-truck strata. In States where the sample size was about 3,000, the small-truck strata consisted of about 800, and the large-truck strata about 2,200. In the States where the sample size was about 4,500, the small-truck strata consisted of about 1,200 and the large-truck strata about 3,300.

#### **Classification by Gross Vehicle Weight**

Most of the trucks in the survey were classified on the basis of their gross vehicle weight. The standard size classes in gross vehicle weight are as follows:

Light	10,000 pounds or less
Medium	10,001 to 20,000 pounds
Light-heavy	20,001 to 26,000 pounds
Heavy-heavy	26,001 pounds and over

The following States require motor vehicle registration based on gross vehicle weight:

Arkansas Connecticut Delaware Georgia Idaho Illinois Indiana lowa Kansas Kentucky Maine Maryland Massachusetts Minnesota Mississippi Missouri

Montana New Hampshire New Jersey New York North Carolina North Dakota Pennsylvania Rhode Island Tennessee Texas Utah Vermont Virginia West Virginia Wisconsin

The gross vehicle weight shown on the registration record for trucks in these States was used directly for classifying vehicles into the four size-class categories.

#### Classification by Other Bases

Some States require motor vehicle registration on a basis other than gross vehicle weight. The following States base registration on the empty weight of the vehicle:

Alaska	Michigan
Arizona	Nevada
California	New Mexico
Colorado	Ohio
Dist. of Columbia	Washington
Florida	Wyoming
Hawaii	

Other bases for motor-vehicle registration are as follows:

Alabama–For-hire vehicles were registered on gross vehicle weight; all others on tons-rated capacity which was converted by Census to gross vehicle weight in pounds.

Louisiana-Gross axle weight in pounds.

Nebraska-Commercial vehicles were registered on gross vehicle weight in pounds; all others in tons-rated capacity which was converted by Census to gross vehicle weight in pounds.

Oklahoma—Farm trucks registered in tons-rated capacity which was converted by Census to gross vehicle weight in pounds; all others registered in gross vehicle weight in pounds.

Oregon-Commercial vehicles registered on gross vehicle weight in pounds; all others on empty weight which was converted to gross vehicle weight in pounds.

South Carolina-Load capacity in tons which were converted to pounds.

South Dakota-Chassis weight in pounds.

For these States, the most feasible method of classifying trucks in terms of the four standard size classes was to use the characteristics of the trucks as reported by the truck owners in this survey. Following is the basis for classification.

All combinations (i.e., truck-tractor-semitrailer, and all other combinations)..... Heavy-heavy

Two-axle single-unit trucks:

All pickup or panel	Light
All concrete mixers and auto transport	Heavy-heavy

Multistop, platform, cattle rack, vans, and beverage trucks with body length of--Under 10 feet .....

Under 10 feet	Light
10 to 19 feet	Medium
20 to 40 feet	
41 feet and over	Heavy-heavy

Dump trucks with capacity of--

Under 7 cubic yards	Light-heavy
7 cubic vards and over	

Tank trucks with capacity of	
Less than 1,000 gallons	Medium
1,000 to 1,999 gallons	Light-heavy
2,000 gallons or more	Heavy-heavy

Three-axle single-unit trucks with registered weight of--

Less than 11,501 pounds 11,501 pounds or more (Applied to States of Alaska, Arizona, California, Colorado, District of Columbia, Florida, Hawaii, Michigan, Nevada, New Mexico, Ohio, Washington, and Wyoming)	Light-heavy Heavy-heavy
Less than 24,000 pounds 24,000 pounds or more (Applied to Louisiana)	Light-heavy Heavy-heavy
Less than 6,000 pounds 6,000 pounds or more (Applied to South Dakota)	Light-heavy Heavy-heavy
Three-axle single-unit trucks with registered weight converted to gross vehicle weight in pounds:	
Less than 26,001 pounds	Light-heavy Heavy-heavy
Three-axle single-unit trucks with registered weight in tons converted to pounds:	
Less than 4,501 pounds 4,501 pounds or more (Applied to South Carolina)	Light-heavy Heavy-heavy

## Appendix B Census Reporting Form

	·		Budge	t Bureau No. 41-66132; Appro	val Expires July 30,	1968
NOTICE - Response to this inquir	y is required by la	w (Title	FORM TC-200A	U.S. DEPA	RTMENT OF COMME	RCE
13 U.S. Code). By the same law, Bureau is confidential. It may be s	seen only by sword	1 Census	1967	CENSUS OF TRANSPO		
employees and may be used only The law also provides that copies	retained in your f	iles are		K INVENTORY AND U		ļ
immune from legal process.				· · · · · · · · · · · · · · · · · · ·		
INSTRUCTIONS			Please correct if r	ame or address has chang	led	2
In correspondence pertaining to report, please include State license number.						
Furnish make, year model, S and weight of vehicle if not sh If the license plates were of vehicle other than the one descr below give description of the veh currently registered.	own. on a ibed					
Return the form to the Bureau o Census, Washington, D.C., 20 in the enclosed envelope w requires no postage, not later twenty (20) days after receipt.	233, hich					
1. VEHICLE IDENTIFICATION						
Make	Year model		ered weight capacity	State	License No.	
3	4	<u>.</u>	5		······	·····
	:					
2. OWNERSHIP OF VEHICLE		6	3. ACQUISIT	ION OF VEHICLE		7
On April 1, 1967, were you t	ne owner (or lice	nse holde	,)			
of the vehicle identified in it have sold, traded or otherwis April 1, 1967)?	em 1 (even thoug	h you may	How did yo	ou acquire this vehicle? chased new		
1 TYes – Go to Question	3			chased used		
2 🛄 No – Disposed of BEF		57		3 Leased from someone else		
∀ When did you sell, trad		Month				
wise dispose of the vel If "No," sign on page 4 an		Month nnaire				
4. BASE OF OPERATION a. What was the principal pla			5. NUMBER	OF TRUCKS, TRUCK-T	RACTORS AND BASE OF	
vehicle was operated?			OPERATIO			
City or town			operating	trucks, truck-tractors, o out of the city or town n 67? (Report total numb	amed in 4a as of	
County	8 State			ich you have been desc		
b. Was this vehicle operated		 [](			Total	
in the State named in 4a?	uniosi eninely	L				11
1 Yes 2				tors		12
				emi- and full-trailers).		13
6. LEASED TO OTHERS WITH				÷		14
During the past 12 months, o	lid you use this	vehicle M	OSTLY for leasi	ng or renting (without d	river) to others?	
$1 \square No - Go to Q.7$						
2 🔄 Yes - Was this vehic	le usually leased in 30 days? – Gó	•	tor periods of:			
	or longer? - Go	-				
	longer, - 00	X		Luanaan		15

	Page 2	
7. MAJOR USE OF THE TRUCK OR COMBINATION (Mark	(X) one box)	
How was the vehicle mostly used during the past 12 months?		
(If the vehicle was leased to someone else (without driver) for periods of 30 days or more, mark (X) the box that describes the business of the person or company to whom you leased the vehicle the longest time.) 16 17		
01 For personal transportation – Used in place of an automobile to go from home to work; for outdoor recreation; camping; fishing; etc. – Go to Q.10          02 Own farm or ranch or other agricultural activity         03 In forestry or lumbering         04 In mining or quarrying         05 In construction         06 In manufacturing         07 In wholesale and/or retail         08 In utilities – telephone, electric, gas, etc.         09 In services – hotel, automobile repair, laundry, etc.	<ul> <li>10 For-hire transportation - Includes trucking services known as drayage, local cartage, household goods movers, common or contract motor carriers, commercial motor carriers, leased with driver, "owner-operators" under lease or contract.</li> <li>11 "For-hire" transportation has been checked, mark (X) one box below:</li> <li>11 Is this service under an Interstate Commerce Commission authorization (either granted or pending)?</li> <li>1 Yes</li> <li>1 Go to Q.8</li> <li>2 No</li> <li>11 Other - If none of the above applies to the use you make of the vehicle, describe the main use of the vehicle here. If a product is hauled, answer Q.8 next. If this is a service type vehicle, go to Q.10</li> </ul>	
8. PRINCIPAL PRODUCTS CARRIED	18	
Please mark (X) box which indicates product usually carried by this vehicle.		
<ul> <li>61 Farm products (fruit, grain, livestock, meat, poultry, dairy products, etc.)</li> <li>62 Processed foods, beverages and tobacco</li> <li>63 Primary metal products (ingot, billets, pipes, sheets, etc.)</li> <li>64 Machinery or allied products</li> <li>65 Transportation equipment (motor vehicles, trailers, boats, motorcycles, etc.)</li> <li>66 Building mate it is (lumber, millwork, etc.)</li> </ul>	<ul> <li>o7 Furniture, household appliances, or hardware</li> <li>O8 Chemicals, rubber, plastics or related products (including drugs, paints, fertilizers, etc.)</li> <li>O9 Petroleum or petroleum products</li> <li>10 Scrap, refuse and garbage</li> <li>11 Mixed cargos</li> <li>12 No products (used for repair, cranes, compressors, etc.) - Go to Q.10</li> <li>13 Other - Describe</li> </ul>	
9. ROUND-TRIP LOAD	19	
On a round-trip basis, how does the truck or combinatio 1 Doaded in one direction, but returns empty (or almost empty) in the other direction 2 Doaded in both directions	n usually move? (Mark (X) one box only) 3  Other – Describe	
10. VEHICLE MILES	11. GROSS VEHICLE WEIGHT 23	
Please give speedometer (odometer) reading or if not indicated by speedometer, give your best estimate.	Mark (X) one box that is nearest the total weight of this truck or combination when loaded to full capacity	
What were the total miles this vehicle was driven during the past 12 months and the total miles driven since new?	(gross vehicle weight in pounds). 01Less than 6,000 of32,001 to 40,000	
(If vehicle vas idle for the year enter "None")	02  6,000 to 10,000 07  40,001 to 50,000	
Miles	оз [] 10,001 to 19,500 ов [] 50,001 to 60,000	
a. Total miles driven during past 12 months (If less than 12 months, estimate probable miles for year.).	04       19,501 to 26,000       09       60,001 to 70,000         05       26,001 to 32,000       10       70,001 and over	
b. Total miles this vehicle has been driven since new		

Page 3

12. BODY TYPE - PICKUP AND PANEL TRUCKS a. Does this truck have a pickup or panel body?	b. Does this pickup or panel truck have 4-wheel drive?		
1 🗌 No - Go to Q.13 [24]	1 [] Yes [26]		
2 $\Box$ Yes – Mark (X) the box in front of illustration	2 🗌 No		
of type and answer "b" and "c"			
1 Pickup truck 25			
finnin gåringe	c. Is this pickup or panel truck equipped with a camper body or other special camping equipment?		
2 🛄 Panel truck	1 Yes Sign certification on page 4 and		
	2 No J return questionnaire		
13. TYPE AND SIZE OF BODY (other than pickup or panel)			
Mark (X) ONE box to describe the type of body of the truck or combination. If the power unit is a truck- tractor, report body type of the combination most	Mark (X) ONE box to indicate length of <b>load</b> space or capacity for all types except garbage or refuse collector, winch or crane, wrecker, pole or logging,		
frequently used with the power unit.	auto transport and utility.		
28	Body size 29		
Body type	Length of load space (feet)		
02 🔲 Platform, stake, grain, flatbed or other platform	01 Under 10		
type (with or without dumping device) including low bed and depressed center	o2 10 and less than 13		
03 Cattle rack (hogs, calves, and other livestock)	03 13 and less than 16		
04 Insulated non-refrigerated van	04 [16 and less than 20		
05 Insulated refrigerated van	05 20 and less than 28		
06	06 28 and less than 36 07 36 and less than 41		
08 All other enclosed vans	07 36 and less than 41 08 41 or more		
09 Beverage			
10 Garbage or refuse collector			
11 Winch or crane, other than wrecker	•		
12 Wrecker			
13   Pole or logging   1     14   Auto transport   1	Do not specify body size for these types.		
14 Auto transport 15 Utility (body equipped for mobile repair and			
service, e.g., telephone line truck, electrical utility, etc.)			
20 Dump truck or combination	Capacity of dump (water level without side boards) (cubic yards)		
	09 Under 5 11 7 to 9.9 13 15 to 19.9		
	10 5 to 6.9 12 10 to 14.9 14 20 or more		
30 Tank truck or combination (for liquids)	Liquid capacity of tank (gallons)		
	15 Less than 1,000 19 4,000 to 5,999		
	16 1,000 to 1,999 20 6,000 to 7,999		
	17       2,000 to 2,999       21       8,000 to 11,999         18       3,000 to 3,999       22       12,000 or more		
40 Tank truck or combination (for dry bulk)	Dry bulk capacity (cubic feet)		
	23 🛄 Less than 300 26 🛄 900 to 1,199		
1	24 300 to 599 27 1,200 to 1,499		
 	$25 \ \square 600 \text{ to } 899 \ 28 \ \square 1,500 \text{ or more}$		
50 Concrete mixer	Capacity of mixer (cubic yards)		
	29         Less than 6         31         7 to 7.9         33         10 to 11.9           30         6 to 6.9         32         8 to 9.9         34         12 or over		
60 Other body types -(If the above descriptions do no	t satisfactorily describe your vehicle, please enter		
identifying body type and size (	identifying body type and size (or capacity).)		

	Page 4
14. VEHICLE TYPE	_30
Is this vehicle a single unit truck or is it a truck-tr	actor?
1 🔄 Single unit truck 2 🗔 Truck-tracto	or .
<b>15. AXLE ARRANGEMENT</b> Please mark (X) the box that illustrates the axle arrangement of this truck or truck-tractor with the trailing unit most frequently used with the power un	31       16. POWERED AXLES       34         How many driving (powered) axles does this vehicle have? (Report tandem axles as two axles.)       34         1       One
	2 Two 3 Three 4 Four or more
	17. TYPE OF FUEL     35       What type of fuel is used with this vehicle?       1 Gasoline       2 Diesel
	3 LPG 18. AREA OF OPERATION 36
4. 🗆 💶	Where is vehicle mostly operated?
	<ul> <li>Mark (X) one box only</li> <li>1 Mostly in the local area (in or around the city and suburbs, or within a short distance of the farm, factory, mine, or place vehicle is stationed).</li> <li>2 Mostly over-the-road (beyond the local area)</li> </ul>
	<ul> <li>but usually not more than 200 miles one way to the most distant stop from the place vehicle is stationed.</li> <li>3 Mostly over-the-road trips that usually are more than 200 miles one way to the most distant stop</li> </ul>
7. 🗆 🖪	from place the vehicle is stationed.
	When major repairs are needed on this vehicle, are they usually done by:
8. If none of the above applies, please indicate	1 Yourself? 2 Truck dealer or factory branch? 3 Own repair shop (set up specifically for
total number of axles on:	4 🛄 Independent garage?
Total ax	les         5 Other? - Describe           32
Trailing unit(s)	33
Name of person to contact regarding this report Addr	ress (Number and street, city, State, code) Telephone (Include area code, number, ext.)
<b>CERTIFICATION</b> – This report is substantially accura	te and has been prepared in accordance with instructions.
Signature of authorized official Title	e Date