

University Transportation Research Center - Region 2

Final Report

Business Location Data Analysis and Editing Interface Tool Development

Performing Organization: The City College of New York/CUNY

April 2021

Prepared for the New York State Department of Transportation



DISCLAIMER

This report was funded in part through grant(s) from the Federal Highway Administration, United States Department of Transportation, under the State Planning and Research Program, Section 505 of Title 23, U.S. Code. The contents of this report do not necessarily reflect the official views or policy of the United States Department of Transportation, the Federal Highway Administration or the New York State Department of Transportation. This report does not constitute a standard, specification, regulation, product endorsement, or an endorsement of manufacturers.

ACKNOWLEDGEMENTS

We would like to recognize and thank the New York State Department of Transportation for their assistance and guidance, with Jim Davis and Mark Grainer, at the Statewide Policy and Performance Bureau Policy and Planning Division, as playing a critical role for the successful completion of the project. We appreciate the support provided by Alex Muro and Eric Krans at the University at Albany Visualization and Informatics Labs (AVAIL).

USDOT Form DOT F 1700.7 Technical Report Documentation Page

| 1. Report No. | 2. Government Accession No. | 3. Recipient's C | Catalog No. |
|--|--|---|--|
| 4. Title and Subtitle | | 5. Report Date | |
| Business Location Data Analysis and Editing Interfa | ce Tool Development | April, 2021 | |
| | | 6. Performing (Code | Organization |
| 7. Author(s): Camille Kamga, David Ng Wu, Sandee | p Mudigonda | 8. Performing (Report No. 555 | - |
| 9. Performing Organization Name and Address: Un Center (UTRC), 160 Convent Avenue, NY, 10031 | iversity Transportation Research | 10. Work Unit | No. |
| | | 11. Contract or C-19-02 | Grant No. |
| 12. Sponsoring Agency Name and Address: New Yo Transportation, 50 Wolf Road, Albany, NY 12232 | ork State Department of | 13. Type of Rep Covered | oort and Period |
| | | 14. Sponsoring | Agency Code |
| 15. Supplementary Notes: | | • | |
| 16. Abstract One of the most important aspects of transportation and organizations. Information such as location of sales, can provide valuable input to understanding along with several administrative, transportation a transportation planning agencies. The objective of business location and employment information in transportation road network, public transit networ municipalities so that the business data can be que ability to edit and update the information per the u | employment, size of organization o travel patterns and human activitie nd infrastructure facilities provides this project is to develop an open s the state of New York. The applicati k, various administrative boundarie eried accordingly. Furthermore, the | r business in terr s. Visualizing thi key contextual in ource software t on is also interfa es such as MPOs, application also | ns of employees, s information nformation to o visualize ced with counties, |
| 17. Key Words: Transportation Data Visualization, Location Data Analysis, Open Source Software. | 18. Distribution Statement | | |
| 19. Security Classif. (of this report) | 20. Security Classif. (of this page) | 21. No. of Pages | 22. Price |

Executive Summary

This project aims to provide a web-based tool to transportation agencies to help understand and analyze the economic activities and transportation movements across different scale and geographic regions. This tool seeks to help transportation agencies by simplifying the process of locating businesses of various types, comparing economic and employment metrics in different locations, which in turn, helps the agencies in understanding transportation infrastructure needs and impacts without the need of specialized GIS software. The tool also provides the agencies the ability to export the data for presentation purposes.

The business location data used in this project is the InfoUSA Marketing, Inc. –("InfoGroup") business records dataset which contains detailed information of business establishments. The business establishment data and other open data for New York State are combined and housed within open sourced development framework to allow NYSDOT and related transportation stakeholders to easily analyze planning metrics such as number of businesses, business volumes, number of employees in several different ways.

In the development of the tool, popular Javascript frameworks and libraries were chosen to work on this project such as: NodeJS, LeafletJS (mapping), ExpressJS (server) and PostgreSQL (RDBMS) for open sourced support and integration. The primary purpose of using open source environments is to keep the application development process transparent and the tools to be available to other agencies in the state.

Some of the visualization tools include features such as: layers-based query (zip code, county, MPO, etc.), query using drawing tools and query around selected road sections. After each query, the interface provides information such as infoGroup IDs, street addresses, sales volume, employee size, NAICS and SICS classification codes, and other attributes, as well as, descriptive statistics (average, summation, etc).

User authentication and access incorporates the different user levels to manage and edit business information on the platform and to fix errors in the business establishments dataset. Changes to the dataset are recorded with auditing capabilities for administrators with the required access.

A user manual is provided to get new users started. It serves as a tutorial and a listing of almost all the features available in the web-application. It is advisable to refer to this manual if users are not sure how to handle certain tools.

Table of Contents

| Executive Summary | 4 |
|---------------------------------------|----|
| Table of Contents | 5 |
| 1. Introduction and Problem Statement | 6 |
| 2. Research Objectives | 6 |
| 3. Methods | 7 |
| 3.1 Software tools | 7 |
| 3.2 Datasets Chosen | 10 |
| 3.3 Visualization And Querying | 13 |
| 3.4 Editing | 18 |
| 3.5 User Authentication | 21 |
| 4. Setting up | 22 |
| 5. Conclusion | 22 |
| 6. Appendix | 23 |
| 6.1 API End-points | 23 |
| 6.2 More Info | 25 |
| 6.3 User Manual | 26 |

1. Introduction and Problem Statement

One of the main tasks of transportation agencies is to study and analyze the economic activities and transportation movements across different geographic regions. Depending on the scale of the analysis, it is necessary to have information about the diverse categories of business establishments to understand transportation infrastructure needs and the impacts of various transportation planning initiatives such as transit-oriented development, roadway maintenance and understanding multimodal user base, to name a few.

One of the sources of business location data that NYSDOT utilizes for business locations is from InfoUSA Marketing, LLC ("InfoGroup"). This establishment location dataset contains granular information of businesses such as, street address, sales volume, employee size, NAICS and SICS classification codes, and other crucial attributes. The transportation agency planners and modelers need to contextualize these data to be able to provide analyses on infrastructure needs, evaluate and propose policy initiatives. A tool that can help extract, visualize and summarize the business establishment data from the perspective of type of business, number of employees, sales volume, etc. would be very useful in this regard. Furthermore, as the business establishment data comes from a diversity of sources, it is prone to contain uncertainty, redundancy and error. Hence, additional functionality to edit erroneous or inaccurate data can help improve data quality. This tool must also be able to integrate with existing analytical tools available to NYSDOT for seamless access to users.

Therefore, the goal of this project is to provide the NYSDOT and relevant transportation stakeholders with a web-based GIS application where users could utilize this dataset for different operations:

- Data dissemination
- Query, analysis and visualization
- Data maintenance
- Data quality check

In the next section, the Research Objectives of this project are explained in detail. The third section, Methods, details the choice of tools for this project. Fourth and fifth sections elaborate each of the functionalities and design aspects of the tool.

2. Research Objectives

As mentioned earlier, key functionalities of the tool are to extract, visualize and summarize business establishment data, ability to ensure data quality and integrate with an existing NYSDOT open-sourced analytics framework.

To elaborate on each of the objectives for this project, we divide them into four different groups:

1. Visualization Capability: Ability to visualize businesses points on a map, display statistical analysis and information and easily view key data fields

- 2. Querying:
 - a. Have predefined GIS layers to query, such as:
 - i. MPO's, NYS Counties, DOT regions, Municipalities, etc...
 - b. Querying by Street Names (OSM)
 - c. Graphically using Geometries
 - i. Euclidean Distance
 - ii. Manhattan Distance
 - d. Non-spatial data
 - i. Company Name
 - ii. Employee Size
 - iii. NAICS, SIC and Match Code
- 3. Editing: the original business location data collection was performed by people. As a result, inaccuracy or duplication of data is inevitable. Therefore, there is a need to provide an interface with:
 - a. Multi User Editing and Archiving: to be able to correct spotted errors in the dataset.
 - b. Continuous Versioning and Preserving Editing History: in case we want to refer to the original or past data.
- 4. User Authentication: to allow data dissemination and management, it is necessary for users to have an account to mitigate unauthorized access and also, to differentiate different user privileges:
 - a. Normal users
 - b. Editors: allow for submission of changes to the dataset.
 - c. Administrator: review and approvals

3. Methods

In order to achieve the stated objectives appropriate software tools and datasets have to be chosen. This section explains various tools chosen to integrate data and visualization capabilities. Furthermore, datasets that are relevant and useful for users of this tool in extracting and visualizing data are also explained.

Integration of the existing analytics platform is also an important consideration in the development process of the tool. This would help in seamless transition of existing users and authorization schema. Thus, all of the tools developed for this application are open sourced. Choice of open source software also helps in advancing development of the tool in future.

3.1 Software tools

For the development of this project, popular open source software tools were chosen. As most of them are widely used by developers, it is fully maintained by the community and also, it is also convenient to receive support for future capabilities. Moreover, this tool will be able to integrate with the existing analytical tools as it is also an open source program. By using open source libraries, we could also easily modify some parts of the code to fit our needs. For instance, when we modified the chosen pie chart library, *d3pie.js*, to produce a desired outcome when we select different sections of the chart at the same time (discussed more in detail later.)

- Basic Javascript stack
 - Node.js v12.18.3 LTS. End-of-Life: 2022-04-30
 - ExpressJS v4.16.3
 - EJS templating language
 - PostgreSQL v12.0. End-of-Life: 2024-11-14

3.1.1 Front-end Libraries

Bootstrap v4.5.3 as the general theme of the application and JQuery v3.3.1 to control the flow/actions. JQuery UI v1.12.1 for the autocomplete/dropdown functionality.

3.1.2 Mapping

<u>LeafletJS</u> v1.7.1 is used as the base library to display the map and the different OSM base layers providers, along with the basic required tools in GIS applications. (i.e., zoom, select, pan, etc.)

There are couple of plugins added to LeafletJS that provides the functionality to draw figures and facilitate displaying drawing information:

| Plugin Name | Description/Purpose | Version |
|----------------------------------|--|---------|
| Marker Cluster | Create clusters of markers to display businesses points. | v1.4.1 |
| Leaflet Measure Path | Displays measurements of drawn objects. | v1.5.0 |
| Leaflet FeatureGroup SubGroup | Allows subgroups for the Marker Cluster plugin. This helps grouping correctly when the map is filtered by NAICS or Match code. | v1.0.2 |
| Leaflet Editable | Provides tools to draw objects on the map. | v1.2.0 |

3.1.3 Table

All the tables in the application are made using the library: <u>DataTables</u> which is a plugin to jQuery for tables.

DataTable extensions used:

- 1. Buttons
- 2. Responsive
- 3. Select

3.1.4 Graphs

Pie chart made with a library called <u>d3pie</u>. It is a library built on <u>d3.js</u> to make pie charts easier to make. The library did not provide functionality for multiple section selections. Therefore, it was slightly modified to fit for that need.

Modifications to the d3pie library includes:

- 1. Added "getOpenSegments()" function to get opened segments.
- 2. Added "closeSegments()" function to close all the opened segments.
- 3. "closeSegment()" method is made synchronous.
- 4. "maybeCloseOpenSegment()" method is modified to allow multiple segment selections.

Histogram and Legend graphs are made using plain d3.js.

3.1.5 Other Front-end library used

| Library Name | Description/Purpose | Version |
|------------------------------------|---|---------|
| <u>Momentjs</u> | Date formatting for display purposes. | v2.24 |
| DOM to Image | Main library to convert the DOM to images for the export functionality. | v2.6.0 |
| Html2canvas | Secondary library to convert the DOM to images for the export functionality in case the first option fails. | v1.0.0 |
| <u>isPDF</u> | Library to build a PDF document for the export functionality. | v1.5.3 |
| <u>jsPDF -</u> <u>AutoTable</u> | Helper library to create tables for the export functionality. | v3.5.6 |
| <u>FileSaver.js</u> | Solution to saving files on the client-side. | v1.3.3 |
| <u>JSZip</u> | A library for creating, reading and editing .zip files with JavaScript. | v3.1.5 |
| <u>FontAwesome</u> | Free solution to provide icons. | |
| <u>PopperJS</u> | Required library for bootstrap to display modals. | v1.12.9 |
| <u>Turf</u> | Solution to process geoJSON geometries in the front end. | v5.1.6 |

3.1.6 Back-end Libraries

Back-end server is set up using NodeJS v12.18.3 LTS with ExpressJS v4.16.3.

List of back-end libraries and middlewares

| Library Name | Description/Purpose | Version |
|--------------------|---|---------|
| body-parser | Middleware to parse JSON bodies. | v1.18.2 |
| <u>compression</u> | Compress JSON files sent to the client. | ^1.7.4 |

| <u>ejs</u> | Simple templating language to generate HTML markup with plain JavaScript. | ^2.7.1 |
|--------------------|---|---------|
| <u>ExpressJS</u> | Server framework for Node.js | ^4.16.3 |
| express-session | Solution to create a user session in express. | ^1.17.0 |
| node-env-file | Library to facilitate adding an environmental file. | ^0.1.8 |
| <u>node-fetch</u> | Request library used to make requests to Geocoding API such as Nominatim, Mapquest, etc | ^2.6.1 |
| passport | Authentication middleware. | ^0.4.0 |
| passport-local | Local strategy to authenticate users. | ^1.0.0 |
| pg | Non-blocking PostgreSQL client for Node.js. | ^7.12.1 |
| <u>pg-hstore</u> | Helper library to create Hstore data type objects. Used mainly in audit tables. | ^2.3.3 |
| session-file-store | Solution to store session data in the session file. | ^1.3.1 |
| uuid | Creates <u>RFC4122</u> UUIDs for the session ID. | ^3.3.3 |

3.2 Datasets Chosen

Various datasets chosen to help is overlaying and extracting appropriate business location data are elaborated in this subsection. Some of the key fields used in the data visualization and analysis are also described.

3.2.1 Database Overview

Description

PostGreSQL 12.0 is used as the Enterprise RDBMS. PostGIS (3.0.0rc2 r17909), HStore and PgRouting (3.0.0-alpha) need to be installed and enabled.

Database export can be downloaded by requesting access to AVAIL.

Tables Overview and Description

| Table Name Description | | Source |
|--|--|--------|
| public Schema | | |
| amtrakContains the information and geometry of AMTRAK stations. Geometry type: POINT, SRID: 4326.MT | | MTA |

| at_2po_4pgr | Table containing routing information for NY state. Geometry type: LINESTRING, SRID: 26918. | <u>OSM</u> |
|---------------------------|---|------------------|
| business_edit | Contains the status and information of edits submitted by users of the application. | <u>Generated</u> |
| businesses | Table containing all the information collected. It is constructed by unifying the businesses location database for neighboring counties including Canada and NY State. Geometry type: POINT, SRID: 26918. | <u>Generated</u> |
| businesses_o | Copy of table "businesses" before any made changes. Geometry type: POINT, SRID: 26918. | Generated |
| businesses_2019 | 2019 dataset of businesses in NY state. Geometry type: POINT, SRID: 26918. | InfoGroup |
| businesses_can | 2019 dataset of businesses in Canada. Geometry type: POINT, SRID: 4269. | InfoGroup |
| businesses_ct_ma_ny_pa_vt | 2019 dataset of businesses neighbouring NY state. Geometry type: POINT, SRID: 4269. | InfoGroup |
| cities_towns | Table containing the information and geometry of cities and towns in NY state. Geometry type: MULTIPOLYGON, SRID: 26918. | Open Data |
| counties_neighbor | Table containing the information and geometry of counties neighboring NY state including Canada districts. Geometry type: GEOMETRY, SRID: 26918. | Open Data |
| counties_shoreline | Table containing the information and geometry of counties in NY state. Geometry type: MULTIPOLYGON, SRID: 26918. | Open Data |
| тро | Table containing the information and geometry of MPO's in NY state. Geometry type: MULTIPOLYGON, SRID: 26918. | Open Data |
| mta_li | Contains the information and geometry of the Long Island Railroad stations. Geometry type: POINT, SRID: 4326. | MTA |
| mta_mn | Contains the information and geometry of the Metro-North Railroad stations. Geometry type: POINT, SRID: 4326. | MTA |
| mta_nyc | Contains the information and geometry of NYC subway stations. Geometry type: POINT, SRID: 4326. | MTA |
| | | |

| prmsic | Contains information for the primary Standard Industrial Classification (SIC) extracted from the "businesses" table. | InfoGroup |
|--------------------|---|------------------|
| roadway | Contains road information of NY state. Used by the "search nearby roads" query. Geometry type: MULTILINESTRING, SRID: 26918.OSM | |
| villages | Table containing the information and geometry of villages in NY state. Geometry type: MULTIPOLYGON, SRID: 26918. | Open Data |
| zip | Table containing the information and geometry of ZIP codes in NY state. Geometry type: MULTIPOLYGON, SRID: 4269. | Open Data |
| audit Schema | | |
| business_audit_log | Table contains the changes made to the table "business_edit". It is filled by the trigger function: "log_business_edit()" on Insert and Update. | <u>Generated</u> |
| logged_actions | Contains all the changes made to "businesses" table. Generated | |

Tables Key Fields

In this project, we are using a wide range of data provided by the **businesses** table. Some of the columns mostly utilized/important in this application are the following:

• NAICS code: Standard used to classify business establishments for the analysis of statistical data describing the U.S. economy.

This table provides all 6 digits NAICS code classification for each business point. However, due to the extensive amount of categories, we process the displayed data into 2 or 4 digits NAICS code. This allows us to search businesses type in certain areas with less granularity.


- Primary SIC code: Classification system that uses a four-digit code for classifying a company's primary industry which is based upon the company's highest revenue category.
- Match Level code: Indicates the accuracy of the business establishment location collected. They are matched the following level accuracy:
 - **X**: matched based on the 5 digits zip code centroid.
 - \circ **4**: matched based on the 4 digits zip code centroid.
 - **2**: matched based on the 2 digits zip code centroid.
 - **P**: matched using the Parcel centroid.
 - **0**: Site level exact location.

- Employee Size: the dataset used provides two columns indicating the employee size of establishments:
 - Location Employee Size
 - Corporate Employee Size

Both columns are categorized with letters from A to K or none according to their size:

- **A:** 1 4
- **B:** 5 9
- **C:** 10 19
- o **D:** 20 49
- **E:** 50 99
- **F:** 100 249
- **G:** 250 499
- **H:** 500 999
- **I:** 1,000 4,999
- **J:** 5,000 9,999
- **K:** 10,000+

3.3 Visualization And Querying



The Leaflet library contains the ability to pan, zoom, select, identify geometry objects contained in a leaflet map. To facilitate making queries by sight/drawing, <u>Leaflet Editable</u> plugin is added to Leaflet. This library allows users to easily create drawing objects such as circles, rectangles and linestring to query businesses around the desired section viewed on the map. Take in account that these drawings are calculated using the Euclidean distance.

A Manhattan Distance functionality is added to the mapping interface in the form of driving distance, where users create a marker in the desired area and a route is created according to the specified driving distance. PgRouting is the solution used to implement this calculation, along with road information provided by OSM.

Searching inside layers in NYS (eg: DOT regions, MPOs, counties, transit lines, etc...), a back-end API is created to provide this information to the user interface. A request to the desired API is made in the front-end and then, the returned JSON object is processed to create markers to the map for the businesses with a specific color and size scheme. Depending on the query, another request is made later to the server to add an overlay layer to illustrate the search area.

Search areas/layers are not limited to only NYS, as there is data of businesses in counties neighboring NYS. This includes some of the districts located in lower Canada that were selected because of its closeness to NYS.

The user interface also contains a data table, which provides detailed information in categories:

- PRIMARY_SIC_DESC
- MATCH_LEVEL_CODE
- NAICS_DESC
- HQ_BRANCH_DESC

and also in quantiles:

- ACTUAL_LOCATION_EMPLOYMENT_SIZE
- ACTUAL_CORPORATE_EMPLOYMENT_SIZE
- ACTUAL_LOCATION_SALES_VOLUME
- ACTUAL_CORPORATE_SALES_VOLUME
- SQUARE_FOOTAGE_CODE/+
- LATITUDE
- LONGITUDE


Previously mentioned information could be used to filter down the desired businesses by making use of the advanced tab section of the user interface or making a request to the "*bysearch*" API endpoint. Furthermore, it has the ability to search in the currently displayed overlay layer to facilitate the filtering of businesses in search areas that users have created manually using the drawing functionality.

A Multi-search functionality is also incorporated into the mapping interface. This provides the capability for users to create complex search areas by combining different location layers simultaneously that could also be merged with user defined drawings objects. Furthermore, pre-defined layers provided by the database (MPO, county, etc...) are allowed to be modified in this tab, granting users some degree of freedom designing the query. Note that this custom query could also be filtered using the advanced tab with the search in current selection feature.


Additionally, the user interface includes a statistics tab consisting of cards and bar charts that displays descriptive statistics from the record selections. For example, cards containing the count, sum, mean of company sales and, bar charts illustrating company and employee size distribution in the selected area.


List of the different layers available to query in the application:


- Zip code
- County
- Metropolitan planning organization (MPO)
- NYSDOT Region
- Municipality (Town, City)
- Address (geocoding)
- Train/subway station
- InfoGroup ID
- Road name and signing
- Drawing (bounding box, circle buffer, linestring)
- Driving distance




| Home Proposals | BANCLAB - ID: 26 | | x | (417 |
|---|---|-------------------|--|---------------------------------|
| | 244 5TH AVE # 2024, NEW YORK, NY 10001 - View | | | STATE STATE |
| + " (")) () () () () () () () (| ALIAS | Company name | | |
| - Charadonanda Lyndhurst | BANCLAB | BANCLAB | MINING, QUARRYING, AND OIL AND | |
| West | EMP SIZE CODE EMP SIZE DESC | | UTILITIES E. FORESTRY, FISHING N AND WAREHOUSING LIC ADMINISTRATION | PROFESSIONAL, SCIENTIFIC, AND |
| lige 3 and the second s | B.▼ 5-9 | | MANUFACTURING MANUFACTURING PANIES AND EN | |
| • • • • • • • • • • • • • • • • • • • | Actual Employment Size 7 | | IANUFACTURING WAREHOUSING STABLISHMENTS NT AND RECRE. | RETAIL TRADE |
| East Orange Branch Brook and Branch Branch Branch Brook and Branch Branch Brook and Branch Bra | NAICS CODE NAICS DESC | | RETAIL TRADE / | ACCOMMODATION AND FOOD SERVICE |
| | 99999005 UNCLASSIFIED EST | ABLISHMENTS | VASTE MGT & REMEDI RE AND SOCIAL ASSISTA CONSTRUCTION SERVICES (EXCEPT PUBLIC | EAL ESTATE AND RENTAL AND LEA |
| · · · · · · · · · · · · · · · · · · · | PRIMARY SIC CODE PRIMARY SIC DESC | | INFORMATION | |
| Invington | 999966 FEDERAL GOVERN | MENT CONTRACTORS | MatchCD | More statistics |
| Jersey City | SQF CODE SQF DESC | | art 🔓 | |
| | 6 - 20,000 - 39,999 | | UNCLASSIFIED ESTABLISHMENTS | FEDERAL GOVERNMENT CONTRACTORS |
| | LSALVOLCD LSALVOLDS | | NEW SINGLE-FAMILY HSNG CONSTR (EXC F | |
| | Sales Volume - | | SALE BLDRS) OTHER SOCIAL ADVOCACY ORGANIZATION | , DRUG ABUSE & ADDICTION INFO & |
| st Stranger and States | Actual Sales Volume (in Millions) | | UNCLASSIFIED ESTABLISHMENTS | FEDERAL GOVERNMENT CONTRACTORS |
| | CSALVOLCD CSALVOLDS | | OUTDOOR ADVERTISING | ADVERTISING-OUTDOOR Edit |
| Bayonne | Corporate Sales Volume 🕶 | | OTHER ACCOUNTING SERVICES | AUDITORS |
| farmance Park | Actual Corporate Sales Volume (in Millions) | | UNCLASSIFIED ESTABLISHMENTS | FEDERAL GOVERNMENT CONTRACTORS |
| | | | OFFICES OF REAL ESTATE AGENTS & BROKE | RS REAL ESTATE |
| Low Place Low | Comments | | DI REI IC DELATIONIC AGENCIES | |
| Linden | | | Previous | 1 2 3 4 5 629 Next |
| | | Submit Edit Close | Rockaway | - |
| | | | | |
| Detailed information view of a business point | | | | |










3.4 Editing

This project provides a web-based interface for editing and archiving any corrections identified by the NYSDOT staff to the data.

There are two phases to this procedure:

- 1. Editing users submit a proposal for the information change.
- 2. Administrator users are to audit this submission before accepting the change.


Only administrators are allowed to approve changes and users with edit privileges to propose changes. Accepted changes are to modify the "businesses" table directly and currently irreversible using the web interface. If users wish to reverse a change, a resubmission with the desired information could be made to nullify the change. These changes are tracked in the table "logged_actions" in the audit schema. It logs information of both previous/original data and the changes made along with the timestamp. This table could be potentially used as a migration table in case the "businesses" table is reset or a new table is generated.



To keep track of proposals submitted by users and changes by administrators, the table "business_edit" is provided. Records are tracked using two different fields:

- 1. Record status code:
 - **0** PROPOSED
 - **1** WITHDRAWN
 - **2** REJECTED
 - **3** REPLACED
 - **4** ACCEPTED
- 2. Status code:
 - **0** INACTIVE / RETIRED
 - **1** ACTIVE

The field "record status" determines the current phase of the submitted record and the "status" field determines if the record is published and if it is shown to users when it is queried. Notice that some combinations are illegal. For example, a record cannot be "rejected" and "active" or "accepted" and "inactive/retired" at the same time. Records that are accepted and later taken over by another proposal are to be considered "replaced" instead of "accepted" and "inactive/retired"



Any changes made by the administrators, either single or batch, are made in database transactions and if an error were to occur in the process, failed transaction records are rolled back. This provides a fail save record change allowing developers to debug the error in case it occurs.

The database also provides a table called "businesses_o" to users that want to access the original data unchanged. This query is easily made in the web interface by changing the version dropdown in the navigation bar. Also, could be made to the API endpoint (if session token is provided) by using the "v" parameter available.

| Home Proposals | | | (417 |
|--|--|--|---|
| and the second s | Select all Deselect all Accept | Edit | |
| + Wage | | ted at v comment | 🕆 changed fields |
| - Warness and Cares | | 0/2020. 8pm | "LOCATION_EMPLOYMENT_SIZE_CODE"=>"A", "LOCATION_EMPLOYMENT_SIZE_DESC"=>"1-4", "ACTUAL_LOCATION_EMPLOYMENT_SIZE"=>"1" |
| W 167H 57, 6 | | 0/2020. 7pm | "LATITUDE_1"=>"40.740892335768336", "LONGITUDE_1"=>"-73.98797929286958" |
| Automake State State | | 0/2020, Dam | "LATITUDE_1"=>"40.74013634343157", "LONGITUDE_1"=>"-73.98626804351808" |
| And the second s | CITY 293711 CITY WATER DEPT davidng9891 09/ 1:39 | 1/2020. am | "ACTUAL_LOCATION_EMPLOYMENT_SIZE"=>"2" |
| Martin Jacobin State Sta | ALBANY 293711 CITY WATER DEPT davidng9891 05/ 2:28 | 7/2020. pm | 'LATITUDE, 11'=> '42.48436735968524', 'LONGITUDE, 11'=>'-73.9234694838524', 'PRIMARY_CIT1'=>'COEYMANS HOLLOW', 'PRIMARY_ADDRES5'=>'20 ALCOVE RD', 'MATCH_LEVEL_CODE'=>'10', 'PRIMARY_ZIP_CODE'=>'12046' |
| W 101163 | CITY 293711 CITY WATER DEPT davidng9891 05/ 2:28 | 7/2020. | 'LATITUDE,1'=> '42.47830090850453', 'LONGITUDE,1'=>'-73.81919860839045', 'PRIMARY_CITY'=>'RAVENA', 'PRIMARY_ADDRES5'=>'2326 US ROUTE 9W', 'MATCH_LEVEL_CODE'=>'0', 'PRIMARY_ZIP_CODE'=>'12'143' |
| 151 - 630/H 52 - 20 - 55 - 53 | 26 BANCLAB davidng9891 01/. | 0/2020, pm change location | "LATITUDE_1"=>"40.745131423940634", "LONGITUDE_1"=>"-73.98643702268602", "MATCH_LEVEL_CODE"=>"0" |
| E 1814 ST. Barry ST. Barry ST. | 26 BANCLAB davidng9891 01/. | 0/2020. pm | "CORPORATE_SALES_VOLUME_CODE" => "I", "CORPORATE_SALES_VOLUME_DESC" => "\$100-500 MILLION" |
| The second secon | 26 BANCLAB davidng9891 01/. 9:15 | BIG COMMENT BIG COMMENT BIG COMMENT BIG COMMENT BIG COMMENT BIG COMMENT BIG COMMENT BIG COMMENT BIG COMMENT BIG COMMENT BIG COMMENT BIG COMMENT BIG COMMENT | CORPORATE_SALES_VOLUME_CODE"=>"A", "CORPORATE_SALES_VOLUME_DESC"=>"LESS THAN |
| Union Square Bergins, | 26 BANCLAB davidng9891 01/. 9:11 | 3/2020, am | *CORPORATE_SALES_VOLUME_CODE*=>*C*, *CORPORATE_SALES_VOLUME_DESC*=>*\$1-2.5 MILLION* |
| Y | Showing 1 to 10 of 22 entries 1 row selected | | first Previous 1 2 3 Next Last |
| Interfa | ace for administ | rators to manage busine | ess edit proposals |

3.5 User Authentication

Users authentication is managed by AVAIL group in Albany. Whenever a user logs in, the application server makes a request to the AVAIL API endpoint with the provided credentials and awaits for the response. If the user credentials are valid, <u>Express-session</u> and <u>PassportJS</u> will create a session and provide a token to the user. Session contains the information of the user provided by AVAIL, which is processed by a middleware in expressJS to determine the user authentication level.

Different users level code are the following:

- 0 utrc_general: View users
- **3 utrc_edit**: Edit users with ability to submit changes for approval
- 5 utrc_admin: Administrators with ability to submit changes and approve/reject proposals
- 10 utrc_dev: Developers

User levels are assigned by AVAIL group administrators or "utrc_dev" when users are created in AVAIL. To request an user account please visit: <u>https://availauth.availabs.org/</u> and register for an account. Users that are accepted will receive a confirmation email and a link to change the password. By default, with the current status of the provided AVAIL endpoint, users are not assigned to any "utrc" group, and a developer level user will be needed to manually assign the desired level to the new user.

Disclaimer: User privileges could be subject to be changed by AVAIL. This application has no control over those changes. This also applies to user privilege codes, which are used to determine the user level in the web interface and API endpoints.

4. Setting up

- 1. Install PostgreSQL v12.0 or higher. Allow PostGIS and PgRouting to be installed.
- 2. Download a database dump of this project database.
- 3. Create the database from the SQL export file.
- 4. Clone the project <u>repository</u> in Github. https://github.com/ng9891/infoGroup
- 5. Create a ".env" environmental file "postgres.env" at repository_name/utils.
- 6. ".env" file should contain the following:
 - a. POSTGRES_DB=database_name
 POSTGRES_USER=database_user
 POSTGRES_PASSWORD=database_password
 POSTGRES_NETLOC=PostgreSQL_ip

 POSTGRES_PORT=PostgreSQL_port
 SECRET=secret_for_the_session
 QUERY_DIST=1609
 MAPQUEST_KEY=map_quest_api_key_for_reverse_geocoding
- 7. Run "npm i" in the console to install dependencies.
- 8. To start the server run: "npm start".
- 9. The application should be running at port 3000.

5. Conclusion

Information on local and regional travel patterns is a key component for transportation planners in their analyses. Studies such as analysis on infrastructure needs, evaluate and propose policy initiatives, etc. require detailed information on travel demand patterns. Commuting, shopping and recreation are all significant components of trips in everyday travel. Hence, transportation planners require detailed information on location of points of interest (offices, businesses, etc.) and volume of trips, more specifically, the destination of trips and number of trips.

Accurate location of business establishments, size of workforce and sales volume at each location can provide valuable information for planners. An easy-to-use tool that can query information from the business establishment data in various methods layering with several other useful data and visualize key aspects can be very helpful for planners. In this project, we developed a novel software application that helps query, visualize and also edit any missing or less accurate data of business establishments. Furthermore, this application is web-based and does not require any software to be installed locally by NYSDOT planning staff.

One of the sources of business location data that NYSDOT utilizes is obtained from InfoUSA Marketing, LLC ("InfoGroup"). This establishment location dataset contains granular information of businesses such as, street address, sales volume, employee size, NAICS and SICS classification codes, and other crucial attributes. In order for planners to contextualize these data, the software tool has the ability to layer the business establishment data with several other administrative and infrastructure data such as county, municipality, MPO boundaries, transit lines & station and highways, etc. A tool that can help extract, visualize and summarize the business establishment data from the perspective of type of business, number of employees, sales volume, etc. would be very useful in this regard.

In addition, the tool provides several ways to query business location data such as manually drawn circles (within a certain distance of a point of interest) or polygon of any shape, using user-selected distance along roadways, and several combinations of these methods. These querying features are also designed to mirror those available in a standard GIS tool so that the planners can easily transfer their experience with standard GIS tools.

Furthermore, as the business establishment data comes from a diversity of sources, it is prone to contain uncertainty, redundancy and error. Hence, additional functionality to edit erroneous or inaccurate data can help improve data quality.

Lastly, this tool seamlessly integrates with existing analytical framework available to NYSDOT for easy access to existing user base. The choice of software tools is made in using similar open source tools used in the analytical framework. Also, this choice gives the flexibility to advance the features of the tools and add new features.

6. Appendix

6.1 API End-points

Currently the application API service is not open to service as it does not provide a token for users to make requests. Furthermore, users need to be authenticated to be able to access the API.

To make it easier to distinguish the endpoints, the API is divided into two groups:

- 1. "/by" requests: Queries the businesses points in the project database.
- 2. "/get" requests: Mainly provides information and geometry of metadata such as: county names, zip codes, nearby roads from a point, etc...

/by requests

| By InfoGroup ID | /api/byinfoid/{infousa_id} |
|------------------|----------------------------|
| By NYSDOT Region | /api/byregion/{dotRegion} |

| By Driving Distance | /api/bydrivingdist |
|--------------------------------|-------------------------------|
| By Railroad | /api/byrailroad |
| By Polyline String Geometry | /api/bypolyline |
| By Geocode | /api/bygeocode/{address} |
| By Search | /api/search |
| By County | /api/bycounty/{countyName} |
| By Radius | /api/bydistance |
| By Business ID | /api/byid/{businessID} |
| Ву МРО | /api/bympo/{mpoName} |
| By Municipality | /api/bymun/{municipalityName} |
| By Bounding Box | /api/byrectangle |
| By Zip Code | /api/byzip/{zipCode} |

/get requests

| Get Zip Code | /api/getzip/{autocompleteZipCode} |
|----------------------------------|-----------------------------------|
| Get NYSDOT Region | /api/getregion/{regionName} |
| Get Driving Distance Geometry | /api/getdrivingdist |
| Get Railroad | /api/getrailroad |

| Get Nearby Roads | /api/getnearbyroad |
|--|--|
| Get Business Name | /api/getconame/{autocompleteBusinessName} |
| Get County | /api/getcounty/{autocompleteCountyName} |
| Get Employment Size | /api/getempsize |
| NAICS Code | /api/getindustries/ |
| Get MPO | /api/getmpo/{autocompleteMPOName} |
| Get Municipality | /api/getmun/{autocompleteMunicipalityName} |
| Get Road names | /api/getroad |
| Get Sales Volume categories | /api/getsalesvolume |
| Get Primary SIC Code | /api/getsic |
| Get Location Size - Square Foot Description | /api/getsqfoot |
| Get Reverse Geocode | /api/get/geocode/reverse |

6.2 More Info


For more information about the endpoints, please refer to the <u>documentation</u>.


6.3 User Manual


Table of Content


| User M | 1anual | 26 |
|--------|----------------------|----|
| | 6.1 Basic Queries | 27 |
| | 6.2 Drawing Queries | 40 |
| | 6.3 Advanced Queries | 48 |
| | 6.4 Multi-Queries | 52 |
| | 6.5 Tips | 60 |


6.1 Basic Queries


















6.1.1 Main Tab





6.1.2 Main Tab - Pie section












6.1.3 Statistic Tab

| RETAIL TRADE RETAIL TRADE |
|--|
| To open statistics tab |

| Total Sales \$5,650,895 | Avg Sales \$2,313.10 | Avg Corp Sales \$0.00 | Total Companies 2,443 |
|---|--|--------------------------|--------------------------|
| Total Employees 32,082 | Avg Employees | \$0.00 | 2,445 |
| Company distribution f 200 1,60 1,60 1,60 1,60 60 60 60 60 60 60 60 60 60 | by employee size $\frac{150}{4} - \frac{17}{5} - \frac{26}{6} - \frac{60}{8}$ | | |

| Total Sales | Avg Sales | Avg Corp Sales | Total Companies |
|-------------------------------|---------------|----------------|-----------------|
| \$5,650,895 | \$2,313.10 | \$0.00 | 2,443 |
| Total Employees | Avg Employees | | |
| 32,082 | 13.13 | | |
| Company distribution Employee | Distribution | | |




6.1.4 Main Tab - Exporting data



6.1.5 Main Tab - Table section

| Name | EmpSZ | NAICS | Primary SIC | PRM | V | - V - |
|-----------------------------|---------|--|------------------|-------|------|-------|
| SUBWAY | 8 | LIMITED-SERVICE RESTAURANTS | RESTAURANTS | | Edit | Â |
| LOS FELIZ | 15 | FULL-SERVICE RESTAURANTS | RESTAURANTS | | Edit | |
| TIENLEY CO INC | 10 | OTHER MISCELLANEOUS DURABLE GOODS MERCHANT WHLSRS | IMPORTERS (WHLS) | | Edit | |
| MERCHANTS PROPERTIES INC | 8 | OFFICES OF REAL ESTATE AGENTS & BROKERS | REAL ESTATE | | Edit | |
| B'S BEAUTY SALON | 7 | BEAUTY SALONS | BEAUTY SALONS | | Edit | |
| | | ELEMENITARY & | | | _ | • |
| Showing 1 to 17 of 2,443 | entries | | Previous 1 2 | 3 4 5 | 144 | Next |



| ame | EmpSZ | NAICS | Primary SIC | PRM | <u> </u> |
|-------------------------|-------------------------|--------------------------------|--------------------|-----------------|----------|
| BWAY | 8 | LIMITED-SERVICE RESTAURANTS | RESTAURANTS | | Edit |
| S FELIZ | 15 | FULL-SERVICE RESTAURANTS | RESTAURANTS | | Edit |
| SUBWA | Y - ID: <mark>63</mark> | 45 | | | × |
| 64 DELANG | EY ST, NEW | YORK, NY 10002 - View | 1 | | |
| ALIAS | | | Company name | | |
| SUBWAY | | | SUBWAY | | |
| EMP SIZE C | ODE | EMP SIZE DESC | | | |
| | B ▼ | 5-9 | | | |
| Actual Em | nployment Size | 8 | | | |
| NAICS COD | E | NAICS DESC | | | |
| 72251301 | | LIMITED-SERVICE RE | STAURANTS | | |
| PRIMARY S | IC CODE | PRIMARY SIC DESC | | | |
| 581208 | | RESTAURANTS | | | |
| SQF CODE | | SQF DESC | | | |
| 1 - | | 1 - 1,499 | | | |
| LSALVOLCD LSALVOLD | | LSALVOLDS | | | |
| B ▼ \$500,000-\$ | | \$500,000-\$1 MILLIO | N | | |
| Actual Sal | les Volume (in | Millions) 0.661 | | | |
| CSALVOLCE |) | CSALVOLDS | | | |
| Corpor | ate Sales Volui | me 🕶 | | | |
| Actual Co | rporate Sales ' | Volume (in Millions) | | | |
| (| Clicking the e | edit/view button will | reveal a new tab v | with more infor | mation |

6.1.6 Location editing in the edit tab


| PRM ADDR | | PI | RM CITY | |
|-------------|-------------------------------|------------------------|------------------------------|------------------|
| 449 NEW | SALEM RD | | VOORHEESVILLE | |
| STATE | ZIP | LAT | LON | MATCH LEVEL CODE |
| NY | 12186 | 42.70059 | -74.031845 | ZIP - |
| Locate on N | 1 <u>ap</u> Geocode Address | | | |
| | | | | |
| | ALBANY CO | UNTY PUBLIC WORKS - IE | D: 293732 Expand Edit Locati | on × |
| | ST MANYS | | | ARK ST |
| WAND T. WA | | | | |
| | | 3 | | Lackst |
| | | | | |
| (156) | • | Parters | | ANK ST |
| | ALBANY COUN | TY PUBLIC WORKS - II | D: 293732 Cancel Ac | cept, X |
| | | 3 | | |
| | | | PARKS | |
| | | 5 | | |
| | MAN 2 MAN ANN ANN | | | |
| | WAINST | | | |
| | | | 5 | |
| | | | PAR | |
| | | | | 21 |


After changing the latitude and longitude of a business point, if users wish to change the address also, a button will appear to use the reverse geocode feature.

| BANCL | AB - ID: <mark>26</mark> | | | | × |
|-------------|--------------------------|-------------------|-----------------------|--------------------|---|
| 228 W 26T | H ST, NEW YORK, NY | 10001 - View | | | |
| ADDRESS | | | CITY | | |
| 228 W 26 | TH ST | | NEW YORK | | |
| STATE | ZIP | LAT | LON | MATCH LEVEL CODE | |
| NY | 10001 | 40.744 | 408488 -73.99562 | 62 EXACT - | |
| Locate on N | 1ap Reverse Geocode |] | | | |
| | Reverse Geocode But | tton appears afte | er changing the latit | ude and longitude. | |


| ode / YORK, NY, 10001 ~ |
|-------------------------------|
| YORK, NY, 10001 🗸 |
| |
| / YORK, NY, 10001 011-1821 |
| |
| 0 |

6.2 Drawing Queries






6.2.1 Road Query



A tool to select nearby roads by dropping a marker in a specific location on the map.





will open.


Once a road is selected, there are buttons to query businesses around the selected road:


- 1. Query on Displayed: allows to query around the road from the currently displayed road section.
- 2. Query road ID on County: it will query the road ID bounded by the county specified in the description.
- 3. Query road ID: it will query the entire road ID. Be aware when querying Interstate roads, it will take a considerable amount of time to load.


| + | Description | | |
|---|-------------------------|------------|--|
| RoadId: 256477 RoadName: UNION RoadSigning: NONE RoadNo: NONE County: KINGS | | | |
| Reset | Reset Entire Road | | |
| | Prune | | |
| Quer | Query on Displayed | | |
| Query re | Query road ID on County | | |
| Qu | Query road ID | | |
| | | | |
| Buttons to query busine | esses in ~0.5 miles fi | rom the ro | |

There are options to change the displayed road section when using the Query on Displayed feature:

- 1. Reset Button: resets the displayed road to the originally displayed section.
- 2. Entire Road: queries the server to load the entire road section.
- 3. Prune: allows users to draw a rectangle to specify the desired road length of the road section.










6.2.2 Road Drawing

This feature to query a specific section of a road or a specific route. Default buffer size is 0.5 miles.







To finish a line drawing, just click the last point of the line once again. Also, keep in mind that a drawn line can be extended and also partitioned from the middle.




6.2.3 Changing the default query buffer size on drawing queries





6.3 Advanced Queries




| | Company Name e.g. CUNY | | | | | | |
|-------------|---|--|--|--|--|--|--|
| SEARCH | NAICS e.g. Manufacturing SIC e.g. Warehouses | | | | | | |
| S | Road No. e.g. 87 Signing e.g. 1 Dist Miles(opt) | | | | | | |
| | Employees Min Max | | | | | | |
| BOOTH | County e.g. Albany - NY MPO e.g. CDTC | | | | | | |
| ROOLERON ST | Municipality e.g. Hudson Sales Volume - | | | | | | |
| | MATCH LEVEL CODE 👻 | | | | | | |
| AMAICA | Search On Current Selection Reset | | | | | | |
| | Clicking on the button opens up the advanced search tab. | | | | | | |

| Company Name CUNY | | | |
|--------------------------|----------------|----------------------|--|
| Industry e.g. Financial | | Code OPTIONAL | 495 (495) (4 |
| Road No. e.g. 87 | Signing e.g. I | Dist Miles(opt) | |
| Employees Min | Max | | Den and a second |
| County New York - NY | MPO e.g. (| CDTC | Figure 1 and the second s |
| Municipality e.g. Hudson | | Sales Volume 🔻 | New York City |
| Ex | ample advanced | search query result. | _ |


| Industry FULL-SERVICE RESTAURANTS Road No. 87 Signing I Employees Min Max County Albany - NY MPO e.g. C | Albany Pine Bush Preserve 76 Albany 19 |
|---|--|
| Road query is also availa | able in advanced query. |

6.3.1 Search on current selected layer

It is also possible to make further queries after a basic query has been made. Using the "Search on current layer button", it will use the displayed Overlay Layer to query desired businesses.



| | Company Name e.g. CUNY | | | | | |
|-------------------|--|----------------------------|--|--|--|--|
| | NAICS ACCOMMODATION AND FOOD SEI | SIC e.g. Wareh | | | | |
| | Road No. e.g. 87 Signir | ng e.g. l | | | | |
| | Employees Min | Max | | | | |
| | County e.g. Albany - NY | MPO e.g. CDT | | | | |
| | Municipality e.g. Hudson | | | | | |
| | MATCH LEVEL CODE 👻 | | | | | |
| | Search Search On Current Selection Reset | 3 | | | | |
| Search businesses | on the current layer using NAICS code 72 | 2. (Accomodation and food) | | | | |




6.3.2 Reset fields


| Company Name e.g. CUNY | | _ | | | | |
|---|-----------------------|----------------|--|--|--|--|
| NAICS e.g. Manufacturing | SIC e.g. Warehouses | | | | | |
| Road No. e.g. 87 | Signing e.g. I Dist M | /liles(opt) | | | | |
| Employees Min | Employees Min Max | | | | | |
| County e.g. Albany - NY | MPO e.g. CDTC | | | | | |
| Municipality e.g. Hudson | | Sales Volume 👻 | | | | |
| MAT | MATCH LEVEL CODE 👻 | | | | | |
| Search Search On Current Selection | Reset | | | | | |
| Reset the advanced query fields by clicking the reset button. | | | | | | |

6.4 Multi-Queries


The Multi-queries feature allows users to create different Overlay layers to query businesses from. Users will have the ability to combine different base layers such as: Zip code layer, counties, road sections and user drawings together.


| | | | | | | 1 |
|--------|-----|---|-----------|--------|---|---|
| Search | Zip | ÷ | Current 🕈 | Search | + | |
| | | | | 1 | | |







The search section of the Multi-search is similar to the basic query but with more options to add different layers.












6.4.1 Editing layers

Unlike basic queries, the multi-queries feature allows users to modify specific overlay layers and its buffer.






Clicking the edit button, will trigger the functionality to change the current layer layout and also, depending on the layer type, to change the buffer distance desired.




6.4.2 Search

Once all the desired layers are in the multi-query list, press the *Search* button to find businesses inside or around the overlay layer.






If users wish to filter their search on their multi-search overlay, the *Advanced queries* tab allows that option with the *Search On Current Selection* feature.



6.4.3 Clear layers


To clear undesired added layers, there is an icon in the form of a trash bin that users have access to when the mouse pointer is hovered on the layer name. There is also a clean button in the search bar to clear up every layer.




6.5 Tips

This section will mention a couple of things to keep in mind while using the application:


In the lower left section of the application, there is a menu to change to different map types and also, to turn off the different layers displayed on the map.



While using the basic search or multi-search autocomplete, you are able to use the down/up arrow on your keyboard to preview the layers before selecting it.



The main tab can be closed to have a better look at the map.



INFORMATION Legend MatchCD More statistics... Search: **Expand Table** Export Name Primary SIC EmpSZ 🔷 NAICS FEDERAL GOVERNMENT BANCLAB 2 UNCLASSIFIED ESTABLISHMENTS Edit CONTRACTORS NEW SINGLE-FAMILY HSNG CONSTR (EXC FOR-CJS INDUSTRIES INC 8 GENERAL CONTRACTORS SALE BLDRS) EXPONENTS LEADERS DRUG ABUSE & ADDICTION INFO & 15 OTHER SOCIAL ADVOCACY ORGANIZATIONS Edit TRANSFOMED TREATMENT FEDERAL GOVERNMENT Edit INTRICITY LLC 7 UNCLASSIFIED ESTABLISHMENTS CONTRACTORS Hiding the pie chart and expanding the table.

The Expand table button is useful if you wish to hide the pie chart.