Archivas Copy

Aircraft Dispatcher Certificates

CAA Library



Second Edition

U. S. DEPARTMENT OF COMMERCE SINCLAIR WEEKS, Secretary Louis S. Rothschild, Under Secretary for Transportation

CIVIL AERONAUTICS ADMINISTRATION
JAMES T. Pyle, Acting Administrator

Introductory Note

Civil Aeronautics Manual 27 contains in consolidated form (1) Civil Air Regulations Part 27, Aircraft Dispatcher Certificates, adopted by the Civil Aeronautics Board and amendments 27-1 through 27-7; and (2) the rules, policies, and interpretations issued by the Administrator of Civil Aeronautics in application to the various sections of the regulations.

CAA rules are supplementary regulations issued pursuant to authority expressly conferred on the Administrator in the Civil Air Regulations. Such rules are mandatory and must be complied with.

CAA policies provide detailed technical information on recommended methods of complying with the Civil Air Regulations. Such policies are for the guidance of the public and are not mandatory in nature.

CAA interpretations define or explain words and phrases of the Civil Air Regulations. Such interpretations are for the guidance of the public and will be followed by the Administrator in determining compliance with the regulations.

This manual is arranged to give the number, title, and text of each section of the regulations followed by any rules, policies, or interpretations applicable to that section. These rules, policies, or interpretations of the Administrator are identified by consecutive dash numbers appended to the regulation section number.

This manual includes all material published in Civil Aeronautics Manual 27 dated December 1954, Supplement No. 1 dated April 15, 1955, and Supplement No. 2 dated May 1, 1956. It will be revised from time to time in accordance with the changes in the Civil Air Regulations Part 27, or as the need for additional explanations are brought to the attention of the Administrator.

CAM 27

Contents

Requirements

	Section	Page
Aircraft dispatcher certificate requirements	27.1	1
Age		1
Character.		1
Citizenship		1
Education		1
Aeronautical knowledge	27.6	1
The content and scope of the written examination required for an aircraft dispatcher certificate in proof of aeronautical knowledge (CAA policies which apply to sec. 27.6)		1
Aeronautical experience	27.7	2
Requirements for approved aircraft dispatcher course (CAA rules which	27,1.3-1	_
apply to sec. 27.7(e)	97.7.1	2
		6
Aeronautical skill	41.0	U
Aircraft Dispatcher Certificate		
Application	27.10	6
Application (CAA rules which apply to sec. 27.10)	27.10-1	7
Display		7
Duration		7
Temporary certificates.		7
Recent experience requirements	27.14	7
Expired certificates; special issuance	27,16	7
Nontransferability	27.17	7
Reexamination after failure	27.19	7
Revocation		8
Change of address		8
Termination of certificates		8
Identification.		8
Airman identification card (CAA rules which apply to sec. 27.23)	27 23-1	8
Other identification cards acceptable to the Administrator (CAA rules		-
which apply to sec. 27.23)		8
Application (CAA rules which apply to sec. 27.23)	27 23-3	8
Scheduled air carrier airmen (CAA interpretations which apply to sec. 27.23)	27 23-4	9
Other airman certificate (CAA interpretations which apply to sec. 27.23)	27,23-5	9
Examination and Tests		
General	27.30	10
General—examinations (CAA policies which apply to sec. 27.30)		10
Time and place		10
Inspection.		10
Standard of performance	27.33	10
APPENDIX A		11
APPENDIX B		21
ATTANVIA U		
CAM 27	\mathbf{v}	

Aircraft Dispatcher Certificates

Requirements

- 27.1 Aircraft dispatcher certificate requirements. To be eligible for an aircraft dispatcher certificate, an applicant shall comply with the requirements of 27.2-27.8.
- 27.2 Age. Applicant shall be at least 23 years of age.
- 27.3 Character. Applicant shall be of good moral character.
- 27.4 Citizenship. An applicant for an aircraft dispatcher certificate may be a citizen of any country or a person without nationality.
- 27.5 Education. Applicant shall be able to read, write, and understand the English language, and speak the same without any accent or impediment of speech that would interfere with two-way radio conversation.
- 27.6 Aeronautical knowledge. Applicant shall be familiar with and shall accomplish a satisfactory written examination on:
- (a) The provisions of Parts 40 and 61 and those parts of Part 60, of this subchapter, which apply to dispatching. In each case the applicant shall understand the relation of each provision to air carrier operation.
- (b) The characteristics of at least one make and model of air carrier aircraft, with particular reference to performance, gross load, pay loads under conditions of various fuel loads, fuel capacity, fuel consumption at specified power outputs at various altitudes, most economical speed at which level flight can be maintained, and loading charts.
- (c) The general system of collection and dissemination of weather information.
- (d) Weather map, forecast and sequence abbreviations, symbols, and nomenclature. The general principles of modern methods of weather analysis including the application of data obtained from airplane weather ob-

- servations and meteorological data reported from observations made by pilots engaged in air carrier flights.
- (e) Cloud forms, including average heights of their bases and approximate upper and lower limits within which their bases and tops respectively occur.
- (f) Weather conditions adversely affecting aeronautical activities, the circumstances under which they occur, how such are ascertained and located, and principles of forecasting such conditions.
- (g) The influence of terrain upon meteorological conditions and developments, and the relation thereof to air carrier flight operations.
- (h) Elementary principles of radio range operation and radio communication, including weather conditions adversely affecting them and the communication procedures and practices used between airplanes and ground stations.
- (i) Department of Agriculture Weather Bureau Circular N, Instructions for Airway Meteorological Service, and all amendments thereto.
- (j) Air navigation facilities in use on the civil airways, including rotating beacons, course lights, radio ranges, radio marker beacons and intermediate fields.
- (k) Principles of aircraft navigation, with particular respect to instrument operation and use of radio range and direction-finding equipment, including letdown procedures.
- (1) Use and limitations of sensitive type altimeters, particularly with respect to barometric settings.
- (m) Airway and airport traffic control procedures.
- 27.6-1 The content and scope of the written examination required for an aircraft dispatcher certificate in proof of aeronautical knowledge

(CAA policies which apply to sec. 27.6). The written examination is designed for the specific purpose of determining whether an applicant possesses the basic theoretical knowledge required for the safe performance of his duties as an aircraft dispatcher. Since an aircraft dispatcher's aeronautical knowledge is extensive in scope, complete coverage in the examination is not feasible. The written examination offered is a sampling device wherein a limited number of questions are proposed for the purpose of determining knowledge.

The Administrator has compiled a study guide to aid applicants in preparing for the aircraft dispatcher certificate examination. This guide is contained in appendix A.

(Published in 15 F. R. 9231, Dec. 23, 1950, effective upon publication in the Federal Register.)

27.7 Aeronautical experience.

- (a) Applicant shall have served in scheduled air carrier or scheduled military operations for 2 of the immediately preceding 3 years as:
 - (1) A pilot member of the crew; or
- (2) A flight radio operator or ground radio operator; or
 - (3) A flight navigator; or
- (4) A meteorologist in a dispatch organization dispatching aircraft; or
- (5) A technical supervisor of aircraft dispatchers; or
- (6) An assistant in dispatching of scheduled military aircraft; or
- (b) Applicant shall have served for 2 of the immediately preceding 3 years as an air traffic controller; or
- (c) Any combination of experience in paragraph (a), or in paragraphs (a) and (b) of this section, provided each is at least one year; or
- (d) Applicant shall have served as an assistant in the dispatching of scheduled air carrier aircraft under the supervision of a certificated aircraft dispatcher for at least one year within the immediately preceding 2 years; or
- (e) Applicant shall be a graduate of an aircraft dispatcher course approved by the Administrator.

- 27.7-1 Requirements for approved aircraft dispatcher course (CAA rules which apply to sec. 27.7 (e)).
- (a) General. Graduates of an aircraft dispatcher course approved by the Administrator are deemed to have met the aeronautical experience requirements for the aircraft dispatcher certificate. This means that they are accepted on equal terms with an applicant who has met any of the alternate minimum experience requirements provided for in section 27.7. For this reason it is essential that the requirements for approved aircraft dispatcher courses include adequate training facilities, and sufficient coverage of the subject matter to insure acceptable proficiency of persons applying for aircraft dispatcher certification as graduates of an approved course.
- (b) Application for approval. The agency or applicant desiring approval of a flight dispatcher course must submit to the local agent 3 copies of the course outline, a description of the equipment and facilities to be used, and a list of instructors with their qualifications, together with a letter to the Administrator of Civil Aeronautics requesting approval of the course of study. The letter requesting approval shall be submitted to the nearest regional office of the Civil Aeronautics Administration through the local Aviation Safety agent.
- (1) Training course outline. It is not mandatory that the training course outline have the subject headings arranged exactly as listed in the following example. Any arrangement of headings and subheadings will be satisfactory provided all the subjects listed in this section are included. Each general subject of the outline shall be broken down, in detail, showing the items to be covered. Additional subjects, especially those which are not closely associated with the training of aircraft dispatchers, may be listed so long as the hourly requirements devoted to the subjects are not included as a part of the basic minimum hours.
- (2) Format of the training outline. The course outline submitted for approval shall be in looseleaf form and shall include a table of contents and minimum coverage of the course material shall include the following:

4

P

	Tlassroom -	Cla	ssroom
Subject	hours	Subject	ours
Navigation—Continued		Communications	10
Dead reckoning:		Students will be required to attain a	
Magnetic variation, compass devia	a-	speed in Morse Code of eight words	
tion terms, winds and vectors.		per minute.	
Correction angle.		Radio-telephone rules and regulations.	
Finding wind drift-off course.		FCC rules and regulations.	
Off-course problems.		Company communications:	
Wind velocity by single and doub drift.	le	Air to ground radio communications and procedures.	
Interception problems.		Point to point communications and	
Radius of action—problems.		procedures.	
Search problems.		Equipment air to ground and point	
Computer use—problems.		to point.	
Radio navigation:		CAA Communications:	
Principles of the radio range, rad	io	Air to ground radio communications	
compass direction finder, marke		and procedures.	
beacons, ILS, GCA, radio altin		Point to point communications and procedures.	
eter, LORAN, and any other.	•	Equipment air to ground and point	
Navigation instruments:		to point.	
Altimeter, air-speed indicator, con	n-	Simulated instrument flight	10
pass, drift and rate of climb in		Instrument familiarization.	10
dicator.		Bracketing.	
	15	Orientation.	
Aircraft	19		
Weight and balance:		Holding procedure.	
Center of gravity.		Let-down procedure.	
How determined.		Missed-approach procedure.	
Center of gravity limits.		Air Traffic Control	30
Problem in loading.		Air route traffic control procedures and	
Engine specifications:		equipment.	
Power plant:		Airport traffic control procedures and	
Operating limits.		equipment.	
Fuel consumption.		Practical Dispatching	15
Accessories.		Pre-flight:	
Operating manual.		Safety.	
Airplane specifications:		Economic advantage.	
Operational equipment.		Crew.	
Flight controls, landing gear hydraul	lie	Notams.	
system, electrical system, loadir		The course and distance.	
		Horizontal and vertical extent of the	
characteristics, fuel capacity heating	•	weather.	
and ventilating system, and de-icir	ng	Winds.	
equipment.		Forecast.	
Performance:		Minimum safe altitude.	
Effect of weight, wind, air density, ar		The cruising altitude.	
runway surfaces on take-off pe	er-	Flight plan.	
formance of aircraft.		The alternate plan.	
Power setting and cockpit procedure) .	Clearances, company air traffic con-	
Types of cruise control.		trol.	

Classroom hours

Subject

Practical Dispatching—Continued

Pre-flight—Continued

The fuel.

The load.

The departure time.

In-flight:

Position report.

Altimeter settings.

Weather reports.

Changes in forecast.

Changing instrument altitude.

Changing from VFR to IFR.

Additional clearances.

Emergency procedures.

Post-flight:

Arrival report.

Differences between the forecasted and actual weather encountered for subsequent flights.

- (c) Facilities, equipment, and material. Applicant for authority to operate an approved aircraft dispatcher course of study shall have the following facilities, equipment, and materials:
- (1) Facilities. Suitable classrooms, adequate to accommodate the largest number of students scheduled for attendance at any one time. Such classrooms shall be properly heated, lighted, and ventilated.
- (2) Equipment and materials. Suitable devices for the teaching of simulated instrument flight, navigation, meteorology, and Morse code, acceptable textbooks, operations manuals, wall maps, charts, blackboards, and visual aids of a quantity which will provide for each student the theoretical and practical aspects of aircraft dispatching.
 - (d) Instructors.
- (1) The number of instructors available for conducting the course of study shall be determined according to the needs and facilities of the applicant. However, the ratio of students per instructor shall not exceed 25 students for one instructor.
- (2) At least one instructor who possesses a currently effective aircraft dispatcher certificate shall be available for coordination of the training course instruction.

(e) Revision of training course. Requests for revision of course outlines, facilities, and equipment shall be accomplished in the same manner established for securing approval of the original course of study. Revisions shall be submitted in such form that an entire page or pages of the approved outline can be removed and replaced by the revision.

The list of instructors may be revised at any time without request for approval, provided the minimum requirements are maintained and the local agent is notified.

- (f) Credit for previous experience or training. A course operator may evaluate an entrant's previous experience or training and where the training or experience is provable and comparable to portions of the approved course curriculum, may as each individual case warrants, allow credit for such, commensurate with accepted training practices. Where credit is allowed, the basis for alowance and the total hours credited shall be incorporated as a part of the student's records, provided for in paragraph (g) of this section.
- (g) Student records and reports. Approval of a course shall not be continued in effect unless the course operator keeps an accurate record of each student, including a chronological log of all instructions, subjects covered, and course examinations and grades, and unless he prepares and transmits to the CAA not later than January 31 of each year, a report containing the following information:
- (1) The names of all students graduated, together with school grades for aircraft dispatcher courses.
- (2) The names of all students failed or dropped, together with school grades and reasons for dropping. (A sample form is included in appendix B for your guidance.)
- (h) Quality of instruction. Approval of a course shall not be continued in effect unless at least 80 percent of the students who apply within 90 days after graduation are able to qualify on the first attempt for certification as aircraft dispatchers.
- (i) Statement of graduation. Each student who successfully completes the approved aircraft dispatcher course shall be given a state-

ment of graduation. An acceptable statement of graduation is:

CIVIL AERONAUTICS ADMINISTRATION,

Washington 25, D. C.

GENTLEMEN: This is to certify that

ON

(Name of graduate)

Success(Date of graduation)

fully completed a course of training for air-

fully completed a course of training for aircraft dispatchers which is approved by the Administrator of Civil Aeronautics.

Signed		 - -	-	
Title _	. 	 		
School		 		

- (j) Change of ownership, name, or location.
- (1) Change of ownership. Approval of an aircraft dispatcher course shall not be continued in effect after the course has changed ownership. The new owner must obtain a new approved by following the procedure prescribed for original approval.
- (2) Change in name. An approved course changed in name but not changed in ownership shall remain valid if the change is reported by the approved course operator to the local agent who will issue a letter of approval under the new name.
- (3) Change in location. An approved course shall remain in effect even though the approved course operator changes location if the change is reported without delay by the operator to the local agent who will inspect the facilities to be used in the new location and, if they are found to be adequate, issue a letter of approval showing the new location.
- (k) Cancellation of approval. Failure to meet or maintain any of the standards set forth herein for the approval or operation of an approved aircraft dispatcher course shall be considered sufficient reason for discontinuing approval of the course.

If an operator desires voluntary cancellation of his approved course, a letter requesting cancellation shall be directed to the Administrator of Civil Aeronautics through the local agent.

(1) Duration. The authority to operate an approved aircraft dispatcher course of study shall expire twenty-four months after the last

day of the month of issuance: *Provided*, That any such authorization which was granted prior to December 1, 1949, shall expire on December 31, 1951.

(m) Renewal. Application for renewal of an approved aircraft dispatcher course shall be made by letter addressed to the Administrator of Civil Aeronautics through the local Aviation Safety Agent at any time within sixty days of the expiration date. Renewal of approval will depend on the course operator's meeting the current conditions of course approval and having a satisfactory record as a course operator.

(Published in 16 F. R. 4302, May 10, 1951, effective May 11, 1951; amended in 20 F. R. 1798, Mar. 25, 1955, effective Apr. 15, 1955.)

27.8 Aeronautical skill. Applicant shall be able to:

- (a) Make a reasonably accurate and intelligent analysis of a series of daily Weather Bureau maps, in accordance with modern methods, and forecast therefrom the subsequent weathern conditions pertinent to air carrier flying operations,
- (b) Make an accurate and detailed analysis, in accordance with modern methods, of weather conditions prevailing in the general neighborhood of a specified civil airway from a series of daily Weather Bureau maps and sequence reports, and forecast with a high degree of accuracy subsequent weather trends pertinent to air carrier flying operations, with particular reference to specified teminals,
- (c) Be sufficiently familiar with the Morse code to be able to identify radio ranges by their identification signals,
- (d) Prepare and use charts to determine the most economical fuel consumption settings of an aircraft at given altitudes, and
- (e) Dispatch and assist a hypothetical flight under adverse weather conditions.

Aircraft Dispatcher Certificate

27.10 Application. Application for an aircraft dispatcher certificate shall be made upon the applicable form prescribed and furnished by the Administrator.

27.10-1 Application (CAA rules which apply to sec. 27.10). Application for the written examination shall be made on the combination application and score sheet Form ACA-983. Application for the certificate shall be made on Form ACA-374. The applicant for an aircraft dispatcher certificate shall complete items 1 through 16, inclusive. Incorrectly executed applications shall be returned for amendment.

(Published in 19 F. R. 7871, Dec. 1, 1954, effective Dec. 15, 1954.)

27.11 Display. An aircraft dispatcher certificate shall be kept readily available to the holder thereof at all times when he is on duty in connection with the dispatching of air carrier aircraft, and shall be presented upon the request of any authorized representative of the Administrator or Board or of any State or municipal official charged with the duty of enforcing local laws or regulations involving Federal compliance.

27.12 Duration.

- (a) An aircraft dispatcher certificate issued to a United States citizen shall remain in effect until surrendered, suspended, revoked, or otherwise terminated by order of the Board. A certificate issued to an applicant other than a United States citizen shall remain in effect for a period no longer than 12 months after the date of issuance, but it may be reissued without further demonstration of technical competence.
- (b) After revocation, and upon request after suspension, the certificate shall be returned to the Administrator.
- (c) Nothing in this section shall be construed to deny or defeat the jurisdiction of the Federal courts, the Administrator, or the Board to impose any authorized sanction, including revocation of the certificate, for a violation of the Act or of the Civil Air Regulations occurring during the effective period of the certificate.
- 27.13 Temporary certificates. The Administrator or his authorized representative may issue a temporary aircraft dispatcher certificate for a period of not to exceed 90 days, subject to the terms and conditions specified therein by the Administrator.

- 27.14 Recent experience requirements. The holder of an aircraft dispatcher certificate shall not exercise the privileges thereunder unless, within the preceding twelve calendar months he has either:
 - (a) For at least three months.
- (1) Served as an aircraft dispatcher, or
- (2) Served as first or second pilot in scheduled air carrier operation, or
- (3) Been engaged in, (i) the technical supervision of aircraft dispatchers or air carrier dispatching systems, or (ii) the determination of competency or qualifications of aircraft dispatchers, or
- (4) Served in any combination of the duties described in subparagraphs (1), (2), or (3) of this paragraph; or
- (b) Demonstrated to the satisfaction of the Administrator that he is able to meet the standards currently prescribed by the regulations in this subchapter for the issuance of the certificate and rating.
- 27.16 Expired certificates: special issuance. The holder of an aircraft dispatcher certificate which has expired during the preceding twelve months may obtain a new certificate and the same rating theretofore held immediately prior to its expiration, upon application, by demonstrating to the satisfaction of the Administrator that he is able to meet the standards currently prescribed by the regulations in this subchapter for the issuance of the certificate and rating.
- 27.17 Nontransferability. An aircraft dispatcher certificate is not transferable.
- 27.19 Reexamination after failure. An applicant who has failed any prescribed written or practical examination or test may not apply for reexamination within a 30-day period unless he presents a statement signed by a certificated aircraft dispatcher, a certificated ground instructor, or an equally qualified individual acceptable to the Administrator, which attests that the applicant has received an additional 5 hours of instruction in each of the subjects failed and that the applicant is considered competent for reexamination.

27.20 Revocation. No person whose aircraft dispatcher certificate has been revoked shall apply for or be issued an aircraft dispatcher certificate for a period of 1 year after the revocation, except as the order of revocation may otherwise provide.

27.21 Change of address. Within 30 days after any change in the permanent mailing address of a holder of an aircraft dispatcher certificate, the holder shall notify the Administrator in writing of such change. Such notice shall be mailed to the Administrator of Civil Aeronautics, attention Airman Records Branch, Washington 25, D. C.

27.22 Termination of certificates. All aircraft dispatcher certificates issued to individuals other than United States citizens prior to September 27, 1950, shall expire on September 26, 1951, but they may be reissued with a duration of 12 months without further demonstration of technical competence.

27.23 Identification. The holder of a certificate issued under the provisions of this part shall not, except while engaged in operations conducted by a scheduled air carrier, exercise the privileges conferred by the certificate unless he has readily available a current airman identification card or other identification card acceptable to the Administrator which duly describes him. The airman identification card may be obtained from the Administrator who shall prescribe its form and the manner of applying for it.

27.23-1 Airman identification card (CAA rules which apply to sec. 27.23). An Airman Identification Card, Form ACA-2135, is issued by the Administrator and may be used to meet the requirements of section 27.23.

(Published in 19 F. R. 7871, Dec. 1, 1954, effective Dec. 15, 1954.)

27.23-2 Other identification cards acceptable to the Administrator (CAA rules which apply to sec. 27.23). Identification cards which are acceptable in lieu of Form ACA-2135 to meet the requirements of section 27.23 are as follows:

- (a) Aircrewman Identification Card, Form ACA-2116.1 issued by CAA.
- (b) Crew Member Certificate, Form ACA-2116.1, issued by CAA. This certificate is

- a current revision of the Aircrewman Identification Card.
- (c) Current identification cards issued to members on active duty or on reserve status by:
 - (1) U.S. Army.
 - (2) U.S. Navy.
 - (3) U. C. Air Force.
 - (4) U.S. Marine Corps.
 - (5) U.S. Coast Guard.
 - (6) U.S. Merchant Marine.
 - (7) National Guard.
 - (8) Civil Air Patrol.

(Published in 19 F. R. 7871, Dec. 1, 1954, effective Dec. 15, 1954.)

27.23-3 Application (CCA rules which apply to sec. 27.23). An applicant for an airman identification card shall comply with the following procedure:

- (a) Application. The applicant shall apply in person to an Aviation safety agent, or an Aviation Safety District Office.
- (b) Form. Application for Airman Identification Card, Form ACA-2134, shall be completed in single copy, typed or printed in ink, and contain precise information on each item.
- (c) Proof of identity. The applicant shall furnish proof of his identity. The agent may exercise his discretion in the method by which he identifies the applicant. Identification of the applicant may be established by one or more of the following means:
- (1) Airman Identification Card, Form ACA-935, issued by the CAA to the applicant during World War II.
- (2) The agent's knowledge of the applicant's identity.
- (3) The applicant's identification by a person known to the agent.
- (4) Combination of identification cards and licenses held by the applicant.
- (5) Comparison of the applicant's signature with that on other cards and licenses held by him.
- (d) Proof of place and date of birth. The following documentary evidence is satisfactory evidence of place and date of birth:
- (1) Airman Identification Card, Form ACA-935, issued by CAA during World War

- II. (If he held this card and lost it, he may write to CAA, Airman Records Branch, Washington 25, D. C., and obtain confirmation that it was issued to him and the information it contained.)
- (2) Birth certificate. (When the applicant's birth certificate does not contain the exact name now used by him, he shall explain the difference on the application form.)
- (3) Baptismal record, if it contains the full name and place and date of birth.
- (4) Naturalization papers, if place and date of birth are shown.
 - (5) Passport, expired or current.
- (6) Aircrewman Identification Card, or Crew Member Certificate, Form ACA-2116.1.
- (7) Statement from any State or Federal Government agency which has the applicant's birth certification on file.
- (8) Statement from any military, State, municipal, local or Federal Government agency which has established, by investigation or otherwise, the applicant's place and date of birth.

Applicants who cannot furnish any of the documents listed in (1) through (8) may present affidavits from attending physician, either parent, brother, sister, relative, or acquaintances who have personal knowledge of the applicant's place and date of birth.

Military identification cards, service, records, discharge papers, drivers' licenses, and the like are not aceptable documentary evidence of place and date of birth.

- (e) Evidence of citizenship. The following documentary evidence is satisfactory evidence of citizenship:
- (1) Any document listed in paragraph (d) if citizenship is claimed in the country of birth.
 - (2) Naturalization papers.
 - (3) Currently valid passport.
- (4) Statement from an appropriate official of a foreign government that the applicant is a citizen of that country.
- (5) Civil Aeronautics Board waiver of citizenship requirements for the issuance of an airman certificate to stateless or other persons.
- (6) Certified statements from persons, courts, or agencies in authority on cases of de-

rivative citizenship, incompleted naturalization, or other complex citizenship status. Such statements must contain information on the current status of the applicant's citizenship.

- (f) Photographs. The applicant shall furnish two photographs which are:
 - (1) Taken from the same negative.
 - (2) One inch square, full face, head only.
- (3) Taken within the past 12 months, and
- (4) Readily recognizable as photographs of applicant.
- (g) Fingerprints. The applicant shall be fingerprinted only by an Aviation Safety Agent or other CAΛ employee authorized by the agent.
- (h) Reissuance of lost card. An applicant who has lost his Airman Identification Card, Form ACA-2135, may obtain another by making application exactly as required for his original card, or by:
- (1) Writing to the CAA Airman Records Branch, W-253, Washington 25, D. C., and explaining the circumstances of the loss, and requesting a letter verifying that such card had been issued, and
- (2) Presenting the letter and two photographs, as required for original issuance, to an Aviation Safety Agent who will issue a duplicate card.

(Published in 19 F. R. 7871, Dec. 1, 1954, effective Dec. 15, 1954.)

27.23-4 Scheduled air carrier airmen (CAA interpretations which apply to sec. 27.23). An airman certificated under Part 27 is not required to hold an identification card when he is exercising the privilages of his certificate in operations conducted by a scheduled air carrier. This includes any operation in which the airman is carrying out his duties as an employee of the scheduled air carrier.

(Published in 19 F. R. 7871, Dec. 1, 1954, effective Dec. 15, 1954.)

27.23-5 Other airman certificate (CAA interpretations which apply to sec. 27.23). An identification card which meets the requirements of section 27.23 for pilots will also meet the identification card requirements for any

other airman certificate which he may hold.

(Published in 19 F. R. 7871, Dec. 1, 1954, effective Dec. 15, 1954.)

Examinations and Tests

27.30 General. The examinations and tests prescribed in this part shall be conducted by an authorized representative of the Administrator.

27.30-1 General—examinations (CAA policies which apply to sec. 27.30).

- (a) The applicant for the written or practical portion of the aircraft dispatcher examination must meet the eligibility requirements contained in sections 27.2 through 27.8 of this part. The written examination should be satisfactorily completed by the applicant before taking the practical examination. However, where delay would cause inconvenience to an applicant, the practical examination may be taken first. If the practical examination is taken before the written and the applicant is successful, the agent will issue Form ACA-578. Evidence of Aeronautical Knowledge. Form ACA-578A issued by the Washington office for reporting an applicant's performance on the written portion of the examination will be accepted for a period of 24 months from the date of issuance. Forms ACA-578A issued to an applicant on or before April 30, 1956, and acceptable under policies existing on that date, will continue to be acceptable until April 30, 1958.
- (b) The practical examination for an aircraft dispatcher certificate is of approximately four hours' duration, and is divided into five sections of equal value, as follows:
 - (1) Applied meteorology.
 - (2) Deleted.
- (3) Airman's Guide and Flight Information Manual.
- (4) Company's operations manual, operating certificate, and operations specifications.
 - (5) Practical dispatching problems.
 - (6) Check sheet of duties.

(c) The applicant will provide the agent or examiner with two copies of an acceptable operations manual. Since the examination is based on a specific airplane and a specific route chosen by the applicant, no problem should be encountered as to the acceptability of the manuals. The company's operations manual is the primary tool with which an operating aircraft dispatcher performs his assigned duties. For this reason, it is necessary in the examination that each applicant be conversant with content and use. It is impossible because of the volumes of changing information to require memorization of content. Instead, it is believed that safety may further be served by establishing a habit of referring to the manual where doubt exists as to the proper rule or procedure. The applicant should be allowed to refresh his memory by referring to the manual during the examination. His familiarity with the manual, the Airman's Guide and Flight Information Manual should be apparent from the demonstration of their use.

(Published in 19 F. R. 7871, Dec. 1, 1954, effective Dec. 15, 1954; amended in 20 F. R. 1798, Mar. 25, 1955, effective Apr. 15, 1955; amended in 21 F. R. 2125, Apr. 3, 1956, effective May 1, 1956.)

27.31 Time and place. All examinations and tests will be held at such times and places as the Administrator may designate.

27.32 Inspection. The applicant for an aircraft dispatcher certificate shall offer full cooperation with respect to any inspection or examination which may be made of such applicant upon proper request by any authorized representative of the Administrator prior or subsequent to the issuance of an aircraft dispatcher certificate.

27.33 Standard of performance. All practical or theoretical examinations and tests shall be accomplished to the satisfaction of the Administrator and the passing grade in each subject shall be at least 70 percent.

Appendix A

Study Guide for the Written Examination Required for an Aircraft Dispatcher Certificate

(a) Taking the Examination.

The applicant should read each statement or question carefully so that it is fully and completely understood before looking at the multiple choices given as possible answers. An attempt should be made by the applicant to frame in his mind not only the problem, but also what he conceives to be a satisfactory answer. After this process is followed, the applicant should then determine which answer among those given most exactly corresponds with the answer which he has arrived at from reading and understanding the problem involved. The questions posed are operational. To know the rule or procedure is one-half of the educational process. The applicant, therefore, is required to know not only the rule but also its application.

The subject of the examination will always provide a clue to the answer; e.g., if the subject deals with Civil Air Regulations, a regulation is involved in the correct answer. Similarly, if aids to air navigation is the subject, the answer will involve that subject. From the possible answers given it may appear that there is more than one correct answer. However, this is not the case. There is only one correct and complete answer. There are no trick questions or answers. The possible choices provided, other than the correct answers, are incomplete, involve incorrect procedures, or result from popular misconception. Care should be exercised to ascertain that the answer chosen fully and completely answers the problem involved.

If difficulty is encountered with a particular problem, the applicant should proceed to the next problem where the answer is known. When the particular section of the examination has been completed, he should go back to the unanswered problems. By utilizing this procedure, the applicant's time and energy will be

conserved to maximum advantage in the demonstration.

The applicant who is adequately prepared will have ample time to complete the examination within the prescribed time limit. Failure to complete the examination within the allotted time may indicate the absence of alertness, resourcefulness, power of analysis, and sound judgment, which are considered essential attributes of an aircraft dispatcher. If these facts are remembered and followed no difficulty should be experienced with the examination.

The applicant's answer sheets, together with any papers used during the examination for computation, must be surrendered to the proctor before the applicant leaves the examination room. Examination answer sheets are mailed immediately to the Washington office of the Civil Aeronautics Administration where a grade in each section is determined by an electric scoring machine. An applicant must receive a grade of at least 70 percent in each section to be successful in the examination. A complete record of grades and other matters pertaining to the applicant's activity as an airman are maintained in the Washington office of the Civil Aeronautics Administration.

(b) The Examination—Reference Material.

The publications listed below which are marked "GPO" may be ordered from the Government Printing Office. Orders must be accompanied by money order or check made payable and addressed to the Superintendent of Documents, Government Printing Office, Washington 25, D. C. Publications marked "CAA" may be obtained from the Office of Aviation Information, Civil Aeronautics Administration, Washington 25, D. C.

(1) Section one—Civil Air Regulations.

The applicant can prepare himself for this section of the written theoretical examination, which consists of 30 questions, by studying the following material:

Study Material	Where Ob- tained	Cost
Civil Air Regulations:		Coor
Part 4b—Airplane Airworthi-		
ness—Transport Cate-		
gories	GPO	\$0. 25
	GFU	ΦU. 2 3
Part 18—Maintenance, Repair, and Alteration of Cer-		
tificated Aircraft and of		
Aircraft Engines, Pro- pellers, and Instru-		
	ODO	05
ments	GPO	. 05
Part 27—Aircraft Dispatcher Cer-	O.D.O	^-
tificates	\mathbf{GPO}	. 05
Part 40—Scheduled Interstate Air		
Carrier Certification and	a n o	
Operation Rules	\mathbf{GPO}	. 15
Part 41—Certification and Opera-		
tion Rules for Scheduled		
Air Carrier Operations		
Outside the Continen-		
tal Limits of the United		
States	GPO	. 10
Part 42—Irregular Air Carrier		
and Off-Route Rules	GPO	. 10
Part 43—General Operation Rules	\mathbf{GPO}	. 05
Part 49—Transportation of Ex-		
plosives and Other		
Dangerous Articles	GPO	. 10
Part 60—Air Traffic Rules	GPO	. 10
Part 62—Notice and Reports of		
Aircraft Accidents and		
Missing Aircraft	GPO	. 05
ANC Procedures for the Control of		
Air Traffic	\mathbf{GPO}	1. 00
Civil Aeronautics Manual 4b	GPO	7 5
Civil Aeronauties Manual 18	GPO	1. 75
Civil Aeronautics Manual 40	GPO	1. 25
Civil Aeronautics Manual 41	GPO	. 75
Civil Aeronautics Manual 42	GPO	1.00

(2) Section two—Meteorology.

The applicant can prepare himself for this section of the written theoretical examination, which consists of 30 questions, by studying the following material:

Study Material	Where Ob- lained	Cost
Circular "S" (Clouds)	GPO	\$0.35
Pilot's Weather Handbook TM 104	GPO	1. 50
Weather Bureau Circular "N"-Re-		
vised November 1951, Sixth Edi-		
tion	GPO	. 75

where 00- tained	Cost
L	(a)
L	(a)
	tained

(3) Section three—Navigation.

The applicant can prepare himself for this section of the written theoretical examination, which consists of 30 questions, by studying the following material: Where Ob

Study Material	tained	
Practical Air Navigation. Bul-		
letin 24	GPO	(_p)
Pilots' Radio Hand Book TM-		
102	GPO	\$0.55

(4) Section four—Radio.

The applicant can prepare himself for this section of the written theoretical examination, which consists of 30 questions, by studying the following material:

following material.	TTT 6.1	
Study Material	Where Ob- tained	Cost
Airways Operations Training Bulletin		
Series:		
No. 1—Instrument Landing Sys-		
tem	GPO	\$0. 20
No. 2—Location Markers and		
Homing Facilities	\mathbf{GPO}	. 15
No. 3—Visual—Aural Ranges and		
Omniranges	\mathbf{GPO}	. 20
No. 4—Distance Measuring		
Equipment and Offset		
Course Computer	\mathbf{GPO}	. 15
No. 6—Radar Fundamentals and		
Surveillance, Precision		
and Route Radar	\mathbf{GPO}	. 35
No. 7—LORAN	GPO	. 10
Pilots' Radio Hand Book TM-102	GPO	. 55
Federal Airways Manuals of Opera-		
tion, Vol. II, Chapter B	CAA	
Flight Information Manual, Vol. 8,		
May 25, 1954	\mathbf{GPO}	. 50
Airman's Guide	GPO	(°)
FCC Rules, Part 9, Rules and Regula-		
tions Governing Aviation Services.	\mathbf{GPO}	. 10
a No charge		

- ^a No charge ^b Supply exhausted
- ^c Price varies (\$0.10-\$0.45)

(c) Sample Examination Questions.

- (1) Section one—Civil Air Regulations.
- 1. While riding in the pilot's compartment of an air carrier aircraft, you notice directly ahead of you an alternately flashing red

- and white light, indicating the presence of another air carrier aircraft of the transport category. Since these are the only two lights you can see, the aircraft ahead is:
- 1. Coming toward you on a collision course.
- 2. Proceeding in approximately the same direction as your path of flight.
- 3. Approaching you from the right.
- 4. Approaching you from the left.
- 2. The operating center of gravity range is the:
 - 1. Distance between datum line and the mean aerodynamic chord.
 - 2. Distance between the weighing point and center of gravity.
 - 3. Distance between the tare and the moment.
 - 4. Distance between the forward and rearward center of gravity limits indicated on the pertinent aircraft specification.
- 3. Part 27 of the Civil Air Regulations establishes the requirements for an aircraft dispatcher certificate. You have been a pilot member of a crew engaged in regular scheduled military flights for one and a half years, with no other aeronautical experience. The only manner in which you can qualify without additional aeronautical experience is to:
 - 1. Graduate from an approved aircraft dispatcher course of study.
 - 2. Serve for 90 days under the immediate supervision of an aircraft dispatcher.
 - 3. Be a college graduate.
 - 4. Be employed by an irregular air carrier.
- 4. To be eligible for an air carrier operating certificate, a domestic air carrier applicant must meet certain minimums set forth in the Civil Air Regulations. To comply with route requirements in visual contact day operations, the carrier must show:
 - 1. Government radio facilities for their communication system.
 - 2. A two-way ground-to-aircraft radio telephone communication system, which is independent of Federal facilities.
 - Whatever the carrier deems satisfactory for their individual operation.

- A system of air-to-ground and ground-toair communication system, using radio telegraphy.
- 5. The "X" Air Carrier Company is issued an operating certificate which specifies that all operation shall be conducted under visual contact flight rules. Shortly thereafter the carrier applies to the CAA for authorization to conduct instrument flight rule operation. One of the factors which the Administrator of Civil Aeronautics considers in determining whether IFR operation should be authorized is:
 - 1. The economic stability of the air carrier.
 - The skill and experience of dispatcher personnel.
 - 3. The number of aircraft available for use.
 - 4. The need for additional frequency of flights to serve a particular area.
- 6. The "X" Air Carrier operates long-distance over-water flights between San Francisco and Honolulu. Since there are no available alternates, a flight departing San Francisco for Honolulu uses the point of departure as an alternate. In order to use San Francisco as an alternate, the current weather forecasts must indicate that the ceiling and visibility at the point of departure are above approved minimums at:
 - 1. The time when the point-of-no-return has been reached.
 - 2. The time of arrival back at point of departure from any point between that point and destination.
 - 3. Any point short of the point-of-noturn.
 - 4. Any point short of the point-of-no-return, provided the above minimums forecasted, hold until the departure point is reached.
- 7. The "X" Scheduled Air Carrier operates between the United States and Europe. Flight 88 was dispatched to Shannon from New York with an intermediate stop at Gander, Newfoundland. The flight arrives at Gander at 1000 GCT but is delayed there. Under the Civil Air

- Regulations, the flight must be redispatched at:
- 1. 1030 GCT.
- 2. 1200 GCT.
- 3. 1500 GCT.
- 4. 1600 GCT.
- 8. The "Y" Scheduled Air Carrier Company operates a fleet of aircraft in scheduled air transportation. As an adjunct to their business, they have a contract with the "B" Baseball Team to provide air transportation where and when needed. In dispatching such a flight, which is not over an authorized route, the flight must abide by the Civil Air Regulations governing.
 - 1. Irregular air carrier operation.
 - 2. Scheduled air carrier operation.
 - 3. Interstate operation.
 - 4. Intrastate operation.
- 9. You are about to dispatch one of your company's training aircraft on a simulated instrument flight. You should make certain among other things that:
 - 1. There is a safety pilot aboard to observe other aircraft while the pilot flying the ship is "under the hood."
 - 2. That the weather is VFR.
 - 3. That the pilot is properly qualified for instrument flight.
 - 4. That the aircraft is properly equipped for instrument flight.
- 10. Class C explosives may be carried aboard passenger-carrying aircraft provided:
 - 1. The weight is not in excess of 60 lbs.
 - 2. The package is packed, marked, and labeled as required by Part 72 of the ICC Rules and Regulations, and is not in excess of 50 lbs.
 - 3. That upon the package there is a statement relieving the shipper of responsibility.
 - 4. A statement of the shipper is attached to the package relieving the carrier of responsibility.
- 11. Flight 50 of the "X" Air Carrier Company, in flight, is rapidly overtaking an aircraft in the light plane category. The pilot of the overtaking aircraft should pass:

- 1. On the right.
- 2. On the left.
- 3. Over.
- 4. Under.
- 12. Flight 58 of the "Y" Air Carrier Company is to cruise at 14,000 ft. from point "A" to "B," a flight of one hour's duration. The oxygen which should be on board the aircraft is:
 - 1. A 30-minute supply for at least 10 percent of the passengers carried.
 - 2. An hour's supply for all the passengers.
 - 3. An hour's supply for all the passengers and crew.
 - 4. To be determined by the air carrier operator.
- 13. During the starting of an engine, a mechanic for the "X" Air Carrier Company is struck by the revolving propeller of an air carrier aircraft, and killed. Under the Civil Air Regulations this:
 - 1. Is considered an aircraft accident, but no report is required.
 - 2. Is not considered an aircraft accident.
 - 3. Is considered an aircraft accident and immediate notice and a written report should be made.
 - Is not considered an aircraft accident since damage to the aircraft is not involved.
- 14. Flight 25 of the "X" Air Carrier Company, operating under IFR, has been cleared by ATC from points "A" to "B" to cruise at 10,000. The weather is CAVU. In climbing to 10,000 the pilot:
 - 1. Should watch out for other aircraft since it is his responsibility to avoid collisions.
 - 2. May put his head down in the cockpit and make his climb on instruments, since he is on an IFR flight plan.
 - 3. May consider his climb and cruising altitude protected by ATC from other VFR and IFR traffic, by virtue of the instrument clearance.
 - 4. Is responsible for avoiding other IFR traffic.
- 15. You are dispatching aircraft over route 257, which has scheduled stops at "A," "B,"

٠,

- and "C." Because of an emergency situation, flight 55, operating over Route 257 lands at an alternate field between "A" "B." No weather is involved in the problem. In determining the maximum takeoff weight of the airplane the factors to be considered in loading are:
- Wind, temperature, runway length, runway gradient and altitude at the field of takeoff, and wind, runway length and altitude at the field of intended destination.
- 2. V₁ and V₂ speeds of the aircraft.
- 3. Temperature and runway length only at field of intended destination.
- 4. Wind, temperature, runway length, runway gradient and altitude only at the field of take-off.
- (2) Section two-Meteorology.
- 1. The low clouds of bad weather are termed:
 - 1. Stratocumulus.
 - 2. Cirrostratus.
 - 3. Nimbostratus.
 - 4. Cumulus.
- 2. Middle clouds found generally in small isolated patches which are in the process of dissolution by evaporation are termed:
 - 1. Stratocumulus.
 - 2. Nimbostratus.
 - 3. Altocumulus.
 - 4. Cirrocumulus.
- 3. The high cloud, generally in the form of a hook which ends in a point or small tufts, is termed:
 - 1. Stratus.
 - 2. Altocumulus.
 - 3. Nimbostratus.
 - 4. Cirrus.
- 4. The instrument which measures the weight of air existing above a given station is called a barometer. A simple aneroid barometer calibrated in terms of altitude is called:
 - 1. A barograph.
 - 2. An altimeter.
 - 3. A sling psychrometer.
 - 4. A mercurial barometer.
- 5. You are called upon to estimate the ceiling at your base of operation where clouds

- are forming from convection. If the temperature is 90° F., and the dew point is 63° F., the cloud base is approximately:
- 1. 6,000 ft.
- 2. 7,000 ft.
- 3. 4,000 ft.
- 4. 5,000 ft.
- 6. A smooth flight may be expected if the radiosonde observation shows:
 - 1. Inversion of temperature.
 - 2. Adiabatic lapse rate.
 - 3. Super-adiabatic lapse rate.
 - 4. Dry adiabatic lapse rate in the clouds.
- 7. Air blows up hill and is cooled adiabatically. If it starts at 2,000 feet with a temperature of 65° F., and moves upward without condensation to 6,000 feet, its new temperature will be approximately:
 - 1. 61° F.
 - 2. 45° F.
 - 3. 54° F.
 - 4. 37° F.
- 8. The weather report at 1300 GCT indicated a ceiling of 2,000 feet, broken clouds; the temperature was 67° F., dew point 60° F. At 1500 GCT the same station reported only that the temperature was 70° F. and the dew point 60° F. The ceiling at 1500 GCT would be approximately:
 - 1. 1,800 ft.
 - 2. Unlimited.
 - 3. 12,000 ft.
 - 4. Slightly more than 2,000 ft.
- 9. Ice will generally form on an aircraft when:
 - 1. The aircraft is being flown in cirrus clouds.
 - 2. Ice crystals are present.
 - 3. Water droplets are present with subfreezing temperature.
 - 4. The outside air temperature is below 30° F.
- 10. Severe thunderstorms may be most generally expected:
 - 1. 100 miles west behind a fast-moving cold front.
 - 2. Along a cold front when the temperature of the air ahead of the front is about 5 degrees more than the temperature of the air behind the front.

- 3. When the air mass in the warm sector of a cyclone is stable and the velocity of the wind at 8,000 feet is twice the velocity of the wind at 4,000 feet.
- 4. Along, or in advance of, a well-defined, fast-moving cold front if the temperatures aloft ahead of the front indicate much greater instability than the temperatures behind the front, and the wind shifts from south or southwest to northwest along the frontal line.
- 11. A cold air mass overlying the Central United States, which originated in the North Pacific Ocean, is designated as:
 - 1. MPK.
 - 2. CP.
 - 3. MPW.
 - 4. CPK.
- 12. A warm front lies 100 miles south of Station "X." The slope of this front is 1 to 150. The depth of the cold air at Station "X" is approximately:
 - 1. 1,700 ft.
 - 2. 3.500 ft.
 - 3. 5,300 ft.
 - 4. 2,500 ft.
- 13. The tops of most thunderstorms are generally well above:
 - 1. 3,000 ft.
 - 2. 10,000 ft.
 - 3. 20,000 ft.
 - 4. 14,000 ft.
- 14. Ground fog most generally occurs when:
 - 1. The difference between the dew point and temperature is great and the surface wind is light.
 - 2. The difference between the dew point and the temperature is small, and the surface wind is blowing downslope.
 - 3. The sky is clear, the difference between the dew point and temperature is small, and there is a surface wind of 4 to 7 m. p. h.
 - 4. The temperature is 30° F., the sky is elear, and the surface wind is approximately 10 m. p. h. blowing downslope.
- 15. The night is clear, the wind is light to calm, the dew point and temperature are 60° F.

- By morning it would be reasonable to expect:
- 1. Radiation fog.
- 2. Strong convection currents.
- 3. Advection fog.
- 4. Clear calm weather.
- (3) Section three—Navigation.
- 1. An aircraft is dispatched to search as far as possible on a true course of 300 degrees and return to base. The true air speed is 180 knots, the fuel capacity is 5 hours with a 20 percent reserve. The wind at altitude is 35 knots from 20 degrees. The mean variation is 12 degrees east and the deviation on both headings is 8 degrees west. The elapsed time before the aircraft must turn back to the point of departure is:
 - 1. 1 hour, 15 minutes.
 - 2. 2 hours, 05 minutes.
 - 3. 2 hours, 35 minutes.
 - 4. 1 hour, 50 minutes.
- 2. A scheduled flight is cleared on instrument from "A" to "B," a distance of 340 miles with "X" as an alternate airport, a distance of 75 miles from "B." Gas consumption for the aircraft is 80 gallons per hour, and the ground speed is 165 m. p. h. The gas required for the flight is approximately:
 - 1. 202 gallons.
 - 2. 242 gallons.
 - 3. 264 gallons.
 - 4. 302 gallons.
- 3. One degree of longitude at 60 degrees latitude is approximately:
 - 1. 1 nautical mile.
 - 2. 30 nautical miles.
 - 3. 60 nautical miles.
 - 4. 90 nautical miles.
- 4. A multi-engine aircraft under your control is dispatched from "A" with 1,800 gallons of gasoline on board, for "B," 950 nautical miles, 90 degrees true from "A."

 After arriving over "B," the flight is redispatched to "C," 350 nautical miles, 180 degrees true from "B." Assuming an average fuel consumption of 180 gal-

ŧ

ŧ.

lons an hour, a wind from 300 degrees, velocity 30 knots prevailed throughout the entire flight and T. A. S. was 195 knots. The quantity of fuel remaining on arrival at "C" would be:

- 1. 717 gallons.
- 2. 560 gallons.
- 3. 510 gallons.
- 4. 625 gallons.
- 5. Soon after take-off on a dead reckoning flight, a check was made between two points, 83 miles apart, which required 28 minutes. At the same rate the time required to fly 216 miles is:
 - 1. 1 hour, 03 minutes.
 - 2. 1 hour, 22 minutes.
 - 3. 1 hour, 13 minutes.
 - 4. 1 hour, 27 minutes.
- 6. A great circle course is:
 - 1. Known as a rhumb line.
 - 2. Plotted as a straight line on a mercator projection.
 - Plotted as a straight line on a gnomonic projection.
 - 4. Always the straight line drawn between any two points on a Lambert projection.
- 7. A pilot flying at a pressure altitude of 10,000 ft., temperature 5 degrees centigrade, notes his indicated air speed to be 180 miles per hour. Assuming no calibration error, his true air speed will be:
 - 1. 180 m. p. h.
 - 2. 198 m. p. h.
 - 3. 213 m. p. h.
 - 4. 210 m. p. h.
- 8. A O (circle) found on an aeronautical chart indicates:
 - 1. Military base.
 - 2. Joint civil and military base with complete facilities.
 - A landing strip with limited or no facilities.
 - 4. A landing area with limited or no facilities.
- Flight 58 of the "X" Air Carrier Company departs a sea level airport with his altimeter indicating zero, at a barometric pressure of 30.30. The flight lands at an

emergency field 2,000 feet above sea level which broadcasts an altimeter setting of 29.80. The altimeter in the aircraft without adjustment would indicate an elevation of:

- 1. 1,000 ft.
- 2. 2,000 ft.
- 3. 2,500 ft.
- 4. Zero.
- 10. Flight 60 is making an instrument approach. The airport is three miles from the range station and its elevation is 750 feet. The ceiling at the airport is 300 feet. If the pilot lets down at 400 feet per minute with a true air speed of 110 m. p. h. and a ground speed of 100 m. p. h., in order to break out under the ceiling at the edge of the airport, he must cross the range station at an altitude of approximately:
 - 1. 1,680 feet above sea level.
 - 2. 1,800 feet above sea level.
 - 3. 750 feet above sea level.
 - 4. 1.770 feet above sea level.
- 11. The wind correction angle will always be the:
 - 1. Angle between compass heading and true heading.
 - 2. Angle between course and track.
 - 3. Angle between true heading and track.
 - 4. Angle between magnetic heading and true heading.
- 12. Given a true course of 226 degrees, right wind correction angle 12 degrees, deviation 3 degrees east, variation 21 degrees east, the compass heading is:
 - 1. 214 degress.
 - 2. 262 degrees.
 - 3. 228 degrees.
 - 4. 235 degrees.
- 13. A pilot departing on a dead reckoning flight, due to an error in calculating his compass course, finds that after 30 minutes he is off his course 10 degrees to the right. Both the ground speed and the air speed are 180 m. p. h. and the wind conditions remain the same. If the pilot desires to return to the original track

- in one half-hour of flying time, he must correct heading approximately:
- 1. 28 degrees right.
- 2. 20 degrees left.
- 3. 10 degrees left.
- 4. 20 degrees right.
- 14. In the measuring of distance a minute of latitude is equal to:
 - 1. One statute mile.
 - 2. One nautical mile.
 - 3. 60 nautical miles.
 - 4. A minute of longitude at latitude 45 degrees north.
- 15. Flight 58 of the "X" Air Carrier Company is dispatched from San Francisco to Honolulu a distance of 2,100 nautical miles. The fuel consumption will be 190 gallons per hour and an estimated ground speed for the trip of 180 knots. In dispatching this flight with no alternate the minimum amount of fuel required on board is:
 - 1. 3,000 gallons.
 - 2. 2,787 gallons.
 - 3. 1.393 gallons.
 - 4. 2,500 gallons.
 - (4) Section four-Radio.
 - 1. The new two-way international emergency frequency which all CAA tower and communications stations will guard is:
 - 1. 121.9 mc.
 - 2. 126.18 mc.
 - 3. 121.5 mc.
 - 4. 500 kc.
 - 2. The basic elements of an ILS system are:
 - 1. A localizer, a glide path, and fan markers.
 - 2. A radio range, a compass locator station, and high intensity approach lights.
 - 3. Fan markers, a radio range, and precision approach radar.
 - 4. A localizer, high intensity approach lights, and a fan marker.
 - 3. Approach control instructions from a control tower are issued to aircraft using the ILS, on the voice feature of the:
 - 1. Radio range.
 - 2. Fan markers.
 - 3. Localizer.
 - 4. Glide path.

- 4. The need for both fan markers and compass locators in connection with the ILS will be eliminated when:
 - 1. DME (Distance Measuring Equipment) is used.
 - 2. SECO (Sequential Control) is used.
 - 3. VAR (Visual Aural Range) is used.
 - 4. VOR (an Omnirange) is used.
- 5. In the operation of the DME, the instrument which measures the round trip time of a signal and translates it into the distance of the aircraft from station is called:
 - 1. A transponder.
 - 2. Surveillance radar.
 - 3. Precision beam radar.
 - 4. A course line computer.
- 6. In search and rescue proceedings, the code symbol on the ground indicates the need for:
 - 1. A doctor.
 - 2. Food and water.
 - 3. Map and compass.
 - 4. Medical supplies.
- 7. VHF omniranges operate within the:
 - 1. 200-400 K band.
 - 2. 112-118 mc band.
 - 3. 120-130 mc band.
 - 4. 126.18-128.17 band.
- 8. At minimum instrument altitudes a VOR gives reliable indications up to approximately:
 - 1. 100 miles.
 - 2. 75 miles.
 - 3. 50 miles.
 - 4. 150 miles.
- 9. Omnirange stations along a VOR airway are spaced at:
 - 1. 100-mile intervals.
 - 2. 50-mile intervals.
 - 3. 75-mile intervals.
 - 4. 150-mile intervals.
- 10. One advantage of VAR over four course aural low-frequency range is that the VAR:
 - 1. Eliminates the complicated orientation process when "lost" near a station.
 - 2. Gives excellent signals up to 400 miles at en route altitudes.

- 3. Is not subject to any bends.
- 4. May be received with any radio receiver.
- 11. An aircraft is using VHF for company en route communications. Prior to reaching a position where VHF is no longer usable, the ground station advises: "Shift to night frequency." Which of the following would be used as an air carrier night frequency?
 - 1. 3117.5 kc.
 - 2. 8280 kc.
 - 3. 375 kc.
 - 4. 3692 kc.
- 12. The radio class designations "AC," "CA," and "IM" indicate in order:
 - 1. Air Corps tower, controller approach, instrument marker.
 - 2. Approach control tower CAA, control tower Air Force, and a VHF boundary marker.
 - Approach control city, control tower city operated, and instrument Landing System.
 - 4. Air Corps tower, ground controlled approach, and VHF boundary marker.
- 13. VAR and VOR Ranges are monitored at least once every hour by the:
 - 1. FCC.
 - 2. INSAC Station.
 - 3. Control tower.
 - 4. Army and Navy.
- 14. In the NOTAM Code, "QAIAU" decoded means:
 - 1. Meteorological communications appear unreliable on Instrument Landing System.
 - 2. Instrument Landing System appears unreliable.
 - 3. Boundary lights not burning.
 - 4. Aerodrome beacon light not burning.
- 15. In the NOTAM Code, "QURUJ 22" decoded, means:
 - 1. Lighting facilities on airport are back in operation at 0022.
 - 2. Runway Number 22 is closed until further notice for repairs.
 - 3. Radio range on 220 kc is shut down.
 - 4. ILS system on runway 22 shut down for repairs,

- (d) Answers to Sample Questions.
- (1) Civil Air Regulations.

Question	Answer
1	. 2
2	. 4
3	. 1
4	. 2
5	_ 2
6	. 4
7	4
8	. 1
9	. 1
10	. 2
11	. 1
12	. 1
13	. 3
14	. 1
15	. 1

(2) Meteorology.

Question	Answer
1	. 3
2	. 3
3	. 4
4	. 2
5	. 1
6	. 1
7	_ 2
8	. 4
9	. 3
10	. 4
11	. 1
12	. 2
13	. 3
14	. 3
15	. 1

(3) Navigation.

Question	Answer
1	_ 3
2	_ 3
3	_ 2
4	_ 1
5	. 3
6	_ 3
7	. 3
8	. 4

(3) Navigation (Continued)

Question		Answer	
9	3	ì	
10	4	Ŀ	
11	8	\$	
12	1	Ĺ	
13	2	2	
14	2)	
15	_)	

(4) Radio.

Question	Answer
1	_ 3
2	_ 1
3	_ 3
4	_ 1
5	_ 1
6	_ 3
7	_ 2
8	_ 3
9	_ 1
10	_ 1
11	_ 4

Question	Answer		
12	_ 2		
13	_ 2		
14	_ 2		
15	. 2		

(e) Reproduction and Dissemination of Current Examination Materials.

Part 532, Regulations of the Administrator, prohibits the reproduction and dissemination of current examination materials. This regulation states in part that:

- ". . . No person shall use, reproduce, publish, or disseminate in whole or in part, without the consent of the Administrator:
- "(a) Any examination questions in use by the Administration for the examination of applicants for airman or ground instructor certificates, or
- "(b) Any material which purports to be a key sheet of specific answers to any multiple choice examination paper in use by the Administration for the examination of applicants for airman or ground instructor certificates."

Appendix B

Sample Form for Annual Report

Annual Report for 1950 Bellows Approved Aircraft Dispatcher Course of Study

U	гa	a	u.	a	ιe	S

			<u>.</u>		[<u>.</u>		L	å	
Name	Date En- rolled	Course or Subject	Course or Subject	Course of Subject	Course or Subject	Course or Subject	Course or Subject	Course or Subject	Link Trainer	Date of Graduation
Arlen, George	Jan. 3, 1950	С	С	A	С	A	A	A	91%	July 28, 1950
Parnes, Wm.	Jan. 3, 1950	В	С	В	С	C	С	В	84%	Aug. 10, 1950
Heffner, Chas.	Jan. 5, 1950	С	В	В	C	В	В	. A	94%	Aug. 14, 1950
Larson, James	Jan. 4, 1950	*B	В	A	C	В	C	C	93%	Aug. 10, 1950

Students who have withdrawn, failed, or were dropped from the course of study

Name	Date In-	Course or Subject	Link Train- er	Remarks						
Collier, John	Dec. 20, 1950	D		С	D	Inc.	В	D		Withdrew. Recalled to military service.
Dalton, Wm.	Dec. 18, 1950	Inc.	D	(**)	F	(**)	В	C		He discontinued. Poor grades and inability to attend classes.
Marsden, Chas.	Dec. 10, 1950	Inc.	F	В		(**)	F			Dropped. Poor grades.
Watson, T. J.	Dec. 20, 1950	(**)		F		(**)	D	В		Withdrew. Recalled to military service.
		1	I	ı	,	1	. ,	l .	f I	

^{*}Advance credit.
**Course in progress when student withdrew.
Explanation of grading system: A-90-100%; E-80-90%; C-70-80%; D-60-70%; F-Failure; Inc.—Did not complete assignment.

Sample List of Instructors

Department of Aeronautical Education

Instructors

December 31, 1950

Name and Title	Ground Instructor's Certificate Number and Ratings	Subject (At Present)
Joseph J. Champlain, Assistant Supervisor Flight Dispatch—Meteorology,	#73925–40 Meteorology	Meteorology
Pan American World Airways Thomas P. Littleton, Assistant Dispatcher, Junior, American Airlines	Aircraft Dispatcher #1073564 Radio Telegraph #T2-3558 (Second Class) Radio Telephone #P2-35744	Radio Code and Theory
Anthony J. St. Clair, Operations Training Supervisor, American Airlines	(Second Class) #75336-40 Aircraft Aircraft Engines Meteorology	Civil Air Regulations and Aircraft Loading
Jefferson Hancock, Link-Dehmel Instructor, Pan American World Airways	Civil Air Regulations Aerial Navigation #736840 Link Trainer	Link Trainer

Jefferson Hancock, Link-Dehmel Instructor, Pan American World Airways