



# Highway Performance Monitoring System


**Case Study  
Procedural  
Manual - Vehicle  
Occupancy**




System Condition




Safety




System Usage




Vehicle Operating Cost



Air Pollution



Comfort and Convenience



Accessibility



**U.S. DEPARTMENT OF TRANSPORTATION  
Federal Highway Administration  
Program Management Division  
June 1979**

HIGHWAY PERFORMANCE MONITORING SYSTEM

Case Study

VEHICLE OCCUPANCY

June 1979

## Vehicle Occupancy

### Introduction

The Highway Performance Monitoring System (HPMS) will provide the Federal Highway Administration (FHWA) with the capability to (1) periodically assess the extent and condition of the highway systems and (2) monitor the performance of the highway systems on a continuing basis. Performance will be monitored through the assessment of the extent and physical condition of the highway systems and the safety, efficiency, and economy of the systems in serving the movement of goods and people. This information base will permit the assessment of the impacts of existing programs and policies and the potential impacts of proposed programs, policies, and alternatives. The HPMS will satisfy the management information needs for most special national studies.

With the energy crisis, increasing fuel costs, and increasing attention to air pollution, the efficiency of the highway systems in moving both vehicles and people has become very important. Traditionally, FHWA has been concerned with the movement of vehicles expressed in terms of estimates of vehicle miles of travel (VMT). The growing concern with the movement of people has been addressed in HPMS by establishing performance measures related to the parameter, person miles of travel (PMT).

Basically, system estimates of PMT will be generated as a function of the vehicle types using the sampled sections of each system, the average occupancy of these vehicle types and the mileage driven by these vehicle types. Since the collection of vehicle occupancy on each HPMS section would be very cost/labor intensive, a case study approach has been chosen to obtain typical values of vehicle occupancy. This case study will be limited to the typical vehicle occupancy of passenger vehicles, including motorcycles and light two-axle, four-tired vehicles. Large vehicles (two-axle six-tired, and larger) are excluded and typical occupancy figures for these vehicle types will be obtained through other means. Buses are also excluded as the States are being asked to provide areawide estimates of bus PMT because HPMS does not adequately sample bus routes, buses are infrequent, and the number of occupants are difficult to observe.

Vehicle occupancy has been measured in several existing programs which include: (1) Vanpool and carpool programs; (2) urban CBD cordon or screenline studies in a few metropolitan areas; and (3) research efforts to develop procedures for obtaining areawide vehicle occupancy in urban areas. Most of the existing programs are not applicable to this case study since they are limited by their focus on special programs or CBD-oriented travel.

### Scope

A minimum of 30 observation sites is necessary in each case study State. The sites are to be distributed to provide data by geographical area and functional class of

highway. While a minimum of 30 sites has been requested, States are encouraged to collect data at more than 30 sites as the increased effort will improve the accuracy and representativeness of the data.

To the extent practical, vehicle occupancies are to be obtained for all passenger vehicles, excluding buses and large trucks. Passenger vehicles include motorcycles and all two-axle, four-tire vehicles, such as pickups and vans and recreational vehicles. Two-axle, six-tire and heavier vehicles are excluded.

For this effort, data on the number of occupants will be reported in the following groups: 1, 2, 3, 4, 5-6, 7-8, and 9+ occupants per vehicle. This grouping conforms to vehicle sizes that aid the observation and recording of data. For example, fully loaded standard autos usually carry 5-6, fully loaded station wagons and some vans carry 7-8 and large vans carry 9 and more. All persons observed, including children, should be included. The observation sites should be conducted generally for an 8-hour period to cover both work and nonwork travel periods.

Vehicle occupancy data collected are likely to provide a representative average vehicle occupancy only at the statewide level when including all 30 stations. At the national level, however, the aggregation of data from several States, which obtained data on different days of the week, should provide representative vehicle occupancies for the rural and urban functional systems.

#### Observation Site Selection Considerations

Within the constraints of this effort, the selection of observation sites should be related to the underlying factors which affect vehicle occupancy. These factors were investigated in the 1969 Nationwide Personal Transportation Study (NPTS). (While the NPTS data is quite extensive, it is not broken down by functional class and Federal-aid geographical area; thus, making the results insensitive to HPMS requirements.) The NPTS found that occupancy rates of passenger cars are affected by the purpose of the trip more than any other factor. Trip purposes that encourage family activities, such as social and recreational trips, results in higher occupancy rates. On the other hand, trips which a single family member usually takes, such as to and from work, result in lower occupancy rates. It is noteworthy that in 1969 nearly three-fourths of all trips taken to and from work were taken in one-occupant, driver only cars. Vehicle occupancies by major trip purpose are given in Table I.

Table I

#### VEHICLE OCCUPANCY BY MAJOR TRIP PURPOSE

	Earning A Living	Shopping And Family Business	Social And Recreation	Average
Occupants Per Trip	1.4	2.0	2.5	1.9
Occupants Per Vehicle Mile of Travel	1.6	2.3	2.9	2.2

Source: "Automobile Occupancy," NPTS #1, FHWA, 1972, p. 8.

Vehicle occupancies are higher when computed on a VMT basis than on a trip basis, because vehicle occupancy increases with increasing trip length. For example, the average occupancy for work trips of 1.4 increases to 1.5 for trip lengths of 16-20 miles, 1.7 for 21-30 miles, and drops to 1.5 for 31 miles and over. Average vehicle occupancy increase significantly with increased trip lengths as illustrated by the specific trip purposes of shopping and recreation in Table 2.

Table 2

VEHICLE OCCUPANCY BY SELECTED TRIP PURPOSE AND TRIP LENGTH

Trip Length	To & From Work	Shopping	Recreation	Total
0-15 (Average)	1.4	2.0	2.6	1.9
16-20	1.5	2.3	2.6	1.9
21-30	1.7	2.6	2.9	2.1
31-40	1.5	2.1	3.0	2.3
41 & Over	1.6	2.5	3.4	2.6

Source: "Automobile Occupancy," NPTS #1, FHWA, 1972, p.13.

Vehicle occupancy by day of the week remains the same for Monday through Thursday, and increases for Friday, Saturday, and Sunday reflecting the increased nonwork travel made over the weekend. Vehicle occupancy will vary by hour within a day as the mix of trip purposes changes from work travel in the peak period to nonwork travel in the off-peak periods.

In this case study, vehicle occupancy sites should be located so as to intercept a reasonable quantity of vehicular travel representative of the major trip purposes and trip length groups. For example, sites on the higher functional classes of highway would normally intercept the longer trip lengths for all trip purposes. Likewise, sites located near small urban areas or shopping centers of large urban areas, especially on Friday or Saturday, would provide data on the shopping trip purpose.

The sites are to be distributed among rural, small urban, and urbanized areas in proportion to each area's relative VMT. Likewise, within a geographical area (e.g., rural), the sites are to be distributed among the functional systems (Interstate, Other Principal Arterial, Minor Arterial and Collector) based on VMT proportions. The VMT is considered to be a much more appropriate criterion than miles of highway for distributing sites within a State due to the close relationship to PMT. The VMT gives greater weight to the higher functional classes (e.g., Interstate), since these facilities carry long trips which typically have the highest vehicle occupancy. Table 3 shows the average national distribution of VMT by geographic area, by functional class of highway. In addition, the distribution of VMT among rural, small urban, and urbanized areas is shown in Table 4 for the States having the lowest, the average, and highest statewide proportions of VMT occurring in urban areas.

Table 3

NATIONAL VEHICLE MILES OF TRAVEL  
by Geographic Area and Functional Class of Highway

	<u>Average Percent by System</u>					Total
	I	OPA	MA	Collector	Local	
Rural	19	20	21	28 <sup>b/</sup>	12	100
Small Urban	12 <sup>a/</sup>	37	23	11	17	100
Urbanized Area	31 <sup>a/</sup>	27	20	9	13	100

a/Includes Other Freeways and Expressways.

b/Includes Major and Minor Collectors.

Source: "National Functional System Mileage and Travel Summary," from the 1976 National Highway Inventory and Performance Study, FHWA, 1977, pp. II-1, 4, 7.

Table 4

NATIONAL VEHICLES MILES OF TRAVEL  
by Geographic Area

Area	Most Rural State	Average	Most Urban State
Rural	83	45	32
Small Urban	17	8	5
Urbanized	0	46	63
	<u>100</u>	<u>100</u>	<u>100</u>

No request has been made as a part of this case study to collect data on local roads and streets. If a need for such data arises, data for collector highways will be considered representative of local roads and streets. Locations for data collection should have typical traffic characteristics. However, for a State's own purposes, some preference might be given to present data collection locations. For example, typical locations that might include an ATR would also provide seasonal, daily and hourly traffic distributions. At sites with relatively low traffic volumes, one observer can collect data for both directions simultaneously. In cases where significant volumes are being observed, additional observers will have to be used or, alternatively, directional or lane observations will have to be made.

A major consideration is vehicle occupancy data in urbanized areas, especially the large urbanized areas. It is suggested that States with less than 40 percent of their VMT in urbanized areas gather information from one urbanized area whereas States with a larger portion of VMT in urbanized areas should gather data from a minimum of two urbanized areas.

For those States collecting data in two or more urbanized areas, it is preferred that each of the following population groups be represented: 50,000 to 199,999; 200,000 to 999,999; and 1,000,000 and over. Preference should be given to the larger urbanized area groups in cases where only two urbanized areas are being sampled.

Table 5 provides an example of how 35 sites (assuming five more sites than the required minimum) would be distributed if a State, sampling two urbanized areas, has a VMT distribution similar to the national distribution in Table 3. The initial distribution of sites by relative VMT was modified by adding two sites in urbanized areas to allow for data collection in two areas and adding three sites in the small urban area to allow for coverage of all classes. Preferably, each State will use its own urban/rural VMT relationships to distribute its observation sites among areas and functional classes. In the event that VMT information is not available, it is suggested that the source of Table 3 be used. A minimum of two sites is generally desirable in each area/functional class category.

Table 5

DISTRIBUTION OF VEHICLE OCCUPANCY SITES

by Geographic Area and Functional Class of Highway  
for States with 40% or more VMT in Urbanized Areas

	I	OPA	MA	COLLECTOR	TOTAL
Rural	4	3	3	4 <sup>b/</sup>	14
Small Urban Area	1	2	1	1	5
Urbanized Area #1	2 <sup>a/</sup>	2	2	2	8
Urbanized Area #2	3 <sup>a/</sup>	2	2	1	8
	<u>10</u>	<u>9</u>	<u>8</u>	<u>8</u>	<u>35</u>

<sup>a/</sup>Includes Other Freeways and Expressways.

<sup>b/</sup>Includes Major and Minor Collectors.

Observation Period Considerations

Table 6 provides the national seasonal distribution of VMT. In both urban and rural areas, the largest amount of VMT occurs in the summer quarter, 26.3 and 28.9 percent respectively. Since the summer is generally a heavy season for recreation and vacation travel, an increased proportion of the high vehicle occupancy trips should also occur during this period. However, it should be noted that just because VMT is not as high in the winter season it is still important to monitor vehicle occupancy during this period. Vehicle occupancy can be high due

to vacation and recreation travel in the South and skiing in the North. Some evidence suggests that vehicle occupancy for work trips may increase during this period. The last row provides a seasonal allocation of observation sites.

Table 6

1977 SEASONAL DISTRIBUTION OF VMT

	MAR-MAY	JUNE-AUG	SEP-NOV	DEC-FEB
Rural, VMT (%)	25.0	28.9	25.3	20.8
Average Trip Length (miles)	9.5	11.1	9.5	9.6
Urban, VMT (%)	25.5	26.3	25.3	22.9
Average Trip Length (miles)	7.8	9.6	8.2	7.6
Total Sites Allocated	9	11	9	6

Sources: "Traffic Volume Trends," Table 9B, FHWA, December 1978.  
 "Seasonal Variations of Automobile Trips and Travel," NPTS Report # 3, FHWA, 1972, p. 8.

Table 7 shows that the highest percentage of VMT occurs on Saturday (15.2%) and the second highest daily percentage of VMT (14.9%) occurs on Friday. Vehicle occupancy and PMT are much higher on Saturday and Sunday, a result of the high vehicle occupancy of shopping trips and the high vehicle occupancy and long trip lengths of weekend social-recreation trips.

Table 7

DAY OF THE WEEK DISTRIBUTION OF TRIPS, TRAVEL AND VEHICLE OCCUPANCY

	MON-THUR	FRI	SAT	SUN	7 DAY
Trips (%)	14.8	16.0	13.4	11.5	100.1
Travel (%)	14.0	14.9	15.2	14.0	100.1
Vehicle Occupancy					
Based on Trips	1.8	1.9	2.1	2.4	1.9
Based on Travel (VMT)	2.0	2.2	2.5	2.7	2.2
Estimated PMT (%) (Rows 2 x 4)	51.0	15.0	17.0	17.0	100.0

Sources: Developed from NPTS Reports #1 and #10.



Table 8 contains a sample schedule reflecting the effect of daily distributions of travel. If the data can only be collected in one season then Table 8 should be used.

Table 8

DISTRIBUTION OF STATIONS BY DAY OF THE WEEK

	R	U <sub>1</sub>	U <sub>2</sub>	U <sub>3</sub>	Total
Sunday	4	-	1	1	6
Monday	1	1	1	2	5
Tuesday	1	-	2	1	4
Wednesday	1	1	1	1	4
Thursday	2	1	1	1	5
Friday	2	1	1	1	5
Saturday	3	1	1	1	6
Total	14	5	8	8	35

Preferably, data collection on vehicle occupancy can be conducted over a minimum of two seasons. Table 9 provides the distribution of stations when two seasons, say, late summer and early fall, are available. It should be noted that most of 3 weeks in the summer and 2 weeks in the fall would be required for data collection unless stations were conducted simultaneously requiring additional personnel. (Table 10 provides an idealized distribution of stations over four seasons.)

Table 9

DISTRIBUTION OF STATIONS OVER TWO SEASONS

	R	SUMMER			FALL/WINTER			Total	
		U <sub>1</sub>	U <sub>2</sub>	U <sub>3</sub>	R	U <sub>1</sub>	U <sub>2</sub>		U <sub>3</sub>
I/FWY	SA, SA SU	-	SU	F	SU	M	F	W	10
OPA	W SU	W	SA	TH	SA SU	-	TU	M	9
MA	M TU	F SA	W	M	W	-	M	SA	9
COLL.	TH	-	TU	-	F TH	TH	TH	TU	7
TOTAL	8	3	4	4	6	2	4	4	35

U<sub>1</sub> = City with 5,000 to 49,000 population  
 U<sub>2</sub> = City with 50,000 to 199,000 population  
 U<sub>3</sub> = City with 200,000 and over population

Table 10

## IDEALIZED DISTRIBUTION OF STATIONS OVER FOUR SEASONS

	R	U <sub>1</sub>	U <sub>2</sub>	U <sub>3</sub>	Total
<u>SPRING</u>					
I/FWY	SA	-	-	W	2
OPA	SU	F	TU	TH	4
MA	-	-	M	M	2
COLL	F	-	-	-	1
<u>SUMMER</u>					
I/FWY	SU	M	SU	F	4
OPA	F	W	SA	-	3
MA	TU	SA	-	-	2
COLL	TH	TH	-	-	2
<u>FALL</u>					
I/FWY	SA	-	F	SU	3
OPA	SU	-	-	-	1
MA	M	-	W	SA	3
COLL	TH	-	TU	-	2
<u>WINTER</u>					
I/FWY	SU	-	-	-	1
OPA	SA	-	-	M	2
MA	W	-	-	-	1
COLL	-	-	TH	TU	2
					<u>35</u>

U<sub>1</sub> = City with 5,000 to 49,000 population  
 U<sub>2</sub> = City with 50,000 to 199,000 population  
 U<sub>3</sub> = City with 200,000 and over population

Tables 8, 9, and 10 are scheduling guides only. Flexibility is probably necessary in the scheduling of days and seasons to provide data by December 31.

At all but four of the observation sites, it is requested that 8-hour observations be made. Table 11 provides NPTS data on the proportion of the expected PMT that occurs during various hourly periods of the 24 hours. Based on this data if a continuous 8-hour shift was scheduled from 11 a.m. to 7 p.m., it would likely monitor 52 percent of the 24-hour PMT. Also, in some States, it is a working practice to sometimes schedule an early morning shift, 7 to 11 a.m., a mid-day break, and an afternoon shift from 2 to 6 p.m. This split shift has the advantage of covering both the morning and the evening peak periods in 8 hours of data collection. Also, if nearby highways have similar characteristics, the two 4-hour periods would permit data to be collected at the similar locations and, therefore, increase the number of locations covered in the sample.

For the remaining 4 of the 35 (or 30) observation sites, it is suggested that the observation periods be extended beyond the 8-hour count period to more closely represent the daily (24-hour) vehicle occupancy. The extended observation periods should cover the daylight hours or 16 hours in lighted areas. These observations will compensate for any bias in 8 hours of data collection. Two of these sites should be located in rural areas and two in urbanized areas. Within an area one of the two observation periods should be on a summer Friday or Saturday, and the second should be conducted on a Monday through Thursday in early fall.

Table 11

DISTRIBUTION OF ESTIMATED PMT  
BY THE HIGHEST HOURS WITHIN A DAY

<u>Length (Hours)</u>	<u>Period</u>	<u>Percent of 24 Hour PMT</u>
4	7 a.m. - 11 a.m.	21
4	3 p.m. - 7 p.m.	33
8	11 a.m. - 7 p.m.	52
12	7 a.m. - 7 p.m.	73
16	6 a.m. - 10 p.m.	88
24	6 a.m. - 6 a.m.	100

Sources: "Automobile Occupancy," NPTS Report #1, 1972, p. 19.  
"Home to Work Trips and Travel," NPTS Report #8, 1972, p.78.

Some sites will be on high volume multilane facilities. At such locations, it may be appropriate to use more than one observer or take short counts of vehicle occupancy. A short count is a 15-minute (suggested) vehicle occupancy count on each lane in turn. Such short counts would also be applicable to high volume periods on normally low-volume highways. Both traffic directions should be covered in the short count periods.

Reporting of Vehicle Occupancy Information

The resultant vehicle occupancy information should be coded on the attached forms and submitted to FHWA, HHP-12, by December 31, 1979. These copies of the forms are bound as the last pages for ease of detachment from this report.

The coding instructions are bound next to the coding forms, likewise for ease of detachment (see Appendix C). Appendix A contains the State codes and Appendix B contains the urbanized area codes.

APPENDIX A

TABLE OF STANDARD CODES FOR STATES,  
DISTRICT OF COLUMBIA AND PUERTO RICO

<u>NAME</u>	<u>CODE</u>	<u>NAME</u>	<u>CODE</u>
Alabama	01	Nevada	32
Alaska	02	New Hampshire	33
Arizona	04	New Jersey	34
Arkansas	05	New Mexico	35
California	06	New York	36
Colorado	08	North Carolina	37
Connecticut	09	North Dakota	38
Delaware	10	Ohio	39
District of Columbia	11	Oklahoma	40
Florida	12	Oregon	41
Georgia	13	Pennsylvania	42
Hawaii	15	Rhode Island	44
Idaho	16	South Carolina	45
Illinois	17	South Dakota	46
Indiana	18	Tennessee	47
Iowa	19	Texas	48
Kansas	20	Utah	49
Kentucky	21	Vermont	50
Louisiana	22	Virginia	51
Maine	23	Washington	53
Maryland	24	West Virginia	54
Massachusetts	25	Wisconsin	55
Michigan	26	Wyoming	56
Minnesota	27	Puerto Rico	72
Mississippi	28		
Missouri	29		
Montana	30		
Nebraska	31		

URBANIZED AREA CODE

<u>State</u>	<u>Urbanized Area</u>	<u>Code</u>	<u>State</u>	<u>Urbanized Area</u>	<u>Code</u>	
Alabama	Anniston	254	California (cont.)	San Bernardino-Riverside	048	
	Birmingham	035		San Diego	023	
	Columbus (Ga.)	109		San Francisco-Oakland	006	
	Gadsden	192		San Jose	032	
	Florence	255		Santa Barbara	187	
	Huntsville	184		Santa Cruz	258	
	Mobile	067		Santa Rosa	235	
	Montgomery	115		Seaside-Monterey	236	
Tuscaloosa	183	Simi Valley	237			
Alaska	Anchorage	256	Colorado	Stockton	119	
	Arizona	Phoenix		033	Boulder	238
Tucson		073		Colorado Springs	153	
Arkansas	Ft. Smith (Okla.)	202		Connecticut	Denver	024
	Little Rock-North Little Rock	092			Pueblo	149
	Pine Bluff	219	Bridgeport		051	
	Texarkana (Texas)	211	Bristol		239	
California	Antioch-Pittsburg	257	New York	Danbury	240	
	Bakersfield	117		Hartford	047	
	Fresno	080		Meriden	212	
	Los Angeles-Long Beach-Pomona-Ontario	002		New Britain	154	
	Modesto	234		New Haven	064	
	Oxnard-Ventura-Thousand Oaks	224		New London-Norwich	259	
	Sacramento	042		Norwalk	176	
	Salinas	229		Springfield-Chicopee-Holyoke (Mass.)	043	
					Stamford	103
					Waterbury	118

URBANIZED AREA CODE

<u>State</u>	<u>Urbanized Area</u>	<u>Code</u>	<u>State</u>	<u>Urbanized Area</u>	<u>Code</u>
Delaware	Wilmington (N.J.)	063	Illinois	Alton	265
Dist. of Col.	Washington, D. C., (Maryland, Virginia)	008		Aurora-Elgin	172
Florida	Daytona Beach	260		Bloomington-Normal	227
	Ft. Lauderdale-Hollywood	058		Champaign-Urbana	181
	Ft. Myers	261		Chicago-Northwestern	
	Gainesville	241		Indiana (Ind.)	003
	Jacksonville	050		Davenport-Rock Island-	
	Lakeland	262		Moline (Iowa)	074
	Melbourne-Cocoa	263		Decatur	169
	Miami	021		Dubuque (Iowa)	206
	Orlando	087		Joliet	138
	Pensacola	125		Peoria	093
	St. Petersburg	057		Rockford	099
	Sarasota-Bradenton	264	Indiana	St. Louis (Mo.)	011
	Tallahassee	220		Springfield	146
	Tampa	059		Anderson	223
	West Palm Beach	097		Chicago-Northwestern	
Georgia	Albany	209		Indiana (Ill.)	003
	Atlanta	025		Evansville	114
	Augusta (S.C.)	131		Fort Wayne	094
	Chattanooga (Tenn.)	086		Indianapolis	029
	Columbus (Ala.)	109		Louisville (Ky.)	031
	Macon	143		Lafayette-West Lafayette	222
	Savannah	100		Muncie	182
				South Bend (Mich.)	077
				Terre Haute	178
Hawaii	Honolulu	052	Iowa	Cedar Rapids	148
Idaho	Boise City	217		Davenport-Rock Island-	
				Moline (Ill.)	074
				Des Moines	071

URBANIZED AREA CODE

<u>State</u>	<u>Urbanized Area</u>	<u>Code</u>	<u>State</u>	<u>Urbanized Area</u>	<u>Code</u>	
Iowa (cont.)	Dubuque (Ill.)	206	Massachusetts	Boston	007	
	Omaha (Nebr.)	046		Brockton	147	
	Sioux City (Nebr., S.D.)	156		Fall River (R.I.)	130	
	Waterloo	150		Fitchburg-Leominster	189	
Kansas	Kansas City (Mo.)	019		Lawrence-Haverhill (N.H.)	104	
	St. Joseph (Mo.)	179		Lowell	136	
	Topeka	134		New Bedford	127	
	Wichita	062		Pittsfield	199	
Kentucky	Cincinnati (Ohio)	017		Providence-Pawtucket- Warwick (R.I.)	026	
	Huntington-Ashland, (W.Va.-Ohio)	105		Springfield-Chicopee- Holyoke (Conn.)	043	
	Lexington	144		Worcester	076	
	Louisville (Ind.)	031		Michigan	Ann Arbor	142
	Owensboro	242			Battle Creek	267
	Clarksville-Hopkinsville (Tenn.)	280			Bay City	186
Louisiana	Alexandria	266	Detroit		005	
	Baton Rouge	088	Flint		065	
	Lafayette	218	Grand Rapids		061	
	Lake Charles	171	Jackson	190		
	Monroe	180	Kalamazoo	141		
	New Orleans	022	Lansing	102		
	Shreveport	085	Muskegon-Muskegon Hgts.	162		
Maine	Lewiston-Auburn	196	Saginaw	123		
	Portland	145	South Bend (Ind.)	077		
Maryland	Wash., D.C., Md., Va.	008	Toledo (Ohio)	044		
	Baltimore	012	Minnesota	Duluth-Superior (Wisc.)	113	
				Fargo-Moorhead (N.D.)	188	
		LaCrosse (Wisc.)		243		
		Minneapolis-St. Paul		013		
		Rochester		244		
		St. Cloud		268		

URBANIZED AREA CODE

<u>State</u>	<u>Urbanized Area</u>	<u>Code</u>	<u>State</u>	<u>Urbanized Area</u>	<u>Code</u>	
Mississippi	Biloxi-Gulfport	231	New York	Albany-Schenectady-Troy	041	
	Jackson	112		Binghamton	110	
	Memphis (Tenn.)	034		Buffalo	016	
Missouri	Columbia	245	New York-Northeastern N.J.	Elmira	269	
	Kansas City (Kansas)	019		Poughkeepsie	270	
	St. Joseph (Kansas)	179		Rochester	039	
	St. Louis (Ill.)	011		Syracuse	056	
	Springfield	157		Utica-Rome	089	
Montana	Billings	204	North Carolina	Asheville	193	
	Great Falls	210		Burlington	271	
Nebraska	Lincoln	121	Charlotte	Charlotte	082	
	Omaha (Iowa)	046		Durham	173	
	Sioux City (Iowa, S.D.)	156		Fayetteville	221	
Nevada	Las Vegas	170	Greensboro	Greensboro	132	
	Reno	191		High Point	195	
	New Hampshire	Lawrence-Haverhill (Mass.)		104	Raleigh	163
Manchester		165	Wilmington	226		
Nashua		246	Winston-Salem	124		
New Jersey	Allentown-Bethlehem-Easton (Pa.)	068	North Dakota	Fargo-Moorhead (Minn.)	188	
	Atlantic City	128		Ohio	Akron	040
	New York-Northeastern (N.J., N.Y.)	001			Canton	079
	Philadelphia (Pa.)	004			Cincinnati (Ky.)	017
	Trenton (Pa.)	069			Cleveland	010
	Vineland-Millville	233			Columbus	030
	Wilmington (Del.)	063			Dayton	038
	New Mexico	Albuquerque			070	Hamilton
			Huntington-Ashland (W.Va.-Ky.)		105	
			Lima	198		
			Lorain-Elyria	116		
			Mansfield	228		



URBANIZED AREA CODE

<u>State</u>	<u>Urbanized Area</u>	<u>Code</u>	<u>State</u>	<u>Urbanized Area</u>	<u>Code</u>
Ohio (cont.)	Parkersburg (W.Va.)	273	Rhode Island	Fall River (Mass.)	130
	Steubenville-Weirton (W.Va.)	177		Providence-Pawtucket- Warwick (Mass.)	026
	Springfield	167	South Carolina	Augusta (Ga.)	131
	Toledo (Mich.)	044		Charleston	108
	Wheeling (W.Va.)	155		Columbia	106
Oklahoma	Youngstown-Warren	049	South Dakota	Greenville	126
	Ft. Smith (Ark.)	202		Spartanburg	275
	Lawton	200		Sioux City (Iowa, Nebr.)	156
	Oklahoma City	045		Sioux Falls	194
Oregon	Tulsa	060	Tennessee	Chattanooga (Ga.)	086
	Eugene	161		Kingsport (Va.)	276
	Portland (Wash.)	027		Knoxville	098
Pennsylvania	Salem	225	Texas	Memphis (Miss.)	034
	Allentown-Bethlehem- Easton (N.J.)	068		Nashville-Davidson	054
	Altoona	175		Clarksville-Hopkinsville (Ky.)	280
	Erie	095		Abilene	166
	Harrisburg	083		Amarillo	120
	Johnstown	159		Austin	090
	Lancaster	164		Beaumont	135
	Philadelphia (N.J.)	004		Brownsville	248
	Pittsburgh	009		Bryan-College Station	249
	Reading	107		Corpus Christi	096
	Scranton	081		Dallas	018
	Trenton (N.J.)	069		El Paso	066
	Wilkes-Barre	072		Ft. Worth	037
	Williamsport	274		Galveston	137
York	152	Harlingen-San Benito	201		
Puerto Rico	Caguas	247	Houston	015	
	Mayaguez	216	Killeen	277	
	Ponce	215	Laredo	205	
	San Juan	214	Lubbock	122	

URBANIZED AREA CODE

<u>State</u>	<u>Urbanized Area</u>	<u>Code</u>	<u>State</u>	<u>Urbanized Area</u>	<u>Code</u>	
Texas (cont.)	McAllen-Pharr-Edinburg	230	West Virginia	Charleston	101	
	Midland	197		Huntington-Ashland,		
	Odessa	174		(Ky.-Ohio)	105	
	Port Arthur	139		Parkersburg (Ohio)	273	
	San Angelo	208		Steubenville-Weirton (Ohio)	177	
	San Antonio	028		Wheeling (Ohio)	155	
	Sherman-Denison	232		Wisconsin	Appleton	252
	Texarkana (Ark.)	211			Duluth-Superior (Minn.)	113
	Texas City-LaMarque	250			Green Bay	158
	Tyler	213			Kenosha	185
	Waco	140			LaCrosse (Minn.)	243
	Wichita Falls	151			Madison	111
Utah	Ogden	133	Milwaukee	014		
	Provo-Orem	203	Oshkosh	253		
	Salt Lake City	053	Racine	160		
Vermont	None		Wyoming	None		
Virginia	Kingsport (Tenn.)	276				
	Lynchburg	207				
	Newport News-Hampton	084				
	Norfolk-Portsmouth	036				
	Petersburg-Colonial Heights	251				
	Richmond	055				
	Roanoke	129				
Wash., D.C., Md., Va.	008					
Washington	Portland (Ore.)	027				
	Richland-Kennewick	278				
	Seattle-Everett	020				
	Spokane	075				
	Tacoma	078				
	Yakima	279				

APPENDIX C

Coding Instructions for Vehicle Occupancy Forms

Columns

- 1-2      Year  
Precoded as "79".
- 3-4      State Code  
Enter the State code as listed in Appendix A.
- 5-6      Functional Classification  
Enter the appropriate code:
- Rural:  
          01 - Interstate  
          02 - Other Principal Arterials  
          06 - Minor Arterials  
          07 - Major Collectors  
          08 - Minor Collectors
- Urban:  
          11 - Interstate  
          12 - Other Freeways and Expressways  
          14 - Other Principal Arterials  
          16 - Minor Arterials  
          17 - Collectors
- 7-9      Urbanized Area Code  
For urbanized areas, enter the code shown in Appendix B. For small urban areas, enter "999". For rural areas, enter "000".
- 10        Population  
Enter the appropriate population code for the 1978 urban area population (leave blank for rural areas):
- |                        |                            |
|------------------------|----------------------------|
| 1 - 5,000 to 24,999    | 5 - 200,000 to 499,999     |
| 2 - 25,000 to 49,999   | 6 - 500,000 to 999,999     |
| 3 - 50,000 to 99,999   | 7 - 1,000,000 to 1,999,999 |
| 4 - 100,000 to 199,999 | 8 - 2,000,000 and over     |
- 11-12    Month  
Enter the appropriate number for month of the year from 01-12.
- 13-14    Day of the Month  
Enter the appropriate number for the day of the month from 01-31.

Columns

- 15      Day of the Week  
Enter the appropriate day of the week code:
- |               |              |
|---------------|--------------|
| 1 - Sunday    | 5 - Thursday |
| 2 - Monday    | 6 - Friday   |
| 3 - Tuesday   | 7 - Saturday |
| 4 - Wednesday |              |
- 16-19      Beginning Hour  
Enter the hour and minutes (in military time) the count was begun; e.g., 10:30 a.m. is entered as "1030"; 2:30 p.m. is entered as "1430".
- 20-23      Ending Hour  
Enter the hour and minutes (in military time) the count was ended.
- 24-25      Number of Through Lanes  
Enter the number of through lanes, in both directions (excluding parking lanes), carrying through traffic in the off-peak period. Exclude short sections of truck climbing lanes.
- 26-60      Number of Passenger Vehicles by Number of Occupants  
Enter the number of passenger vehicles (autos, motorcycles, and two-axle, four-tire pickups and vans) counted in both directions within each occupancy group during this counting period.
- 61-65      Total Passenger Vehicles Counted  
Enter the total number of passenger vehicles counted in both directions during this counting period. This number should equal the sum of the passenger vehicles broken down by occupancy group.
- 66-67      Percent Trucks  
Enter the estimated percentage of commercial vehicles to the nearest percent, excluding pickups, panels, and light (two-axle, four-tire) trucks traveling on this section of roadway over a 24-hour period.
- 68-73      ADT  
Enter the estimated present (1979) average daily traffic (total both directions).

7a9	01	Year
7a9	02	State
7a9	03	Code
7a9	04	Func.
7a9	05	Classif.
7a9	06	Urbanized
7a9	07	Area
7a9	08	Code
7a9	09	Pop. Code
7a9	10	Month
7a9	11	DATE
7a9	12	
7a9	13	Day
7a9	14	Day of Week
7a9	15	Beginning
7a9	16	
7a9	17	
7a9	18	Ending
7a9	19	
7a9	20	
7a9	21	No. of
7a9	22	
7a9	23	
7a9	24	1
7a9	25	
7a9	26	
7a9	27	2
7a9	28	
7a9	29	
7a9	30	3
7a9	31	
7a9	32	
7a9	33	4
7a9	34	
7a9	35	
7a9	36	5 - 6
7a9	37	
7a9	38	
7a9	39	7 - 8
7a9	40	
7a9	41	
7a9	42	9+
7a9	43	
7a9	44	
7a9	45	Total
7a9	46	
7a9	47	
7a9	48	Percent
7a9	49	
7a9	50	
7a9	51	Average
7a9	52	
7a9	53	
7a9	54	Daily
7a9	55	
7a9	56	
7a9	57	Traffic
7a9	58	
7a9	59	
7a9	60	Total
7a9	61	
7a9	62	
7a9	63	Percent
7a9	64	
7a9	65	
7a9	66	Average
7a9	67	
7a9	68	
7a9	69	Daily
7a9	70	
7a9	71	
7a9	72	Traffic
7a9	73	

VEHICLE OCCUPANCY

COUNT OF PASSENGER VEHICLES BY NO. OF OCCUPANTS



799	01	Year	
799	02		
799	03	State	
799	04	Code	
799	05	Func.	
799	06	Classif.	
799	07	Urbanized	
799	08	Area	
799	09	Code	
799	10	Pop. Code	
799	11	Month	DATE
799	12		
799	13	Day	
799	14		
799	15	Day of Week	
799	16	Beginning Hour	
799	17		
799	18		
799	19	Ending Hour	
799	20		
799	21		
799	22		
799	23	No. of Thru Lanes	
799	24		
799	25		
799	26		
799	27		
799	28	1	COUNT OF PASSENGER VEHICLES BY NO. OF OCCUPANTS
799	29		
799	30		
799	31		
799	32		
799	33	2	
799	34		
799	35		
799	36		
799	37	3	
799	38		
799	39		
799	40		
799	41		
799	42	4	
799	43		
799	44		
799	45		
799	46		
799	47	5 - 6	
799	48		
799	49		
799	50		
799	51	7 - 8	
799	52		
799	53		
799	54		
799	55		
799	56		
799	57	9+	
799	58		
799	59		
799	60		
799	61	Total PVs Counted	
799	62		
799	63		
799	64		
799	65	Percent Trucks	
799	66		
799	67	Average Daily Traffic	
799	68		
799	69		
799	70		
799	71		
799	72		
799	73		

VEHICLE OCCUPANCY





