

# NUFRIEND Insights


## RANGES OF BATTERY-ELECTRIC LOCOMOTIVES (BELS)

Northwestern University Freight Rail Infrastructure & Energy Network Decarbonization (NUFRIEND) is a comprehensive industry-oriented tool to simulate the deployment of new energy technologies across U.S. freight rail networks. Scenario-specific simulation and optimization modules provide estimates for carbon reductions, capital investments, costs of carbon reductions, and operational impacts for any given deployment profile.

### WHY DO BEL RANGES MATTER?

- The ranges of BELs are much more limited compared to existing diesel-electric locomotives.
- They require charging stations between terminals for linehaul shipments, incurring significant capital costs.

This NUFRIEND Insights models future BEL deployment in an aggregated U.S. Class I railroad network under 200-mile vs 800-mile ranges, to analyze their costs and emissions.



Optimization results of an aggregated transcontinental U.S. rail network where 20% shipments are served by BELs.

### HOW DO BEL RANGES AFFECT RAIL DECARBONIZATION?

Range is critical, as deploying charging stations in locations with no proximal railyards may be economically infeasible.

#### 200-mile Range:

- Mass deployment of charging stations limited to regions with existing railyards.
- Limited linehaul corridor options to deploy BELs.
- High cost of avoided emissions from capital investment to build a lot of charging facilities.

#### 800-mile Range:

- Few charging stations needed to decarbonize the high-volume linehaul routes.
- Flexibility to deploy BELs on easy-to-decarbonize routes.
- Cost of avoided emissions in line with potential U.S. carbon credit pricing.

### SUMMARY

- Longer-range BELs require a smaller capital investment while attaining a higher carbon reduction.
- Longer ranges mean more flexibility for railroads to deploy BELs and leverage economies of scale in heavily trafficked corridors.
- For individual railroads and different BEL ranges, the NUFRIEND tool can optimize the deployment of charging infrastructure and offer more pointed insights.

<sup>1</sup>The cost of avoided emissions measures the average cost required to reduce emissions by one ton of CO<sub>2</sub> and serves as a strong evaluation and policy metric.

## NUFRIEND Insights for:

### RAILROADS

- BEL charging time causing high delay costs
- Significant benefits attainable from advanced roll-out planning
- Potential gains from easy-to-decarbonize routes
- Value of accurate range estimates and forecasts

### OEMS

- Value of range improvements
- Innovations in charging speeds
- Need for cost-competitive manufacturing relative to other fuel technologies

### ENERGY PROVIDERS

- Coordination to ensure adequate electricity supply for connected charging infrastructure

Visit [transportation.northwestern.edu](https://transportation.northwestern.edu) for more NUFRIEND Insights.

This work is funded under the Lowering CO<sub>2</sub> Models to Optimize Train Infrastructure, Vehicles, and Energy Storage (LOCOMOTIVES) project by the Advanced Research Projects Agency - Energy (ARPA-E) of the U.S. Department of Energy under Award Number DE-AR0001469. The views and opinions of the authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.



NORTHWESTERN UNIVERSITY  
TRANSPORTATION CENTER

