CARCULEd See 00-23B

/ile

AC NO:

AC 00-23A

DATE:

12/18/68



ADVISORY CIRCULAR

DEPARTMENT OF TRANSPORTATION FEDERAL AVIATION ADMINISTRATION

SUBJECT: NEAR MIDAIR COLLISION REPORTING

- 1. PURPOSE. This circular advises that the FAA will continue through December 31, 1969, to handle reports of near midair collisions in accordance with the policy established January 1, 1968. Pilots, controllers or other persons involved in near midair collisions are invited to report all such encounters to the FAA. To encourage reporting, the Administrator issued the attached policy statement which grants immunity from FAA enforcement or other adverse action to pilots, controllers and other persons involved in reported near midair collisions. This circular also provides procedures for reporting such incidents.
- 2. <u>CANCELLATION</u>. Advisory Circular AC 00-23, "Near Midair Collision Study," effective January 1, 1968, is canceled.
- 3. EFFECTIVE DATE. January 1, 1969, through December 31, 1969.

4. BACKGROUND.

- a. Prior to 1968, information received by the FAA indicated that many incidents were not reported because persons involved feared possible FAA enforcement action where violations of regulations occurred. As a result, in order to eliminate such fear and encourage voluntary reporting, the FAA implemented a special one-year study during 1968, under the same policy as set forth in this circular. Reporting under this policy has been successful. The report on the 1968 Near Midair Collision Study will be completed approximately May 1, 1969. Subsequent to completion of the report and upon review, determinations will be made as to possible future changes in the system.
- b. The FAA continues to seek uninhibited reporting of complete, frank and specific information on every near midair collision. In addition to granting immunity from FAA enforcement or other adverse action to any person involved in the reported incident, the Administrator, upon written request of the person making the

report, will withhold from public disclosure the identity of the persons involved and the information contained in the report, as authorized under Section 1104 of the Federal Aviation Act of 1958.

c. The FAA will continue to monitor reported information for use in the evaluation and development of procedures, regulations and techniques to minimize the collision hazard.

5. GENERAL INFORMATION.

- a. Persons involved in a near midair collision are requested to report the incident to air traffic facilities by radio as soon as possible, clearly stating that they wish to report a "NEAR MIDAIR COLLISION." This will permit immediate action to obtain the identity and necessary data concerning the other aircraft. FAA air traffic control will not ask "DO YOU INTEND TO FILE AN OFFICIAL NEAR MIDAIR COLLISION REPORT?" where pilots are not specific in their remarks. Therefore, pilots must specifically declare that they are reporting a near midair collision.
- b. To reduce radio congestion and pilot preoccupation during flight, the report should only identify the incident and other aircraft involved. A written followup report should then give the details.

6. REPORTING PROCEDURES.

- a. <u>Initial Report</u>. Each person who wishes to report an occurrence as a near midair collision should notify an air traffic facility (controlling if appropriate) via radio; "I wish to report a 'NEAR MIDAIR COLLISION'" and then give:
 - (1) Time of incident.
 - (2) Location and altitude.
 - (3) Reporting aircraft's identification, type and destination.
 - (4) Available information on the other aircraft.
 - (5) Weather conditions.
 - (6) Approximate courses and flight attitude of both aircraft.
 - (7) Closest proximity horizontally and vertically between aircraft.
 - NOTE: It is desirable to have the initial report by radio when time and frequency congestion permit in order to initiate action to identify the other aircraft involved.

- b. In the event a person does not file a report by radio, he should make the initial report either by telephone or in person to the most convenient FAA air traffic facility or Flight Standards District Office either at next point of landing or at destination. FAA representatives will not routinely interview pilots on landing; therefore, if a person desires to be met by an FAA representative, he should advise the facility at the time of his initial radio report.
- volved should submit a complete written report of the near midair collision. The attached reporting form is designed to facilitate this report; it may be supplemented by any additional narrative information which the pilot feels would assist in pinpointing the basic causal factors and identifying appropriate corrective measures. This report may be submitted to an FAA Air Traffic or Flight Standards representative or mailed directly to the Washington address on the postage-free reporting form.
 - NOTE: Although FAA Form 8020-1 refers to Advisory Circular 00-23, it will be equally applicable for use in reporting near midair collisions occurring after December 31, 1968, and in accordance with this Advisory Circular.
 - NOTE: Only a report from one crewmember of each aircraft involved is needed.
 - NOTE: If a person reporting a near midair collision desires that the identity of the persons involved and the information contained in his report be withheld from public disclosure, the Federal Aviation Act of 1958, Section 1104, requires a written objection to such disclosure. Item 26 on the attached reporting form serves this purpose.
- 7. AVAILABILITY OF FORMS. Individual copies of the attached reporting form (FAA Form 8020-1) may be obtained free of charge from any FAA Air Traffic Facility, Flight Standards Air Carrier or General Aviation District Office, Area Office or Regional Office. Military commands and organized industry groups may obtain forms in quantity by submitting request to the Department of Transportation, Federal Aviation Administration, Aeronautical Center, Distribution Section, AC-46.2, P. O. Box 25082, Oklahoma City, Oklahoma 73125.

Deputy Associate Administrator for Operations

iWWalker

Department of Transportation
Federal Aviation Administration
Accident Investigation Staff, FS-50
800 Independence Ave., S.W.,
Washington, D.C. 20590

Official Business

Washington, D.C. 20590

POSTAGE AND PEES PAID FEDERAL AVIATION ADMINISTRATION DEPARTMENT OF TRANSPORTATION PEDERAL AVIATION ADMINISTRATION

Form Approved: Budget Bureau No. 04-R0170

DEPARTMENT OF TRANSPORTATION
FEDERAL AVIATION ADMINISTRATION

NEAR MIDAIR COLLISION REPORT

This reporting form is for use in conjunction with the FAA's Near Midair Collision Study. The Administrator will take no enforcement or other adverse action, remedial or disciplinary, against any person involved in a near midair collision that is reported to the FAA during the period of this program even though a violation of the Federal Aviation Regulations is disclosed.

Refer to FAA Advisory Circular 00-23 for further details.

One report from a crew member of each aircraft involved will be sufficient for the purposes of this study.

FAA Form 8020-1 (11-67)

ı.													
ı	1A.	DATE OCCURRED		B. 1	LOCAL GMT								
ı	2. INITIALLY REPORTED BY RADIO												
ŀ	ĺ	□ NO											
- 1	ì	☐ YES											
ŀ	3. YOUR AIRCRAFT (Identity and make and model)												
	es 100% NIMORUL I Inspirith with Blake one money												
ŀ	4.	TYPE OPERATION											
Ì	_	AIR TAXI		BUSINESS	 s		_	TRAINING					
j		AIR CARRIER		PRIVATE				MILITARY					
ı	MIS	MISSION				<u>. </u>							
- 1													
ŀ	5. '	YOUR ALTITUDE - ALTIMETER SET - SOURCE (STATION)											
- [MsL		HG.									
ŀ	-	YOUR HEADING -	- TF	RUE AIRSP	EEC		_						
			νο										
8	6. 0	OTHER A/C (Best possible			-		HEF	<u></u>					
outside	at a time to the ar bearing mountingmin												
١١													
5	7.	V. LOCATION OF OCCURRENCE (Nearest City, State)											
addres s				(,,,,		,,							
ğ	в. (NEAREST NAVIGATION, FIX, FACILITY, OR AIRPORT											
Elater													
	DISTANCE FROM												
With	9. YOUR AIRCRAFT WAS												
١٤		ON AIRWAYS	AIRWAYS				OUTBOUND FROM AIRPORT						
Line		OFF AIRWAYS											
dolled	EN ROUTE				_	INBOUND	то	AIRPORT					
8	_	EN ROUTE						AIRPORT NTROL AIRSPACE					
- 1		TERMINAL					co	NTROL AIRSPACE					
5						POSITIVE	co	NTROL AIRSPACE					
o Id or		TERMINAL	TTE	RN		POSITIVE	co	NTROL AIRSPACE					
Fold or	10.	TERMINAL IN CONTROL ZONE			ion	POSITIVE OTHER (S	co	NTROL AIRSPACE					
Fold or	10.	TERMINAL IN CONTROL ZONE AIRPORT TRAFFIC PA			101	POSITIVE OTHER (S	Брес	NTROL AIRSPACE					
Fold or	10.	TERMINAL IN CONTROL ZONE AIRPORT TRAFFIC PA YOUR AIRCRAFT OPERA	TIN	G CONDIT	ION	POSITIVE OTHER (S S IFR/VFR	CO Spec	NTROL AIRSPACE					
Fold or	10.	TERMINAL IN CONTROL ZONE AIRPORT TRAFFIC PA YOUR AIRCRAFT OPERA VFR	TIN	G CONDIT	ION	POSITIVE OTHER (S S IFR/VFR	ON	NTROL AIRSPACE Ify) TOP LIGHT LIMITS					
Fold or	10.	TERMINAL IN CONTROL ZONE AIRPORT TRAFFIC PA YOUR AIRCRAFT OPERA VFR VFR WITH IFR CLEARA	NCE	G CONDIT	ION	POSITIVE OTHER (S S IFR/VFR DVFR/AD	ON	NTROL AIRSPACE Ify) TOP LIGHT LIMITS					
Fold or	11.	TERMINAL IN CONTROL ZONE AIRPORT TRAFFIC PA YOUR AIRCRAFT OPERA VFR VFR WITH IFR CLEARA IFR WITH CLEARANCE IFR WITH NO CLEARAN RADAR BEACON AVAILA	TIN.	CONDIT		POSITIVE OTHER (S S IFF/VFR DVFR/AD OTHER (S	ON	NTROL AIRSPACE Ify) TOP LIGHT LIMITS					
Fold or	11.	TERMINAL IN CONTROL ZONE AIRPORT TRAFFIC PA YOUR AIRCRAFT OPERA VFR VFR WITH IFR CLEARA IFR WITH CLEARANCE IFR WITH NO CLEARAN RADAR BEACON AVAILA	CE BLE	CONDIT		POSITIVE OTHER (S S IFF/VFR DVFR/AD OTHER (S	ON IZ I	NTROL AIRSPACE Ify) TOP FLIGHT LIMITS Ify)					
Fold or	11.	TERMINAL IN CONTROL ZONE AIRPORT TRAFFIC PA YOUR AIRCRAFT OPERA VFR VFR WITH IFR CLEARA IFR WITH CLEARANCE IFR WITH NO CLEARAN RADAR BEACON AVAILA IN USE	CE BLE	CONDIT		POSITIVE OTHER (S S IFF/VFR DVFR/AD OTHER (S	ON IZ I	NTROL AIRSPACE Ify) TOP FLIGHT LIMITS Ify)					
Fold or	11.	TERMINAL IN CONTROL ZONE AIRPORT TRAFFIC PA- YOUR AIRCRAFT OPERA VFR VFR WITH IFR CLEARA IFR WITH CLEARANCE IFR WITH NO CLEARAN RADAR BEACON AVAILA IN USE	CE BLE	G CONDIT	мо	POSITIVE OTHER (S S IFF/VFR DVFR/AD OTHER (S	ON IZ I	NTROL AIRSPACE ITOP FLIGHT LIMITS ITY)					
Fold or	11.	TERMINAL IN CONTROL ZONE AIRPORT TRAFFIC PA YOUR AIRCRAFT OPERA VFR VFR WITH IFR CLEARA IFR WITH CLEARANCE IFR WITH NO CLEARAN RADAR BEACON AVAILA IN USE VES AIRCRAFT NAVIGATED VOR	CE BLE	G CONDIT	мо	POSITIVE OTHER (S S IFF/VFR DVFR/AD OTHER (S	ON IZ I	NTROL AIRSPACE ITOP TOP FLIGHT LIMITS ITY) NO TACAN					

13. C	OMMUNICATING WITH									
T	OWER	AF	APPROACH CONTROL				$\lceil \rceil$	GCA/PAR CONTROL		
Α	TC CENTER	R A	DARA	DV.	SERVI	E		FLIGHT SER. STA.		
-	EPT. CONTROL	AC	c/GC	COV	ITROL			NONE		
c	THER (Specify)									
14. PI	HASE OF FLIGHT									
YOU	PHASE		ОТ	HER	YOU	L_		PHASE	<u> </u>	OTHER
	TAKE OFF		1		<u></u>	τu	RNI	HNG		
	CLIMB					REFUELING				
	LEVEL FLIGHT				<u> </u>	ACROBATICS				
	DESCENDING		<u> </u>			OTHER (Specify)			illy)	
	LANDING									
	HOLDING PATTERN		_							
15. F	LIGHT ATMOSPHERIC	CONDIT	IONS							
0	VERCAST	CL	CLEAR				BROKEN CLOUDS			
5	CATTERED	TTERED VISIBILITY MILES:								
16. C	LOUD PROXIMITY									
Α	BOVE		IN/OUT CLOUD					UDS		
В	BELOW			<u> </u>	DISTANCE TO				CLOUDS	
8	BETWEEN LAYERS			,	HORIZONTAL				VERTICAL	
11	N CLOUDS									
17. F	LIGHT CONDITIONS									
8	RIGHT DAY	WN				HAZI	E			
G	LARING SUN	тн	HUNDERSTORM				ICING			
В	RIGHT NIGHT	₽R	ECIPI'	TATI	ION			FOG		
0	Usk	TURBULENCE								
18. 0	THER AIRCRAFT OBSE	RVEDA	т				0.0	CLOC	ĸ	
19. F	IRST SIGHTING OTHER	AIRCR	AFT							
^_	ABOVE YOU DIVE			ERGING			YOUR RIGHT			-
ŧ	BELOW YOU	CONV			ERGING			YOUR LEFT		
s	AME ALTITUDE	ΥO	YOU OVERTOOK OTHER OV				ER OVERT	гоок		
	HAT FIRST DIRECTED			го ті	HE OT	HER	Alf	RCRAF	т	
···	ISTANCE BETWEEN AL	RCRAFT								
	FIRST SIGHTING		LOSEST HOI		RIZONTAL		AL _	VERTICAL		
	,,	PROX			ļ					
	VASIVE ACTION	_	-ı-							,
YOU	ACTION		ОТ	HER	YOU			ACTIO	М	OTHER
	PULL UP		ļ		<u> </u>	AB	RUF	· τ		ļ
	DESCENT					LE	VEL	ED O	FF	ļ
<u> </u>	RIGHT TURN		<u> </u>		1	OTHER (Spe		(Spec	ify)	
1	LEFT TURN					Ī				ſ

23A, AIRCRAFT	DAM	AGE		, B. PERSONAL	INJURY				
YES	[No		YES		NO			
24. MARKINGS O	R LIC	SHTS		<u> </u>		-			
OBSERVED ON	ОТНЕ	RAIRCRAFT							
IN USE ON YOU	RAIR	CRAFT (8e sp	ocific)						
25. COMMENTS/I FOR PREVENTI						OMMENDATIONS ely fasten.)			
	20	5. IDENTIFICA	TION C	F REPORTING	PERSON				
FLIGHT CREWM				TINGS					
YES	1	NO		STUDENT		INSTRUMENT			
PILOT FLIGHT	TIME			PRIVATE		ATR			
TOTAL	IN TYPE AIRCRAFT		т	COMMERCIAL M		MILITARY			
INVOLVED				OTHER (Specify)					
MEDICAL CERTIFICATE		CLASS	LIMIT	FATIONS					
NAME (First, Mi	ddle,	Last)							
ADDRESS (Number and Street)									
CITY AND STATE ZIP CODE									
SIGNATURE				DATE					
Do you object t	o pu	blic disclosur	of th	is information?		Yes No			
THANK YOU. I	Pleas S. Ma	e fold with re	turn ad tage is	ldress out, fast required.	en, and	mail.			

Fold No. 1
Fold on dotted line with tatum address on outside

FEDERAL AVIATION ADMINISTRATION DEPARTMENT OF TRANSPORTATION

/DOCKET NO. 85557

EXTENSION OF POLICY REGARDING REPORTS OF NEAR MIDAIR COLLISIONS

The Federal Aviation Administration is extending for another year its 1968 policy that established (32 F.R. 16539) the reporting of near midair collisions. Extension of the policy for another year is considered appropriate since the final FAA report based upon the 1968 study and the resultant evaluation of the data assembled will not be issued until sometime in 1969.

Accordingly, the Administrator will take no enforcement or other adverse action, remedial or disciplinary, against any person involved in a near midair collision that is reported to the FAA during the extension of this policy. This action is taken under his statutory mandate to promote safety in flight. Furthermore, the Administrator will, upon written request of the person making the report, withhold that report, and the identity of those persons involved, from public disclosure in accordance with Section 1104 of the Federal Aviation Act of 1958.

Therefore, it is the policy of the Federal Aviation Administration that if any pilot of an aircraft, Air Traffic Controller, or other person involved in a near midair collision reports the facts, conditions, and circumstances thereof to the FAA -

- (a) The Administrator will not subject any person involved in the near midair collision to enforcement or other adverse action, remedial or disciplinary, even though a violation of the Federal Aviation Regulations is disclosed by the report or subsequent investigation; and
- (b) Upon written request of the person submitting the report, the Administrator will, to the extent authorized by Section 1104 of the Federal Aviation Act of 1958, withhold the identity of the persons involved in the near midair collision and the information contained in that report from public disclosure.

This policy applies to near midair collisions which occur from January 1, 1969, to December 31, 1969, inclusive.

Issued under the authority of sections 305, 307(c), 312(c), 313(a), 601(a), 701(a), and 1104 of the Federal Aviation Act of 1958 (49 U.S.C. 1346, 1348(c), 1353(c), 1354(a), 1321(a), 1441(a), and 1504).

D. D. Thomas
Acting Administrator

Issued in Washington, D. C., on December 17, 1968.

DEPARTMENT OF TRANSPORTATION FEDERAL AVIATION ADMINISTRATION Washington, D.C. 20590

Official Business

FIRST-CLASS MAIL

POSTAGE AND FEES PAID FEDERAL AVIATION ADMINISTRATION