

CHANGE

AC NO: 150/5340-22 CHG 1

DATE: 23 Jun 71



ADVISORY CIRCULAR

**DEPARTMENT OF TRANSPORTATION
FEDERAL AVIATION ADMINISTRATION**

SUBJECT: CHANGE 1 TO ADVISORY CIRCULAR 150/5340-22, GUIDE FOR DETERMINING
DEGRADATION AND CLEANING IN-PAVEMENT AIRPORT RUNWAY LIGHTING FIXTURES

1. PURPOSE. This advisory circular change transmits a page change to the subject advisory circular.
2. EXPLANATION OF CHANGE. An improved reproduction of Appendix 1, Page 4, Figure 4, is provided.
3. PAGE CONTROL CHART.

Remove Page	Dated	Insert Page	Dated
3 & 4	4/20/71	3	4/20/71
		4	6/23/71

A handwritten signature in cursive script that reads 'Chester G. Bowers'.

CHESTER G. BOWERS
Director, Airports Service

Initiated by: AS-580





FIGURE 3. CORRELATION OF MEASUREMENTS




LIGHT FIXTURE

5" MINIMUM

4" MINIMUM WIDTH

CARRYING HANDLE

SLOPE OF ENCLOSED CHANNEL IS 2 1/2° UNLESS OTHERWISE SPECIFIED



D C MICROAMMETER
SEE FIGURE 3

LIGHT SHIELD, MAKE PROVISIONS ON THIS SHIELD TO PERMIT PROPER LOCATION AND ORIENTATION OF THE MEASURING DEVICE.
THE BOLT LOCATIONS MAY BE USED AS A GUIDE.

SUPPORT LEG

PHOTOCELL FIGURE 3

FIGURE 4. MEASUREMENT DEVICE

CHANGE

AC NO: 150/5340-22 CHG 1

DATE: 23 Jun 71



ADVISORY CIRCULAR

DEPARTMENT OF TRANSPORTATION FEDERAL AVIATION ADMINISTRATION

SUBJECT: CHANGE 1 TO ADVISORY CIRCULAR 150/5340-22, GUIDE FOR DETERMINING
DEGRADATION AND CLEANING IN-PAVEMENT AIRPORT RUNWAY LIGHTING FIXTURES

1. PURPOSE. This advisory circular change transmits a page change to the subject advisory circular.
2. EXPLANATION OF CHANGE. An improved reproduction of Appendix 1, Page 4, Figure 4, is provided.
3. PAGE CONTROL CHART.

Remove Page	Dated	Insert Page	Dated
3 & 4	4/20/71	3	4/20/71
		4	6/23/71

A handwritten signature in cursive script, reading "Chester G. Bowers".

CHESTER G. BOWERS
Director, Airports Service