



U.S. Department
of Transportation
Federal Aviation
Administration



Advisory Circular

STOCK LEVEL INVENTORY REQUIREMENTS - 1985

Date: 8/15/85
Initiated by: AMS-420

No: 85-1

10A TECHNICAL UNIT
SEP 17 1985
DOT LIBRARY M493.2



1. Purpose. This listing transmits inventory data relative to the status of advisory circulars (AC's) stocked by Subsequent Distribution Section, M-494.3 as of August 15, 1985. The data contained herein is as accurate as the information provided at the time of this listing.

2. Reference. Advisory Circular Checklist, 00-2.

3. Background. Procedures for keeping advisory circulars current and advising the public regarding status of AC's not in stock necessitated the Management Standards and Statistics Division, AMS-400 to review the system used for replenishing stock of publications when stock is low and need to be reprinted. As a result, this listing was developed in order to provide the user, in a systematic way, with a means of obtaining desired information pertaining to stock levels. Data pertaining to stock level notifications are input, as they are received, on the Wang VS-100 word processor located in FOB-10A, Room 604.

4. General. All valid FAA issuances with a stock requirement of 50 or more are stocked in the DOT warehouse (M-494.3). Those designed for FAA and public consumption are stocked based on previous demand indicators. When issuances have reached their reorder levels, M-494.3 notifies the office of primary interest through AMS-420 by use of Form OST F 1700.6, Stock Level Notification. This form activates the system for replenishment of stock when quantities are low or stock is depleted.

5. Cancellations.

a. The following Advisory Circulars (AC's) are canceled. They have been revised with a letter A, B, C etc., after the consecutive number: (See additions list).

- AC 00-2XX Advisory Circular Checklist, 3/15/84 and Change 1, 1/15/85.
- AC 00-44V Status of Federal Aviation Regulations, 4/24/84.
- AC 00-45B Aviation Weather Services, (Revised 1979).
- AC 20-53 Protection of Aircraft Fuel Systems Against Lighting, 10/6/67.
- AC 20-110A Index of Aviation Technical Standard Orders, 1/12/83.
- AC 21-15C Availability of the Aircraft, Aircraft Engines and Propeller Type Certificate Data Sheets and Specifications, 3/30/83.
- AC 21.303-2E Announcement of Availability - Parts Manufacturer Approvals - 1982, 10/8/82.
- AC 39-6J Announcement of Availability - Summary of Airworthiness Directives, 3/4/84.
- AC 65-13G FAA Inspection Authorization Directory, 12/6/82
- AC 61-84A Role of Preflight Preparation, 12/1/80.
- AC 90-42C Traffic Advisory Practices at Nontower Airports, 11/19/82.
- AC 90-43E Operations Reservations for High-Density Traffic Airports, 9/28/82.
- AC 150/5000-4A Announcement of Availability - Airport Research and Technical Reports, 1/5/84.

8/15/85

AC 150/5000-5 Designated U.S. Airports Serving International Air Traffic, 2/3/83.

AC 150/5100-14A Architectural, Engineering, and Planning Consultant Services for Airport Grant Projects, 1/13/81.

AC 150/5200-12 Fire Department Responsibility in Protecting Evidence at the Scene of an Aircraft Accident, 8/7/69.

AC 150/5200-23 Airport Snow and Ice Control, 11/1/76.

AC 150/5210-5 Painting, Marking, and Lighting of Vehicles Used on an Airport, 8/31/66.

AC 150/5210-6B Aircraft Fire and Rescue Facilities and Extinguishing Agents, 1/26/73.

AC 150/5220-14 Airport Fire and Rescue Vehicle Specification Guide, 3/15/79.

AC 150/5300-9 Predesign and Preconstruction Conferences (ADAP Projects), 9/10/73.

AC 150/5345-1N Approved Airport Lighting Equipment, 2/11/85.

AC 150/5345-10D Specification L-828, Constant Current Regulators, 3/10/80.

AC 150/5345-27B Specification for Wind Cone Assemblies, 3/19/82.

AC 150/5345-28C Specification for L-851 Visual Approach Slope Indicators, 3/23/77.

AC 183.29-1S Designated Engineering Representatives, 7/31/84.

b. The following AC's are canceled by another AC identifier (if shown) or because the information contained in the circular is outdated and no longer beneficial to the aviation public:

AC 20-46 Suggested Equipment for Gliders Operating Under IFR, 9/23/65. Canceled by AFO-1 letter dated 2/6/85.

AC 20-63 Airborne Automatic Direction Finder Installations (Low and Medium Frequency), 7/7/69. Canceled by AWS-100 letter dated 5/3/85.

AC 150/5340-25 Visual Approach Slope Indicator (VASI) Systems, 9/24/76. Canceled by AC 150/5345-28D, 5/23/85.

AC 60-10 Recommended Safety Parameters for Operation of Hang Gliders, 5/16/74. Canceled by AFO-1 letter dated 2/6/85.

AC 90-64 Automated Radar Terminal System (ARTS) III, 6/22/73. Canceled by AAT-10 reminder memo dated 2/11/85.

AC 90-70 Straight-In Nonprecision Instrument Approach Procedures Visual Descent Point (VDP), 7/7/76. Canceled by AFO-1 letter dated 2/6/85.

AC 90-77 Terminal Conflict Alert (CA), 9/1/77. Canceled by AAT-10 reminder memo dated 2/11/85.

AC 91-9 Potential Hazards Associated With Turbojet Ground Operations, 6/19/65. Canceled by AFO-1 letter dated 2/6/85.

AC 91-24 Aircraft Hydroplaning or Aquaplaning on Wet Runways, 9/4/69. Canceled by AFO-1 letter dated 2/6/85.

AC 91-25A Loss of Visual Cues During Low Visibility Landings, 6/22/72.

AC 120-2A Precautionary Propeller Feathering to Prevent Runaway Propellers, 8/20/63. Canceled by AFO-1 letter dated 2/6/85.

AC 120-5 High Altitude Operations in Areas of Turbulence, 8/26/63. Canceled by AFO-1 letter dated 2/6/85.

AC 150/5210-9 Airport Fire Department Operating Procedures During Periods of Low Visibility, 10/27/67.

Canceled by AAS-1 letter dated 1/18/85.

AC 150/5340-20 Installation Details and Maintenance Standards for Reflective Markers for Airport Runway and Taxiway Centers, 2/19/69. Canceled by AAS-1 letter dated 6/12/85.

c. The following AC's have been replaced by FAA- S-8081-1, Private Pilot Practical Test Standards, 5/17/84: (This publication is for sale and is listed in Appendix III of this checklist).

AC 61-54A Private Pilot Airplane Flight Test Guide, 4/18/75.
 AC 61-59A Private and Commercial Pilot Helicopter Flight Test Guide, 3/3/77.
 AC 61-60 Private and Commercial Pilot Gyroplane, Flight Test Guide, (May 1973).
 AC 61-61A Private and Commercial Pilot-Glider-Flight Test Guide, 12/3/76.
 AC 61-62A Private and Commercial Pilot-Free Balloon-Flight Test Guide, 12/17/76.
 AC 61-63 Flight Test Guide, Private and Commercial Pilot Lighter-Than Air Airship, 5/23/74.

d. The following AC's have been replace by FAA-S-8081-2, Commercial Pilot Practical Test Standards, 7/85, effective 8/1/85: (This publication is for sale and is listed in Appendix III of this checklist).

AC 61-55A Commercial Pilot - Airplane, 4/25/75.
 AC 61-59A Private and Commercial Pilot Helicopter Flight Test Guide, 3/3/77.
 AC 61-60 Private and Commercial Pilot Gyroplane, Flight Test Guide, (May 1973).
 AC 61-61A Private and Commercial Pilot-Glider-Flight Test Guide, 12/3/76.
 AC 61-62A Private and Commercial Pilot-Free Balloon-Flight Test Guide, 12/17/76.
 AC 61-63 Flight Test Guide, Private and Commercial Pilot Lighter-Than Air Airship, 5/23/74.

6. Additions. The following advisory circulars are added to the list:

AC 00-2YY Advisory Circular Checklist, 10/15/85.
 AC 00-44W Status of Federal Aviation Regulations, 7/15/85.
 AC 00-45C Aviation Weather Services, 6/12/85.
 AC 20-53A Protection of Airplane Fuel Systems Against Fuel Vapor Ignition Due to Lighting, 4/12/85.
 AC 20-110-B Index of Aviation Technical Standard Orders, 4/12/85.
 AC 21-15D Announcement of Availability - Aircraft, Aircraft Engines and Propeller Type Certificate Data Sheets and Specifications, (2/85).
 AC 21-22 Injury Criteria for Human Exposure to Impact, 6/20/85.
 AC 21.303-2F Announcement of Availability - Parts Manufacturer Approvals - 1984 (Microfiche).
 AC 23.679-1 Control System Locks, 7/25/85.
 AC 23 955-1 Substantiating Flow Rates and Pressures in Fuel Systems of Small Airplanes, 7/3/85.
 AC 23.959-1 Unsuable Fuel Test Procedures For Small Airplanes, 1/14/85.
 AC 23.1521-1 Approval of Automobile Gasoline (Autogas) in Lieu of Aviation Gasoline (Avgas) in Small Airplanes With Reciprocating Engines, 1/25/85.

STOCK LEVEL INVENTORY REQUIREMENTS - M-494.3

Codes:

R = Reprint.	M = M-494 Stock Inventory Count.
I = Initial Stock.	SL = Stock Level Notification.
OPI = Office of Primary Interest.	G = GPO Replenishment Copies.
SN = GPO Stock Number**Sale Item.	EX = Loaned to GPO on Exchange.

NUMBER	TITLE/DATE/ROUTING SYMBOL(OPI)/ **PRICE/SN	PAGES	COPY COUNT	REPT.
				AND/ OR STOCK LEVEL DATE
00-2XX	Advisory Circular Checklist (3-15-85).(AMS-420).	40	8475I 350SL	4/85
00-6A**	Aviation Weather (3-3-75). (AFO-5). (\$8.50 Supt. Docs.) SN 050-007-00283-1.	220	1000R 1550R 1405M	9/83 -/84 8/84
00-7A	State and Regional Disaster Airlift (SARDA) Planning (6-3-74). (AVS-14). w/chg. 1.	78	2000R 100R	4/79 4/85
00-24B	Thunderstorms (1-20-83). (AFO-260).	260	8000I 1050M	8/84
00-25**	Forming and Operating a Flying Club (3-24-69). (APH-11). (\$1.75 Supt. Docs.) SN 050-007-00065-1.	60	198R	10/84
00-26	Definitions of "U.S. National Aviation Standards" (1-22-69). (APH-11).	4	100R 7M 200R -0-SL 200R	4/84 8/84 10/84 5/85 7/85

Report Date: 08 / 15 / 85

STOCK LEVEL INVENTORY REQUIREMENTS - M-494.3

Codes:

R = Reprint.	M = M-494 Stock Inventory Count.
I = Initial Stock.	SL = Stock Level Notification.
OPI = Office of Primary Interest.	G = GPO Replenishment Copies.
SN = GPO Stock Number**Sale Item.	EX = Loaned to GPO on Exchange.

NUMBER	TITLE/DATE/ROUTING SYMBOL(OPI)/ **PRICE/SN	PAGES	COPY COUNT	REPT. AND/ OR STOCK LEVEL DATE
00-30	Rules of Thumb for Avoiding or Minimizing Encounters with Clear Air Turbulence (3-5-70). (AFO-210). #5-23136	4	975R -0-SL 1280R	10/84 6/85 8/85
00-31A	United States (U.S.) National Aviation Standard for the VOR/DME/TAC Systems (9-20-82). (AWS-310).	26	1000I	
00-32	Civil Air Patrol and State and Regional Defense Airlift Relationships (7-2-70). (AWS-14).	8	-0-SL	9/84
00-33A	Nickel-Cadmium Battery Operational, Maintenance, and Overhaul Practices (2-14-73). (AWS-340).	6	1975R 480R -0-SL 1000R	5/83 12/84 6/85 8/85
00-34A	Aircraft Ground Handling and Servicing (7-29-74). (AWS-340).	12	1975R 1995R	5/83 1/85
00-41A	FAA Quality Control System Certification Program (11-3-75). (ALG-400).	4	500R 500R	4/83 10/84

Report Date: 08 / 15 / 85

STOCK LEVEL INVENTORY REQUIREMENTS - M-494.3

Codes:

R = Reprint.	M = M-494 Stock Inventory Count.
I = Initial Stock.	SL = Stock Level Notification.
OPI = Office of Primary Interest.	G = GPO Replenishment Copies.
SN = GPO Stock Number**Sale Item.	EX = Loaned to GPO on Exchange.

NUMBER	TITLE/DATE/ROUTING SYMBOL(OPI)/ **PRICE/SN	PAGES	COPY COUNT	REPT.
				AND/ OR STOCK LEVEL DATE
00-44W	Status of the Federal Aviation Regulations (7-15-85). (AGC-206).	12	3000I	
00-45C**	Aviation Weather Services (6/12/85). (AFO-5).(\$6.00 Supt. Docs.) SN 050-007-00513-0.	--	5000I	
00-46B	Aviation Safety Reporting Program (6-15-79). (ASF-300).	6	4600H	9/84
00-50A	Low Level Wind Shear (1-23-79). (AFO-5).	18	3000R 3490R 1500M 2100R	9/82 11/83 8/84 8/85
00-52	Ozone Irritation During Altitude Flight (7-21-77). (AFO-210).	4	350R 550R 500R	9/82 11/83 1/85
00-53	FAA Computer Software Quality Program (1-18-78). (ALC-410).	2	957I	9/84
11-2A	Notice of Proposed Rulemaking Distribution System (7-26-84). (AMS-420).	4	750I 30SL 750R	8/85 9/85

Report Date: 08 / 15 / 85

STOCK LEVEL INVENTORY REQUIREMENTS - M-494.3

Codes:

R = Reprint.	M = M-494 Stock Inventory Count.
I = Initial Stock.	SL = Stock Level Notification.
OPI = Office of Primary Interest.	G = GPO Replenishment Copies.
SN = GPO Stock Number**Sale Item.	EX = Loaned to GPO on Exchange.

NUMBER	TITLE/DATE/ROUTING SYMBOL(OPI)/ **PRICE/SN	PAGES	COPY COUNT	REPT.
				AND/ OR STOCK LEVEL DATE
20-3C	Status and Availability of Military Handbooks and ANC Bulletins for Aircraft (6-1-73). (AWS-110).	4	300R 190R	5/81 7/85
20-5E	Plane Sense (6-25-81). (AWS-310).	70	5000I 6600R 5600R	-/83 12/84
20-18A	Qualification Testing of Turbo-jet Engine Thrust Reversers (3-16-66). (AES-520).		4450R 200R	2/82 5/85
20-24A	Qualification of Fuels, Lubricants, and Additives (4-1-67). (ANE-100).	4	185R 200R 25SL	9/83 5/84 7/85
20-27C	Certification and Operation of Amateur-Built Aircraft (4-1-83). (AWS-203).	8	1000I 2500R -0-SL	-/83 5/85
20-29B	Use of Aircraft Fuel Anti-icing Additives (1-18-72). (AWS-120).	6	495R 385R 500R	-/82 9/83 5/85

Report Date: 08 / 15 / 85

STOCK LEVEL INVENTORY REQUIREMENTS - M-494.3

Codes:

R = Reprint.	M = M-494 Stock Inventory Count.
I = Initial Stock.	SL = Stock Level Notification.
OPI = Office of Primary Interest.	G = GPO Replenishment Copies.
SN = GPO Stock Number**Sale Item.	EX = Loaned to GPO on Exchange.

NUMBER	TITLE/DATE/ROUTING SYMBOL(OPI)/ **PRICE/SN	PAGES	COPY COUNT	REPT.
				AND/ OR STOCK LEVEL DATE
20-30B	Aircraft Position Light and Anticollision Light Installation (7-20-81). (AWS-130).	13	1500I 497R 490R	12/82 7/85
20-32B	Carbon Monoxide (CO) Contamination in Aircraft--Detection and Prevention (11-24-72). (AWS-140).	8	697R 490R	12/83 7/85
20-33B	Technical Information Regarding Civil Aeronautics Manuals 1, 3, 4a, 4b, 5, 6, 7, 8, 9, 13 and 14 (5-1-75). (AWS-200).	2	1000R 490R 490R	3/83 12/84 1/85
20-34D	Prevention of Retractable Landing Gear Failures (8-8-80). (AWS-340).	4	1975R 2000R	-/83 1/85
20-35C	Tie-Down Sense (7-12-83). (AWS-3).	20	3000I	
20-36p**	Index of Articles (Materials, Parts, Processes and Appliances) Certified Under the Technical Standard Order System (7-12-84).(AVN-113). (\$7.50 Supt. Docs.) SN 050-007-00596-2.	240	100I	

Report Date: 08 / 15 / 85

STOCK LEVEL INVENTORY REQUIREMENTS - M-494.3

Codes:

R = Reprint.	M = M-494 Stock Inventory Count.
I = Initial Stock.	SL = Stock Level Notification.
OPI = Office of Primary Interest.	G = GPO Replenishment Copies.
SN = GPO Stock Number**Sale Item.	EX = Loaned to GPO on Exchange.

<u>NUMBER</u>	<u>TITLE/DATE/ROUTING SYMBOL(OPI)/</u> <u>**PRICE/SN</u>	<u>PAGES</u>	<u>COPY</u> <u>COUNT</u>	<u>REPT.</u> <u>AND/</u> <u>OR</u> <u>STOCK</u> <u>LEVEL</u> <u>DATE</u>
20-37C	Aircraft Metal Propeller Blade Failure (7-15-80). (AWS-310)	8	1975R 2390R	1/83 11/84
20-38A	Measurement of Cabin Interior Emergency Illumination in Transport Airplanes (2-8-66). (ANM-100).	4	290R -0-SL	2/82 5/85
20-40	Placards for Battery-Excited Alternators Installed in Light Aircraft (8-11-65). (AWS-120). #5-23129	2	497R 497R -0-SL 195R	12/82 2/83 9/84 8/85
20-41A	Substitute Technical Standard Order (TSO) Aircraft Equipment (4-5-77). (AWS-120). #5-23130	2	497R -0-SL 495R	2/83 8/84 8/85
20-42B	Hand Fire Extinguishers for use in Aircraft (3-7-84). (AWS-310).	12	1300I 1500R	2/85
20-43C	Aircraft Fuel Control (10-20-76). (AWS-120).	12	1475R 980R	-/83 12/84

Report Date: 08 / 15 / 85

STOCK LEVEL INVENTORY REQUIREMENTS - M-494.3

Codes:

R = Reprint.	M = M-494 Stock Inventory Count.
I = Initial Stock.	SL = Stock Level Notification.
OPI = Office of Primary Interest.	G = GPO Replenishment Copies.
SN = GPO Stock Number**Sale Item.	EX = Loaned to GPO on Exchange.

NUMBER	TITLE/DATE/ROUTING SYMBOL(OPI)/ **PRICE/SN	PAGES	COPY COUNT	REPT.
				AND/ OR STOCK LEVEL DATE
20-44	Glass Fiber Fabric for Aircraft Covering (9-3-65). (AWS-120).	4	497R 490R	12/82 7/85
20-45	Safetying of Turnbuckles on Civil Aircraft (9-17-65). (AWS-110).	2	797R 490R	1/83 7/85
20-47	Exterior Colored Band Around Exits on Transport Airplanes (2-8-66). (AWS-110).	4	135R 100R -0-SL	1/83 4/85 3/85
20-48	Practice Guide for Decontaminating Aircraft (5-5-66). (AFO-5).	2	---	---
20-52	Maintenance Inspection Notes for Douglas DC-6/7 Series Aircraft (8-24-67). (Consolidated Reprint-- includes Change 1). (AWS-310).	94	225R 297R 240R 240R	7/82 3/83 11/84 11/85
20-53A	Protection of Aircraft Fuel Systems Against Fuel Vapor Ignition Due to Lightning (4-12-85). (ACE-111).	18	750I	

Report Date: 08 / 15 / 85

STOCK LEVEL INVENTORY REQUIREMENTS - M-494.3

Codes:

R = Reprint.	M = M-494 Stock Inventory Count.
I = Initial Stock.	SL = Stock Level Notification.
OPI = Office of Primary Interest.	G = GPO Replenishment Copies.
SN = GPO Stock Number**Sale Item.	EX = Loaned to GPO on Exchange.

NUMBER	TITLE/DATE/ROUTING SYMBOL(OPI)/ **PRICE/SN	PAGES	COPY COUNT	REPT. AND/ OR STOCK LEVEL DATE
20-56A	Marking of TSO-C72b Individual Flotation Devices (4-1-75). (AWS-120). 5-23232	1	500R 775R -0-SL 295R	6/31 2/82 9/84 3/85
20-57A	Automatic Landing Systems (ALS) (1-12-71). (AWM-110).	8	247R -0-SL 100R	12/82 9/84 4/85
20-59	Maintenance Inspection Notes for Convair 240, 340/440, 240T, and 340T Series Aircraft (2-19-69). (AWS-330). w/chg.1.	32 39	--- 994R 160M 100SL 235R	--- 4/31 8/34 4/85 7/85
20-60	Accessibility to Excess Emergency Exits (7-18-68). (AWM-110A).	2	185R 100R -0-SL	3/83 4/85 7/85
20-62C	Eligibility, Quality, and Identification of Approved Aeronautical Replacement Parts (8-26-76). (AWS-340).	4	998R 400R	5/30 3/85

Report Date: 08 / 15 / 85

STOCK LEVEL INVENTORY REQUIREMENTS - M-494.3

Codes:

R = Reprint.	M = M-494 Stock Inventory Count.
I = Initial Stock.	SL = Stock Level Notification.
OPI = Office of Primary Interest.	G = GPO Replenishment Copies.
SN = GPO Stock Number**Sale Item.	EX = Loaned to GPO on Exchange.

NUMBER	TITLE/DATE/ROUTING SYMBOL(OPI)/ **PRICE/SN	PAGES	COPY COUNT	REPT.
				AND/ OR STOCK LEVEL DATE
20-64	Maintenance Inspection Notes for Lockheed L-188 Series Aircraft (8-1-69). (AWS-330).	94	275R 40M	8/83 8/84
	#5-23296 (w/chg. 1)	--	25SL 240R	6/85 8/85
20-65	U.S. Airworthiness Certificates and Authorizations for Operation of Domestic and Foreign Aircraft (8-11-69). (AWS-200).	6	190R 190R	6/83 7/85
20-66	Vibration Evaluation of Aircraft Propellers (1-29-70). (AWS-140).	30	297R 300R	-/83 5/85
20-67A	Airborne VHF Communication System Installations (10-17-72). (AWS-110).	1	248R 20SL 190R	12/82 11/84 8/85
20-68B	Recommended Radiation Safety Precautions for Ground Operation of Airborne Weather Radar (8-8-80). (AVN-112).	6	186R -0-SL 195R	3/82 6/85 8/85
	#5-23232			

Report Date: 08 / 15 / 85

STOCK LEVEL INVENTORY REQUIREMENTS - M-494.3

Codes:

R = Reprint.	M = M-494 Stock Inventory Count.
I = Initial Stock.	SL = Stock Level Notification.
OPI = Office of Primary Interest.	G = GPO Replenishment Copies.
SN = GPO Stock Number**Sale Item.	EX = Loaned to GPO on Exchange.

NUMBER	TITLE/DATE/ROUTING SYMBOL(OPI)/ **PRICE/SN	PAGES	COPY COUNT	REPT.
				AND/ OR STOCK LEVEL DATE
20-69	Conspicuity of Aircraft Instrument Malfunction Indicators (5-14-70). (AWS-130). #5-23239	5	497R 245R	12/82 8/85
20-71	Dual Locking Devices on Fasteners (12-8-70). (AWS-120). #5-23233	4	298R -0-SL 295R	12/82 9/84 8/85
20-73	Aircraft Ice Protection (4-21-71). (AWS-140). #5-23234	52	1475R -0-SL 1495R	12/82 9/84 8/85
20-74	Aircraft Position and Anticollision Light Measurements (7-29-71). (AWS-130).	50	---	---
20-76	Maintenance Inspection Notes for Boeing B-707/720 Series Aircraft (10-21-71). (AWS-310).	38	500R 143R -5-SL 300R	2/81 1/85 6/85 8/85

Report Date: 08 / 15 / 85

STOCK LEVEL INVENTORY REQUIREMENTS - M-494.3

Codes:

R = Reprint.	M = M-494 Stock Inventory Count.
I = Initial Stock.	SL = Stock Level Notification.
OPI = Office of Primary Interest.	G = GPO Replenishment Copies.
SN = GPO Stock Number**Sale Item.	EX = Loaned to GPO on Exchange.

NUMBER	TITLE/DATE/ROUTING SYMBOL(OPI)/ **PRICE/SN	PAGES	COPY COUNT	REPT. AND/ OR STOCK LEVEL DATE
20-77	Use of Manufacturers' Maintenance Manuals (3-22-72). (AWS-310).	2	1190R 120R 500R	3/77 12/84 5/85
20-78	Maintenance Inspection Notes for McDonnell Douglas DC-8 Series Aircraft (7-11-72). (AVS-16).	54	---	---
20-82	Maintenance Inspection Notes for Fairchild Hiller F-27/FH-227 Series Aircraft (12-5-72). (AVS-16).	30	---	---
20-83	Maintenance Inspection Notes for Boeing B-737 Series Aircraft (1-17-73). (AWS-330). w/chgs. 1&2	26	975R 295R	3/81 2/85
20-84	Maintenance Inspection Notes for Boeing B-727 Series Aircraft (1-22-73). (AFO-5).	30	645M	8/84
CH-1			1300I	---
CH-2			1300I	---
20-88	Guidelines on the Marking of Powerplant Instruments (12-11-73). (AWS-140).	10	98R -0-SL	12/82 9/84

Report Date: 08 / 15 / 85

STOCK LEVEL INVENTORY REQUIREMENTS - M-494.3

Codes:

R = Reprint.	M = M-494 Stock Inventory Count.
I = Initial Stock.	SL = Stock Level Notification.
OPI = Office of Primary Interest.	G = GPO Replenishment Copies.
SN = GPO Stock Number**Sale Item.	EX = Loaned to GPO on Exchange.

NUMBER	TITLE/DATE/ROUTING SYMBOL(OPI)/ **PRICE/SN	PAGES	COPY COUNT	REPT. AND/ OR STOCK LEVEL DATE
20-93	Flutter Due to Ice or Foreign Substance on or in Aircraft Control Surfaces (1-29-76). (AF0-806).	2	1300R	4/85
20-94	Digital Clock Installation in Aircraft (3-4-76). (AWS-350).	2	175R 475R 490R	7/82 5/83 1/85
20-95	Fatigue Evaluation of Rotorcraft Structure (5-18-76). (ASW-100).	18	185R 200R 10SL 500R	9/83 2/85 7/85 9/85
20-96	Surplus Military Aircraft--A Briefing for Prospective Buyers (12-2-76). (AWS-200).	10	1490R 1190R	9/83 1/85
20-97	High-Speed Tire Maintenance and Operational Practices (1-28-77). (AWS-310).	2	1997R 540R	2/81 1/85
20-99	Antiskid and Associated Systems (5-27-77). (AWS-120).	2	497R 100R 500R	12/82 2/85 7/85

Report Date: 08 / 15 / 85

STOCK LEVEL INVENTORY REQUIREMENTS - M-494.3

Codes:

R = Reprint.	M = M-494 Stock Inventory Count.
I = Initial Stock.	SL = Stock Level Notification.
OPI = Office of Primary Interest.	G = GPO Replenishment Copies.
SN = GPO Stock Number**Sale Item.	EX = Loaned to GPO on Exchange.

NUMBER	TITLE/DATE/ROUTING SYMBOL(OPI)/ **PRICE/SN	PAGES	COPY COUNT	REPT. AND/ OR STOCK LEVEL DATE
20-100	General Guidelines for Measuring Fire-Extinguishing Agent Concentrations in Powerplant Compartments (9-21-77). (AWS-140).	24	1600M	8/84
20-101B**	Omega and Omega/VLF Navigation Systems Approvals for Use in the Conterminous United States and Alaska (12-1-80). (AWS-110). (\$1.75 Supt. Docs.) SN 050-007-00639-0.	6	1500I 4600M	8/84
20-103	Aircraft Engine Crankshaft Failure (3-7-78). (AWS-340).	4	1997R 50SL 600R	2/81 5/85 7/85
20-104	Revised Powerplant Engineering Report No. 3, Standard Fire Test Apparatus and Procedure (for Flexible Hose Assemblies) (4-12-78). (AWS-140).		1500R -0-SL 195R	4/81 9/84 8/85
20-105A	Engine Power-Loss Accident Prevention (11-20-80). (AWS-343).	6	750I 925R 1990R	2/82 2/85

Report Date: 08 / 15 / 85

STOCK LEVEL INVENTORY REQUIREMENTS - M-494.3

Codes:

R = Reprint.	M = M-494 Stock Inventory Count.
I = Initial Stock.	SL = Stock Level Notification.
OPI = Office of Primary Interest.	G = GPO Replenishment Copies.
SN = GPO Stock Number**Sale Item.	EX = Loaned to GPO on Exchange.

NUMBER	TITLE/DATE/ROUTING SYMBOL(OPI)/ **PRICE/SN	PAGES	COPY COUNT	REPT.
				AND/ OR STOCK LEVEL DATE
20-106**	Aircraft Inspection for the General Aviation Aircraft Owner (April 1978). (AWS-3). (\$5.00 Supt. Docs.) SN 050-007-00449-4.	38	400R 30M 45SL 425R	3/83 8/84 10/84 1/85
20-107A	Composite Aircraft Structure (4-25-84). (AWS-103). #5-23295	11	1000I 900M -0-SL 490R	9/84 6/85 8/85
20-108	Announcement of Availability--Report No. AS120-73-2, Fatigue Evaluation of Wing and Associated Structure on Small Airplanes (7-17-78). (AWS-120).	1	-0-SL 100R	9/84 2/85
20-109	Service Difficulty Program (General Aviation) (1-8-79). (AWS-310).	8	475R 240R 1995R	1/83 12/84 5/85
20-110B**	Index of Aviation Technical Standard Orders (4-12-84). (AWS-110). (\$2.75 Supt. Docs.) SN 050-007-00640-3.	18	750I	

Report Date: 03 / 15 / 85

STOCK LEVEL INVENTORY REQUIREMENTS - M-494.3

Codes:

R = Reprint.	M = M-494 Stock Inventory Count.
I = Initial Stock.	SL = Stock Level Notification.
OPI = Office of Primary Interest.	G = GPO Replenishment Copies.
SN = GPO Stock Number**Sale Item.	EX = Loaned to GPO on Exchange.

				REPT.
				AND/
				OR
				STOCK
			COPY	LEVEL
		PAGES	COUNT	DATE

NUMBER	TITLE/DATE/ROUTING SYMBOL(OPI)/ **PRICE/SN	PAGES	COPY COUNT	DATE
21-5H	Announcement of Availability--Summary of Supplemental Type Certificates 1984 Edition (4-25-84). (AVII-113).	1	750I	
21-6A**	Production Under Type Certificate Only (7-1-82). (AWS-203). (\$1.75 Supt. Docs.) SN 050-007-00636-5.	6	---	---
21-7A	Certification and Approval of Import Products (11-24-69). (AWS-200).	8	190R -0-SL	8/83 9/84
21-9A	Manufacturers Reporting Failures, Malfunctions, or Defects (5-26-82). (AWS-203).	3	1000I 500R 100SL 190R	8/82 4/84 7/85
21-10A	Flight Recorder and Cockpit Voice Recorder Underwater Locating Devices (4-19-83). (ANM-112).	4	1000I	
21-12**	Application for U.S. Airworthiness Certificate, FAA Form 8130-6(OMB- 04-R0058) (1-17-73). (AWS-202). (\$3.00 Supt. Docs.) SN 050-007-00637-3.	26	500R	9/83

Report Date: 08 / 15 / 85

STOCK LEVEL INVENTORY REQUIREMENTS - M-494.3

Codes:

R = Reprint.	M = M-494 Stock Inventory Count.
I = Initial Stock.	SL = Stock Level Notification.
OPI = Office of Primary Interest.	G = GPO Replenishment Copies.
SN = GPO Stock Number**Sale Item.	EX = Loaned to GPO on Exchange.

NUMBER	TITLE/DATE/ROUTING SYMBOL(OPI)/ **PRICE/SN	PAGES	COPY COUNT	REPT. AND/ OR STOCK LEVEL DATE
21-13	Standard Airworthiness Certification of Surplus Military Aircraft and Aircraft Built from Spare and Surplus Parts (4-5-73). (AWS-200).	6	500R 140R -5-SL 490R	11/81 12/84 5/85 8/85
21-14	The Role of Simulation in the Aircraft Certification Process (6-12-75). (AWS-110).	4	198R	5/84
21-15D	Announcement of Availability -- Aircraft, Aircraft Engines and Propeller Type Certificate Data Sheets and Specifications (2-85). AVN-113).	7	200I	
21-16B	Radio Technical Commission for Aeronautics Document DO-160B (10-9-84). (AWS-120).	1	750I	
21-17**	Carriage of Cargo in Restricted Category Aircraft and Other Special Purpose Operations (3-15-82). AWS-206). (\$1.75 Supt. Docs.) SN 050-007-00638-1.	4	1000I	

Report Date: 08 / 15 / 85

STOCK LEVEL INVENTORY REQUIREMENTS - M-494.3

Codes:

R = Reprint.	M = M-494 Stock Inventory Count.
I = Initial Stock.	SL = Stock Level Notification.
OPI = Office of Primary Interest.	G = GPO Replenishment Copies.
SN = GPO Stock Number**Sale Item.	EX = Loaned to GPO on Exchange.

				REPT.
				AND/
				OR
				STOCK
			COPY	LEVEL
		PAGES	COUNT	DATE

NUMBER

TITLE/DATE/ROUTING SYMBOL(OPI)/

**PRICE/SN

21-18**	Bilateral Airworthiness Agreements (8-20-82). (AWS-110). (\$7.00 Supt Docs.) SN 050-007-00614-4.	184	320I 200II	8/85
21-19	Installation of Used Engines In New Production Aircraft (4-26-82). (AWS-200).	2 50SL	190R 4/85 990R	1/85 7/85
21-20	Supplier Surveillance Procedures (7-22-82). (AWS-200).	3	1000I	
21-21	Use Of Automobile Gasoline In Agricultural Aircraft (8-24-84). (AWS-200).	3	500I	
21-22	Injury Criteria for Human Exposure to Impact (6/20/85). (AWS-120).	17	750I	
21.23-1	Type Certification-Fixed-Wing Gliders (Sailplanes) (1-12-81). (AWS-120).	6	1000I -0-SL	2/85
21.303-1A	Certification Procedures for Products and Parts (8-10-72). (AWS-200).	10	250R	2/84

Report Date: 08 / 15 / 85

STOCK LEVEL INVENTORY REQUIREMENTS - M-494.3

Codes:

R = Reprint.	M = M-494 Stock Inventory Count.
I = Initial Stock.	SL = Stock Level Notification.
OPI = Office of Primary Interest.	G = GPO Replenishment Copies.
SN = GPO Stock Number**Sale Item.	EX = Loaned to GPO on Exchange.

NUMBER	TITLE/DATE/ROUTING SYMBOL(OPI)/ **PRICE/SN	PAGES	COPY COUNT	REPT. AND/ OR STOCK LEVEL DATE
21.303-2F**	Announcement of Availability--Parts Manufacturer Approvals--1984 (Microfiche) (1-22-85). (AVN-113). ("Parts Manufacturer Approvals" publication is \$23.00-- Domestic and \$28.75-- Foreign Supt. Docs. SN 050-007-00593-9).	4	500I	
21.431-1	Designated Alteration Station Authorization Procedures (2-8-82). (AWS-130).	11	1000I	
23-2	Flammability Tests (8-20-84). (ACE-111).	5	500I	
23.607-1	Self-Locking Nuts on Bolts Subject to Rotation (8-24-84). (ACE-111).		1000I	
23.629-1	Means of Compliance with FAR 23.629, "Flutter" (1-8-79). (AWS-110).	50	183R 50SL 100R	9/83 8/84 2/85
23.679.1	Control System Locks (7-25-85). (ACE-111). #5-23163	2	750I	
23.683-1	Control System Operations Test (9-25-84). (ACE-111).	2	750I	

Report Date: 08 / 15 / 85

STOCK LEVEL INVENTORY REQUIREMENTS - M-494.3

Codes:

R = Reprint.	M = M-494 Stock Inventory Count.
I = Initial Stock.	SL = Stock Level Notification.
OPI = Office of Primary Interest.	G = GPO Replenishment Copies.
SN = GPO Stock Number**Sale Item.	EX = Loaned to GPO on Exchange.

NUMBER	TITLE/DATE/ROUTING SYMBOL(OPI)/ **PRICE/SN	PAGES	COPY COUNT	REPT.
				AND/ OR STOCK LEVEL DATE
23.729-1	Landing Gear Doors and Retraction Mechanism (3/26/84). (ACE-111).	2	1000I	
23.807-1	Emergency Exits In Small Airplanes (9-7-83). (ACE-112).	-	500I	
		-	350R	-/34
23.807-2	Doors Between Pilot's Compartment and Passenger Cabin In Small Airplanes (9-22-83). (ACE-112).	-	1000I	
23.807-3	Emergency Exits Openable From Outside For Small Airplanes (1-20-84). (ACE-111).		500I	
23.955-1	Substantiating Flow Rates and Pressures in Fuel Systems of Small Airplanes (6-10-85). (ACE-111).	9	500I	
23.959-1	Unusable Fuel Test Procedures For Small Airplanes (1-14-85). (ACE-111).	6	750I	
23.1011-1	Procedures For Determining Acceptable Fuel/Oil Ratio As Required By FAR 23.1011(b) (11-14-83). (ACE-111).	-	1000I	

Report Date: 08 / 15 / 85

STOCK LEVEL INVENTORY REQUIREMENTS - M-494.3

Codes:

R = Reprint.	M = M-494 Stock Inventory Count.
I = Initial Stock.	SL = Stock Level Notification.
OPI = Office of Primary Interest.	G = GPO Replenishment Copies.
SN = GPO Stock Number**Sale Item.	EX = Loaned to GPO on Exchange.

NUMBER	TITLE/DATE/ROUTING SYMBOL(OPI)/ **PRICE/SN	PAGES	COPY COUNT	REPT.
				AND/ OR STOCK LEVEL DATE
23.1305-1	Installation of Fuel Flowmeters in Small Airplanes With Continuous-Flow, Fuel-Injection, Reciprocating Engines, 12-21-84). (ACE-111).	6	500I	
23.1521-1	Approval of Automobile Gasoline (Autogas) in Lieu of Aviation Gasoline (Avgas) in Small Airplanes With Reciprocating Engines (1-25-85). (ACE-111).		3750I	
25-4	Inertial Navigation Systems (INS) (2/18/66). (ANM-110).	4	487R -0-SL 100R	9/83 6/85 8/85
25-5	Installation Approval on Transport Category Airplanes of Cargo Unit Load Devices Approved as Meeting the Criteria in NAS 3610 (6-3-70). (AWS-120).	2	---	---
25.253-1A	High-Speed Characteristics (12-27-76). (ANM-110A).	5	300R	2/82
25.571-1	Damage-Tolerance and Fatigue Evaluation of Structure (9-28-78). (AWS-120).	10	725R -0-SL	2/82 10/84

Report Date: 08 / 15 / 85

STOCK LEVEL INVENTORY REQUIREMENTS - M-494.3

Codes:

R = Reprint.	M = M-494 Stock Inventory Count.
I = Initial Stock.	SL = Stock Level Notification.
OPI = Office of Primary Interest.	G = GPO Replenishment Copies.
SN = GPO Stock Number**Sale Item.	EX = Loaned to GPO on Exchange.

NUMBER	TITLE/DATE/ROUTING SYMBOL(OPI)/ **PRICE/SN	PAGES	COPY COUNT	REPT. AND/ OR STOCK LEVEL DATE
25.629-1	Flutter Substantiation of Transport Category Airplanes (1-4-85). (ANM-111).	16	500I	
25.672-1	Active Flight Controls (11-15-83). (ANM-110B).	8	750I	
25.785-1	Flight Attendant Seat Requirements (12-4-81). (AWS-120).	6	1500I	
25.981-1A	Guidelines for Substantiating Compliance With the Fuel Tank Temperature Requirements (1-20-71). (AWS-110E).	3	285R	-/84
25.1309-1	System Design Analysis (9-7-82). (AWS-111).			
25.1329-1A	Automatic Pilot Systems Approval (7-8-68). (ANM-110A).	12 50	398R 0-SL 100R	12/82 9/84 4/85
25.1455-1	Waste Water/Potable Water Drain System Certification (3-11-85). (ANM-112).	3	500I	

Report Date: 08 / 15 / 85

STOCK LEVEL INVENTORY REQUIREMENTS - M-494.3

Codes:

R = Reprint.	M = M-494 Stock Inventory Count.
I = Initial Stock.	SL = Stock Level Notification.
OPI = Office of Primary Interest.	G = GPO Replenishment Copies.
SN = GPO Stock Number**Sale Item.	EX = Loaned to GPO on Exchange.

NUMBER	TITLE/DATE/ROUTING SYMBOL(OPI)/ **PRICE/SN	PAGES	COPY COUNT	REPT. AND/ OR STOCK LEVEL DATE
25.1457-1A	Cockpit Voice Recorder Installations (11-3-69). (ANM-110A).	5	500R 100R	4/81 4/85
29-1	Approval Basis for Automatic Stabilization Equipment (ASE) Installations in Rotorcraft (12-26-63). (AWS-160).	4	285R	-/84
29-2	Certification Of Transportation Category Rotorcraft (5-20-83). (ASW-110).	200	750I	
CH-1		114	300I	
CH-2		150	200I	
29.773-1	Pilot Compartment View (1-19-66). (AWS-160).	5	300R 125R	11/82 2/85
33-1B	Turbine-Engine Foreign Object Ingestion and Rotor Blade Containment Type Certification Procedures (4-22-70). (AWS-140).	10	185R -0-SL 250R	9/83 9/84 7/85
33-2A	Aircraft Engine Type Certification Handbook (6-5-72). (ANE-105).	42	97R -2-SL 300R	11/84 3/85 4/85

Report Date: 08 / 15 / 85

STOCK LEVEL INVENTORY REQUIREMENTS - M-494.3

Codes:

R = Reprint.	M = M-494 Stock Inventory Count.
I = Initial Stock.	SL = Stock Level Notification.
OPI = Office of Primary Interest.	G = GPO Replenishment Copies.
SN = GPO Stock Number**Sale Item.	EX = Loaned to GPO on Exchange.

NUMBER	TITLE/DATE/ROUTING SYMBOL(OPI)/ **PRICE/SN	PAGES	COPY COUNT	REPT. AND/ OR STOCK LEVEL DATE
33-3	Turbine and Compressor Rotors Type Certification Substantiation Procedures (9-9-68). (AWS-140).		6280R -0-SL 150R	2/82 9/84 5/85
33-4	Design Considerations Concerning The Use Of Titanium In Aircraft Turbine Engines (7-28-83). (ANE-110).	3	300I	
36-1C	Certificated and International Airplane Noise Levels (6-6-83). (AEE-110).	11	750I 100R	4/85
36-2B	Measured or Estimated (Uncertificated) Airplane Noise Levels (9-6-84). (AEE-110).	24	500I	
36-3C	Estimated Airplane Noise Levels in A-Weighted Decibels (9-28-83). (AEE-110).	3	3750I -0-SL	11/84
36-4	Noise Certification Test And Analysis Procedures (10-27-83). (AEE-110).	30	1400I 300R 50-SL 350R	1/85 6/85 8/85

Report Date: 08 / 15 / 85

STOCK LEVEL INVENTORY REQUIREMENTS - M-494.3

Codes:

R = Reprint.	M = M-494 Stock Inventory Count.
I = Initial Stock.	SL = Stock Level Notification.
OPI = Office of Primary Interest.	G = GPO Replenishment Copies.
SN = GPO Stock Number**Sale Item.	EX = Loaned to GPO on Exchange.

.	.	. REPT.
.	.	. AND/
.	.	. OR
.	.	. STOCK
.	.	. LEVEL
.	. COPY	. DATE
. PAGES	. COUNT	

<u>NUMBER</u>	<u>TITLE/DATE/ROUTING SYMBOL(OPI)/</u> <u>**PRICE/SN</u>			
37-2A	Test Procedures for Maximum Allowable Airspeed Indicators (10-22-74). (AWS-130).	1	100R -0-SL	5/81 9/84
39-1A	Jig Fixtures; Replacement of Wing Attach Angles and Doublers on Douglas Model DC-3 Series Aircraft Airworthiness Directive 66-18-2 (3-5-70). (AWS-340).	1	---	---
39-6K	Announcement of Availability--Summary of Airworthiness Directives (6-4-85). (AVN-113).	6	1000I	
39-7A	Airworthiness Directives for General Aviation Aircraft (9-17-82). (AWS-310).	5	1075R 500R 750R	5/83 1/85 7/85
43-2B	Minimum Barometry for Calibration and Test of Atmospheric Pressure Instruments (10-16-80). (AWS-343).	6	275R 480R	5/83 12/84
43-3**	Nondestructive Testing in Aircraft (5-11-73). (AFO-5). (\$4.50 Supt. Docs.) SN 5007-00208-4.	42	100M	8/85

Report Date: 08 / 15 / 85

STOCK LEVEL INVENTORY REQUIREMENTS - M-494.3

Codes:

R = Reprint.	M = M-494 Stock Inventory Count.
I = Initial Stock.	SL = Stock Level Notification.
OPI = Office of Primary Interest.	G = GPO Replenishment Copies.
SN = GPO Stock Number**Sale Item.	EX = Loaned to GPO on Exchange.

NUMBER	TITLE/DATE/ROUTING SYMBOL(OPI)/ **PRICE/SN	PAGES	COPY COUNT	REPT.
				AND/ OR STOCK LEVEL DATE
43-4	Corrosion Control for Aircraft (5-15-73). (AWS-310). w/chgs. 1&2	88	975R 985R	1/83 1/85
43-6A	Automatic Pressure Altitude Encoding Systems and Transponders Maintenance and Inspection Practices (11-11-77). (AWS-310).	121	332R -0-SL 575R	2/82 1/85 5/85
43-7	Ultrasonic Testing for Aircraft (9-24-74). (AWS-310). (\$1.75 Supt. Docs.) SN 050-007-00282-3.	48	1075M	8/84
43-9B	Maintenance Records (1-9-84). (AWS-310).	12 4	750I 1970R 500R	12/84 7/85
43-10A	Mechanical Work Performed on U.S. and Canadian registered Aircraft (2-25-83). (AWS-310).	3	1000I 100R	1/85
43-11	Reciprocating Engine Overhaul Terminology and Standards (4-7-76). (AWS-310).	3	275R 440R	-/83 2/85

Report Date: 08 / 15 / 85

STOCK LEVEL INVENTORY REQUIREMENTS - M-494.3

Codes:

R = Reprint.	M = M-494 Stock Inventory Count.
I = Initial Stock.	SL = Stock Level Notification.
OPI = Office of Primary Interest.	G = GPO Replenishment Copies.
SN = GPO Stock Number**Sale Item.	EX = Loaned to GPO on Exchange.

NUMBER	TITLE/DATE/ROUTING SYMBOL(OPI)/ **PRICE/SN	PAGES	COPY COUNT	REPT.
				AND/ OR STOCK LEVEL DATE
43-12A	Preventive Maintenance (10-28-83).	6	475R 1550R 25SL	1/84 12/84 7/85
43-14	Maintenance of Weather Radar Radomes (2-24-77). (AWS-310).	4	---	---
43-15	Recommended Guidelines for Instrument Shops (8-15-77). (AWS-350).	3	949R 390R	6/81 1/85
43-16	General Aviation Airworthiness Alerts. (AVN-110).	16	---	---
43-17	Methods, Techniques, and Practices Acceptable to the Administrator Governing the Installation, Removal, or Changes of Identification Data and Identification Plates (9-5-79) (AWS-340).	2	2000R 590R	5/81 1/85
43.9-1D	Instructions for Completion of FAA Form 337 (OMB 04-R0060), Major Repair and Alteration (Airframe, Powerplant, Propeller, or Appliance) (9-5-79). (AWS-310).	6	1290R 1000R 3000R	8/83 1/85 7/85

Report Date: 08 / 15 / 85

STOCK LEVEL INVENTORY REQUIREMENTS - M-494.3

Codes:

R = Reprint.
I = Initial Stock.
OPI = Office of Primary Interest.
SN = GPO Stock Number**Sale Item.

M = M-494 Stock Inventory Count.
SL = Stock Level Notification.
G = GPO Replenishment Copies.
EX = Loaned to GPO on Exchange.

.	.	REPT.
.	.	AND/
.	.	OR
.	.	STOCK
.	COPY	LEVEL
PAGES	COUNT	DATE

NUMBER	TITLE/DATE/ROUTING SYMBOL(OPI)/ **PRICE/SN
--------	---

43.13-1A** Acceptable Methods, Techniques and
Practices--Aircraft Inspection and
Repair (4-17-72). (ANS-340).
(\$8.00--Supt. Docs.)
S# 050-007-00461-3.

330	836R	2/82
	480R	4/85

43.13-2A** Acceptable Methods, Techniques, and
Practices--Aircraft Alterations
(6-9-77). (AWS-340). (\$5.50
Supt. Docs.) SN 050-007-00625-0.
(Includes Chg. 1).

110	375R	1/83
	440R	10/84

43-203B Altimeter and Static System Tests and
Inspections (6-20-79). (AWS-350).

5	199R	9/83
	380R	1/85
	-0-SL	8/85

45-2 Identification and Registration Marking
(7-7-72). (AWS-200).

4	490	-/83
	690R	7/85

60-4A Pilot's Spatial Disorientation
(2-9-83). (AFO-5).

2 1000I
9180R -/84

Report Date: 08 / 15 / 85

STOCK LEVEL INVENTORY REQUIREMENTS - M-494.3

Codes:

R = Reprint.	M = M-494 Stock Inventory Count.
I = Initial Stock.	SL = Stock Level Notification.
OPI = Office of Primary Interest.	G = GPO Replenishment Copies.
SN = GPO Stock Number**Sale Item.	EX = Loaned to GPO on Exchange.

NUMBER	TITLE/DATE/ROUTING SYMBOL(OPI)/ **PRICE/SN	PAGES	COPY COUNT	REPT.
				AND/ OR STOCK LEVEL DATE
60-6B	Airplane Flight Manuals (AFM), Approved Manual Materials, Markings, and Placards-- Airplanes (9-25-80). (AFO-5).	4	1000I 2250R 30SL 1365R	-/84 7/85 8/85
60-11A	Aids Authorized for Use by Airman Written Test Applicants (12-14-79). (AFO-5).		2490R 2900R	-/83 10/84
60-12	Availability of Industry-Developed Guidelines for the Conduct of the Biennial Flight Review (2-11-76). (AFO-5).	2	900R 700R	8/83 12/84
60-13	The Accident Prevention Counselor Program (4-27-76). (AFO-5).	3	1050R 300R 850R	-/83 1/85 6/85
60-14**	Aviation Instructor's Handbook (7-7-76). (AFO-820). Cancels AC 61-16A. (\$6.00 Supt. Docs.) SN 050-011-00072-1.	129	2681M 896M 200EX 225SL 56EX 168M	2/82 8/84 9/84 2/85 8/85 3/85

Report Date: 08 / 15 / 85

STOCK LEVEL INVENTORY REQUIREMENTS - M-494.3

Codes:

R = Reprint.	M = M-494 Stock Inventory Count.
I = Initial Stock.	SL = Stock Level Notification.
OPI = Office of Primary Interest.	G = GPO Replenishment Copies.
SN = GPO Stock Number**Sale Item.	EX = Loaned to GPO on Exchange.

				. REPT.
				. AND/
				. OR
				. STOCK
			. COPY	. LEVEL
		. PAGES	. COUNT	. DATE

NUMBER	TITLE/DATE/ROUTING SYMBOL(OPI)/ **PRICE/SN	PAGES	COPY COUNT	DATE
60-16	Announcement of Availability: FAA-P-8080.1, IFR and VFR Pilot EXAM-O-GRAMS (9-4-80). (AVN-112).	1	---	---
60-17A	New Airmen Written Test System (12-29-83). (AVN-132).	2	750I 500R	-/84
60-18	Transition Period For FAA Airmen Written Tests And Unused Test Items (12-3-84). (AVN-130/AFO-840).	3	1000I	
61-9B**	Pilot Transition Courses for Complex Single Engine and Light, Twin-Engine Airplanes(1-15-74). (AVN-112). (\$3.00 Supt. Docs.) SN 050-007-00226-2.	19	4500M	8/84
61-10A**	Private and Commercial Pilots Refresher Courses (9-27-72). (AVN-112). (\$3.75 Supt. Docs.)SN 050-011-00060-7.31		1000M	8/84
61-12J**	Student Pilot Guide (Revised 1979). AVN-112). (\$4.25 Supt. Docs.) SN 050-007-00476-1.	40	6600M	8/84

Report Date: 08 / 15 / 85

STOCK LEVEL INVENTORY REQUIREMENTS - M-494.3

Codes:

R = Reprint.	M = M-494 Stock Inventory Count.
I = Initial Stock.	SL = Stock Level Notification.
OPI = Office of Primary Interest.	G = GPO Replenishment Copies.
SN = GPO Stock Number**Sale Item.	EX = Loaned to GPO on Exchange.

NUMBER	TITLE/DATE/ROUTING SYMBOL(OPI)/ **PRICE/SN	PAGES	COPY COUNT	REPT. AND/ OR STOCK LEVEL DATE
61-13B**	Basic Helicopter Handbook (Revised 1978). (AFO-820).(\$5.50 Supt. Docs.) SN 050-011-00074-7. GPO to Ride.	117	1745R 25-SL 800R	2/82 2/85 5/85
61-19A	Safety Hazard Associated with Simulated Instrument Flights and the Use of View Limiting Devices on Aircraft (3-8-79). (AFO-820).	2	1200R 700R	9/82 10/84
61-21A	Flight Training Handbook (Revised 1980), (with Errata Sheet). (AFO-824).(\$9.00 Supt. Docs.) SN 050-007-00504-1.	325	1075R 50SL	8/85
61-233**	Pilot's Handbook of Aeronautical Knowledge (4-3-79). (AVN-100). (\$10.00 Supt. Docs.) SN 050-011-00077-7.	269	1075R 1000G 1000G	2/84 11/84 8/85
61-27C**	Instrument Flying Handbook (11-5-79). (AVN-100). (\$8.50 Supt. Docs.) SN 050-007-00585-7.	278	1097R 200M 50-SL 700G	2/83 8/84 3/85 5/85

Report Date: 08 / 15 / 85

STOCK LEVEL INVENTORY REQUIREMENTS - M-494.3

Codes:

R = Reprint.	M = M-494 Stock Inventory Count.
I = Initial Stock.	SL = Stock Level Notification.
OPI = Office of Primary Interest.	G = GPO Replenishment Copies.
SN = GPO Stock Number**Sale Item.	EX = Loaned to GPO on Exchange.

				. REPT.
				. AND/
				. OR
				. STOCK
				. LEVEL
				. DATE
<u>NUMBER</u>	<u>TITLE/DATE/ROUTING SYMBOL(OPI)/</u> <u>**PRICE/SN</u>	<u>PAGES</u>	<u>COPY</u> <u>COUNT</u>	

61-47A	Use of Approach Slope Indicators for Pilot Training (3-26-79). (AFO-5).	1	380R 600R	11/83 6/85
--------	--	---	--------------	---------------

61-54A**	Private Pilot Airplane Flight Test Guide (4-18-75). (AVN-113). (\$4.75 Supt. Docs.) SN 050-007-00300-5.84	1	260R 83-SL 500R	10/82 9/84 10/84
	To be canceled 9/85. Replaced by FAA-S-8081-1. =====			

61-55A**	Commercial Pilot Airplane Flight Test Guide (4-25-75). (AVN-132). (\$4.75 Supt. Docs.) SN 050-007-00295-5. GPO to Ride. Canceled. Replaced by FAA-S-8081-2. =====	81	500R 300R	1/83 5/85
----------	--	----	--------------	--------------

61-56A**	Flight Test Guide, Instrument Pilot Airplane (5-7-76). (AVN-132). (\$3.75 Supt. Docs.) SN 050-007-00343-9.	30	1275R 300R	1/82 5/85
----------	--	----	---------------	--------------

61-57A**	Type Rating, Airplane, Flight Test Guide (5-1-75). (AVN-132). (\$4.25 Supt. Docs.) SN 050-007-00299-3.	36	420R 136SL 300G	2/82 3/85 4/85
----------	--	----	-----------------------	----------------------

Report Date: 08 / 15 / 85

STOCK LEVEL INVENTORY REQUIREMENTS - M-494.3

Codes:

R = Reprint.	M = M-494 Stock Inventory Count.
I = Initial Stock.	SL = Stock Level Notification.
OPI = Office of Primary Interest.	G = GPO Replenishment Copies.
SN = GPO Stock Number**Sale Item.	EX = Loaned to GPO on Exchange.

NUMBER	TITLE/DATE/ROUTING SYMBOL(OPI)/ **PRICE/SN	PAGES	COPY COUNT	REPT. AND/ OR STOCK LEVEL DATE
61-58A**	Flight Instructor Practical Test Guide (Revised 1978). (AVN-110). (\$3.50 Supt. Docs.) SN 050-011-00076-3.	24	500G	-/84
61-59A**	Private and Commercial Pilot-Helicopter- Flight Test Guide (3-3-77). (AVN-110). (\$4.50 Supt. Docs.) SN 050-007-00384-6. Canceled. Replaced by FAA-S-8081-2. =====	44	---	---
61-60**	Private and Commercial Pilot Gyroplane, Flight Test Guide (May 1973). (AVN-113). (\$1.75 Supt. Docs.) SN 050-011-00066-6. Canceled. Replaced by FAA-S-8081-2. =====	49	1400H	3/84
61-61A**	Private and Commercial Pilot-Glider- Flight Test Guide (12-3-76). (AVN-110). (\$1.75 Supt. Docs.) SN 050-011-00375-7. Canceled. Replaced by FAA-S-8081-2. =====	38	1000H	3/84

Report Date: 08 / 15 / 85

STOCK LEVEL INVENTORY REQUIREMENTS - M-494.3

Codes:

R = Reprint.	M = M-494 Stock Inventory Count.
I = Initial Stock.	SL = Stock Level Notification.
OPI = Office of Primary Interest.	G = GPO Replenishment Copies.
SN = GPO Stock Number**Sale Item.	EX = Loaned to GPO on Exchange.

NUMBER	TITLE/DATE/ROUTING SYMBOL(OPI)/ **PRICE/SN	PAGES	COPY COUNT	REPT. AND/ OR STOCK LEVEL DATE
61-62A**	Private and Commercial Pilot--Free Balloon--Flight Test Guide (12-17-76). (AVN-110). (\$1.75 Supt. Docs.) SN 050-007-00375-7.	22	400R	2/82
	Canceled. Replaced by FAA-S-8081-2. *****			
61-63**	Flight Test Guide, Private and Commercial Pilot--Lighter-Than Air Airship (5-23-74). (AVN-110).	47	50-SL	1/85
	Canceled. Replaced by FAA-S-8081-2. *****			
61-64A**	Flight Test Guide--Instrument Pilot Helicopter (5-25-77). (AVN-110). (\$1.75 Supt. Docs.) SN 050-007-00404-4.	29	---	---
61-65B	Certification: Pilot and Flight Instructors (8-6-84). (AFO-840).	14	750I 7000R	12/84
61-66	Annual Pilot in Command Proficiency Checks (11-2-73). (AFO-840).	16	1900R	9/84
61-67A	Hazards Associated with Spins in Airplanes Prohibited from Intentional Spinning (10-8-82). (AFO-840).	5	1000I 1000R	4/85

Report Date: 08 / 15 / 85

STOCK LEVEL INVENTORY REQUIREMENTS - M-494.3

Codes:

R = Reprint.	M = M-494 Stock Inventory Count.
I = Initial Stock.	SL = Stock Level Notification.
OPI = Office of Primary Interest.	G = GPO Replenishment Copies.
SN = GPO Stock Number**Sale Item.	EX = Loaned to GPO on Exchange.

NUMBER	TITLE/DATE/ROUTING SYMBOL(OPI)/ **PRICE/SN	PAGES	COPY COUNT	REPT. AND/ OR STOCK LEVEL DATE
61-77**	Airline Transport Pilot Airplane Practical Test Guide (Part 61 Revised) (4-23-74). (AFO-5). (\$4.25 Supt. Docs.) SN 050-007-00257-2.	39	---	---
61-82**	Airline Transport Pilot--Helicopter-- Flight Test Guide (8-25-76). (AVN-132). (\$2.50 Supt. Docs.) SN 050-007-00358-7.	53	1575R 1000R	2/82 11/84
61-83B	Nationally Scheduled (FAA) Approved, Industry-Conducted Flight Instructor Refresher Clinics (7-6-84). (AFO-840).	11	1000I	
61-84B	Role of Preflight Preparation (3-18-85). (AFO-840).	8	1500I	
61-89A	Pilot Certificates: Aircraft Type Ratings (12-22-81). (AFO-840).	12	800M	8/84
61-91D	Pilot Proficiency Award Program (8-10-84). (AFO-806).	4	15000I	
61-92	Use of Distractions During Pilot Certification Flight Tests (1-25-80). (AFO-5).	2	1980R	-/84

Report Date: 08 / 15 / 85

STOCK LEVEL INVENTORY REQUIREMENTS - M-494.3

Codes:

R = Reprint.	M = M-494 Stock Inventory Count.
I = Initial Stock.	SL = Stock Level Notification.
OPI = Office of Primary Interest.	G = GPO Replenishment Copies.
SN = GPO Stock Number**Sale Item.	EX = Loaned to GPO on Exchange.

NUMBER	TITLE/DATE/ROUTING SYMBOL(OPI)/ **PRICE/SN	PAGES	COPY COUNT	REPT. AND/ OR STOCK LEVEL DATE
61-93	Replacing the Flight Test Guides With Practical Test Standards (3-27-84). (AVN-131).	7	750I	
61-94	Pilot Transition Course For Self- Launching Or Powered Sailplanes (Motorgliders) (7-31-84). (AFO-840).	10	750I	
61-95	Announcement of Availability: FAA-S-8081, Private Pilot Practical Test Standards (8-22-84). (AVN-131).	--	3500I	
61-96	Announcement of Availability: FAA-S-8081-2, Commercial Pilot Practical Test Standards, 7/22/85. (AVN-131).	3	750I	
65-2D**	Airframe and Powerplant Mechanics Certification Guide (1-30-76). (AWS-340). (\$5.00 Supt. Docs.) SN 050-007-00331-5.	72	620H	8/84
65-5A**	Parachute Rigger--Senior/Master-- Certification Guide (12-20-74). (AWS-340). (\$1.75 Supt. Docs.) SN 050-007-00287-4.	50	---	---

Report Date: 08 / 15 / 85

STOCK LEVEL INVENTORY REQUIREMENTS - M-494.3

Codes:

R = Reprint.	M = M-494 Stock Inventory Count.
I = Initial Stock.	SL = Stock Level Notification.
OPI = Office of Primary Interest.	G = GPO Replenishment Copies.
SN = GPO Stock Number**Sale Item.	EX = Loaned to GPO on Exchange.

NUMBER	TITLE/DATE/ROUTING SYMBOL(OPI)/ **PRICE/SN	PAGES	COPY COUNT	REPT.
				AND/ OR STOCK LEVEL DATE
65-9A**	Airframe and Powerplant Mechanics— General Handbook (4-12-76). (AWS-340). (\$18.00 Supt. Docs.) SN 050-007-00379-0.	--	1000G	10/84
65-11A**	Airframe and Powerplant Mechanics Certification Information (4-21-71). (AWS-340). (\$1.75 Supt. Docs.) SN 050-007-00171-1.	20	1300R 320R 545R	2/82 5/85 8/85
65-12A**	Airframe and Powerplant Mechanics Powerplant Handbook (4-12-76). (AWS-340). (\$12.00 Supt. Docs.) SN 050-007-00373-1.	--	100SL	3/85
65-13H**	FAA Inspection Authorization Directory (6-7-85). (AVN-132). (\$6.50 Supt. Docs.) SN 050-007-00626-8.	163	600I	
65-15A**	Airframe and Powerplant Mechanics Airframe Handbook (4-12-76). (AWS-340). (\$13.00 Supt. Docs.) SN 050-007-00391-9.	40	498R 400R	2/84 10/84

Report Date: 08 / 15 / 85

STOCK LEVEL INVENTORY REQUIREMENTS - M-494.3

Codes :

R = Reprint.
I = Initial Stock.
OPI = Office of Primary Interest.
SN = GPO Stock Number**Sale Item.

M = M-494 Stock Inventory Count.
SL = Stock Level Notification.
G = GPO Replenishment Copies.
EX = Loaned to GPO on Exchange.

	TITLE/DATE/ROUTING SYMBOL(OPI)/	.	.	. REPT.
	**PRICE/SN	.	.	. AND/
		.	.	. OR
		.	.	. STOCK
NUMBER		.	COPY	. LEVEL
		PAGES	COUNT	. DATE

65-19B**	Inspection Authorization Study Guide (Revised June 1978). (AWS-340). (\$4.50 Supt. Docs.) SN 050-007-00447-8.	72	1300M	8/84
65-23	Certification of Repairmen (Experimental Aircraft Builders) (9-28-79). (AWS-300).	5	300R 880R	6/84 5/85
65-24	Certification Of A Repairman (General) (2-1-83). (AWS-310).	--	750I	
67-1	Medical Information for Air Ambulance Operators (3-4-74). (AAM-620).	7	---	---
67-2**	Medical Handbook for Pilots (5-15-74). (AAM-620). (\$5.00 Supt. Docs.) SN 050-007-00254-8.	79	2000G 1400M	1/84 8/84
70-2D	Airspace Utilization Considerations in the Proposed Construction, Alteration, Activation and Deactivation of Airports (8-1-79). (ATO-240).	10	-0-SL	2/85

Report Date: 08 / 15 / 85

STOCK LEVEL INVENTORY REQUIREMENTS - M-494.3

Codes:

R = Reprint.	M = M-494 Stock Inventory Count.
I = Initial Stock.	SL = Stock Level Notification.
OPI = Office of Primary Interest.	G = GPO Replenishment Copies.
SN = GPO Stock Number**Sale Item.	EX = Loaned to GPO on Exchange.

NUMBER	TITLE/DATE/ROUTING SYMBOL(OPI)/ **PRICE/SN	PAGES	COPY COUNT	REPT. AND/ OR STOCK LEVEL DATE
70/7460-1F	Obstruction Marking and Lighting (9/27/78). (ATO-210).	72	999R 1000R 100SL	8/83 9/84 7/85
70/7460-2G	Proposed Construction or Alteration of Objects that may Affect the Navigable Airspace (11-30-77). (ATO-210). Revision in coordination. Due 9/85. Send Request for copies to ATO-210.	9	499 25SL 100SL	10/83 1/85 7/85
73-2	IFR Helicopter Operations in the Northeast Corridor (6-11-79). (ATF-4).	6	---	---
90-5	Coordination of Air Traffic Control Procedures and Criteria (6-13-63). (ATO-370).	3	---	---
90-23D	Aircraft Wake Turbulence (12-15-72). (AFO-224). #5-23136	17	1600H -0-SL 1980R	8/84 6/25 8/85
90-34	Accidents Resulting from Wheelbarrowing In Tricycle Gear Equipped Aircraft (2-27-68). (AFO-325).	2	640R -0-SL 800R	9/84 7/85 8/85

Report Date: 08 / 15 / 85

STOCK LEVEL INVENTORY REQUIREMENTS - M-494.3

Codes:

R = Reprint.	M = M-494 Stock Inventory Count.
I = Initial Stock.	SL = Stock Level Notification.
OPI = Office of Primary Interest.	G = GPO Replenishment Copies.
SN = GPO Stock Number**Sale Item.	EX = Loaned to GPO on Exchange.

NUMBER	TITLE/DATE/ROUTING SYMBOL(OPI)/ **PRICE/SN	PAGES	COPY COUNT	REPT.
				AND/ OR STOCK LEVEL DATE
90-42D	Traffic Advisory Practices at Nontower Airports (4-15-85). (ATO-230).	8	1000I -0-SL	7/85
90-43F	Operations Reservations for High-Density Traffic Airports (HDTA's) (4-22-85). (ATO-230).	5	750I	
90-45A	Approval of Area Navigation Systems for Use in the U.S. National Airspace System (2-21-75). (AFO-824).	82	375R 100M	3/82 2/85
90-48C	Pilots' Role in Collision Avoidance (3-18-83). (AFO-820).	7	5100R 3790R	11/83 4/85
90-50B	VHF Radio Frequency Assignment Plan for Aeronautical Operations (12-12-77). (AES-510).	3	1735I -0-SL	9/84
90-58C	VOR Course Errors Resulting from 50 kHz channel Mis-Selection (4-7-75). (AWS-310).	2	375R 190R 600R	3/82 1/85 7/85

Report Date: 08 / 15 / 85

STOCK LEVEL INVENTORY REQUIREMENTS - M-494.3

Codes:

R = Reprint.	M = M-494 Stock Inventory Count.
I = Initial Stock.	SL = Stock Level Notification.
OPI = Office of Primary Interest.	G = GPO Replenishment Copies.
SN = GPO Stock Number**Sale Item.	EX = Loaned to GPO on Exchange.

.	.	. REPT.
.	.	. AND/
.	.	. OR
.	.	. STOCK
.	.	. LEVEL
.	.	. DATE

<u>NUMBER</u>	<u>TITLE/DATE/ROUTING SYMBOL(OPI)/</u> <u>**PRICE/SN</u>	<u>PAGES</u>	<u>COPY</u> <u>COUNT</u>	<u>DATE</u>
90-65A	Air Traffic Fuel Economy Program (8-21-80). (ATO-370).	5	1500I 1000R	11/82
90-67A	Light Signals from the Control Tower for Ground Vehicles, Equipment, and Personnel (6-25-81). (ATO-320).	2	1000R 100SL	4/83 5/85
90-72A	Minimum Safe Altitude Warning (MSAW) (1-31-78). (ATO-320).	3	500R 100R 0-SL	4/83 1/85 5/85
90-75	Strobe Light System Inspection Practices (2-10-77). (AWS-310).	2	975R 200SL	12/82 12/84
90-76A	Flight Operations in Oceanic Airspace (9-18-84). (ATO-331).	6	700I	
90-78	En Route Conflict Alert (CA) (4-27-78). (ATO-320).	2	1020R 730M	10/82 8/84

Report Date: 08 / 15 / 85

STOCK LEVEL INVENTORY REQUIREMENTS - M-494.3

Codes:

R = Reprint.	M = M-494 Stock Inventory Count.
I = Initial Stock.	SL = Stock Level Notification.
OPI = Office of Primary Interest.	G = GPO Replenishment Copies.
SN = GPO Stock Number**Sale Item.	EX = Loaned to GPO on Exchange.

				. REPT.
				. AND/
				. OR
				. STOCK
				. LEVEL
				. DATE
<u>NUMBER</u>	<u>TITLE/DATE/ROUTING SYMBOL(OPI)/</u> <u>**PRICE/SN</u>	<u>PAGES</u>	<u>COPY</u> <u>COUNT</u>	

90-79	Recommended Practices and Procedures for the Use of Electronic Long-Range Navigation Equipment (7-14-80). (AFO-210).	16	1500I 500R	12/84
90-80	Approval of Airborne Radar Approach (ARA) Procedures For Helicopters to Offshore Platforms (5-18-81). (AVN-100).	23	1500I 800H	8/84
90-81	Procedures for Obtaining Publications-- Civil Non-FAA Operated Control Towers (11-9-83). (AAT-10).	--	500I	
90-82	Random Area Navigation Routes (10-28-83). (ATO-330).	4	600I 50R 990R	2/85 6/85
90-83	Terminal Control Areas(TCA) (12-19-83). (ATO-320).	2	500I 975R 990R	2/84 6/85

Report Date: 08 / 15 / 85

STOCK LEVEL INVENTORY REQUIREMENTS - M-494.3

Codes:

R = Reprint.
I = Initial Stock.
OPI = Office of Primary Interest.
SN = GPO Stock Number**Sale Item.

M = M-494 Stock Inventory Count.
SL = Stock Level Notification.
G = GPO Replenishment Copies.
EX = Loaned to GPO on Exchange.

NUMBER	TITLE/DATE/ROUTING SYMBOL(OPI)/ **PRICE/SN	PAGES	COPY COUNT	REPT. AND/ OR STOCK LEVEL DATE
90-84	Announcement of Availability: North Pacific (NOPAC) Operations Manual, Second Edition (11-21-84). (ATO-331).	1	500I	
90-85	Severe Weather Avoidance Plan (SWAP) (4-1-85) (ATO-410).	3	-0-SL	5/85
90-86	Announcement of Availability: North Atlantic MNPS Airspace Operations Manual, Fourth Edition (7/19/85). (AFO-220).	1	750I	
91-5C	Waivers of Subpart B, Part 91 of the Federal Aviation Regulations (FARs) (12-21-82). (ATO-220).	6	1000I 600R 100R	6/83 2/85
91-6A	Water, Slush, and Snow on the Runway (5-24-78). (AFO-5).	6	675R 500R 1000R	-/83 1/85 8/85
91-8B	Use of Oxygen by Aviation Pilots/Passengers (4-7-82). (AFO-5).	5	500R 1600R	9/83 10/84

Report Date: 08 / 15 / 85

STOCK LEVEL INVENTORY REQUIREMENTS - M-494.3

Codes:

R = Reprint.	M = M-494 Stock Inventory Count.
I = Initial Stock.	SL = Stock Level Notification.
OPI = Office of Primary Interest.	G = GPO Replenishment Copies.
SN = GPO Stock Number**Sale Item.	EX = Loaned to GPO on Exchange.

.	.	. REPT.
.	.	. AND/
.	.	. OR
.	.	. STOCK
.	. COPY	. LEVEL
. PAGES	. COUNT	. DATE

<u>NUMBER</u>	<u>TITLE/DATE/ROUTING SYMBOL(OPI)/</u> <u>**PRICE/SN</u>			
91-13C	Cold Weather Operation of Aircraft (7-24-79). (AFO-806).	9	4250R 2985R	9/82 10/84
91-14D	Altimeter Setting Sources (4-9-79). (AWS-340).	3	199R 190R 1000R	1/83 1/85 5/85
91-16	Category II Operations--General Aviation Airplanes (8-7-67). (AFO-5).	71	450R 545R 500R	9/82 -/84 4/85
91-22A	Altitude Alerting Devices/Systems (12-23-71). (AFO-210).	6	575R 300R	2/82 10/84
91-23A**	Pilot's Weight and Balance Handbook (6-9-77). (AVN-132). (\$5.00 Supt. Docs.) SN 050-007-00405-2.	76	700R 500H	-/83 8/84
91-26	Maintenance and Handling of Air-Driven Gyroscopic Instruments (10-29-69). (AWS-310).	2	475R 190R 500R	1/83 12/84 7/85

Report Date: 08 / 15 / 85

STOCK LEVEL INVENTORY REQUIREMENTS - M-494.3

Codes:

R = Reprint.	M = M-494 Stock Inventory Count.
I = Initial Stock.	SL = Stock Level Notification.
OPI = Office of Primary Interest.	G = GPO Replenishment Copies.
SN = GPO Stock Number**Sale Item.	EX = Loaned to GPO on Exchange.

<u>NUMBER</u>	<u>TITLE/DATE/ROUTING SYMBOL(OPI)/</u> <u>**PRICE/SN</u>	<u>PAGES</u>	<u>COPY</u> <u>COUNT</u>	<u>REPT.</u> <u>AND/</u> <u>OR</u> <u>STOCK</u> <u>LEVEL</u> <u>DATE</u>
91-28	Unexpected Opening of Cabin Doors (12-23-69). (AFO-825).	1	1175R 500R	10/82 12/84
91-32A	Safety In and Around Helicopters (6-21-79). (AFO-824).	7	500R	11/84
91-33A	Use of Alternate Grades of Aviation Gasoline for Grade 80/87 and Use of Automotive Gasoline (7-18-84). (ANE-110).	4	750I 1000R	4/85
91-35	Noise, Hearing Damage, and Fatigue in General Aviation Pilots (3-28-72). (AAI-620).	4	2000R 990R	6/82 4/85
91-36C	VFR Flight Near Noise-Sensitive Areas (10-19-84). (ATO-238).	2	750I	
91-37A	Truth in Leasing (1-16-78). (ATO-220).	7	950R 900R -0-SL	10/82 9/84 7/85

Report Date: 08 / 15 / 85

STOCK LEVEL INVENTORY REQUIREMENTS - M-494.3

Codes:

R = Reprint.	M = M-494 Stock Inventory Count.
I = Initial Stock.	SL = Stock Level Notification.
OPI = Office of Primary Interest.	G = GPO Replenishment Copies.
SN = GPO Stock Number**Sale Item.	EX = Loaned to GPO on Exchange.

NUMBER	TITLE/DATE/ROUTING SYMBOL(OPI)/ **PRICE/SN	PAGES	COPY COUNT	REPT.
				AND/ OR STOCK LEVEL DATE
91-38A	Large and Turbine-Powered Multiengine Airplanes, Part 91, Subpart D (11-27-78). (AFO-200).	10	---	---
91-41	Ground Operational Procedures for Aircraft Engine Emission Reduction and Fuel Conservation (3-12-74). (AEE-200).	2	-0-SL	9/84
91-42D	Hazards of Rotating Propeller and Helicopter Rotor Blades (3-3-83). (AWS-310).	5	975R 1500R	6/84 4/85
91-43	Unreliable Airspeed Indications (6-26-75). (AFO-223).	2	1440R 50SL 1000R	11/83 5/85 8/85
91-44A	Operational and Maintenance Practices for Emergency Locator Transmitters and Receivers (12-12-80). (AVN-100/AWS-130).	16	2975R -0-SL 1495R	2/82 3/85 8/85

Report Date: 08 / 15 / 85

STOCK LEVEL INVENTORY REQUIREMENTS - M-494.3

Codes:

R = Reprint.	M = M-494 Stock Inventory Count.
I = Initial Stock.	SL = Stock Level Notification.
OPI = Office of Primary Interest.	G = GPO Replenishment Copies.
SN = GPO Stock Number**Sale Item.	EX = Loaned to GPO on Exchange.

NUMBER	TITLE/DATE/ROUTING SYMBOL(OPI)/ **PRICE/SN	PAGES	COPY COUNT	REPT.
				AND/ OR STOCK LEVEL DATE
91-45B	Waivers--Airshow/Contests/Races (8-5-81). (AFO-840). 2nd reprint. 3rd reprint.	15	1100R 830R 1000R	8/83 4/85 4/85
91-46	Gyroscopic Instruments--Good Operating Practices (2-4-77). (AWS-310).	3	275R 180R 10SL	5/83 1/85 5/85
91-47	Use of Portable Electronic Devices--Radio Receivers (3-23-77). (AWS-310).	2	300R 180R 600R	3/82 1/85 7/85
91-48	Acrobatics--Precision Flying With a Purpose (6-29-77). (AFO-820).	7	849R 1000R	10/83 4/85
91-49	General Aviation Procedures for Flight in North Atlantic Minimum Navigation Performance Specifications Airspace (8-23-77). (AFO-824).	11	390R	9/84

Report Date: 08 / 15 / 85

STOCK LEVEL INVENTORY REQUIREMENTS - M-494.3

Codes:

R = Reprint.	M = M-494 Stock Inventory Count.
I = Initial Stock.	SL = Stock Level Notification.
OPI = Office of Primary Interest.	G = GPO Replenishment Copies.
SN = GPO Stock Number**Sale Item.	EX = Loaned to GPO on Exchange.

NUMBER	TITLE/DATE/ROUTING SYMBOL(OPI)/ **PRICE/SN	PAGES	COPY COUNT	REPT. AND/ OR STOCK LEVEL DATE
91-50	Importance of Transponder Operation and Altitude Reporting (8-24-77). (AWS-310).	2	475R 190R 600R	1/83 1/85 7/85
91-51	Airplane Deice and Anti-Ice Systems (9-15-77). (AFO-806).	4	939R 675R	10/83 4/85
91-53	Noise Abatement Departure Profile (10-17-78). (AFO-223).	7	-0-SL	8/84
91-54	Automatic Reporting Systems--Altimeter Setting and Other Operational Data (2-26-78). (AFO-820).	9	375R 200R	2/82 10/84
91-55	Reduction of Electrical System Failures Following Aircraft Engine Starting (10-28-80). (AWS-310).	2	750R 190R 1000R	3/82 12/84 5/85
91-56	Supplemental Structural Inspection Program For Large Transport Category Airplanes (5-6-81). (AWS-310).	11	1000I 1000I	
CH-1			1000I	
CH-2			1000I	

Report Date: 08 / 15 / 85

STOCK LEVEL INVENTORY REQUIREMENTS - M-494.3

Codes:

R = Reprint.	M = M-494 Stock Inventory Count.
I = Initial Stock.	SL = Stock Level Notification.
OPI = Office of Primary Interest.	G = GPO Replenishment Copies.
SN = GPO Stock Number**Sale Item.	EX = Loaned to GPO on Exchange.

NUMBER	TITLE/DATE/ROUTING SYMBOL(OPI)/ **PRICE/SN	PAGES	COPY COUNT	REPT.
				AND/ OR STOCK LEVEL DATE
91-57	Model Aircraft Operating Standards (6-9-81). (ATO-220).	1	---	---
91-58	Use of Pyrotechnic Visual Distress Signaling Devices in Aviation (5-27-82). (AFO-320).	3	1000I	
91--59	Inspection and Care of General Aviation Aircraft Exhaust Systems (8-20-82). (AWS-340).	4	750I 57R 350R 1000R	5/84 1/85 5/85
91-60	The Continued Airworthiness of Older Airplanes (6-13-83). (AWS-310).	--	1000R	-/84
91-61	A Hazard in Aerobatics: Effects or G-Forces of Pilots (2-28-84). (AFO-800/AAFI-500).	13	975I 1500R	12/84
91-62	Use of Child/Infant Seats In Aircraft (2-26-85). (AWS-120).	4	2000I	
91-63	Temporary Flight Restrictions (TFR) (4-15-85). (ATO-230).	6	1000I	

Report Date: 08 / 15 / 85

STOCK LEVEL INVENTORY REQUIREMENTS - M-494.3

Codes:

R = Reprint.	M = M-494 Stock Inventory Count.
I = Initial Stock.	SL = Stock Level Notification.
OPI = Office of Primary Interest.	G = GPO Replenishment Copies.
SN = GPO Stock Number**Sale Item.	EX = Loaned to GPO on Exchange.

NUMBER	TITLE/DATE/ROUTING SYMBOL(OPI)/ **PRICE/SN	PAGES	COPY COUNT	REPT.
				AND/ OR STOCK LEVEL DATE
91-64	Use of Remote Altimeter Settings Instrument Approach Procedures (4-23-85) (AVN-220).	2	1000I	
91.11-1**	Guide to Drug Hazards in Aviation Medicine (7-19-63). (AAM-620). (\$5.50 Supt. Docs.) SN 050-009-00001-7.	2	2000H	8/84
91.83-1B	Canceling or Closing Flight Plans (6-24-82). (ATO-360).	2	1000R 5000R 1000R	5/83 9/84
97-1A	Runway Visual Range (RVR) (9-28-77). (AFO-224).	5	650R 325R	9/82 3/85
99-1B	Security Control of Air Traffic (8-2-85). (ATO-330).	5	1000I	
101-1A	Waivers of Part 101, Federal Aviation Regulations (6-3-81). (ATO-223).	3	---	---
103-4	Hazard Associated with Sublimation of Solid Carbon Dioxide (Dry Ice) Aboard Aircraft (5-1-74). (AAM-620).	3	----	---

Report Date: 08 / 15 / 85

STOCK LEVEL INVENTORY REQUIREMENTS - M-494.3

Codes:

R = Reprint.	M = M-494 Stock Inventory Count.
I = Initial Stock.	SL = Stock Level Notification.
OPI = Office of Primary Interest.	G = GPO Replenishment Copies.
SN = GPO Stock Number**Sale Item.	EX = Loaned to GPO on Exchange.

NUMBER	TITLE/DATE/ROUTING SYMBOL(OPI)/ **PRICE/SN	PAGES	COPY COUNT	REPT.
				AND/ OR STOCK LEVEL DATE
103-6	Ultralight Vehicle Operations-Airports, ATC, and Weather (6-23-83). (ATO-230).	21	1500I 1500R 1000R	9/84 2/85
103-7	The Ultralight Vehicle (1-30-84). (AFO-820).	25	750I 1425R 4000R	3/84 10/84
105-2A	Sport Parachute Jumping (4-11-79). (AFO-820).	17	395R 400R	5/83 12/84
107-1	Aviation Security--Airports (5-19-72). (ACS-100).	28	395R -0-SL	/84 4/85
108-1**	Air Carrier Security (10-16-81). (ACS-3). (\$3.75 Supt. Docs.) SN 050-007-00642-0.	21	500R	-/84
108-2	Security Rules--Carriage of Weapons and Escorted Persons (10-16-81). (ACS-3).	19	499R 500R	10/83 10/84

Report Date: 08 / 15 / 85

STOCK LEVEL INVENTORY REQUIREMENTS - M-494.3

Codes:

R = Reprint.	M = M-494 Stock Inventory Count.
I = Initial Stock.	SL = Stock Level Notification.
OPI = Office of Primary Interest.	G = GPO Replenishment Copies.
SN = GPO Stock Number**Sale Item.	EX = Loaned to GPO on Exchange.

NUMBER	TITLE/DATE/ROUTING SYMBOL(OPI)/ **PRICE/SN	PAGES	COPY COUNT	REPT. AND/ OR STOCK LEVEL DATE
108-3	Screening of Persons Carrying U.S. Classified Material (11-6-81). (ACS-100).	4	300I	
109-1**	Aviation Security--Acceptance and Handling Procedures Indirect Air Carrier Security (3-3-82). (ACS-100). (\$2.25 Supt. Docs.) SN 050-007-00643-8.	14	1000I	
120-12	Private Carriage Versus Common Carriage by Commercial Operators Using Large Aircraft (6-24-64). (AVS-12).	3	330R 400R 200R	3/82 11/84 8/85
120-16C	Continuous Airworthiness Maintenance Programs (8-8-80). (AWS-350).	7	100R 400R 1000R	1/83 12/84 7/85
120-17A	Maintenance Control by Reliability Methods (3-27-78). (AWS-330).	64	1500R 400R	1/81 2/85
120-26F	Designator/Radio Telephony Assignment for Aircraft Operating Agencies, Aeronautical Authorities Services (4-1-80). (ATO-200).	8	1500I 500R 1500I	2/85
CH-1				

Report Date: 08 / 15 / 85

STOCK LEVEL INVENTORY REQUIREMENTS - M-494.3

Codes:

R	= Reprint.	M	= M-494 Stock Inventory Count.
I	= Initial Stock.	SL	= Stock Level Notification.
OPI	= Office of Primary Interest.	G	= GPO Replenishment Copies.
SN	= GPO Stock Number**Sale Item.	EX	= Loaned to GPO on Exchange.

NUMBER	TITLE/DATE/ROUTING SYMBOL(OPI)/ **PRICE/SN	PAGES	COPY COUNT	REPT.
				AND/ OR STOCK LEVEL DATE
120-27A	Aircraft Weight and Balance Control (5-14-80). (AWS-310).	10	975R 550R	1/83 2/85
120-28C	Criteria for Approval of Category III Landing Weather Minima (3-9-84). (AFO-210).	28	2000I 1958M	8/84
120-29	Criteria for Approving Category I and Category II Landing Minima for FAR 121 Operators (9-25-70). (AFO-210).	40	940R 570M	-/84 8/84
120-30A	Reporting Requirements of Air Carriers, Commercial Operators, Travel Clubs, and Air Taxi Operators of Large and Small Aircraft (9-8-76). (AWS-310).	2	425R 235R 1300R	6/82 2/85 7/85
120-31A	Operational and Airworthiness Approval of Airborne Omega Radio Navigation Systems as a Means of Updating Self-Contained Navigation Systems (4-21-77). (AFO-5).	8	490R 500R	11/83 6/85

Report Date: 08 / 15 / 85

STOCK LEVEL INVENTORY REQUIREMENTS - M-494.3

Codes:

R = Reprint.	M = M-494 Stock Inventory Count.
I = Initial Stock.	SL = Stock Level Notification.
OPI = Office of Primary Interest.	G = GPO Replenishment Copies.
SN = GPO Stock Number**Sale Item.	EX = Loaned to GPO on Exchange.

				. REPT.
				. AND/
				. OR
				. STOCK
			. COPY	. LEVEL
		. PAGES	. COUNT	. DATE

<u>NUMBER</u>	<u>TITLE/DATE/ROUTING SYMBOL(OPI)/</u> <u>**PRICE/SN</u>			
120-32	Air Transportation of Handicapped Persons (3-25-77). (AFO-223).	10	750R	-/84
120-33	Operational Approval of Airborne Long-Range Navigation Systems for Flight Within the North Atlantic Minimum Navigation Performance Specifications Airspace (6-24-77). (AFO-223).	12	500R 225R	10/81 9/84
120-34	Air Transportation of Mental Patients (6-29-77). (AFO-223).	3	340R 30SL 300R	11/83 5/85 8/85
120-35A	Line-Oriented Flight Training Programs(8-11-81). (AFO-260).	4	---	---
120-36	Air Carrier Dispersal Planning Program (6-5-78). (ATF-10).	49	340M	8/84
120-37	Operational and Airworthiness Approval of Airborne Omega Radio Navigational Systems as a Sole Means of Long Range Navigation Outside the United States (10-10-78). (AWS-130).	10	---	--

Report Date: 08 / 15 / 85

STOCK LEVEL INVENTORY REQUIREMENTS - M-494.3

Codes:

R = Reprint.	M = M-494 Stock Inventory Count.
I = Initial Stock.	SL = Stock Level Notification.
OPI = Office of Primary Interest.	G = GPO Replenishment Copies.
SN = GPO Stock Number**Sale Item.	EX = Loaned to GPO on Exchange.

NUMBER	TITLE/DATE/ROUTING SYMBOL(OPI)/ **PRICE/SN	PAGES	COPY COUNT	REPT. AND/ OR STOCK LEVEL DATE
120-38	Transport Category Airplanes Cabin Ozone Concentrations (10-10-80). (AFO-260).	30	750I	
120-39	Hazards of Waste Water Ice Accumulation Separating From Aircraft In Flight (10-31-80). (AWS-331).	2	1500I 575R	-/83
120-40	Airplane Simulator And Visual System Evaluation (1-31-83). (ASO-205).	21	1500I -0-SL	9/84
120-41	Criteria For Operational Approval Of Airborne Wind Shear Alerting and Flight Guidance Systems (11-7-83). (AFO-210).	--	750I 345M	8/84
120-42	Extended Range Operation With Two-Engine Airplanes (6-6-85). (AFO-210).	31	750I	
121-1A	Standard Operations Specifications-- Aircraft Maintenance Handbook (6-26-73). (AWS-330). w/chgs. 1 thru 4.	404	775R 600R	12/82 2/85

Report Date: 08 / 15 / 85

STOCK LEVEL INVENTORY REQUIREMENTS - M-494.3

Codes:

R = Reprint.	M = M-494 Stock Inventory Count.
I = Initial Stock.	SL = Stock Level Notification.
OPI = Office of Primary Interest.	G = GPO Replenishment Copies.
SN = GPO Stock Number**Sale Item.	EX = Loaned to GPO on Exchange.

NUMBER	TITLE/DATE/ROUTING SYMBOL(OPI)/ **PRICE/SN	PAGES	COPY COUNT	REPT.
				AND/ OR STOCK LEVEL DATE
121-6	Portable Battery-Powered Megaphones (1-5-66). (AWS-110).	1	---	---
121-13	Self-Contained Navigation Systems (Long Range) (10-14-69). (AFO-224). (w/chgs. 1&2)	9	350R 200R	2/82 3/85
121-16	Maintenance Certification Procedures (11-9-70). (AWS-330).	4	475R 375R	12/82 11/84
121-21B	Information Guide for Training Programs and Manual Requirements in the Air Transportation of Hazardous Materials (12-22-83). (ACS-100).	5	7501 100R 500R	11/84 8/85
121-22	Maintenance Review Board (MRB) (1-12-77). (AWS-330).	80	300M 20SL	8/84 5/85
121-23	Preparation and Loading of Magnetron Tubes and Magnetic Materials for Air Shipments (2-10-77). (ACS-200).	2	34R 100R	3/82 10/84
	Will be revised (10/1/85) per ACS-3A.			

Report Date: 08 / 15 / 85

STOCK LEVEL INVENTORY REQUIREMENTS - M-494.3

Codes:

R = Reprint.	M = M-494 Stock Inventory Count.
I = Initial Stock.	SL = Stock Level Notification.
OPI = Office of Primary Interest.	G = GPO Replenishment Copies.
SN = GPO Stock Number**Sale Item.	EX = Loaned to GPO on Exchange.

NUMBER	TITLE/DATE/ROUTING SYMBOL(OPI)/ **PRICE/SN	PAGES	COPY COUNT	REPT.
				AND/ OR STOCK LEVEL DATE
121-24	Passenger Safety Information Briefing and Briefing Cards (6-23-77). (AFO)-223).	5	500R 85R 150R	3/79 10/84 4/85
121-25	Additional Weather Information: Domestic and Flag Air Carriers (9-16-77). (AFO)-224).	5	2000I 300R	6/85
121-26	Airports--Required Data (6-29-81). (AFO-250).	1	750I	
121-27	Guide For Air Carriers, Freight Forwarders, and Shippers in Obtaining Information Dealing with the Transportation of Hazardous Materials by Air (12-22-83). (ACS-100).	2	500I 475R 750R	2/84 2/85
121.195(d)-1	Alternate Operational Landing Distances for Wet Runways; Turbojet Powered Transport Category Airplanes (11-19-65).	2	48R -0-SL 200R	3/82 9/84 7/85

Report Date: 08 / 15 / 85

STOCK LEVEL INVENTORY REQUIREMENTS - M-494.3

Codes:

R = Reprint.	M = M-494 Stock Inventory Count.
I = Initial Stock.	SL = Stock Level Notification.
OPI = Office of Primary Interest.	G = GPO Replenishment Copies.
SN = GPO Stock Number**Sale Item.	EX = Loaned to GPO on Exchange.

NUMBER	TITLE/DATE/ROUTING SYMBOL(OPI)/ **PRICE/SN	PAGES	COPY COUNT	REPT.
				AND/ OR STOCK LEVEL DATE
121.445-1A	Pilot In Command Qualifications For Special Areas/Routes And Airports. FAR 121.445 (3-25-81). (AFO-260).	8	1500I	
125-1	Operations of Large Airplanes Subject to Federal Aviation Regulations Part 125 (1-22-81). (AFO-820).	91	1990M	8/84
129-3	Foreign Air Carrier (6-10-82). (ACS-120). (\$2.50 Supt. Docs.) SN 050-007-00641-1.	19	1000I 400R	-/84
133-1A	Rotorcraft External-Load Operations in Accordance with FAR Part 133 (10-16-79). (AFO-824).	19	455R 245R -0-SL	2/82 9/84 8/85
135-3B	Air Taxi Operators and Commercial Operators (12-1-78). (AFO-250). (w/chg. 1&2)	77 109	3000R 3050R 1620M -0-SL 1835R	9/82 8/83 8/84 7/85 8/85
135-4A	Aviation Security: Air Taxi Commercial Operators (ATCO) (4-15-76). (ACS-100).	16	300R -0-SL	3/79 9/84

Report Date: 08 / 15 / 85

STOCK LEVEL INVENTORY REQUIREMENTS - M-494.3

Codes:

R = Reprint.	M = M-494 Stock Inventory Count.
I = Initial Stock.	SL = Stock Level Notification.
OPI = Office of Primary Interest.	G = GPO Replenishment Copies.
SN = GPO Stock Number**Sale Item.	EX = Loaned to GPO on Exchange.

NUMBER	TITLE/DATE/ROUTING SYMBOL(OPI)/ **PRICE/SN	PAGES	COPY COUNT	REPT.
				AND/ OR STOCK LEVEL DATE
135-5B	Maintenance Program Approval for Carry-On Oxygen Equipment for Medical Purposes (9-26-83). (AWS-310).	4	1000R	-/84
135-7	FAR 135: Additional Maintenance Requirements for Aircraft Type Certificated for Nine or Less Passenger Seats (10-24-78). (AWS-350).	14	75R 280R 700R	8/83 12/84 5/85
135-9	FAR Part 135 Icing Limitations (5-30-81). (AFO-250).	4	---	---
135-10	Approved Aircraft Inspection Program (9-17-81). (AWS-330).	6	750I 175R 585R	-/83 11/84
135-11A**	Air Taxi Operators (8-30-84). (AVN-121). (\$4.50 Supt. Docs.) SN 050-007-00633-1.	169	300I 1000R	6/85
135-12	Passenger Information, FAR Part 135: Passenger Safety Information Briefing And Briefing Cards (10-9-84). (AFO-250).	5	500I 1000R	6/85

Report Date: 08 / 15 / 85

STOCK LEVEL INVENTORY REQUIREMENTS - M-494.3

Codes:

R = Reprint.	M = M-494 Stock Inventory Count.
I = Initial Stock.	SL = Stock Level Notification.
OPI = Office of Primary Interest.	G = GPO Replenishment Copies.
SN = GPO Stock Number**Sale Item.	EX = Loaned to GPO on Exchange.

NUMBER	TITLE/DATE/ROUTING SYMBOL(OPI)/ **PRICE/SN	PAGES	COPY COUNT	REPT.
				AND/ OR STOCK LEVEL DATE
135.169-1	Small Propeller-Driven Air Taxi Airplanes That Meet Sections 135.169 (formerly 135.144) (9-24-79). (AWS-110). #5-23294	4	-0-SL 288R	3/85 8/85
137-1	Agricultural Aircraft Operations (11-29-65). (AAS-300).	23	690R	9/82
139.12-1	Airport Operations Specifications (2-3-75). (AAS-300).	15	---	---
139.49-1	Programs for Training of Fire Fighting and Rescue Personnel (11-12-74). (AAS-100).	19	470R 500R	7/82 -/83
140-2R**	List of Certificated Pilot Schools (10-83). (AVN-121). (\$2.00 Supt. Docs.) SN 050-007-00664-1.	55	500I 275R -50SL	6/84 3/85
140-6C	The Development and Use of Major Repair Data Under Provisions of Special Federal Aviation Regulation No. 36 (2-3-84). (AWS-340).	2	750I 745R	1/85

Report Date: 08 / 15 / 85

STOCK LEVEL INVENTORY REQUIREMENTS - M-494.3

Codes:

R = Reprint.	M = M-494 Stock Inventory Count.
I = Initial Stock.	SL = Stock Level Notification.
OPI = Office of Primary Interest.	G = GPO Replenishment Copies.
SN = GPO Stock Number**Sale Item.	EX = Loaned to GPO on Exchange.

NUMBER	TITLE/DATE/ROUTING SYMBOL(OPI)/ **PRICE/SN	PAGES	COPY COUNT	REPT. AND/ OR STOCK LEVEL DATE
140-7D**	Federal Aviation Administration Certificated Maintenance Agencies Directory (10-83). (AVN-121). (\$13.00 Supt. Docs.) SN 050-007-00666-7.	95	500I 30M	8/84
141-1	Pilot School Certification (8-29-74). (AFO-820).	47	350R 800R	8/83 8/84
141-2A	Written Tests Prepared by Pilot Schools With Examining Authority Under Part 141 (Revised) of the Federal Aviation Regulations (10-3-75.) (AVN-132).	27	199R 475R 200R	2/82 5/85 6/85
145-2	Repair Station Limited Ratings Beech 18 Series Aircraft (4-21-76.) (AWS-340).	7	825R 325R	2/82 1/85
145-3	Guide For Developing and Evaluating Repair Station Inspection Procedures Manuals (2-13-81). (AWS-310).	59	1000R 490R 750R	8/82 9/83 12/84
145-4	Inspection, Retread, Repair and Alterations of Aircraft Tires (9-27-82). (AWS-340).	19	1000I 500R	1/85

Report Date: 08 / 15 / 85

STOCK LEVEL INVENTORY REQUIREMENTS - M-494.3

Codes:

R = Reprint.	M = M-494 Stock Inventory Count.
I = Initial Stock.	SL = Stock Level Notification.
OPI = Office of Primary Interest.	G = GPO Replenishment Copies.
SN = GPO Stock Number**Sale Item.	EX = Loaned to GPO on Exchange.

NUMBER	TITLE/DATE/ROUTING SYMBOL(OPI)/ **PRICE/SN	PAGES	COPY COUNT	REPT.
				AND/ OR STOCK LEVEL DATE
145.101-1B	Application for Air Agency Certificate--Manufacturer's Maintenance Facility (11-30-83). (AWS-202).	1	500I 300R 475R	-/84 5/85
147-2X**	Directory of FAA Certificated Aviation Maintenance Technician Schools (10-83). (AVN-120). (\$1.00 Supt. Docs.) SN 050-007-00665-9.	7	500I 300R	-/84
150/5000-3H	Address List for Regional Airports Divisions and Airports District/Field Offices (12-5-84). (ARP-11).	24	700I	
150/5000-4B	Announcement of Availability-- Airport Research and Technical Reports (2-11-85). (AAS-100).	50	500I	
150/5000-5A	Designated U.S. Airports Serving International Air Traffic (5-16-85). (AAS-120).	13	750I	
150/5020-1	Noise Control and Compatibility Planning for Airports (8-5-83). (AEE-110).	--	800I -0-SL	4/85

Report Date: 08 / 15 / 85

STOCK LEVEL INVENTORY REQUIREMENTS - M-494.3

Codes:

R = Reprint.	M = M-494 Stock Inventory Count.
I = Initial Stock.	SL = Stock Level Notification.
OPI = Office of Primary Interest.	G = GPO Replenishment Copies.
SN = GPO Stock Number**Sale Item.	EX = Loaned to GPO on Exchange.

NUMBER	TITLE/DATE/ROUTING SYMBOL(OPI)/ **PRICE/SN	PAGES	COPY COUNT	REPT. AND/ OR STOCK LEVEL DATE
150/5020-2	Noise Assessment Guidelines for New Heliports (12-9-83). (AEE-110).	--	500I 500R 25SL	-/84 2/85
150/5050-3A**	Planning the State Airport System (6-72). (APP-400). (\$6.00 Supt. Docs.) SN 050-007-00184-3.	122	490R	-/84
150/5050-4	Citizen Participation in Airport Planning (9-26-75). (APP-600).	23	975 500R 10SL	2/82 8/82 8/84
150/5050-5	The Continuous Airport System Planning Process (11-28-75). (APP-400).	24	700I 340R 465R	-/83 10/84
150/5050-6**	Airport-Land Use Compatibility Planning (12-30-77). (APP-440). (\$5.50 Supt. Docs.) SN 050-007-00417-6. #5-23373	90	465R 90M 20SL 294R	1/83 8/84 7/85 9/85
150/5060-5	Airport Capacity And Delay (9-23-83). (AAS-100).	4	640R	10/84
CH-1	(5-16-84)	4	750I	

Report Date: 08 / 15 / 85

STOCK LEVEL INVENTORY REQUIREMENTS - M-494.3

Codes:

R = Reprint.	M = M-494 Stock Inventory Count.
I = Initial Stock.	SL = Stock Level Notification.
OPI = Office of Primary Interest.	G = GPO Replenishment Copies.
SN = GPO Stock Number**Sale Item.	EX = Loaned to GPO on Exchange.

NUMBER	TITLE/DATE/ROUTING SYMBOL(OPI)/ **PRICE/SN	PAGES	COPY COUNT	REPT. AND/ OR STOCK LEVEL DATE
150/5070-3	Planning the Airport Industrial Park (9-30-65). (AAS-200).	55	1000R -0-SL	12/82 5/85
150/5070-5**	Planning the Metropolitan Airport System (5-22-70). (APP-400). (\$5.50 Supt. Docs.) SN 050-008-00003-7.	112	1000R 1000M 100EX 600M	12/82 8/84 8/85 8/85
150/5070-6A**	Airport Master Plans (12-15-84). (APP-400). (\$5.00 Supt. Docs.) SN 050-008-00004-5.	80	750I	
150/5100-6C	Labor Requirements for the Airport Improvement Program (AIP) (10-19-83). (APP-510).	39	750I 300R	4/85
150/5100-10A	Accounting Records Guide for Airport Aid Program Sponsors (4-13-76). (APP-500).	55	400R 765R	5/82 1/85

Report Date: 08 / 15 / 85

STOCK LEVEL INVENTORY REQUIREMENTS - M-494.3

Codes:

R = Reprint.	M = M-494 Stock Inventory Count.
I = Initial Stock.	SL = Stock Level Notification.
OPI = Office of Primary Interest.	G = GPO Replenishment Copies.
SN = GPO Stock Number**Sale Item.	EX = Loaned to GPO on Exchange.

				. REPT.
				. AND/
				. OR
				. STOCK
			. COPY	. LEVEL
		. PAGES	. COUNT	. DATE

NUMBER	TITLE/DATE/ROUTING SYMBOL(OPI)/ **PRICE/SN	PAGES	COPY COUNT	DATE
150/5100-11	Land Acquisition and Relocation Assistance Under the Airport Development Aid Program (2-10-75). (APP-600).	110	675R 500R	11/83 3/85
150/5100-13	Development of State Standards for General Aviation Airports (3-1-77). (AAS-200).	18	975R 269R	12/82 -/83
150/5100-14A	Architectural, Engineering, and Planning Consultant Services for Airport Grant Projects (2-7-85). (APP-500).	36	500I	
150/5100-15	Civil Rights Requirements For The Airport Improvement Program (AIP) (9/24/84). (APP-510).	51	750I	
150/5100-16	Airport Improvement Program Grant Assurance Number One - General Federal Requirements, (7-22-85). (APP-510).	37	750I	
150/5150-2B	Federal Surplus Personal Property for Public Airport Purposes (10-1-84). (APP-510).	32	500I 700R	7/75

Report Date: 08 / 15 / 85

STOCK LEVEL INVENTORY REQUIREMENTS - M-494.3

Codes:

R = Reprint.	M = M-494 Stock Inventory Count.
I = Initial Stock.	SL = Stock Level Notification.
OPI = Office of Primary Interest.	G = GPO Replenishment Copies.
SN = GPO Stock Number**Sale Item.	EX = Loaned to GPO on Exchange.

				. REPT.
				. AND/
				. OR
				. STOCK
				. LEVEL
				. DATE
		. PAGES	. COUNT	

NUMBER	TITLE/DATE/ROUTING SYMBOL(OPI)/ **PRICE/SN	PAGES	COPY COUNT	DATE
150/5190-1	Minimum Standards for Commercial Aeronautical Activities on Public Airports (8-18-66). (AAS-300).	8	980R 660R 100SL	10/80 2/82 7/85
150/5190-2A	Exclusive Rights at Airports (4-4-72). (Consolidated reprint incorporates ch. 1). (AAS-300).	7	300R 500R	5/82 6/83
150/5190-4	A Model Zoning Ordinance to Limit Height of Objects Around Airports (8-23-77). (AAS-100).	42	1500R 394R	6/82 7/85
150/5200-4	Foaming of Runways (12-21-66). (AAS-300).	4	485R	6/84
150/5200-6A	Security of Aircraft at Airports (6-28-68). (AAS-300).	3	230R 250R 10-SL 250R	-/83 1/85 7/85 9/85
	#5-23371			
150/5200-8	Use of Chemical Controls to Repel Flocks of Birds at Airports (5-2-68). (AAS-300).	6	---	---

Report Date: 08 / 15 / 85

STOCK LEVEL INVENTORY REQUIREMENTS - M-494.3

Codes:

R = Reprint.	M = M-494 Stock Inventory Count.
I = Initial Stock.	SL = Stock Level Notification.
OPI = Office of Primary Interest.	G = GPO Replenishment Copies.
SN = GPO Stock Number**Sale Item.	EX = Loaned to GPO on Exchange.

NUMBER	TITLE/DATE/ROUTING SYMBOL(OPI)/ **PRICE/SN			
		PAGES	COUNT	REPT. AND/ OR STOCK LEVEL DATE
150/5200-12A	Fire Department Responsibility in Protecting Evidence at the Scene of an Aircraft Accident (4-8-85). (AAS-100).	6	1000I	
150/5200-13	Removal of Disabled Aircraft (8-27-70). (AAS-100).	60	990R 840M	-/84 9/84
150/5200-14	Results of 90-Day Trial Exercise on Fire Department Activity (9-8-70). (AAS-100).	15	485R 200M	-/84 8/84
150/5200-15C	Announcement of Availability-- International Fire Service Training Association's Manual 206, Aircraft Fire Protection and Rescue Procedures (Second Edition, 1978) (8-26-82). (AAS-100).	1	---	---
150/5200-18	Airport Safety Self-Inspection (2-5-72). (AAS-300).	8	500R 490R	8/82 -/84
150/5200-21A	Announcing the Availability of U.S. Air Force Technical Order (T.O. 00-105E-9) Aircraft Emergency Rescue Information (2-24-81). (AAS-100).	1	1500I 4500M	8/84

Report Date: 08 / 15 / 85

STOCK LEVEL INVENTORY REQUIREMENTS - M-494.3

Codes:

R = Reprint.	M = M-494 Stock Inventory Count.
I = Initial Stock.	SL = Stock Level Notification.
OPI = Office of Primary Interest.	G = GPO Replenishment Copies.
SN = GPO Stock Number**Sale Item.	EX = Loaned to GPO on Exchange.

NUMBER	TITLE/DATE/ROUTING SYMBOL(OPI)/ **PRICE/SN	PAGES	COPY COUNT	REPT. AND/ OR STOCK LEVEL DATE
150/5200-22	Announcing the Availability of the International Civil Aviation Organization Airport Services Manual, DOC-9137-AN-898, Part 3, Bird Control and Reduction (3-16-76). (AAS-100).	1	484R 15-SL	10/83 7/85
150/5200-23A	Airport Snow and Ice Control (1-25-85). (AAS-100).	34	425I	
150/5200-24	Address List of State Offices of Emergency Medical Services (10-11-77). (AAS-100).	7	---	---
150/5200-26A	Announcement of Availability--An Airport Firefighter Terminal Film, "Red Alert" (9-2-80). (AAS-120).	2	1500I 350R	9/84
150/5200-27A	Announcement of Availability--The National Fire Protection Association's Standard for Airport Fire Fighter Professional Qualifications (NFPA 1003-1978) (2-1-84). (AAS-100).	1	---	---
150/5210-2A	Airport Emergency Medical Facilities and Services (11-27-84). (AAS-300).	14	300I	

Report Date: 08 / 15 / 85

STOCK LEVEL INVENTORY REQUIREMENTS - M-494.3

Codes:

R = Reprint.	M = M-494 Stock Inventory Count.
I = Initial Stock.	SL = Stock Level Notification.
OPI = Office of Primary Interest.	G = GPO Replenishment Copies.
SN = GPO Stock Number**Sale Item.	EX = Loaned to GPO on Exchange.

NUMBER	TITLE/DATE/ROUTING SYMBOL(OPI)/ **PRICE/SN	PAGES	COPY COUNT	REPT.
				AND/ OR STOCK LEVEL DATE
150/5210-5A	Painting, Marking, and Lighting of Vehicles Used on an Airport (1-30-85). (AAS-100). #5-23374	3	225I -0-SL 500R	8/85 9/85
150/5210-6C	Aircraft Fire and Rescue Facilities and Extinguishing Agents (1-30-85). (AAS-100).	33	425I	
150/5210-7B	Aircraft Fire and Rescue Communications(4-30-84). (AAS-120).	5	500I	
150/5210-10	Airport Fire and Rescue Equipment Building Guide (12-7-67). (AAS-100).	12	1000R 485R 100SL	12/80 1/82 9/84
150/5210-12	Fire and Rescue Service for Certificated Airports (3-2-72). (AAS-100).	12	490R	6/83
150/5210-13	Water Rescue Plans, Facilities, and Equipment (5-4-72). (AAS-300).	5	---	---

Report Date: 08 / 15 / 85

STOCK LEVEL INVENTORY REQUIREMENTS - M-494.3

Codes:

R = Reprint.	M = M-494 Stock Inventory Count.
I = Initial Stock.	SL = Stock Level Notification.
OPI = Office of Primary Interest.	G = GPO Replenishment Copies.
SN = GPO Stock Number**Sale Item.	EX = Loaned to GPO on Exchange.

NUMBER	TITLE/DATE/ROUTING SYMBOL(OPI)/ **PRICE/SN	PAGES	COPY COUNT	REPT.
				AND/ OR STOCK LEVEL DATE
150/5220-4	Water Supply Systems for Aircraft Fire and Rescue Protection (12-7-67). (AAS-100).	2	470R 500R	2/82 11/84
150/5220-9	Aircraft Arresting System for Joint Civil/ Military Airports (4-6-70). (AAS-300). #5-23375	22	194R -0-SL 244R	5/84 8/85 9/85
150/5220-10	Guide Specification for Water/Foam Type Aircraft Fire and Rescue Trucks (5-26-72). (Consolidated reprint incorporates changes 1 and 2). (AAS-100). #5-23137	35	485R 720R 300R	-/84 2/82 8/85
150/5220-11	Airport Snowblower Specification Guide (4-10-78). (APP-600).	38	680R	11/82
150/5220-12	Airport Snowsweeper Specification Guide (6-12-78). (AAS-100).	39	--- 400M	--- 8/84
150/5220-13A	Runway Surface Condition Sensor-- Interim Specification Guide (4-22-83). (AAS-300).	17	1000I	

Report Date: 08 / 15 / 85

STOCK LEVEL INVENTORY REQUIREMENTS - M-494.3

Codes:

R = Reprint.	M = M-494 Stock Inventory Count.
I = Initial Stock.	SL = Stock Level Notification.
OPI = Office of Primary Interest.	G = GPO Replenishment Copies.
SN = GPO Stock Number**Sale Item.	EX = Loaned to GPO on Exchange.

NUMBER	TITLE/DATE/ROUTING SYMBOL(OPI)/ **PRICE/SN	PAGES	COPY COUNT	REPT.
				AND/ OR STOCK LEVEL DATE
150/5220-14A	Airport Fire and Rescue Vehicle Specification Guide (2-25-85). (AAS-100).	47	264I 10-SL 500R	8/85 9/85
150/5220-15	#5-23376 Buildings For Storage and Maintenance of Airport Snow Removal and Ice Control Equipment: A Guide (3-25-83). (AAS-120).	25	1000I 1000M	8/84
150/5230-3	Fire Prevention During Aircraft Fueling Operations (4-8-69). (AAS-100).	9	---	---
150/5230-4	Aircraft Fuel Storage, Handling, and Dispensing On Airports (8-27-82). (AAS-100).	42	490R 930R -0-SL 1500R	-/84 1/85 8/85 9/85
150/5280-1	Airport Operations Manual (6-16-72). (AAS-312).	30	975R 100SL	1/83 9/84
	#5-23372 (w/chg. 1)	33	500R	9/85

Report Date: 08 / 15 / 85

STOCK LEVEL INVENTORY REQUIREMENTS - M-494.3

Codes:

R = Reprint.	M = M-494 Stock Inventory Count.
I = Initial Stock.	SL = Stock Level Notification.
OPI = Office of Primary Interest.	G = GPO Replenishment Copies.
SN = GPO Stock Number**Sale Item.	EX = Loaned to GPO on Exchange.

.	.	. REPT.
.	.	. AND/
.	.	. OR
.	.	. STOCK
.	. COPY	. LEVEL
. PAGES	. COUNT	. DATE

<u>NUMBER</u>	<u>TITLE/DATE/ROUTING SYMBOL(OPI)/</u> <u>**PRICE/SN</u>			
150/5280-3	Fire Fighting Exemptions Under the 1976 Amendment to the Federal Aviation Act (2-4-77). (AAS-100)	6	250R	-/84
150/5300-2D	Airport Design Standards--Site Requirements for Terminal Navigational Facilities (3-10-80). (AAS-300). w/chg. 1.	32	985R 500R	11/83 7/85
150/5300-4B**	Utility Airports--Air Access to National Transportation (6-24-75). (AAS-110). (\$5.50 Supt.Docs.) SN 050-007-00630-6.	181	750I 2955R 1449R 965R 750I	-/83 10/84 8/85
CH-8	(7-3-85)			
150/5300-7B	FAA Policy on Facility Relocations Occasioned by Airport Improvements or Changes (11-8-72). (ABU-10).	--	750I 400R 2000R 100SL	12/82 -/83 9/84
150/5300-9A	Predesign, Prebid, and Preconstruction Conferences for Airport Grant Projects (5-1-85). (AAS-200).	11	750I	

Report Date: 08 / 15 / 85

STOCK LEVEL INVENTORY REQUIREMENTS - M-494.3

Codes:

R = Reprint.	M = M-494 Stock Inventory Count.
I = Initial Stock.	SL = Stock Level Notification.
OPI = Office of Primary Interest.	G = GPO Replenishment Copies.
SN = GPO Stock Number**Sale Item.	EX = Loaned to GPO on Exchange.

NUMBER	TITLE/DATE/ROUTING SYMBOL(OPI)/ **PRICE/SN	PAGES	COPY COUNT	REPT.
				AND/ OR STOCK LEVEL DATE
150/5300-11	Announcement of Availability Report No. FAA-AAS-80-1, National Runway Friction Measurement Program (4-21-81). (AAS-200).	4	200R 250R	-/84 2/85
150/5300-12	Airport Design Standards-- Transport Airports (2-28-83). (AAS-110).	83	750I 485R 2000R	12/83 6/84
CH-1	(3/14/85)	5	750I	
150/5320-5B	Airport Drainage (7-1-70). (AAS-200). (\$5.50 Supt. Docs.) SN 050-007-00149-5.	84	995R 630M	-/83 8/84
150/5320-6C	Airport Pavement Design and Evaluation (12-7-78). (Consolidated reprint incorporates Change 1.) (AAS-200).	192	2995R 1296M	12/82 8/84
150/5320-10	Environmental Enhancement at Airports Industrial Waste Treatment (4-16-73). (AAS-100).	15	470R 20SL 750I	7/82 9/84 -/83
CH-1				

Report Date: 08 / 15 / 85

STOCK LEVEL INVENTORY REQUIREMENTS - M-494.3

Codes:

R = Reprint.	M = M-494 Stock Inventory Count.
I = Initial Stock.	SL = Stock Level Notification.
OPI = Office of Primary Interest.	G = GPO Replenishment Copies.
SN = GPO Stock Number**Sale Item.	EX = Loaned to GPO on Exchange.

NUMBER	TITLE/DATE/ROUTING SYMBOL(OPI)/ **PRICE/SN	PAGES	COPY COUNT	REPT.
				AND/ OR STOCK LEVEL DATE
150/5320-11	Runway Categorization -- Aeronautical Studies Airport Owners' Responsibilities (9-21-73). (AAS-100).	4	200R	-/83
150/5320-12	Methods for the Design, Construction, and Maintenance of Skid Resistant Airport Pavement Surfaces (6-30-75). (AAS-100).	83	750I 485R 2000R -0-SL -0-SL	12/83 6/84 6/85 7/85
	Being Revised. New version - 30 days.			
150/5320-14	Airport Landscaping for Noise Control Purposes (1-31-78). (APP-400).	16	---	---
150/5325-3	Background Information on the Aircraft Performance Curves for Large Airplanes (1-26-65). (Consolidated reprint includes Change 1). (AAS-110).	15	479R -0-SL	7/82 3/85
150/5325-4	Runway Length Requirements for Airport Design (4-5-65). (AAS-100). w/chgs. 1-14.	256	969R 900M	7/82 8/84

Report Date: 08 / 15 / 85

STOCK LEVEL INVENTORY REQUIREMENTS - M-494.3

Codes:

R = Reprint.	M = M-494 Stock Inventory Count.
I = Initial Stock.	SL = Stock Level Notification.
OPI = Office of Primary Interest.	G = GPO Replenishment Copies.
SN = GPO Stock Number**Sale Item.	EX = Loaned to GPO on Exchange.

NUMBER	TITLE/DATE/ROUTING SYMBOL(OPI)/ **PRICE/SN	PAGES	COPY COUNT	REPT. AND/ OR STOCK LEVEL DATE
150/5325-5B	Aircraft Data (7-30-75). (Consolidated reprint includes Change 1). (AAS-100).	83	985R 985R 915M	7/82 -/84 8/84
150/5335-2	Airport Aprons (1-27-65). (AAS-100).	19	1100M	8/84
150/5335-5	Standardized Method of Reporting Airport Pavement Strength--PCN (6-15-83). (AAS-200).	31	1000R 100SL 750R	7/83 1/85 2/85
150/5340-1E	Marking of Paved Areas on Airports (11-4-80). (AAS-200).	24	750I 930R -0-SL	6/84 7/85
150/5340-4C	Installation Details for Runway Centerline Touchdown Zone Lighting Systems (5-6-75). (AAS-200). #5-23143 (w/chgs. 1&2).	33	500R 490R 500R 500R	/82 -/83 9/84 8/85

Report Date: 08 / 15 / 85

STOCK LEVEL INVENTORY REQUIREMENTS - M-494.3

Codes:

R = Reprint.	M = M-494 Stock Inventory Count.
I = Initial Stock.	SL = Stock Level Notification.
OPI = Office of Primary Interest.	G = GPO Replenishment Copies.
SN = GPO Stock Number**Sale Item.	EX = Loaned to GPO on Exchange.

.	.	. REPT.
.	.	. AND/
.	.	. OR
.	.	. STOCK
.	. COPY	. LEVEL
. PAGES	. COUNT	. DATE

<u>NUMBER</u>	<u>TITLE/DATE/ROUTING SYMBOL(OPI)/</u> <u>**PRICE/SN</u>			
150/5340-5B	Segmented Circle Airport Marker System (12-21-84). (AAS-200).	2	750I	
CII-1	(2/25/85). #5-23139 (w/chg. 1)	2	300I	
			493R	8/85
150/5340-14B	Economy Approach Lighting Aids (6-19-70). (Consolidated reprint includes Changes 1 and 2). (AAS-200).	--	475R	1/83
			190R	-/84
			150M	8/84
150/5340-17A	Standby Power for Non-FAA Airport Lighting Systems (3-19-71). (AAS-200).	27	925R	2/82
			100SL	10/84
			100SL	6/85
150/5340-18B	Standards for Airport Sign Systems (8-21-84). (AAS-200).	10	1000I	
			1000R	2/85
150/5340-19	Taxiway Centerline Lighting System (11-14-68). (AAS-200).	39	1500R	-/84
			1425M	8/84

Report Date: 08 / 15 / 85

STOCK LEVEL INVENTORY REQUIREMENTS - M-494.3

Codes:

R = Reprint.
I = Initial Stock.
OPI = Office of Primary Interest.
SN = GPO Stock Number**Sale Item.

M = M-494 Stock Inventory Count.
SL = Stock Level Notification.
G = GPO Replenishment Copies.
EX = Loaned to GPO on Exchange.

NUMBER	TITLE/DATE/ROUTING SYMBOL(OPI)/ **PRICE/SN	PAGES	COPY COUNT	REPT. AND/ OR STOCK LEVEL DATE
150/5340-21	Airport Miscellaneous Lighting Visual Aids (3-25-71). (AAS-200).	62	500R 985R 475M	6/82 -/83 8/84
150/5340-23A	Supplemental Wind Cones (6-24-75). (AAS-200).	5	990R 600R	-/83 12/84
150/5340-24	Runway and Taxiway Edge Lighting System (9-3-75). (AAS-200). #5-23139	43	1500R 975R 500R 50SL 700R	6/82 12/82 4/84 6/85 8/85
150/5340-25	Visual Approach Slope Indicator (VASI) Systems (9-24-76). (AAS-200).	22	500R 970R 450R	6/82 -/83 4/84
150/5340-26	Maintenance of Airport Visual Aid Facilities (8-26-82). (Spanish Language Version Available). (AAS-100).	114	1500R 999R 900M	-/83 -/84 8/84

Report Date: 08 / 15 / 85

STOCK LEVEL INVENTORY REQUIREMENTS - M-494.3

Codes:

R = Reprint.	M = M-494 Stock Inventory Count.
I = Initial Stock.	SL = Stock Level Notification.
OPI = Office of Primary Interest.	G = GPO Replenishment Copies.
SN = GPO Stock Number**Sale Item.	EX = Loaned to GPO on Exchange.

NUMBER	TITLE/DATE/ROUTING SYMBOL(OPI)/ **PRICE/SN	PAGES	COPY COUNT	REPT. AND/ OR STOCK LEVEL DATE
150/5345-26	Announcement - Spanish Language Version (2/8/85).	2	500I	
150/5340-27	Air-to-Ground Radio Control of Airport Lighting Systems (8-10-77). (AAS-200).	8	1000R 1000R	6/82 8/84
150/5345-1P	Approved Airport Lighting Equipment (7-19-85). (AAS-200).	27	750I	
150/5345-3C	Specification for L-821 Panels for Remote Control of Airport Lighting (3-30-77). (AAS-200).	19	485R	-/84
150/5345-5A	Circuit Selector Switch (3-23-82). (AAS-200).	7	1000R 275	4/82 -/84
150/5345-7D	Specification for L-824 Underground Electrical Cable for Airport Lighting Circuits (5-19-81). (AAS-200). w/chg. 1 (1/4/82). #5-23140	7 --	--- 700I 299R	--- --- 8/85

Report Date: 08 / 15 / 85

STOCK LEVEL INVENTORY REQUIREMENTS - M-494.3

Codes:

R = Reprint.	M = M-494 Stock Inventory Count.
I = Initial Stock.	SL = Stock Level Notification.
OPI = Office of Primary Interest.	G = GPO Replenishment Copies.
SN = GPO Stock Number**Sale Item.	EX = Loaned to GPO on Exchange.

NUMBER	TITLE/DATE/ROUTING SYMBOL(OPI)/ **PRICE/SN	PAGES	COPY COUNT	REPT.
				AND/ OR STOCK LEVEL DATE
150/5345-10E	Specification for Constant Current Regulators Regulator Monitors (10-16-84). (AAS-200).	12	500I	
150/5345-12C	Specification for Airport and Heliport Beacon (1-9-84). (AAS-200).	9	500I 1000R	11/84
150/5345-13	Specification for L-841 Auxiliary Relay Cabinet Assembly for Pilot Control of Airport Lighting Circuits (1-6-64). (AAS-200).	8	500R 499R	6/82 -/84
150/5345-26B	Specification for L-823 Plug and Receptacle, Cable Connectors (1-28-81). (AAS-200). w/chgs. 1&2.	13	975R -5-SL	6/83 7/85
150/5345-27C	Specification for Wind Cone Assemblies (7-19-85). (AAS-200).	6	750I	
150/5345-28D	Precision Approach Path Indicator (PAPI) Systems (5-23-85). (AAS-250).	20	750I	

Report Date: 08 / 15 / 85

STOCK LEVEL INVENTORY REQUIREMENTS - M-494.3

Codes:

R = Reprint.	M = M-494 Stock Inventory Count.
I = Initial Stock.	SL = Stock Level Notification.
OPI = Office of Primary Interest.	G = GPO Replenishment Copies.
SN = GPO Stock Number**Sale Item.	EX = Loaned to GPO on Exchange.

NUMBER	TITLE/DATE/ROUTING SYMBOL(OPI)/ **PRICE/SN	PAGES	COPY COUNT	REPT.
				AND/ OR STOCK LEVEL DATE
150/5345-39B	FAA Specification L-853, Runway and Taxiway Centerline Retroreflective Markers(12-9-80). (AAS-200).	8	750I 1000R 1000R 700I	6/82 -/84
CH-1				
150/5345-42B	FAA Specification L-857, Airport Light Bases, Transformer Houses, and Junction Boxes (9-21-82). (AAS-200).	18	700I 499R 750R 700I	-/84 6/85
CH-1				
150/5345-43C	Specification for Obstruction Lighting Equipment (6-10-80). (AAS-200).	14	1480R 700I	-/83
CH-1				
150/5345-44D	Specification for Taxiway and Runway Signs (4-30-84). (AAS-200).	13	1000I 800M	9/84
150/5345-45	Lightweight Approach Light Structure (5-10-73). (AAS-200). w/chg. 1 (1/4/82). #5-23141	9	1500R 700I 499R	-/83 8/85
150/5345-46A	Specification for Runway and Taxiway Light Fixtures (6-7-84). (AAS-200).	21	750I	

Report Date: 08 / 15 / 85

STOCK LEVEL INVENTORY REQUIREMENTS - M-494.3

Codes:

R = Reprint.	M = M-494 Stock Inventory Count.
I = Initial Stock.	SL = Stock Level Notification.
OPI = Office of Primary Interest.	G = GPO Replenishment Copies.
SN = GPO Stock Number**Sale Item.	EX = Loaned to GPO on Exchange.

NUMBER	TITLE/DATE/ROUTING SYMBOL(OPI)/ **PRICE/SN	PAGES	COPY COUNT	REPT. AND/ OR STOCK LEVEL DATE
150/5345-47 CH-1	Isolation Transformers for Airport Lighting Systems (7-28-75). (AAS-200). (3/82).	12	700I	-/83
150/5345-48	Specification for Runway and Taxiway Edge Lights (8-1-75). (AAS-200).	20	500R	5/84
150/5345-49	Specification L-854, Radio Control Equipment (5-20-77). (AAS-200). w/chgs. 1&2.	11	500R 980R	6/82 8/83
150/5345-50 CH-1	Specification for Portable Runway Lights (10-16-78). (AAS-200).	9	--- 700I -0-SL	--- 6/85
150/5345-51	Specification for Discharge-Type Flasher Equipment (8-14-81). (AAS-200). w/chg. 1 (3/4/82). #5-23142	15	1500R 700I 499R	-/83 8/85
150/5355-1A	International Signs to Facilitate Passengers Using Airports (11-3-71). (AAS-100). Will be revised in 90 days per AAS-1. SL as of 8/15/85.	17	400R	-/83

Report Date: 08 / 15 / 85

STOCK LEVEL INVENTORY REQUIREMENTS - M-494.3

Codes:

R = Reprint.	M = M-494 Stock Inventory Count.
I = Initial Stock.	SL = Stock Level Notification.
OPI = Office of Primary Interest.	G = GPO Replenishment Copies.
SN = GPO Stock Number**Sale Item.	EX = Loaned to GPO on Exchange.

NUMBER	TITLE/DATE/ROUTING SYMBOL(OPI)/ **PRICE/SN	PAGES	COPY COUNT	REPT.
				AND/ OR STOCK LEVEL DATE
150/5355-2	Fallout Shelters in Terminal Buildings (4-1-69). (AAS-100). #5-23344	33	200R 185R 90R 200R	6/82 -/83 5/84 9/85
150/5360-2	Airport Cargo Facilities (4-6-64). (AAS-100).	33	500R	-/83
150/5360-4A	Announcement of Availability of Guidelines for Federal Inspection Services Facilities at Interna- tional Airports of Entry and at Landing Rights Airports (10-7-77). (AAS-200).	5	---	---
150/5360-5A	Announcement of Availability of the International Civil Aviation Organization (ICAO) Computer Data Bank Materials (10-26-84). (AAS-102).	5	500I	
150/5360-6	Airport Terminal Building Development with Federal Participation (10-5-76). (AAS-100).	9	185 200R	-/82 1/85

Report Date: 08 / 15 / 85

STOCK LEVEL INVENTORY REQUIREMENTS - M-494.3

Codes:

R = Reprint.	M = M-494 Stock Inventory Count.
I = Initial Stock.	SL = Stock Level Notification.
OPI = Office of Primary Interest.	G = GPO Replenishment Copies.
SN = GPO Stock Number**Sale Item.	EX = Loaned to GPO on Exchange.

.	.	. REPT.
.	.	. AND/
.	.	. OR
.	.	. STOCK
.	. COPY	. LEVEL
. PAGES	. COUNT	. DATE

NUMBER	TITLE/DATE/ROUTING SYMBOL(OPI)/ **PRICE/SN	PAGES	COPY COUNT	DATE
150/5360-7	Planning and Design Consideration for Airport Terminal Building Development (9-5-76). (AAS-100). #5-23346	42	175R 200R 25SL 200R	-/83 1/85 6/85 9/85
150/5360-8A	Announcement of Availability of Information on Foreign Airport Planning, Design, Construction, and Trade Opportunities (10-26-84). (AAS-102).	2	500I	
150/5360-9	Planning and Design of Airport Terminal Facilities at Non-Hub Locations (4-4-80). (AAS-100). #5-23345	59	1500I 290M 100SL 500R	8/84 7/85 9/85
150/5360-10	Announcement of Availability - Airport Landslide Similation Model (ALSIM) (4-24-84) (AAS-3).	6	750I	
150/5360-11	Energy Conservation for Airport Buildings (5-31-84). (AAS-200).	36	750I 685M	8/84

Report Date: 08 / 15 / 85

STOCK LEVEL INVENTORY REQUIREMENTS - M-494.3

Codes:

R = Reprint.	M = M-494 Stock Inventory Count.
I = Initial Stock.	SL = Stock Level Notification.
OPI = Office of Primary Interest.	G = GPO Replenishment Copies.
SN = GPO Stock Number**Sale Item.	EX = Loaned to GPO on Exchange.

NUMBER	TITLE/DATE/ROUTING SYMBOL(OPI)/ **PRICE/SN	PAGES	COPY COUNT	REPT. AND/ OR STOCK LEVEL DATE
150/5370-2C	Operational Safety on Airports During Construction (5-31-84). (AAS-300).	10	750I 750R	7/85
150/5370-4	Procedures Guide for Using the Standard Specifications for Construction of Airports (5-29-69). (AAS-200).	48	---	---
150/5370-6A	Construction Progress and Inspection Report--Federal-Aid Airport Program (3-6-81). (AAS-200).	4	---	---
150/5370-10**	Standards for Specifying Construction of Airports(10-24-74). (AAS-200). (\$12.00 Supt. Docs.) SN 050-007-00264-5. (Changes free from FAA).	699	483R 500R 4670R 1000R 579R 1000R	12/83 3/84 10/83 5/85 10/84 6/85
CH-1 - 23	w/chgs. 1-20. w/chgs. 1-23. w/o basic. w/o basic			
150/5370-11	Use of Nondestructive Testing Devices in the Evaluation of Airport Pavements (6-4-76).	42	200R 500R 420M	6/82 -/83 /84

Report Date: 08 / 15 / 85

STOCK LEVEL INVENTORY REQUIREMENTS - M-494.3

Codes:

R = Reprint.	M = M-494 Stock Inventory Count.
I = Initial Stock.	SL = Stock Level Notification.
OPI = Office of Primary Interest.	G = GPO Replenishment Copies.
SN = GPO Stock Number**Sale Item.	EX = Loaned to GPO on Exchange.

NUMBER	TITLE/DATE/ROUTING SYMBOL(OPI)/ **PRICE/SN	PAGES	COPY COUNT	REPT.
				AND/ OR STOCK LEVEL DATE
150/5380-5A	Debris Hazards at Civil Airports (2-25-81). (AAS-100).	8	---	---
150/5380-6**	Guidelines and Procedures for Maintenance of Airport Pavements (12-3-82). (AAS-200). (\$7.00 Supt. Docs.) SN 050-007-00627-6.	189	500I 970R 460M	-/83 8/84
150/5390-1B	Heliport Design Guide (8-22-77). (AAS-100). w/chg. 1.	91	4000R 2963R 1000R	2/82 9/83 1/85
170-6C	Use of Radionavigation Land Test Station and Signal Generators (2-13-81). (AES-500).	8	---	---
170-9	Criteria for Acceptance of Ownership and Servicing of Civil Aviation Interest(s) Navigational and Air Traffic Control Systems and Equipment (11-26-68). (AES-500).	2	-0-SL	3/85
170-10	FAA Recommendations to FCC on licensing of Non-Federal Radio Navigation Aids (10-17-69). (AES-500).	3	75R 100R	11/83 4/85

Report Date: 08 / 15 / 85

STOCK LEVEL INVENTORY REQUIREMENTS - M-494.3

Codes:

R = Reprint.	M = M-494 Stock Inventory Count.
I = Initial Stock.	SL = Stock Level Notification.
OPI = Office of Primary Interest.	G = GPO Replenishment Copies.
SN = GPO Stock Number**Sale Item.	EX = Loaned to GPO on Exchange.

NUMBER	TITLE/DATE/ROUTING SYMBOL(OPI)/ **PRICE/SN	PAGES	COPY COUNT	REPT.
				AND/ OR STOCK LEVEL DATE
170-11	Amendment of Federal Aviation Regulation Part 171 (FAR-171)--Cost of Flight and Ground Inspections (9-17-70). (AES-500).	2	---	---
170-12	Implementation of 50 KHz/Y Channels for ILS/VOR/DME (10-7-70). (AES-520).	8	50R 100R	11/83 4/85
170-13	Approach Lighting System Configurations and Energy Conservation (9-6-77). (AES-500).	--	-0-SL 200	6/85 7/85
183-32D	FAA Designated Maintenance Technician Examiner Directory (7-23-84). (AVN-133).	22	500I	
183-33	Designated Airworthiness Representatives (2-14-83). (AWS-200).	13	---	---
183.29-1T	Designated Engineering Representatives (6-28-85). (AVN-113).	22	300I	
210-5A	Military Flying Activities (8-1-80). (ATO-340).	3	500I 7500R 3000R 100SL	6/83 -/84 12/84