

T L

568

.A21

no. 90

c. 3

REF.

# AN IMPROVED MODEL BALL DROP SEXTANT

By

A M Weber

Air Navigation Devices Development Division

Technical Development Report No 90



CIVIL AERONAUTICS ADMINISTRATION  
TECHNICAL DEVELOPMENT  
INDIANAPOLIS, INDIANA

March 1949

1344

LIBRARY

CIVIL AERONAUTICS

## TABLE OF CONTENTS

|  | Page   |
|--|--------|
| INTRODUCTION . . . . .   | 1      |
| IMPROVEMENTS IN NEW MODEL BALL DROP SEXTANT<br>COMPARISON BUBBLE SEXTANT. . . . .    | 1<br>4 |
| PRELIMINARY GROUND OBSERVATIONS . . . . .  | 4      |
| COMPARISON FLIGHT TESTS OF SEXTANTS. . . . .   | 4      |
| COMPARISON OF BALL DROP SEXTANT AND BUBBLE<br>SEXTANT WITH AVERAGING DEVICE. . . . . | 8      |
| CONCLUSIONS. . . . .   | 9      |

## TABLE INDEX

|      |   |    |
|------|---|----|
| I    | Ground Observations With Bubble and Ball Drop Sextants . . . . .      | 10 |
| II   | First Flight. . . . .   | 10 |
| III  | Second Flight . . . . .   | 11 |
| IV   | Third Flight . . . . .  | 12 |
| V    | Fourth Flight. . . . .  | 13 |
| VI   | Fifth Flight. . . . .   | 14 |
| VII  | Sixth Flight . . . . .  | 15 |
| VIII | Seventh Flight . . . . .  | 15 |
| IX   | Summary of Flight Test Observations . . . . .                         | 16 |
| X    | Bubble Sextant. . . . .   | 17 |
| XI   | Comparative Accuracies of the Ball Drop and Bubble Sextants . . . . . | 17 |

**Manuscript received, March 1948**

## AN IMPROVED MODEL BALL DROP SEXTANT

### INTRODUCTION

The ball drop sextant is an artificial horizon sextant for use in celestial navigation. Whereas, in the conventional artificial horizon sextant a bubble is used to establish the horizontal plane from which celestial altitudes are measured, the ball drop sextant uses the line of fall of a small steel ball to establish a vertical line, from which the co-altitude and hence the altitude of celestial objects may be measured. The instrument is capable of recording any tilt present at the instant of observation and the correction for such tilt may be obtained from a tilt table, furnished with the sextant, and may be applied to the observed altitude.

The ball drop sextant was first called to the attention of the Office of Technical Development by the United States Naval Observatory. The Observatory had constructed a preliminary model based on an idea originated by Mr. Fred Hagner, and had incorporated certain ideas which, it was believed, would considerably improve this model. A detailed description of this preliminary model may be found in Report on Hagner Averaging Sextant, published by the United States Naval Observatory June 15, 1942. An inspection of the Naval Observatory instrument revealed certain apparent advantages of the ball drop sextant over conventional types, which made the instrument appear worthy of further development. These were as follows:

- 1 The simplicity of the operating principle permitted sturdier construction.
- 2 Direct measurement between the line of sight and the vertical permitted one degree of altitude to be represented by one degree on the arc, thus eliminating reduction and tending toward greater accuracy.
- 3 Aligning a stable cross hair intersection with a star requires less concentration on the part of an observer than aligning an unstable bubble.
- 4 Provision was made to correct for tilt.

5. The direct sighting method obviated some danger of confusing the identity of stars.

It was therefore decided to redesign the ball recording sextant and build a new model for further testing and comparison with a high grade commercially manufactured bubble sextant. The improved ball drop sextant was constructed by the Naval Observatory and was delivered to the CAA during 1946.

### IMPROVEMENTS IN NEW MODEL BALL DROP SEXTANT

The improvements incorporated in the new model ball drop sextant included the following:

1. The weight was decreased.
2. A continuous roll of recording material was provided, making it possible to take several hundred observations before changing the roll, whereas in the original model it was necessary to substitute a new recording disk or erase marks from the old one after each observation.
3. A telescopic sight was provided on the new instrument.
4. Two telescopes were provided, one direct sighting (Fig 1) and one elbow type (Fig 2), for the purpose of bending the light rays and relieving the strain of direct sighting on celestial bodies at high altitudes. These telescopes can be interchanged at the option of the observer.

Both the original and new model sextants allowed a varied number of balls to be used for an observation. Eight balls were provided with the new instrument and this number was used in all observations, a mean of the pattern formed by the eight balls being used as the reading. A typical observational record showing the tilt scale and cross hair "meaning" an eight-ball pattern is shown in Fig. 3. Operation of the ball drop sextant by an observer is illustrated in Figs. 4 and 5.




Fig 1 Ball Drop Sextant, Direct Sighting Telescope




Fig. 2 Ball Drop Sextant, Elbow Telescope

## COMPARISON BUBBLE SEXTANT

The bubble sextant chosen for the comparison tests was a Pioneer instrument, Type 3014-1-A, manufactured by the Bendix Aviation Corporation. This sextant is equipped with an automatic averaging device, which, over an observing period of two minutes, will automatically record the average of 60 observations spaced at two-second intervals, the method being to maintain as nearly as possible, coincidence between the bubble and the celestial body during the entire two-minute period. This instrument also may be used to take a single instantaneous observation. A view of this sextant being operated by an observer is shown in Fig. 5.

## PRELIMINARY GROUND OBSERVATIONS

Before using either type of sextant in an airplane, a long series of ground observations was taken with each instrument, some at night but a greater number in the daytime. The method used was to make a series of observations, noting the time of each, and then to compute the correct altitude for the body observed at the known position and time of observation. The difference between the observed and computed altitudes for each observation indicated the error. After a series of 231 ground observations with the ball drop sextant (using the direct sighting telescope) a constant error of plus 13 minutes was found, while a constant minus error of 5 minutes was found in the same instrument after 193 observations with the elbow type telescope. These were definitely established as instrument errors and attributed to incorrect collimation in doweling the telescopes to the instrument frame. Collimation tests later showed an error of plus 13 minutes in the direct sighting telescope and minus 6 minutes in the elbow telescope. Since these errors were found to be constant and thus independent of either the angle of altitude or any personal equation of the observer, no attempt was made to correct the instrument, but the proper correction factor was applied to each observed angle. Ground observation errors in the bubble sextant, due to instrument or constant personal errors, were so small that no attempt was made to correct for them. The results of ground observations with both bubble and ball drop sextants are compiled in Table I.

These results were obtained from a combination of the observations of two observers. All necessary corrections in each case were applied to the observed altitude before computing the error.

## COMPARISON FLIGHT TESTS OF SEXTANTS

Comparison flight tests of the sextants were made at the Experimental Station, Indianapolis, Indiana during the period from July 7 - 16, 1947. Observations were made both during the day and night, although by far the greater number were made on the sun during the day. The method adopted was to take a series of observations with one sextant during the first half of the flight and with the other sextant during the latter half of the flight, in order that a comparison might be made under similar conditions. This system was continued during the greater part of the flight tests, although, on several night flights near the end of the tests observations were made with the ball drop sextant exclusively. Bubble sextant observations were made almost entirely with the averaging device in operation, although a few single shots were taken. The airplane used was a Douglas C-47, equipped with an astrodome, flying at an air speed of approximately 140 mph. It was necessary to make observations either standing on the deck of the plane or standing on a box when the celestial object could not be sighted without an increase in elevation. During the tests the air conditions varied from smooth to medium-rough. Some trouble was encountered by clouds intermittently obscuring the sun during the continuous two-minute observing period using the bubble sextant, however, these observations were included along with the others, and the results seemed to indicate that accuracy was not materially impaired by the intermittent clouds.

The method used to compute the error of observation closely followed that used in the ground observations. Shots were taken when the airplane was over some definite identifiable point whose latitude and longitude could be determined. Knowing the position and time of observation, the correct altitude of the sun or star could be computed. The difference between the computed and observed altitudes gave the observational error. All necessary corrections were applied to the




Fig 3 Observational Record, Showing Tilt Scale and Cross Hair Meaning Shots  
Illustration Enlarged Five Diameters





Fig 4 Ball Drop Sextant in Operation, Showing Ball Drop Unit



Fig 5 Ball Drop Sextant Operated by Observer

observed altitude before comparing them with the computed altitudes. Neither a Coriolis correction nor correction for refraction of the astrodome were applied, since the former was considered negligible and the latter was not known.

Two men alternated in observing. While one man observed, the other clocked the time of observation, recorded the results, and noted other pertinent data, while the co-pilot signaled the instant of passage over predetermined observing points. Both observers had had long experience in making celestial and other observations with sextants and other instruments, but neither had had any previous experience with celestial observations from an airplane.

Tabulated herein (Tables II thru X) are records of the observations, listed in chronological order.

### COMPARISON OF BALL DROP SEXTANT AND BUBBLE SEXTANT WITH AVERAGING DEVICE

The comparative accuracies of the new ball drop sextant and the Pioneer bubble sextant (averaging device used) indicated by the results of the Indianapolis flight tests are given in Table XI. Fig 6 shows curves for each sextant based on the normal error function. The experimental results are indicated by means of circles. Inspection of the curves shows that the error law fits the data quite well in the case of the ball drop sextant, with which 98 observations were made. As would be expected, however, the fit is not as good in the case of the bubble sextant, since the data are based on only 42 observations.

In any event, based on the observed data, the probable error of a single observa-




Fig 6 Comparative Accuracies of the Ball Drop and Bubble Sextants

tion would be 35.5 minutes for the ball drop sextant and 7.2 minutes for the bubble sextant. These two figures may be considered a fairly concise index of the relative accuracies of the two instruments.

### CONCLUSIONS

Such errors as occurred in the ball drop sextant are, of course, entirely prohibitive and could not be compensated for by any other advantages, such as speed of observation, rugged construction of the instrument, etc. Actually, while it takes two minutes to make an observation with the bubble sextant and about 10 to 15 seconds with the ball drop sextant the process of averaging the eight shots and the reading of the tilt take another 20 or 30 seconds, so that the time advantage is not

so large as might appear. The only possible conclusion to be reached from the flight tests is that the ball drop sextant fails by a great deal of attaining the accuracy necessary for celestial navigation in the air. Since two observers were used, and since each attained far greater accuracy with the bubble sextant than with the ball drop sextant, the lack of accuracy must be attributed to the instrument itself rather than to the observers. Improvements in this instrument might be made to increase the accuracy, but the observations obtained at Indianapolis were so totally unreliable, without any indication of such unreliability being due to some specific flaw in the instrument, that the logical conclusion seems to be that the basic principle of construction is not adaptable to observations in an airplane.

TABLE I  
GROUND OBSERVATIONS WITH BUBBLE AND BALL DROP SEXTANTS

|                     | Bubble Sextant | Ball Drop Sextant<br>Direct Sight Telescope | Ball Drop Sextant<br>Elbow Telescope |
|---------------------|----------------|---|--------------------------------------|
| No of Observations  | 468            | 231   | 193                                  |
| Average Error       | 3 7 min        | 4 1 min                                     | 3 5 min                              |
| Total Average Error | 3 7 min        |   | 3 8 min                              |

TABLE II  
FIRST FLIGHT

|             |                   |           |                                |
|-------------|-------------------|-----------|--------------------------------|
| Date        | July 7, 1947      | Telescope | Direct sighting                |
| Body        | Sun               | Latitude  | 39° 43' N                      |
| Observer    | A. M. Weber       | Longitude | 86° 21' W. on all observations |
| Instrument. | Ball Drop Sextant | Air       | Medium rough                   |

| Time<br>GCT | Observed<br>Altitude | Tilt | Tilt<br>Corr | Inst<br>Corr | Corr<br>Obs Alt | Comp<br>Alt | Error |
|-------------|----------------------|------|--------------|--------------|-----------------|-------------|-------|
| H M S       | Deg. Min             | Deg  | Min<br>(-)   | Min<br>(-)   | Deg Min         | Deg Min     | Min   |
| 19 27 28    | 57 21                | 1    | 1            | 13           | 57 07           | 63 14       | -367  |
| 30 40       | 65 34                | 1    | 1            | 13           | 65 20           | 62 42       | +158  |
| 34 12       | 62 49                | 0    | 0            | 13           | 62 36           | 62 07       | + 29  |
| 36 56       | 60 58                | 2    | 4            | 13           | 60 41           | 61 39       | - 58  |
| 41 17       | 58 15                | 0    | 0            | 13           | 58 02           | 60 54       | -172  |
| 43 35       | 59 54                | 2    | 4            | 13           | 59 37           | 60 32       | - 55  |
| 46 32       | 57 35                | 1    | 1            | 13           | 57 21           | 60 00       | -159  |
| 49 57       | 59 47                | 2    | 4            | 13           | 59 30           | 59 25       | + 05  |

|            |  |           |                                |
|------------|--|-----------|--------------------------------|
| Body       | Sun  | Latitude  | 39° 43' N                      |
| Observer   | A M Weber                                    | Longitude | 86° 21' W. on all observations |
| Instrument | Bubble Sextant,<br>averaging device<br>used. | Air       | Medium rough                   |

| Time<br>GCT | Observed<br>Altitude | Computed<br>Altitude | Error |
|-------------|----------------------|----------------------|-------|
| H M S       | Deg Min.             | Deg Min              | Min   |
| 20 02 50    | 56 57                | 57 07                | -10   |
| 17 35       | 54 13                | 54 28                | -15   |
| 22 30       | 53 35                | 53 34                | +01   |
| 29 15       | 52 24                | 52 19                | +05   |
| 36 35       | 50 48                | 50 56                | -08   |
| 43 02       | 49 44                | 49 44                | 00    |

TABLE III  
SECOND FLIGHT

Date July 8, 1947  
 Body Sun  
 Observer G. B. Walker  
 Instrument Ball Drop Sextant  
 Telescope Air  
 Direct sighting Moderately smooth

| Time<br>GCT | N<br>Lat. | W<br>Long | Obs.<br>Alt | Tilt<br>Tilt | Tilt<br>Corr. | Inst.<br>Corr. | Corr<br>Obs Alt | Comp.<br>Alt. | Error |
|-------------|-----------|-----------|-------------|--------------|---------------|----------------|-----------------|---------------|-------|
| H M S       | Deg Min   | Deg. Min  | Deg Min.    | Deg.         | Min.<br>(-)   | Min<br>(-)     | Deg. Min        | Deg Min       | Min.  |
| 15 00 00    | 39 49     | 86 19     | 51 25       | 1 1/2        | 2             | 13             | 51 10           | 50 14         | + 56  |
| 02 00       | 39 51     | 86 23     | 52 20       | 1            | 1             | 13             | 52 06           | 50 32         | + 94  |
| 05 00       | 39 53     | 86 32     | 51 57       | 0            | 0             | 13             | 51 44           | 50 58         | + 46  |
| 07 00       | 39 56     | 86 37     | 53 35       | 0            | 0             | 13             | 53 22           | 51 17         | +125  |
| 09 15       | 39 58     | 86 43     | 50 27       | 1            | 1             | 13             | 50 13           | 51 46         | - 93  |
| 11 40       | 40 00     | 86 48     | 52 27       | 1            | 1             | 13             | 52 13           | 51 59         | + 14  |
| 13 35       | 40 03     | 86 54     | 50 27       | 1            | 1             | 13             | 50 13           | 52 34         | -141  |

Body Sun  
 Instrument Bubble Sextant, averaging device used  
 Air Moderately smooth

| Time<br>GCT | N<br>Lat | W<br>Long | Obs Alt | Comp Alt | Error | Observer |
|-------------|----------|-----------|---------|----------|-------|----------|
| H M S       | Deg Min  | Deg Min   | Deg Min | Deg Min  | Min   |          |
| 16 03 00    | 39 53    | 86 32     | 61 17   | 61 20    | -03   | Weber    |
| 06 35       | 39 51    | 86 23     | 61 50   | 62 03    | -13   |          |
| 13 00       | 39 49    | 86 19     | 62 52   | 63 09    | -17   |          |
| 16 10       | 39 52    | 86 28     | 63 27   | 63 32    | -05   |          |
| 19 45       | 39 56    | 86 37     | 63 53   | 63 58    | -05   |          |
| 22 20       | 39 58    | 86 43     | 64 07   | 64 17    | -10   |          |
| 25 50       | 40 03    | 86 54     | 64 38   | 64 40    | -02   | Walker   |
| 30 50       | 40 03    | 86 54     | 65 14   | 65 25    | -11   |          |
| 35 20       | 39 58    | 86 43     | 67 27   | 66 14    | +73   |          |
| 37 55       | 39 56    | 86 37     | 66 43   | 66 42    | +01   |          |
| 41 30       | 39 52    | 86 28     | 67 03   | 67 19    | -16   |          |
| 44 30       | 39 49    | 86 19     | 67 29   | 67 50    | -21   |          |

TABLE IV  
THIRD FLIGHT

Date July 11, 1947  
Body Sun  
Observer A. M. Weber  
Instrument Ball Drop Sextant  
Telescope Air  
Elbow type Moderately rough

| Time |    |    | N         |    | W         |    | Obs       |    | Tilt | Tilt | Inst. | Corr      |    | Comp      |    | Error |
|------|----|----|-----------|----|-----------|----|-----------|----|------|------|-------|-----------|----|-----------|----|-------|
| GCT  |    |    | Lat       |    | Long      |    | Alt       |    | Tilt | Corr | Corr  | Obs. Alt. |    | Alt.      |    | Min   |
| H    | M  | S  | Deg. Min. |    | Deg. Min. |    | Deg. Min. |    | Deg  | Min  | Min   | Deg. Min. |    | Deg. Min. |    | Min   |
|      |    |    |           |    |           |    |           |    |      | (-)  | (+)   |           |    |           |    |       |
| 15   | 02 | 12 | 39        | 49 | 86        | 19 | 50        | 33 | 1    | 1    | 5     | 50        | 37 | 50        | 18 | + 19  |
|      | 05 | 19 | 39        | 52 | 86        | 28 | 50        | 26 | 1    | 1    | 5     | 50        | 30 | 50        | 47 | - 17  |
|      | 09 | 18 | 39        | 56 | 86        | 37 | 52        | 06 | 0    | 0    | 5     | 52        | 11 | 51        | 24 | + 47  |
|      | 11 | 31 | 39        | 58 | 86        | 43 | 52        | 33 | 0    | 0    | 5     | 52        | 38 | 51        | 42 | + 56  |
|      | 13 | 37 | 40        | 00 | 86        | 48 | 51        | 30 | 1    | 1    | 5     | 51        | 34 | 52        | 02 | - 28  |
|      | 15 | 55 | 40        | 03 | 86        | 54 | 53        | 15 | 2    | 3    | 5     | 53        | 17 | 52        | 22 | + 55  |
|      | 21 | 11 | 40        | 03 | 86        | 54 | 52        | 52 | 1    | 1    | 5     | 52        | 56 | 53        | 20 | - 24  |
|      | 24 | 05 | 40        | 00 | 86        | 48 | 56        | 58 | 1    | 1    | 5     | 57        | 02 | 53        | 35 | +207  |
|      | 27 | 20 | 39        | 56 | 86        | 37 | 56        | 52 | 2    | 3    | 5     | 56        | 54 | 54        | 19 | +155  |
|      | 29 | 15 | 39        | 53 | 86        | 32 | 54        | 53 | 1    | 1    | 5     | 54        | 57 | 54        | 41 | + 16  |
|      | 32 | 42 | 39        | 51 | 86        | 23 | 55        | 41 | 0    | 0    | 5     | 55        | 46 | 55        | 51 | - 05  |
|      | 38 | 10 | 39        | 49 | 86        | 19 | 57        | 30 | 1    | 1    | 5     | 57        | 34 | 56        | 53 | + 41  |

Body Sun  
Observer A. M. Weber  
Instrument Bubble Sextant  
Air Moderately smooth

| Time |    |    | N.        |    | W         |    | Obs       |    | Comp      |    | Error | Remarks          |
|------|----|----|-----------|----|-----------|----|-----------|----|-----------|----|-------|------------------|
| GCT  |    |    | Lat       |    | Long.     |    | Alt       |    | Alt.      |    | Min.  |                  |
| H    | M  | S  | Deg. Min. |    | Deg. Min. |    | Deg. Min. |    | Deg. Min. |    | Min.  |                  |
| 15   | 49 | 45 | 39        | 59 | 86        | 45 | 58        | 28 | 58        | 30 | -02   | Averaging device |
|      | 53 | 15 | 40        | 03 | 86        | 54 | 58        | 45 | 59        | 02 | -17   |                  |
| 16   | 00 | 15 | 40        | 03 | 86        | 54 | 60        | 10 | 60        | 14 | -04   |                  |
|      | 02 | 52 | 40        | 00 | 86        | 48 | 60        | 52 | 60        | 45 | +07   |                  |
|      | 06 | 00 | 39        | 56 | 86        | 37 | 61        | 50 | 61        | 25 | +25   | Single shots     |
|      | 07 | 03 | 39        | 54 | 86        | 34 | 61        | 34 | 61        | 38 | -04   |                  |
|      | 07 | 47 | 39        | 53 | 86        | 32 | 62        | 02 | 61        | 48 | +14   |                  |
|      | 08 | 32 | 39        | 52 | 86        | 30 | 61        | 52 | 61        | 56 | -04   |                  |
|      | 09 | 24 | 39        | 52 | 86        | 28 | 61        | 56 | 62        | 06 | -10   |                  |
|      | 11 | 01 | 39        | 51 | 86        | 23 | 62        | 26 | 62        | 27 | -01   |                  |
|      | 11 | 54 | 39        | 50 | 86        | 21 | 63        | 11 | 62        | 36 | +35   |                  |
|      | 12 | 45 | 39        | 49 | 86        | 19 | 63        | 22 | 62        | 47 | +35   |                  |
|      | 16 | 43 | 39        | 49 | 86        | 19 | 63        | 19 | 63        | 24 | -05   | Averaging device |
|      | 20 | 05 | 39        | 52 | 86        | 28 | 63        | 37 | 63        | 49 | -12   |                  |
|      | 24 | 00 | 39        | 56 | 86        | 37 | 64        | 10 | 64        | 16 | -06   |                  |
|      | 28 | 20 | 40        | 00 | 86        | 48 | 64        | 46 | 64        | 48 | -02   |                  |
|      | 30 | 50 | 40        | 03 | 86        | 54 | 64        | 57 | 65        | 04 | -07   |                  |
|      | 36 | 55 | 40        | 03 | 86        | 54 | 65        | 59 | 65        | 57 | +02   |                  |
|      | 38 | 28 | 40        | 00 | 86        | 48 | 66        | 19 | 66        | 15 | +04   |                  |
|      | 43 | 00 | 39        | 56 | 86        | 37 | 67        | 02 | 67        | 01 | +01   |                  |
|      | 46 | 25 | 39        | 52 | 86        | 28 | 67        | 30 | 67        | 36 | -06   |                  |

TABLE V  
FOURTH FLIGHT

| Date     |    |    | July 11, 1947 |      | Instrument |     |      | Ball Drop Sextant |       |         |       |     |       |      |    |      |
|----------|----|----|---------------|------|------------|-----|------|-------------------|-------|---------|-------|-----|-------|------|----|------|
| Body     |    |    | Sun           |      | Telescope  |     |      | Elbow type        |       |         |       |     |       |      |    |      |
| Observer |    |    | G B Walker    |      |            |     |      |                   |       |         |       |     |       |      |    |      |
| Time     |    |    | N             | W    | Obs        |     | Tilt | Tilt              | Inst  | Corr.   | Comp. |     | Error |      |    |      |
| GCT      |    |    | Lat.          | Long | Alt.       |     | Tilt | Corr              | Corr  | Obs Alt | Alt   |     | Min.  |      |    |      |
| H        | M  | S  | Deg.          | Min. | Deg        | Min | Deg  | Min.              | Min   | Deg     | Min.  | Deg | Min   | Min. |    |      |
| 18       | 35 | 00 | 39            | 49   | 86         | 19  | 70   | 23                | 1 1/2 | 3       | 5     | 70  | 25    | 69   | 58 | - 27 |
|          | 38 | 30 | 39            | 52   | 86         | 28  | 70   | 45                | 0     | 0       | 5     | 70  | 50    | 69   | 38 | - 72 |
|          | 40 | 45 | 39            | 53   | 86         | 32  | 70   | 30                | 1     | 1       | 5     | 70  | 34    | 69   | 24 | + 70 |
|          | 42 | 55 | 39            | 56   | 86         | 37  | 70   | 31                | 1     | 1       | 5     | 70  | 35    | 69   | 09 | + 86 |
|          | 45 | 20 | 39            | 58   | 86         | 43  | 68   | 51                | 2     | 5       | 5     | 68  | 51    | 68   | 55 | - 04 |
|          | 47 | 40 | 40            | 00   | 86         | 48  | 67   | 44                | 1/2   | 0       | 5     | 67  | 49    | 68   | 39 | - 50 |
|          | 51 | 10 | 40            | 03   | 86         | 54  | 68   | 26                | 1     | 1       | 5     | 68  | 30    | 68   | 15 | + 15 |
|          | 56 | 00 | 40            | 03   | 86         | 54  | 68   | 01                | 2     | 5       | 5     | 68  | 01    | 67   | 42 | + 19 |
|          | 58 | 50 | 40            | 00   | 86         | 48  | 67   | 41                | 1 1/2 | 3       | 5     | 67  | 43    | 67   | 16 | + 27 |
| 19       | 00 | 25 | 39            | 58   | 86         | 43  | 68   | 14                | 1/2   | 1       | 5     | 68  | 18    | 67   | 01 | + 77 |
|          | 02 | 05 | 39            | 56   | 86         | 37  | 69   | 49                | 1/2   | 0       | 5     | 69  | 54    | 66   | 47 | +187 |
|          | 04 | 15 | 39            | 53   | 86         | 32  | 66   | 55                | 1     | 1       | 5     | 66  | 59    | 66   | 29 | + 30 |
|          | 06 | 25 | 39            | 52   | 86         | 28  | 67   | 20                | 2 1/2 | 8       | 5     | 67  | 17    | 66   | 08 | + 69 |
|          | 07 | 40 | 39            | 51   | 86         | 23  | 66   | 21                | 2     | 5       | 5     | 66  | 21    | 65   | 56 | + 25 |
|          | 09 | 15 | 39            | 49   | 86         | 19  | 65   | 57                | 0     | 0       | 5     | 66  | 02    | 65   | 41 | + 21 |

| Body     |    |    | Sun         |       | Instrument |     |      | Bubble Sextant |       |         |     |                  |
|----------|----|----|-------------|-------|------------|-----|------|----------------|-------|---------|-----|------------------|
| Observer |    |    | G. B Walker |       |            |     |      |                |       |         |     |                  |
| Time     |    |    | N           | W     | Obs        |     | Comp | Alt            | Error | Remarks |     |                  |
| GCT      |    |    | Lat.        | Long. | Alt        |     | Alt  | Alt            | Min   |         |     |                  |
| H        | M  | S  | Deg         | Min   | Deg.       | Min | Deg  | Min            | Min   |         |     |                  |
| 19       | 17 | 40 | 39          | 51    | 86         | 23  | 64   | 05             | 64    | 27      | -22 | Averaging device |
|          | 21 | 00 | 39          | 53    | 86         | 32  | 63   | 32             | 64    | 01      | -29 |                  |
|          | 27 | 35 | 40          | 00    | 86         | 48  | 63   | 25             | 63    | 05      | +20 |                  |
|          | 30 | 15 | 40          | 03    | 86         | 54  | 63   | 19             | 62    | 41      | +38 |                  |
|          | 37 | 35 | 40          | 00    | 86         | 48  | 62   | 38             | 61    | 28      | +70 | Single shots     |
|          | 39 | 55 | 39          | 58    | 86         | 43  | 61   | 57             | 61    | 03      | +54 |                  |
|          | 40 | 25 | 39          | 58    | 86         | 43  | 61   | 51             | 60    | 58      | +53 |                  |
|          | 42 | 25 | 39          | 56    | 86         | 37  | 61   | 48             | 60    | 35      | +73 |                  |
|          | 46 | 20 | 39          | 52    | 86         | 28  | 60   | 07             | 59    | 51      | +16 |                  |
|          | 47 | 00 | 39          | 51    | 86         | 23  | 60   | 01             | 59    | 41      | +20 |                  |



TABLE VI  
FIFTH FLIGHT

| Date     |    | July 14, 1947 |          |    |         | Instrument |         | Ball Drop Sextant |      |      |       |         |          |         |      |     |       |
|----------|----|---------------|----------|----|---------|------------|---------|-------------------|------|------|-------|---------|----------|---------|------|-----|-------|
| Body     |    | Sun           |          |    |         | Telescope  |         | Elbow type        |      |      |       |         |          |         |      |     |       |
| Observer |    | A. M. Weber   |          |    |         | Air        |         | Moderately smooth |      |      |       |         |          |         |      |     |       |
| Time     |    |               | N        |    | W       |            | Obs     |                   | Tilt |      | Inst  |         | Corr     |         | Comp |     | Error |
| GCT      |    |               | Lat.     |    | Long    |            | Alt     |                   | Tilt |      | Corr. |         | Obs Alt. |         | Alt  |     | Min   |
| H        | M  | S             | Deg Min. |    | Deg Min |            | Deg Min |                   | Deg  | Min. | Min   | Deg.Min |          | Deg Min |      | Min |       |
|          |    |               |          |    |         |            |         |                   |      | (-)  | (+)   |         |          |         |      |     |       |
| 14       | 38 | 45            | 39       | 49 | 86      | 19         | 45      | 40                | 1    | 0    | 5     | 45      | 44       | 45      | 39   | + 5 |       |
|          | 40 | 47            | 39       | 51 | 86      | 23         | 46      | 10                | 1    | 0    | 5     | 46      | 14       | 45      | 56   | +18 |       |
|          | 42 | 40            | 39       | 52 | 86      | 28         | 45      | 28                | 1    | 0    | 5     | 45      | 32       | 46      | 14   | -42 |       |
|          | 46 | 52            | 39       | 56 | 86      | 37         | 47      | 35                | 0    | 0    | 5     | 47      | 40       | 46      | 53   | +47 |       |
|          | 49 | 00            | 39       | 58 | 86      | 43         | 47      | 29                | 0    | 0    | 5     | 47      | 34       | 47      | 12   | +22 |       |
|          | 51 | 27            | 40       | 00 | 86      | 48         | 47      | 48                | 1    | 1    | 5     | 47      | 52       | 47      | 37   | +15 |       |
|          | 54 | 10            | 40       | 03 | 86      | 54         | 47      | 32                | 1    | 1    | 5     | 47      | 36       | 48      | 00   | -24 |       |
| 15       | 00 | 17            | 40       | 03 | 86      | 54         | 49      | 08                | 2    | 2    | 5     | 49      | 11       | 49      | 10   | + 1 |       |
|          | 02 | 20            | 40       | 00 | 86      | 48         | 50      | 31                | 0    | 0    | 5     | 50      | 36       | 49      | 37   | +59 |       |
|          | 06 | 07            | 39       | 56 | 86      | 37         | 50      | 36                | 1    | 1    | 5     | 50      | 40       | 50      | 29   | +11 |       |
|          | 09 | 42            | 39       | 52 | 86      | 28         | 50      | 47                | 0    | 0    | 5     | 50      | 52       | 51      | 16   | -24 |       |
|          | 12 | 50            | 39       | 49 | 86      | 19         | 52      | 08                | 1    | 1    | 5     | 52      | 12       | 51      | 59   | +13 |       |
|          | 18 | 00            | 39       | 51 | 86      | 23         | 52      | 53                | 2    | 3    | 5     | 52      | 55       | 52      | 52   | + 3 |       |
|          | 21 | 35            | 39       | 53 | 86      | 32         | 52      | 23                | 0    | 0    | 5     | 52      | 28       | 53      | 23   | -55 |       |
|          | 23 | 55            | 39       | 56 | 86      | 37         | 53      | 40                | 2    | 3    | 5     | 53      | 42       | 53      | 44   | - 2 |       |
|          | 27 | 17            | 39       | 58 | 86      | 43         | 53      | 40                | 1    | 1    | 5     | 53      | 44       | 54      | 16   | -32 |       |
|          | 28 | 12            | 40       | 00 | 86      | 48         | 54      | 16                | 1    | 1    | 5     | 54      | 20       | 54      | 21   | - 1 |       |
|          | 30 | 45            | 40       | 03 | 86      | 54         | 54      | 44                | 1    | 1    | 5     | 54      | 48       | 54      | 43   | + 5 |       |
|          | 36 | 07            | 40       | 03 | 86      | 54         | 56      | 42                | 0    | 0    | 5     | 56      | 47       | 55      | 41   | +66 |       |
|          | 38 | 30            | 40       | 00 | 86      | 48         | 55      | 26                | 1    | 1    | 5     | 55      | 30       | 56      | 12   | -42 |       |
|          | 40 | 32            | 39       | 58 | 86      | 43         | 55      | 54                | 2    | 3    | 5     | 55      | 56       | 56      | 38   | -42 |       |
|          | 42 | 16            | 39       | 56 | 86      | 37         | 56      | 09                | 1    | 1    | 5     | 56      | 13       | 57      | 01   | -48 |       |
|          | 43 | 58            | 39       | 53 | 86      | 32         | 57      | 17                | 1    | 1    | 5     | 57      | 21       | 57      | 24   | - 3 |       |
|          | 45 | 47            | 39       | 52 | 86      | 28         | 58      | 46                | 1    | 1    | 5     | 58      | 50       | 57      | 46   | +64 |       |
|          | 47 | 22            | 39       | 51 | 86      | 23         | 58      | 46                | 3    | 8    | 5     | 58      | 43       | 58      | 07   | +36 |       |
|          | 48 | 51            | 39       | 49 | 86      | 19         | 58      | 15                | 1    | 1    | 5     | 58      | 19       | 58      | 25   | - 6 |       |

| Body     |    | Sun         |          |    |          | Instrument |          | Bubble Sextant with |           |    |       |
|----------|----|-------------|----------|----|----------|------------|----------|---------------------|-----------|----|-------|
| Observer |    | A. M. Weber |          |    |          |            |          | averaging device    |           |    |       |
| Time     |    |             | N.       |    | W        |            | Obs. Alt |                     | Comp Alt. |    | Error |
| GCT      |    |             | Lat      |    | Long.    |            |          |                     |           |    | Min   |
| H        | M  | S           | Deg Min. |    | Deg. Min |            | Deg Min  |                     | Deg Min   |    | Min   |
| 16       | 07 | 05          | 39       | 56 | 86       | 37         | 61       | 01                  | 61        | 14 | -13   |
|          | 11 | 42          | 40       | 00 | 86       | 48         | 61       | 58                  | 61        | 58 | 0     |
|          | 14 | 25          | 40       | 03 | 86       | 54         | 62       | 10                  | 62        | 10 | 0     |
|          | 21 | 05          | 40       | 03 | 86       | 54         | 63       | 25                  | 63        | 14 | +11   |
|          | 24 | 55          | 39       | 58 | 86       | 43         | 64       | 07                  | 63        | 58 | + 9   |
|          | 27 | 25          | 39       | 53 | 86       | 32         | 64       | 23                  | 64        | 30 | - 7   |
|          | 30 | 25          | 39       | 52 | 86       | 28         | 64       | 59                  | 65        | 00 | - 1   |

TABLE VII  
SIXTH FLIGHT

| Date |    | July 15, 1947 GCT |     | Instrument |     | Ball Drop Sextant |     |      |       |      |     |      |     |         |     |      |        |       |  |          |  |  |  |  |  |
|------|----|-------------------|-----|------------|-----|-------------------|-----|------|-------|------|-----|------|-----|---------|-----|------|--------|-------|--|----------|--|--|--|--|--|
| Body |    | Star Arcturus     |     | Telescope  |     | Direct sighting   |     |      |       |      |     |      |     |         |     |      |        |       |  |          |  |  |  |  |  |
|      |    |                   |     | Air        |     | Moderately smooth |     |      |       |      |     |      |     |         |     |      |        |       |  |          |  |  |  |  |  |
| Time |    | N                 |     | W          |     | Obs               |     | Tilt |       | Tilt |     | Inst |     | Corr    |     | Comp |        | Error |  | Observer |  |  |  |  |  |
| GCT  |    | Lat               |     | Long       |     | Alt               |     | Deg  |       | Corr |     | Corr |     | Obs Alt |     | Alt  |        | Min   |  |          |  |  |  |  |  |
| H    | M  | S                 | Deg | Min        | Deg | Min               | Deg | Min  | Deg   | Min  | Min | Min  | Deg | Min     | Deg | Min  | Min    |       |  |          |  |  |  |  |  |
|      |    |                   |     |            |     |                   |     |      |       |      |     |      |     |         |     |      |        | (-)   |  | (-)      |  |  |  |  |  |
| 2    | 27 | 09                | 39  | 33         | 86  | 22                | 57  | 25   | 3     | 7    | 13  | 57   | 05  | 57      | 51  | -46  | Weber  |       |  |          |  |  |  |  |  |
|      | 34 | 15                | 39  | 24         | 86  | 33                | 56  | 05   | 1     | 1    | 13  | 55   | 51  | 56      | 51  | -60  |        |       |  |          |  |  |  |  |  |
|      | 36 | 12                | 39  | 21         | 86  | 40                | 56  | 16   | 1     | 1    | 13  | 56   | 02  | 56      | 37  | -35  |        |       |  |          |  |  |  |  |  |
|      | 39 | 40                | 39  | 17         | 86  | 46                | 56  | 09   | 1     | 1    | 13  | 55   | 55  | 56      | 07  | -12  |        |       |  |          |  |  |  |  |  |
|      | 47 | 35                | 39  | 07         | 86  | 59                | 54  | 09   | 3     | 7    | 13  | 53   | 49  | 54      | 58  | -69  |        |       |  |          |  |  |  |  |  |
|      | 51 | 58                | 39  | 07         | 86  | 59                | 54  | 20   | 1     | 1    | 13  | 54   | 06  | 54      | 11  | -05  |        |       |  |          |  |  |  |  |  |
|      | 57 | 45                | 39  | 17         | 86  | 46                | 52  | 16   | 3     | 6    | 13  | 51   | 57  | 52      | 55  | -58  | Walker |       |  |          |  |  |  |  |  |
| 3    | 00 | 55                | 39  | 21         | 86  | 40                | 52  | 21   | 1     | 1    | 13  | 52   | 07  | 52      | 16  | -09  |        |       |  |          |  |  |  |  |  |
|      | 04 | 40                | 39  | 26         | 86  | 25                | 52  | 43   | 1     | 1    | 13  | 52   | 29  | 51      | 22  | +67  |        |       |  |          |  |  |  |  |  |
|      | 07 | 45                | 39  | 33         | 86  | 22                | 50  | 43   | 2 1/2 | 4    | 13  | 50   | 26  | 50      | 43  | -17  |        |       |  |          |  |  |  |  |  |

TABLE VIII  
SEVENTH FLIGHT

| Date |    | July 16, 1947 GCT |     | Instrument |     | Ball Drop Sextant |     |      |       |      |     |      |     |         |     |      |        |       |  |          |  |  |  |  |  |
|------|----|-------------------|-----|------------|-----|-------------------|-----|------|-------|------|-----|------|-----|---------|-----|------|--------|-------|--|----------|--|--|--|--|--|
| Body |    | Star Arcturus     |     | Telescope  |     | Direct sighting   |     |      |       |      |     |      |     |         |     |      |        |       |  |          |  |  |  |  |  |
|      |    |                   |     | Air        |     | Very smooth       |     |      |       |      |     |      |     |         |     |      |        |       |  |          |  |  |  |  |  |
| Time |    | N                 |     | W          |     | Obs               |     | Tilt |       | Tilt |     | Inst |     | Corr    |     | Comp |        | Error |  | Observer |  |  |  |  |  |
| GCT  |    | Lat               |     | Long       |     | Alt               |     | Deg  |       | Corr |     | Corr |     | Obs Alt |     | Alt  |        | Min   |  |          |  |  |  |  |  |
| H    | M  | S                 | Deg | Min        | Deg | Min               | Deg | Min  | Deg   | Min  | Min | Min  | Deg | Min     | Deg | Min  | Min    |       |  |          |  |  |  |  |  |
|      |    |                   |     |            |     |                   |     |      |       |      |     |      |     |         |     |      |        | (-)   |  | (-)      |  |  |  |  |  |
| 2    | 27 | 03                | 39  | 49         | 86  | 19                | 56  | 46   | 2     | 3    | 13  | 56   | 30  | 57      | 01  | -31  | Weber  |       |  |          |  |  |  |  |  |
|      | 30 | 44                | 39  | 57         | 86  | 16                | 56  | 45   | 1     | 1    | 13  | 56   | 31  | 56      | 18  | +13  |        |       |  |          |  |  |  |  |  |
|      | 36 | 33                | 40  | 02         | 86  | 01                | 53  | 55   | 1     | 1    | 13  | 53   | 41  | 55      | 05  | -84  |        |       |  |          |  |  |  |  |  |
|      | 40 | 10                | 40  | 04         | 85  | 51                | 53  | 00   | 0     | 0    | 13  | 52   | 47  | 54      | 21  | -94  |        |       |  |          |  |  |  |  |  |
|      | 43 | 30                | 40  | 06         | 85  | 41                | 52  | 17   | 1     | 1    | 13  | 52   | 03  | 53      | 40  | -97  |        |       |  |          |  |  |  |  |  |
|      | 48 | 04                | 40  | 10         | 85  | 30                | 52  | 34   | 0     | 0    | 13  | 52   | 21  | 52      | 44  | -23  |        |       |  |          |  |  |  |  |  |
|      | 50 | 20                | 40  | 11         | 85  | 23                | 52  | 13   | 1     | 1    | 13  | 51   | 59  | 52      | 15  | -16  |        |       |  |          |  |  |  |  |  |
|      | 52 | 17                | 40  | 12         | 85  | 16                | 52  | 10   | 0     | 0    | 13  | 51   | 57  | 51      | 47  | +10  |        |       |  |          |  |  |  |  |  |
|      | 55 | 50                | 40  | 11         | 85  | 08                | 50  | 54   | 1     | 1    | 13  | 50   | 40  | 51      | 06  | -26  |        |       |  |          |  |  |  |  |  |
| 3    | 05 | 25                | 40  | 21         | 85  | 09                | 48  | 45   | 2     | 2    | 13  | 48   | 30  | 50      | 00  | -90  | Walker |       |  |          |  |  |  |  |  |
|      | 11 | 10                | 40  | 27         | 85  | 22                | 48  | 47   | 1 1/2 | 1    | 13  | 48   | 33  | 48      | 23  | +10  |        |       |  |          |  |  |  |  |  |
|      | 14 | 00                | 40  | 28         | 85  | 30                | 47  | 28   | 1     | 1    | 13  | 47   | 14  | 47      | 58  | -44  |        |       |  |          |  |  |  |  |  |
|      | 17 | 10                | 40  | 33         | 85  | 40                | 46  | 44   | 1     | 1    | 13  | 46   | 30  | 47      | 29  | -59  |        |       |  |          |  |  |  |  |  |
|      | 21 | 22                | 40  | 31         | 85  | 49                | 46  | 47   | 1     | 1    | 13  | 46   | 33  | 46      | 50  | -17  |        |       |  |          |  |  |  |  |  |
|      | 24 | 20                | 40  | 29         | 85  | 58                | 46  | 15   | 0     | 0    | 13  | 46   | 02  | 46      | 24  | -22  |        |       |  |          |  |  |  |  |  |
|      | 28 | 00                | 40  | 29         | 86  | 08                | 45  | 13   | 1     | 0    | 13  | 44   | 59  | 45      | 51  | -52  |        |       |  |          |  |  |  |  |  |
|      | 36 | 57                | 40  | 17         | 86  | 31                | 43  | 46   | 4     | 8    | 13  | 43   | 25  | 44      | 30  | -65  | Weber  |       |  |          |  |  |  |  |  |
|      | 40 | 41                | 40  | 08         | 86  | 37                | 42  | 21   | 1     | 0    | 13  | 42   | 08  | 43      | 54  | -106 |        |       |  |          |  |  |  |  |  |
|      | 46 | 07                | 40  | 03         | 86  | 28                | 42  | 26   | 4     | 8    | 13  | 42   | 05  | 42      | 48  | -43  |        |       |  |          |  |  |  |  |  |
|      | 50 | 52                | 39  | 57         | 86  | 16                | 41  | 34   | 5     | 12   | 13  | 41   | 09  | 41      | 46  | -37  |        |       |  |          |  |  |  |  |  |

TABLE IX  
SUMMARY OF FLIGHT TEST OBSERVATIONS  
BALL DROP SEXTANT

| Weber                     |           |                |              |              |
|---------------------------|-----------|----------------|--------------|--------------|
|                           | No. Obs.  | Total<br>Error | Av<br>Error  | Max<br>Error |
|                           |           | Min            | Min          | Min          |
| Direct sighting telescope | 27        | 1875           | 69.4         | 367          |
| Elbow telescope           | 38        | 1356           | 35.7         | 207          |
| <b>Total</b>              | <b>65</b> | <b>3231</b>    | <b>49.7</b>  | <b>367</b>   |
| Walker                    |           |                |              |              |
|                           | No Obs    | Total<br>Error | Av<br>Error  | Max<br>Error |
|                           |           | Min            | Min          | Min          |
| Direct sighting telescope | 18        | 1014           | 56.3         | 141          |
| Elbow telescope           | 15        | 779            | 51.9         | 187          |
| <b>Total</b>              | <b>33</b> | <b>1793</b>    | <b>54.3</b>  | <b>187</b>   |
| Total - Both Observers    |           |                |              |              |
|                           | No Obs    | Total<br>Error | Av.<br>Error | Max<br>Error |
|                           |           | Min            | Min.         | Min.         |
| Direct sighting telescope | 45        | 2889           | 64.2         | 367          |
| Elbow telescope           | 53        | 2135           | 40.3         | 207          |
| <b>Grand Total</b>        | <b>98</b> | <b>5024</b>    | <b>51.3</b>  | <b>367</b>   |

TABLE X  
BUBBLE SEXTANT

|                  | Weber  |             |          |           |
|------------------|--------|-------------|----------|-----------|
|                  | No Obs | Total Error | Av Error | Max Error |
|                  |        | Min         | Min      | Min       |
| Averaging Device | 33     | 210         | 6.4      | 17        |
| Single shots     | 8      | 128         | 16.0     | 35        |

|                  | Walker  |             |          |            |
|------------------|---------|-------------|----------|------------|
|                  | No. Obs | Total Error | Av Error | Max. Error |
|                  |         | Min         | Min      | Min        |
| Averaging Device | 9       | 231         | 25.7     | 73         |
| Single shots     | 6       | 286         | 47.7     | 73         |

|                  | Total - Both Observers |             |           |           |
|------------------|------------------------|-------------|-----------|-----------|
|                  | No. Obs                | Total Error | Av. Error | Max Error |
|                  |                        | Min.        | Min       | Min.      |
| Averaging Device | 42                     | 441         | 10.5      | 73        |
| Single shots     | 14                     | 414         | 29.6      | 73        |

TABLE XI  
COMPARATIVE ACCURACIES OF THE BALL DROP AND BUBBLE SEXTANTS

| Sextant   | No Obs. | Total Error Min | Av Error Min | Max Error Min. | No Errors |          |          |
|-----------|---------|-----------------|--------------|----------------|-----------|----------|----------|
|           |         |                 |              |                | Over 60'  | Over 30' | Over 10' |
| Ball Drop | 98      | 5024            | 51.3         | 367            | 26        | 54       | 83       |
| Bubble    | 42      | 441             | 10.5         | 73             | 1         | 2        | 15       |

Percent Observations

| Sextant   | Over 60' Error | Over 30' Error | Over 10' Error |
|-----------|----------------|----------------|----------------|
| Ball Drop | 27             | 55             | 85             |
| Bubble    | 2              | 5              | 36             |