

TL165  
.Ex59  
2002



# **Experimental Products Evaluation Program**

**Annual Report  
February, 2002**

---

**Gary Williams, P.E.  
Product Evaluation Engineer**

**Planning & Research Division  
Oklahoma Department of Transportation  
200 N.E. 21st Street, Room 2A2  
Oklahoma City, Oklahoma 73105  
(405) 521-2671**

TE165  
.Ex59  
2002  
OKDOT  
Library

# TECHNICAL REPORT DOCUMENTATION PAGE

|   |   |   |                 |
|---|---|---|-----------------|
| <b>1. REPORT NO.</b><br>FHWA/OK 02(01)  | <b>2. GOVERNMENT ACCESSION NO.</b>                          | <b>3. RECIPIENT'S CATALOG NO.</b>   |                 |
| <b>4. TITLE AND SUBTITLE</b><br>Experimental Product and Evaluation Program: Annual Report  |   | <b>5. REPORT DATE</b>   |                 |
| <b>9. PERFORMING ORGANIZATION NAME AND ADDRESS</b><br>Oklahoma Department of Transportation<br>Research & Development Division<br>200 N.E. 21st Street, Room 2A2<br>Oklahoma City, Oklahoma 73105   |   | <b>10. WORK UNIT NO.</b>  |                 |
| <b>12. SPONSORING AGENCY NAME AND ADDRESS</b><br><br>U.S. Department of Transportation<br>Federal Highway Administration<br>300 North Meridian, Suite 105-5<br>Oklahoma City, OK 73107  |   | <b>13. TYPE OF REPORT AND PERIOD COVERED</b><br>Annual Report<br>Jan. - Dec. 2001   |                 |
| <b>15. SUPPLEMENTARY NOTES</b>  |   | <b>14. SPONSORING AGENCY CODE</b>   |                 |
| <b>16. ABSTRACT</b><br>This publication consists of a listing of experimental products that are being or have been evaluated by The Oklahoma Department of Transportation (ODOT), or other transportation agencies.<br><br>This listing is continuously updated as new information is received.<br><br>A status of the evaluation is given for each item, showing the progress or result of the evaluation. |   |   |                 |
| <b>17. KEY WORDS</b><br>Experimental products and equipment.  |   | <b>18. DISTRIBUTION STATEMENT</b><br>No restrictions. This publication is available from<br>The Research & Development Division,<br>Oklahoma DOT. |                 |
| <b>19. SECURITY CLASSIF. (OF THIS REPORT)</b><br>Unclassified   | <b>20. SECURITY CLASSIF. (OF THIS PAGE)</b><br>Unclassified | <b>21. NO. OF PAGES</b><br>24   | <b>2. PRICE</b> |

The contents of this report reflect the views of the author(s) who is responsible for the facts and accuracy of the data presented herein. The contents do not necessarily reflect the views of the Oklahoma Department of Transportation or the Federal Highway Administration. This report does not constitute a standard, specification or regulation. While trade names may be used in this report, it is not intended as an endorsement of any machine, contractor, process or product.

## SI (METRIC) CONVERSION FACTORS

| <i>Approximate Conversions to SI Units</i> |                               |             |                    |                 | <i>Approximate Conversions from SI Units</i> |                    |             |                               |                     |
|--|-------------------------------|-------------|--------------------|-----------------|--|--------------------|-------------|-------------------------------|---------------------|
| Symbol                                     | When you know                 | Multiply by | To Find            | Symbol          | Symbol                                       | When you know      | Multiply by | To Find                       | Symbol              |
| <b>LENGTH</b>                              |                               |             |                    |                 | <b>LENGTH</b>                                |                    |             |                               |                     |
| in   | inches                        | 25.40       | millimeters        | mm              | mm   | millimeters        | 0.0394      | inches                        | in                  |
| ft   | feet                          | 0.3048      | meters             | m               | m  | meters             | 3.281       | feet                          | ft                  |
| yd   | yards                         | 0.9144      | meters             | m               | m  | meters             | 1.094       | yards                         | yd                  |
| mi   | miles                         | 1.609       | kilometers         | km              | km   | kilometers         | 0.6214      | miles                         | mi                  |
| <b>AREA</b>                                |                               |             |                    |                 | <b>AREA</b>                                  |                    |             |                               |                     |
| in <sup>2</sup>                            | square inches                 | 645.2       | square millimeters | mm <sup>2</sup> | mm <sup>2</sup>                              | square millimeters | 0.00155     | square inches                 | in <sup>2</sup>     |
| ft <sup>2</sup>                            | square feet                   | 0.0929      | square meters      | m <sup>2</sup>  | m <sup>2</sup>                               | square meters      | 10.764      | square feet                   | ft <sup>2</sup>     |
| yd <sup>2</sup>                            | square yards                  | 0.8361      | square meters      | m <sup>2</sup>  | m <sup>2</sup>                               | square meters      | 1.196       | square yards                  | yd <sup>2</sup>     |
| ac   | acres                         | 0.4047      | hectares           | ha              | ha   | hectares           | 2.471       | acres                         | ac                  |
| mi <sup>2</sup>                            | square miles                  | 2.590       | square kilometers  | km <sup>2</sup> | km <sup>2</sup>                              | square kilometers  | 0.3861      | square miles                  | mi <sup>2</sup>     |
| <b>VOLUME</b>                              |                               |             |                    |                 | <b>VOLUME</b>                                |                    |             |                               |                     |
| fl oz                                      | fluid ounces                  | 29.57       | milliliters        | mL              | mL   | milliliters        | 0.0338      | fluid ounces                  | fl oz               |
| gal  | gallons                       | 3.785       | liters             | L               | L  | liters             | 0.2642      | gallons                       | gal                 |
| ft <sup>3</sup>                            | cubic feet                    | 0.0283      | cubic meters       | m <sup>3</sup>  | m <sup>3</sup>                               | cubic meters       | 35.315      | cubic feet                    | ft <sup>3</sup>     |
| yd <sup>3</sup>                            | cubic yards                   | 0.7645      | cubic meters       | m <sup>3</sup>  | m <sup>3</sup>                               | cubic meters       | 1.308       | cubic yards                   | yd <sup>3</sup>     |
| <b>MASS</b>                                |                               |             |                    |                 | <b>MASS</b>                                  |                    |             |                               |                     |
| oz   | ounces                        | 28.35       | grams              | g               | g  | grams              | 0.0353      | ounces                        | oz                  |
| lb   | pounds                        | 0.4536      | kilograms          | kg              | kg   | kilograms          | 2.205       | pounds                        | lb                  |
| T  | short tons<br>(2000 lb)       | 0.907       | megagrams          | Mg              | Mg   | megagrams          | 1.1023      | short tons<br>(2000 lb)       | T                   |
| <b>TEMPERATURE (exact)</b>                 |                               |             |                    |                 | <b>TEMPERATURE (exact)</b>                   |                    |             |                               |                     |
| °F   | degrees<br>Fahrenheit         | (°F-32)/1.8 | degrees<br>Celsius | °C              | °C   | degrees<br>Celsius | 9/5+32      | degrees<br>Fahrenheit         | °F                  |
| <b>FORCE and PRESSURE or STRESS</b>        |                               |             |                    |                 | <b>FORCE and PRESSURE or STRESS</b>          |                    |             |                               |                     |
| lbf  | poundforce                    | 4.448       | Newtons            | N               | N  | Newtons            | 0.2248      | poundforce                    | lbf                 |
| lbf/in <sup>2</sup>                        | poundforce<br>per square inch | 6.895       | kilopascals        | kPa             | kPa  | kilopascals        | 0.1450      | poundforce<br>per square inch | lbf/in <sup>2</sup> |

# **EXPERIMENTAL PRODUCTS EVALUATION PROGRAM**

**Annual Report**

**February 2002**

**Gary Williams, P.E.  
Product Evaluation Engineer**

**Planning & Research Division  
Oklahoma Department of Transportation  
200 N.E. 21st Street, Room 2A2  
Oklahoma City, OK 73105  
Telephone (405) 521-2671  
FAX (405) 521-6948**

## TABLE OF CONTENTS

|  |    |
|--|----|
| BARRIERS, FENCING AND ROADSIDE STRUCTURES.....     | 4  |
| BITUMINOUS MATERIALS AND ADDITIVES.....            | 4  |
| CULVERTS AND DRAINAGE STRUCTURES.....              | 4  |
| JOINT SEALERS AND FILLERS.....                     | 5  |
| MISCELLANEOUS.....                                 | 5  |
| PATCHING MATERIALS.....                            | 6  |
| PAVING FABRICS.....                                | 7  |
| PCC ADMIXTURES.....                                | 7  |
| PCC FINISHING MATERIALS.....                       | 7  |
| RUST PASSIVATORS.....                              | 8  |
| SOIL STERILIZATION AND WEED CONTROL MATERIALS..... | 8  |
| SOIL TREATMENTS.....                               | 11 |
| STRUCTURAL PAINTS.....                             | 12 |
| TESTING AND CONSTRUCTION EQUIPMENT.....            | 14 |
| WATERPROOFING MEMBRANES AND MATERIALS.....         | 14 |

## **LIST OF TABLES**

|   |          |
|---|----------|
| <b>EVALUATIONS COMPLETED IN 2001.....</b>     | <b>2</b> |
| <b>PRODUCTS UNDER EVALAUTION IN 2001.....</b> | <b>3</b> |

# **EXPERIMENTAL PRODUCTS EVALUATION PROGRAM: ANNUAL REPORT**

## **BACKGROUND**

Rapid implementation of new technologies and products is an important component of an efficiently managed transportation system. The Experimental Products Evaluation Program (EPEP) is an ongoing program established by The Research & Development Division to provide The Oklahoma Department of Transportation (ODOT) with a means of evaluating, monitoring, and implementing the use of new or experimental products. This report gives the status of products evaluated, pending evaluation, or under evaluation by ODOT during the last five years.

Certain restrictions apply to the use of new products on ODOT projects. If the project includes federal funds, special provisions and an evaluation work plan must be developed and approved.

## **CLASSIFICATION OF EVALUATION STATUS**

The status of each product evaluation is classified as follows.

|                         |   |
|-------------------------|---|
| <b>Pending</b>          | The evaluation has not yet begun or has been delayed.   |
| <b>Under Evaluation</b> | The product is currently being evaluated.   |
| <b>Accepted</b>         | The evaluation is complete and the product met the evaluation criteria. This does not guarantee approval by ODOT or the FHWA for general use. |
| <b>Not Accepted</b>     | The evaluation is complete and the product failed to meet the criteria under which it was evaluated.  |

## **SUMMARY OF ANNUAL PROGRESS**

For the year 2001, there were 14 products under evaluation. The products under evaluation are listed in Table 1. The products evaluated by the EPEP are kept in the "current" database for a minimum of two years after completion of the evaluation. Pages 4 through 15 consist of a listing of the 46 products in the database at this time.



**Table 1. Products Under Evaluation in 2001**

| <b>Product RD No.</b> | <b>Product Name</b>                      | <b>Product Description</b>   |
|-----------------------|--|--|
| RD-2330               | Rheomac SF 100                           | Silica fume mineral admixture. Used in silica fume modified PCC overlay of an existing bridge deck (in ODOT's evaluation).   |
| RD-2409               | Thoroclad                                | Portland cement-acrylic modified primer for iron or steel surfaces. Can be applied to clean or rusted surfaces.  |
| RD-2505               | EZ - 7                                   | Cold pour joint and crack sealant. Under evaluation as a crack sealant on both PCC and AC surfaces.  |
| RD-4901               | Portland Cement Kiln Dust (Holnam, Inc.) | Applied as soil stabilization.   |
| RD-4902               | Portland Cement Kiln Dust (Lone Star)    | Applied as soil stabilization.   |
| RD-4903               | Portland Cement Kiln Dust (Blue Circle)  | Applied as soil stabilization.   |
| RD-2304               | Alumaclad                                | Bridge paint.  |
| RD-2302               | Rust Grip                                | Urethane bridge paint.   |
| RD-2307               | Superior Paint System                    | Bridge paint system consisting of Rust Grip SP-S primer, Rust Grip with dye intermediate coat and Rust Grip HS topcoat.  |
| RD-2308               | Tnemec 135, Series 74 Bridge Paint       | Bridge paint system.   |
| RD-2305               | Wasser Paint System                      | Bridge Paint System.   |
| RD-2306               | Valspar Paint System.                    | Bridge paint system.   |
| RD-2309               | Watson Paint System                      | Bridge Paint System.   |
| RD-9053               | K. J. Law Lightweight Profiler           | Profiler mounted on ATV. Profiles by integrating signals from an accelerometer and height (from vehicle) sensor. Simulates California Profilograph. Tests at 18 mph. |

**Table 1. Evaluations Completed in 2001.**

| <b>Product<br/>RD No.</b> | <b>Product Name and Type</b>             | <b>Result</b>   |                     |
|---------------------------|--|-----------------|---------------------|
|                           |  | <b>Accepted</b> | <b>Not Accepted</b> |
| RD-2505                   | EZ - 7                                   |                 | X                   |
| RD-1015                   | K. J. Law T6400 Lightweight Profilometer | X               |                     |

**Delete Date:** 12-30-02  
**Product Type:** BARRIERS , FENCING AND  
ROADSIDE STRUCTURES  
**Product** FANWALL  
**Manufacturer:** REINFORCED EARTH, INC.  
**Evaluator:** OKLAHOMA  
**File Number:** RD-6413  
**Status:** NOT ACCEPTED  
**Contact:** ODOT RESEARCH

**Comment:**  
NOISE BARRIER WALL ERECTED ON  
PROJECT SITE FROM PREFABRICATED  
CONCRETE SECTIONS.

**Delete Date:** 9-02-02  
**Product Type:** BITUMINOUS MATERIALS AND  
ADDITIVES  
**Product** CHEM-CRETE BITUMEN  
**Manufacturer:** CHEM-CRETE CORPORATION  
**Evaluator:** OKLAHOMA  
**File Number:**  
**Status:** RD-3303  
**Contact:** NOT ACCEPTED  
ODOT RESEARCH

**Comment:**  
PAVING ASPHALT DESIGNED FOR  
STABILITY AND DURABILITY.

**Delete Date:** 12-01-02  
**Product Type:** BITUMINOUS MATERIALS AND  
ADDITIVES  
**Product** ULTRAPAVE  
**Manufacturer:** GOODYEAR  
**Evaluator:** OKLAHOMA  
**File Number:** RD-3305  
**Status:** UNDER EVALUATION  
**Contact:** WILSON BREWER, ODOT  
RESEARCH

**Comment:**  
SBR LATEX POLYMER MODIFIER

**Delete Date:** 10-01-02  
**Product Type:** CULVERTS AND DRAINAGE  
STRUCTURES  
**Product** OMNI-FLEX PIPE JOINT SEALS  
**Manufacturer:** DELTA SOUTHWEST, INC.  
**Evaluator:** OKLAHOMA  
**File Number:** RD-5102  
**Status:** \*ACCEPTED  
**Contact:** GARY WILLIAMS, ODOT  
RESEARCH

**Comment:**  
PREFORMED, CLOSED-CELL FOAM  
SEALS FOR RCP JOINTS. REQUIRE NO  
PRIMING OR PIECING TOGETHER.  
\*ACCEPTED FOR USE ON RCP SIZES 60  
INCH AND SMALLER.

**Delete Date:** 08-02-02  
**Product Type:** JOINT SEALERS AND FILLERS  
**Product** PAVETECH BRIDGE JOINT SYSTEM  
**Manufacturer:** (LICENSEE) ALPHA LOT  
**Evaluator:** SERVICE, INC.  
**File Number:** OKLAHOMA  
**Status:** RD-2553  
**Contact:** NOT ACCEPTED  
GARY WILLIAMS, ODOT  
RESEARCH

**Comment:**  
WATERTIGHT EXPANSION JOINT SYSTEM FOR BRIDGE DECKS. CONSISTS OF MODIFIED ASPHALT BINDER AND FLINT AGGREGATE. CAN REPAIR LEAKS OR ROUGH- RIDING JOINTS BY TOPPING THEM WITH THE SAME MATERIAL.

**Delete Date:** 1-31-03  
**Product Type:** JOINT SEALERS AND FILLERS  
**Product** WILLSEAL  
**Manufacturer:** ILLBRUCK, INC.  
**Evaluator:** OKLAHOMA  
**File Number:** RD-2504  
**Status:** NOT ACCEPTED  
**Contact:** ODOT RESEARCH

**Comment:**  
PRECOMPRESSED, SELF-ADHESIVE FOAM SEALANT. USED FOR SEALING BOTH PAVEMENT AND BRIDGE DECK JOINTS. CAN BE APPLIED AT ANY TEMPERATURE. ODOT EVALUATED THIS PRODUCT AS A BRIDGE JOINT SEALANT.

**Delete Date:** 12-31-04  
**Product Type:** JOINT SEALERS AND FILLERS  
**Product** EZ - 7  
**Manufacturer:** EZ SEAL L.L.C.  
**Evaluator:** OKLAHOMA  
**File Number:** RD-2505  
**Status:** NOT ACCEPTED  
**Contact:** ODOT RESEARCH

COLD POUR CRACK AND JOINT SEALANT. CAN BE POURED IN CRACKS AND SURFACE FINISHED BY PUSHING A SQUEEGEE OVER IT. NO KETTLE REQUIRED AND ENUSED SEALANT CAN CONVENIENTLY BE SAVED FOR NEXT SEALING OPERATION.

**Delete Date:** 3-31-02  
**Product Type:** MISCELLANEOUS  
**Product** URETEK  
**Manufacturer:** URETEK USA  
**Evaluator:** OKLAHOMA  
**File Number:** RD-9207  
**Status:** ACCEPTED  
**Contact:** WILSON BREWER, ODOT  
RESEARCH

**Comment:**  
UNDERSEAL FOR PCC ROADWAY AND BRIDGE APPROACH SLABS.

**Delete Date:** 06-30-02  
**Product Type:** PATCHING MATERIALS  
**Product** ROADPATCH  
**Manufacturer:** THORO SYSTEM PRODUCTS  
**Evaluator:** OKLAHOMA  
**File Number:** RD-2829  
**Status:** UNDER EVALUATION  
**Contact:** ODOT RESEARCH

**Comment:**  
FAST-SETTING PORTLAND CEMENT,  
GLASS FIBER REINFORCED PATCH  
MATERIAL.

**Delete Date:** 10-30-02  
**Product Type:** PATCHING MATERIALS  
**Product** SILSPEC 900 PNS  
**Manufacturer:** SILSPEC, SSI IS THE LOCAL  
DISTRIBUTOR  
**Evaluator:** OKLAHOMA  
**File Number:** RD-2549  
**Status:** ACCEPTED  
**Contact:** ODOT RESEARCH

**Comment:**  
POLYMERIZED AC BINDER DEVELOPS  
A FLEXIBLE, MODIFIED AC WHEN  
MIXED WITH FLINT-TYPE  
AGGREGATE. USED TO REPAIR OR  
REPLACE DAMAGED FACES OF  
EXPANSION JOINTS.

**Delete Date:** 10-27-02  
**Product Type:** PATCHING MATERIALS  
**Product** DURACAL  
**Manufacturer:** UNITED GYPSUM CO., INC.  
**Evaluator:** OKLAHOMA  
**File Number:** RD-2815  
**Status:** ACCEPTED  
**Contact:** ODOT RESEARCH

**Comment:**  
PATCH MATERIAL. MAY BE USED AS  
100 PERCENT CEMENT OR WITH  
EQUAL AMOUNTS OF SAND.

**Delete Date:** 11-28-02  
**Product Type:** PATCHING MATERIALS  
**Product** EMBECO L-411  
**Manufacturer:** MASTER BUILDERS  
**Evaluator:** OKLAHOMA  
**File Number:** RD-2701  
**Status:** ACCEPTED  
**Contact:** ODOT RESEARCH

**Comment:**  
FAST SETTING CONCRETE PATCHING  
MATERIAL. PATCHED SURFACE CAN  
BE OPEN TO TRAFFIC WITHIN FOUR  
HOURS OF POURING.

**Delete Date:** 12-01-02  
**Product Type:** PAVING FABRICS  
**Product** PRO-GUARD  
**Manufacturer:** PHILLIPS FIBERS  
**Evaluator:** CORPORATION  
**File Number:** OKLAHOMA  
**Status:** RD-4970  
**Contact:** ACCEPTED  
ODOT RESEARCH

**Comment:**  
FLEXIBLE STRIP MEMBRANE APPLIED  
OVER CRACKS, BEFORE OVERLAYING  
PAVEMENT.

**Delete Date:** 12-31-02  
**Product Type:** PAVING FABRICS  
**Product** BITUTEX  
**Manufacturer:** SYNTEEN USA, INC.  
**Evaluator:** OKLAHOMA  
**File Number:** RD-4969  
**Status:** ACCEPTED  
**Contact:** GARY WILLIAMS, ODOT  
RESEARCH

**Comment:**  
FABRIC REINFORCEMENT WITH  
POLYESTER GRIDWORK.

**Delete Date:** 02-03-03  
**Product Type:** PCC ADMIXTURES  
**Product** RHEOMAC SF 100  
**Manufacturer:** MASTER BUILDERS  
TECHNOLOGIES  
**Evaluator:** OKLAHOMA  
**File Number:** RD-2330  
**Status:** UNDER EVALUATION  
**Contact:** ODOT RESEARCH

SILICA FUME MINERAL ADMIXTURE.  
USED IN A SILICA FUME MODIFIED PCC  
OVERLAY OF AN EXISTING PCC  
BRIDGE DECK.

**Delete Date:** 10-26-02  
**Product Type:** PCC FINISHING MATERIALS  
**Product** TEX-COTE  
**Manufacturer:** TEXTURE COATINGS OF  
AMERICA, INC.  
**Evaluator:** OKLAHOMA  
**File Number:** RD-2405  
**Status:** ACCEPTED  
**Contact:** ODOT RESEARCH

**Comment:**  
TEXTURED COATING FOR CONCRETE  
STRUCTURES. AVAILABLE IN  
DIFFERENT COLORS.

**Delete Date:** 11-20-02  
**Product Type:** RUST PASSIVIATORS  
**Product** THOROCLAD  
**Manufacturer:** THORO SYSTEM PRODUCTS  
**Evaluator:** OKLAHOMA  
**File Number:** RD-2409  
**Status:** UNDER EVALUATION  
**Contact:** ODOT RESEARCH

**Comment:**  
ACRYLIC MODIFIED PRIMER FOR  
STEEL OR IRON SURFACES. CAN BE  
APPLIED ON CLEAN OR RUSTED  
SURFACES.

**Delete Date:** 12-09-02  
**Product Type:** SOIL STERILIZATION AND  
WEED CONTROL MATERIALS  
**Product** ARSENAL  
**Manufacturer:** AMERICAN CYANAMID  
COMPANY  
**Evaluator:** OKLAHOMA  
**File Number:** RD-4203  
**Status:** ACCEPTED  
**Contact:** ODOT RESEARCH

**Comment:**  
POSTEMERGENCE HERBICIDE FOR  
BERMUDAGRASS.

**Delete Date:** 12-15-02  
**Product Type:** SOIL STERILIZATION AND  
WEED CONTROL MATERIALS  
**Product** GARLON 3A  
**Manufacturer:** DOW CHEMICAL COMPANY  
**Evaluator:** OKLAHOMA  
**File Number:** RD-4203  
**Status:** ACCEPTED  
**Contact:** ODOT RESEARCH

**Comment:**  
USED (GENERALLY WITH A  
SURFACTANT) FOR CONTROL OF  
VARIOUS BRUSH SPECIES.

**Delete Date:** 12-15-02  
**Product Type:** SOIL STERILIZATION AND  
WEED CONTROL MATERIALS  
**Product** GARLON®  
**Manufacturer:** DOW CHEMICAL COMPANY  
**Evaluator:** OKLAHOMA  
**File Number:** RD-4203  
**Status:** ACCEPTED  
**Contact:** ODOT RESEARCH

**Comment:**  
USED IN COMBINATION WITH TORDON  
K AS AN HERBICIDE FOR VARIOUS  
BRUSH SPECIES.

**Delete Date:** 12-15-02  
**Product Type:** SOIL STERILIZATION AND  
WEED CONTROL MATERIALS  
**Product** TORDONK  
**Manufacturer:** DOW CHEMICAL COMPANY  
**Evaluator:** OKLAHOMA  
**File Number:** RD-4203  
**Status:** ACCEPTED  
**Contact:** ODOT RESEARCH

**Comment:**  
USED IN COMBINATION WITH EARLON  
4 AS AN HERBICIDE FOR VARIOUS  
SUSCEPTIBLE BRUSH SPECIES.

**Delete Date:** 12-15-02  
**Product Type:** SOIL STERILIZATION AND  
WEED CONTROL MATERIALS  
**Product** AATREX EL  
**Manufacturer:** CIBA-GEIGY CORPORATION  
**Evaluator:** OKLAHOMA  
**File Number:** RD-4203  
**Status:** ACCEPTED  
**Contact:** ODOT RESEARCH

**Comment:**  
PREEMERGENCE HERBICIDE FOR  
ANNUAL GRASS AND BROADLEAF  
WEEDS.

**Delete Date:** 05-01-03  
**Product Type:** SOIL STERILIZATION AND  
WEED CONTROL MATERIALS  
**Product** RODEO  
**Manufacturer:** MONSANTO AGRICULTURAL  
**Evaluator:** OKLAHOMA  
**File Number:** RD-4203  
**Status:** ACCEPTED  
**Contact:** ODOT RESEARCH

**Comment:**  
USED (WITH NON-IONIC SURFACTANT)  
FOR AQUATIC WEED CONTROL.

**Delete Date:** 12-15-02  
**Product Type:** SOIL STERILIZATION AND  
WEED CONTROL MATERIALS  
**Product** AATREX NINE-O  
**Manufacturer:** CIBA-GEIGY CORPORATION  
**Evaluator:** OKLAHOMA  
**File Number:** RD-4203  
**Status:** ACCEPTED  
**Contact:** ODOT RESEARCH

**Comment:**  
PREEMERGENCE HERBICIDE FOR  
ANNUAL GRASS AND BROADLEAF  
WEEDS.



**Delete Date:** 12-15-02  
**Product Type:** SOIL STERILIZATION AND  
WEED CONTROL MATERIALS  
**Product** KARMEXB08DF  
**Manufacturer:** E.I. DU PONT DE NEMOURS  
**Evaluator:** OKLAHOMA  
**File Number:** RD-4203  
**Status:** ACCEPTED  
**Contact:** ODOT RESEARCH

**Comment:**  
PREEMERGENCE HERBICIDE FOR  
ANNUAL GRASS AND BROADLEAF  
WEEDS.

**Delete Date:** 12-15-02  
**Product Type:** SOIL STERILIZATION AND  
WEED CONTROL MATERIALS  
**Product** ROUNDUP PRO  
**Manufacturer:** MONSANTO AGRICULTURAL  
OKLAHOMA  
**Evaluator:** RD-4203  
**File Number:** ACCEPTED  
**Status:** ODOT RESEARCH  
**Contact:**

**Comment:**  
POSTEMERGENCE HERBICIDE FOR  
JOHNSONGRASS AND BERMUDAGRASS  
(IN COMBINATION WITH OUST), AND  
FOR SILVER BLUESTEM AND BRUSH  
(ROUNDUP PRO ONLY).

**Delete Date:** 12-15-02  
**Product Type:** SOIL STERILIZATION AND  
WEED CONTROL MATERIALS  
**Product** VANQUISH  
**Manufacturer:** NOVARTIS CHEMICAL CO  
**Evaluator:** OKLAHOMA  
**File Number:** RD-4203  
**Status:** ACCEPTED  
**Contact:** ODOT RESEARCH

**Comment:**  
POSTEMERGENCE HERBICIDE FOR  
BROADLEAF WEEDS INCLUDING  
KOCHIA AND SCOTCH THISTLE.

**Delete Date:** 5-15-03  
**Product Type:** SOIL STERILIZATION AND  
WEED CONTROL MATERIALS  
**Product** RODEO  
**Manufacturer:** MONSANTO AGRICULTURAL  
**Evaluator:** OKLAHOMA  
**File Number:** RD-4203  
**Status:** ACCEPTED  
**Contact:** ODOT RESEARCH

**Comment:**  
USED (WITH NON-IONIC SURFACTANT)  
FOR AQUATIC WEED CONTROL.

**Delete Date:** 5-15-03  
**Product Type:** SOIL STERILIZATION AND  
WEED CONTROL MATERIALS  
**Product** OUST  
**Manufacturer:** E.I DU PONT DE NEMOURS  
**Evaluator:** OKLAHOMA  
**File Number:** RD-4203  
**Status:** ACCEPTED  
**Contact:** ODOT RESEARCH

**Comment:**  
USED IN COMBINATION WITH  
ROUNDUP PRO FOR JOHNSONGRASS  
CONTROL.

**Delete Date:** 01-01-03  
**Product Type:** SOIL TREATMENTS  
**Product** PORTLAND CEMENT KILN DUST  
**Manufacturer:** BLUE CIRCLE  
**Evaluator:** OKLAHOMA  
**File Number:** RD-4903  
**Status:** UNDER EVALUATION  
**Contact:** UNIV. OF OKLAHOMA, ODOT  
RESEARCH

**Comment:**  
APPLIED AND EVALUATED AS SOIL  
STABILIZATION.

**Delete Date:** 01-01-03  
**Product Type:** SOIL TREATMENTS  
**Product** PORTLAND CEMENT KILN DUST  
**Manufacturer:** HOLNAM  
**Evaluator:** OKLAHOMA  
**File Number:** RD-4901  
**Status:** UNDER EVALUATION  
**Contact:** UNIV. OF OKLAHOMA, ODOT  
RESEARCH

**Comment:**  
APPLIED AND EVALUATED AS SOIL  
STABILIZATION.

**Delete Date:** 01-01-03  
**Product Type:** SOIL TREATMENTS  
**Product** PORTLAND CEMENT KILN DUST  
**Manufacturer:** LONE STAR  
**Evaluator:** OKLAHOMA  
**File Number:** RD-4902  
**Status:** UNDER EVALUATION  
**Contact:** UNIV. OF OKLAHOMA, ODOT  
RESEARCH

**Comment:**  
APPLIED AND EVALUATED AS SOIL  
STABILIZATION.

**Delete Date:** 05-01-02  
**Product Type:** STRUCTURAL PAINTS  
**Product** ALUMANATION  
**Manufacturer:** REPUBLIC POWDERED METALS  
**Evaluator:** OKLAHOMA  
**File Number:** RD-2303  
**Status:** UNDER EVALUATION  
**Contact:** ODOT RESEARCH

**Comment:**  
BRIDGE PAINT. UNDER EVALUATION  
ON ONE BRIDGE IN SEMINOLE  
COUNTY.

**Delete Date:** 05-01-02  
**Product Type:** STRUCTURAL PAINTS  
**Product** CARBOLINE~~PROTECTIVE~~  
COATINGS  
**Manufacturer:** CARBOLINE CO.  
**Evaluator:** OKLAHOMA  
**File Number:** RD-6801  
**Status:** UNDER EVALUATION  
**Contact:** ODOT RESEARCH

**Comment:**  
BRIDGE PAINT.

**Delete Date:** 05-01-02  
**Product Type:** STRUCTURAL PAINTS  
**Product** RUST GRIP  
**Manufacturer:** SUPERIOR PRODUCTS  
**Evaluator:** OKLAHOMA  
**File Number:** RD-2302  
**Status:** UNDER EVALUATION  
**Contact:** ODOT RESEARCH

**Comment:**  
MOISTURE-CURED URETHANE. UNDER  
EVALUATION ON ONE BRIDGE IN LE  
FLORE COUNTY.

**Delete Date:** 05-01-02  
**Product Type:** STRUCTURAL PAINTS  
**Product** SUPERIOR PAINT SYSTEM  
**Manufacturer:** SUPERIOR  
**Evaluator:** OKLAHOMA  
**File Number:** RD-2307  
**Status:** UNDER EVALUATION  
**Contact:** ODOT RESEARCH

**Comment:**  
BRIDGE PAINT SYSTEM CONSISTING  
OF RUST GRIP SP-SPRIMER, RUST GRIP  
WITH DYE INTERMEDIATE COAT AND  
RUST GRIP HS TOPCOAT.

**Delete Date:** 05-01-02  
**Product Type:** STRUCTURAL PAINTS  
**Product** TNEMEC 135, SERIES 74 PAINT SYSTEM  
**Manufacturer:** TNEMEC  
**Evaluator:** OKLAHOMA  
**File Number:** RD-2308  
**Status:** UNDER EVALUATION  
**Contact:** ODOT RESEARCH

**Comment:**  
BRIDGE PAINT SYSTEM.

**Delete Date:** 05-01-02  
**Product Type:** STRUCTURAL PAINTS  
**Product** VALSPAR PAINT SYSTEM  
**Manufacturer:** VALSPAR  
**Evaluator:** OKLAHOMA  
**File Number:** RD-2306  
**Status:** UNDER EVALUATION  
**Contact:** ODOT RESEARCH

**Comment:**  
BRIDGE PAINT SYSTEM CONSISTING OF VALSPAR V-13-F-12 PRIMER, V89W9 INTERMEDIATE COAT AND V54W7 TOPCOAT.

**Delete Date:** 05-01-02  
**Product Type:** STRUCTURAL PAINTS  
**Product** WASSER PAINT SYSTEM  
**Manufacturer:** WASSER COATINGS  
**Evaluator:** OKLAHOMA  
**File Number:** RD-2305  
**Status:** UNDER EVALUATION  
**Contact:** ODOT RESEARCH

**Comment:**  
BRIDGE PAINT SYSTEM CONSISTING OF MC-ZINC, FERROX A AND MIOMASTIC.

**Delete Date:** 05-01-02  
**Product Type:** STRUCTURAL PAINTS  
**Product** WATSON PAINT SYSTEM  
**Manufacturer:** WATSON  
**Evaluator:** OKLAHOMA  
**File Number:** RD-2309  
**Status:** UNDER EVALUATION  
**Contact:** ODOT RESEARCH

**Comment:**  
BRIDGE PAINT SYSTEM CONSISTING OF WATSON AS 8100 PRIMER AND AS 8106 TOPCOAT.

**Delete Date:** 12-16-02  
**Product Type:** TESTING AND CONSTRUCTION  
EQUIPMENT  
**Product** PROSCAN  
**Manufacturer:** DE VORE SYSTEMS, INC.  
**Evaluator:** OKLAHOMA  
**File Number:** RD-1014  
**Status:** ACCEPTED  
**Contact:** GARY WILLIAMS, ODOT  
RESEARCH

**Comment:**  
COMPUTER SCANNING SYSTEM FOR  
REDUCTION OF PROFILOGRAPH  
TAPES.

**Delete Date:** 02-01-03  
**Product Type:** TESTING AND CONSTRUCTION  
EQUIPMENT  
**Product** K. J. LAW T6400 LEIGHTWEIGHT  
PROFILOMETER  
**Manufacturer:** K. J. LAW  
**Evaluator:** OKLAHOMA  
**File Number:** RD-1015  
**Status:** ACCEPTED  
**Contact:** GARY WILLIAMS, ODOT  
RESEARCH

LIGHTWEIGHT PROFILOMETER.  
SMOOTHNESS MEASUREMENT  
EQUIPMENT MOUNTED ON ATV.  
TESTS AT 18 MPH. CAPABLE OF  
SIMULATING CALIFORNIA  
PROFILOGRAPH OR PRODUCING  
RESULTS AS IN/MI, IRI, ETC.

**Delete Date:** 10-27-02  
**Product Type:** WATERPROOFING MEMBRANES  
AND MATERIALS  
**Product** CHEM-TRETE  
**Manufacturer:** DYNAMIT NOBEL  
**Evaluator:** OKLAHOMA  
**File Number:** RD-2326  
**Status:** ACCEPTED  
**Contact:** ODOT RESEARCH

**Comment:**  
PENETRATING CONCRETE SEALER.

**Delete Date:** 10-27-02  
**Product Type:** WATERPROOFING MEMBRANES  
AND MATERIALS  
**Product:** CHEM-TRETE "H"  
**Manufacturer:** DYNAMIT NOBEL  
**Evaluator:** OKLAHOMA  
**File Number:** RD-2331  
**Status:** NOT ACCEPTED  
**Contact:** ODOT RESEARCH

**Comment:**  
PENETRATING CONCRETE SEALER.

**Delete Date:** 10-27-02 **Comment:**  
**Product Type:** WATERPROOFING MEMBRANES **PENETRATING CONCRETE SEALER.**  
**AND MATERIALS**  
**Product** XYPEX  
**Manufacturer:** XYPEX CHEMICALS LIMITED  
**Evaluator:** OKLAHOMA  
**File Number:** RD-2318  
**Status:** NOT ACCEPTED  
**Contact:** ODOT RESEARCH

**Delete Date:** 10-27-02 **Comment:**  
**Product Type:** WATERPROOFING MEMBRANES **PENETRATING CONCRETE SEALER.**  
**AND MATERIALS**  
**Product** CP-700  
**Manufacturer:** CHEMICAL PRODUCTS  
DEVELOPMENT CORPORATION  
**Evaluator:** OKLAHOMA  
**File Number:** RD-2328  
**Status:** NOT ACCEPTED  
**Contact:** ODOT MATERIALS DIVISION

**Delete Date:** 12-04-02 **Comment:**  
**Product Type:** WATERPROOFING MEMBRANES **PENETRATING HYDROPHOBIC**  
**AND MATERIALS** **SEALER.**  
**Product** SIL-ACT SILANE  
**Manufacturer:** ADVANCED CHEMICAL  
TECHNOLOGIES  
**Evaluator:** OKLAHOMA  
**File Number:** RD-2333  
**Status:** ACCEPTED  
**Contact:** ODOT RESEARCH

**Delete Date:** 12-22-02 **Comment:**  
**Product Type:** WATERPROOFING MEMBRANES **PAVING ASPHALT DESIGNED FOR**  
**AND MATERIALS** **STABILITY AND DURABILITY.**  
**Product** CHEM-CRETE BITUMEN  
**Manufacturer:** CHEM-CRETE CORPORATION  
**Evaluator:** OKLAHOMA  
**File Number:** RD-3303  
**Status:** NOT ACCEPTED  
**Contact:** ODOT RESEARCH